

U-NII-1 (5150 - 5250 MHz)					
Mode	Channel	RU Config	E.I.R.P PSD (dBm/MHz)	E.I.R.P Limit (dBm/MHz)	Verdict
11ax(HE20) (RU)	CH36	26	9.21	10.00	Pass
		52	9.19	10.00	Pass
		106	9.42	10.00	Pass
	CH44	26	9.14	10.00	Pass
		52	9.09	10.00	Pass
		106	9.28	10.00	Pass
	CH48	26	9.40	10.00	Pass
		52	9.35	10.00	Pass
		106	9.01	10.00	Pass
11ax(HE40) (RU)	CH38	26	8.64	10.00	Pass
		52	9.30	10.00	Pass
		106	9.11	10.00	Pass
		242	6.75	10.00	Pass
	CH46	26	8.83	10.00	Pass
		52	8.70	10.00	Pass
		106	9.24	10.00	Pass
		242	6.93	10.00	Pass
11ax(HE80) (RU)	CH42	26	8.98	10.00	Pass
		52	9.05	10.00	Pass
		106	9.21	10.00	Pass
		242	6.80	10.00	Pass
		484	3.97	10.00	Pass
11ax(HE160) (RU)	CH50	26	9.13	10.00	Pass
		52	8.83	10.00	Pass
		106	9.09	10.00	Pass
		242	6.73	10.00	Pass
		484	3.84	10.00	Pass
		996	1.31	10.00	Pass

U-NII-2A (5250 - 5350 MHz)			
Mode	Channel	E.I.R.P PSD (dBm/MHz)	Verdict
11a	CH52	8.65	Pass
11a	CH60	8.60	Pass
11a	CH64	8.07	Pass
11n(HT20)	CH52	7.81	Pass
11n(HT20)	CH60	7.70	Pass
11n(HT20)	CH64	7.63	Pass
11n(HT40)	CH54	5.26	Pass
11n(HT40)	CH62	4.80	Pass
11ac(VHT20)	CH52	8.22	Pass
11ac(VHT20)	CH60	8.17	Pass
11ac(VHT20)	CH64	7.63	Pass
11ac(VHT40)	CH54	5.18	Pass
11ac(VHT40)	CH62	4.83	Pass
11ac(VHT80)	CH58	2.19	Pass
11ax(HE20) (SU)	CH52	8.05	Pass
11ax(HE20) (SU)	CH60	7.95	Pass
11ax(HE20) (SU)	CH64	7.40	Pass
11ax(HE40) (SU)	CH54	5.00	Pass
11ax(HE40) (SU)	CH62	4.51	Pass
11ax(HE80) (SU)	CH58	2.12	Pass

U-NII-2A (5250 - 5350 MHz)				
Mode	Channel	RU Config	E.I.R.P PSD (dBm/MHz)	Verdict
11ax(HE20) (RU)	CH52	26	9.65	Pass
		52	9.61	Pass
		106	9.78	Pass
	CH60	26	9.45	Pass
		52	9.40	Pass
		106	9.59	Pass
	CH64	26	9.61	Pass
		52	9.73	Pass
		106	9.71	Pass
11ax(HE40) (RU)	CH54	26	9.42	Pass
		52	9.55	Pass
		106	9.62	Pass
		242	7.47	Pass
	CH62	26	9.46	Pass
		52	9.77	Pass
		106	9.67	Pass
		242	7.25	Pass
11ax(HE80) (RU)	CH58	26	9.49	Pass
		52	9.67	Pass
		106	9.74	Pass
		242	7.22	Pass
		484	4.31	Pass

U-NII-2C (5470 - 5725 MHz)			
Mode	Channel	E.I.R.P PSD (dBm/MHz)	Verdict
11a	CH100	7.30	Pass
11a	CH116	7.40	Pass
11a	CH140	7.44	Pass
11n(HT20)	CH100	6.85	Pass
11n(HT20)	CH116	7.01	Pass
11n(HT20)	CH140	7.03	Pass
11n(HT40)	CH102	3.82	Pass
11n(HT40)	CH118	3.96	Pass
11n(HT40)	CH134	4.13	Pass
11ac(VHT20)	CH100	6.77	Pass
11ac(VHT20)	CH116	6.89	Pass
11ac(VHT20)	CH140	6.97	Pass
11ac(VHT40)	CH102	3.81	Pass
11ac(VHT40)	CH118	3.97	Pass
11ac(VHT40)	CH134	4.02	Pass
11ac(VHT80)	CH106	0.63	Pass
11ac(VHT80)	CH122	0.79	Pass
11ac(VHT160)	CH114	-2.28	Pass
11ax(HE20) (SU)	CH100	6.53	Pass
11ax(HE20) (SU)	CH116	6.70	Pass
11ax(HE20) (SU)	CH140	6.78	Pass
11ax(HE40) (SU)	CH102	3.60	Pass
11ax(HE40) (SU)	CH118	3.71	Pass
11ax(HE40) (SU)	CH134	3.83	Pass
11ax(HE80) (SU)	CH106	0.57	Pass
11ax(HE80) (SU)	CH122	0.68	Pass
11ax(HE160) (SU)	CH114	-2.44	Pass

U-NII-2C (5470 - 5725 MHz)				
Mode	Channel	RU Config	E.I.R.P PSD (dBm/MHz)	Verdict
11ax(HE20) (RU)	CH100	26	8.63	Pass
		52	8.58	Pass
		106	8.73	Pass
	CH116	26	8.73	Pass
		52	8.82	Pass
		106	8.81	Pass
	CH140	26	8.55	Pass
		52	8.61	Pass
		106	8.71	Pass
11ax(HE40) (RU)	CH102	26	8.58	Pass
		52	8.59	Pass
		106	8.64	Pass
		242	6.28	Pass
	CH118	26	8.49	Pass
		52	8.66	Pass
		106	8.54	Pass
		242	6.27	Pass
	CH134	26	8.92	Pass
		52	8.81	Pass
		106	8.79	Pass
		242	6.01	Pass
11ax(HE80) (RU)	CH106	26	8.62	Pass
		52	8.68	Pass
		106	8.79	Pass
		242	6.05	Pass
		484	2.98	Pass
	CH122	26	8.82	Pass
		52	8.57	Pass
		106	8.43	Pass
		242	6.23	Pass
11ax(HE160) (RU)	CH114	484	3.18	Pass
		26	8.83	Pass
		52	8.62	Pass
		106	8.56	Pass
		242	6.42	Pass
		484	3.48	Pass
		996	0.23	Pass

U-NII-3 (5725 - 5850 MHz)			
Mode	Channel	E.I.R.P PSD (dBm/500kHz)	Verdict
11a	CH149	2.00	Pass
11a	CH157	1.97	Pass
11a	CH165	1.85	Pass
11n(HT20)	CH149	1.65	Pass
11n(HT20)	CH157	1.64	Pass
11n(HT20)	CH165	1.50	Pass
11n(HT40)	CH151	-1.26	Pass
11n(HT40)	CH159	-1.24	Pass
11ac(VHT20)	CH149	1.62	Pass
11ac(VHT20)	CH157	1.66	Pass
11ac(VHT20)	CH165	1.55	Pass
11ac(VHT40)	CH151	-1.43	Pass
11ac(VHT40)	CH159	-1.37	Pass
11ac(VHT80)	CH155	-4.55	Pass
11ax(HE20) (SU)	CH149	1.32	Pass
11ax(HE20) (SU)	CH157	1.39	Pass
11ax(HE20) (SU)	CH165	1.22	Pass
11ax(HE40) (SU)	CH151	-1.63	Pass
11ax(HE40) (SU)	CH159	-1.66	Pass
11ax(HE80) (SU)	CH155	-4.51	Pass

U-NII-3 (5725 - 5850 MHz)				
Mode	Channel	RU Config	E.I.R.P PSD (dBm/500kHz)	Verdict
11ax(HE20) (RU)	CH149	26	6.59	Pass
		52	6.17	Pass
		106	4.60	Pass
	CH157	26	6.08	Pass
		52	6.56	Pass
		106	4.95	Pass
	CH165	26	6.56	Pass
		52	6.39	Pass
		106	4.71	Pass
11ax(HE40) (RU)	CH151	26	6.26	Pass
		52	6.65	Pass
		106	4.37	Pass
		242	1.42	Pass
	CH159	26	6.23	Pass
		52	6.42	Pass
		106	4.68	Pass
		242	1.15	Pass
11ax(HE80) (RU)	CH155	26	6.14	Pass
		52	6.38	Pass
		106	4.67	Pass
		242	1.12	Pass
		484	-1.85	Pass

U-NII-2C straddle channel			
Mode	Channel	E.I.R.P PSD (dBm/MHz)	Verdict
11a	CH144	8.25	Pass
11n(HT20)	CH144	7.94	Pass
11n(HT40)	CH142	4.07	Pass
11ac(VHT20)	CH144	7.85	Pass
11ac(VHT40)	CH142	4.07	Pass
11ac(VHT80)	CH138	0.49	Pass
11ax(HE20)(SU)	CH144	7.52	Pass
11ax(HE40)(SU)	CH142	3.71	Pass
11ax(HE80)(SU)	CH138	0.79	Pass

U-NII-2C straddle channel				
Mode	Channel	RU Config	E.I.R.P PSD (dBm/MHz)	Verdict
11ax(HE20) (RU)	CH144	26	10.83	Pass
		52	10.98	Pass
		106	9.73	Pass
11ax(HE40) (RU)	CH142	26	10.75	Pass
		52	10.96	Pass
		106	9.75	Pass
		242	6.09	Pass
11ax(HE80) (RU)	CH138	26	10.87	Pass
		52	11.14	Pass
		106	9.88	Pass
		242	6.30	Pass
		484	3.22	Pass

U-NII-3 straddle channel			
Mode	Channel	E.I.R.P PSD (dBm/500kHz)	Verdict
11a	CH144	3.15	Pass
11n(HT20)	CH144	2.69	Pass
11n(HT40)	CH142	-1.06	Pass
11ac(VHT20)	CH144	2.61	Pass
11ac(VHT40)	CH142	-1.20	Pass
11ac(VHT80)	CH138	-4.56	Pass
11ax(HE20)(SU)	CH144	2.35	Pass
11ax(HE40)(SU)	CH142	-1.46	Pass
11ax(HE80)(SU)	CH138	-4.60	Pass

U-NII-3 straddle channel				
Mode	Channel	RU Config	E.I.R.P PSD (dBm/500kHz)	Verdict
11ax(HE20) (RU)	CH144	26	5.70	Pass
		52	5.63	Pass
		106	4.49	Pass
11ax(HE40) (RU)	CH142	26	5.34	Pass
		52	5.71	Pass
		106	4.50	Pass
		242	0.87	Pass
11ax(HE80) (RU)	CH138	26	5.81	Pass
		52	5.96	Pass
		106	4.66	Pass
		242	1.10	Pass
		484	-1.91	Pass

A.5 Conducted Emissions

Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.


Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.182	41.07	9.78	64.39	23.32	Peak	L	Pass
1**	0.182	27.26	9.78	54.39	27.13	AV	L	Pass
2	0.344	39.47	10.64	59.11	19.64	Peak	L	Pass
2**	0.344	27.05	10.64	49.11	22.06	AV	L	Pass
3	0.592	42.19	10.14	56.00	13.81	Peak	L	Pass
3**	0.592	27.47	10.14	46.00	18.53	AV	L	Pass
4	1.148	40.31	10.40	56.00	15.69	Peak	L	Pass
4**	1.148	25.74	10.40	46.00	20.26	AV	L	Pass
5	1.580	39.07	9.97	56.00	16.93	Peak	L	Pass
5**	1.580	25.92	9.97	46.00	20.08	AV	L	Pass
6	2.816	38.87	10.14	56.00	17.13	Peak	L	Pass
6**	2.816	25.20	10.14	46.00	20.80	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.158	50.25	9.78	65.57	15.32	Peak	N	Pass
1**	0.158	28.69	9.78	55.57	26.88	AV	N	Pass
2	0.202	44.28	9.77	63.53	19.25	Peak	N	Pass
2**	0.202	26.73	9.77	53.53	26.80	AV	N	Pass
3	0.534	44.59	10.01	56.00	11.41	Peak	N	Pass
3**	0.534	29.59	10.01	46.00	16.41	AV	N	Pass
4	0.592	43.13	10.14	56.00	12.87	Peak	N	Pass
4**	0.592	28.57	10.14	46.00	17.43	AV	N	Pass
5	1.170	40.07	10.19	56.00	15.93	Peak	N	Pass
5**	1.170	25.28	10.19	46.00	20.72	AV	N	Pass
6	2.860	38.65	9.82	56.00	17.35	Peak	N	Pass
6**	2.860	25.77	9.82	46.00	20.23	AV	N	Pass

A.6 Radiated Spurious Emissions and Band Edge (Restricted-band)

Note¹: The symbol of "--" in the table which means not application.

Note²: For the test data above 1 GHz, According the ANSI C63.4, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.


Note⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Note⁵: For Multiple transmitter output, the quantity $10 \log (NANT)$ dB is added to each spectrum value before comparing to the emission limit. When testing out-of-band and spurious emissions against relative emission limits, tests may be performed on each output individually without summing or adding $10 \log (NANT)$ if the measurements are made relative to the in-band emissions on the individual outputs.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	44.550	15.60	-25.39	40.0	24.40	Peak	58.20	200	Horizontal	Pass
2	81.362	16.77	-31.42	40.0	23.23	Peak	351.80	200	Horizontal	Pass
3	94.941	25.50	-27.59	43.5	18.00	Peak	0.30	200	Horizontal	Pass
4	182.920	25.99	-27.54	43.5	17.51	Peak	77.30	200	Horizontal	Pass
5	324.686	21.62	-22.73	46.0	24.38	Peak	94.60	100	Horizontal	Pass
6	592.067	25.96	-15.39	46.0	20.04	Peak	88.60	200	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	44.356	22.45	-25.43	40.0	17.55	Peak	134.80	100	Vertical	Pass
2	64.047	23.84	-27.00	40.0	16.16	Peak	31.10	100	Vertical	Pass
3	81.362	27.31	-31.42	40.0	12.69	Peak	0.00	100	Vertical	Pass
4	94.941	31.93	-27.59	43.5	11.57	Peak	39.70	100	Vertical	Pass
5	149.116	22.98	-29.83	43.5	20.52	Peak	134.80	100	Vertical	Pass
6	189.807	23.13	-26.56	43.5	20.37	Peak	354.40	100	Vertical	Pass

Note ¹: The spurious above 18G is noise only, do not show on the report.

Note ²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note ³: All antenna were pre tested, but only the worst case has been reported in this report.

SISO-Antenna 9

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.452	38.53	74.0	35.47	Peak	3.00	200	Horizontal	Pass
1**	1508.452	28.37	54.0	25.63	AV	3.00	200	Horizontal	Pass
2	2348.223	47.54	74.0	26.46	Peak	283.00	400	Horizontal	Pass
2**	2348.223	37.91	54.0	16.09	AV	283.00	400	Horizontal	Pass
3	4203.183	45.26	74.0	28.74	Peak	108.00	200	Horizontal	Pass
3**	4203.183	37.14	54.0	16.86	AV	108.00	200	Horizontal	Pass
4	7435.636	53.23	74.0	20.77	Peak	224.00	300	Horizontal	Pass
4**	7435.636	44.93	54.0	9.07	AV	224.00	300	Horizontal	Pass
5	12515.594	55.78	74.0	18.22	Peak	321.00	400	Horizontal	Pass
5**	12515.594	46.29	54.0	7.71	AV	321.00	400	Horizontal	Pass
6	16147.139	56.55	74.0	17.45	Peak	104.00	200	Horizontal	Pass
6**	16147.139	43.19	54.0	10.81	AV	104.00	200	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.032	35.39	74.0	38.61	Peak	74.00	200	Vertical	Pass
1**	1574.032	27.07	54.0	26.93	AV	74.00	200	Vertical	Pass
2	2347.810	42.67	74.0	31.33	Peak	123.00	100	Vertical	Pass
2**	2347.810	31.89	54.0	22.11	AV	123.00	100	Vertical	Pass
3	3917.123	43.71	74.0	30.29	Peak	107.00	200	Vertical	Pass
3**	3917.123	38.97	54.0	15.03	AV	107.00	200	Vertical	Pass
4	7683.288	54.91	74.0	19.09	Peak	52.00	300	Vertical	Pass
4**	7683.288	44.23	54.0	9.77	AV	52.00	300	Vertical	Pass
5	12529.412	53.66	74.0	20.34	Peak	161.00	200	Vertical	Pass
5**	12529.412	40.02	54.0	13.98	AV	161.00	200	Vertical	Pass
6	15383.777	54.63	74.0	19.37	Peak	269.00	100	Vertical	Pass
6**	15383.777	42.38	54.0	11.62	AV	269.00	100	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.788	40.07	74.0	33.93	Peak	33.00	100	Horizontal	Pass
1**	1512.788	27.78	54.0	26.22	AV	33.00	100	Horizontal	Pass
2	2351.725	45.68	74.0	28.32	Peak	269.00	300	Horizontal	Pass
2**	2351.725	35.93	54.0	18.07	AV	269.00	300	Horizontal	Pass
3	4203.798	48.30	74.0	25.70	Peak	321.00	200	Horizontal	Pass
3**	4203.798	35.24	54.0	18.76	AV	321.00	200	Horizontal	Pass
4	7435.694	51.87	74.0	22.13	Peak	128.00	100	Horizontal	Pass
4**	7435.694	42.68	54.0	11.32	AV	128.00	100	Horizontal	Pass
5	12519.818	55.05	74.0	18.95	Peak	316.00	100	Horizontal	Pass
5**	12519.818	44.62	54.0	9.38	AV	316.00	100	Horizontal	Pass
6	16146.689	54.50	74.0	19.50	Peak	57.00	300	Horizontal	Pass
6**	16146.689	46.03	54.0	7.97	AV	57.00	300	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.378	35.27	74.0	38.73	Peak	347.00	400	Vertical	Pass
1**	1570.378	29.40	54.0	24.60	AV	347.00	400	Vertical	Pass
2	2347.167	45.35	74.0	28.65	Peak	249.00	100	Vertical	Pass
2**	2347.167	30.60	54.0	23.40	AV	249.00	100	Vertical	Pass
3	3919.731	43.76	74.0	30.24	Peak	80.00	200	Vertical	Pass
3**	3919.731	38.79	54.0	15.21	AV	80.00	200	Vertical	Pass
4	7680.012	49.33	74.0	24.67	Peak	195.00	200	Vertical	Pass
4**	7680.012	42.43	54.0	11.57	AV	195.00	200	Vertical	Pass
5	12526.627	55.34	74.0	18.66	Peak	10.00	300	Vertical	Pass
5**	12526.627	43.87	54.0	10.13	AV	10.00	300	Vertical	Pass
6	15381.801	54.85	74.0	19.15	Peak	102.00	100	Vertical	Pass
6**	15381.801	43.83	54.0	10.17	AV	102.00	100	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.234	39.92	74.0	34.08	Peak	172.00	400	Horizontal	Pass
1**	1510.234	27.35	54.0	26.65	AV	172.00	400	Horizontal	Pass
2	2344.628	47.47	74.0	26.53	Peak	47.00	400	Horizontal	Pass
2**	2344.628	36.55	54.0	17.45	AV	47.00	400	Horizontal	Pass
3	4205.872	50.41	74.0	23.59	Peak	135.00	200	Horizontal	Pass
3**	4205.872	40.38	54.0	13.62	AV	135.00	200	Horizontal	Pass
4	7431.448	56.04	74.0	17.96	Peak	292.00	400	Horizontal	Pass
4**	7431.448	41.00	54.0	13.00	AV	292.00	400	Horizontal	Pass
5	12519.767	56.19	74.0	17.81	Peak	269.00	100	Horizontal	Pass
5**	12519.767	44.88	54.0	9.12	AV	269.00	100	Horizontal	Pass
6	16147.080	52.67	74.0	21.33	Peak	55.00	100	Horizontal	Pass
6**	16147.080	41.09	54.0	12.91	AV	55.00	100	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.577	34.94	74.0	39.06	Peak	317.00	300	Vertical	Pass
1**	1570.577	26.68	54.0	27.32	AV	317.00	300	Vertical	Pass
2	2347.234	46.32	74.0	27.68	Peak	10.00	100	Vertical	Pass
2**	2347.234	35.36	54.0	18.64	AV	10.00	100	Vertical	Pass
3	3919.461	46.35	74.0	27.65	Peak	37.00	200	Vertical	Pass
3**	3919.461	35.31	54.0	18.69	AV	37.00	200	Vertical	Pass
4	7683.310	51.41	74.0	22.59	Peak	94.00	100	Vertical	Pass
4**	7683.310	44.33	54.0	9.67	AV	94.00	100	Vertical	Pass
5	12529.950	58.21	74.0	15.79	Peak	53.00	400	Vertical	Pass
5**	12529.950	41.99	54.0	12.01	AV	53.00	400	Vertical	Pass
6	15379.138	52.17	74.0	21.83	Peak	187.00	200	Vertical	Pass
6**	15379.138	44.09	54.0	9.91	AV	187.00	200	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.913	41.88	74.0	32.12	Peak	134.00	400	Horizontal	Pass
1**	1510.913	31.04	54.0	22.96	AV	134.00	400	Horizontal	Pass
2	2351.300	43.72	74.0	30.28	Peak	104.00	400	Horizontal	Pass
2**	2351.300	35.36	54.0	18.64	AV	104.00	400	Horizontal	Pass
3	4206.212	48.03	74.0	25.97	Peak	87.00	200	Horizontal	Pass
3**	4206.212	38.48	54.0	15.52	AV	87.00	200	Horizontal	Pass
4	7437.555	56.33	74.0	17.67	Peak	157.00	200	Horizontal	Pass
4**	7437.555	44.26	54.0	9.74	AV	157.00	200	Horizontal	Pass
5	12514.517	57.25	74.0	16.75	Peak	76.00	200	Horizontal	Pass
5**	12514.517	44.75	54.0	9.25	AV	76.00	200	Horizontal	Pass
6	16143.535	53.31	74.0	20.69	Peak	47.00	400	Horizontal	Pass
6**	16143.535	41.39	54.0	12.61	AV	47.00	400	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.648	38.02	74.0	35.98	Peak	13.00	300	Vertical	Pass
1**	1569.648	25.79	54.0	28.21	AV	13.00	300	Vertical	Pass
2	2344.316	46.17	74.0	27.83	Peak	204.00	200	Vertical	Pass
2**	2344.316	33.09	54.0	20.91	AV	204.00	200	Vertical	Pass
3	3914.571	47.76	74.0	26.24	Peak	293.00	200	Vertical	Pass
3**	3914.571	35.06	54.0	18.94	AV	293.00	200	Vertical	Pass
4	7679.852	49.76	74.0	24.24	Peak	167.00	200	Vertical	Pass
4**	7679.852	46.14	54.0	7.86	AV	167.00	200	Vertical	Pass
5	12532.218	55.72	74.0	18.28	Peak	196.00	200	Vertical	Pass
5**	12532.218	40.30	54.0	13.70	AV	196.00	200	Vertical	Pass
6	15381.568	55.59	74.0	18.41	Peak	51.00	300	Vertical	Pass
6**	15381.568	45.63	54.0	8.37	AV	51.00	300	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.653	38.46	74.0	35.54	Peak	4.00	300	Horizontal	Pass
1**	1509.653	30.81	54.0	23.19	AV	4.00	300	Horizontal	Pass
2	2351.837	42.73	74.0	31.27	Peak	82.00	200	Horizontal	Pass
2**	2351.837	36.02	54.0	17.98	AV	82.00	200	Horizontal	Pass
3	4206.567	50.54	74.0	23.46	Peak	227.00	200	Horizontal	Pass
3**	4206.567	36.93	54.0	17.07	AV	227.00	200	Horizontal	Pass
4	7437.454	52.80	74.0	21.20	Peak	206.00	200	Horizontal	Pass
4**	7437.454	45.34	54.0	8.66	AV	206.00	200	Horizontal	Pass
5	12518.405	57.46	74.0	16.54	Peak	213.00	100	Horizontal	Pass
5**	12518.405	48.15	54.0	5.85	AV	213.00	100	Horizontal	Pass
6	16149.696	52.90	74.0	21.10	Peak	160.00	200	Horizontal	Pass
6**	16149.696	45.60	54.0	8.40	AV	160.00	200	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1566.783	37.39	74.0	36.61	Peak	9.00	300	Vertical	Pass
1**	1566.783	25.05	54.0	28.95	AV	9.00	300	Vertical	Pass
2	2348.638	45.62	74.0	28.38	Peak	286.00	300	Vertical	Pass
2**	2348.638	33.07	54.0	20.93	AV	286.00	300	Vertical	Pass
3	3914.393	44.75	74.0	29.25	Peak	182.00	200	Vertical	Pass
3**	3914.393	34.09	54.0	19.91	AV	182.00	200	Vertical	Pass
4	7684.101	51.45	74.0	22.55	Peak	177.00	100	Vertical	Pass
4**	7684.101	44.10	54.0	9.90	AV	177.00	100	Vertical	Pass
5	12528.544	58.03	74.0	15.97	Peak	88.00	300	Vertical	Pass
5**	12528.544	41.08	54.0	12.92	AV	88.00	300	Vertical	Pass
6	15383.810	56.15	74.0	17.85	Peak	290.00	100	Vertical	Pass
6**	15383.810	43.66	54.0	10.34	AV	290.00	100	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.599	42.60	74.0	31.40	Peak	95.00	300	Horizontal	Pass
1**	1515.599	28.83	54.0	25.17	AV	95.00	300	Horizontal	Pass
2	2344.769	46.48	74.0	27.52	Peak	236.00	100	Horizontal	Pass
2**	2344.769	35.57	54.0	18.43	AV	236.00	100	Horizontal	Pass
3	4208.797	50.01	74.0	23.99	Peak	291.00	200	Horizontal	Pass
3**	4208.797	38.82	54.0	15.18	AV	291.00	200	Horizontal	Pass
4	7433.235	51.85	74.0	22.15	Peak	170.00	400	Horizontal	Pass
4**	7433.235	44.68	54.0	9.32	AV	170.00	400	Horizontal	Pass
5	12518.327	55.10	74.0	18.90	Peak	124.00	400	Horizontal	Pass
5**	12518.327	48.05	54.0	5.95	AV	124.00	400	Horizontal	Pass
6	16146.417	56.85	74.0	17.15	Peak	17.00	100	Horizontal	Pass
6**	16146.417	44.28	54.0	9.72	AV	17.00	100	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.308	38.58	74.0	35.42	Peak	45.00	100	Vertical	Pass
1**	1568.308	27.11	54.0	26.89	AV	45.00	100	Vertical	Pass
2	2349.860	47.86	74.0	26.14	Peak	295.00	300	Vertical	Pass
2**	2349.860	36.04	54.0	17.96	AV	295.00	300	Vertical	Pass
3	3919.162	46.82	74.0	27.18	Peak	310.00	200	Vertical	Pass
3**	3919.162	38.59	54.0	15.41	AV	310.00	200	Vertical	Pass
4	7678.459	51.45	74.0	22.55	Peak	176.00	200	Vertical	Pass
4**	7678.459	41.24	54.0	12.76	AV	176.00	200	Vertical	Pass
5	12531.981	53.94	74.0	20.06	Peak	237.00	100	Vertical	Pass
5**	12531.981	42.18	54.0	11.82	AV	237.00	100	Vertical	Pass
6	15378.942	54.24	74.0	19.76	Peak	108.00	300	Vertical	Pass
6**	15378.942	41.92	54.0	12.08	AV	108.00	300	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.753	37.89	74.0	36.11	Peak	351.00	200	Horizontal	Pass
1**	1511.753	26.66	54.0	27.34	AV	351.00	200	Horizontal	Pass
2	2346.317	45.74	74.0	28.26	Peak	191.00	400	Horizontal	Pass
2**	2346.317	35.53	54.0	18.47	AV	191.00	400	Horizontal	Pass
3	4205.872	48.70	74.0	25.30	Peak	21.00	200	Horizontal	Pass
3**	4205.872	35.85	54.0	18.15	AV	21.00	200	Horizontal	Pass
4	7433.578	57.01	74.0	16.99	Peak	117.00	300	Horizontal	Pass
4**	7433.578	41.37	54.0	12.63	AV	117.00	300	Horizontal	Pass
5	12516.372	57.39	74.0	16.61	Peak	10.00	200	Horizontal	Pass
5**	12516.372	46.67	54.0	7.33	AV	10.00	200	Horizontal	Pass
6	16150.919	56.63	74.0	17.37	Peak	344.00	300	Horizontal	Pass
6**	16150.919	41.06	54.0	12.94	AV	344.00	300	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.173	34.06	74.0	39.94	Peak	279.00	100	Vertical	Pass
1**	1569.173	29.01	54.0	24.99	AV	279.00	100	Vertical	Pass
2	2343.637	46.99	74.0	27.01	Peak	99.00	100	Vertical	Pass
2**	2343.637	32.40	54.0	21.60	AV	99.00	100	Vertical	Pass
3	3917.338	41.76	74.0	32.24	Peak	26.00	200	Vertical	Pass
3**	3917.338	36.56	54.0	17.44	AV	26.00	200	Vertical	Pass
4	7679.612	49.99	74.0	24.01	Peak	35.00	100	Vertical	Pass
4**	7679.612	46.46	54.0	7.54	AV	35.00	100	Vertical	Pass
5	12532.420	53.46	74.0	20.54	Peak	104.00	300	Vertical	Pass
5**	12532.420	45.01	54.0	8.99	AV	104.00	300	Vertical	Pass
6	15378.582	55.49	74.0	18.51	Peak	150.00	300	Vertical	Pass
6**	15378.582	47.50	54.0	6.50	AV	150.00	300	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.087	38.36	74.0	35.64	Peak	81.00	300	Horizontal	Pass
1**	1513.087	31.35	54.0	22.65	AV	81.00	300	Horizontal	Pass
2	2346.192	43.26	74.0	30.74	Peak	331.00	300	Horizontal	Pass
2**	2346.192	39.95	54.0	14.05	AV	331.00	300	Horizontal	Pass
3	4205.577	47.19	74.0	26.81	Peak	156.00	200	Horizontal	Pass
3**	4205.577	40.28	54.0	13.72	AV	156.00	200	Horizontal	Pass
4	7434.452	53.10	74.0	20.90	Peak	137.00	100	Horizontal	Pass
4**	7434.452	44.26	54.0	9.74	AV	137.00	100	Horizontal	Pass
5	12518.666	53.26	74.0	20.74	Peak	307.00	200	Horizontal	Pass
5**	12518.666	47.73	54.0	6.27	AV	307.00	200	Horizontal	Pass
6	16143.453	54.54	74.0	19.46	Peak	115.00	200	Horizontal	Pass
6**	16143.453	46.17	54.0	7.83	AV	115.00	200	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.300	37.91	74.0	36.09	Peak	11.00	100	Vertical	Pass
1**	1574.300	27.52	54.0	26.48	AV	11.00	100	Vertical	Pass
2	2344.537	44.23	74.0	29.77	Peak	31.00	300	Vertical	Pass
2**	2344.537	31.85	54.0	22.15	AV	31.00	300	Vertical	Pass
3	3913.623	45.81	74.0	28.19	Peak	58.00	200	Vertical	Pass
3**	3913.623	38.52	54.0	15.48	AV	58.00	200	Vertical	Pass
4	7682.984	50.76	74.0	23.24	Peak	265.00	100	Vertical	Pass
4**	7682.984	46.57	54.0	7.43	AV	265.00	100	Vertical	Pass
5	12526.473	53.47	74.0	20.53	Peak	219.00	100	Vertical	Pass
5**	12526.473	40.11	54.0	13.89	AV	219.00	100	Vertical	Pass
6	15383.254	55.17	74.0	18.83	Peak	190.00	100	Vertical	Pass
6**	15383.254	43.68	54.0	10.32	AV	190.00	100	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.909	42.30	74.0	31.70	Peak	302.00	400	Horizontal	Pass
1**	1512.909	28.72	54.0	25.28	AV	302.00	400	Horizontal	Pass
2	2351.713	42.86	74.0	31.14	Peak	333.00	400	Horizontal	Pass
2**	2351.713	37.74	54.0	16.26	AV	333.00	400	Horizontal	Pass
3	4208.366	48.22	74.0	25.78	Peak	310.00	200	Horizontal	Pass
3**	4208.366	38.52	54.0	15.48	AV	310.00	200	Horizontal	Pass
4	7435.494	53.93	74.0	20.07	Peak	188.00	300	Horizontal	Pass
4**	7435.494	42.79	54.0	11.21	AV	188.00	300	Horizontal	Pass
5	12517.079	57.55	74.0	16.45	Peak	235.00	400	Horizontal	Pass
5**	12517.079	46.21	54.0	7.79	AV	235.00	400	Horizontal	Pass
6	16147.848	56.09	74.0	17.91	Peak	232.00	200	Horizontal	Pass
6**	16147.848	43.31	54.0	10.69	AV	232.00	200	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.287	33.79	74.0	40.21	Peak	8.00	400	Vertical	Pass
1**	1570.287	28.08	54.0	25.92	AV	8.00	400	Vertical	Pass
2	2349.507	46.23	74.0	27.77	Peak	211.00	100	Vertical	Pass
2**	2349.507	34.54	54.0	19.46	AV	211.00	100	Vertical	Pass
3	3918.282	46.60	74.0	27.40	Peak	265.00	200	Vertical	Pass
3**	3918.282	35.58	54.0	18.42	AV	265.00	200	Vertical	Pass
4	7677.777	54.87	74.0	19.13	Peak	178.00	400	Vertical	Pass
4**	7677.777	41.90	54.0	12.10	AV	178.00	400	Vertical	Pass
5	12530.444	53.03	74.0	20.97	Peak	288.00	400	Vertical	Pass
5**	12530.444	44.37	54.0	9.63	AV	288.00	400	Vertical	Pass
6	15382.997	54.02	74.0	19.98	Peak	221.00	400	Vertical	Pass
6**	15382.997	43.52	54.0	10.48	AV	221.00	400	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.322	38.66	74.0	35.34	Peak	112.00	100	Horizontal	Pass
1**	1510.322	30.69	54.0	23.31	AV	112.00	100	Horizontal	Pass
2	2347.659	41.97	74.0	32.03	Peak	103.00	100	Horizontal	Pass
2**	2347.659	38.86	54.0	15.14	AV	103.00	100	Horizontal	Pass
3	4202.829	50.57	74.0	23.43	Peak	103.00	200	Horizontal	Pass
3**	4202.829	38.94	54.0	15.06	AV	103.00	200	Horizontal	Pass
4	7431.717	57.16	74.0	16.84	Peak	238.00	100	Horizontal	Pass
4**	7431.717	41.35	54.0	12.65	AV	238.00	100	Horizontal	Pass
5	12514.250	54.33	74.0	19.67	Peak	20.00	300	Horizontal	Pass
5**	12514.250	45.02	54.0	8.98	AV	20.00	300	Horizontal	Pass
6	16150.522	56.27	74.0	17.73	Peak	116.00	300	Horizontal	Pass
6**	16150.522	46.68	54.0	7.32	AV	116.00	300	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.755	34.25	74.0	39.75	Peak	91.00	200	Vertical	Pass
1**	1572.755	24.70	54.0	29.30	AV	91.00	200	Vertical	Pass
2	2349.399	45.38	74.0	28.62	Peak	237.00	200	Vertical	Pass
2**	2349.399	35.07	54.0	18.93	AV	237.00	200	Vertical	Pass
3	3914.077	46.61	74.0	27.39	Peak	103.00	200	Vertical	Pass
3**	3914.077	35.71	54.0	18.29	AV	103.00	200	Vertical	Pass
4	7677.570	53.46	74.0	20.54	Peak	341.00	400	Vertical	Pass
4**	7677.570	44.35	54.0	9.65	AV	341.00	400	Vertical	Pass
5	12530.154	57.23	74.0	16.77	Peak	99.00	100	Vertical	Pass
5**	12530.154	40.31	54.0	13.69	AV	99.00	100	Vertical	Pass
6	15384.758	53.49	74.0	20.51	Peak	178.00	300	Vertical	Pass
6**	15384.758	44.10	54.0	9.90	AV	178.00	300	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.340	40.64	74.0	33.36	Peak	104.00	200	Horizontal	Pass
1**	1509.340	28.69	54.0	25.31	AV	104.00	200	Horizontal	Pass
2	2347.042	43.17	74.0	30.83	Peak	30.00	400	Horizontal	Pass
2**	2347.042	36.63	54.0	17.37	AV	30.00	400	Horizontal	Pass
3	4208.735	49.47	74.0	24.53	Peak	307.00	200	Horizontal	Pass
3**	4208.735	39.82	54.0	14.18	AV	307.00	200	Horizontal	Pass
4	7434.129	51.36	74.0	22.64	Peak	107.00	300	Horizontal	Pass
4**	7434.129	40.75	54.0	13.25	AV	107.00	300	Horizontal	Pass
5	12520.590	58.24	74.0	15.76	Peak	24.00	300	Horizontal	Pass
5**	12520.590	45.18	54.0	8.82	AV	24.00	300	Horizontal	Pass
6	16145.528	55.71	74.0	18.29	Peak	306.00	200	Horizontal	Pass
6**	16145.528	41.48	54.0	12.52	AV	306.00	200	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.841	38.20	74.0	35.80	Peak	15.00	200	Vertical	Pass
1**	1570.841	29.77	54.0	24.23	AV	15.00	200	Vertical	Pass
2	2348.151	46.82	74.0	27.18	Peak	27.00	300	Vertical	Pass
2**	2348.151	34.62	54.0	19.38	AV	27.00	300	Vertical	Pass
3	3915.620	45.03	74.0	28.97	Peak	134.00	200	Vertical	Pass
3**	3915.620	36.61	54.0	17.39	AV	134.00	200	Vertical	Pass
4	7676.831	54.30	74.0	19.70	Peak	123.00	100	Vertical	Pass
4**	7676.831	46.39	54.0	7.61	AV	123.00	100	Vertical	Pass
5	12527.034	55.85	74.0	18.15	Peak	120.00	300	Vertical	Pass
5**	12527.034	42.09	54.0	11.91	AV	120.00	300	Vertical	Pass
6	15383.108	51.31	74.0	22.69	Peak	241.00	300	Vertical	Pass
6**	15383.108	47.19	54.0	6.81	AV	241.00	300	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.234	37.45	74.0	36.55	Peak	145.00	200	Horizontal	Pass
1**	1513.234	28.34	54.0	25.66	AV	145.00	200	Horizontal	Pass
2	2346.966	43.24	74.0	30.76	Peak	105.00	400	Horizontal	Pass
2**	2346.966	39.48	54.0	14.52	AV	105.00	400	Horizontal	Pass
3	4202.427	50.71	74.0	23.29	Peak	233.00	200	Horizontal	Pass
3**	4202.427	39.07	54.0	14.93	AV	233.00	200	Horizontal	Pass
4	7434.194	55.30	74.0	18.70	Peak	82.00	200	Horizontal	Pass
4**	7434.194	45.59	54.0	8.41	AV	82.00	200	Horizontal	Pass
5	12519.991	55.86	74.0	18.14	Peak	59.00	200	Horizontal	Pass
5**	12519.991	45.00	54.0	9.00	AV	59.00	200	Horizontal	Pass
6	16147.216	56.01	74.0	17.99	Peak	48.00	200	Horizontal	Pass
6**	16147.216	43.98	54.0	10.02	AV	48.00	200	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.595	38.43	74.0	35.57	Peak	262.00	100	Vertical	Pass
1**	1570.595	23.83	54.0	30.17	AV	262.00	100	Vertical	Pass
2	2348.034	42.17	74.0	31.83	Peak	304.00	200	Vertical	Pass
2**	2348.034	33.84	54.0	20.16	AV	304.00	200	Vertical	Pass
3	3919.482	45.80	74.0	28.20	Peak	216.00	200	Vertical	Pass
3**	3919.482	35.75	54.0	18.25	AV	216.00	200	Vertical	Pass
4	7677.462	52.07	74.0	21.93	Peak	78.00	300	Vertical	Pass
4**	7677.462	43.88	54.0	10.12	AV	78.00	300	Vertical	Pass
5	12528.184	56.31	74.0	17.69	Peak	71.00	200	Vertical	Pass
5**	12528.184	42.43	54.0	11.57	AV	71.00	200	Vertical	Pass
6	15385.555	51.74	74.0	22.26	Peak	125.00	100	Vertical	Pass
6**	15385.555	43.25	54.0	10.75	AV	125.00	100	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.042	42.25	74.0	31.75	Peak	23.00	300	Horizontal	Pass
1**	1510.042	27.47	54.0	26.53	AV	23.00	300	Horizontal	Pass
2	2347.697	44.19	74.0	29.81	Peak	59.00	400	Horizontal	Pass
2**	2347.697	36.11	54.0	17.89	AV	59.00	400	Horizontal	Pass
3	4207.946	47.59	74.0	26.41	Peak	49.00	200	Horizontal	Pass
3**	4207.946	39.16	54.0	14.84	AV	49.00	200	Horizontal	Pass
4	7437.768	56.08	74.0	17.92	Peak	45.00	300	Horizontal	Pass
4**	7437.768	39.96	54.0	14.04	AV	45.00	300	Horizontal	Pass
5	12518.658	56.44	74.0	17.56	Peak	307.00	200	Horizontal	Pass
5**	12518.658	44.32	54.0	9.68	AV	307.00	200	Horizontal	Pass
6	16148.541	53.07	74.0	20.93	Peak	337.00	200	Horizontal	Pass
6**	16148.541	41.21	54.0	12.79	AV	337.00	200	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.718	34.69	74.0	39.31	Peak	96.00	200	Vertical	Pass
1**	1572.718	27.60	54.0	26.40	AV	96.00	200	Vertical	Pass
2	2350.799	42.30	74.0	31.70	Peak	306.00	200	Vertical	Pass
2**	2350.799	35.16	54.0	18.84	AV	306.00	200	Vertical	Pass
3	3915.783	43.60	74.0	30.40	Peak	226.00	200	Vertical	Pass
3**	3915.783	33.96	54.0	20.04	AV	226.00	200	Vertical	Pass
4	7676.649	51.85	74.0	22.15	Peak	293.00	400	Vertical	Pass
4**	7676.649	43.61	54.0	10.39	AV	293.00	400	Vertical	Pass
5	12531.362	58.06	74.0	15.94	Peak	95.00	200	Vertical	Pass
5**	12531.362	44.62	54.0	9.38	AV	95.00	200	Vertical	Pass
6	15378.706	55.98	74.0	18.02	Peak	357.00	100	Vertical	Pass
6**	15378.706	45.29	54.0	8.71	AV	357.00	100	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.822	37.19	74.0	36.81	Peak	47.00	300	Horizontal	Pass
1**	1511.822	28.14	54.0	25.86	AV	47.00	300	Horizontal	Pass
2	2351.551	45.14	74.0	28.86	Peak	307.00	200	Horizontal	Pass
2**	2351.551	36.71	54.0	17.29	AV	307.00	200	Horizontal	Pass
3	4209.084	50.07	74.0	23.93	Peak	77.00	200	Horizontal	Pass
3**	4209.084	34.96	54.0	19.04	AV	77.00	200	Horizontal	Pass
4	7437.862	51.45	74.0	22.55	Peak	95.00	200	Horizontal	Pass
4**	7437.862	44.19	54.0	9.81	AV	95.00	200	Horizontal	Pass
5	12517.454	53.20	74.0	20.80	Peak	302.00	400	Horizontal	Pass
5**	12517.454	44.39	54.0	9.61	AV	302.00	400	Horizontal	Pass
6	16145.565	56.50	74.0	17.50	Peak	77.00	100	Horizontal	Pass
6**	16145.565	45.33	54.0	8.67	AV	77.00	100	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.100	37.50	74.0	36.50	Peak	148.00	300	Vertical	Pass
1**	1574.100	29.41	54.0	24.59	AV	148.00	300	Vertical	Pass
2	2347.641	42.03	74.0	31.97	Peak	212.00	300	Vertical	Pass
2**	2347.641	32.72	54.0	21.28	AV	212.00	300	Vertical	Pass
3	3918.360	46.98	74.0	27.02	Peak	135.00	200	Vertical	Pass
3**	3918.360	33.46	54.0	20.54	AV	135.00	200	Vertical	Pass
4	7684.350	54.36	74.0	19.64	Peak	205.00	200	Vertical	Pass
4**	7684.350	45.55	54.0	8.45	AV	205.00	200	Vertical	Pass
5	12526.151	53.81	74.0	20.19	Peak	281.00	300	Vertical	Pass
5**	12526.151	44.01	54.0	9.99	AV	281.00	300	Vertical	Pass
6	15384.958	51.12	74.0	22.88	Peak	135.00	100	Vertical	Pass
6**	15384.958	47.51	54.0	6.49	AV	135.00	100	Vertical	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.333	36.79	74.0	37.21	Peak	354.00	100	Horizontal	Pass
1**	1510.333	31.37	54.0	22.63	AV	354.00	100	Horizontal	Pass
2	2346.750	47.24	74.0	26.76	Peak	298.00	200	Horizontal	Pass
2**	2346.750	37.53	54.0	16.47	AV	298.00	200	Horizontal	Pass
3	4202.750	45.51	74.0	28.49	Peak	135.00	200	Horizontal	Pass
3**	4202.750	36.86	54.0	17.14	AV	135.00	200	Horizontal	Pass
4	7432.101	53.69	74.0	20.31	Peak	234.00	300	Horizontal	Pass
4**	7432.101	41.37	54.0	12.63	AV	234.00	300	Horizontal	Pass
5	12515.095	55.78	74.0	18.22	Peak	190.00	200	Horizontal	Pass
5**	12515.095	49.30	54.0	4.70	AV	190.00	200	Horizontal	Pass
6	16149.941	51.91	74.0	22.09	Peak	91.00	100	Horizontal	Pass
6**	16149.941	43.83	54.0	10.17	AV	91.00	100	Horizontal	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.866	37.80	74.0	36.20	Peak	303.00	400	Vertical	Pass
1**	1571.866	24.16	54.0	29.84	AV	303.00	400	Vertical	Pass
2	2344.261	43.27	74.0	30.73	Peak	271.00	400	Vertical	Pass
2**	2344.261	32.76	54.0	21.24	AV	271.00	400	Vertical	Pass
3	3915.434	43.72	74.0	30.28	Peak	310.00	200	Vertical	Pass
3**	3915.434	33.51	54.0	20.49	AV	310.00	200	Vertical	Pass
4	7678.385	53.62	74.0	20.38	Peak	231.00	400	Vertical	Pass
4**	7678.385	46.98	54.0	7.02	AV	231.00	400	Vertical	Pass
5	12528.934	58.22	74.0	15.78	Peak	153.00	100	Vertical	Pass
5**	12528.934	44.52	54.0	9.48	AV	153.00	100	Vertical	Pass
6	15382.174	54.93	74.0	19.07	Peak	41.00	200	Vertical	Pass
6**	15382.174	43.80	54.0	10.20	AV	41.00	200	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.503	37.17	74.0	36.83	Peak	7.00	200	Horizontal	Pass
1**	1508.503	26.58	54.0	27.42	AV	7.00	200	Horizontal	Pass
2	2345.531	42.76	74.0	31.24	Peak	298.00	200	Horizontal	Pass
2**	2345.531	35.87	54.0	18.13	AV	298.00	200	Horizontal	Pass
3	4208.590	47.32	74.0	26.68	Peak	8.00	200	Horizontal	Pass
3**	4208.590	37.64	54.0	16.36	AV	8.00	200	Horizontal	Pass
4	7432.469	53.70	74.0	20.30	Peak	231.00	200	Horizontal	Pass
4**	7432.469	43.16	54.0	10.84	AV	231.00	200	Horizontal	Pass
5	12519.639	54.55	74.0	19.45	Peak	309.00	100	Horizontal	Pass
5**	12519.639	45.13	54.0	8.87	AV	309.00	100	Horizontal	Pass
6	16151.064	56.71	74.0	17.29	Peak	48.00	300	Horizontal	Pass
6**	16151.064	45.03	54.0	8.97	AV	48.00	300	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.551	33.76	74.0	40.24	Peak	41.00	300	Vertical	Pass
1**	1572.551	24.32	54.0	29.68	AV	41.00	300	Vertical	Pass
2	2345.899	46.31	74.0	27.69	Peak	302.00	200	Vertical	Pass
2**	2345.899	33.57	54.0	20.43	AV	302.00	200	Vertical	Pass
3	3913.211	45.39	74.0	28.61	Peak	39.00	200	Vertical	Pass
3**	3913.211	35.99	54.0	18.01	AV	39.00	200	Vertical	Pass
4	7681.651	52.71	74.0	21.29	Peak	272.00	200	Vertical	Pass
4**	7681.651	45.76	54.0	8.24	AV	272.00	200	Vertical	Pass
5	12533.053	56.04	74.0	17.96	Peak	15.00	200	Vertical	Pass
5**	12533.053	41.40	54.0	12.60	AV	15.00	200	Vertical	Pass
6	15382.748	52.06	74.0	21.94	Peak	86.00	200	Vertical	Pass
6**	15382.748	43.47	54.0	10.53	AV	86.00	200	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.062	41.39	74.0	32.61	Peak	146.00	100	Horizontal	Pass
1**	1514.062	28.22	54.0	25.78	AV	146.00	100	Horizontal	Pass
2	2351.161	44.56	74.0	29.44	Peak	117.00	200	Horizontal	Pass
2**	2351.161	40.01	54.0	13.99	AV	117.00	200	Horizontal	Pass
3	4209.393	48.83	74.0	25.17	Peak	329.00	200	Horizontal	Pass
3**	4209.393	40.40	54.0	13.60	AV	329.00	200	Horizontal	Pass
4	7435.858	56.70	74.0	17.30	Peak	49.00	300	Horizontal	Pass
4**	7435.858	40.60	54.0	13.40	AV	49.00	300	Horizontal	Pass
5	12515.418	54.20	74.0	19.80	Peak	6.00	100	Horizontal	Pass
5**	12515.418	48.91	54.0	5.09	AV	6.00	100	Horizontal	Pass
6	16145.405	54.48	74.0	19.52	Peak	24.00	100	Horizontal	Pass
6**	16145.405	44.94	54.0	9.06	AV	24.00	100	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.489	34.68	74.0	39.32	Peak	227.00	300	Vertical	Pass
1**	1568.489	24.16	54.0	29.84	AV	227.00	300	Vertical	Pass
2	2347.443	44.67	74.0	29.33	Peak	349.00	100	Vertical	Pass
2**	2347.443	32.49	54.0	21.51	AV	349.00	100	Vertical	Pass
3	3919.797	47.52	74.0	26.48	Peak	253.00	200	Vertical	Pass
3**	3919.797	38.13	54.0	15.87	AV	253.00	200	Vertical	Pass
4	7682.254	49.96	74.0	24.04	Peak	341.00	100	Vertical	Pass
4**	7682.254	45.56	54.0	8.44	AV	341.00	100	Vertical	Pass
5	12526.782	55.99	74.0	18.01	Peak	85.00	100	Vertical	Pass
5**	12526.782	43.78	54.0	10.22	AV	85.00	100	Vertical	Pass
6	15378.857	53.70	74.0	20.30	Peak	85.00	300	Vertical	Pass
6**	15378.857	47.43	54.0	6.57	AV	85.00	300	Vertical	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.634	41.20	74.0	32.80	Peak	259.00	200	Horizontal	Pass
1**	1509.634	30.03	54.0	23.97	AV	259.00	200	Horizontal	Pass
2	2347.832	47.09	74.0	26.91	Peak	97.00	300	Horizontal	Pass
2**	2347.832	37.78	54.0	16.22	AV	97.00	300	Horizontal	Pass
3	4207.545	45.94	74.0	28.06	Peak	317.00	200	Horizontal	Pass
3**	4207.545	35.64	54.0	18.36	AV	317.00	200	Horizontal	Pass
4	7436.000	56.54	74.0	17.46	Peak	197.00	200	Horizontal	Pass
4**	7436.000	40.67	54.0	13.33	AV	197.00	200	Horizontal	Pass
5	12520.963	55.75	74.0	18.25	Peak	222.00	300	Horizontal	Pass
5**	12520.963	49.74	54.0	4.26	AV	222.00	300	Horizontal	Pass
6	16143.950	55.61	74.0	18.39	Peak	244.00	100	Horizontal	Pass
6**	16143.950	44.81	54.0	9.19	AV	244.00	100	Horizontal	Pass

11ax20(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.496	39.49	74.0	34.51	Peak	326.00	300	Vertical	Pass
1**	1571.496	24.65	54.0	29.35	AV	326.00	300	Vertical	Pass
2	2345.006	43.35	74.0	30.65	Peak	235.00	400	Vertical	Pass
2**	2345.006	30.46	54.0	23.54	AV	235.00	400	Vertical	Pass
3	3915.372	43.62	74.0	30.38	Peak	190.00	200	Vertical	Pass
3**	3915.372	34.92	54.0	19.08	AV	190.00	200	Vertical	Pass
4	7681.576	54.06	74.0	19.94	Peak	264.00	200	Vertical	Pass
4**	7681.576	41.72	54.0	12.28	AV	264.00	200	Vertical	Pass
5	12527.630	58.02	74.0	15.98	Peak	96.00	100	Vertical	Pass
5**	12527.630	44.43	54.0	9.57	AV	96.00	100	Vertical	Pass
6	15383.061	53.85	74.0	20.15	Peak	328.00	200	Vertical	Pass
6**	15383.061	43.14	54.0	10.86	AV	328.00	200	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.740	37.77	74.0	36.23	Peak	61.00	200	Horizontal	Pass
1**	1514.740	32.06	54.0	21.94	AV	61.00	200	Horizontal	Pass
2	2346.221	47.39	74.0	26.61	Peak	153.00	300	Horizontal	Pass
2**	2346.221	40.44	54.0	13.56	AV	153.00	300	Horizontal	Pass
3	4204.650	50.77	74.0	23.23	Peak	18.00	200	Horizontal	Pass
3**	4204.650	38.37	54.0	15.63	AV	18.00	200	Horizontal	Pass
4	7433.686	52.38	74.0	21.62	Peak	185.00	300	Horizontal	Pass
4**	7433.686	40.16	54.0	13.84	AV	185.00	300	Horizontal	Pass
5	12518.473	52.68	74.0	21.32	Peak	296.00	300	Horizontal	Pass
5**	12518.473	45.97	54.0	8.03	AV	296.00	300	Horizontal	Pass
6	16146.048	55.90	74.0	18.10	Peak	91.00	400	Horizontal	Pass
6**	16146.048	45.30	54.0	8.70	AV	91.00	400	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.050	34.01	74.0	39.99	Peak	23.00	100	Vertical	Pass
1**	1570.050	28.40	54.0	25.60	AV	23.00	100	Vertical	Pass
2	2345.936	42.57	74.0	31.43	Peak	139.00	200	Vertical	Pass
2**	2345.936	34.33	54.0	19.67	AV	139.00	200	Vertical	Pass
3	3920.969	42.57	74.0	31.43	Peak	289.00	200	Vertical	Pass
3**	3920.969	35.81	54.0	18.19	AV	289.00	200	Vertical	Pass
4	7678.200	52.21	74.0	21.79	Peak	86.00	400	Vertical	Pass
4**	7678.200	46.87	54.0	7.13	AV	86.00	400	Vertical	Pass
5	12530.875	56.16	74.0	17.84	Peak	256.00	300	Vertical	Pass
5**	12530.875	43.04	54.0	10.96	AV	256.00	300	Vertical	Pass
6	15379.652	52.44	74.0	21.56	Peak	98.00	300	Vertical	Pass
6**	15379.652	46.18	54.0	7.82	AV	98.00	300	Vertical	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.454	40.33	74.0	33.67	Peak	56.00	400	Horizontal	Pass
1**	1515.454	31.89	54.0	22.11	AV	56.00	400	Horizontal	Pass
2	2350.185	45.32	74.0	28.68	Peak	37.00	100	Horizontal	Pass
2**	2350.185	35.66	54.0	18.34	AV	37.00	100	Horizontal	Pass
3	4205.960	47.73	74.0	26.27	Peak	213.00	200	Horizontal	Pass
3**	4205.960	39.33	54.0	14.67	AV	213.00	200	Horizontal	Pass
4	7433.300	54.85	74.0	19.15	Peak	83.00	400	Horizontal	Pass
4**	7433.300	45.76	54.0	8.24	AV	83.00	400	Horizontal	Pass
5	12517.678	57.29	74.0	16.71	Peak	26.00	200	Horizontal	Pass
5**	12517.678	47.16	54.0	6.84	AV	26.00	200	Horizontal	Pass
6	16151.025	57.15	74.0	16.85	Peak	210.00	300	Horizontal	Pass
6**	16151.025	43.24	54.0	10.76	AV	210.00	300	Horizontal	Pass

11ax40(SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.328	37.85	74.0	36.15	Peak	146.00	100	Vertical	Pass
1**	1571.328	24.77	54.0	29.23	AV	146.00	100	Vertical	Pass
2	2343.889	46.72	74.0	27.28	Peak	95.00	100	Vertical	Pass
2**	2343.889	35.36	54.0	18.64	AV	95.00	100	Vertical	Pass
3	3916.294	44.09	74.0	29.91	Peak	249.00	200	Vertical	Pass
3**	3916.294	37.07	54.0	16.93	AV	249.00	200	Vertical	Pass
4	7676.663	52.19	74.0	21.81	Peak	21.00	400	Vertical	Pass
4**	7676.663	42.74	54.0	11.26	AV	21.00	400	Vertical	Pass
5	12530.848	53.72	74.0	20.28	Peak	163.00	400	Vertical	Pass
5**	12530.848	44.95	54.0	9.05	AV	163.00	400	Vertical	Pass
6	15379.735	51.38	74.0	22.62	Peak	87.00	100	Vertical	Pass
6**	15379.735	44.35	54.0	9.65	AV	87.00	100	Vertical	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.758	40.26	74.0	33.74	Peak	214.00	300	Horizontal	Pass
1**	1512.758	28.65	54.0	25.35	AV	214.00	300	Horizontal	Pass
2	2350.938	44.77	74.0	29.23	Peak	133.00	300	Horizontal	Pass
2**	2350.938	39.56	54.0	14.44	AV	133.00	300	Horizontal	Pass
3	4204.742	46.16	74.0	27.84	Peak	256.00	200	Horizontal	Pass
3**	4204.742	37.53	54.0	16.47	AV	256.00	200	Horizontal	Pass
4	7435.867	54.07	74.0	19.93	Peak	359.00	300	Horizontal	Pass
4**	7435.867	39.95	54.0	14.05	AV	359.00	300	Horizontal	Pass
5	12517.812	55.48	74.0	18.52	Peak	144.00	200	Horizontal	Pass
5**	12517.812	45.98	54.0	8.02	AV	144.00	200	Horizontal	Pass
6	16145.500	54.30	74.0	19.70	Peak	234.00	400	Horizontal	Pass
6**	16145.500	42.04	54.0	11.96	AV	234.00	400	Horizontal	Pass

11ax80(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.171	39.43	74.0	34.57	Peak	298.00	200	Vertical	Pass
1**	1574.171	27.56	54.0	26.44	AV	298.00	200	Vertical	Pass
2	2347.671	44.54	74.0	29.46	Peak	343.00	400	Vertical	Pass
2**	2347.671	33.66	54.0	20.34	AV	343.00	400	Vertical	Pass
3	3915.752	44.37	74.0	29.63	Peak	292.00	200	Vertical	Pass
3**	3915.752	38.07	54.0	15.93	AV	292.00	200	Vertical	Pass
4	7680.015	53.71	74.0	20.29	Peak	82.00	200	Vertical	Pass
4**	7680.015	43.47	54.0	10.53	AV	82.00	200	Vertical	Pass
5	12532.715	56.45	74.0	17.55	Peak	245.00	100	Vertical	Pass
5**	12532.715	42.73	54.0	11.27	AV	245.00	100	Vertical	Pass
6	15383.339	54.79	74.0	19.21	Peak	131.00	200	Vertical	Pass
6**	15383.339	46.50	54.0	7.50	AV	131.00	200	Vertical	Pass

11ax160(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.142	37.00	74.0	37.00	Peak	38.00	300	Horizontal	Pass
1**	1510.142	30.41	54.0	23.59	AV	38.00	300	Horizontal	Pass
2	2346.888	47.28	74.0	26.72	Peak	41.00	300	Horizontal	Pass
2**	2346.888	40.26	54.0	13.74	AV	41.00	300	Horizontal	Pass
3	4201.632	46.71	74.0	27.29	Peak	62.00	200	Horizontal	Pass
3**	4201.632	40.67	54.0	13.33	AV	62.00	200	Horizontal	Pass
4	7433.548	55.07	74.0	18.93	Peak	254.00	300	Horizontal	Pass
4**	7433.548	43.07	54.0	10.93	AV	254.00	300	Horizontal	Pass
5	12517.606	56.61	74.0	17.39	Peak	346.00	400	Horizontal	Pass
5**	12517.606	46.58	54.0	7.42	AV	346.00	400	Horizontal	Pass
6	16145.170	52.91	74.0	21.09	Peak	26.00	200	Horizontal	Pass
6**	16145.170	41.93	54.0	12.07	AV	26.00	200	Horizontal	Pass

11ax160(SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.190	38.17	74.0	35.83	Peak	294.00	400	Vertical	Pass
1**	1574.190	24.41	54.0	29.59	AV	294.00	400	Vertical	Pass
2	2345.715	46.18	74.0	27.82	Peak	250.00	300	Vertical	Pass
2**	2345.715	32.06	54.0	21.94	AV	250.00	300	Vertical	Pass
3	3919.599	43.18	74.0	30.82	Peak	328.00	200	Vertical	Pass
3**	3919.599	35.76	54.0	18.24	AV	328.00	200	Vertical	Pass
4	7683.738	49.33	74.0	24.67	Peak	161.00	200	Vertical	Pass
4**	7683.738	45.33	54.0	8.67	AV	161.00	200	Vertical	Pass
5	12532.964	57.01	74.0	16.99	Peak	73.00	200	Vertical	Pass
5**	12532.964	41.34	54.0	12.66	AV	73.00	200	Vertical	Pass
6	15380.246	55.23	74.0	18.77	Peak	56.00	300	Vertical	Pass
6**	15380.246	45.40	54.0	8.60	AV	56.00	300	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.994	36.62	74.0	37.38	Peak	122.00	200	Horizontal	Pass
1**	1522.994	30.57	54.0	23.43	AV	122.00	200	Horizontal	Pass
2	2273.758	46.09	74.0	27.91	Peak	359.00	400	Horizontal	Pass
2**	2273.758	33.00	54.0	21.00	AV	359.00	400	Horizontal	Pass
3	4043.453	50.02	74.0	23.98	Peak	358.00	200	Horizontal	Pass
3**	4043.453	34.41	54.0	19.59	AV	358.00	200	Horizontal	Pass
4	7623.241	50.35	74.0	23.65	Peak	355.00	200	Horizontal	Pass
4**	7623.241	42.37	54.0	11.63	AV	355.00	200	Horizontal	Pass
5	12456.551	50.24	74.0	23.76	Peak	20.00	400	Horizontal	Pass
5**	12456.551	46.63	54.0	7.37	AV	20.00	400	Horizontal	Pass
6	15902.977	53.46	74.0	20.54	Peak	9.00	400	Horizontal	Pass
6**	15902.977	42.67	54.0	11.33	AV	9.00	400	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.218	39.90	74.0	34.10	Peak	122.00	400	Vertical	Pass
1**	1529.218	27.33	54.0	26.67	AV	122.00	400	Vertical	Pass
2	2338.927	46.50	74.0	27.50	Peak	321.00	300	Vertical	Pass
2**	2338.927	37.09	54.0	16.91	AV	321.00	300	Vertical	Pass
3	4903.016	50.20	74.0	23.80	Peak	112.00	200	Vertical	Pass
3**	4903.016	40.55	54.0	13.45	AV	112.00	200	Vertical	Pass
4	7324.636	52.56	74.0	21.44	Peak	304.00	100	Vertical	Pass
4**	7324.636	42.61	54.0	11.39	AV	304.00	100	Vertical	Pass
5	12490.042	51.03	74.0	22.97	Peak	340.00	400	Vertical	Pass
5**	12490.042	44.90	54.0	9.10	AV	340.00	400	Vertical	Pass
6	15690.650	52.87	74.0	21.13	Peak	108.00	100	Vertical	Pass
6**	15690.650	46.25	54.0	7.75	AV	108.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.000	37.30	74.0	36.70	Peak	65.00	100	Horizontal	Pass
1**	1522.000	31.43	54.0	22.57	AV	65.00	100	Horizontal	Pass
2	2275.472	45.74	74.0	28.26	Peak	62.00	400	Horizontal	Pass
2**	2275.472	35.22	54.0	18.78	AV	62.00	400	Horizontal	Pass
3	4046.470	49.12	74.0	24.88	Peak	121.00	200	Horizontal	Pass
3**	4046.470	35.15	54.0	18.85	AV	121.00	200	Horizontal	Pass
4	7617.002	52.07	74.0	21.93	Peak	228.00	200	Horizontal	Pass
4**	7617.002	43.36	54.0	10.64	AV	228.00	200	Horizontal	Pass
5	12454.943	55.68	74.0	18.32	Peak	283.00	100	Horizontal	Pass
5**	12454.943	47.05	54.0	6.95	AV	283.00	100	Horizontal	Pass
6	15906.372	56.11	74.0	17.89	Peak	103.00	100	Horizontal	Pass
6**	15906.372	43.87	54.0	10.13	AV	103.00	100	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.025	36.25	74.0	37.75	Peak	243.00	200	Vertical	Pass
1**	1528.025	30.15	54.0	23.85	AV	243.00	200	Vertical	Pass
2	2338.719	46.37	74.0	27.63	Peak	335.00	400	Vertical	Pass
2**	2338.719	33.44	54.0	20.56	AV	335.00	400	Vertical	Pass
3	4900.203	52.87	74.0	21.13	Peak	237.00	200	Vertical	Pass
3**	4900.203	41.68	54.0	12.32	AV	237.00	200	Vertical	Pass
4	7330.174	50.90	74.0	23.10	Peak	50.00	100	Vertical	Pass
4**	7330.174	42.25	54.0	11.75	AV	50.00	100	Vertical	Pass
5	12485.211	53.61	74.0	20.39	Peak	322.00	300	Vertical	Pass
5**	12485.211	41.79	54.0	12.21	AV	322.00	300	Vertical	Pass
6	15692.135	54.95	74.0	19.05	Peak	50.00	100	Vertical	Pass
6**	15692.135	44.51	54.0	9.49	AV	50.00	100	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.134	40.29	74.0	33.71	Peak	352.00	200	Horizontal	Pass
1**	1525.134	30.04	54.0	23.96	AV	352.00	200	Horizontal	Pass
2	2276.049	46.33	74.0	27.67	Peak	89.00	300	Horizontal	Pass
2**	2276.049	32.75	54.0	21.25	AV	89.00	300	Horizontal	Pass
3	4049.575	49.68	74.0	24.32	Peak	221.00	200	Horizontal	Pass
3**	4049.575	34.22	54.0	19.78	AV	221.00	200	Horizontal	Pass
4	7620.478	51.97	74.0	22.03	Peak	55.00	300	Horizontal	Pass
4**	7620.478	46.51	54.0	7.49	AV	55.00	300	Horizontal	Pass
5	12452.810	54.83	74.0	19.17	Peak	332.00	100	Horizontal	Pass
5**	12452.810	46.68	54.0	7.32	AV	332.00	100	Horizontal	Pass
6	15903.944	53.19	74.0	20.81	Peak	355.00	200	Horizontal	Pass
6**	15903.944	45.34	54.0	8.66	AV	355.00	200	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1534.018	38.05	74.0	35.95	Peak	98.00	100	Vertical	Pass
1**	1534.018	30.14	54.0	23.86	AV	98.00	100	Vertical	Pass
2	2338.665	44.95	74.0	29.05	Peak	326.00	400	Vertical	Pass
2**	2338.665	36.41	54.0	17.59	AV	326.00	400	Vertical	Pass
3	4896.306	47.72	74.0	26.28	Peak	166.00	200	Vertical	Pass
3**	4896.306	40.26	54.0	13.74	AV	166.00	200	Vertical	Pass
4	7330.754	54.13	74.0	19.87	Peak	359.00	400	Vertical	Pass
4**	7330.754	41.42	54.0	12.58	AV	359.00	400	Vertical	Pass
5	12489.454	53.72	74.0	20.28	Peak	144.00	300	Vertical	Pass
5**	12489.454	41.29	54.0	12.71	AV	144.00	300	Vertical	Pass
6	15690.501	55.24	74.0	18.76	Peak	356.00	400	Vertical	Pass
6**	15690.501	44.48	54.0	9.52	AV	356.00	400	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.589	39.99	74.0	34.01	Peak	205.00	400	Horizontal	Pass
1**	1527.589	27.95	54.0	26.05	AV	205.00	400	Horizontal	Pass
2	2272.190	44.02	74.0	29.98	Peak	94.00	400	Horizontal	Pass
2**	2272.190	35.83	54.0	18.17	AV	94.00	400	Horizontal	Pass
3	4043.031	44.74	74.0	29.26	Peak	155.00	200	Horizontal	Pass
3**	4043.031	36.24	54.0	17.76	AV	155.00	200	Horizontal	Pass
4	7621.295	53.69	74.0	20.31	Peak	80.00	100	Horizontal	Pass
4**	7621.295	42.12	54.0	11.88	AV	80.00	100	Horizontal	Pass
5	12456.707	53.18	74.0	20.82	Peak	221.00	400	Horizontal	Pass
5**	12456.707	43.95	54.0	10.05	AV	221.00	400	Horizontal	Pass
6	15903.776	55.06	74.0	18.94	Peak	66.00	300	Horizontal	Pass
6**	15903.776	42.03	54.0	11.97	AV	66.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.032	36.63	74.0	37.37	Peak	43.00	400	Vertical	Pass
1**	1529.032	27.79	54.0	26.21	AV	43.00	400	Vertical	Pass
2	2337.662	47.45	74.0	26.55	Peak	163.00	400	Vertical	Pass
2**	2337.662	35.84	54.0	18.16	AV	163.00	400	Vertical	Pass
3	4901.585	48.61	74.0	25.39	Peak	97.00	200	Vertical	Pass
3**	4901.585	42.07	54.0	11.93	AV	97.00	200	Vertical	Pass
4	7330.273	56.30	74.0	17.70	Peak	11.00	300	Vertical	Pass
4**	7330.273	45.45	54.0	8.55	AV	11.00	300	Vertical	Pass
5	12484.434	52.73	74.0	21.27	Peak	85.00	100	Vertical	Pass
5**	12484.434	45.83	54.0	8.17	AV	85.00	100	Vertical	Pass
6	15690.325	54.46	74.0	19.54	Peak	183.00	400	Vertical	Pass
6**	15690.325	43.28	54.0	10.72	AV	183.00	400	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.400	37.09	74.0	36.91	Peak	90.00	200	Horizontal	Pass
1**	1523.400	26.81	54.0	27.19	AV	90.00	200	Horizontal	Pass
2	2273.709	44.86	74.0	29.14	Peak	147.00	200	Horizontal	Pass
2**	2273.709	34.21	54.0	19.79	AV	147.00	200	Horizontal	Pass
3	4048.196	45.14	74.0	28.86	Peak	45.00	200	Horizontal	Pass
3**	4048.196	38.30	54.0	15.70	AV	45.00	200	Horizontal	Pass
4	7622.627	51.49	74.0	22.51	Peak	121.00	100	Horizontal	Pass
4**	7622.627	43.55	54.0	10.45	AV	121.00	100	Horizontal	Pass
5	12451.615	50.83	74.0	23.17	Peak	116.00	400	Horizontal	Pass
5**	12451.615	41.60	54.0	12.40	AV	116.00	400	Horizontal	Pass
6	15905.871	50.89	74.0	23.11	Peak	54.00	200	Horizontal	Pass
6**	15905.871	42.13	54.0	11.87	AV	54.00	200	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.651	36.42	74.0	37.58	Peak	338.00	400	Vertical	Pass
1**	1533.651	29.20	54.0	24.80	AV	338.00	400	Vertical	Pass
2	2338.153	43.43	74.0	30.57	Peak	310.00	400	Vertical	Pass
2**	2338.153	36.38	54.0	17.62	AV	310.00	400	Vertical	Pass
3	4898.823	48.82	74.0	25.18	Peak	329.00	200	Vertical	Pass
3**	4898.823	42.06	54.0	11.94	AV	329.00	200	Vertical	Pass
4	7328.906	55.01	74.0	18.99	Peak	177.00	300	Vertical	Pass
4**	7328.906	41.15	54.0	12.85	AV	177.00	300	Vertical	Pass
5	12483.796	55.00	74.0	19.00	Peak	128.00	200	Vertical	Pass
5**	12483.796	42.74	54.0	11.26	AV	128.00	200	Vertical	Pass
6	15689.248	51.64	74.0	22.36	Peak	45.00	300	Vertical	Pass
6**	15689.248	43.84	54.0	10.16	AV	45.00	300	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.569	37.99	74.0	36.01	Peak	216.00	400	Horizontal	Pass
1**	1524.569	28.00	54.0	26.00	AV	216.00	400	Horizontal	Pass
2	2271.015	45.85	74.0	28.15	Peak	147.00	100	Horizontal	Pass
2**	2271.015	32.54	54.0	21.46	AV	147.00	100	Horizontal	Pass
3	4048.070	49.14	74.0	24.86	Peak	6.00	200	Horizontal	Pass
3**	4048.070	36.58	54.0	17.42	AV	6.00	200	Horizontal	Pass
4	7621.560	49.95	74.0	24.05	Peak	277.00	200	Horizontal	Pass
4**	7621.560	43.06	54.0	10.94	AV	277.00	200	Horizontal	Pass
5	12457.976	50.81	74.0	23.19	Peak	288.00	400	Horizontal	Pass
5**	12457.976	46.32	54.0	7.68	AV	288.00	400	Horizontal	Pass
6	15906.863	54.58	74.0	19.42	Peak	164.00	100	Horizontal	Pass
6**	15906.863	44.07	54.0	9.93	AV	164.00	100	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.363	38.70	74.0	35.30	Peak	259.00	300	Vertical	Pass
1**	1530.363	26.79	54.0	27.21	AV	259.00	300	Vertical	Pass
2	2335.812	42.93	74.0	31.07	Peak	30.00	200	Vertical	Pass
2**	2335.812	32.40	54.0	21.60	AV	30.00	200	Vertical	Pass
3	4897.195	51.19	74.0	22.81	Peak	173.00	200	Vertical	Pass
3**	4897.195	40.29	54.0	13.71	AV	173.00	200	Vertical	Pass
4	7328.445	50.91	74.0	23.09	Peak	16.00	200	Vertical	Pass
4**	7328.445	43.49	54.0	10.51	AV	16.00	200	Vertical	Pass
5	12485.888	55.41	74.0	18.59	Peak	30.00	200	Vertical	Pass
5**	12485.888	41.16	54.0	12.84	AV	30.00	200	Vertical	Pass
6	15691.229	51.85	74.0	22.15	Peak	208.00	300	Vertical	Pass
6**	15691.229	45.53	54.0	8.47	AV	208.00	300	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.353	36.46	74.0	37.54	Peak	252.00	400	Horizontal	Pass
1**	1527.353	28.00	54.0	26.00	AV	252.00	400	Horizontal	Pass
2	2273.119	43.54	74.0	30.46	Peak	156.00	200	Horizontal	Pass
2**	2273.119	31.56	54.0	22.44	AV	156.00	200	Horizontal	Pass
3	4049.202	47.35	74.0	26.65	Peak	144.00	200	Horizontal	Pass
3**	4049.202	35.18	54.0	18.82	AV	144.00	200	Horizontal	Pass
4	7619.032	51.57	74.0	22.43	Peak	279.00	100	Horizontal	Pass
4**	7619.032	44.73	54.0	9.27	AV	279.00	100	Horizontal	Pass
5	12452.147	52.43	74.0	21.57	Peak	27.00	200	Horizontal	Pass
5**	12452.147	43.48	54.0	10.52	AV	27.00	200	Horizontal	Pass
6	15900.873	54.81	74.0	19.19	Peak	102.00	200	Horizontal	Pass
6**	15900.873	45.98	54.0	8.02	AV	102.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.217	40.13	74.0	33.87	Peak	302.00	100	Vertical	Pass
1**	1532.217	30.96	54.0	23.04	AV	302.00	100	Vertical	Pass
2	2337.912	45.61	74.0	28.39	Peak	145.00	200	Vertical	Pass
2**	2337.912	38.11	54.0	15.89	AV	145.00	200	Vertical	Pass
3	4896.341	51.87	74.0	22.13	Peak	302.00	200	Vertical	Pass
3**	4896.341	42.38	54.0	11.62	AV	302.00	200	Vertical	Pass
4	7327.655	53.13	74.0	20.87	Peak	131.00	200	Vertical	Pass
4**	7327.655	45.69	54.0	8.31	AV	131.00	200	Vertical	Pass
5	12487.302	55.26	74.0	18.74	Peak	79.00	400	Vertical	Pass
5**	12487.302	44.84	54.0	9.16	AV	79.00	400	Vertical	Pass
6	15692.477	55.22	74.0	18.78	Peak	341.00	400	Vertical	Pass
6**	15692.477	42.11	54.0	11.89	AV	341.00	400	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.045	38.61	74.0	35.39	Peak	38.00	400	Horizontal	Pass
1**	1522.045	27.44	54.0	26.56	AV	38.00	400	Horizontal	Pass
2	2275.927	43.42	74.0	30.58	Peak	230.00	200	Horizontal	Pass
2**	2275.927	33.03	54.0	20.97	AV	230.00	200	Horizontal	Pass
3	4046.876	45.17	74.0	28.83	Peak	41.00	200	Horizontal	Pass
3**	4046.876	35.55	54.0	18.45	AV	41.00	200	Horizontal	Pass
4	7618.140	51.49	74.0	22.51	Peak	347.00	100	Horizontal	Pass
4**	7618.140	44.92	54.0	9.08	AV	347.00	100	Horizontal	Pass
5	12452.024	51.42	74.0	22.58	Peak	19.00	400	Horizontal	Pass
5**	12452.024	45.98	54.0	8.02	AV	19.00	400	Horizontal	Pass
6	15899.787	54.63	74.0	19.37	Peak	189.00	100	Horizontal	Pass
6**	15899.787	47.00	54.0	7.00	AV	189.00	100	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.268	36.90	74.0	37.10	Peak	88.00	100	Vertical	Pass
1**	1532.268	29.46	54.0	24.54	AV	88.00	100	Vertical	Pass
2	2336.794	44.77	74.0	29.23	Peak	313.00	100	Vertical	Pass
2**	2336.794	33.24	54.0	20.76	AV	313.00	100	Vertical	Pass
3	4901.265	52.03	74.0	21.97	Peak	81.00	200	Vertical	Pass
3**	4901.265	38.35	54.0	15.65	AV	81.00	200	Vertical	Pass
4	7329.869	55.01	74.0	18.99	Peak	167.00	400	Vertical	Pass
4**	7329.869	45.05	54.0	8.95	AV	167.00	400	Vertical	Pass
5	12482.767	52.50	74.0	21.50	Peak	311.00	100	Vertical	Pass
5**	12482.767	43.48	54.0	10.52	AV	311.00	100	Vertical	Pass
6	15688.170	52.51	74.0	21.49	Peak	301.00	100	Vertical	Pass
6**	15688.170	41.75	54.0	12.25	AV	301.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.389	37.68	74.0	36.32	Peak	207.00	400	Horizontal	Pass
1**	1521.389	29.29	54.0	24.71	AV	207.00	400	Horizontal	Pass
2	2278.072	46.82	74.0	27.18	Peak	167.00	100	Horizontal	Pass
2**	2278.072	33.45	54.0	20.55	AV	167.00	100	Horizontal	Pass
3	4047.633	44.73	74.0	29.27	Peak	61.00	200	Horizontal	Pass
3**	4047.633	34.86	54.0	19.14	AV	61.00	200	Horizontal	Pass
4	7619.386	52.11	74.0	21.89	Peak	339.00	300	Horizontal	Pass
4**	7619.386	42.68	54.0	11.32	AV	339.00	300	Horizontal	Pass
5	12453.113	55.39	74.0	18.61	Peak	174.00	400	Horizontal	Pass
5**	12453.113	44.25	54.0	9.75	AV	174.00	400	Horizontal	Pass
6	15902.312	55.95	74.0	18.05	Peak	204.00	100	Horizontal	Pass
6**	15902.312	47.35	54.0	6.65	AV	204.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.623	39.59	74.0	34.41	Peak	47.00	400	Vertical	Pass
1**	1532.623	31.18	54.0	22.82	AV	47.00	400	Vertical	Pass
2	2336.039	43.35	74.0	30.65	Peak	165.00	100	Vertical	Pass
2**	2336.039	32.80	54.0	21.20	AV	165.00	100	Vertical	Pass
3	4902.485	49.50	74.0	24.50	Peak	240.00	200	Vertical	Pass
3**	4902.485	38.41	54.0	15.59	AV	240.00	200	Vertical	Pass
4	7325.730	53.40	74.0	20.60	Peak	244.00	300	Vertical	Pass
4**	7325.730	46.59	54.0	7.41	AV	244.00	300	Vertical	Pass
5	12484.429	52.33	74.0	21.67	Peak	90.00	400	Vertical	Pass
5**	12484.429	41.76	54.0	12.24	AV	90.00	400	Vertical	Pass
6	15687.333	52.52	74.0	21.48	Peak	117.00	400	Vertical	Pass
6**	15687.333	43.59	54.0	10.41	AV	117.00	400	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.882	39.50	74.0	34.50	Peak	167.00	100	Horizontal	Pass
1**	1521.882	26.51	54.0	27.49	AV	167.00	100	Horizontal	Pass
2	2276.327	41.18	74.0	32.82	Peak	237.00	200	Horizontal	Pass
2**	2276.327	34.79	54.0	19.21	AV	237.00	200	Horizontal	Pass
3	4043.401	49.11	74.0	24.89	Peak	230.00	200	Horizontal	Pass
3**	4043.401	34.98	54.0	19.02	AV	230.00	200	Horizontal	Pass
4	7620.598	54.87	74.0	19.13	Peak	328.00	200	Horizontal	Pass
4**	7620.598	45.53	54.0	8.47	AV	328.00	200	Horizontal	Pass
5	12457.910	51.23	74.0	22.77	Peak	221.00	200	Horizontal	Pass
5**	12457.910	46.63	54.0	7.37	AV	221.00	200	Horizontal	Pass
6	15904.886	55.12	74.0	18.88	Peak	63.00	300	Horizontal	Pass
6**	15904.886	46.34	54.0	7.66	AV	63.00	300	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.544	36.28	74.0	37.72	Peak	107.00	300	Vertical	Pass
1**	1527.544	30.02	54.0	23.98	AV	107.00	300	Vertical	Pass
2	2339.191	42.89	74.0	31.11	Peak	62.00	300	Vertical	Pass
2**	2339.191	35.75	54.0	18.25	AV	62.00	300	Vertical	Pass
3	4896.868	49.80	74.0	24.20	Peak	212.00	200	Vertical	Pass
3**	4896.868	41.45	54.0	12.55	AV	212.00	200	Vertical	Pass
4	7324.555	53.12	74.0	20.88	Peak	2.00	400	Vertical	Pass
4**	7324.555	45.71	54.0	8.29	AV	2.00	400	Vertical	Pass
5	12483.155	54.45	74.0	19.55	Peak	188.00	100	Vertical	Pass
5**	12483.155	45.07	54.0	8.93	AV	188.00	100	Vertical	Pass
6	15691.411	52.64	74.0	21.36	Peak	168.00	100	Vertical	Pass
6**	15691.411	46.64	54.0	7.36	AV	168.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.028	37.34	74.0	36.66	Peak	240.00	300	Horizontal	Pass
1**	1528.028	29.25	54.0	24.75	AV	240.00	300	Horizontal	Pass
2	2275.040	40.94	74.0	33.06	Peak	267.00	100	Horizontal	Pass
2**	2275.040	34.50	54.0	19.50	AV	267.00	100	Horizontal	Pass
3	4044.644	46.04	74.0	27.96	Peak	120.00	200	Horizontal	Pass
3**	4044.644	35.68	54.0	18.32	AV	120.00	200	Horizontal	Pass
4	7619.066	55.05	74.0	18.95	Peak	88.00	400	Horizontal	Pass
4**	7619.066	44.90	54.0	9.10	AV	88.00	400	Horizontal	Pass
5	12454.210	52.13	74.0	21.87	Peak	90.00	400	Horizontal	Pass
5**	12454.210	46.76	54.0	7.24	AV	90.00	400	Horizontal	Pass
6	15903.474	55.67	74.0	18.33	Peak	27.00	100	Horizontal	Pass
6**	15903.474	45.89	54.0	8.11	AV	27.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.432	37.22	74.0	36.78	Peak	88.00	200	Vertical	Pass
1**	1531.432	30.47	54.0	23.53	AV	88.00	200	Vertical	Pass
2	2333.453	44.82	74.0	29.18	Peak	240.00	400	Vertical	Pass
2**	2333.453	35.13	54.0	18.87	AV	240.00	400	Vertical	Pass
3	4898.495	51.21	74.0	22.79	Peak	67.00	200	Vertical	Pass
3**	4898.495	41.19	54.0	12.81	AV	67.00	200	Vertical	Pass
4	7324.146	50.97	74.0	23.03	Peak	60.00	400	Vertical	Pass
4**	7324.146	44.14	54.0	9.86	AV	60.00	400	Vertical	Pass
5	12485.354	51.08	74.0	22.92	Peak	294.00	300	Vertical	Pass
5**	12485.354	46.34	54.0	7.66	AV	294.00	300	Vertical	Pass
6	15687.759	56.26	74.0	17.74	Peak	275.00	100	Vertical	Pass
6**	15687.759	45.50	54.0	8.50	AV	275.00	100	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.876	39.93	74.0	34.07	Peak	91.00	300	Horizontal	Pass
1**	1521.876	28.64	54.0	25.36	AV	91.00	300	Horizontal	Pass
2	2276.342	45.34	74.0	28.66	Peak	258.00	400	Horizontal	Pass
2**	2276.342	37.13	54.0	16.87	AV	258.00	400	Horizontal	Pass
3	4046.537	48.58	74.0	25.42	Peak	0.00	200	Horizontal	Pass
3**	4046.537	39.74	54.0	14.26	AV	0.00	200	Horizontal	Pass
4	7618.889	53.03	74.0	20.97	Peak	225.00	300	Horizontal	Pass
4**	7618.889	45.04	54.0	8.96	AV	225.00	300	Horizontal	Pass
5	12457.677	52.80	74.0	21.20	Peak	330.00	300	Horizontal	Pass
5**	12457.677	44.46	54.0	9.54	AV	330.00	300	Horizontal	Pass
6	15900.507	51.29	74.0	22.71	Peak	74.00	300	Horizontal	Pass
6**	15900.507	44.46	54.0	9.54	AV	74.00	300	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.623	40.89	74.0	33.11	Peak	197.00	100	Vertical	Pass
1**	1531.623	27.73	54.0	26.27	AV	197.00	100	Vertical	Pass
2	2339.412	42.64	74.0	31.36	Peak	20.00	400	Vertical	Pass
2**	2339.412	36.86	54.0	17.14	AV	20.00	400	Vertical	Pass
3	4900.355	51.70	74.0	22.30	Peak	252.00	200	Vertical	Pass
3**	4900.355	39.10	54.0	14.90	AV	252.00	200	Vertical	Pass
4	7327.711	56.03	74.0	17.97	Peak	166.00	400	Vertical	Pass
4**	7327.711	46.37	54.0	7.63	AV	166.00	400	Vertical	Pass
5	12486.160	51.58	74.0	22.42	Peak	6.00	400	Vertical	Pass
5**	12486.160	45.98	54.0	8.02	AV	6.00	400	Vertical	Pass
6	15688.576	54.76	74.0	19.24	Peak	225.00	300	Vertical	Pass
6**	15688.576	46.58	54.0	7.42	AV	225.00	300	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.745	37.97	74.0	36.03	Peak	167.00	400	Horizontal	Pass
1**	1526.745	26.45	54.0	27.55	AV	167.00	400	Horizontal	Pass
2	2278.737	46.18	74.0	27.82	Peak	14.00	300	Horizontal	Pass
2**	2278.737	33.88	54.0	20.12	AV	14.00	300	Horizontal	Pass
3	4044.639	48.39	74.0	25.61	Peak	164.00	200	Horizontal	Pass
3**	4044.639	37.32	54.0	16.68	AV	164.00	200	Horizontal	Pass
4	7622.455	53.00	74.0	21.00	Peak	181.00	400	Horizontal	Pass
4**	7622.455	44.56	54.0	9.44	AV	181.00	400	Horizontal	Pass
5	12455.564	51.13	74.0	22.87	Peak	80.00	400	Horizontal	Pass
5**	12455.564	47.22	54.0	6.78	AV	80.00	400	Horizontal	Pass
6	15900.109	54.07	74.0	19.93	Peak	40.00	100	Horizontal	Pass
6**	15900.109	41.59	54.0	12.41	AV	40.00	100	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.518	38.97	74.0	35.03	Peak	111.00	200	Vertical	Pass
1**	1527.518	26.30	54.0	27.70	AV	111.00	200	Vertical	Pass
2	2337.744	45.69	74.0	28.31	Peak	178.00	200	Vertical	Pass
2**	2337.744	34.04	54.0	19.96	AV	178.00	200	Vertical	Pass
3	4903.928	48.26	74.0	25.74	Peak	64.00	200	Vertical	Pass
3**	4903.928	39.41	54.0	14.59	AV	64.00	200	Vertical	Pass
4	7327.352	54.47	74.0	19.53	Peak	8.00	300	Vertical	Pass
4**	7327.352	42.80	54.0	11.20	AV	8.00	300	Vertical	Pass
5	12483.424	51.72	74.0	22.28	Peak	26.00	400	Vertical	Pass
5**	12483.424	45.81	54.0	8.19	AV	26.00	400	Vertical	Pass
6	15693.877	55.44	74.0	18.56	Peak	345.00	400	Vertical	Pass
6**	15693.877	43.08	54.0	10.92	AV	345.00	400	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.587	41.06	74.0	32.94	Peak	0.00	200	Horizontal	Pass
1**	1521.587	31.09	54.0	22.91	AV	0.00	200	Horizontal	Pass
2	2272.674	42.45	74.0	31.55	Peak	250.00	400	Horizontal	Pass
2**	2272.674	33.46	54.0	20.54	AV	250.00	400	Horizontal	Pass
3	4047.873	46.38	74.0	27.62	Peak	326.00	200	Horizontal	Pass
3**	4047.873	35.90	54.0	18.10	AV	326.00	200	Horizontal	Pass
4	7618.889	54.22	74.0	19.78	Peak	135.00	200	Horizontal	Pass
4**	7618.889	44.58	54.0	9.42	AV	135.00	200	Horizontal	Pass
5	12457.898	55.71	74.0	18.29	Peak	268.00	100	Horizontal	Pass
5**	12457.898	47.14	54.0	6.86	AV	268.00	100	Horizontal	Pass
6	15907.313	56.16	74.0	17.84	Peak	271.00	300	Horizontal	Pass
6**	15907.313	42.84	54.0	11.16	AV	271.00	300	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.757	37.73	74.0	36.27	Peak	330.00	200	Vertical	Pass
1**	1533.757	27.83	54.0	26.17	AV	330.00	200	Vertical	Pass
2	2338.206	41.76	74.0	32.24	Peak	212.00	400	Vertical	Pass
2**	2338.206	33.03	54.0	20.97	AV	212.00	400	Vertical	Pass
3	4902.417	50.49	74.0	23.51	Peak	220.00	200	Vertical	Pass
3**	4902.417	40.70	54.0	13.30	AV	220.00	200	Vertical	Pass
4	7329.491	55.92	74.0	18.08	Peak	295.00	400	Vertical	Pass
4**	7329.491	41.16	54.0	12.84	AV	295.00	400	Vertical	Pass
5	12489.287	53.36	74.0	20.64	Peak	123.00	300	Vertical	Pass
5**	12489.287	44.31	54.0	9.69	AV	123.00	300	Vertical	Pass
6	15693.806	55.13	74.0	18.87	Peak	353.00	400	Vertical	Pass
6**	15693.806	43.99	54.0	10.01	AV	353.00	400	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.212	39.58	74.0	34.42	Peak	93.00	200	Horizontal	Pass
1**	1521.212	31.37	54.0	22.63	AV	93.00	200	Horizontal	Pass
2	2271.579	45.23	74.0	28.77	Peak	285.00	200	Horizontal	Pass
2**	2271.579	31.46	54.0	22.54	AV	285.00	200	Horizontal	Pass
3	4045.021	48.76	74.0	25.24	Peak	154.00	200	Horizontal	Pass
3**	4045.021	35.16	54.0	18.84	AV	154.00	200	Horizontal	Pass
4	7619.957	53.79	74.0	20.21	Peak	7.00	400	Horizontal	Pass
4**	7619.957	41.24	54.0	12.76	AV	7.00	400	Horizontal	Pass
5	12454.649	54.60	74.0	19.40	Peak	329.00	200	Horizontal	Pass
5**	12454.649	45.71	54.0	8.29	AV	329.00	200	Horizontal	Pass
6	15905.725	54.88	74.0	19.12	Peak	76.00	200	Horizontal	Pass
6**	15905.725	41.97	54.0	12.03	AV	76.00	200	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.134	38.78	74.0	35.22	Peak	174.00	100	Vertical	Pass
1**	1531.134	26.29	54.0	27.71	AV	174.00	100	Vertical	Pass
2	2337.580	46.60	74.0	27.40	Peak	307.00	300	Vertical	Pass
2**	2337.580	36.76	54.0	17.24	AV	307.00	300	Vertical	Pass
3	4899.954	50.74	74.0	23.26	Peak	136.00	200	Vertical	Pass
3**	4899.954	37.40	54.0	16.60	AV	136.00	200	Vertical	Pass
4	7330.193	53.56	74.0	20.44	Peak	348.00	200	Vertical	Pass
4**	7330.193	41.32	54.0	12.68	AV	348.00	200	Vertical	Pass
5	12484.959	53.06	74.0	20.94	Peak	69.00	200	Vertical	Pass
5**	12484.959	41.47	54.0	12.53	AV	69.00	200	Vertical	Pass
6	15694.085	54.44	74.0	19.56	Peak	254.00	100	Vertical	Pass
6**	15694.085	41.64	54.0	12.36	AV	254.00	100	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.052	38.18	74.0	35.82	Peak	151.00	200	Horizontal	Pass
1**	1525.052	27.81	54.0	26.19	AV	151.00	200	Horizontal	Pass
2	2271.563	45.93	74.0	28.07	Peak	56.00	200	Horizontal	Pass
2**	2271.563	32.06	54.0	21.94	AV	56.00	200	Horizontal	Pass
3	4044.986	46.95	74.0	27.05	Peak	45.00	200	Horizontal	Pass
3**	4044.986	34.42	54.0	19.58	AV	45.00	200	Horizontal	Pass
4	7621.570	54.64	74.0	19.36	Peak	16.00	100	Horizontal	Pass
4**	7621.570	44.91	54.0	9.09	AV	16.00	100	Horizontal	Pass
5	12456.803	54.91	74.0	19.09	Peak	87.00	400	Horizontal	Pass
5**	12456.803	43.26	54.0	10.74	AV	87.00	400	Horizontal	Pass
6	15905.092	51.20	74.0	22.80	Peak	213.00	200	Horizontal	Pass
6**	15905.092	41.82	54.0	12.18	AV	213.00	200	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1532.670	38.51	74.0	35.49	Peak	10.00	200	Vertical	Pass
1**	1532.670	27.54	54.0	26.46	AV	10.00	200	Vertical	Pass
2	2335.158	46.70	74.0	27.30	Peak	103.00	200	Vertical	Pass
2**	2335.158	38.07	54.0	15.93	AV	103.00	200	Vertical	Pass
3	4901.886	51.95	74.0	22.05	Peak	160.00	200	Vertical	Pass
3**	4901.886	40.96	54.0	13.04	AV	160.00	200	Vertical	Pass
4	7323.535	50.48	74.0	23.52	Peak	191.00	200	Vertical	Pass
4**	7323.535	45.69	54.0	8.31	AV	191.00	200	Vertical	Pass
5	12484.620	53.68	74.0	20.32	Peak	303.00	100	Vertical	Pass
5**	12484.620	44.42	54.0	9.58	AV	303.00	100	Vertical	Pass
6	15687.360	56.80	74.0	17.20	Peak	209.00	100	Vertical	Pass
6**	15687.360	44.05	54.0	9.95	AV	209.00	100	Vertical	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.667	41.54	74.0	32.46	Peak	133.00	200	Horizontal	Pass
1**	1527.667	29.91	54.0	24.09	AV	133.00	200	Horizontal	Pass
2	2278.484	41.93	74.0	32.07	Peak	37.00	200	Horizontal	Pass
2**	2278.484	34.21	54.0	19.79	AV	37.00	200	Horizontal	Pass
3	4042.765	46.64	74.0	27.36	Peak	301.00	200	Horizontal	Pass
3**	4042.765	40.07	54.0	13.93	AV	301.00	200	Horizontal	Pass
4	7623.090	53.48	74.0	20.52	Peak	301.00	400	Horizontal	Pass
4**	7623.090	40.97	54.0	13.03	AV	301.00	400	Horizontal	Pass
5	12456.562	51.97	74.0	22.03	Peak	145.00	100	Horizontal	Pass
5**	12456.562	41.84	54.0	12.16	AV	145.00	100	Horizontal	Pass
6	15900.084	55.08	74.0	18.92	Peak	262.00	400	Horizontal	Pass
6**	15900.084	47.53	54.0	6.47	AV	262.00	400	Horizontal	Pass

11ax20(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.891	36.32	74.0	37.68	Peak	48.00	300	Vertical	Pass
1**	1529.891	29.33	54.0	24.67	AV	48.00	300	Vertical	Pass
2	2338.024	46.96	74.0	27.04	Peak	148.00	400	Vertical	Pass
2**	2338.024	35.50	54.0	18.50	AV	148.00	400	Vertical	Pass
3	4898.437	48.35	74.0	25.65	Peak	69.00	200	Vertical	Pass
3**	4898.437	36.87	54.0	17.13	AV	69.00	200	Vertical	Pass
4	7329.124	54.96	74.0	19.04	Peak	123.00	100	Vertical	Pass
4**	7329.124	44.17	54.0	9.83	AV	123.00	100	Vertical	Pass
5	12488.897	51.31	74.0	22.69	Peak	109.00	100	Vertical	Pass
5**	12488.897	45.31	54.0	8.69	AV	109.00	100	Vertical	Pass
6	15692.646	52.62	74.0	21.38	Peak	161.00	400	Vertical	Pass
6**	15692.646	42.67	54.0	11.33	AV	161.00	400	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.785	36.43	74.0	37.57	Peak	212.00	300	Horizontal	Pass
1**	1523.785	28.86	54.0	25.14	AV	212.00	300	Horizontal	Pass
2	2278.559	45.57	74.0	28.43	Peak	63.00	300	Horizontal	Pass
2**	2278.559	35.83	54.0	18.17	AV	63.00	300	Horizontal	Pass
3	4049.909	49.13	74.0	24.87	Peak	329.00	200	Horizontal	Pass
3**	4049.909	35.76	54.0	18.24	AV	329.00	200	Horizontal	Pass
4	7618.242	51.92	74.0	22.08	Peak	251.00	400	Horizontal	Pass
4**	7618.242	45.64	54.0	8.36	AV	251.00	400	Horizontal	Pass
5	12452.444	52.98	74.0	21.02	Peak	136.00	400	Horizontal	Pass
5**	12452.444	43.08	54.0	10.92	AV	136.00	400	Horizontal	Pass
6	15899.960	54.39	74.0	19.61	Peak	349.00	300	Horizontal	Pass
6**	15899.960	45.88	54.0	8.12	AV	349.00	300	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.600	36.02	74.0	37.98	Peak	37.00	300	Vertical	Pass
1**	1533.600	31.24	54.0	22.76	AV	37.00	300	Vertical	Pass
2	2335.170	42.07	74.0	31.93	Peak	57.00	100	Vertical	Pass
2**	2335.170	33.40	54.0	20.60	AV	57.00	100	Vertical	Pass
3	4897.037	51.41	74.0	22.59	Peak	314.00	200	Vertical	Pass
3**	4897.037	36.74	54.0	17.26	AV	314.00	200	Vertical	Pass
4	7325.232	53.52	74.0	20.48	Peak	324.00	300	Vertical	Pass
4**	7325.232	44.73	54.0	9.27	AV	324.00	300	Vertical	Pass
5	12483.063	53.78	74.0	20.22	Peak	182.00	400	Vertical	Pass
5**	12483.063	41.13	54.0	12.87	AV	182.00	400	Vertical	Pass
6	15692.095	53.59	74.0	20.41	Peak	44.00	100	Vertical	Pass
6**	15692.095	47.17	54.0	6.83	AV	44.00	100	Vertical	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.079	36.26	74.0	37.74	Peak	111.00	400	Horizontal	Pass
1**	1528.079	30.45	54.0	23.55	AV	111.00	400	Horizontal	Pass
2	2271.382	43.11	74.0	30.89	Peak	226.00	400	Horizontal	Pass
2**	2271.382	31.99	54.0	22.01	AV	226.00	400	Horizontal	Pass
3	4047.934	49.60	74.0	24.40	Peak	188.00	200	Horizontal	Pass
3**	4047.934	39.53	54.0	14.47	AV	188.00	200	Horizontal	Pass
4	7619.223	54.42	74.0	19.58	Peak	348.00	400	Horizontal	Pass
4**	7619.223	44.92	54.0	9.08	AV	348.00	400	Horizontal	Pass
5	12457.490	51.34	74.0	22.66	Peak	107.00	400	Horizontal	Pass
5**	12457.490	42.69	54.0	11.31	AV	107.00	400	Horizontal	Pass
6	15906.354	55.52	74.0	18.48	Peak	40.00	200	Horizontal	Pass
6**	15906.354	45.02	54.0	8.98	AV	40.00	200	Horizontal	Pass

11ax40(SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.420	37.38	74.0	36.62	Peak	317.00	200	Vertical	Pass
1**	1526.420	29.59	54.0	24.41	AV	317.00	200	Vertical	Pass
2	2338.717	44.67	74.0	29.33	Peak	121.00	200	Vertical	Pass
2**	2338.717	33.97	54.0	20.03	AV	121.00	200	Vertical	Pass
3	4900.416	48.02	74.0	25.98	Peak	318.00	200	Vertical	Pass
3**	4900.416	36.94	54.0	17.06	AV	318.00	200	Vertical	Pass
4	7325.976	52.37	74.0	21.63	Peak	106.00	100	Vertical	Pass
4**	7325.976	42.21	54.0	11.79	AV	106.00	100	Vertical	Pass
5	12486.185	50.19	74.0	23.81	Peak	20.00	400	Vertical	Pass
5**	12486.185	45.99	54.0	8.01	AV	20.00	400	Vertical	Pass
6	15691.930	51.84	74.0	22.16	Peak	231.00	300	Vertical	Pass
6**	15691.930	46.85	54.0	7.15	AV	231.00	300	Vertical	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.272	37.01	74.0	36.99	Peak	96.00	300	Horizontal	Pass
1**	1522.272	28.68	54.0	25.32	AV	96.00	300	Horizontal	Pass
2	2277.604	45.88	74.0	28.12	Peak	304.00	300	Horizontal	Pass
2**	2277.604	33.07	54.0	20.93	AV	304.00	300	Horizontal	Pass
3	4046.563	46.75	74.0	27.25	Peak	344.00	200	Horizontal	Pass
3**	4046.563	34.98	54.0	19.02	AV	344.00	200	Horizontal	Pass
4	7617.825	53.34	74.0	20.66	Peak	349.00	100	Horizontal	Pass
4**	7617.825	45.39	54.0	8.61	AV	349.00	100	Horizontal	Pass
5	12451.718	54.84	74.0	19.16	Peak	251.00	200	Horizontal	Pass
5**	12451.718	47.05	54.0	6.95	AV	251.00	200	Horizontal	Pass
6	15900.985	56.04	74.0	17.96	Peak	101.00	200	Horizontal	Pass
6**	15900.985	43.60	54.0	10.40	AV	101.00	200	Horizontal	Pass

11ax80(SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.554	41.60	74.0	32.40	Peak	54.00	100	Vertical	Pass
1**	1529.554	29.14	54.0	24.86	AV	54.00	100	Vertical	Pass
2	2336.065	45.94	74.0	28.06	Peak	154.00	200	Vertical	Pass
2**	2336.065	35.78	54.0	18.22	AV	154.00	200	Vertical	Pass
3	4903.353	47.54	74.0	26.46	Peak	55.00	200	Vertical	Pass
3**	4903.353	41.88	54.0	12.12	AV	55.00	200	Vertical	Pass
4	7329.861	53.63	74.0	20.37	Peak	303.00	100	Vertical	Pass
4**	7329.861	42.68	54.0	11.32	AV	303.00	100	Vertical	Pass
5	12482.456	53.45	74.0	20.55	Peak	7.00	300	Vertical	Pass
5**	12482.456	41.53	54.0	12.47	AV	7.00	300	Vertical	Pass
6	15690.234	56.30	74.0	17.70	Peak	213.00	300	Vertical	Pass
6**	15690.234	47.27	54.0	6.73	AV	213.00	300	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.337	36.34	74.0	37.66	Peak	97.00	100	Horizontal	Pass
1**	1525.337	27.31	54.0	26.69	AV	97.00	100	Horizontal	Pass
2	2272.795	45.23	74.0	28.77	Peak	47.00	200	Horizontal	Pass
2**	2272.795	33.47	54.0	20.53	AV	47.00	200	Horizontal	Pass
3	4048.856	48.10	74.0	25.90	Peak	301.00	200	Horizontal	Pass
3**	4048.856	37.23	54.0	16.77	AV	301.00	200	Horizontal	Pass
4	7623.246	54.62	74.0	19.38	Peak	205.00	100	Horizontal	Pass
4**	7623.246	41.83	54.0	12.17	AV	205.00	100	Horizontal	Pass
5	12457.128	52.56	74.0	21.44	Peak	100.00	300	Horizontal	Pass
5**	12457.128	45.26	54.0	8.74	AV	100.00	300	Horizontal	Pass
6	15900.925	53.56	74.0	20.44	Peak	134.00	300	Horizontal	Pass
6**	15900.925	45.60	54.0	8.40	AV	134.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.290	41.38	74.0	32.62	Peak	197.00	100	Vertical	Pass
1**	1602.290	23.01	54.0	30.99	AV	197.00	100	Vertical	Pass
2	2223.791	39.97	74.0	34.03	Peak	284.00	300	Vertical	Pass
2**	2223.791	32.80	54.0	21.20	AV	284.00	300	Vertical	Pass
3	4257.021	49.58	74.0	24.42	Peak	85.00	200	Vertical	Pass
3**	4257.021	37.58	54.0	16.42	AV	85.00	200	Vertical	Pass
4	7706.469	54.60	74.0	19.40	Peak	117.00	200	Vertical	Pass
4**	7706.469	39.45	54.0	14.55	AV	117.00	200	Vertical	Pass
5	12496.608	53.73	74.0	20.27	Peak	131.00	300	Vertical	Pass
5**	12496.608	43.09	54.0	10.91	AV	131.00	300	Vertical	Pass
6	15674.169	55.77	74.0	18.23	Peak	97.00	300	Vertical	Pass
6**	15674.169	44.11	54.0	9.89	AV	97.00	300	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.905	38.91	74.0	35.09	Peak	107.00	200	Horizontal	Pass
1**	1527.905	29.99	54.0	24.01	AV	107.00	200	Horizontal	Pass
2	2276.408	43.68	74.0	30.32	Peak	302.00	100	Horizontal	Pass
2**	2276.408	36.91	54.0	17.09	AV	302.00	100	Horizontal	Pass
3	4050.484	46.96	74.0	27.04	Peak	188.00	200	Horizontal	Pass
3**	4050.484	34.89	54.0	19.11	AV	188.00	200	Horizontal	Pass
4	7619.857	53.94	74.0	20.06	Peak	261.00	300	Horizontal	Pass
4**	7619.857	45.10	54.0	8.90	AV	261.00	300	Horizontal	Pass
5	12452.785	51.45	74.0	22.55	Peak	243.00	100	Horizontal	Pass
5**	12452.785	42.84	54.0	11.16	AV	243.00	100	Horizontal	Pass
6	15902.328	52.87	74.0	21.13	Peak	309.00	300	Horizontal	Pass
6**	15902.328	42.53	54.0	11.47	AV	309.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.092	40.32	74.0	33.68	Peak	170.00	400	Vertical	Pass
1**	1601.092	24.77	54.0	29.23	AV	170.00	400	Vertical	Pass
2	2225.409	42.20	74.0	31.80	Peak	42.00	400	Vertical	Pass
2**	2225.409	31.74	54.0	22.26	AV	42.00	400	Vertical	Pass
3	4260.616	47.89	74.0	26.11	Peak	260.00	200	Vertical	Pass
3**	4260.616	40.97	54.0	13.03	AV	260.00	200	Vertical	Pass
4	7706.583	56.02	74.0	17.98	Peak	80.00	200	Vertical	Pass
4**	7706.583	40.07	54.0	13.93	AV	80.00	200	Vertical	Pass
5	12497.855	54.22	74.0	19.78	Peak	258.00	200	Vertical	Pass
5**	12497.855	45.72	54.0	8.28	AV	258.00	200	Vertical	Pass
6	15673.562	52.88	74.0	21.12	Peak	158.00	400	Vertical	Pass
6**	15673.562	44.02	54.0	9.98	AV	158.00	400	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.724	40.98	74.0	33.02	Peak	206.00	200	Horizontal	Pass
1**	1527.724	30.29	54.0	23.71	AV	206.00	200	Horizontal	Pass
2	2276.215	44.79	74.0	29.21	Peak	341.00	200	Horizontal	Pass
2**	2276.215	32.79	54.0	21.21	AV	341.00	200	Horizontal	Pass
3	4045.985	48.44	74.0	25.56	Peak	219.00	200	Horizontal	Pass
3**	4045.985	37.47	54.0	16.53	AV	219.00	200	Horizontal	Pass
4	7623.996	55.61	74.0	18.39	Peak	6.00	100	Horizontal	Pass
4**	7623.996	41.34	54.0	12.66	AV	6.00	100	Horizontal	Pass
5	12456.985	55.60	74.0	18.40	Peak	102.00	200	Horizontal	Pass
5**	12456.985	47.08	54.0	6.92	AV	102.00	200	Horizontal	Pass
6	15904.689	52.39	74.0	21.61	Peak	118.00	300	Horizontal	Pass
6**	15904.689	47.36	54.0	6.64	AV	118.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.596	39.54	74.0	34.46	Peak	79.00	200	Vertical	Pass
1**	1599.596	28.68	54.0	25.32	AV	79.00	200	Vertical	Pass
2	2227.675	38.86	74.0	35.14	Peak	256.00	200	Vertical	Pass
2**	2227.675	34.14	54.0	19.86	AV	256.00	200	Vertical	Pass
3	4254.678	49.73	74.0	24.27	Peak	100.00	200	Vertical	Pass
3**	4254.678	39.58	54.0	14.42	AV	100.00	200	Vertical	Pass
4	7706.752	57.19	74.0	16.81	Peak	335.00	400	Vertical	Pass
4**	7706.752	41.19	54.0	12.81	AV	335.00	400	Vertical	Pass
5	12497.851	54.26	74.0	19.74	Peak	55.00	400	Vertical	Pass
5**	12497.851	42.25	54.0	11.75	AV	55.00	400	Vertical	Pass
6	15673.929	54.17	74.0	19.83	Peak	308.00	200	Vertical	Pass
6**	15673.929	41.69	54.0	12.31	AV	308.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.452	40.76	74.0	33.24	Peak	316.00	300	Horizontal	Pass
1**	1522.452	27.11	54.0	26.89	AV	316.00	300	Horizontal	Pass
2	2278.429	43.74	74.0	30.26	Peak	317.00	100	Horizontal	Pass
2**	2278.429	35.10	54.0	18.90	AV	317.00	100	Horizontal	Pass
3	4043.253	48.88	74.0	25.12	Peak	107.00	200	Horizontal	Pass
3**	4043.253	37.53	54.0	16.47	AV	107.00	200	Horizontal	Pass
4	7622.852	55.60	74.0	18.40	Peak	120.00	100	Horizontal	Pass
4**	7622.852	43.42	54.0	10.58	AV	120.00	100	Horizontal	Pass
5	12450.861	54.56	74.0	19.44	Peak	185.00	100	Horizontal	Pass
5**	12450.861	43.39	54.0	10.61	AV	185.00	100	Horizontal	Pass
6	15900.910	53.97	74.0	20.03	Peak	188.00	300	Horizontal	Pass
6**	15900.910	42.75	54.0	11.25	AV	188.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.798	41.38	74.0	32.62	Peak	26.00	100	Vertical	Pass
1**	1597.798	26.01	54.0	27.99	AV	26.00	100	Vertical	Pass
2	2230.448	38.92	74.0	35.08	Peak	341.00	300	Vertical	Pass
2**	2230.448	30.10	54.0	23.90	AV	341.00	300	Vertical	Pass
3	4258.433	47.18	74.0	26.82	Peak	170.00	200	Vertical	Pass
3**	4258.433	38.25	54.0	15.75	AV	170.00	200	Vertical	Pass
4	7712.383	55.60	74.0	18.40	Peak	217.00	400	Vertical	Pass
4**	7712.383	40.10	54.0	13.90	AV	217.00	400	Vertical	Pass
5	12498.912	56.37	74.0	17.63	Peak	32.00	300	Vertical	Pass
5**	12498.912	45.26	54.0	8.74	AV	32.00	300	Vertical	Pass
6	15674.707	55.00	74.0	19.00	Peak	1.00	200	Vertical	Pass
6**	15674.707	45.43	54.0	8.57	AV	1.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.886	41.49	74.0	32.51	Peak	88.00	400	Horizontal	Pass
1**	1520.886	28.95	54.0	25.05	AV	88.00	400	Horizontal	Pass
2	2276.073	42.63	74.0	31.37	Peak	306.00	100	Horizontal	Pass
2**	2276.073	37.25	54.0	16.75	AV	306.00	100	Horizontal	Pass
3	4045.729	49.40	74.0	24.60	Peak	278.00	200	Horizontal	Pass
3**	4045.729	38.47	54.0	15.53	AV	278.00	200	Horizontal	Pass
4	7621.716	51.24	74.0	22.76	Peak	307.00	100	Horizontal	Pass
4**	7621.716	41.43	54.0	12.57	AV	307.00	100	Horizontal	Pass
5	12456.920	51.13	74.0	22.87	Peak	308.00	400	Horizontal	Pass
5**	12456.920	45.30	54.0	8.70	AV	308.00	400	Horizontal	Pass
6	15900.066	53.40	74.0	20.60	Peak	315.00	200	Horizontal	Pass
6**	15900.066	44.47	54.0	9.53	AV	315.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.978	43.00	74.0	31.00	Peak	131.00	400	Vertical	Pass
1**	1597.978	28.77	54.0	25.23	AV	131.00	400	Vertical	Pass
2	2224.317	40.63	74.0	33.37	Peak	73.00	300	Vertical	Pass
2**	2224.317	28.64	54.0	25.36	AV	73.00	300	Vertical	Pass
3	4260.741	47.67	74.0	26.33	Peak	148.00	200	Vertical	Pass
3**	4260.741	36.57	54.0	17.43	AV	148.00	200	Vertical	Pass
4	7711.327	56.09	74.0	17.91	Peak	124.00	200	Vertical	Pass
4**	7711.327	44.80	54.0	9.20	AV	124.00	200	Vertical	Pass
5	12502.270	55.52	74.0	18.48	Peak	312.00	400	Vertical	Pass
5**	12502.270	41.70	54.0	12.30	AV	312.00	400	Vertical	Pass
6	15668.788	54.02	74.0	19.98	Peak	224.00	100	Vertical	Pass
6**	15668.788	41.25	54.0	12.75	AV	224.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.999	39.69	74.0	34.31	Peak	349.00	400	Horizontal	Pass
1**	1523.999	29.23	54.0	24.77	AV	349.00	400	Horizontal	Pass
2	2271.034	44.31	74.0	29.69	Peak	238.00	200	Horizontal	Pass
2**	2271.034	36.07	54.0	17.93	AV	238.00	200	Horizontal	Pass
3	4046.008	49.35	74.0	24.65	Peak	287.00	200	Horizontal	Pass
3**	4046.008	39.37	54.0	14.63	AV	287.00	200	Horizontal	Pass
4	7617.948	53.05	74.0	20.95	Peak	244.00	100	Horizontal	Pass
4**	7617.948	43.50	54.0	10.50	AV	244.00	100	Horizontal	Pass
5	12454.868	50.21	74.0	23.79	Peak	175.00	300	Horizontal	Pass
5**	12454.868	43.51	54.0	10.49	AV	175.00	300	Horizontal	Pass
6	15906.705	50.94	74.0	23.06	Peak	338.00	100	Horizontal	Pass
6**	15906.705	42.10	54.0	11.90	AV	338.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.996	41.43	74.0	32.57	Peak	338.00	400	Vertical	Pass
1**	1596.996	27.13	54.0	26.87	AV	338.00	400	Vertical	Pass
2	2231.301	42.45	74.0	31.55	Peak	296.00	400	Vertical	Pass
2**	2231.301	33.21	54.0	20.79	AV	296.00	400	Vertical	Pass
3	4258.402	49.31	74.0	24.69	Peak	307.00	200	Vertical	Pass
3**	4258.402	36.04	54.0	17.96	AV	307.00	200	Vertical	Pass
4	7707.109	53.69	74.0	20.31	Peak	24.00	200	Vertical	Pass
4**	7707.109	42.88	54.0	11.12	AV	24.00	200	Vertical	Pass
5	12500.093	51.41	74.0	22.59	Peak	75.00	100	Vertical	Pass
5**	12500.093	43.45	54.0	10.55	AV	75.00	100	Vertical	Pass
6	15674.018	57.01	74.0	16.99	Peak	123.00	400	Vertical	Pass
6**	15674.018	43.14	54.0	10.86	AV	123.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.333	37.82	74.0	36.18	Peak	76.00	100	Horizontal	Pass
1**	1525.333	28.41	54.0	25.59	AV	76.00	100	Horizontal	Pass
2	2271.896	45.73	74.0	28.27	Peak	260.00	400	Horizontal	Pass
2**	2271.896	33.47	54.0	20.53	AV	260.00	400	Horizontal	Pass
3	4047.142	47.88	74.0	26.12	Peak	119.00	200	Horizontal	Pass
3**	4047.142	35.96	54.0	18.04	AV	119.00	200	Horizontal	Pass
4	7618.963	52.76	74.0	21.24	Peak	118.00	400	Horizontal	Pass
4**	7618.963	43.55	54.0	10.45	AV	118.00	400	Horizontal	Pass
5	12451.742	54.26	74.0	19.74	Peak	9.00	100	Horizontal	Pass
5**	12451.742	46.38	54.0	7.62	AV	9.00	100	Horizontal	Pass
6	15901.314	54.26	74.0	19.74	Peak	320.00	300	Horizontal	Pass
6**	15901.314	42.05	54.0	11.95	AV	320.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.600	37.26	74.0	36.74	Peak	197.00	200	Vertical	Pass
1**	1598.600	25.21	54.0	28.79	AV	197.00	200	Vertical	Pass
2	2227.321	40.49	74.0	33.51	Peak	138.00	400	Vertical	Pass
2**	2227.321	29.27	54.0	24.73	AV	138.00	400	Vertical	Pass
3	4258.016	48.41	74.0	25.59	Peak	221.00	200	Vertical	Pass
3**	4258.016	39.14	54.0	14.86	AV	221.00	200	Vertical	Pass
4	7709.742	53.65	74.0	20.35	Peak	269.00	300	Vertical	Pass
4**	7709.742	39.65	54.0	14.35	AV	269.00	300	Vertical	Pass
5	12495.271	52.29	74.0	21.71	Peak	59.00	100	Vertical	Pass
5**	12495.271	41.11	54.0	12.89	AV	59.00	100	Vertical	Pass
6	15670.039	54.13	74.0	19.87	Peak	181.00	100	Vertical	Pass
6**	15670.039	44.30	54.0	9.70	AV	181.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.984	37.14	74.0	36.86	Peak	50.00	100	Horizontal	Pass
1**	1523.984	26.16	54.0	27.84	AV	50.00	100	Horizontal	Pass
2	2275.430	44.59	74.0	29.41	Peak	263.00	400	Horizontal	Pass
2**	2275.430	35.06	54.0	18.94	AV	263.00	400	Horizontal	Pass
3	4046.979	47.44	74.0	26.56	Peak	46.00	200	Horizontal	Pass
3**	4046.979	38.58	54.0	15.42	AV	46.00	200	Horizontal	Pass
4	7617.994	52.60	74.0	21.40	Peak	290.00	400	Horizontal	Pass
4**	7617.994	40.92	54.0	13.08	AV	290.00	400	Horizontal	Pass
5	12456.540	52.21	74.0	21.79	Peak	309.00	100	Horizontal	Pass
5**	12456.540	42.12	54.0	11.88	AV	309.00	100	Horizontal	Pass
6	15902.511	55.62	74.0	18.38	Peak	344.00	200	Horizontal	Pass
6**	15902.511	46.95	54.0	7.05	AV	344.00	200	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.080	37.46	74.0	36.54	Peak	27.00	100	Vertical	Pass
1**	1602.080	25.85	54.0	28.15	AV	27.00	100	Vertical	Pass
2	2229.313	43.29	74.0	30.71	Peak	187.00	200	Vertical	Pass
2**	2229.313	31.60	54.0	22.40	AV	187.00	200	Vertical	Pass
3	4259.540	46.24	74.0	27.76	Peak	205.00	200	Vertical	Pass
3**	4259.540	40.85	54.0	13.15	AV	205.00	200	Vertical	Pass
4	7704.567	56.77	74.0	17.23	Peak	55.00	100	Vertical	Pass
4**	7704.567	40.59	54.0	13.41	AV	55.00	100	Vertical	Pass
5	12499.295	50.68	74.0	23.32	Peak	13.00	400	Vertical	Pass
5**	12499.295	42.52	54.0	11.48	AV	13.00	400	Vertical	Pass
6	15673.676	57.16	74.0	16.84	Peak	113.00	300	Vertical	Pass
6**	15673.676	41.30	54.0	12.70	AV	113.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.677	40.65	74.0	33.35	Peak	14.00	100	Horizontal	Pass
1**	1520.677	27.71	54.0	26.29	AV	14.00	100	Horizontal	Pass
2	2273.063	44.58	74.0	29.42	Peak	339.00	100	Horizontal	Pass
2**	2273.063	32.71	54.0	21.29	AV	339.00	100	Horizontal	Pass
3	4047.868	44.64	74.0	29.36	Peak	349.00	200	Horizontal	Pass
3**	4047.868	35.64	54.0	18.36	AV	349.00	200	Horizontal	Pass
4	7621.893	54.89	74.0	19.11	Peak	23.00	300	Horizontal	Pass
4**	7621.893	42.32	54.0	11.68	AV	23.00	300	Horizontal	Pass
5	12455.513	50.35	74.0	23.65	Peak	168.00	400	Horizontal	Pass
5**	12455.513	42.07	54.0	11.93	AV	168.00	400	Horizontal	Pass
6	15900.969	55.12	74.0	18.88	Peak	104.00	400	Horizontal	Pass
6**	15900.969	45.04	54.0	8.96	AV	104.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.096	38.78	74.0	35.22	Peak	318.00	100	Vertical	Pass
1**	1600.096	23.32	54.0	30.68	AV	318.00	100	Vertical	Pass
2	2229.850	42.88	74.0	31.12	Peak	163.00	400	Vertical	Pass
2**	2229.850	32.95	54.0	21.05	AV	163.00	400	Vertical	Pass
3	4259.271	50.53	74.0	23.47	Peak	306.00	200	Vertical	Pass
3**	4259.271	35.46	54.0	18.54	AV	306.00	200	Vertical	Pass
4	7709.648	56.93	74.0	17.07	Peak	175.00	100	Vertical	Pass
4**	7709.648	44.67	54.0	9.33	AV	175.00	100	Vertical	Pass
5	12501.411	56.05	74.0	17.95	Peak	246.00	200	Vertical	Pass
5**	12501.411	42.02	54.0	11.98	AV	246.00	200	Vertical	Pass
6	15674.603	55.33	74.0	18.67	Peak	69.00	200	Vertical	Pass
6**	15674.603	42.94	54.0	11.06	AV	69.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.929	38.90	74.0	35.10	Peak	308.00	200	Horizontal	Pass
1**	1521.929	28.92	54.0	25.08	AV	308.00	200	Horizontal	Pass
2	2276.007	42.61	74.0	31.39	Peak	23.00	300	Horizontal	Pass
2**	2276.007	32.16	54.0	21.84	AV	23.00	300	Horizontal	Pass
3	4047.001	49.74	74.0	24.26	Peak	14.00	200	Horizontal	Pass
3**	4047.001	35.21	54.0	18.79	AV	14.00	200	Horizontal	Pass
4	7618.414	55.05	74.0	18.95	Peak	334.00	300	Horizontal	Pass
4**	7618.414	40.69	54.0	13.31	AV	334.00	300	Horizontal	Pass
5	12458.389	55.19	74.0	18.81	Peak	243.00	100	Horizontal	Pass
5**	12458.389	46.78	54.0	7.22	AV	243.00	100	Horizontal	Pass
6	15905.288	55.19	74.0	18.81	Peak	246.00	300	Horizontal	Pass
6**	15905.288	45.43	54.0	8.57	AV	246.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.497	42.01	74.0	31.99	Peak	4.00	300	Vertical	Pass
1**	1596.497	23.94	54.0	30.06	AV	4.00	300	Vertical	Pass
2	2227.118	40.86	74.0	33.14	Peak	90.00	100	Vertical	Pass
2**	2227.118	32.11	54.0	21.89	AV	90.00	100	Vertical	Pass
3	4255.076	48.76	74.0	25.24	Peak	38.00	200	Vertical	Pass
3**	4255.076	40.00	54.0	14.00	AV	38.00	200	Vertical	Pass
4	7708.911	53.07	74.0	20.93	Peak	269.00	100	Vertical	Pass
4**	7708.911	41.61	54.0	12.39	AV	269.00	100	Vertical	Pass
5	12497.899	51.63	74.0	22.37	Peak	32.00	200	Vertical	Pass
5**	12497.899	40.44	54.0	13.56	AV	32.00	200	Vertical	Pass
6	15671.294	54.92	74.0	19.08	Peak	284.00	400	Vertical	Pass
6**	15671.294	45.10	54.0	8.90	AV	284.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.390	40.65	74.0	33.35	Peak	305.00	100	Horizontal	Pass
1**	1525.390	28.83	54.0	25.17	AV	305.00	100	Horizontal	Pass
2	2276.984	42.06	74.0	31.94	Peak	195.00	300	Horizontal	Pass
2**	2276.984	32.41	54.0	21.59	AV	195.00	300	Horizontal	Pass
3	4046.190	44.91	74.0	29.09	Peak	289.00	200	Horizontal	Pass
3**	4046.190	34.25	54.0	19.75	AV	289.00	200	Horizontal	Pass
4	7623.046	50.29	74.0	23.71	Peak	86.00	200	Horizontal	Pass
4**	7623.046	46.00	54.0	8.00	AV	86.00	200	Horizontal	Pass
5	12453.674	51.10	74.0	22.90	Peak	24.00	300	Horizontal	Pass
5**	12453.674	47.39	54.0	6.61	AV	24.00	300	Horizontal	Pass
6	15900.399	54.04	74.0	19.96	Peak	309.00	100	Horizontal	Pass
6**	15900.399	46.35	54.0	7.65	AV	309.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.890	40.20	74.0	33.80	Peak	161.00	300	Vertical	Pass
1**	1595.890	24.78	54.0	29.22	AV	161.00	300	Vertical	Pass
2	2229.410	39.99	74.0	34.01	Peak	327.00	200	Vertical	Pass
2**	2229.410	31.28	54.0	22.72	AV	327.00	200	Vertical	Pass
3	4260.756	49.92	74.0	24.08	Peak	247.00	200	Vertical	Pass
3**	4260.756	40.21	54.0	13.79	AV	247.00	200	Vertical	Pass
4	7712.144	55.85	74.0	18.15	Peak	154.00	400	Vertical	Pass
4**	7712.144	44.83	54.0	9.17	AV	154.00	400	Vertical	Pass
5	12500.002	56.01	74.0	17.99	Peak	151.00	400	Vertical	Pass
5**	12500.002	42.01	54.0	11.99	AV	151.00	400	Vertical	Pass
6	15669.639	53.68	74.0	20.32	Peak	65.00	300	Vertical	Pass
6**	15669.639	43.02	54.0	10.98	AV	65.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.219	38.89	74.0	35.11	Peak	234.00	300	Horizontal	Pass
1**	1528.219	26.58	54.0	27.42	AV	234.00	300	Horizontal	Pass
2	2275.542	42.91	74.0	31.09	Peak	288.00	400	Horizontal	Pass
2**	2275.542	32.47	54.0	21.53	AV	288.00	400	Horizontal	Pass
3	4043.374	49.27	74.0	24.73	Peak	163.00	200	Horizontal	Pass
3**	4043.374	39.04	54.0	14.96	AV	163.00	200	Horizontal	Pass
4	7619.683	51.20	74.0	22.80	Peak	124.00	200	Horizontal	Pass
4**	7619.683	43.28	54.0	10.72	AV	124.00	200	Horizontal	Pass
5	12453.724	53.11	74.0	20.89	Peak	296.00	200	Horizontal	Pass
5**	12453.724	47.18	54.0	6.82	AV	296.00	200	Horizontal	Pass
6	15900.795	53.03	74.0	20.97	Peak	0.00	100	Horizontal	Pass
6**	15900.795	43.91	54.0	10.09	AV	0.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.242	40.97	74.0	33.03	Peak	258.00	100	Vertical	Pass
1**	1597.242	25.05	54.0	28.95	AV	258.00	100	Vertical	Pass
2	2229.037	40.11	74.0	33.89	Peak	76.00	400	Vertical	Pass
2**	2229.037	28.81	54.0	25.19	AV	76.00	400	Vertical	Pass
3	4258.932	47.62	74.0	26.38	Peak	116.00	200	Vertical	Pass
3**	4258.932	35.65	54.0	18.35	AV	116.00	200	Vertical	Pass
4	7705.072	54.45	74.0	19.55	Peak	65.00	200	Vertical	Pass
4**	7705.072	41.26	54.0	12.74	AV	65.00	200	Vertical	Pass
5	12494.859	56.31	74.0	17.69	Peak	323.00	200	Vertical	Pass
5**	12494.859	41.05	54.0	12.95	AV	323.00	200	Vertical	Pass
6	15669.446	57.44	74.0	16.56	Peak	150.00	100	Vertical	Pass
6**	15669.446	44.66	54.0	9.34	AV	150.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.086	41.19	74.0	32.81	Peak	261.00	200	Horizontal	Pass
1**	1526.086	26.35	54.0	27.65	AV	261.00	200	Horizontal	Pass
2	2273.313	42.59	74.0	31.41	Peak	134.00	200	Horizontal	Pass
2**	2273.313	36.76	54.0	17.24	AV	134.00	200	Horizontal	Pass
3	4048.430	49.77	74.0	24.23	Peak	333.00	200	Horizontal	Pass
3**	4048.430	37.35	54.0	16.65	AV	333.00	200	Horizontal	Pass
4	7617.583	55.38	74.0	18.62	Peak	18.00	100	Horizontal	Pass
4**	7617.583	46.33	54.0	7.67	AV	18.00	100	Horizontal	Pass
5	12457.299	54.05	74.0	19.95	Peak	2.00	300	Horizontal	Pass
5**	12457.299	44.25	54.0	9.75	AV	2.00	300	Horizontal	Pass
6	15902.703	56.64	74.0	17.36	Peak	222.00	100	Horizontal	Pass
6**	15902.703	42.26	54.0	11.74	AV	222.00	100	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.052	39.86	74.0	34.14	Peak	238.00	300	Vertical	Pass
1**	1601.052	27.20	54.0	26.80	AV	238.00	300	Vertical	Pass
2	2224.761	42.07	74.0	31.93	Peak	270.00	200	Vertical	Pass
2**	2224.761	32.75	54.0	21.25	AV	270.00	200	Vertical	Pass
3	4255.324	45.34	74.0	28.66	Peak	277.00	200	Vertical	Pass
3**	4255.324	39.04	54.0	14.96	AV	277.00	200	Vertical	Pass
4	7711.478	53.63	74.0	20.37	Peak	106.00	200	Vertical	Pass
4**	7711.478	43.64	54.0	10.36	AV	106.00	200	Vertical	Pass
5	12499.006	55.27	74.0	18.73	Peak	306.00	400	Vertical	Pass
5**	12499.006	40.46	54.0	13.54	AV	306.00	400	Vertical	Pass
6	15674.629	55.96	74.0	18.04	Peak	254.00	400	Vertical	Pass
6**	15674.629	41.99	54.0	12.01	AV	254.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.459	36.44	74.0	37.56	Peak	135.00	100	Horizontal	Pass
1**	1525.459	29.29	54.0	24.71	AV	135.00	100	Horizontal	Pass
2	2275.880	44.41	74.0	29.59	Peak	31.00	300	Horizontal	Pass
2**	2275.880	36.03	54.0	17.97	AV	31.00	300	Horizontal	Pass
3	4050.480	48.67	74.0	25.33	Peak	136.00	200	Horizontal	Pass
3**	4050.480	36.37	54.0	17.63	AV	136.00	200	Horizontal	Pass
4	7620.339	50.50	74.0	23.50	Peak	233.00	100	Horizontal	Pass
4**	7620.339	43.56	54.0	10.44	AV	233.00	100	Horizontal	Pass
5	12450.602	52.86	74.0	21.14	Peak	226.00	300	Horizontal	Pass
5**	12450.602	46.08	54.0	7.92	AV	226.00	300	Horizontal	Pass
6	15907.117	55.25	74.0	18.75	Peak	302.00	300	Horizontal	Pass
6**	15907.117	45.94	54.0	8.06	AV	302.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.942	38.23	74.0	35.77	Peak	339.00	100	Vertical	Pass
1**	1597.942	28.55	54.0	25.45	AV	339.00	100	Vertical	Pass
2	2227.363	41.42	74.0	32.58	Peak	291.00	300	Vertical	Pass
2**	2227.363	30.18	54.0	23.82	AV	291.00	300	Vertical	Pass
3	4261.071	49.10	74.0	24.90	Peak	314.00	200	Vertical	Pass
3**	4261.071	35.53	54.0	18.47	AV	314.00	200	Vertical	Pass
4	7706.739	56.94	74.0	17.06	Peak	246.00	300	Vertical	Pass
4**	7706.739	45.30	54.0	8.70	AV	246.00	300	Vertical	Pass
5	12500.882	56.31	74.0	17.69	Peak	233.00	100	Vertical	Pass
5**	12500.882	42.91	54.0	11.09	AV	233.00	100	Vertical	Pass
6	15672.898	55.38	74.0	18.62	Peak	345.00	400	Vertical	Pass
6**	15672.898	43.45	54.0	10.55	AV	345.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.134	40.97	74.0	33.03	Peak	240.00	400	Horizontal	Pass
1**	1527.134	27.79	54.0	26.21	AV	240.00	400	Horizontal	Pass
2	2272.668	45.85	74.0	28.15	Peak	317.00	300	Horizontal	Pass
2**	2272.668	31.42	54.0	22.58	AV	317.00	300	Horizontal	Pass
3	4047.869	49.67	74.0	24.33	Peak	223.00	200	Horizontal	Pass
3**	4047.869	36.69	54.0	17.31	AV	223.00	200	Horizontal	Pass
4	7623.256	53.48	74.0	20.52	Peak	307.00	300	Horizontal	Pass
4**	7623.256	42.62	54.0	11.38	AV	307.00	300	Horizontal	Pass
5	12452.844	54.98	74.0	19.02	Peak	319.00	400	Horizontal	Pass
5**	12452.844	45.49	54.0	8.51	AV	319.00	400	Horizontal	Pass
6	15901.856	53.67	74.0	20.33	Peak	215.00	400	Horizontal	Pass
6**	15901.856	45.15	54.0	8.85	AV	215.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.486	39.09	74.0	34.91	Peak	181.00	300	Vertical	Pass
1**	1595.486	28.62	54.0	25.38	AV	181.00	300	Vertical	Pass
2	2226.471	39.64	74.0	34.36	Peak	176.00	200	Vertical	Pass
2**	2226.471	32.69	54.0	21.31	AV	176.00	200	Vertical	Pass
3	4259.943	48.23	74.0	25.77	Peak	114.00	200	Vertical	Pass
3**	4259.943	40.22	54.0	13.78	AV	114.00	200	Vertical	Pass
4	7709.224	56.11	74.0	17.89	Peak	304.00	300	Vertical	Pass
4**	7709.224	42.36	54.0	11.64	AV	304.00	300	Vertical	Pass
5	12501.794	51.76	74.0	22.24	Peak	60.00	200	Vertical	Pass
5**	12501.794	41.39	54.0	12.61	AV	60.00	200	Vertical	Pass
6	15669.141	54.56	74.0	19.44	Peak	336.00	100	Vertical	Pass
6**	15669.141	45.23	54.0	8.77	AV	336.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.476	41.18	74.0	32.82	Peak	109.00	200	Horizontal	Pass
1**	1522.476	29.92	54.0	24.08	AV	109.00	200	Horizontal	Pass
2	2274.291	44.39	74.0	29.61	Peak	181.00	400	Horizontal	Pass
2**	2274.291	36.85	54.0	17.15	AV	181.00	400	Horizontal	Pass
3	4047.260	47.79	74.0	26.21	Peak	182.00	200	Horizontal	Pass
3**	4047.260	36.53	54.0	17.47	AV	182.00	200	Horizontal	Pass
4	7621.397	51.48	74.0	22.52	Peak	339.00	200	Horizontal	Pass
4**	7621.397	41.86	54.0	12.14	AV	339.00	200	Horizontal	Pass
5	12453.442	54.37	74.0	19.63	Peak	88.00	200	Horizontal	Pass
5**	12453.442	43.26	54.0	10.74	AV	88.00	200	Horizontal	Pass
6	15899.783	51.13	74.0	22.87	Peak	298.00	100	Horizontal	Pass
6**	15899.783	43.54	54.0	10.46	AV	298.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.309	37.30	74.0	36.70	Peak	18.00	400	Vertical	Pass
1**	1601.309	23.99	54.0	30.01	AV	18.00	400	Vertical	Pass
2	2224.383	43.46	74.0	30.54	Peak	331.00	400	Vertical	Pass
2**	2224.383	30.61	54.0	23.39	AV	331.00	400	Vertical	Pass
3	4256.884	46.60	74.0	27.40	Peak	350.00	200	Vertical	Pass
3**	4256.884	36.79	54.0	17.21	AV	350.00	200	Vertical	Pass
4	7712.428	58.56	74.0	15.44	Peak	116.00	200	Vertical	Pass
4**	7712.428	41.61	54.0	12.39	AV	116.00	200	Vertical	Pass
5	12500.802	50.87	74.0	23.13	Peak	217.00	100	Vertical	Pass
5**	12500.802	45.44	54.0	8.56	AV	217.00	100	Vertical	Pass
6	15675.387	53.52	74.0	20.48	Peak	262.00	400	Vertical	Pass
6**	15675.387	39.77	54.0	14.23	AV	262.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.567	38.92	74.0	35.08	Peak	77.00	200	Horizontal	Pass
1**	1520.567	30.29	54.0	23.71	AV	77.00	200	Horizontal	Pass
2	2274.746	44.52	74.0	29.48	Peak	242.00	400	Horizontal	Pass
2**	2274.746	32.75	54.0	21.25	AV	242.00	400	Horizontal	Pass
3	4046.182	48.85	74.0	25.15	Peak	58.00	200	Horizontal	Pass
3**	4046.182	34.65	54.0	19.35	AV	58.00	200	Horizontal	Pass
4	7619.364	54.62	74.0	19.38	Peak	62.00	300	Horizontal	Pass
4**	7619.364	45.34	54.0	8.66	AV	62.00	300	Horizontal	Pass
5	12456.741	52.05	74.0	21.95	Peak	203.00	200	Horizontal	Pass
5**	12456.741	42.96	54.0	11.04	AV	203.00	200	Horizontal	Pass
6	15899.678	50.75	74.0	23.25	Peak	278.00	300	Horizontal	Pass
6**	15899.678	46.47	54.0	7.53	AV	278.00	300	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.452	39.36	74.0	34.64	Peak	328.00	100	Vertical	Pass
1**	1600.452	27.05	54.0	26.95	AV	328.00	100	Vertical	Pass
2	2229.507	40.26	74.0	33.74	Peak	33.00	400	Vertical	Pass
2**	2229.507	33.48	54.0	20.52	AV	33.00	400	Vertical	Pass
3	4259.695	45.14	74.0	28.86	Peak	26.00	200	Vertical	Pass
3**	4259.695	37.48	54.0	16.52	AV	26.00	200	Vertical	Pass
4	7709.530	52.93	74.0	21.07	Peak	66.00	100	Vertical	Pass
4**	7709.530	44.55	54.0	9.45	AV	66.00	100	Vertical	Pass
5	12500.161	52.91	74.0	21.09	Peak	165.00	300	Vertical	Pass
5**	12500.161	46.08	54.0	7.92	AV	165.00	300	Vertical	Pass
6	15676.527	58.19	74.0	15.81	Peak	320.00	400	Vertical	Pass
6**	15676.527	44.59	54.0	9.41	AV	320.00	400	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.133	36.37	74.0	37.63	Peak	95.00	100	Horizontal	Pass
1**	1528.133	27.79	54.0	26.21	AV	95.00	100	Horizontal	Pass
2	2274.077	41.77	74.0	32.23	Peak	82.00	100	Horizontal	Pass
2**	2274.077	35.25	54.0	18.75	AV	82.00	100	Horizontal	Pass
3	4043.483	49.57	74.0	24.43	Peak	319.00	200	Horizontal	Pass
3**	4043.483	39.00	54.0	15.00	AV	319.00	200	Horizontal	Pass
4	7623.729	52.74	74.0	21.26	Peak	314.00	100	Horizontal	Pass
4**	7623.729	43.44	54.0	10.56	AV	314.00	100	Horizontal	Pass
5	12457.600	55.97	74.0	18.03	Peak	260.00	100	Horizontal	Pass
5**	12457.600	41.69	54.0	12.31	AV	260.00	100	Horizontal	Pass
6	15905.407	50.79	74.0	23.21	Peak	114.00	400	Horizontal	Pass
6**	15905.407	42.74	54.0	11.26	AV	114.00	400	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.622	37.68	74.0	36.32	Peak	146.00	100	Vertical	Pass
1**	1600.622	24.64	54.0	29.36	AV	146.00	100	Vertical	Pass
2	2225.746	40.30	74.0	33.70	Peak	23.00	200	Vertical	Pass
2**	2225.746	31.99	54.0	22.01	AV	23.00	200	Vertical	Pass
3	4256.516	45.23	74.0	28.77	Peak	142.00	200	Vertical	Pass
3**	4256.516	41.23	54.0	12.77	AV	142.00	200	Vertical	Pass
4	7707.856	55.78	74.0	18.22	Peak	276.00	400	Vertical	Pass
4**	7707.856	44.32	54.0	9.68	AV	276.00	400	Vertical	Pass
5	12498.146	55.87	74.0	18.13	Peak	66.00	100	Vertical	Pass
5**	12498.146	42.81	54.0	11.19	AV	66.00	100	Vertical	Pass
6	15670.160	54.63	74.0	19.37	Peak	170.00	200	Vertical	Pass
6**	15670.160	41.42	54.0	12.58	AV	170.00	200	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1527.542	38.31	74.0	35.69	Peak	171.00	100	Horizontal	Pass
1**	1527.542	30.53	54.0	23.47	AV	171.00	100	Horizontal	Pass
2	2275.410	42.86	74.0	31.14	Peak	83.00	100	Horizontal	Pass
2**	2275.410	35.05	54.0	18.95	AV	83.00	100	Horizontal	Pass
3	4044.234	46.58	74.0	27.42	Peak	73.00	200	Horizontal	Pass
3**	4044.234	36.11	54.0	17.89	AV	73.00	200	Horizontal	Pass
4	7623.768	50.10	74.0	23.90	Peak	195.00	200	Horizontal	Pass
4**	7623.768	41.21	54.0	12.79	AV	195.00	200	Horizontal	Pass
5	12457.674	53.66	74.0	20.34	Peak	255.00	100	Horizontal	Pass
5**	12457.674	44.38	54.0	9.62	AV	255.00	100	Horizontal	Pass
6	15904.642	51.13	74.0	22.87	Peak	4.00	300	Horizontal	Pass
6**	15904.642	43.43	54.0	10.57	AV	4.00	300	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.732	43.07	74.0	30.93	Peak	117.00	300	Vertical	Pass
1**	1599.732	28.14	54.0	25.86	AV	117.00	300	Vertical	Pass
2	2227.839	40.60	74.0	33.40	Peak	318.00	300	Vertical	Pass
2**	2227.839	34.15	54.0	19.85	AV	318.00	300	Vertical	Pass
3	4260.900	50.01	74.0	23.99	Peak	308.00	200	Vertical	Pass
3**	4260.900	37.92	54.0	16.08	AV	308.00	200	Vertical	Pass
4	7707.794	57.83	74.0	16.17	Peak	133.00	300	Vertical	Pass
4**	7707.794	40.56	54.0	13.44	AV	133.00	300	Vertical	Pass
5	12499.754	51.92	74.0	22.08	Peak	227.00	300	Vertical	Pass
5**	12499.754	43.12	54.0	10.88	AV	227.00	300	Vertical	Pass
6	15670.864	57.31	74.0	16.69	Peak	167.00	200	Vertical	Pass
6**	15670.864	40.26	54.0	13.74	AV	167.00	200	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.694	38.14	74.0	35.86	Peak	250.00	400	Horizontal	Pass
1**	1522.694	26.89	54.0	27.11	AV	250.00	400	Horizontal	Pass
2	2271.878	45.20	74.0	28.80	Peak	196.00	100	Horizontal	Pass
2**	2271.878	32.58	54.0	21.42	AV	196.00	100	Horizontal	Pass
3	4043.907	46.40	74.0	27.60	Peak	130.00	200	Horizontal	Pass
3**	4043.907	38.34	54.0	15.66	AV	130.00	200	Horizontal	Pass
4	7616.958	53.58	74.0	20.42	Peak	39.00	100	Horizontal	Pass
4**	7616.958	42.34	54.0	11.66	AV	39.00	100	Horizontal	Pass
5	12457.436	54.80	74.0	19.20	Peak	127.00	200	Horizontal	Pass
5**	12457.436	46.67	54.0	7.33	AV	127.00	200	Horizontal	Pass
6	15902.060	55.47	74.0	18.53	Peak	299.00	300	Horizontal	Pass
6**	15902.060	46.47	54.0	7.53	AV	299.00	300	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.824	38.59	74.0	35.41	Peak	303.00	400	Vertical	Pass
1**	1598.824	27.48	54.0	26.52	AV	303.00	400	Vertical	Pass
2	2223.815	41.26	74.0	32.74	Peak	219.00	200	Vertical	Pass
2**	2223.815	31.05	54.0	22.95	AV	219.00	200	Vertical	Pass
3	4261.167	45.64	74.0	28.36	Peak	198.00	200	Vertical	Pass
3**	4261.167	38.72	54.0	15.28	AV	198.00	200	Vertical	Pass
4	7709.722	54.44	74.0	19.56	Peak	117.00	200	Vertical	Pass
4**	7709.722	44.54	54.0	9.46	AV	117.00	200	Vertical	Pass
5	12501.956	51.73	74.0	22.27	Peak	155.00	100	Vertical	Pass
5**	12501.956	40.36	54.0	13.64	AV	155.00	100	Vertical	Pass
6	15669.406	58.56	74.0	15.44	Peak	72.00	300	Vertical	Pass
6**	15669.406	40.88	54.0	13.12	AV	72.00	300	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.527	36.81	74.0	37.19	Peak	197.00	200	Horizontal	Pass
1**	1523.527	27.02	54.0	26.98	AV	197.00	200	Horizontal	Pass
2	2276.548	45.88	74.0	28.12	Peak	213.00	400	Horizontal	Pass
2**	2276.548	35.97	54.0	18.03	AV	213.00	400	Horizontal	Pass
3	4045.748	49.47	74.0	24.53	Peak	28.00	200	Horizontal	Pass
3**	4045.748	38.06	54.0	15.94	AV	28.00	200	Horizontal	Pass
4	7617.782	55.82	74.0	18.18	Peak	357.00	200	Horizontal	Pass
4**	7617.782	45.33	54.0	8.67	AV	357.00	200	Horizontal	Pass
5	12454.401	55.86	74.0	18.14	Peak	124.00	100	Horizontal	Pass
5**	12454.401	46.32	54.0	7.68	AV	124.00	100	Horizontal	Pass
6	15900.052	53.97	74.0	20.03	Peak	38.00	300	Horizontal	Pass
6**	15900.052	45.80	54.0	8.20	AV	38.00	300	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.487	41.05	74.0	32.95	Peak	253.00	200	Vertical	Pass
1**	1599.487	25.74	54.0	28.26	AV	253.00	200	Vertical	Pass
2	2223.572	40.29	74.0	33.71	Peak	277.00	100	Vertical	Pass
2**	2223.572	32.63	54.0	21.37	AV	277.00	100	Vertical	Pass
3	4259.704	47.41	74.0	26.59	Peak	64.00	200	Vertical	Pass
3**	4259.704	37.30	54.0	16.70	AV	64.00	200	Vertical	Pass
4	7710.637	57.85	74.0	16.15	Peak	22.00	100	Vertical	Pass
4**	7710.637	41.08	54.0	12.92	AV	22.00	100	Vertical	Pass
5	12500.050	53.46	74.0	20.54	Peak	111.00	200	Vertical	Pass
5**	12500.050	41.95	54.0	12.05	AV	111.00	200	Vertical	Pass
6	15672.201	54.35	74.0	19.65	Peak	167.00	200	Vertical	Pass
6**	15672.201	42.42	54.0	11.58	AV	167.00	200	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.150	37.26	74.0	36.74	Peak	67.00	100	Horizontal	Pass
1**	1521.150	26.42	54.0	27.58	AV	67.00	100	Horizontal	Pass
2	2276.194	42.71	74.0	31.29	Peak	141.00	400	Horizontal	Pass
2**	2276.194	31.79	54.0	22.21	AV	141.00	400	Horizontal	Pass
3	4042.635	48.40	74.0	25.60	Peak	348.00	200	Horizontal	Pass
3**	4042.635	39.92	54.0	14.08	AV	348.00	200	Horizontal	Pass
4	7619.744	51.64	74.0	22.36	Peak	314.00	300	Horizontal	Pass
4**	7619.744	41.79	54.0	12.21	AV	314.00	300	Horizontal	Pass
5	12452.372	53.39	74.0	20.61	Peak	355.00	400	Horizontal	Pass
5**	12452.372	45.67	54.0	8.33	AV	355.00	400	Horizontal	Pass
6	15901.462	51.90	74.0	22.10	Peak	356.00	400	Horizontal	Pass
6**	15901.462	46.41	54.0	7.59	AV	356.00	400	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.392	40.35	74.0	33.65	Peak	322.00	300	Vertical	Pass
1**	1595.392	28.03	54.0	25.97	AV	322.00	300	Vertical	Pass
2	2227.564	40.87	74.0	33.13	Peak	307.00	100	Vertical	Pass
2**	2227.564	34.19	54.0	19.81	AV	307.00	100	Vertical	Pass
3	4260.972	47.18	74.0	26.82	Peak	126.00	200	Vertical	Pass
3**	4260.972	39.92	54.0	14.08	AV	126.00	200	Vertical	Pass
4	7707.235	53.26	74.0	20.74	Peak	102.00	200	Vertical	Pass
4**	7707.235	41.68	54.0	12.32	AV	102.00	200	Vertical	Pass
5	12498.015	55.99	74.0	18.01	Peak	44.00	400	Vertical	Pass
5**	12498.015	45.78	54.0	8.22	AV	44.00	400	Vertical	Pass
6	15668.662	57.93	74.0	16.07	Peak	121.00	400	Vertical	Pass
6**	15668.662	40.01	54.0	13.99	AV	121.00	400	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.020	36.24	74.0	37.76	Peak	209.00	200	Horizontal	Pass
1**	1525.020	30.50	54.0	23.50	AV	209.00	200	Horizontal	Pass
2	2275.707	42.14	74.0	31.86	Peak	249.00	400	Horizontal	Pass
2**	2275.707	34.53	54.0	19.47	AV	249.00	400	Horizontal	Pass
3	4048.010	44.49	74.0	29.51	Peak	342.00	200	Horizontal	Pass
3**	4048.010	35.92	54.0	18.08	AV	342.00	200	Horizontal	Pass
4	7623.731	54.38	74.0	19.62	Peak	104.00	400	Horizontal	Pass
4**	7623.731	44.19	54.0	9.81	AV	104.00	400	Horizontal	Pass
5	12456.698	55.85	74.0	18.15	Peak	106.00	400	Horizontal	Pass
5**	12456.698	43.48	54.0	10.52	AV	106.00	400	Horizontal	Pass
6	15905.163	55.29	74.0	18.71	Peak	125.00	100	Horizontal	Pass
6**	15905.163	42.44	54.0	11.56	AV	125.00	100	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.952	40.10	74.0	33.90	Peak	140.00	300	Vertical	Pass
1**	1597.952	23.44	54.0	30.56	AV	140.00	300	Vertical	Pass
2	2223.711	38.95	74.0	35.05	Peak	115.00	100	Vertical	Pass
2**	2223.711	33.68	54.0	20.32	AV	115.00	100	Vertical	Pass
3	4258.004	48.36	74.0	25.64	Peak	100.00	200	Vertical	Pass
3**	4258.004	40.59	54.0	13.41	AV	100.00	200	Vertical	Pass
4	7707.014	53.10	74.0	20.90	Peak	224.00	200	Vertical	Pass
4**	7707.014	44.93	54.0	9.07	AV	224.00	200	Vertical	Pass
5	12498.075	51.78	74.0	22.22	Peak	358.00	100	Vertical	Pass
5**	12498.075	41.29	54.0	12.71	AV	358.00	100	Vertical	Pass
6	15670.939	54.88	74.0	19.12	Peak	350.00	300	Vertical	Pass
6**	15670.939	42.88	54.0	11.12	AV	350.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.582	38.61	74.0	35.39	Peak	119.00	100	Horizontal	Pass
1**	1523.582	25.77	54.0	28.23	AV	119.00	100	Horizontal	Pass
2	2271.962	46.27	74.0	27.73	Peak	120.00	200	Horizontal	Pass
2**	2271.962	36.29	54.0	17.71	AV	120.00	200	Horizontal	Pass
3	4046.823	45.19	74.0	28.81	Peak	271.00	200	Horizontal	Pass
3**	4046.823	39.08	54.0	14.92	AV	271.00	200	Horizontal	Pass
4	7616.724	50.48	74.0	23.52	Peak	176.00	300	Horizontal	Pass
4**	7616.724	42.25	54.0	11.75	AV	176.00	300	Horizontal	Pass
5	12450.902	55.10	74.0	18.90	Peak	330.00	400	Horizontal	Pass
5**	12450.902	46.64	54.0	7.36	AV	330.00	400	Horizontal	Pass
6	15907.532	55.85	74.0	18.15	Peak	113.00	300	Horizontal	Pass
6**	15907.532	45.52	54.0	8.48	AV	113.00	300	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.791	40.89	74.0	33.11	Peak	35.00	200	Vertical	Pass
1**	1597.791	24.37	54.0	29.63	AV	35.00	200	Vertical	Pass
2	2227.946	43.68	74.0	30.32	Peak	305.00	100	Vertical	Pass
2**	2227.946	30.60	54.0	23.40	AV	305.00	100	Vertical	Pass
3	4259.020	50.79	74.0	23.21	Peak	241.00	200	Vertical	Pass
3**	4259.020	39.40	54.0	14.60	AV	241.00	200	Vertical	Pass
4	7710.643	56.22	74.0	17.78	Peak	21.00	400	Vertical	Pass
4**	7710.643	39.77	54.0	14.23	AV	21.00	400	Vertical	Pass
5	12496.357	53.03	74.0	20.97	Peak	203.00	200	Vertical	Pass
5**	12496.357	45.01	54.0	8.99	AV	203.00	200	Vertical	Pass
6	15673.650	55.49	74.0	18.51	Peak	247.00	100	Vertical	Pass
6**	15673.650	42.09	54.0	11.91	AV	247.00	100	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.799	41.45	74.0	32.55	Peak	356.00	200	Horizontal	Pass
1**	1525.799	28.64	54.0	25.36	AV	356.00	200	Horizontal	Pass
2	2275.026	46.31	74.0	27.69	Peak	153.00	200	Horizontal	Pass
2**	2275.026	32.15	54.0	21.85	AV	153.00	200	Horizontal	Pass
3	4043.087	46.40	74.0	27.60	Peak	251.00	200	Horizontal	Pass
3**	4043.087	36.57	54.0	17.43	AV	251.00	200	Horizontal	Pass
4	7622.343	52.46	74.0	21.54	Peak	169.00	100	Horizontal	Pass
4**	7622.343	43.29	54.0	10.71	AV	169.00	100	Horizontal	Pass
5	12458.226	53.69	74.0	20.31	Peak	335.00	300	Horizontal	Pass
5**	12458.226	47.38	54.0	6.62	AV	335.00	300	Horizontal	Pass
6	15907.246	54.20	74.0	19.80	Peak	296.00	100	Horizontal	Pass
6**	15907.246	43.58	54.0	10.42	AV	296.00	100	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.027	42.32	74.0	31.68	Peak	166.00	200	Vertical	Pass
1**	1596.027	25.57	54.0	28.43	AV	166.00	200	Vertical	Pass
2	2229.153	42.54	74.0	31.46	Peak	114.00	400	Vertical	Pass
2**	2229.153	32.97	54.0	21.03	AV	114.00	400	Vertical	Pass
3	4258.794	45.87	74.0	28.13	Peak	81.00	200	Vertical	Pass
3**	4258.794	36.97	54.0	17.03	AV	81.00	200	Vertical	Pass
4	7710.755	57.74	74.0	16.26	Peak	219.00	300	Vertical	Pass
4**	7710.755	45.29	54.0	8.71	AV	219.00	300	Vertical	Pass
5	12502.104	53.33	74.0	20.67	Peak	225.00	200	Vertical	Pass
5**	12502.104	41.98	54.0	12.02	AV	225.00	200	Vertical	Pass
6	15669.575	54.64	74.0	19.36	Peak	228.00	300	Vertical	Pass
6**	15669.575	41.42	54.0	12.58	AV	228.00	300	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.038	39.41	74.0	34.59	Peak	178.00	100	Horizontal	Pass
1**	1522.038	28.24	54.0	25.76	AV	178.00	100	Horizontal	Pass
2	2275.451	42.96	74.0	31.04	Peak	64.00	400	Horizontal	Pass
2**	2275.451	36.36	54.0	17.64	AV	64.00	400	Horizontal	Pass
3	4050.435	45.76	74.0	28.24	Peak	239.00	200	Horizontal	Pass
3**	4050.435	40.05	54.0	13.95	AV	239.00	200	Horizontal	Pass
4	7621.419	52.84	74.0	21.16	Peak	288.00	200	Horizontal	Pass
4**	7621.419	41.07	54.0	12.93	AV	288.00	200	Horizontal	Pass
5	12453.145	55.98	74.0	18.02	Peak	342.00	400	Horizontal	Pass
5**	12453.145	47.12	54.0	6.88	AV	342.00	400	Horizontal	Pass
6	15900.732	53.11	74.0	20.89	Peak	230.00	300	Horizontal	Pass
6**	15900.732	45.21	54.0	8.79	AV	230.00	300	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.813	37.39	74.0	36.61	Peak	261.00	300	Vertical	Pass
1**	1598.813	23.33	54.0	30.67	AV	261.00	300	Vertical	Pass
2	2230.687	38.39	74.0	35.61	Peak	269.00	300	Vertical	Pass
2**	2230.687	31.76	54.0	22.24	AV	269.00	300	Vertical	Pass
3	4258.056	49.08	74.0	24.92	Peak	14.00	200	Vertical	Pass
3**	4258.056	38.63	54.0	15.37	AV	14.00	200	Vertical	Pass
4	7709.658	57.78	74.0	16.22	Peak	146.00	300	Vertical	Pass
4**	7709.658	43.06	54.0	10.94	AV	146.00	300	Vertical	Pass
5	12497.414	51.99	74.0	22.01	Peak	241.00	300	Vertical	Pass
5**	12497.414	40.39	54.0	13.61	AV	241.00	300	Vertical	Pass
6	15675.970	57.56	74.0	16.44	Peak	180.00	300	Vertical	Pass
6**	15675.970	40.28	54.0	13.72	AV	180.00	300	Vertical	Pass

11ax160(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.396	40.96	74.0	33.04	Peak	221.00	200	Horizontal	Pass
1**	1526.396	29.93	54.0	24.07	AV	221.00	200	Horizontal	Pass
2	2271.158	44.56	74.0	29.44	Peak	138.00	100	Horizontal	Pass
2**	2271.158	32.13	54.0	21.87	AV	138.00	100	Horizontal	Pass
3	4049.604	49.20	74.0	24.80	Peak	167.00	200	Horizontal	Pass
3**	4049.604	38.72	54.0	15.28	AV	167.00	200	Horizontal	Pass
4	7619.228	54.40	74.0	19.60	Peak	284.00	200	Horizontal	Pass
4**	7619.228	46.23	54.0	7.77	AV	284.00	200	Horizontal	Pass
5	12458.216	53.42	74.0	20.58	Peak	226.00	200	Horizontal	Pass
5**	12458.216	43.09	54.0	10.91	AV	226.00	200	Horizontal	Pass
6	15903.002	53.84	74.0	20.16	Peak	174.00	200	Horizontal	Pass
6**	15903.002	42.26	54.0	11.74	AV	174.00	200	Horizontal	Pass

11ax160(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.052	41.35	74.0	32.65	Peak	210.00	100	Vertical	Pass
1**	1600.052	24.74	54.0	29.26	AV	210.00	100	Vertical	Pass
2	2230.452	43.46	74.0	30.54	Peak	294.00	300	Vertical	Pass
2**	2230.452	29.46	54.0	24.54	AV	294.00	300	Vertical	Pass
3	4258.774	45.49	74.0	28.51	Peak	284.00	200	Vertical	Pass
3**	4258.774	35.94	54.0	18.06	AV	284.00	200	Vertical	Pass
4	7709.128	53.40	74.0	20.60	Peak	44.00	300	Vertical	Pass
4**	7709.128	43.72	54.0	10.28	AV	44.00	300	Vertical	Pass
5	12499.949	56.50	74.0	17.50	Peak	82.00	200	Vertical	Pass
5**	12499.949	41.07	54.0	12.93	AV	82.00	200	Vertical	Pass
6	15672.684	53.52	74.0	20.48	Peak	73.00	100	Vertical	Pass
6**	15672.684	44.76	54.0	9.24	AV	73.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.474	36.01	74.0	37.99	Peak	157.00	300	Horizontal	Pass
1**	1521.474	31.27	54.0	22.73	AV	157.00	300	Horizontal	Pass
2	4023.355	47.17	74.0	26.83	Peak	58.00	200	Horizontal	Pass
2**	4023.355	33.95	54.0	20.05	AV	58.00	200	Horizontal	Pass
3	7594.661	56.18	74.0	17.82	Peak	199.00	200	Horizontal	Pass
3**	7594.661	42.31	54.0	11.69	AV	199.00	200	Horizontal	Pass
4	12457.188	55.72	74.0	18.28	Peak	49.00	400	Horizontal	Pass
4**	12457.188	41.21	54.0	12.79	AV	49.00	400	Horizontal	Pass
5	16094.691	56.06	74.0	17.94	Peak	15.00	100	Horizontal	Pass
5**	16094.691	43.00	54.0	11.00	AV	15.00	100	Horizontal	Pass
6	17416.184	58.54	74.0	15.46	Peak	328.00	200	Horizontal	Pass
6**	17416.184	45.81	54.0	8.19	AV	328.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.046	46.61	74.0	27.39	Peak	175.00	200	Vertical	Pass
1**	1333.046	32.82	54.0	21.18	AV	175.00	200	Vertical	Pass
2	1439.331	44.89	74.0	29.11	Peak	28.00	400	Vertical	Pass
2**	1439.331	34.51	54.0	19.49	AV	28.00	400	Vertical	Pass
3	4313.934	44.70	74.0	29.30	Peak	22.00	200	Vertical	Pass
3**	4313.934	40.93	54.0	13.07	AV	22.00	200	Vertical	Pass
4	7595.705	53.51	74.0	20.49	Peak	8.00	400	Vertical	Pass
4**	7595.705	40.75	54.0	13.25	AV	8.00	400	Vertical	Pass
5	12534.196	54.10	74.0	19.90	Peak	136.00	300	Vertical	Pass
5**	12534.196	43.92	54.0	10.08	AV	136.00	300	Vertical	Pass
6	15905.975	51.77	74.0	22.23	Peak	313.00	100	Vertical	Pass
6**	15905.975	43.92	54.0	10.08	AV	313.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.194	38.19	74.0	35.81	Peak	328.00	400	Horizontal	Pass
1**	1524.194	28.78	54.0	25.22	AV	328.00	400	Horizontal	Pass
2	4022.466	48.07	74.0	25.93	Peak	118.00	300	Horizontal	Pass
2**	4022.466	34.49	54.0	19.51	AV	118.00	300	Horizontal	Pass
3	7597.955	53.43	74.0	20.57	Peak	39.00	200	Horizontal	Pass
3**	7597.955	45.53	54.0	8.47	AV	39.00	200	Horizontal	Pass
4	12452.332	52.31	74.0	21.69	Peak	253.00	200	Horizontal	Pass
4**	12452.332	45.96	54.0	8.04	AV	253.00	200	Horizontal	Pass
5	16097.761	55.66	74.0	18.34	Peak	23.00	200	Horizontal	Pass
5**	16097.761	45.87	54.0	8.13	AV	23.00	200	Horizontal	Pass
6	17418.577	57.59	74.0	16.41	Peak	307.00	100	Horizontal	Pass
6**	17418.577	44.58	54.0	9.42	AV	307.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.471	45.63	74.0	28.37	Peak	187.00	200	Vertical	Pass
1**	1333.471	35.27	54.0	18.73	AV	187.00	200	Vertical	Pass
2	1438.159	41.58	74.0	32.42	Peak	113.00	300	Vertical	Pass
2**	1438.159	37.17	54.0	16.83	AV	113.00	300	Vertical	Pass
3	4313.615	50.38	74.0	23.62	Peak	253.00	200	Vertical	Pass
3**	4313.615	39.38	54.0	14.62	AV	253.00	200	Vertical	Pass
4	7590.265	54.62	74.0	19.38	Peak	44.00	400	Vertical	Pass
4**	7590.265	44.52	54.0	9.48	AV	44.00	400	Vertical	Pass
5	12536.525	53.74	74.0	20.26	Peak	183.00	400	Vertical	Pass
5**	12536.525	46.59	54.0	7.41	AV	183.00	400	Vertical	Pass
6	15903.096	53.30	74.0	20.70	Peak	134.00	400	Vertical	Pass
6**	15903.096	45.25	54.0	8.75	AV	134.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.604	37.39	74.0	36.61	Peak	44.00	400	Horizontal	Pass
1**	1522.604	27.20	54.0	26.80	AV	44.00	400	Horizontal	Pass
2	4021.787	45.83	74.0	28.17	Peak	189.00	100	Horizontal	Pass
2**	4021.787	34.53	54.0	19.47	AV	189.00	100	Horizontal	Pass
3	7600.677	54.95	74.0	19.05	Peak	79.00	200	Horizontal	Pass
3**	7600.677	40.75	54.0	13.25	AV	79.00	200	Horizontal	Pass
4	12452.735	52.37	74.0	21.63	Peak	209.00	400	Horizontal	Pass
4**	12452.735	47.06	54.0	6.94	AV	209.00	400	Horizontal	Pass
5	16099.219	56.38	74.0	17.62	Peak	55.00	300	Horizontal	Pass
5**	16099.219	44.43	54.0	9.57	AV	55.00	300	Horizontal	Pass
6	17423.057	56.13	74.0	17.87	Peak	219.00	300	Horizontal	Pass
6**	17423.057	48.03	54.0	5.97	AV	219.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.749	43.68	74.0	30.32	Peak	272.00	100	Vertical	Pass
1**	1329.749	33.36	54.0	20.64	AV	272.00	100	Vertical	Pass
2	1440.507	41.84	74.0	32.16	Peak	45.00	400	Vertical	Pass
2**	1440.507	38.20	54.0	15.80	AV	45.00	400	Vertical	Pass
3	4312.752	44.63	74.0	29.37	Peak	192.00	200	Vertical	Pass
3**	4312.752	37.59	54.0	16.41	AV	192.00	200	Vertical	Pass
4	7592.173	52.19	74.0	21.81	Peak	295.00	400	Vertical	Pass
4**	7592.173	40.90	54.0	13.10	AV	295.00	400	Vertical	Pass
5	12537.372	53.46	74.0	20.54	Peak	147.00	100	Vertical	Pass
5**	12537.372	45.36	54.0	8.64	AV	147.00	100	Vertical	Pass
6	15904.945	53.06	74.0	20.94	Peak	0.00	100	Vertical	Pass
6**	15904.945	44.82	54.0	9.18	AV	0.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.200	35.83	74.0	38.17	Peak	295.00	400	Horizontal	Pass
1**	1519.200	29.94	54.0	24.06	AV	295.00	400	Horizontal	Pass
2	4020.346	50.02	74.0	23.98	Peak	23.00	300	Horizontal	Pass
2**	4020.346	38.67	54.0	15.33	AV	23.00	300	Horizontal	Pass
3	7598.357	55.32	74.0	18.68	Peak	158.00	200	Horizontal	Pass
3**	7598.357	41.82	54.0	12.18	AV	158.00	200	Horizontal	Pass
4	12457.678	55.01	74.0	18.99	Peak	48.00	300	Horizontal	Pass
4**	12457.678	45.98	54.0	8.02	AV	48.00	300	Horizontal	Pass
5	16093.854	55.51	74.0	18.49	Peak	61.00	100	Horizontal	Pass
5**	16093.854	45.26	54.0	8.74	AV	61.00	100	Horizontal	Pass
6	17420.628	54.63	74.0	19.37	Peak	105.00	200	Horizontal	Pass
6**	17420.628	49.22	54.0	4.78	AV	105.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.934	45.93	74.0	28.07	Peak	220.00	400	Vertical	Pass
1**	1329.934	34.02	54.0	19.98	AV	220.00	400	Vertical	Pass
2	1440.731	42.99	74.0	31.01	Peak	261.00	400	Vertical	Pass
2**	1440.731	34.35	54.0	19.65	AV	261.00	400	Vertical	Pass
3	4311.825	45.89	74.0	28.11	Peak	292.00	200	Vertical	Pass
3**	4311.825	37.27	54.0	16.73	AV	292.00	200	Vertical	Pass
4	7596.329	50.05	74.0	23.95	Peak	90.00	100	Vertical	Pass
4**	7596.329	44.30	54.0	9.70	AV	90.00	100	Vertical	Pass
5	12531.882	54.75	74.0	19.25	Peak	290.00	300	Vertical	Pass
5**	12531.882	45.83	54.0	8.17	AV	290.00	300	Vertical	Pass
6	15906.276	52.51	74.0	21.49	Peak	337.00	300	Vertical	Pass
6**	15906.276	44.03	54.0	9.97	AV	337.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.458	37.31	74.0	36.69	Peak	278.00	300	Horizontal	Pass
1**	1517.458	32.50	54.0	21.50	AV	278.00	300	Horizontal	Pass
2	4021.813	48.08	74.0	25.92	Peak	147.00	300	Horizontal	Pass
2**	4021.813	37.56	54.0	16.44	AV	147.00	300	Horizontal	Pass
3	7601.576	50.75	74.0	23.25	Peak	152.00	200	Horizontal	Pass
3**	7601.576	41.67	54.0	12.33	AV	152.00	200	Horizontal	Pass
4	12456.584	51.51	74.0	22.49	Peak	282.00	300	Horizontal	Pass
4**	12456.584	43.30	54.0	10.70	AV	282.00	300	Horizontal	Pass
5	16098.289	55.49	74.0	18.51	Peak	298.00	300	Horizontal	Pass
5**	16098.289	44.17	54.0	9.83	AV	298.00	300	Horizontal	Pass
6	17419.784	56.72	74.0	17.28	Peak	339.00	100	Horizontal	Pass
6**	17419.784	47.31	54.0	6.69	AV	339.00	100	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.991	46.69	74.0	27.31	Peak	127.00	400	Vertical	Pass
1**	1333.991	33.17	54.0	20.83	AV	127.00	400	Vertical	Pass
2	1442.222	40.18	74.0	33.82	Peak	226.00	200	Vertical	Pass
2**	1442.222	36.29	54.0	17.71	AV	226.00	200	Vertical	Pass
3	4314.703	45.14	74.0	28.86	Peak	274.00	200	Vertical	Pass
3**	4314.703	36.06	54.0	17.94	AV	274.00	200	Vertical	Pass
4	7591.638	53.88	74.0	20.12	Peak	343.00	100	Vertical	Pass
4**	7591.638	41.23	54.0	12.77	AV	343.00	100	Vertical	Pass
5	12535.085	54.45	74.0	19.55	Peak	83.00	300	Vertical	Pass
5**	12535.085	43.66	54.0	10.34	AV	83.00	300	Vertical	Pass
6	15904.431	55.28	74.0	18.72	Peak	231.00	300	Vertical	Pass
6**	15904.431	42.75	54.0	11.25	AV	231.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.519	36.86	74.0	37.14	Peak	223.00	400	Horizontal	Pass
1**	1519.519	31.10	54.0	22.90	AV	223.00	400	Horizontal	Pass
2	4021.313	46.29	74.0	27.71	Peak	88.00	100	Horizontal	Pass
2**	4021.313	35.19	54.0	18.81	AV	88.00	100	Horizontal	Pass
3	7596.833	54.19	74.0	19.81	Peak	226.00	200	Horizontal	Pass
3**	7596.833	43.13	54.0	10.87	AV	226.00	200	Horizontal	Pass
4	12458.050	54.74	74.0	19.26	Peak	252.00	400	Horizontal	Pass
4**	12458.050	46.36	54.0	7.64	AV	252.00	400	Horizontal	Pass
5	16096.487	52.47	74.0	21.53	Peak	287.00	300	Horizontal	Pass
5**	16096.487	45.70	54.0	8.30	AV	287.00	300	Horizontal	Pass
6	17421.027	55.96	74.0	18.04	Peak	0.00	200	Horizontal	Pass
6**	17421.027	45.08	54.0	8.92	AV	0.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.540	43.84	74.0	30.16	Peak	135.00	100	Vertical	Pass
1**	1332.540	34.03	54.0	19.97	AV	135.00	100	Vertical	Pass
2	1441.243	44.80	74.0	29.20	Peak	287.00	200	Vertical	Pass
2**	1441.243	37.85	54.0	16.15	AV	287.00	200	Vertical	Pass
3	4314.280	49.69	74.0	24.31	Peak	329.00	200	Vertical	Pass
3**	4314.280	36.29	54.0	17.71	AV	329.00	200	Vertical	Pass
4	7593.095	53.59	74.0	20.41	Peak	133.00	100	Vertical	Pass
4**	7593.095	45.04	54.0	8.96	AV	133.00	100	Vertical	Pass
5	12534.467	52.42	74.0	21.58	Peak	209.00	400	Vertical	Pass
5**	12534.467	43.74	54.0	10.26	AV	209.00	400	Vertical	Pass
6	15902.752	55.54	74.0	18.46	Peak	150.00	400	Vertical	Pass
6**	15902.752	45.85	54.0	8.15	AV	150.00	400	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.801	39.14	74.0	34.86	Peak	85.00	100	Horizontal	Pass
1**	1520.801	31.51	54.0	22.49	AV	85.00	100	Horizontal	Pass
2	4019.717	48.10	74.0	25.90	Peak	227.00	200	Horizontal	Pass
2**	4019.717	34.66	54.0	19.34	AV	227.00	200	Horizontal	Pass
3	7599.144	51.38	74.0	22.62	Peak	155.00	200	Horizontal	Pass
3**	7599.144	45.87	54.0	8.13	AV	155.00	200	Horizontal	Pass
4	12456.632	55.58	74.0	18.42	Peak	4.00	400	Horizontal	Pass
4**	12456.632	46.17	54.0	7.83	AV	4.00	400	Horizontal	Pass
5	16098.108	56.07	74.0	17.93	Peak	295.00	300	Horizontal	Pass
5**	16098.108	42.03	54.0	11.97	AV	295.00	300	Horizontal	Pass
6	17423.341	53.65	74.0	20.35	Peak	294.00	400	Horizontal	Pass
6**	17423.341	48.65	54.0	5.35	AV	294.00	400	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.240	45.12	74.0	28.88	Peak	53.00	200	Vertical	Pass
1**	1335.240	34.82	54.0	19.18	AV	53.00	200	Vertical	Pass
2	1442.520	42.45	74.0	31.55	Peak	52.00	300	Vertical	Pass
2**	1442.520	39.28	54.0	14.72	AV	52.00	300	Vertical	Pass
3	4313.880	49.75	74.0	24.25	Peak	255.00	200	Vertical	Pass
3**	4313.880	38.25	54.0	15.75	AV	255.00	200	Vertical	Pass
4	7592.968	51.76	74.0	22.24	Peak	43.00	300	Vertical	Pass
4**	7592.968	44.40	54.0	9.60	AV	43.00	300	Vertical	Pass
5	12535.530	53.36	74.0	20.64	Peak	156.00	300	Vertical	Pass
5**	12535.530	43.31	54.0	10.69	AV	156.00	300	Vertical	Pass
6	15905.653	55.88	74.0	18.12	Peak	139.00	200	Vertical	Pass
6**	15905.653	44.59	54.0	9.41	AV	139.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.871	36.68	74.0	37.32	Peak	194.00	300	Horizontal	Pass
1**	1524.871	27.58	54.0	26.42	AV	194.00	300	Horizontal	Pass
2	4023.778	50.17	74.0	23.83	Peak	180.00	100	Horizontal	Pass
2**	4023.778	37.24	54.0	16.76	AV	180.00	100	Horizontal	Pass
3	7595.853	56.14	74.0	17.86	Peak	106.00	200	Horizontal	Pass
3**	7595.853	40.74	54.0	13.26	AV	106.00	200	Horizontal	Pass
4	12455.225	50.81	74.0	23.19	Peak	39.00	100	Horizontal	Pass
4**	12455.225	42.42	54.0	11.58	AV	39.00	100	Horizontal	Pass
5	16095.721	52.81	74.0	21.19	Peak	293.00	400	Horizontal	Pass
5**	16095.721	43.57	54.0	10.43	AV	293.00	400	Horizontal	Pass
6	17417.029	57.61	74.0	16.39	Peak	227.00	300	Horizontal	Pass
6**	17417.029	47.69	54.0	6.31	AV	227.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.342	43.54	74.0	30.46	Peak	25.00	400	Vertical	Pass
1**	1333.342	32.94	54.0	21.06	AV	25.00	400	Vertical	Pass
2	1442.677	40.28	74.0	33.72	Peak	201.00	200	Vertical	Pass
2**	1442.677	37.77	54.0	16.23	AV	201.00	200	Vertical	Pass
3	4313.902	46.95	74.0	27.05	Peak	139.00	200	Vertical	Pass
3**	4313.902	37.74	54.0	16.26	AV	139.00	200	Vertical	Pass
4	7597.660	50.18	74.0	23.82	Peak	297.00	100	Vertical	Pass
4**	7597.660	46.06	54.0	7.94	AV	297.00	100	Vertical	Pass
5	12531.070	52.13	74.0	21.87	Peak	198.00	100	Vertical	Pass
5**	12531.070	44.29	54.0	9.71	AV	198.00	100	Vertical	Pass
6	15903.406	52.82	74.0	21.18	Peak	194.00	400	Vertical	Pass
6**	15903.406	47.80	54.0	6.20	AV	194.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.863	38.66	74.0	35.34	Peak	261.00	200	Horizontal	Pass
1**	1521.863	30.08	54.0	23.92	AV	261.00	200	Horizontal	Pass
2	4021.937	44.81	74.0	29.19	Peak	337.00	100	Horizontal	Pass
2**	4021.937	39.31	54.0	14.69	AV	337.00	100	Horizontal	Pass
3	7597.899	50.77	74.0	23.23	Peak	160.00	200	Horizontal	Pass
3**	7597.899	41.86	54.0	12.14	AV	160.00	200	Horizontal	Pass
4	12457.809	53.65	74.0	20.35	Peak	168.00	300	Horizontal	Pass
4**	12457.809	44.57	54.0	9.43	AV	168.00	300	Horizontal	Pass
5	16093.965	52.32	74.0	21.68	Peak	55.00	200	Horizontal	Pass
5**	16093.965	42.07	54.0	11.93	AV	55.00	200	Horizontal	Pass
6	17420.118	58.39	74.0	15.61	Peak	145.00	100	Horizontal	Pass
6**	17420.118	47.07	54.0	6.93	AV	145.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.899	45.10	74.0	28.90	Peak	307.00	100	Vertical	Pass
1**	1335.899	35.73	54.0	18.27	AV	307.00	100	Vertical	Pass
2	1436.800	42.94	74.0	31.06	Peak	271.00	400	Vertical	Pass
2**	1436.800	35.58	54.0	18.42	AV	271.00	400	Vertical	Pass
3	4313.561	46.49	74.0	27.51	Peak	54.00	200	Vertical	Pass
3**	4313.561	39.59	54.0	14.41	AV	54.00	200	Vertical	Pass
4	7597.772	53.89	74.0	20.11	Peak	52.00	100	Vertical	Pass
4**	7597.772	45.26	54.0	8.74	AV	52.00	100	Vertical	Pass
5	12536.977	52.62	74.0	21.38	Peak	43.00	400	Vertical	Pass
5**	12536.977	44.42	54.0	9.58	AV	43.00	400	Vertical	Pass
6	15907.632	57.10	74.0	16.90	Peak	340.00	100	Vertical	Pass
6**	15907.632	48.10	54.0	5.90	AV	340.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.118	35.84	74.0	38.16	Peak	264.00	100	Horizontal	Pass
1**	1522.118	29.25	54.0	24.75	AV	264.00	100	Horizontal	Pass
2	4016.973	49.47	74.0	24.53	Peak	236.00	300	Horizontal	Pass
2**	4016.973	39.07	54.0	14.93	AV	236.00	300	Horizontal	Pass
3	7602.472	52.83	74.0	21.17	Peak	81.00	200	Horizontal	Pass
3**	7602.472	44.57	54.0	9.43	AV	81.00	200	Horizontal	Pass
4	12456.125	56.44	74.0	17.56	Peak	84.00	300	Horizontal	Pass
4**	12456.125	43.11	54.0	10.89	AV	84.00	300	Horizontal	Pass
5	16097.992	51.11	74.0	22.89	Peak	333.00	100	Horizontal	Pass
5**	16097.992	42.02	54.0	11.98	AV	333.00	100	Horizontal	Pass
6	17420.379	53.83	74.0	20.17	Peak	209.00	100	Horizontal	Pass
6**	17420.379	44.36	54.0	9.64	AV	209.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1337.169	41.90	74.0	32.10	Peak	266.00	200	Vertical	Pass
1**	1337.169	33.98	54.0	20.02	AV	266.00	200	Vertical	Pass
2	1443.013	41.09	74.0	32.91	Peak	349.00	300	Vertical	Pass
2**	1443.013	38.14	54.0	15.86	AV	349.00	300	Vertical	Pass
3	4308.249	47.98	74.0	26.02	Peak	228.00	200	Vertical	Pass
3**	4308.249	40.57	54.0	13.43	AV	228.00	200	Vertical	Pass
4	7597.245	50.93	74.0	23.07	Peak	287.00	300	Vertical	Pass
4**	7597.245	43.01	54.0	10.99	AV	287.00	300	Vertical	Pass
5	12534.091	50.93	74.0	23.07	Peak	75.00	300	Vertical	Pass
5**	12534.091	45.13	54.0	8.87	AV	75.00	300	Vertical	Pass
6	15907.165	53.32	74.0	20.68	Peak	23.00	100	Vertical	Pass
6**	15907.165	43.16	54.0	10.84	AV	23.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.653	38.42	74.0	35.58	Peak	75.00	200	Horizontal	Pass
1**	1518.653	32.38	54.0	21.62	AV	75.00	200	Horizontal	Pass
2	4023.319	48.15	74.0	25.85	Peak	242.00	100	Horizontal	Pass
2**	4023.319	37.58	54.0	16.42	AV	242.00	100	Horizontal	Pass
3	7596.597	52.55	74.0	21.45	Peak	321.00	200	Horizontal	Pass
3**	7596.597	42.80	54.0	11.20	AV	321.00	200	Horizontal	Pass
4	12458.208	51.61	74.0	22.39	Peak	250.00	400	Horizontal	Pass
4**	12458.208	42.80	54.0	11.20	AV	250.00	400	Horizontal	Pass
5	16098.290	51.97	74.0	22.03	Peak	301.00	300	Horizontal	Pass
5**	16098.290	42.43	54.0	11.57	AV	301.00	300	Horizontal	Pass
6	17423.306	58.63	74.0	15.37	Peak	23.00	300	Horizontal	Pass
6**	17423.306	45.72	54.0	8.28	AV	23.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.970	43.02	74.0	30.98	Peak	288.00	100	Vertical	Pass
1**	1332.970	33.36	54.0	20.64	AV	288.00	100	Vertical	Pass
2	1437.929	39.39	74.0	34.61	Peak	229.00	100	Vertical	Pass
2**	1437.929	36.57	54.0	17.43	AV	229.00	100	Vertical	Pass
3	4310.745	49.08	74.0	24.92	Peak	5.00	200	Vertical	Pass
3**	4310.745	37.28	54.0	16.72	AV	5.00	200	Vertical	Pass
4	7596.632	53.97	74.0	20.03	Peak	294.00	300	Vertical	Pass
4**	7596.632	41.79	54.0	12.21	AV	294.00	300	Vertical	Pass
5	12538.089	53.27	74.0	20.73	Peak	216.00	200	Vertical	Pass
5**	12538.089	41.47	54.0	12.53	AV	216.00	200	Vertical	Pass
6	15908.972	51.98	74.0	22.02	Peak	349.00	400	Vertical	Pass
6**	15908.972	43.46	54.0	10.54	AV	349.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.710	39.51	74.0	34.49	Peak	26.00	100	Horizontal	Pass
1**	1524.710	32.30	54.0	21.70	AV	26.00	100	Horizontal	Pass
2	4018.461	49.98	74.0	24.02	Peak	97.00	100	Horizontal	Pass
2**	4018.461	39.81	54.0	14.19	AV	97.00	100	Horizontal	Pass
3	7602.303	52.16	74.0	21.84	Peak	33.00	200	Horizontal	Pass
3**	7602.303	46.26	54.0	7.74	AV	33.00	200	Horizontal	Pass
4	12451.836	54.21	74.0	19.79	Peak	293.00	300	Horizontal	Pass
4**	12451.836	42.61	54.0	11.39	AV	293.00	300	Horizontal	Pass
5	16099.298	51.16	74.0	22.84	Peak	358.00	200	Horizontal	Pass
5**	16099.298	42.59	54.0	11.41	AV	358.00	200	Horizontal	Pass
6	17420.281	54.93	74.0	19.07	Peak	242.00	400	Horizontal	Pass
6**	17420.281	45.53	54.0	8.47	AV	242.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.450	43.98	74.0	30.02	Peak	104.00	400	Vertical	Pass
1**	1331.450	30.92	54.0	23.08	AV	104.00	400	Vertical	Pass
2	1437.786	40.85	74.0	33.15	Peak	239.00	200	Vertical	Pass
2**	1437.786	36.31	54.0	17.69	AV	239.00	200	Vertical	Pass
3	4311.539	46.37	74.0	27.63	Peak	11.00	200	Vertical	Pass
3**	4311.539	40.74	54.0	13.26	AV	11.00	200	Vertical	Pass
4	7594.414	54.95	74.0	19.05	Peak	240.00	100	Vertical	Pass
4**	7594.414	45.54	54.0	8.46	AV	240.00	100	Vertical	Pass
5	12538.003	54.93	74.0	19.07	Peak	58.00	200	Vertical	Pass
5**	12538.003	45.90	54.0	8.10	AV	58.00	200	Vertical	Pass
6	15903.009	54.05	74.0	19.95	Peak	93.00	100	Vertical	Pass
6**	15903.009	45.62	54.0	8.38	AV	93.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.570	40.93	74.0	33.07	Peak	239.00	400	Horizontal	Pass
1**	1524.570	32.31	54.0	21.69	AV	239.00	400	Horizontal	Pass
2	4016.714	45.48	74.0	28.52	Peak	233.00	200	Horizontal	Pass
2**	4016.714	38.29	54.0	15.71	AV	233.00	200	Horizontal	Pass
3	7600.913	55.47	74.0	18.53	Peak	15.00	200	Horizontal	Pass
3**	7600.913	43.26	54.0	10.74	AV	15.00	200	Horizontal	Pass
4	12457.971	52.51	74.0	21.49	Peak	92.00	200	Horizontal	Pass
4**	12457.971	43.44	54.0	10.56	AV	92.00	200	Horizontal	Pass
5	16091.700	56.28	74.0	17.72	Peak	242.00	400	Horizontal	Pass
5**	16091.700	46.00	54.0	8.00	AV	242.00	400	Horizontal	Pass
6	17416.616	54.23	74.0	19.77	Peak	204.00	400	Horizontal	Pass
6**	17416.616	46.90	54.0	7.10	AV	204.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.679	44.38	74.0	29.62	Peak	335.00	300	Vertical	Pass
1**	1336.679	35.06	54.0	18.94	AV	335.00	300	Vertical	Pass
2	1444.203	44.43	74.0	29.57	Peak	179.00	300	Vertical	Pass
2**	1444.203	34.74	54.0	19.26	AV	179.00	300	Vertical	Pass
3	4310.366	49.02	74.0	24.98	Peak	158.00	200	Vertical	Pass
3**	4310.366	41.18	54.0	12.82	AV	158.00	200	Vertical	Pass
4	7597.676	50.88	74.0	23.12	Peak	59.00	300	Vertical	Pass
4**	7597.676	42.64	54.0	11.36	AV	59.00	300	Vertical	Pass
5	12538.197	53.47	74.0	20.53	Peak	123.00	100	Vertical	Pass
5**	12538.197	43.95	54.0	10.05	AV	123.00	100	Vertical	Pass
6	15908.131	54.92	74.0	19.08	Peak	350.00	300	Vertical	Pass
6**	15908.131	44.94	54.0	9.06	AV	350.00	300	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.828	37.39	74.0	36.61	Peak	311.00	200	Horizontal	Pass
1**	1523.828	29.14	54.0	24.86	AV	311.00	200	Horizontal	Pass
2	4018.625	48.32	74.0	25.68	Peak	166.00	100	Horizontal	Pass
2**	4018.625	35.30	54.0	18.70	AV	166.00	100	Horizontal	Pass
3	7599.580	52.17	74.0	21.83	Peak	24.00	200	Horizontal	Pass
3**	7599.580	45.44	54.0	8.56	AV	24.00	200	Horizontal	Pass
4	12455.884	50.74	74.0	23.26	Peak	243.00	300	Horizontal	Pass
4**	12455.884	44.00	54.0	10.00	AV	243.00	300	Horizontal	Pass
5	16091.569	53.84	74.0	20.16	Peak	225.00	400	Horizontal	Pass
5**	16091.569	44.67	54.0	9.33	AV	225.00	400	Horizontal	Pass
6	17417.760	54.27	74.0	19.73	Peak	17.00	300	Horizontal	Pass
6**	17417.760	48.11	54.0	5.89	AV	17.00	300	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1336.289	43.46	74.0	30.54	Peak	75.00	100	Vertical	Pass
1**	1336.289	36.63	54.0	17.37	AV	75.00	100	Vertical	Pass
2	1443.635	43.02	74.0	30.98	Peak	2.00	100	Vertical	Pass
2**	1443.635	35.57	54.0	18.43	AV	2.00	100	Vertical	Pass
3	4311.947	47.17	74.0	26.83	Peak	140.00	200	Vertical	Pass
3**	4311.947	40.90	54.0	13.10	AV	140.00	200	Vertical	Pass
4	7597.725	54.59	74.0	19.41	Peak	119.00	200	Vertical	Pass
4**	7597.725	45.46	54.0	8.54	AV	119.00	200	Vertical	Pass
5	12535.486	52.58	74.0	21.42	Peak	81.00	100	Vertical	Pass
5**	12535.486	42.78	54.0	11.22	AV	81.00	100	Vertical	Pass
6	15904.877	53.04	74.0	20.96	Peak	91.00	200	Vertical	Pass
6**	15904.877	43.36	54.0	10.64	AV	91.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.156	38.32	74.0	35.68	Peak	348.00	300	Horizontal	Pass
1**	1518.156	29.64	54.0	24.36	AV	348.00	300	Horizontal	Pass
2	4016.824	47.21	74.0	26.79	Peak	48.00	200	Horizontal	Pass
2**	4016.824	36.28	54.0	17.72	AV	48.00	200	Horizontal	Pass
3	7599.172	52.38	74.0	21.62	Peak	134.00	200	Horizontal	Pass
3**	7599.172	45.01	54.0	8.99	AV	134.00	200	Horizontal	Pass
4	12457.699	55.93	74.0	18.07	Peak	258.00	200	Horizontal	Pass
4**	12457.699	45.22	54.0	8.78	AV	258.00	200	Horizontal	Pass
5	16098.711	53.50	74.0	20.50	Peak	287.00	400	Horizontal	Pass
5**	16098.711	47.31	54.0	6.69	AV	287.00	400	Horizontal	Pass
6	17416.971	55.23	74.0	18.77	Peak	267.00	300	Horizontal	Pass
6**	17416.971	45.34	54.0	8.66	AV	267.00	300	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.495	42.26	74.0	31.74	Peak	85.00	100	Vertical	Pass
1**	1335.495	34.84	54.0	19.16	AV	85.00	100	Vertical	Pass
2	1443.616	39.83	74.0	34.17	Peak	195.00	100	Vertical	Pass
2**	1443.616	38.68	54.0	15.32	AV	195.00	100	Vertical	Pass
3	4311.305	46.22	74.0	27.78	Peak	51.00	200	Vertical	Pass
3**	4311.305	39.54	54.0	14.46	AV	51.00	200	Vertical	Pass
4	7590.569	52.70	74.0	21.30	Peak	324.00	200	Vertical	Pass
4**	7590.569	43.88	54.0	10.12	AV	324.00	200	Vertical	Pass
5	12534.216	50.70	74.0	23.30	Peak	131.00	100	Vertical	Pass
5**	12534.216	42.08	54.0	11.92	AV	131.00	100	Vertical	Pass
6	15905.221	55.26	74.0	18.74	Peak	210.00	100	Vertical	Pass
6**	15905.221	42.71	54.0	11.29	AV	210.00	100	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.133	37.42	74.0	36.58	Peak	315.00	300	Horizontal	Pass
1**	1521.133	28.86	54.0	25.14	AV	315.00	300	Horizontal	Pass
2	4022.743	46.62	74.0	27.38	Peak	128.00	300	Horizontal	Pass
2**	4022.743	39.35	54.0	14.65	AV	128.00	300	Horizontal	Pass
3	7602.017	50.44	74.0	23.56	Peak	23.00	200	Horizontal	Pass
3**	7602.017	43.23	54.0	10.77	AV	23.00	200	Horizontal	Pass
4	12456.381	51.96	74.0	22.04	Peak	177.00	300	Horizontal	Pass
4**	12456.381	42.71	54.0	11.29	AV	177.00	300	Horizontal	Pass
5	16094.250	55.94	74.0	18.06	Peak	348.00	400	Horizontal	Pass
5**	16094.250	46.47	54.0	7.53	AV	348.00	400	Horizontal	Pass
6	17421.838	57.01	74.0	16.99	Peak	211.00	200	Horizontal	Pass
6**	17421.838	47.32	54.0	6.68	AV	211.00	200	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.771	44.25	74.0	29.75	Peak	249.00	100	Vertical	Pass
1**	1329.771	32.77	54.0	21.23	AV	249.00	100	Vertical	Pass
2	1440.436	41.12	74.0	32.88	Peak	16.00	200	Vertical	Pass
2**	1440.436	36.86	54.0	17.14	AV	16.00	200	Vertical	Pass
3	4308.104	45.90	74.0	28.10	Peak	273.00	200	Vertical	Pass
3**	4308.104	38.66	54.0	15.34	AV	273.00	200	Vertical	Pass
4	7593.969	52.08	74.0	21.92	Peak	156.00	100	Vertical	Pass
4**	7593.969	40.68	54.0	13.32	AV	156.00	100	Vertical	Pass
5	12537.995	54.65	74.0	19.35	Peak	266.00	100	Vertical	Pass
5**	12537.995	45.02	54.0	8.98	AV	266.00	100	Vertical	Pass
6	15904.074	56.31	74.0	17.69	Peak	25.00	200	Vertical	Pass
6**	15904.074	46.24	54.0	7.76	AV	25.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1521.519	39.63	74.0	34.37	Peak	263.00	100	Horizontal	Pass
1**	1521.519	31.31	54.0	22.69	AV	263.00	100	Horizontal	Pass
2	4016.868	49.90	74.0	24.10	Peak	80.00	200	Horizontal	Pass
2**	4016.868	35.34	54.0	18.66	AV	80.00	200	Horizontal	Pass
3	7598.584	52.86	74.0	21.14	Peak	246.00	200	Horizontal	Pass
3**	7598.584	44.12	54.0	9.88	AV	246.00	200	Horizontal	Pass
4	12455.106	55.40	74.0	18.60	Peak	155.00	100	Horizontal	Pass
4**	12455.106	43.08	54.0	10.92	AV	155.00	100	Horizontal	Pass
5	16099.234	54.24	74.0	19.76	Peak	194.00	100	Horizontal	Pass
5**	16099.234	46.86	54.0	7.14	AV	194.00	100	Horizontal	Pass
6	17419.333	54.38	74.0	19.62	Peak	71.00	200	Horizontal	Pass
6**	17419.333	46.24	54.0	7.76	AV	71.00	200	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.424	46.24	74.0	27.76	Peak	203.00	200	Vertical	Pass
1**	1333.424	32.20	54.0	21.80	AV	203.00	200	Vertical	Pass
2	1442.200	40.36	74.0	33.64	Peak	183.00	300	Vertical	Pass
2**	1442.200	38.31	54.0	15.69	AV	183.00	300	Vertical	Pass
3	4310.197	50.39	74.0	23.61	Peak	52.00	200	Vertical	Pass
3**	4310.197	36.31	54.0	17.69	AV	52.00	200	Vertical	Pass
4	7593.231	54.08	74.0	19.92	Peak	158.00	200	Vertical	Pass
4**	7593.231	43.25	54.0	10.75	AV	158.00	200	Vertical	Pass
5	12531.279	53.56	74.0	20.44	Peak	72.00	300	Vertical	Pass
5**	12531.279	46.20	54.0	7.80	AV	72.00	300	Vertical	Pass
6	15910.164	55.78	74.0	18.22	Peak	166.00	200	Vertical	Pass
6**	15910.164	46.64	54.0	7.36	AV	166.00	200	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1524.437	40.93	74.0	33.07	Peak	95.00	100	Horizontal	Pass
1**	1524.437	29.93	54.0	24.07	AV	95.00	100	Horizontal	Pass
2	4022.834	47.75	74.0	26.25	Peak	61.00	100	Horizontal	Pass
2**	4022.834	35.69	54.0	18.31	AV	61.00	100	Horizontal	Pass
3	7601.483	55.48	74.0	18.52	Peak	195.00	200	Horizontal	Pass
3**	7601.483	44.38	54.0	9.62	AV	195.00	200	Horizontal	Pass
4	12458.889	55.45	74.0	18.55	Peak	160.00	200	Horizontal	Pass
4**	12458.889	44.27	54.0	9.73	AV	160.00	200	Horizontal	Pass
5	16091.612	53.18	74.0	20.82	Peak	239.00	100	Horizontal	Pass
5**	16091.612	43.83	54.0	10.17	AV	239.00	100	Horizontal	Pass
6	17417.714	53.59	74.0	20.41	Peak	330.00	200	Horizontal	Pass
6**	17417.714	44.41	54.0	9.59	AV	330.00	200	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1335.447	46.50	74.0	27.50	Peak	108.00	200	Vertical	Pass
1**	1335.447	34.92	54.0	19.08	AV	108.00	200	Vertical	Pass
2	1437.344	42.06	74.0	31.94	Peak	186.00	100	Vertical	Pass
2**	1437.344	37.96	54.0	16.04	AV	186.00	100	Vertical	Pass
3	4312.321	48.61	74.0	25.39	Peak	40.00	200	Vertical	Pass
3**	4312.321	37.23	54.0	16.77	AV	40.00	200	Vertical	Pass
4	7590.265	55.99	74.0	18.01	Peak	6.00	100	Vertical	Pass
4**	7590.265	41.70	54.0	12.30	AV	6.00	100	Vertical	Pass
5	12537.631	50.75	74.0	23.25	Peak	49.00	300	Vertical	Pass
5**	12537.631	45.33	54.0	8.67	AV	49.00	300	Vertical	Pass
6	15904.358	55.06	74.0	18.94	Peak	343.00	200	Vertical	Pass
6**	15904.358	48.35	54.0	5.65	AV	343.00	200	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.661	40.74	74.0	33.26	Peak	47.00	300	Horizontal	Pass
1**	1522.661	28.13	54.0	25.87	AV	47.00	300	Horizontal	Pass
2	4017.092	46.88	74.0	27.12	Peak	175.00	300	Horizontal	Pass
2**	4017.092	35.86	54.0	18.14	AV	175.00	300	Horizontal	Pass
3	7595.223	54.84	74.0	19.16	Peak	18.00	200	Horizontal	Pass
3**	7595.223	43.49	54.0	10.51	AV	18.00	200	Horizontal	Pass
4	12456.056	55.12	74.0	18.88	Peak	288.00	200	Horizontal	Pass
4**	12456.056	42.60	54.0	11.40	AV	288.00	200	Horizontal	Pass
5	16091.424	50.55	74.0	23.45	Peak	251.00	400	Horizontal	Pass
5**	16091.424	43.08	54.0	10.92	AV	251.00	400	Horizontal	Pass
6	17419.215	54.49	74.0	19.51	Peak	52.00	200	Horizontal	Pass
6**	17419.215	49.70	54.0	4.30	AV	52.00	200	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.534	46.29	74.0	27.71	Peak	358.00	100	Vertical	Pass
1**	1329.534	35.70	54.0	18.30	AV	358.00	100	Vertical	Pass
2	1441.994	39.72	74.0	34.28	Peak	59.00	300	Vertical	Pass
2**	1441.994	35.43	54.0	18.57	AV	59.00	300	Vertical	Pass
3	4308.289	44.76	74.0	29.24	Peak	296.00	200	Vertical	Pass
3**	4308.289	38.57	54.0	15.43	AV	296.00	200	Vertical	Pass
4	7592.600	53.99	74.0	20.01	Peak	60.00	300	Vertical	Pass
4**	7592.600	46.44	54.0	7.56	AV	60.00	300	Vertical	Pass
5	12531.224	52.38	74.0	21.62	Peak	233.00	300	Vertical	Pass
5**	12531.224	45.61	54.0	8.39	AV	233.00	300	Vertical	Pass
6	15908.868	53.88	74.0	20.12	Peak	360.00	200	Vertical	Pass
6**	15908.868	47.02	54.0	6.98	AV	360.00	200	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.778	35.22	74.0	38.78	Peak	57.00	200	Horizontal	Pass
1**	1523.778	31.41	54.0	22.59	AV	57.00	200	Horizontal	Pass
2	4022.680	44.83	74.0	29.17	Peak	238.00	300	Horizontal	Pass
2**	4022.680	38.56	54.0	15.44	AV	238.00	300	Horizontal	Pass
3	7595.255	52.72	74.0	21.28	Peak	291.00	200	Horizontal	Pass
3**	7595.255	45.59	54.0	8.41	AV	291.00	200	Horizontal	Pass
4	12456.128	56.45	74.0	17.55	Peak	3.00	100	Horizontal	Pass
4**	12456.128	42.62	54.0	11.38	AV	3.00	100	Horizontal	Pass
5	16096.344	55.64	74.0	18.36	Peak	218.00	400	Horizontal	Pass
5**	16096.344	46.65	54.0	7.35	AV	218.00	400	Horizontal	Pass
6	17418.342	58.48	74.0	15.52	Peak	15.00	200	Horizontal	Pass
6**	17418.342	47.61	54.0	6.39	AV	15.00	200	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.815	45.56	74.0	28.44	Peak	325.00	400	Vertical	Pass
1**	1331.815	35.18	54.0	18.82	AV	325.00	400	Vertical	Pass
2	1444.171	40.17	74.0	33.83	Peak	263.00	200	Vertical	Pass
2**	1444.171	35.55	54.0	18.45	AV	263.00	200	Vertical	Pass
3	4308.717	48.18	74.0	25.82	Peak	230.00	200	Vertical	Pass
3**	4308.717	36.95	54.0	17.05	AV	230.00	200	Vertical	Pass
4	7592.767	53.12	74.0	20.88	Peak	141.00	300	Vertical	Pass
4**	7592.767	42.92	54.0	11.08	AV	141.00	300	Vertical	Pass
5	12531.858	56.00	74.0	18.00	Peak	93.00	400	Vertical	Pass
5**	12531.858	43.03	54.0	10.97	AV	93.00	400	Vertical	Pass
6	15909.213	55.46	74.0	18.54	Peak	329.00	400	Vertical	Pass
6**	15909.213	43.79	54.0	10.21	AV	329.00	400	Vertical	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.859	35.78	74.0	38.22	Peak	334.00	100	Horizontal	Pass
1**	1526.859	26.89	54.0	27.11	AV	334.00	100	Horizontal	Pass
2	2273.348	44.08	74.0	29.92	Peak	153.00	300	Horizontal	Pass
2**	2273.348	34.40	54.0	19.60	AV	153.00	300	Horizontal	Pass
3	4050.014	46.61	74.0	27.39	Peak	172.00	200	Horizontal	Pass
3**	4050.014	34.52	54.0	19.48	AV	172.00	200	Horizontal	Pass
4	7623.092	55.37	74.0	18.63	Peak	325.00	400	Horizontal	Pass
4**	7623.092	43.66	54.0	10.34	AV	325.00	400	Horizontal	Pass
5	12454.999	50.45	74.0	23.55	Peak	20.00	300	Horizontal	Pass
5**	12454.999	43.95	54.0	10.05	AV	20.00	300	Horizontal	Pass
6	15907.269	51.80	74.0	22.20	Peak	154.00	300	Horizontal	Pass
6**	15907.269	45.31	54.0	8.69	AV	154.00	300	Horizontal	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.071	41.25	74.0	32.75	Peak	301.00	300	Vertical	Pass
1**	1595.071	28.47	54.0	25.53	AV	301.00	300	Vertical	Pass
2	2229.984	38.82	74.0	35.18	Peak	210.00	200	Vertical	Pass
2**	2229.984	33.80	54.0	20.20	AV	210.00	200	Vertical	Pass
3	4259.691	50.32	74.0	23.68	Peak	20.00	200	Vertical	Pass
3**	4259.691	39.34	54.0	14.66	AV	20.00	200	Vertical	Pass
4	7710.680	56.08	74.0	17.92	Peak	282.00	300	Vertical	Pass
4**	7710.680	39.86	54.0	14.14	AV	282.00	300	Vertical	Pass
5	12500.494	56.09	74.0	17.91	Peak	315.00	300	Vertical	Pass
5**	12500.494	44.99	54.0	9.01	AV	315.00	300	Vertical	Pass
6	15668.903	55.05	74.0	18.95	Peak	170.00	200	Vertical	Pass
6**	15668.903	44.57	54.0	9.43	AV	170.00	200	Vertical	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.804	41.00	74.0	33.00	Peak	33.00	100	Horizontal	Pass
1**	1522.804	30.01	54.0	23.99	AV	33.00	100	Horizontal	Pass
2	2277.512	46.44	74.0	27.56	Peak	108.00	200	Horizontal	Pass
2**	2277.512	34.26	54.0	19.74	AV	108.00	200	Horizontal	Pass
3	4046.571	46.91	74.0	27.09	Peak	301.00	200	Horizontal	Pass
3**	4046.571	34.75	54.0	19.25	AV	301.00	200	Horizontal	Pass
4	7620.826	50.12	74.0	23.88	Peak	15.00	300	Horizontal	Pass
4**	7620.826	44.20	54.0	9.80	AV	15.00	300	Horizontal	Pass
5	12455.971	55.16	74.0	18.84	Peak	56.00	400	Horizontal	Pass
5**	12455.971	45.24	54.0	8.76	AV	56.00	400	Horizontal	Pass
6	15907.401	54.88	74.0	19.12	Peak	202.00	300	Horizontal	Pass
6**	15907.401	44.18	54.0	9.82	AV	202.00	300	Horizontal	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.204	37.80	74.0	36.20	Peak	132.00	200	Vertical	Pass
1**	1595.204	24.89	54.0	29.11	AV	132.00	200	Vertical	Pass
2	2226.571	41.59	74.0	32.41	Peak	213.00	300	Vertical	Pass
2**	2226.571	30.85	54.0	23.15	AV	213.00	300	Vertical	Pass
3	4256.685	45.74	74.0	28.26	Peak	187.00	200	Vertical	Pass
3**	4256.685	37.76	54.0	16.24	AV	187.00	200	Vertical	Pass
4	7710.814	52.95	74.0	21.05	Peak	262.00	400	Vertical	Pass
4**	7710.814	44.84	54.0	9.16	AV	262.00	400	Vertical	Pass
5	12495.220	51.01	74.0	22.99	Peak	62.00	100	Vertical	Pass
5**	12495.220	42.14	54.0	11.86	AV	62.00	100	Vertical	Pass
6	15674.064	53.07	74.0	20.93	Peak	208.00	100	Vertical	Pass
6**	15674.064	41.48	54.0	12.52	AV	208.00	100	Vertical	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.087	40.24	74.0	33.76	Peak	46.00	300	Horizontal	Pass
1**	1526.087	28.05	54.0	25.95	AV	46.00	300	Horizontal	Pass
2	2272.030	46.56	74.0	27.44	Peak	131.00	100	Horizontal	Pass
2**	2272.030	36.21	54.0	17.79	AV	131.00	100	Horizontal	Pass
3	4046.042	49.56	74.0	24.44	Peak	243.00	200	Horizontal	Pass
3**	4046.042	37.61	54.0	16.39	AV	243.00	200	Horizontal	Pass
4	7623.609	50.89	74.0	23.11	Peak	309.00	300	Horizontal	Pass
4**	7623.609	43.84	54.0	10.16	AV	309.00	300	Horizontal	Pass
5	12456.626	53.66	74.0	20.34	Peak	227.00	100	Horizontal	Pass
5**	12456.626	46.41	54.0	7.59	AV	227.00	100	Horizontal	Pass
6	15903.659	51.34	74.0	22.66	Peak	33.00	400	Horizontal	Pass
6**	15903.659	43.69	54.0	10.31	AV	33.00	400	Horizontal	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.389	39.14	74.0	34.86	Peak	195.00	200	Vertical	Pass
1**	1602.389	27.48	54.0	26.52	AV	195.00	200	Vertical	Pass
2	2230.335	39.59	74.0	34.41	Peak	331.00	200	Vertical	Pass
2**	2230.335	30.33	54.0	23.67	AV	331.00	200	Vertical	Pass
3	4256.815	45.73	74.0	28.27	Peak	81.00	200	Vertical	Pass
3**	4256.815	36.16	54.0	17.84	AV	81.00	200	Vertical	Pass
4	7705.502	58.16	74.0	15.84	Peak	350.00	400	Vertical	Pass
4**	7705.502	39.89	54.0	14.11	AV	350.00	400	Vertical	Pass
5	12497.010	53.83	74.0	20.17	Peak	313.00	100	Vertical	Pass
5**	12497.010	45.86	54.0	8.14	AV	313.00	100	Vertical	Pass
6	15674.570	54.85	74.0	19.15	Peak	9.00	100	Vertical	Pass
6**	15674.570	41.33	54.0	12.67	AV	9.00	100	Vertical	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.790	40.74	74.0	33.26	Peak	260.00	100	Horizontal	Pass
1**	1523.790	29.84	54.0	24.16	AV	260.00	100	Horizontal	Pass
2	2273.530	43.06	74.0	30.94	Peak	261.00	300	Horizontal	Pass
2**	2273.530	32.04	54.0	21.96	AV	261.00	300	Horizontal	Pass
3	4048.103	48.01	74.0	25.99	Peak	204.00	200	Horizontal	Pass
3**	4048.103	39.75	54.0	14.25	AV	204.00	200	Horizontal	Pass
4	7624.037	54.96	74.0	19.04	Peak	136.00	200	Horizontal	Pass
4**	7624.037	46.47	54.0	7.53	AV	136.00	200	Horizontal	Pass
5	12457.143	55.40	74.0	18.60	Peak	209.00	300	Horizontal	Pass
5**	12457.143	44.64	54.0	9.36	AV	209.00	300	Horizontal	Pass
6	15905.965	52.09	74.0	21.91	Peak	38.00	400	Horizontal	Pass
6**	15905.965	42.19	54.0	11.81	AV	38.00	400	Horizontal	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.566	39.36	74.0	34.64	Peak	250.00	300	Vertical	Pass
1**	1600.566	24.85	54.0	29.15	AV	250.00	300	Vertical	Pass
2	2228.965	38.58	74.0	35.42	Peak	149.00	100	Vertical	Pass
2**	2228.965	31.43	54.0	22.57	AV	149.00	100	Vertical	Pass
3	4259.711	49.84	74.0	24.16	Peak	359.00	200	Vertical	Pass
3**	4259.711	41.21	54.0	12.79	AV	359.00	200	Vertical	Pass
4	7705.981	56.01	74.0	17.99	Peak	154.00	400	Vertical	Pass
4**	7705.981	44.19	54.0	9.81	AV	154.00	400	Vertical	Pass
5	12495.666	55.04	74.0	18.96	Peak	117.00	200	Vertical	Pass
5**	12495.666	45.80	54.0	8.20	AV	117.00	200	Vertical	Pass
6	15673.156	55.88	74.0	18.12	Peak	281.00	300	Vertical	Pass
6**	15673.156	42.20	54.0	11.80	AV	281.00	300	Vertical	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.897	41.46	74.0	32.54	Peak	346.00	200	Horizontal	Pass
1**	1525.897	30.97	54.0	23.03	AV	346.00	200	Horizontal	Pass
2	2274.917	44.90	74.0	29.10	Peak	23.00	200	Horizontal	Pass
2**	2274.917	32.67	54.0	21.33	AV	23.00	200	Horizontal	Pass
3	4047.187	50.14	74.0	23.86	Peak	37.00	200	Horizontal	Pass
3**	4047.187	34.28	54.0	19.72	AV	37.00	200	Horizontal	Pass
4	7618.945	54.71	74.0	19.29	Peak	65.00	400	Horizontal	Pass
4**	7618.945	41.90	54.0	12.10	AV	65.00	400	Horizontal	Pass
5	12457.762	50.16	74.0	23.84	Peak	284.00	300	Horizontal	Pass
5**	12457.762	43.44	54.0	10.56	AV	284.00	300	Horizontal	Pass
6	15900.184	54.16	74.0	19.84	Peak	82.00	200	Horizontal	Pass
6**	15900.184	42.31	54.0	11.69	AV	82.00	200	Horizontal	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.796	41.67	74.0	32.33	Peak	178.00	200	Vertical	Pass
1**	1594.796	23.97	54.0	30.03	AV	178.00	200	Vertical	Pass
2	2226.986	39.51	74.0	34.49	Peak	239.00	300	Vertical	Pass
2**	2226.986	30.97	54.0	23.03	AV	239.00	300	Vertical	Pass
3	4260.416	49.31	74.0	24.69	Peak	327.00	200	Vertical	Pass
3**	4260.416	37.53	54.0	16.47	AV	327.00	200	Vertical	Pass
4	7704.536	55.01	74.0	18.99	Peak	357.00	200	Vertical	Pass
4**	7704.536	39.95	54.0	14.05	AV	357.00	200	Vertical	Pass
5	12498.058	52.83	74.0	21.17	Peak	356.00	200	Vertical	Pass
5**	12498.058	45.95	54.0	8.05	AV	356.00	200	Vertical	Pass
6	15676.216	57.45	74.0	16.55	Peak	88.00	300	Vertical	Pass
6**	15676.216	42.46	54.0	11.54	AV	88.00	300	Vertical	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.092	38.65	74.0	35.35	Peak	93.00	100	Horizontal	Pass
1**	1526.092	28.48	54.0	25.52	AV	93.00	100	Horizontal	Pass
2	2278.443	42.76	74.0	31.24	Peak	281.00	100	Horizontal	Pass
2**	2278.443	35.10	54.0	18.90	AV	281.00	100	Horizontal	Pass
3	4043.762	49.36	74.0	24.64	Peak	116.00	200	Horizontal	Pass
3**	4043.762	35.74	54.0	18.26	AV	116.00	200	Horizontal	Pass
4	7618.317	50.22	74.0	23.78	Peak	241.00	300	Horizontal	Pass
4**	7618.317	43.45	54.0	10.55	AV	241.00	300	Horizontal	Pass
5	12451.121	50.77	74.0	23.23	Peak	281.00	100	Horizontal	Pass
5**	12451.121	42.65	54.0	11.35	AV	281.00	100	Horizontal	Pass
6	15905.774	52.10	74.0	21.90	Peak	204.00	100	Horizontal	Pass
6**	15905.774	47.26	54.0	6.74	AV	204.00	100	Horizontal	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.752	40.66	74.0	33.34	Peak	64.00	300	Vertical	Pass
1**	1594.752	23.60	54.0	30.40	AV	64.00	300	Vertical	Pass
2	2226.008	39.13	74.0	34.87	Peak	38.00	400	Vertical	Pass
2**	2226.008	32.48	54.0	21.52	AV	38.00	400	Vertical	Pass
3	4260.652	50.18	74.0	23.82	Peak	198.00	200	Vertical	Pass
3**	4260.652	36.03	54.0	17.97	AV	198.00	200	Vertical	Pass
4	7711.547	57.15	74.0	16.85	Peak	331.00	300	Vertical	Pass
4**	7711.547	45.21	54.0	8.79	AV	331.00	300	Vertical	Pass
5	12501.659	52.70	74.0	21.30	Peak	183.00	100	Vertical	Pass
5**	12501.659	45.84	54.0	8.16	AV	183.00	100	Vertical	Pass
6	15668.594	57.92	74.0	16.08	Peak	317.00	400	Vertical	Pass
6**	15668.594	45.01	54.0	8.99	AV	317.00	400	Vertical	Pass

11ax20(SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.484	38.72	74.0	35.28	Peak	119.00	400	Horizontal	Pass
1**	1523.484	29.65	54.0	24.35	AV	119.00	400	Horizontal	Pass
2	2274.240	41.00	74.0	33.00	Peak	120.00	200	Horizontal	Pass
2**	2274.240	33.94	54.0	20.06	AV	120.00	200	Horizontal	Pass
3	4049.659	47.16	74.0	26.84	Peak	350.00	200	Horizontal	Pass
3**	4049.659	34.71	54.0	19.29	AV	350.00	200	Horizontal	Pass
4	7617.753	54.46	74.0	19.54	Peak	88.00	400	Horizontal	Pass
4**	7617.753	42.08	54.0	11.92	AV	88.00	400	Horizontal	Pass
5	12453.749	53.54	74.0	20.46	Peak	203.00	200	Horizontal	Pass
5**	12453.749	42.19	54.0	11.81	AV	203.00	200	Horizontal	Pass
6	15905.834	53.57	74.0	20.43	Peak	326.00	200	Horizontal	Pass
6**	15905.834	44.98	54.0	9.02	AV	326.00	200	Horizontal	Pass

11ax20(SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.136	40.02	74.0	33.98	Peak	188.00	300	Vertical	Pass
1**	1599.136	27.27	54.0	26.73	AV	188.00	300	Vertical	Pass
2	2229.794	43.19	74.0	30.81	Peak	162.00	300	Vertical	Pass
2**	2229.794	28.45	54.0	25.55	AV	162.00	300	Vertical	Pass
3	4260.564	47.91	74.0	26.09	Peak	343.00	200	Vertical	Pass
3**	4260.564	36.40	54.0	17.60	AV	343.00	200	Vertical	Pass
4	7708.688	54.06	74.0	19.94	Peak	94.00	200	Vertical	Pass
4**	7708.688	42.66	54.0	11.34	AV	94.00	200	Vertical	Pass
5	12499.567	51.24	74.0	22.76	Peak	75.00	200	Vertical	Pass
5**	12499.567	45.31	54.0	8.69	AV	75.00	200	Vertical	Pass
6	15671.562	57.82	74.0	16.18	Peak	159.00	100	Vertical	Pass
6**	15671.562	43.53	54.0	10.47	AV	159.00	100	Vertical	Pass

11ax40(SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.213	38.81	74.0	35.19	Peak	133.00	200	Horizontal	Pass
1**	1525.213	26.19	54.0	27.81	AV	133.00	200	Horizontal	Pass
2	2272.017	45.45	74.0	28.55	Peak	228.00	400	Horizontal	Pass
2**	2272.017	35.77	54.0	18.23	AV	228.00	400	Horizontal	Pass
3	4045.217	47.44	74.0	26.56	Peak	190.00	200	Horizontal	Pass
3**	4045.217	37.15	54.0	16.85	AV	190.00	200	Horizontal	Pass
4	7624.404	51.86	74.0	22.14	Peak	117.00	400	Horizontal	Pass
4**	7624.404	45.59	54.0	8.41	AV	117.00	400	Horizontal	Pass
5	12453.018	53.71	74.0	20.29	Peak	229.00	200	Horizontal	Pass
5**	12453.018	43.14	54.0	10.86	AV	229.00	200	Horizontal	Pass
6	15902.647	55.82	74.0	18.18	Peak	329.00	300	Horizontal	Pass
6**	15902.647	45.26	54.0	8.74	AV	329.00	300	Horizontal	Pass

11ax40(SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.517	42.42	74.0	31.58	Peak	316.00	100	Vertical	Pass
1**	1601.517	26.41	54.0	27.59	AV	316.00	100	Vertical	Pass
2	2231.101	44.37	74.0	29.63	Peak	91.00	300	Vertical	Pass
2**	2231.101	32.28	54.0	21.72	AV	91.00	300	Vertical	Pass
3	4255.671	46.09	74.0	27.91	Peak	276.00	200	Vertical	Pass
3**	4255.671	38.72	54.0	15.28	AV	276.00	200	Vertical	Pass
4	7710.995	56.38	74.0	17.62	Peak	360.00	400	Vertical	Pass
4**	7710.995	42.09	54.0	11.91	AV	360.00	400	Vertical	Pass
5	12502.573	51.05	74.0	22.95	Peak	75.00	400	Vertical	Pass
5**	12502.573	41.84	54.0	12.16	AV	75.00	400	Vertical	Pass
6	15675.438	54.84	74.0	19.16	Peak	49.00	400	Vertical	Pass
6**	15675.438	41.06	54.0	12.94	AV	49.00	400	Vertical	Pass

11ax80(SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.623	38.76	74.0	35.24	Peak	253.00	200	Horizontal	Pass
1**	1523.623	31.01	54.0	22.99	AV	253.00	200	Horizontal	Pass
2	2278.690	42.31	74.0	31.69	Peak	134.00	100	Horizontal	Pass
2**	2278.690	36.12	54.0	17.88	AV	134.00	100	Horizontal	Pass
3	4047.623	45.55	74.0	28.45	Peak	323.00	200	Horizontal	Pass
3**	4047.623	38.45	54.0	15.55	AV	323.00	200	Horizontal	Pass
4	7622.672	51.18	74.0	22.82	Peak	87.00	100	Horizontal	Pass
4**	7622.672	40.99	54.0	13.01	AV	87.00	100	Horizontal	Pass
5	12455.193	52.73	74.0	21.27	Peak	59.00	200	Horizontal	Pass
5**	12455.193	44.57	54.0	9.43	AV	59.00	200	Horizontal	Pass
6	15900.507	52.29	74.0	21.71	Peak	324.00	200	Horizontal	Pass
6**	15900.507	43.32	54.0	10.68	AV	324.00	200	Horizontal	Pass

11ax80(SU), U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.098	41.43	74.0	32.57	Peak	223.00	200	Vertical	Pass
1**	1601.098	27.75	54.0	26.25	AV	223.00	200	Vertical	Pass
2	2225.620	38.47	74.0	35.53	Peak	85.00	400	Vertical	Pass
2**	2225.620	33.87	54.0	20.13	AV	85.00	400	Vertical	Pass
3	4260.301	48.01	74.0	25.99	Peak	317.00	200	Vertical	Pass
3**	4260.301	35.36	54.0	18.64	AV	317.00	200	Vertical	Pass
4	7710.883	53.70	74.0	20.30	Peak	215.00	100	Vertical	Pass
4**	7710.883	40.47	54.0	13.53	AV	215.00	100	Vertical	Pass
5	12499.718	51.62	74.0	22.38	Peak	240.00	400	Vertical	Pass
5**	12499.718	45.37	54.0	8.63	AV	240.00	400	Vertical	Pass
6	15669.981	56.38	74.0	17.62	Peak	144.00	200	Vertical	Pass
6**	15669.981	43.26	54.0	10.74	AV	144.00	200	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
	802.11ax(HE160) (SU)	Middle	Pass
	802.11ax(HE20) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE40) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE80) (RU26)	Middle	Pass
	802.11ax(HE160) (RU26)	Middle	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass

	802.11ax(HE20) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE40) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE80) (RU26)	Middle	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Low	Pass
		High	Pass
	802.11ax(HE160) (SU)	Middle	Pass
	802.11ax(HE20) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE40) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE80) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE160) (RU26)	Middle	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass

	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
	802.11ax(HE20) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE40) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE80) (RU26)	Middle	Pass

Test Band	Mode	Channel	Verdict
U-NII-2C&U-NII-3	802.11a	144	Pass
	802.11n(HT20)	144	Pass
	802.11n(HT40)	142	Pass
	802.11ac(VHT20)	144	Pass
	802.11ac(VHT40)	142	Pass
	802.11ac(VHT80)	138	Pass
	802.11ax(HE20)(SU)	144	Pass
	802.11ax(HE40)(SU)	142	Pass
	802.11ax(HE80)(SU)	138	Pass
	802.11ax(HE20)(RU26)	144	Pass
	802.11ax(HE40)(RU26)	142	Pass
	802.11ax(HE80)(RU26)	138	Pass

Note ¹: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note ²: All antenna were pre tested, but only the worst case has been reported in this report.

Test Data

SISO-Antenna 9

U-NII-1 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.576	57.06	74.0	16.94	Peak	201.00	300	Horizontal	Pass
1**	5075.576	45.2	54.0	8.80	AV	201.00	300	Horizontal	Pass
2	5150.000	54.48	74.0	19.52	Peak	95.00	300	Horizontal	Pass
2**	5150.000	44.37	54.0	9.63	AV	95.00	300	Horizontal	Pass

U-NII-1 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.11	74.0	17.89	Peak	164.00	300	Horizontal	Pass
1**	5350.000	45.71	54.0	8.29	AV	164.00	300	Horizontal	Pass
2	5422.195	57.69	74.0	16.31	Peak	310.00	100	Horizontal	Pass
2**	5422.195	43.44	54.0	10.56	AV	310.00	100	Horizontal	Pass

U-NII-1 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.181	54.48	74.0	19.52	Peak	23.00	300	Horizontal	Pass
1**	5075.181	42.95	54.0	11.05	AV	23.00	300	Horizontal	Pass
2	5150.000	56.23	74.0	17.77	Peak	112.00	100	Horizontal	Pass
2**	5150.000	44.76	54.0	9.24	AV	112.00	100	Horizontal	Pass

U-NII-1 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.46	74.0	19.54	Peak	295.00	200	Horizontal	Pass
1**	5350.000	44.23	54.0	9.77	AV	295.00	200	Horizontal	Pass
2	5422.951	57.33	74.0	16.67	Peak	185.00	200	Horizontal	Pass
2**	5422.951	46.53	54.0	7.47	AV	185.00	200	Horizontal	Pass

U-NII-1 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.332	56.58	74.0	17.42	Peak	140.00	200	Horizontal	Pass
1**	5075.332	46.09	54.0	7.91	AV	140.00	200	Horizontal	Pass
2	5150.000	54	74.0	20.00	Peak	15.00	300	Horizontal	Pass
2**	5150.000	44.17	54.0	9.83	AV	15.00	300	Horizontal	Pass

U-NII-1 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.13	74.0	18.87	Peak	43.00	100	Horizontal	Pass
1**	5350.000	42.64	54.0	11.36	AV	43.00	100	Horizontal	Pass
2	5424.399	55.75	74.0	18.25	Peak	314.00	100	Horizontal	Pass
2**	5424.399	44.68	54.0	9.32	AV	314.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.733	54.72	74.0	19.28	Peak	154.00	200	Horizontal	Pass
1**	5075.733	43.26	54.0	10.74	AV	154.00	200	Horizontal	Pass
2	5150.000	52.45	74.0	21.55	Peak	298.00	300	Horizontal	Pass
2**	5150.000	42.63	54.0	11.37	AV	298.00	300	Horizontal	Pass

U-NII-1 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.85	74.0	19.15	Peak	251.00	100	Horizontal	Pass
1**	5350.000	44.23	54.0	9.77	AV	251.00	100	Horizontal	Pass
2	5421.940	55.59	74.0	18.41	Peak	182.00	200	Horizontal	Pass
2**	5421.940	45.67	54.0	8.33	AV	182.00	200	Horizontal	Pass

U-NII-1 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.663	54.5	74.0	19.50	Peak	182.00	300	Horizontal	Pass
1**	5075.663	45.16	54.0	8.84	AV	182.00	300	Horizontal	Pass
2	5150.000	52.42	74.0	21.58	Peak	0.00	100	Horizontal	Pass
2**	5150.000	46.16	54.0	7.84	AV	0.00	100	Horizontal	Pass

U-NII-1 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.24	74.0	19.76	Peak	25.00	200	Horizontal	Pass
1**	5350.000	43.11	54.0	10.89	AV	25.00	200	Horizontal	Pass
2	5422.713	58.51	74.0	15.49	Peak	351.00	100	Horizontal	Pass
2**	5422.713	46.83	54.0	7.17	AV	351.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.819	54.99	74.0	19.01	Peak	103.00	200	Horizontal	Pass
1**	5077.819	46.24	54.0	7.76	AV	103.00	200	Horizontal	Pass
2	5150.000	53.02	74.0	20.98	Peak	115.00	300	Horizontal	Pass
2**	5150.000	45.33	54.0	8.67	AV	115.00	300	Horizontal	Pass

U-NII-1 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.44	74.0	18.56	Peak	119.00	300	Horizontal	Pass
1**	5350.000	44.83	54.0	9.17	AV	119.00	300	Horizontal	Pass
2	5421.923	57.8	74.0	16.20	Peak	3.00	300	Horizontal	Pass
2**	5421.923	45.57	54.0	8.43	AV	3.00	300	Horizontal	Pass

U-NII-1 11ac160 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.503	54.28	74.0	19.72	Peak	334.00	300	Horizontal	Pass
1**	5075.503	42.57	54.0	11.43	AV	334.00	300	Horizontal	Pass
2	5150.000	56.12	74.0	17.88	Peak	28.00	100	Horizontal	Pass
2**	5150.000	44.57	54.0	9.43	AV	28.00	100	Horizontal	Pass

U-NII-1 11ac160 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.57	74.0	20.43	Peak	323.00	300	Horizontal	Pass
1**	5350.000	46.21	54.0	7.79	AV	323.00	300	Horizontal	Pass
2	5423.344	57.7	74.0	16.30	Peak	233.00	300	Horizontal	Pass
2**	5423.344	43.27	54.0	10.73	AV	233.00	300	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.525	57.12	74.0	16.88	Peak	4.00	200	Horizontal	Pass
1**	5075.525	43.19	54.0	10.81	AV	4.00	200	Horizontal	Pass
2	5150.000	55.92	74.0	18.08	Peak	56.00	100	Horizontal	Pass
2**	5150.000	44.46	54.0	9.54	AV	56.00	100	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.74	74.0	21.26	Peak	329.00	300	Horizontal	Pass
1**	5350.000	45.04	54.0	8.96	AV	329.00	300	Horizontal	Pass
2	5423.913	58.51	74.0	15.49	Peak	93.00	100	Horizontal	Pass
2**	5423.913	43.84	54.0	10.16	AV	93.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.209	55.55	74.0	18.45	Peak	218.00	300	Horizontal	Pass
1**	5076.209	45.6	54.0	8.40	AV	218.00	300	Horizontal	Pass
2	5150.000	56.07	74.0	17.93	Peak	278.00	300	Horizontal	Pass
2**	5150.000	43.33	54.0	10.67	AV	278.00	300	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.5	74.0	20.50	Peak	85.00	200	Horizontal	Pass
1**	5350.000	45.14	54.0	8.86	AV	85.00	200	Horizontal	Pass
2	5422.068	58.04	74.0	15.96	Peak	199.00	100	Horizontal	Pass
2**	5422.068	44.5	54.0	9.50	AV	199.00	100	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5075.246	57.43	74.0	16.57	Peak	279.00	300	Horizontal	Pass
1**	5075.246	45.93	54.0	8.07	AV	279.00	300	Horizontal	Pass
2	5150.000	54.2	74.0	19.80	Peak	112.00	100	Horizontal	Pass
2**	5150.000	44.05	54.0	9.95	AV	112.00	100	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.66	74.0	18.34	Peak	61.00	200	Horizontal	Pass
1**	5350.000	46.13	54.0	7.87	AV	61.00	200	Horizontal	Pass
2	5421.721	55.73	74.0	18.27	Peak	27.00	200	Horizontal	Pass
2**	5421.721	45.77	54.0	8.23	AV	27.00	200	Horizontal	Pass

U-NII-1 11ax160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5078.121	56.52	74.0	17.48	Peak	130.00	300	Horizontal	Pass
1**	5078.121	44.01	54.0	9.99	AV	130.00	300	Horizontal	Pass
2	5150.000	54.7	74.0	19.30	Peak	290.00	200	Horizontal	Pass
2**	5150.000	45.29	54.0	8.71	AV	290.00	200	Horizontal	Pass

U-NII-1 11ax160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.6	74.0	21.40	Peak	191.00	300	Horizontal	Pass
1**	5350.000	45.69	54.0	8.31	AV	191.00	300	Horizontal	Pass
2	5423.705	58.38	74.0	15.62	Peak	225.00	200	Horizontal	Pass
2**	5423.705	45.46	54.0	8.54	AV	225.00	200	Horizontal	Pass

U-NII-1 11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.409	55.18	74.0	18.82	Peak	87.00	200	Horizontal	Pass
1**	5077.409	44.6	54.0	9.40	AV	87.00	200	Horizontal	Pass
2	5150.000	53.02	74.0	20.98	Peak	157.00	200	Horizontal	Pass
2**	5150.000	43	54.0	11.00	AV	157.00	200	Horizontal	Pass

U-NII-1 11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.67	74.0	21.33	Peak	154.00	200	Horizontal	Pass
1**	5350.000	42.37	54.0	11.63	AV	154.00	200	Horizontal	Pass
2	5421.739	56.09	74.0	17.91	Peak	264.00	300	Horizontal	Pass
2**	5421.739	45.21	54.0	8.79	AV	264.00	300	Horizontal	Pass

U-NII-1 11ax40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.147	57.81	74.0	16.19	Peak	297.00	300	Horizontal	Pass
1**	5076.147	43.55	54.0	10.45	AV	297.00	300	Horizontal	Pass
2	5150.000	52.4	74.0	21.60	Peak	279.00	200	Horizontal	Pass
2**	5150.000	44.92	54.0	9.08	AV	279.00	200	Horizontal	Pass

U-NII-1 11ax40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.92	74.0	18.08	Peak	33.00	200	Horizontal	Pass
1**	5350.000	45.62	54.0	8.38	AV	33.00	200	Horizontal	Pass
2	5423.852	57.93	74.0	16.07	Peak	333.00	100	Horizontal	Pass
2**	5423.852	44.35	54.0	9.65	AV	333.00	100	Horizontal	Pass

U-NII-1 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.525	55.49	74.0	18.51	Peak	129.00	100	Horizontal	Pass
1**	5076.525	43.01	54.0	10.99	AV	129.00	100	Horizontal	Pass
2	5150.000	55.15	74.0	18.85	Peak	11.00	100	Horizontal	Pass
2**	5150.000	42.72	54.0	11.28	AV	11.00	100	Horizontal	Pass

U-NII-1 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.83	74.0	19.17	Peak	228.00	200	Horizontal	Pass
1**	5350.000	44.84	54.0	9.16	AV	228.00	200	Horizontal	Pass
2	5423.754	55.63	74.0	18.37	Peak	139.00	300	Horizontal	Pass
2**	5423.754	43.59	54.0	10.41	AV	139.00	300	Horizontal	Pass

U-NII-1 11ax160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5077.654	57.4	74.0	16.60	Peak	291.00	200	Horizontal	Pass
1**	5077.654	46.27	54.0	7.73	AV	291.00	200	Horizontal	Pass
2	5150.000	54.9	74.0	19.10	Peak	88.00	200	Horizontal	Pass
2**	5150.000	44.65	54.0	9.35	AV	88.00	200	Horizontal	Pass

U-NII-1 11ax160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.81	74.0	18.19	Peak	65.00	100	Horizontal	Pass
1**	5350.000	42.76	54.0	11.24	AV	65.00	100	Horizontal	Pass
2	5424.480	55.8	74.0	18.20	Peak	181.00	300	Horizontal	Pass
2**	5424.480	45.27	54.0	8.73	AV	181.00	300	Horizontal	Pass

U-NII-2A 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.892	55.96	74.0	18.04	Peak	268.00	300	Horizontal	Pass
1**	4997.892	43.63	54.0	10.37	AV	268.00	300	Horizontal	Pass
2	5150.000	55.11	74.0	18.89	Peak	353.00	200	Horizontal	Pass
2**	5150.000	45.43	54.0	8.57	AV	353.00	200	Horizontal	Pass

U-NII-2A 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.83	74.0	17.17	Peak	226.00	200	Horizontal	Pass
1**	5350.000	45.01	54.0	8.99	AV	226.00	200	Horizontal	Pass
2	5460.001	56.13	74.0	17.87	Peak	74.00	200	Horizontal	Pass
2**	5460.001	45.67	54.0	8.33	AV	74.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.000	55.02	74.0	18.98	Peak	152.00	300	Horizontal	Pass
1**	4998.000	43.9	54.0	10.10	AV	152.00	300	Horizontal	Pass
2	5150.000	54.18	74.0	19.82	Peak	78.00	100	Horizontal	Pass
2**	5150.000	44.74	54.0	9.26	AV	78.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.63	74.0	19.37	Peak	205.00	300	Horizontal	Pass
1**	5350.000	42.95	54.0	11.05	AV	205.00	300	Horizontal	Pass
2	5459.995	57.87	74.0	16.13	Peak	51.00	100	Horizontal	Pass
2**	5459.995	46.62	54.0	7.38	AV	51.00	100	Horizontal	Pass

U-NII-2A 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.925	57.95	74.0	16.05	Peak	250.00	200	Horizontal	Pass
1**	4996.925	44.25	54.0	9.75	AV	250.00	200	Horizontal	Pass
2	5150.000	53.49	74.0	20.51	Peak	237.00	200	Horizontal	Pass
2**	5150.000	46.32	54.0	7.68	AV	237.00	200	Horizontal	Pass

U-NII-2A 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.42	74.0	20.58	Peak	160.00	100	Horizontal	Pass
1**	5350.000	43.25	54.0	10.75	AV	160.00	100	Horizontal	Pass
2	5459.525	57.23	74.0	16.77	Peak	5.00	200	Horizontal	Pass
2**	5459.525	43.14	54.0	10.86	AV	5.00	200	Horizontal	Pass

U-NII-2A 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.250	56.55	74.0	17.45	Peak	354.00	300	Horizontal	Pass
1**	4997.250	44.01	54.0	9.99	AV	354.00	300	Horizontal	Pass
2	5150.000	54.2	74.0	19.80	Peak	195.00	200	Horizontal	Pass
2**	5150.000	44.71	54.0	9.29	AV	195.00	200	Horizontal	Pass

U-NII-2A 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.45	74.0	17.55	Peak	310.00	100	Horizontal	Pass
1**	5350.000	46.68	54.0	7.32	AV	310.00	100	Horizontal	Pass
2	5459.940	57.5	74.0	16.50	Peak	1.00	300	Horizontal	Pass
2**	5459.940	45.93	54.0	8.07	AV	1.00	300	Horizontal	Pass

U-NII-2A 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.318	56.81	74.0	17.19	Peak	32.00	100	Horizontal	Pass
1**	4997.318	44.03	54.0	9.97	AV	32.00	100	Horizontal	Pass
2	5150.000	52.35	74.0	21.65	Peak	133.00	300	Horizontal	Pass
2**	5150.000	46.13	54.0	7.87	AV	133.00	300	Horizontal	Pass

U-NII-2A 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.92	74.0	20.08	Peak	171.00	300	Horizontal	Pass
1**	5350.000	44.54	54.0	9.46	AV	171.00	300	Horizontal	Pass
2	5461.121	57.69	74.0	16.31	Peak	228.00	100	Horizontal	Pass
2**	5461.121	45.04	54.0	8.96	AV	228.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.412	56.72	74.0	17.28	Peak	194.00	300	Horizontal	Pass
1**	4998.412	45.62	54.0	8.38	AV	194.00	300	Horizontal	Pass
2	5150.000	55.03	74.0	18.97	Peak	228.00	100	Horizontal	Pass
2**	5150.000	44.17	54.0	9.83	AV	228.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.04	74.0	18.96	Peak	52.00	200	Horizontal	Pass
1**	5350.000	46.45	54.0	7.55	AV	52.00	200	Horizontal	Pass
2	5459.688	57.34	74.0	16.66	Peak	56.00	100	Horizontal	Pass
2**	5459.688	44.18	54.0	9.82	AV	56.00	100	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4995.961	55.62	74.0	18.38	Peak	156.00	200	Horizontal	Pass
1**	4995.961	46.04	54.0	7.96	AV	156.00	200	Horizontal	Pass
2	5150.000	53.53	74.0	20.47	Peak	53.00	100	Horizontal	Pass
2**	5150.000	44.19	54.0	9.81	AV	53.00	100	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.82	74.0	20.18	Peak	288.00	300	Horizontal	Pass
1**	5350.000	44.52	54.0	9.48	AV	288.00	300	Horizontal	Pass
2	5461.753	56.6	74.0	17.40	Peak	44.00	200	Horizontal	Pass
2**	5461.753	44.68	54.0	9.32	AV	44.00	200	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4997.451	54.43	74.0	19.57	Peak	234.00	300	Horizontal	Pass
1**	4997.451	43.37	54.0	10.63	AV	234.00	300	Horizontal	Pass
2	5150.000	54.67	74.0	19.33	Peak	315.00	200	Horizontal	Pass
2**	5150.000	43.15	54.0	10.85	AV	315.00	200	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.87	74.0	18.13	Peak	266.00	100	Horizontal	Pass
1**	5350.000	46.47	54.0	7.53	AV	266.00	100	Horizontal	Pass
2	5460.286	58.41	74.0	15.59	Peak	210.00	200	Horizontal	Pass
2**	5460.286	43.19	54.0	10.81	AV	210.00	200	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.968	54.38	74.0	19.62	Peak	26.00	300	Horizontal	Pass
1**	4996.968	45.49	54.0	8.51	AV	26.00	300	Horizontal	Pass
2	5150.000	54.18	74.0	19.82	Peak	221.00	100	Horizontal	Pass
2**	5150.000	45.9	54.0	8.10	AV	221.00	100	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.43	74.0	17.57	Peak	145.00	200	Horizontal	Pass
1**	5350.000	45.32	54.0	8.68	AV	145.00	200	Horizontal	Pass
2	5460.032	58.2	74.0	15.80	Peak	77.00	200	Horizontal	Pass
2**	5460.032	44.19	54.0	9.81	AV	77.00	200	Horizontal	Pass

U-NII-2A 11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4995.631	58.74	74.0	15.26	Peak	171.00	100	Horizontal	Pass
1**	4995.631	45.51	54.0	8.49	AV	171.00	100	Horizontal	Pass
2	5150.000	50.94	74.0	23.06	Peak	122.00	100	Horizontal	Pass
2**	5150.000	45.92	54.0	8.08	AV	122.00	100	Horizontal	Pass

U-NII-2A 11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.13	74.0	20.87	Peak	249.00	100	Horizontal	Pass
1**	5350.000	44.82	54.0	9.18	AV	249.00	100	Horizontal	Pass
2	5461.819	54.01	74.0	19.99	Peak	313.00	300	Horizontal	Pass
2**	5461.819	44.37	54.0	9.63	AV	313.00	300	Horizontal	Pass

U-NII-2A 11ax40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4994.905	58.58	74.0	15.42	Peak	10.00	200	Horizontal	Pass
1**	4994.905	45.29	54.0	8.71	AV	10.00	200	Horizontal	Pass
2	5150.000	51.21	74.0	22.79	Peak	199.00	100	Horizontal	Pass
2**	5150.000	45.11	54.0	8.89	AV	199.00	100	Horizontal	Pass

U-NII-2A 11ax40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	50.25	74.0	23.75	Peak	249.00	300	Horizontal	Pass
1**	5350.000	43.45	54.0	10.55	AV	249.00	300	Horizontal	Pass
2	5461.947	54.86	74.0	19.14	Peak	169.00	200	Horizontal	Pass
2**	5461.947	43.89	54.0	10.11	AV	169.00	200	Horizontal	Pass

U-NII-2A 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4995.131	58.75	74.0	15.25	Peak	132.00	300	Horizontal	Pass
1**	4995.131	42.85	54.0	11.15	AV	132.00	300	Horizontal	Pass
2	5150.000	49.4	74.0	24.60	Peak	358.00	300	Horizontal	Pass
2**	5150.000	45.17	54.0	8.83	AV	358.00	300	Horizontal	Pass

U-NII-2A 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	52.92	74.0	21.08	Peak	22.00	200	Horizontal	Pass
1**	5350.000	46.43	54.0	7.57	AV	22.00	200	Horizontal	Pass
2	5462.434	53.67	74.0	20.33	Peak	272.00	200	Horizontal	Pass
2**	5462.434	44.02	54.0	9.98	AV	272.00	200	Horizontal	Pass

U-NII-2C 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.683	57.96	74.0	16.04	Peak	82.00	100	Horizontal	Pass
1**	5412.893	44.19	54.0	9.81	AV	82.00	100	Horizontal	Pass
2	5460.000	53.62	74.0	20.38	Peak	312.00	200	Horizontal	Pass
2**	5460.000	45.23	54.0	8.77	AV	312.00	200	Horizontal	Pass
3	5466.642	56.62	68.2	11.58	Peak	335.00	200	Horizontal	Pass
3**	5467.822	46.41	--	--	AV	335.00	200	Horizontal	N/A
4	5470.000	54.59	68.2	13.61	Peak	191.00	300	Horizontal	Pass
4**	5470.000	46.42	--	--	AV	191.00	300	Horizontal	N/A

U-NII-2C 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.01	68.2	15.19	Peak	284.00	100	Horizontal	Pass
2	5777.531	56.02	68.2	12.18	Peak	49.00	300	Horizontal	Pass

U-NII-2C 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.785	57.35	74.0	16.65	Peak	110.00	300	Horizontal	Pass
1**	5412.010	45.03	54.0	8.97	AV	110.00	300	Horizontal	Pass
2	5460.000	57.38	74.0	16.62	Peak	123.00	100	Horizontal	Pass
2**	5460.000	45.81	54.0	8.19	AV	123.00	100	Horizontal	Pass
3	5468.291	57.79	68.2	10.41	Peak	359.00	100	Horizontal	Pass
3**	5467.064	47.89	--	--	AV	359.00	100	Horizontal	N/A
4	5470.000	55.72	68.2	12.48	Peak	114.00	100	Horizontal	Pass
4**	5470.000	47.53	--	--	AV	114.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.53	68.2	12.67	Peak	103.00	100	Horizontal	Pass
2	5776.816	56.42	68.2	11.78	Peak	339.00	200	Horizontal	Pass

U-NII-2C 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.378	55.16	74.0	18.84	Peak	67.00	100	Horizontal	Pass
1**	5411.339	46.28	54.0	7.72	AV	67.00	100	Horizontal	Pass
2	5460.000	54.67	74.0	19.33	Peak	264.00	300	Horizontal	Pass
2**	5460.000	44	54.0	10.00	AV	264.00	300	Horizontal	Pass
3	5468.755	55.19	68.2	13.01	Peak	292.00	200	Horizontal	Pass
3**	5467.492	48.07	--	--	AV	292.00	200	Horizontal	N/A
4	5470.000	55.5	68.2	12.70	Peak	350.00	100	Horizontal	Pass
4**	5470.000	44.49	--	--	AV	350.00	100	Horizontal	N/A

U-NII-2C 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.4	68.2	12.80	Peak	84.00	200	Horizontal	Pass
2	5776.831	55.69	68.2	12.51	Peak	20.00	100	Horizontal	Pass

U-NII-2C 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.978	58.15	74.0	15.85	Peak	92.00	300	Horizontal	Pass
1**	5410.984	42.79	54.0	11.21	AV	92.00	300	Horizontal	Pass
2	5460.000	55.28	74.0	18.72	Peak	321.00	100	Horizontal	Pass
2**	5460.000	46.65	54.0	7.35	AV	321.00	100	Horizontal	Pass
3	5467.988	55.86	68.2	12.34	Peak	317.00	200	Horizontal	Pass
3**	5468.594	45.34	--	--	AV	317.00	200	Horizontal	N/A
4	5470.000	53.3	68.2	14.90	Peak	258.00	300	Horizontal	Pass
4**	5470.000	47.96	--	--	AV	258.00	300	Horizontal	N/A

U-NII-2C 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.66	68.2	11.54	Peak	344.00	200	Horizontal	Pass
2	5777.157	57.91	68.2	10.29	Peak	59.00	300	Horizontal	Pass

U-NII-2C 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.476	57.46	74.0	16.54	Peak	61.00	200	Horizontal	Pass
1**	5412.276	43.01	54.0	10.99	AV	61.00	200	Horizontal	Pass
2	5460.000	53.98	74.0	20.02	Peak	183.00	300	Horizontal	Pass
2**	5460.000	46.78	54.0	7.22	AV	183.00	300	Horizontal	Pass
3	5466.688	57.46	68.2	10.74	Peak	344.00	100	Horizontal	Pass
3**	5466.668	45.16	--	--	AV	344.00	100	Horizontal	N/A
4	5470.000	54.94	68.2	13.26	Peak	359.00	100	Horizontal	Pass
4**	5470.000	47.62	--	--	AV	359.00	100	Horizontal	N/A

U-NII-2C 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.2	68.2	14.00	Peak	215.00	100	Horizontal	Pass
2	5777.562	55.06	68.2	13.14	Peak	0.00	200	Horizontal	Pass

U-NII-2C 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.921	58.78	74.0	15.22	Peak	287.00	200	Horizontal	Pass
1**	5410.416	44.42	54.0	9.58	AV	287.00	200	Horizontal	Pass
2	5460.000	55.78	74.0	18.22	Peak	272.00	200	Horizontal	Pass
2**	5460.000	43.87	54.0	10.13	AV	272.00	200	Horizontal	Pass
3	5468.523	55.36	68.2	12.84	Peak	351.00	300	Horizontal	Pass
3**	5466.659	46.09	--	--	AV	351.00	300	Horizontal	N/A
4	5470.000	53.23	68.2	14.97	Peak	8.00	100	Horizontal	Pass
4**	5470.000	44.05	--	--	AV	8.00	100	Horizontal	N/A

U-NII-2C 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.92	68.2	14.28	Peak	36.00	300	Horizontal	Pass
2	5775.684	55.09	68.2	13.11	Peak	231.00	100	Horizontal	Pass

U-NII-2C 11ac160 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.881	56.26	74.0	17.74	Peak	180.00	200	Horizontal	Pass
1**	5411.651	46.4	54.0	7.60	AV	180.00	200	Horizontal	Pass
2	5460.000	54.37	74.0	19.63	Peak	123.00	100	Horizontal	Pass
2**	5460.000	46.34	54.0	7.66	AV	123.00	100	Horizontal	Pass
3	5466.855	57.61	68.2	10.59	Peak	194.00	300	Horizontal	Pass
3**	5467.905	45.47	--	--	AV	194.00	300	Horizontal	N/A
4	5470.000	53.98	68.2	14.22	Peak	82.00	300	Horizontal	Pass
4**	5470.000	45.23	--	--	AV	82.00	300	Horizontal	N/A

U-NII-2C 11ac160 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.43	68.2	12.77	Peak	336.00	200	Horizontal	Pass
2	5775.264	58.48	68.2	9.72	Peak	134.00	300	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.354	55.6	74.0	18.40	Peak	71.00	300	Horizontal	Pass
1**	5410.421	44.46	54.0	9.54	AV	71.00	300	Horizontal	Pass
2	5460.000	53.82	74.0	20.18	Peak	11.00	200	Horizontal	Pass
2**	5460.000	44.45	54.0	9.55	AV	11.00	200	Horizontal	Pass
3	5468.811	57.61	68.2	10.59	Peak	48.00	200	Horizontal	Pass
3**	5466.968	45.03	--	--	AV	48.00	200	Horizontal	N/A
4	5470.000	53.47	68.2	14.73	Peak	256.00	300	Horizontal	Pass
4**	5470.000	47.1	--	--	AV	256.00	300	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.97	68.2	11.23	Peak	177.00	200	Horizontal	Pass
2	5776.118	58.69	68.2	9.51	Peak	47.00	200	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.476	57.83	74.0	16.17	Peak	164.00	300	Horizontal	Pass
1**	5412.695	46.38	54.0	7.62	AV	164.00	300	Horizontal	Pass
2	5460.000	55.58	74.0	18.42	Peak	318.00	200	Horizontal	Pass
2**	5460.000	47.65	54.0	6.35	AV	318.00	200	Horizontal	Pass
3	5468.739	55.34	68.2	12.86	Peak	227.00	200	Horizontal	Pass
3**	5466.047	47.73	--	--	AV	227.00	200	Horizontal	N/A
4	5470.000	56.34	68.2	11.86	Peak	169.00	300	Horizontal	Pass
4**	5470.000	47.29	--	--	AV	169.00	300	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.3	68.2	11.90	Peak	1.00	300	Horizontal	Pass
2	5775.803	57.22	68.2	10.98	Peak	158.00	300	Horizontal	Pass

U-NII-2C 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.629	55.58	74.0	18.42	Peak	97.00	100	Horizontal	Pass
1**	5411.281	42.73	54.0	11.27	AV	97.00	100	Horizontal	Pass
2	5460.000	56.77	74.0	17.23	Peak	111.00	300	Horizontal	Pass
2**	5460.000	44.21	54.0	9.79	AV	111.00	300	Horizontal	Pass
3	5468.041	57.12	68.2	11.08	Peak	145.00	100	Horizontal	Pass
3**	5467.305	45.74	--	--	AV	145.00	100	Horizontal	N/A
4	5470.000	56.41	68.2	11.79	Peak	63.00	200	Horizontal	Pass
4**	5470.000	47.15	--	--	AV	63.00	200	Horizontal	N/A

U-NII-2C 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.61	68.2	11.59	Peak	165.00	100	Horizontal	Pass
2	5775.314	58.71	68.2	9.49	Peak	70.00	100	Horizontal	Pass

U-NII-2C 11ax160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.234	58.19	74.0	15.81	Peak	151.00	300	Horizontal	Pass
1**	5411.152	43.41	54.0	10.59	AV	151.00	300	Horizontal	Pass
2	5460.000	55.01	74.0	18.99	Peak	19.00	300	Horizontal	Pass
2**	5460.000	46.81	54.0	7.19	AV	19.00	300	Horizontal	Pass
3	5467.472	58.57	68.2	9.63	Peak	253.00	100	Horizontal	Pass
3**	5465.997	44.46	--	--	AV	253.00	100	Horizontal	N/A
4	5470.000	53.97	68.2	14.23	Peak	211.00	100	Horizontal	Pass
4**	5470.000	47.65	--	--	AV	211.00	100	Horizontal	N/A

U-NII-2C 11ax160(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.89	68.2	14.31	Peak	247.00	200	Horizontal	Pass
2	5776.208	58.48	68.2	9.72	Peak	294.00	200	Horizontal	Pass

U-NII-2C 11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.406	56.58	74.0	17.42	Peak	204.00	300	Horizontal	Pass
1**	5410.895	46.16	54.0	7.84	AV	204.00	300	Horizontal	Pass
2	5460.000	55.13	74.0	18.87	Peak	7.00	100	Horizontal	Pass
2**	5460.000	44.3	54.0	9.70	AV	7.00	100	Horizontal	Pass
3	5468.069	54.75	68.2	13.45	Peak	172.00	300	Horizontal	Pass
3**	5466.163	44.45	--	--	AV	172.00	300	Horizontal	N/A
4	5470.000	56.26	68.2	11.94	Peak	325.00	100	Horizontal	Pass
4**	5470.000	47.65	--	--	AV	325.00	100	Horizontal	N/A

U-NII-2C 11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.95	68.2	14.25	Peak	202.00	100	Horizontal	Pass
2	5777.424	55.06	68.2	13.14	Peak	25.00	100	Horizontal	Pass

U-NII-2C 11ax40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.106	56.8	74.0	17.20	Peak	216.00	100	Horizontal	Pass
1**	5411.080	42.8	54.0	11.20	AV	216.00	100	Horizontal	Pass
2	5460.000	56.32	74.0	17.68	Peak	49.00	100	Horizontal	Pass
2**	5460.000	44.06	54.0	9.94	AV	49.00	100	Horizontal	Pass
3	5467.911	54.84	68.2	13.36	Peak	70.00	200	Horizontal	Pass
3**	5467.884	46.08	--	--	AV	70.00	200	Horizontal	N/A
4	5470.000	53	68.2	15.20	Peak	237.00	300	Horizontal	Pass
4**	5470.000	47.04	--	--	AV	237.00	300	Horizontal	N/A

U-NII-2C 11ax40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.51	68.2	13.69	Peak	154.00	200	Horizontal	Pass
2	5775.530	56.99	68.2	11.21	Peak	284.00	200	Horizontal	Pass

U-NII-2C 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.451	58.61	74.0	15.39	Peak	79.00	100	Horizontal	Pass
1**	5413.324	45.41	54.0	8.59	AV	79.00	100	Horizontal	Pass
2	5460.000	55.01	74.0	18.99	Peak	286.00	300	Horizontal	Pass
2**	5460.000	46.56	54.0	7.44	AV	286.00	300	Horizontal	Pass
3	5468.245	55.34	68.2	12.86	Peak	163.00	300	Horizontal	Pass
3**	5468.878	44.87	--	--	AV	163.00	300	Horizontal	N/A
4	5470.000	54.81	68.2	13.39	Peak	199.00	200	Horizontal	Pass
4**	5470.000	46	--	--	AV	199.00	200	Horizontal	N/A

U-NII-2C 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.42	68.2	13.78	Peak	73.00	200	Horizontal	Pass
2	5777.034	57.59	68.2	10.61	Peak	52.00	300	Horizontal	Pass

U-NII-2C 11ax160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.100	58.66	74.0	15.34	Peak	272.00	100	Horizontal	Pass
1**	5410.843	45.25	54.0	8.75	AV	272.00	100	Horizontal	Pass
2	5460.000	57.41	74.0	16.59	Peak	163.00	100	Horizontal	Pass
2**	5460.000	47.47	54.0	6.53	AV	163.00	100	Horizontal	Pass
3	5466.720	57.85	68.2	10.35	Peak	345.00	200	Horizontal	Pass
3**	5465.957	45.05	--	--	AV	345.00	200	Horizontal	N/A
4	5470.000	55.75	68.2	12.45	Peak	114.00	300	Horizontal	Pass
4**	5470.000	44.71	--	--	AV	114.00	300	Horizontal	N/A

U-NII-2C 11ax160(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.53	68.2	11.67	Peak	92.00	100	Horizontal	Pass
2	5776.519	58.02	68.2	10.18	Peak	193.00	200	Horizontal	Pass

U-NII-3 11a Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.295	55.52	68.2	12.68	Peak	175.00	200	Horizontal	Pass
2	5650.000	54.38	68.2	13.82	Peak	175.00	200	Horizontal	Pass

U-NII-3 11a High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.46	68.2	15.74	Peak	345.00	100	Horizontal	Pass
2	5942.279	58.27	68.2	9.93	Peak	59.00	300	Horizontal	Pass

U-NII-3 11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.152	61.29	68.2	6.91	Peak	7.00	200	Horizontal	Pass
2	5650.000	56.05	68.2	12.15	Peak	7.00	200	Horizontal	Pass

U-NII-3 11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.86	68.2	14.34	Peak	252.00	200	Horizontal	Pass
2	5729.784	64.61	68.2	3.59	Peak	2.00	300	Horizontal	Pass

U-NII-3 11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.901	59.66	68.2	8.54	Peak	63.00	300	Horizontal	Pass
2	5650.000	53.57	68.2	14.63	Peak	63.00	300	Horizontal	Pass

U-NII-3 11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.18	68.2	14.02	Peak	146.00	300	Horizontal	Pass
2	5728.128	64.71	68.2	3.49	Peak	285.00	100	Horizontal	Pass

U-NII-3 11ac20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.971	62.33	68.2	5.87	Peak	195.00	100	Horizontal	Pass
2	5650.000	56.04	68.2	12.16	Peak	195.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.2	68.2	13.00	Peak	126.00	100	Horizontal	Pass
2	5729.442	63.4	68.2	4.80	Peak	354.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.351	59.26	68.2	8.94	Peak	170.00	100	Horizontal	Pass
2	5650.000	53.86	68.2	14.34	Peak	170.00	100	Horizontal	Pass

U-NII-3 11ac40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.41	68.2	13.79	Peak	112.00	300	Horizontal	Pass
2	5728.815	62.42	68.2	5.78	Peak	311.00	300	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.695	60.39	68.2	7.81	Peak	12.00	300	Horizontal	Pass
2	5650.000	55.02	68.2	13.18	Peak	12.00	300	Horizontal	Pass

U-NII-3 11ac80 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.89	68.2	13.31	Peak	10.00	100	Horizontal	Pass
2	5728.099	63.17	68.2	5.03	Peak	80.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.828	58.78	68.2	9.42	Peak	107.00	300	Horizontal	Pass
2	5650.000	53.95	68.2	14.25	Peak	107.00	300	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.99	68.2	13.21	Peak	205.00	300	Horizontal	Pass
2	5728.524	63.87	68.2	4.33	Peak	281.00	100	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.215	62.29	68.2	5.91	Peak	353.00	200	Horizontal	Pass
2	5650.000	54.11	68.2	14.09	Peak	353.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.54	68.2	14.66	Peak	279.00	200	Horizontal	Pass
2	5729.116	61.64	68.2	6.56	Peak	95.00	300	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.163	58.49	68.2	9.71	Peak	61.00	200	Horizontal	Pass
2	5650.000	56.57	68.2	11.63	Peak	61.00	200	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.45	68.2	13.75	Peak	233.00	300	Horizontal	Pass
2	5728.691	63.57	68.2	4.63	Peak	177.00	300	Horizontal	Pass

U-NII-3 11ax20(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.506	59.87	68.2	8.33	Peak	86.00	200	Horizontal	Pass
2	5650.000	56.2	68.2	12.00	Peak	86.00	200	Horizontal	Pass

U-NII-3 11ax20(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.87	68.2	12.33	Peak	170.00	100	Horizontal	Pass
2	5727.197	62.77	68.2	5.43	Peak	122.00	100	Horizontal	Pass

U-NII-3 11ax40(RU26) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.795	59.03	68.2	9.17	Peak	64.00	100	Horizontal	Pass
2	5650.000	56.33	68.2	11.87	Peak	64.00	100	Horizontal	Pass

U-NII-3 11ax40(RU26) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.35	68.2	12.85	Peak	266.00	300	Horizontal	Pass
2	5727.206	64.6	68.2	3.60	Peak	311.00	200	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.252	59.17	68.2	9.03	Peak	31.00	200	Horizontal	Pass
2	5650.000	53.41	68.2	14.79	Peak	31.00	200	Horizontal	Pass

U-NII-3 11ax80(RU26) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.1	68.2	14.10	Peak	222.00	200	Horizontal	Pass
2	5729.271	64.18	68.2	4.02	Peak	101.00	300	Horizontal	Pass

U-NII-2C&U-NII-3 11a 144 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.722	56.32	74.0	17.68	Peak	42.00	200	Horizontal	Pass
1**	5413.044	44.99	54.0	9.01	AV	42.00	200	Horizontal	Pass
2	5460.000	54.24	74.0	19.76	Peak	229.00	300	Horizontal	Pass
2**	5460.000	45.71	54.0	8.29	AV	229.00	300	Horizontal	Pass
3	5467.931	58.29	68.2	9.91	Peak	19.00	200	Horizontal	Pass
3**	5466.250	46.46	--	--	AV	19.00	200	Horizontal	N/A
4	5470.000	55.78	68.2	12.42	Peak	180.00	300	Horizontal	Pass
4**	5470.000	46.48	--	--	AV	180.00	300	Horizontal	N/A

U-NII-2C&U-NII-3 11a 144 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.31	68.2	14.89	Peak	108.00	300	Horizontal	Pass
2	5940.332	56.17	69.2	13.03	Peak	255.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11n20 144 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.419	55.31	74.0	18.69	Peak	16.00	200	Horizontal	Pass
1**	5411.639	46.11	54.0	7.89	AV	16.00	200	Horizontal	Pass
2	5460.000	53.87	74.0	20.13	Peak	94.00	100	Horizontal	Pass
2**	5460.000	46.27	54.0	7.73	AV	94.00	100	Horizontal	Pass
3	5466.111	57.36	68.2	10.84	Peak	220.00	200	Horizontal	Pass
3**	5466.847	46.06	--	--	AV	220.00	200	Horizontal	N/A
4	5470.000	56.62	68.2	11.58	Peak	16.00	100	Horizontal	Pass
4**	5470.000	45.75	--	--	AV	16.00	100	Horizontal	N/A

U-NII-2C&U-NII-3 11n20 144 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.91	68.2	12.29	Peak	108.00	300	Horizontal	Pass
2	5939.363	56.62	69.2	12.58	Peak	255.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11n40 142 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.743	57.76	74.0	16.24	Peak	77.00	300	Horizontal	Pass
1**	5410.577	45.54	54.0	8.46	AV	77.00	300	Horizontal	Pass
2	5460.000	55.05	74.0	18.95	Peak	131.00	200	Horizontal	Pass
2**	5460.000	46.65	54.0	7.35	AV	131.00	200	Horizontal	Pass
3	5467.616	56.4	68.2	11.80	Peak	31.00	300	Horizontal	Pass
3**	5467.682	46.64	--	--	AV	31.00	300	Horizontal	N/A
4	5470.000	53.82	68.2	14.38	Peak	167.00	300	Horizontal	Pass
4**	5470.000	47	--	--	AV	167.00	300	Horizontal	N/A

U-NII-2C&U-NII-3 11n40 142 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.83	68.2	14.37	Peak	108.00	300	Horizontal	Pass
2	5940.123	57.23	69.2	11.97	Peak	255.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ac20 144 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.687	55.55	74.0	18.45	Peak	5.00	300	Horizontal	Pass
1**	5411.343	42.67	54.0	11.33	AV	5.00	300	Horizontal	Pass
2	5460.000	55.89	74.0	18.11	Peak	343.00	100	Horizontal	Pass
2**	5460.000	43.89	54.0	10.11	AV	343.00	100	Horizontal	Pass
3	5466.396	55.09	68.2	13.11	Peak	17.00	200	Horizontal	Pass
3**	5467.666	45.08	--	--	AV	17.00	200	Horizontal	N/A
4	5470.000	53.2	68.2	15.00	Peak	60.00	300	Horizontal	Pass
4**	5470.000	47.14	--	--	AV	60.00	300	Horizontal	N/A

U-NII-2C&U-NII-3 11ac20 144 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.29	68.2	14.91	Peak	108.00	300	Horizontal	Pass
2	5939.913	55.67	68.2	12.53	Peak	255.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ac40 142 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.056	58.35	74.0	15.65	Peak	331.00	300	Horizontal	Pass
1**	5411.897	44.71	54.0	9.29	AV	331.00	300	Horizontal	Pass
2	5460.000	54.66	74.0	19.34	Peak	190.00	200	Horizontal	Pass
2**	5460.000	45.24	54.0	8.76	AV	190.00	200	Horizontal	Pass
3	5467.841	54.64	68.2	13.56	Peak	229.00	300	Horizontal	Pass
3**	5466.298	47.48	--	--	AV	229.00	300	Horizontal	N/A
4	5470.000	54.92	68.2	13.28	Peak	93.00	100	Horizontal	Pass
4**	5470.000	46.67	--	--	AV	93.00	100	Horizontal	N/A

U-NII-2C&U-NII-3 11ac40 142 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.61	68.2	15.59	Peak	108.00	300	Horizontal	Pass
2	5939.065	55.55	69.2	13.65	Peak	255.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ac80 138 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.365	58.6	74.0	15.40	Peak	70.00	300	Horizontal	Pass
1**	5410.486	46.11	54.0	7.89	AV	70.00	300	Horizontal	Pass
2	5460.000	56.59	74.0	17.41	Peak	151.00	100	Horizontal	Pass
2**	5460.000	43.95	54.0	10.05	AV	151.00	100	Horizontal	Pass
3	5466.652	56.46	68.2	11.74	Peak	112.00	100	Horizontal	Pass
3**	5468.751	46.02	--	--	AV	112.00	100	Horizontal	N/A
4	5470.000	54.76	68.2	13.44	Peak	137.00	200	Horizontal	Pass
4**	5470.000	47.43	--	--	AV	137.00	200	Horizontal	N/A

U-NII-2C&U-NII-3 11ac80 138 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.59	68.2	12.61	Peak	108.00	300	Horizontal	Pass
2	5940.035	56.57	69.2	12.63	Peak	255.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ax20(SU) 144 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.906	56.54	74.0	17.46	Peak	207.00	100	Horizontal	Pass
1**	5412.224	42.63	54.0	11.37	AV	207.00	100	Horizontal	Pass
2	5460.000	55.89	74.0	18.11	Peak	345.00	100	Horizontal	Pass
2**	5460.000	45.11	54.0	8.89	AV	345.00	100	Horizontal	Pass
3	5467.412	57.82	68.2	10.38	Peak	205.00	100	Horizontal	Pass
3**	5466.943	45.76	--	--	AV	205.00	100	Horizontal	N/A
4	5470.000	55.4	68.2	12.80	Peak	253.00	200	Horizontal	Pass
4**	5470.000	45.19	--	--	AV	253.00	200	Horizontal	N/A

U-NII-2C&U-NII-3 11ax20(SU) 144 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	52.61	68.2	15.59	Peak	108.00	300	Horizontal	Pass
2	5939.857	56.86	69.2	12.34	Peak	255.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ax40(SU) 142 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.922	56.83	74.0	17.17	Peak	30.00	100	Horizontal	Pass
1**	5412.438	45.4	54.0	8.60	AV	30.00	100	Horizontal	Pass
2	5460.000	56.27	74.0	17.73	Peak	47.00	200	Horizontal	Pass
2**	5460.000	44.45	54.0	9.55	AV	47.00	200	Horizontal	Pass
3	5467.406	57.13	68.2	11.07	Peak	73.00	200	Horizontal	Pass
3**	5467.566	47.21	--	--	AV	73.00	200	Horizontal	N/A
4	5470.000	55.25	68.2	12.95	Peak	174.00	300	Horizontal	Pass
4**	5470.000	47.51	--	--	AV	174.00	300	Horizontal	N/A

U-NII-2C&U-NII-3 11ax40(SU) 142 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.69	68.2	12.51	Peak	108.00	300	Horizontal	Pass
2	5941.505	54.78	69.2	14.42	Peak	255.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ax80(SU) 138 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.360	58.2	74.0	15.80	Peak	277.00	100	Horizontal	Pass
1**	5411.075	44.77	54.0	9.23	AV	277.00	100	Horizontal	Pass
2	5460.000	57.37	74.0	16.63	Peak	277.00	200	Horizontal	Pass
2**	5460.000	44.07	54.0	9.93	AV	277.00	200	Horizontal	Pass
3	5467.073	56.3	68.2	11.90	Peak	181.00	100	Horizontal	Pass
3**	5468.250	45.22	--	--	AV	181.00	100	Horizontal	N/A
4	5470.000	53.78	68.2	14.42	Peak	344.00	100	Horizontal	Pass
4**	5470.000	44.27	--	--	AV	344.00	100	Horizontal	N/A

U-NII-2C&U-NII-3 11ax80(SU) 138 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.74	68.2	14.46	Peak	108.00	300	Horizontal	Pass
2	5941.325	55.9	69.2	13.30	Peak	255.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ax20(RU26) 144 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5411.029	58.47	74.0	15.53	Peak	113.00	200	Horizontal	Pass
1**	5410.412	43.46	54.0	10.54	AV	113.00	200	Horizontal	Pass
2	5460.000	54.28	74.0	19.72	Peak	262.00	100	Horizontal	Pass
2**	5460.000	45.06	54.0	8.94	AV	262.00	100	Horizontal	Pass
3	5466.812	56.41	68.2	11.79	Peak	117.00	300	Horizontal	Pass
3**	5468.692	46.32	--	--	AV	117.00	300	Horizontal	N/A
4	5470.000	56.4	68.2	11.80	Peak	202.00	200	Horizontal	Pass
4**	5470.000	45.49	--	--	AV	202.00	200	Horizontal	N/A

U-NII-2C&U-NII-3 11ax20(RU26) 144 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.66	68.2	14.54	Peak	108.00	300	Horizontal	Pass
2	5940.084	57.54	69.2	11.66	Peak	255.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ax40(RU26) 142 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5412.153	55.14	74.0	18.86	Peak	336.00	300	Horizontal	Pass
1**	5411.405	45.45	54.0	8.55	AV	336.00	300	Horizontal	Pass
2	5460.000	56.42	74.0	17.58	Peak	198.00	200	Horizontal	Pass
2**	5460.000	45.2	54.0	8.80	AV	198.00	200	Horizontal	Pass
3	5468.491	55.56	68.2	12.64	Peak	339.00	100	Horizontal	Pass
3**	5468.320	45.67	--	--	AV	339.00	100	Horizontal	N/A
4	5470.000	54.11	68.2	14.09	Peak	290.00	300	Horizontal	Pass
4**	5470.000	46.76	--	--	AV	290.00	300	Horizontal	N/A

U-NII-2C&U-NII-3 11ax40(RU26) 142 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	53.1	68.2	15.10	Peak	108.00	300	Horizontal	Pass
2	5941.347	55.05	69.2	14.15	Peak	255.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ax80(RU26) 138 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.572	58.14	74.0	15.86	Peak	95.00	100	Horizontal	Pass
1**	5411.880	43.51	54.0	10.49	AV	95.00	100	Horizontal	Pass
2	5460.000	53.95	74.0	20.05	Peak	276.00	200	Horizontal	Pass
2**	5460.000	44.6	54.0	9.40	AV	276.00	200	Horizontal	Pass
3	5468.718	57.79	68.2	10.41	Peak	137.00	200	Horizontal	Pass
3**	5466.265	46.64	--	--	AV	137.00	200	Horizontal	N/A
4	5470.000	55.34	68.2	12.86	Peak	87.00	300	Horizontal	Pass
4**	5470.000	45.01	--	--	AV	87.00	300	Horizontal	N/A

U-NII-2C&U-NII-3 11ax80(RU26) 138 Channel

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.14	68.2	14.06	Peak	108.00	300	Horizontal	Pass
2	5941.077	56.1	69.2	13.10	Peak	255.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ24B0764-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ24B0764-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ24B0764-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--