

bluetooth headset finished product (silver/UTEL) -1006E260105B01

NO.	No.	name	specification	quantity
1	2007E260040B10	UTEL-E26 bluetooth semi manufactured	silver (PCB03/new BC4)	1
2	2011820B3010H1	bluetooth headset round pin charger (RoHS/CE)	TRAVEL CHARGER (EU standard/5V/500mA)	1
3	31950800001500	USB cable for the charger (E26)	8P	1
4	3502E260130000	E26 blister packing	three pieces in one unit	1
5	3503E260100010	E26 user manual (Chinese/English)	general without logo	1
6	35043052450000	film bags (RoHS)	305*245mm(L*W)	1
7	3505E260000050	E26 bluetooth headset packing front inlay card	UTEL (English)	1
8	3505E260000051	E26 bluetooth headset packing backside inlay card	UTEL (English)	1
9	39147735826500	carton for E26 (20pcs/ctn)	77*35.8*26.5 (5 layers)	0.050000001

E26 semi-manufactured goods -2007E260040B10

序号	No.	name	specification	quantity
10	2001E260015000	E26 bluetooth part PCB	PCB03	1
11	2001E2600MP300	E26 MP3 part PCB	PCB03	1
12	316024000370F0	24MHz crystal for insert (round)	2*6mm(Φ*L)20pF 20PPM	1
13	31703007553020	E26 speaker (RoHS)	impedance: 64Ω Φ30mm (line length: Φ0.5*45mm*2)	2
14	31714015106021	H21 bluetooth MIC	4*1.5mm(Φ*H) -60±2dB(line length: 20±2mm)	1
15	32211000095000	E26 bluetooth flat line with 10 core(RoHS)	550mm(black)	1
16	3400E260271050	E26 bluetooth part front cover (RoHS)	black with UV paint	1
17	3400E260271B50	E26 bluetooth part front cover decoration (RoHS)	silver with UV paint	1
18	3400E260281000	E26 bluetooth part backside cover(RoHS)	black with UV paint	1
19	3400E26M271050	E26 MP3 part front cover (RoHS)	black with UV paint	1
20	3400E26M271B50	E26 MP3 part front cover (RoHS)	silver+UV+silk screen (UTEL) +laser engrave	1
21	3400E26M281000	E26 MP3 part backside cover (RoHS)	black with UV paint	1
22	3403E260026000	E26 bluetooth part main button (RoHS)	silver +UV+silk-screen (UTEL) +laser engrave	1
23	3403E26M026000	E26 MP3 part volume "+" key (RoHS)	silver+UV	1
24	3403E26M026010	E26 MP3 part volume "-" key (RoHS)	silver+UV	1
25	3403E26M026020	E26 MP3 part song selected button (previous) (RoHS)	silver+UV	1
26	3403E26M026030	E26 MP3 part song selected button (next) (RoHS)	silver+UV	1
27	3403E26M026040	E26 MP3 part pause key (RoHS)	silver+UV	1
28	3405E26M000000	E26 MP3 part USB jack (RoHS)	black (TPU 60 degree)	1
29	3405E26M010000	E26 MP3 part TF card jack(RoHS)	black (TPU 60 degree)	1
30	3420E260900000	E26 top conneting pieces (RoHS)	black without paint	1
31	3420E260900001	E26 bottom conneting pieces (L) (RoHS)	black without paint	1
32	3420E260900002	E26 bottom conneting pieces (R) (RoHS)	black without paint	1

33	3420E260900003	E26 headphone gasket for left & right track (RoHS)		2
34	3420E260900004	E26 sponge cover for left & right track (RoHS)		2
35	3420H210910006	T11/H21bluetooth headset MIC cover (RoHS)		1
36	34610170504213	* Cross recessed contersunk head taaaing screws (ROHS)	Φ1.7*5FA (silver)	4
37	34610180501331	E26 socket head screw (RoHS)	Φ1.85*5.3mm nut: 3.3mm(black)	6
38	36038900372010	890 bluetooth headset lithium battery (withouth protect board)	460mAh(043040A)(line length: 25±2mm)(with two core connector jack)	1

E26 MP3 part PCB-2001E2600MP300

序号	No.	name	specification	quantity
39	30010003010402	SMT resistance 0R	0402±5% 1/16W	2
40	30010003110603	SMT resistance 0R	0603±5% 1/10W	1
41	30011013110603	SMT resistance 101R	0603±5% 1/10W	1
42	30011023010402	SMT resistance 1K	0402±5% 1/16W	1
43	30011033010402	SMT resistance 10K	0402±5% 1/16W	4
44	30011033110603	SMT resistance 10K	0603±5% 1/10W	1
45	30011053010402	SMT resistance 1M	0402±5% 1/16W	1
46	30012003010402	SMT resistance 20R	0402±5% 1/16W	2
47	30012023010402	SMT resistance 2K	0402±5% 1/16W	1
48	30012203110603	SMT resistance 22R	0603±5% 1/10W	2
49	30012213010402	SMT resistance 221R	0402±5% 1/16W	1
50	30012223110603	SMT resistance 2K2	0603±5% 1/10W	1
51	30012243010402	SMT resistance 220K	0402±5% 1/16W	1
52	30014733010402	SMT resistance 47K	0402±5% 1/16W	9
53	300147A3110603	SMT resistance 4R7	0603±5% 1/10W	1
54	30015133010402	SMT resistance 51K	0402±5% 1/16W	4
55	30015623110603	SMT resistance 5K6	0603±5% 1/10W	1
56	30016221120603	SMT exact resistance 6K2	0603±1% 1/10W	1
57	30021015510402	SMT capacitance 101P	0402±5% 50V	1
58	30021026530402	SMT capacitance 102P	0402±10% 50V	2
59	30021036530402	SMT capacitance 103P	0402±10% 25V	2
60	30021049500402	SMT capacitance 104P	0402+80%-20% 16V	9
61	30021059500402	SMT capacitance 105P	0402+80%-20% 6V3	4
62	30021059500603	SMT capacitance 105P	0603+80%-20% 16V	1
63	30021505510603	SMT capacitance 15P	0603±5% 50V	2
64	30022249500402	SMT capacitance 224P	0402+80%-20% 10V	10
65	30022249500603	SMT capacitance 224P	0603+80%-20% 50V	1
66	3004106623A000	SMT Ta electrolyte 10uF	type A ±10% 16V	2

67	3004227703B000	SMT Ta electrolyte 220uF	type B ±20% 4V	2
68	3004476713B000	SMT Ta electrolyte 47uF	type B±20% 10V	7
69	30061064030805	SMT stack inductance 10uH	0805 ±10%	3
70	30062264030805	SMT stack inductance 22uH	0805 ±10%	3
71	30104148001206	SMT diode LL4148(round)	1206	6
72	30130200000603	SMT LBD (blue)	0603	1
73	3020BC847C4000	SMTdynatron BC847CW	SOT-323	1
74	3030102CT09000	SMT radio reception module5767	SCT-102CT	1
75	30309K1G08C000	SMT memorizer HY27UT084/8G2M	512M(TSOP-48)	1
76	3030CU75154000	SMT control chip ACU7515	QFN-80	1
77	303106P1521000	SMT LDO XC6206P152M	SOT-23	1
78	30319193302000	SMT LDO RT9193-30	(3.0V)SOT23-5	1
79	31500100500000	SMT touch switch	4.2*4.2*0.3mm	5
80	31921000080000	E16 TF card base	detecting feet: Vss	1
81	31940452600100	insert mini USB mother base	8P	1
82	33020000030000	8320 base QC sticker		1
83	3600E260MP3003	E26 MP3 part PCB	No.: E260MP3003	1

E26 bluetooth part PCB-2001E260015000

序号	No.	Name	Specification	ration quantity
84	2001T110015005	T11 bluetooth headset PCB	PCB05/new BC4 /to be module	1
85	30010003010402	SMT resistance 0R	0402±5% 1/16W	5
86	30010003210805	SMT resistance 0R	0805±5% 1/8W	1
87	30011013010402	SMT resistance 101R	0402±5% 1/16W	1
88	30011033010402	SMT resistance 10K	0402±5% 1/16W	1
89	30011043010402	SMT resistance 100K	0402±5% 1/16W	1
90	300110A3210805	SMT resistance 1R	0805±5% 1/8W	1
91	30011823010402	SMT resistance 1K8	0402±5% 1/16W	2
92	30012223010402	SMT resistance 2K2	0402±5% 1/16W	1
93	30012223110603	SMT resistance 2K2	0603±5% 1/10W	1
94	30012243010402	SMT resistance 220K	0402±5% 1/16W	1
95	30013313010402	SMT resistance 331R	0402±5% 1/16W	4
96	30014713110603	SMT resistance 471R	0603±5% 1/10W	1
97	30014733010402	SMT resistance 47K	0402±5% 1/16W	1
98	30021026530402	SMTcapacitance 102P	0402±10% 50V	1
99	30021036530402	SMTcapacitance 103P	0402±10% 25V	1
100	30021049500402	SMTcapacitance 104P	0402+80%-20% 16V	3

101	30021049500603	SMTcapacitance 104P	0603+80%-20% 50V	1
102	30021059500402	SMTcapacitance 105P	0402+80%-20% 6V3	1
103	30022249500402	SMTcapacitance 224P	0402+80%-20% 10V	1
104	30024749500402	SMTcapacitance 474P	0402+80%-20% 10V	1
105	30041066010805	SMTNickel capacitance 106P (thin/0.85mm)	0805±10% 6V3	2
106	30042256140805	SMTNickel capacitance 225P(thin)	0805±10% 10V	1
107	3010S404000805	SMT SBD ISS404	0805	1
108	30130100000603	SMT LBD (red)	0603	1
109	30130200000603	SMT LBD (blue)	0603	1
110	30130600000603	SMT LBD (green)	0603	1
111	30202N85501000	SMT dynatron 2N8550	SOT-23	1
112	3020BC847C4000	SMT dynatron BC847CW	SOT-323	1
113	3020R5421N1000	SMT dynatron R5421N	SOT23-6	1
114	3021CH8601J000	MOSFET ECH8601	ECH8	1
115	3030VA72052000	SMT integration VA7205	SSOP-8	1
116	30319193302000	SMT LDO RT9193-30	(3.0V)SOT23-5	1
117	31500101100000	SMT touch switch (T11S)	4*3*2mm(with fix pole)	1
118	31921500020000	SMT connector jack (826)	1.25*2P	1
119	31932500001020	6 feet SMTheadset connector jack (826)	Φ2.5mm PJ-242	1
120	33020000030000	8320 base QC sticker		1
121	3600E260BT0003	E26 bluetooth part PCB	No.: E260BT0003	1