







802.11b / Ant. 2 / 2412 MHz




802.11b / Ant. 2 / 2437 MHz




802.11b / Ant. 2 / 2462 MHz



802.11g / Ant. 2 / 2412 MHz




Date: 8.DEC.2023 14:22:52




Date: 8.DEC.2023 14:23:33

802.11g / Ant. 2 / 2437 MHz




Date: 8.DEC.2023 14:37:51




Date: 8.DEC.2023 14:38:22

802.11g / Ant. 2 / 2462 MHz




Date: 8.DEC.2023 14:46:30




Date: 8.DEC.2023 14:47:11

802.11ax (20 MHz) / Ant. 2 / 2412 MHz




Date: 15.DEC.2023 12:05:14




Date: 15.DEC.2023 12:05:55

802.11ax (20 MHz) / Ant. 2 / 2437 MHz




Date: 15.DEC.2023 12:07:22




Date: 15.DEC.2023 12:07:53

802.11ax (20 MHz) / Ant. 2 / 2462 MHz




Date: 15.DEC.2023 12:12:42




Date: 15.DEC.2023 12:13:23

802.11ax (40 MHz) / Ant. 2 / 2422 MHz




Date: 8.DEC.2023 15:30:32




Date: 8.DEC.2023 15:31:13

802.11ax (40 MHz) / Ant. 2 / 2437 MHz




Date: 8.DEC.2023 15:36:47




Date: 8.DEC.2023 15:37:18


802.11ax (40 MHz) / Ant. 2 / 2452 MHz




Date: 8.DEC.2023 15:49:26




Date: 8.DEC.2023 15:50:07

802.11b / Ant. 1 / 2412 MHz (Band Edge)


Date: 8.DEC.2023 13:41:56

802.11b / Ant. 1 / 2462 MHz (Band Edge)


Date: 8.DEC.2023 13:44:22

802.11g / Ant. 1 / 2412 MHz (Band Edge)


Date: 8.DEC.2023 14:24:43

802.11g / Ant. 1 / 2462 MHz (Band Edge)

Date: 8.DEC.2023 14:45:02


802.11ax (20 MHz) / Ant. 1 / 2412 MHz (Band Edge)

Date: 15.DEC.2023 12:04:07


802.11ax (20 MHz) / Ant. 1 / 2462 MHz (Band Edge)

Date: 15.DEC.2023 12:10:57


802.11ax (40 MHz) / Ant. 1 / 2422 MHz (Band Edge)




802.11ax (40 MHz) / Ant. 1 / 2452 MHz (Band Edge)




802.11b / Ant. 2 / 2412 MHz (Band Edge)




802.11b / Ant. 2 / 2462 MHz (Band Edge)



802.11g / Ant. 2 / 2412 MHz (Band Edge)




802.11g / Ant. 2 / 2462 MHz (Band Edge)




802.11ax (20 MHz) / Ant. 2 / 2412 MHz (Band Edge)




802.11ax (20 MHz) / Ant. 2 / 2462 MHz (Band Edge)



802.11ax (40 MHz) / Ant. 2 / 2422 MHz (Band Edge)



802.11ax (40 MHz) / Ant. 2 / 2452 MHz (Band Edge)




Appendix F. Test Result of Transmitter Radiated Spurious Emission

30 MHz ~ 1 GHz

Mode 1: EUT + Adapter


Site :HC-CB02
Condition :3m Horizontal
Mode :LF_ax40_TX_2422MHz
Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level		
				dB	dBuV	dB	
1	68.123	30.54	40.00	-9.46	35.25	-4.71	QP
2	154.122	30.12	43.50	-13.38	34.51	-4.39	QP
3	252.124	37.12	46.00	-8.88	43.00	-5.88	QP
4	322.126	32.43	46.00	-13.57	36.07	-3.64	QP
5	377.166	30.51	46.00	-15.49	32.96	-2.45	QP
6	502.127	34.67	46.00	-11.33	34.40	0.27	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LF_ax40_TX_2422MHz
Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level		
				dB	dBuV	dB	
1	47.119	34.22	40.00	-5.78	37.30	-3.08	QP
2	151.247	30.94	43.50	-12.56	35.25	-4.31	QP
3	248.123	33.17	46.00	-12.83	39.05	-5.88	QP
4	306.256	33.70	46.00	-12.30	37.79	-4.09	QP
5	386.213	30.07	46.00	-15.93	32.29	-2.22	QP
6	495.124	33.06	46.00	-12.94	32.79	0.27	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Mode 2: EUT + PoE


Site :HC-CB02
Condition :3m Horizontal
Mode :LF_ax40_TX_2422MHz
Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	108.764	31.79	43.50	-11.71	37.54	-5.75	QP
2	155.567	31.68	43.50	-11.82	34.23	-2.55	QP
3	249.996	35.50	46.00	-10.50	39.23	-3.73	QP
4	320.952	34.00	46.00	-12.00	35.35	-1.35	QP
5	416.060	28.16	46.00	-17.84	27.16	1.00	QP
6	624.998	34.14	46.00	-11.86	28.42	5.72	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :LF_ax40_TX_2422MHz
Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	46.393	37.12	40.00	-2.88	38.85	-1.73	QP
2	249.996	29.10	46.00	-16.90	32.83	-3.73	QP
3	320.806	34.89	46.00	-11.11	36.26	-1.37	QP
4	419.116	28.03	46.00	-17.97	26.91	1.12	QP
5	723.259	33.49	46.00	-12.51	26.10	7.39	QP
6	949.754	32.76	46.00	-13.24	22.09	10.67	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.
5. The other emission levels were very low against the limit.

Above 1 GHz

Site :HC-CB02
Condition :3m Horizontal
Mode :b_TX_2412MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2382.500	52.01	74.00	-21.99	40.14	11.87	Peak
2	2411.200	104.59	-----	-----	92.57	12.02	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :b_TX_2412MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2385.200	39.22	54.00	-14.78	27.34	11.88	Average
2	2411.300	101.83	-----	-----	89.81	12.02	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :b_TX_2412MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2386.500	54.41	74.00	-19.59	42.52	11.89	Peak
2	2413.000	113.53	-----	-----	101.50	12.03	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :b_TX_2412MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2385.700	43.13	54.00	-10.87	31.24	11.89	Average
2	2411.300	110.02	-----	-----	98.00	12.02	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :b_TX_2412MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	47.30	74.00	-26.70	61.98	-14.68	Peak
2	7236.000	49.31	74.00	-24.69	57.26	-7.95	Peak
3	9648.000	50.32	74.00	-23.68	54.80	-4.48	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :b_TX_2412MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	53.40	54.00	-0.60	68.08	-14.68	Average
2	4824.000	56.50	74.00	-17.50	71.18	-14.68	Peak
3	7236.000	47.40	74.00	-26.60	55.35	-7.95	Peak
4	9648.000	50.00	74.00	-24.00	54.48	-4.48	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :b_TX_2437MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2385.900	50.98	74.00	-23.02	39.09	11.89	Peak
2	2436.300	106.05	-----	-----	93.90	12.15	Peak
3	2492.600	51.68	74.00	-22.32	39.23	12.45	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :b_TX_2437MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2386.000	36.67	54.00	-17.33	24.78	11.89	Average
2	2436.300	103.53	-----	-----	91.38	12.15	Average
3	2499.200	37.18	54.00	-16.82	24.69	12.49	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :b_TX_2437MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2374.200	53.83	74.00	-20.17	42.00	11.83	Peak
2	2436.300	115.17	-----	-----	103.02	12.15	Peak
3	2496.800	54.67	74.00	-19.33	42.20	12.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :b_TX_2437MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2385.300	40.58	54.00	-13.42	28.70	11.88	Average
2	2436.300	111.36	-----	-----	99.21	12.15	Average
3	2498.600	39.83	54.00	-14.17	27.34	12.49	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :b_TX_2437MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	48.85	74.00	-25.15	63.33	-14.48	Peak
2	7311.000	47.91	74.00	-26.09	55.79	-7.88	Peak
3	9748.000	49.39	74.00	-24.61	53.67	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :b_TX_2437MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	53.21	54.00	-0.79	67.69	-14.48	Average
2	4874.000	53.74	74.00	-20.26	68.22	-14.48	Peak
3	7311.000	47.84	74.00	-26.16	55.72	-7.88	Peak
4	9748.000	49.44	74.00	-24.56	53.72	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :b_TX_2462MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2462.800	105.15	-----	-----	92.85	12.30	Peak
2	2491.000	53.03	74.00	-20.97	40.59	12.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :b_TX_2462MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2462.800	102.50	-----	-----	90.20	12.30	Average
2	2491.000	39.92	54.00	-14.08	27.48	12.44	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :b_TX_2462MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.300	114.15	-----	-----	101.86	12.29	Peak
2	2499.400	54.77	74.00	-19.23	42.28	12.49	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :b_TX_2462MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.300	111.56	-----	-----	99.27	12.29	Average
2	2499.800	45.34	54.00	-8.66	32.85	12.49	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :b_TX_2462MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	47.39	74.00	-26.61	61.67	-14.28	Peak
2	7386.000	49.49	74.00	-24.51	57.28	-7.79	Peak
3	9848.000	50.50	74.00	-23.50	54.58	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :b_TX_2462MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	53.72	54.00	-0.28	68.00	-14.28	Average
2	4924.000	56.57	74.00	-17.43	70.85	-14.28	Peak
3	7386.000	47.92	74.00	-26.08	55.71	-7.79	Peak
4	9848.000	50.78	74.00	-23.22	54.86	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :g_TX_2412MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.700	63.21	74.00	-10.79	51.30	11.91	Peak
2	2410.700	110.39	-----	-----	98.37	12.02	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :g_TX_2412MHz
Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	45.09	54.00	-8.91	33.18	11.91	Average
2	2411.100	100.59	-----	-----	88.57	12.02	Average


Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.800	68.99	74.00	-5.01	57.08	11.91	Peak
2	2411.200	118.73	-----	-----	106.71	12.02	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2390.000	53.54	54.00	-0.46	41.63	11.91	Average
2	2410.500	107.89	-----	-----	95.87	12.02	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	43.95	74.00	-30.05	58.63	-14.68	Peak
2	7236.000	49.22	74.00	-24.78	57.17	-7.95	Peak
3	9648.000	50.14	74.00	-23.86	54.62	-4.48	Peak


Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4824.000	51.25	74.00	-22.75	65.93	-14.68	Peak
2	7236.000	49.79	74.00	-24.21	57.74	-7.95	Peak
3	9648.000	49.38	74.00	-24.62	53.86	-4.48	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :g_TX_2437MHz
Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2387.800	59.94	74.00	-14.06	48.04	11.90	Peak
2	2438.000	114.69	-----	-----	102.52	12.17	Peak
3	2489.800	64.45	74.00	-9.55	52.01	12.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :g_TX_2437MHz
Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.500	43.62	54.00	-10.38	31.71	11.91	Average
2	2438.000	104.46	-----	-----	92.29	12.17	Average
3	2484.300	45.54	54.00	-8.46	33.13	12.41	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :g_TX_2437MHz
Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2386.900	71.82	74.00	-2.18	59.93	11.89	Peak
2	2438.000	121.78	-----	-----	109.61	12.17	Peak
3	2488.300	70.59	74.00	-3.41	58.16	12.43	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :g_TX_2437MHz
Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.800	53.36	54.00	-0.64	41.45	11.91	Average
2	2438.100	110.14	-----	-----	97.97	12.17	Average
3	2483.700	50.77	54.00	-3.23	38.36	12.41	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :g_TX_2437MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	44.80	74.00	-29.20	59.28	-14.48	Peak
2	7311.000	53.69	74.00	-20.31	61.57	-7.88	Peak
3	9748.000	49.12	74.00	-24.88	53.40	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :g_TX_2437MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	52.71	74.00	-21.29	67.19	-14.48	Peak
2	7311.000	53.80	74.00	-20.20	61.68	-7.88	Peak
3	9748.000	48.25	74.00	-25.75	52.53	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :g_TX_2462MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.000	112.52	-----	-----	100.23	12.29	Peak
2	2484.200	60.48	74.00	-13.52	48.07	12.41	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :g_TX_2462MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.000	102.78	-----	-----	90.49	12.29	Average
2	2483.600	46.25	54.00	-7.75	33.85	12.40	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :g_TX_2462MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2460.000	119.34	-----	-----	107.06	12.28	Peak
2	2483.600	68.13	74.00	-5.87	55.73	12.40	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :g_TX_2462MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2460.300	109.17	-----	-----	96.88	12.29	Average
2	2483.600	53.63	54.00	-0.37	41.23	12.40	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :g_TX_2462MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	44.13	74.00	-29.87	58.41	-14.28	Peak
2	7386.000	50.74	74.00	-23.26	58.53	-7.79	Peak
3	9848.000	49.91	74.00	-24.09	53.99	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :g_TX_2462MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	51.40	74.00	-22.60	65.68	-14.28	Peak
2	7386.000	50.84	74.00	-23.16	58.63	-7.79	Peak
3	9848.000	50.06	74.00	-23.94	54.14	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :ax20_TX_2412MHz
Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.400	65.52	74.00	-8.48	53.61	11.91	Peak
2	2413.800	112.20	-----	-----	100.16	12.04	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :ax20_TX_2412MHz
Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.300	46.03	54.00	-7.97	34.12	11.91	Average
2	2411.100	99.55	-----	-----	87.53	12.02	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Vertical
Mode :ax20_TX_2412MHz
Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.841	72.32	74.00	-1.68	60.41	11.91	Peak
2	2415.507	119.12	-----	-----	107.07	12.05	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Vertical
Mode :ax20_TX_2412MHz
Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.551	53.45	54.00	-0.55	41.54	11.91	Average
2	2412.609	105.80	-----	-----	93.77	12.03	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :ax20_TX_2412MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	42.91	74.00	-31.09	57.59	-14.68	Peak
2	7236.000	47.57	74.00	-26.43	55.52	-7.95	Peak
3	9648.000	49.01	74.00	-24.99	53.49	-4.48	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :ax20_TX_2412MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	48.46	74.00	-25.54	63.14	-14.68	Peak
2	7236.000	47.38	74.00	-26.62	55.33	-7.95	Peak
3	9648.000	48.72	74.00	-25.28	53.20	-4.48	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :ax20_TX_2437MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2387.300	59.83	74.00	-14.17	47.94	11.89	Peak
2	2436.600	115.51	-----	-----	103.36	12.15	Peak
3	2498.900	60.14	74.00	-13.86	47.70	12.44	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :ax20_TX_2437MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.900	43.11	54.00	-10.89	31.20	11.91	Average
2	2436.300	103.11	-----	-----	90.96	12.15	Average
3	2484.500	43.43	54.00	-10.57	31.02	12.41	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :ax20_TX_2437MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2387.102	71.42	74.00	-2.58	59.53	11.89	Peak
2	2435.217	123.06	-----	-----	110.91	12.15	Peak
3	2486.522	66.79	74.00	-7.21	54.38	12.41	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :ax20_TX_2437MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	52.96	54.00	-1.04	41.05	11.91	Average
2	2434.927	108.32	-----	-----	96.17	12.15	Average
3	2483.600	48.72	54.00	-5.28	36.32	12.40	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :ax20_TX_2437MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	44.62	74.00	-29.38	59.10	-14.48	Peak
2	7311.000	53.93	74.00	-20.07	61.81	-7.88	Peak
3	9748.000	49.17	74.00	-24.83	53.45	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :ax20_TX_2437MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4874.000	52.17	74.00	-21.83	66.65	-14.48	Peak
2	7311.000	53.81	74.00	-20.19	61.69	-7.88	Peak
3	9748.000	48.06	74.00	-25.94	52.34	-4.28	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :ax20_TX_2462MHz
Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2460.100	114.06	-----	-----	101.78	12.28	Peak
2	2484.500	64.18	74.00	-9.82	51.77	12.41	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :ax20_TX_2462MHz
Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2462.800	101.08	-----	-----	88.78	12.30	Average
2	2484.600	47.05	54.00	-6.95	34.64	12.41	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Vertical
Mode :ax20_TX_2462MHz
Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.014	120.07	-----	-----	107.78	12.29	Peak
2	2483.333	68.95	74.00	-5.05	56.55	12.40	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Vertical
Mode :ax20_TX_2462MHz
Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2461.014	107.93	-----	-----	95.64	12.29	Average
2	2483.700	53.48	54.00	-0.52	41.07	12.41	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :ax20_TX_2462MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	44.61	74.00	-29.39	58.89	-14.28	Peak
2	7386.000	50.02	74.00	-23.98	57.81	-7.79	Peak
3	9848.000	50.25	74.00	-23.75	54.33	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :ax20_TX_2462MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4924.000	51.21	74.00	-22.79	65.49	-14.28	Peak
2	7386.000	51.47	74.00	-22.53	59.26	-7.79	Peak
3	9848.000	49.38	74.00	-24.62	53.46	-4.08	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :ax40_TX_2422MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.200	57.61	74.00	-16.39	45.71	11.90	Peak
2	2425.000	109.00	-----	-----	96.90	12.10	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :ax40_TX_2422MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2390.000	44.51	54.00	-9.49	32.60	11.91	Average
2	2420.200	95.79	-----	-----	83.72	12.07	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Vertical
Mode :ax40_TX_2422MHz
Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2389.130	66.58	74.00	-7.42	54.67	11.91	Peak
2	2421.304	115.37	-----	-----	103.30	12.07	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Vertical
Mode :ax40_TX_2422MHz
Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.841	53.76	54.00	-0.24	41.85	11.91	Average
2	2421.014	103.83	-----	-----	91.76	12.07	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :ax40_TX_2422MHz
Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4844.000	42.01	74.00	-31.99	56.61	-14.60	Peak
2	7266.000	47.01	74.00	-26.99	54.94	-7.93	Peak
3	9688.000	48.65	74.00	-25.35	53.05	-4.40	Peak


Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :ax40_TX_2422MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4844.000	44.55	74.00	-29.45	59.15	-14.60	Peak
2	7266.000	48.13	74.00	-25.87	56.06	-7.93	Peak
3	9688.000	49.10	74.00	-24.90	53.50	-4.40	Peak


Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.




Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.



Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.




Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.



Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :ax40_TX_2437MHz
Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	42.22	74.00	-31.78	56.70	-14.48	Peak
2	7311.000	47.28	74.00	-26.72	55.16	-7.88	Peak
3	9748.000	48.42	74.00	-25.58	52.70	-4.28	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Vertical
Mode :ax40_TX_2437MHz
Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	42.12	74.00	-31.88	56.60	-14.48	Peak
2	7311.000	46.64	74.00	-27.36	54.52	-7.88	Peak
3	9748.000	48.18	74.00	-25.82	52.46	-4.28	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :ax40_TX_2452MHz
Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2447.500	110.03	-----	-----	97.81	12.22	Peak
2	2484.700	61.53	74.00	-12.47	49.12	12.41	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
Condition :3m Horizontal
Mode :ax40_TX_2452MHz
Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2450.100	97.04	-----	-----	84.82	12.22	Average
2	2484.400	48.00	54.00	-6.00	35.59	12.41	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :ax40_TX_2452MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2448.841	115.90	-----	-----	103.68	12.22	Peak
2	2485.362	64.39	74.00	-9.61	51.98	12.41	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :ax40_TX_2452MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2451.449	104.26	-----	-----	92.02	12.24	Average
2	2484.203	53.44	54.00	-0.56	41.03	12.41	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Horizontal
Mode :ax40_TX_2452MHz
Test By :Nelson




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4904.000	43.03	74.00	-30.97	57.39	-14.36	Peak
2	7356.000	47.22	74.00	-26.78	55.05	-7.83	Peak
3	9808.000	49.24	74.00	-24.76	53.40	-4.16	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
Condition :3m Vertical
Mode :ax40_TX_2452MHz
Test By :Nelson



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4904.000	47.12	74.00	-26.88	61.48	-14.36	Peak
2	7356.000	47.87	74.00	-26.13	55.70	-7.83	Peak
3	9808.000	49.24	74.00	-24.76	53.40	-4.16	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.