



Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5220MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5140.550	67.42	74.00	-6.58	43.96	23.46	Peak
2	5220.950	124.54	-----	-----	101.02	23.52	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5220MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	53.22	54.00	-0.78	29.75	23.47	Average
2	5220.650	114.99	-----	-----	91.47	23.52	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5220MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10440.000	65.53	68.20	-2.67	68.94	-3.41	Peak
2	15660.000	53.45	74.00	-20.55	50.55	2.90	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5220MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10440.000	64.34	68.20	-3.86	67.75	-3.41	Peak
2	15660.000	53.91	74.00	-20.09	51.01	2.90	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5240MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5142.050	61.42	74.00	-12.58	37.95	23.47	Peak
2	5242.400	121.01	-----	-----	97.48	23.53	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5240MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5082.650	44.24	54.00	-9.76	20.81	23.43	Average
2	5241.950	111.24	-----	-----	87.71	23.53	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5240MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.250	70.47	74.00	-3.53	47.00	23.47	Peak
2	5238.950	127.89	-----	-----	104.36	23.53	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5240MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.550	49.77	54.00	-4.23	26.30	23.47	Average
2	5239.100	117.48	-----	-----	93.95	23.53	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5240MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10488.000	66.62	68.20	-1.58	69.99	-3.37	Peak
2	15720.000	53.70	74.00	-20.30	50.81	2.89	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5240MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10488.000	65.69	68.20	-2.51	69.06	-3.37	Peak
2	15720.000	46.33	54.00	-7.67	43.44	2.89	Average
3	15720.000	57.41	74.00	-16.59	54.52	2.89	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5260MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5262.300	120.82	-----	-----	97.27	23.55	Peak
2	5352.300	67.06	74.00	-6.94	43.45	23.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5260MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5262.300	110.93	-----	-----	87.38	23.55	Average
2	5356.500	47.42	54.00	-6.58	23.81	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5260MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5258.850	128.62	-----	-----	105.07	23.55	Peak
2	5359.350	72.85	74.00	-1.15	49.23	23.62	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5260MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5259.000	118.43	-----	-----	94.88	23.55	Average
2	5353.950	52.45	54.00	-1.55	28.84	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5260MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10520.000	66.90	68.20	-1.30	70.23	-3.33	Peak
2	15780.000	53.38	74.00	-20.62	50.50	2.88	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5260MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10520.000	66.94	68.20	-1.26	70.27	-3.33	Peak
2	15780.000	53.64	74.00	-20.36	50.76	2.88	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5300MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5301.450	116.88	-----	-----	93.31	23.57	Peak
2	5351.550	63.64	74.00	-10.36	40.03	23.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5300MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5301.750	107.28	-----	-----	83.71	23.57	Average
2	5352.150	44.50	54.00	-9.50	20.89	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5300MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5299.500	125.23	-----	-----	101.66	23.57	Peak
2	5350.650	69.80	74.00	-4.20	46.19	23.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5300MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5299.200	115.41	-----	-----	91.84	23.57	Average
2	5350.200	52.70	54.00	-1.30	29.09	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5300MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10600.000	50.17	54.00	-3.83	53.38	-3.21	Average
2	10600.000	65.77	74.00	-8.23	68.98	-3.21	Peak
3	15900.000	52.31	74.00	-21.69	49.45	2.86	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5300MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10600.000	50.17	54.00	-3.83	53.38	-3.21	Average
2	10600.000	64.24	74.00	-9.76	67.45	-3.21	Peak
3	15900.000	51.86	74.00	-22.14	49.00	2.86	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5300MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5322.750	114.66	-----	-----	91.07	23.59	Peak
2	5351.700	62.35	74.00	-11.65	38.74	23.61	Peak


Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5300MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5322.000	105.05	-----	-----	81.46	23.59	Average
2	5352.150	46.23	54.00	-7.77	22.62	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.




Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5500MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	57.79	74.00	-16.21	34.11	23.68	Peak
2	5468.250	60.43	68.20	-7.77	36.75	23.68	Peak
3	5498.000	113.83	-----	-----	90.13	23.70	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5500MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	48.25	54.00	-5.75	24.57	23.68	Average
2	5498.000	103.82	-----	-----	80.12	23.70	Average

Note:
 2. Level = Read Level + Factor
 3. Factor = Antenna Factor + Cable Loss - Preamp Factor
 4. Over Limit = Level - Limit Line
 5. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 6. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5500MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5452.675	61.63	74.00	-12.37	37.96	23.67	Peak
2	5461.425	67.51	68.20	-0.69	43.83	23.68	Peak
3	5501.150	119.84	-----	-----	96.14	23.70	Peak


Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5500MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	50.39	54.00	-3.61	26.71	23.68	Average
2	5500.975	110.36	-----	-----	86.66	23.70	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.






Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5700MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
-----	MHz	dBuV/m	dBuV/m	-----	dB	dBuV	-----
1	5697.675	114.14	-----	-----	89.82	24.32	Peak
2	5726.725	60.26	68.20	-7.94	35.84	24.42	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5700MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
-----	MHz	dBuV/m	dBuV/m	-----	dB	dBuV	-----
1	5701.000	122.42	-----	-----	98.09	24.33	Peak
2	5731.450	67.39	68.20	-0.81	42.96	24.43	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5700MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
-----	MHz	dBuV/m	dBuV/m	-----	dB	dBuV	-----
1	11400.000	52.10	74.00	-21.90	54.01	-1.91	Peak
2	17100.000	59.05	68.20	-9.15	68.96	-1.91	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5700MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
-----	MHz	dBuV/m	dBuV/m	-----	dB	dBuV	-----
1	11400.000	50.30	74.00	-23.70	52.21	-1.91	Peak
2	17100.000	59.78	68.20	-8.42	58.33	1.45	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5720MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	11440.000	51.12	74.00	-22.88	52.95	-1.83	Peak
2	17160.000	58.62	68.20	-9.58	57.13	1.49	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5720MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	11440.000	50.97	74.00	-23.03	52.80	-1.83	Peak
2	17160.000	59.45	68.20	-8.75	57.96	1.49	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5745MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5644.500	56.62	68.20	-11.58	32.46	24.16	Peak
2	5654.000	56.65	71.17	-14.52	32.46	24.19	Peak
3	5724.750	90.71	121.63	-30.92	66.31	24.40	Peak
4	5744.500	117.43	-----	-----	92.95	24.48	Peak
5	5868.500	58.23	107.02	-48.79	33.37	24.86	Peak
6	5923.750	56.63	69.13	-12.50	31.60	25.03	Peak
7	6015.500	57.26	68.20	-10.94	31.90	25.36	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5745MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5644.000	60.88	68.20	-7.32	36.72	24.16	Peak
2	5654.000	65.78	71.17	-5.39	41.59	24.19	Peak
3	5724.750	100.55	121.63	-21.08	76.15	24.40	Peak
4	5744.000	127.00	-----	-----	102.52	24.48	Peak
5	5853.750	60.51	113.65	-53.14	35.69	24.82	Peak
6	5920.500	58.50	71.54	-13.04	33.47	25.03	Peak
7	5936.750	58.68	68.20	-9.52	33.60	25.08	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5745MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	11490.000	53.83	74.00	-20.17	55.58	-1.75	Peak
2	17235.000	66.31	68.20	-1.89	64.77	1.54	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5745MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	11490.000	51.60	74.00	-22.40	53.35	-1.75	Peak
2	17235.000	67.31	68.20	-0.89	65.77	1.54	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5785MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	5644.000	56.28	68.20	-11.92	32.12	24.16	Peak
2	5652.250	55.11	69.87	-14.76	30.94	24.17	Peak
3	5724.750	66.82	121.63	-54.81	42.42	24.40	Peak
4	5784.500	117.30	-----	-----	92.70	24.60	Peak
5	5855.750	63.81	110.59	-46.78	38.99	24.82	Peak
6	5922.500	56.34	70.06	-13.72	31.31	25.03	Peak
7	5957.750	57.35	68.20	-10.85	32.21	25.14	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5785MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	5625.000	60.28	68.20	-7.92	36.18	24.18	Peak
2	5654.500	58.81	71.54	-12.73	34.62	24.19	Peak
3	5723.500	75.45	118.78	-43.33	51.05	24.48	Peak
4	5783.500	126.31	-----	-----	101.72	24.59	Peak
5	5854.000	74.22	113.08	-38.86	49.48	24.82	Peak
6	5921.000	59.50	71.17	-11.67	34.47	25.03	Peak
7	5943.250	59.73	68.20	-8.47	34.62	25.11	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5785MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
-----	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	-----
1	11570.000	53.65	74.00	-20.35	55.34	-1.69	Peak
2	17355.000	66.41	68.20	-1.79	64.78	1.63	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5785MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
-----	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	-----
1	11570.000	52.63	74.00	-21.37	54.32	-1.69	Peak
2	17355.000	67.61	68.20	-0.59	65.98	1.63	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5825MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
-----	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	-----
1	5647.500	55.59	68.20	-12.61	31.43	24.16	Peak
2	5654.000	54.33	71.17	-16.84	30.14	24.19	Peak
3	5665.500	57.01	79.68	-22.67	32.79	24.22	Peak
4	5824.750	117.01	-----	-----	92.29	24.72	Peak
5	5855.250	79.40	110.73	-31.33	54.58	24.82	Peak
6	5921.250	56.13	70.98	-14.85	31.10	25.03	Peak
7	5958.000	58.66	68.20	-9.54	33.52	25.14	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5825MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
-----	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	-----
1	5584.250	58.39	68.20	-9.81	34.42	23.97	Peak
2	5654.250	57.43	71.35	-13.92	33.24	24.19	Peak
3	5664.750	60.35	79.12	-18.77	36.13	24.22	Peak
4	5824.000	125.97	-----	-----	101.25	24.72	Peak
5	5852.750	92.74	115.93	-23.19	67.92	24.82	Peak
6	5922.750	59.66	69.87	-10.21	34.63	25.03	Peak
7	5926.000	60.45	68.20	-7.75	35.48	25.05	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :a_TX_5825MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	11650.000	53.69	74.00	-20.31	55.34	-1.65	Peak
2	17475.000	66.48	68.20	-1.72	64.78	1.70	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :a_TX_5825MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	11650.000	52.31	74.00	-21.69	53.96	-1.65	Peak
2	17475.000	67.69	68.20	-0.51	65.99	1.70	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5180MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5147.900	59.73	74.00	-14.27	36.26	23.47	Peak
2	5182.700	118.31	-----	-----	94.81	23.50	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5180MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5148.200	46.65	54.00	-7.35	23.18	23.47	Average
2	5178.050	105.40	-----	-----	81.91	23.49	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5180MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	5146.700	66.61	74.00	-7.39	43.14	23.47	Peak
2	5181.800	119.15	-----	-----	95.66	23.49	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5180MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	5146.700	52.64	54.00	-1.36	29.17	23.47	Average
2	5181.800	110.67	-----	-----	87.18	23.49	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5180MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	10360.000	66.17	68.20	-2.03	69.65	-3.48	Peak
2	15540.000	52.07	74.00	-21.93	49.15	2.92	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5180MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	10360.000	63.63	68.20	-4.57	67.11	-3.48	Peak
2	15540.000	53.90	74.00	-20.10	50.98	2.92	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5220MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5143.400	63.19	74.00	-10.81	39.72	23.47	Peak
2	5213.450	119.80	-----	-----	96.29	23.51	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5220MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5148.050	49.37	54.00	-4.63	25.90	23.47	Average
2	5217.950	107.27	-----	-----	83.75	23.52	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5220MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5144.600	71.58	74.00	-2.42	48.11	23.47	Peak
2	5222.750	122.79	-----	-----	99.27	23.52	Peak


Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5220MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.850	53.59	54.00	-0.41	30.12	23.47	Average
2	5222.300	111.16	-----	-----	87.64	23.52	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.




Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5240MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.250	67.94	74.00	-6.06	44.47	23.47	Peak
2	5244.050	126.23	-----	-----	102.70	23.53	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5240MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.100	47.83	54.00	-6.17	24.36	23.47	Average
2	5238.950	114.83	-----	-----	91.30	23.53	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5240MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10480.000	65.78	68.20	-2.42	69.15	-3.37	Peak
2	15720.000	53.64	74.00	-20.36	50.75	2.89	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5240MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10480.000	66.11	68.20	-2.09	69.48	-3.37	Peak
2	15720.000	45.28	54.00	-8.72	42.39	2.89	Average
3	15720.000	57.42	74.00	-16.58	54.53	2.89	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5260MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5261.400	119.52	-----	-----	95.97	23.55	Peak
2	5351.400	61.16	74.00	-12.84	37.55	23.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5260MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5261.550	108.12	-----	-----	84.57	23.55	Average
2	5351.700	45.22	54.00	-8.78	21.61	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5260MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5258.700	128.21	-----	-----	104.66	23.55	Peak
2	5354.250	68.71	74.00	-5.29	45.10	23.61	Peak


Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5260MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5259.150	115.48	-----	-----	91.93	23.55	Average
2	5353.950	51.87	54.00	-2.13	28.26	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.




Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5300MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5299.050	125.53	-----	-----	101.96	23.57	Peak
2	5353.800	73.31	74.00	-0.69	49.70	23.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5300MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5299.050	113.73	-----	-----	90.16	23.57	Average
2	5353.800	52.87	54.00	-1.13	29.26	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5300MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	10600.000	52.65	54.00	-1.35	55.86	-3.21	Average
2	10600.000	64.44	74.00	-9.56	67.65	-3.21	Peak
3	15900.000	51.14	74.00	-22.86	48.28	2.86	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5300MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	10600.000	47.89	54.00	-6.11	51.10	-3.21	Average
2	10600.000	62.59	74.00	-11.41	65.80	-3.21	Peak
3	15900.000	53.46	74.00	-20.54	50.60	2.86	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5320MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5326.650	115.34	-----	-----	91.75	23.59	Peak
2	5351.400	61.19	74.00	-12.81	37.58	23.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5320MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5321.400	103.93	-----	-----	80.34	23.59	Average
2	5351.550	46.24	54.00	-7.76	22.63	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5320MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5319.300	122.37	-----	-----	98.78	23.59	Peak
2	5353.650	69.03	74.00	-4.97	45.42	23.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5320MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5318.850	110.42	-----	-----	86.83	23.59	Average
2	5350.000	52.19	54.00	-1.81	28.59	23.60	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5320MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10640.000	52.55	54.00	-1.45	55.69	-3.14	Average
2	10640.000	65.90	74.00	-8.10	69.04	-3.14	Peak
3	15960.000	52.90	74.00	-21.10	50.05	2.85	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5320MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10640.000	48.01	54.00	-5.99	51.15	-3.14	Average
2	10640.000	62.96	74.00	-11.04	66.10	-3.14	Peak
3	15960.000	53.65	74.00	-20.35	50.88	2.85	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5500MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	57.08	74.00	-16.92	33.40	23.68	Peak
2	5465.625	59.12	68.20	-9.08	35.45	23.67	Peak
3	5501.500	113.53	-----	-----	89.83	23.70	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5500MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	48.64	54.00	-5.36	24.96	23.68	Average
2	5496.775	100.72	-----	-----	77.02	23.70	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5500MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5458.975	63.83	74.00	-10.17	40.15	23.68	Peak
2	5469.650	65.60	68.20	-2.60	41.92	23.68	Peak
3	5499.225	119.65	-----	-----	95.95	23.70	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5500MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	52.78	54.00	-1.22	29.10	23.68	Average
2	5499.225	108.54	-----	-----	84.84	23.70	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5500MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11000.000	50.83	74.00	-23.17	53.40	-2.57	Peak
2	16500.000	57.88	68.20	-10.32	55.84	2.04	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5500MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11000.000	50.06	74.00	-23.94	52.63	-2.57	Peak
2	16500.000	58.76	68.20	-9.44	56.72	2.04	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5580MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5456.700	56.05	74.00	-17.95	32.37	23.68	Peak
2	5467.725	56.59	68.20	-11.61	32.91	23.68	Peak
3	5582.000	116.92	-----	-----	92.96	23.96	Peak
4	5731.100	58.20	68.20	-10.00	33.77	24.43	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5580MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	45.14	54.00	-8.86	21.46	23.68	Average
2	5581.825	105.84	-----	-----	81.88	23.96	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5580MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5418.900	59.96	74.00	-14.04	36.31	23.65	Peak
2	5469.125	61.91	68.20	-6.29	38.23	23.68	Peak
3	5578.850	125.43	-----	-----	101.48	23.95	Peak
4	5731.800	60.49	68.20	-7.71	36.06	24.43	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5580MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.850	50.20	54.00	-3.80	26.52	23.68	Average
2	5578.850	113.90	-----	-----	89.95	23.95	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5580MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11160.000	50.81	74.00	-23.19	53.12	-2.31	Peak
2	16740.000	58.26	68.20	-9.94	56.54	1.72	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5580MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11160.000	50.33	74.00	-23.67	52.64	-2.31	Peak
2	16740.000	58.17	68.20	-10.03	56.45	1.72	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5700MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5699.425	115.02	-----	-----	98.69	24.33	Peak
2	5725.150	64.17	68.20	-4.03	39.75	24.42	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5700MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5701.875	123.10	-----	-----	98.77	24.33	Peak
2	5726.375	66.60	68.20	-1.60	42.18	24.42	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5700MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11400.000	50.44	74.00	-23.56	52.35	-1.91	Peak
2	17100.000	58.09	68.20	-10.11	56.64	1.45	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5700MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11400.000	50.89	74.00	-23.91	52.00	-1.91	Peak
2	17100.000	58.54	68.20	-9.66	57.09	1.45	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5720MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11400.000	51.06	74.00	-22.94	52.89	-1.83	Peak
2	17100.000	58.18	68.20	-10.02	56.73	1.45	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5720MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11400.000	50.53	74.00	-23.47	52.36	-1.83	Peak
2	17100.000	58.54	68.20	-9.66	57.09	1.45	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5745MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5565.500	55.06	68.20	-13.14	31.16	23.90	Peak
2	5653.500	55.23	70.80	-15.57	31.04	24.19	Peak
3	5722.500	85.23	116.50	-31.27	60.83	24.40	Peak
4	5741.250	116.95	—	—	92.49	24.46	Peak
5	5867.250	57.35	107.37	-50.02	32.49	24.86	Peak
6	5922.000	57.11	70.43	-13.32	32.08	25.03	Peak
7	6033.500	56.54	68.20	-11.66	31.08	25.46	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5745MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5647.750	60.03	68.20	-8.17	35.86	24.17	Peak
2	5653.750	60.20	70.98	-10.78	36.01	24.19	Peak
3	5724.000	97.78	119.92	-22.14	73.38	24.40	Peak
4	5748.500	125.31	—	—	100.82	24.49	Peak
5	5854.250	60.19	112.51	-52.32	35.37	24.82	Peak
6	5923.000	57.96	69.69	-11.73	32.93	25.03	Peak
7	5931.000	58.32	68.20	-9.88	33.25	25.07	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5745MHz
 Test by :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11490.000	51.39	74.00	-22.61	53.14	-1.75	Peak
2	17235.000	64.16	68.20	-4.04	62.62	1.54	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5745MHz
 Test by :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11490.000	52.17	74.00	-21.83	53.92	-1.75	Peak
2	17235.000	65.64	68.20	-2.56	64.10	1.54	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5785MHz
 Test By :Nelson




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5641.750	54.52	68.20	-13.68	30.37	24.15	Peak
2	5651.750	54.24	69.50	-15.26	30.07	24.17	Peak
3	5723.750	62.58	119.35	-56.77	38.18	24.40	Peak
4	5784.250	117.08	—	—	92.48	24.60	Peak
5	5854.000	62.59	113.08	-50.49	37.77	24.82	Peak
6	5923.750	55.02	69.13	-14.11	29.99	25.03	Peak
7	5979.750	56.19	68.20	-12.01	36.97	25.22	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5785MHz
 Test By :Nelson




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5625.500	59.33	68.20	-8.87	35.22	24.11	Peak
2	5655.000	58.85	71.91	-13.86	33.86	24.19	Peak
3	5724.500	70.94	121.86	-50.12	46.54	24.48	Peak
4	5780.000	123.63	—	—	99.04	24.59	Peak
5	5870.500	69.56	106.46	-36.90	44.69	24.87	Peak
6	5921.750	57.90	70.61	-12.71	32.87	25.03	Peak
7	5940.000	59.16	68.20	-9.04	34.07	25.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5785MHz
 Test by :Nelson




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11570.000	53.85	74.00	-20.15	55.54	-1.69	Peak
2	17355.000	64.52	68.20	-3.68	62.89	1.63	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5785MHz
 Test by :Nelson




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11570.000	51.97	74.00	-22.03	53.66	-1.69	Peak
2	17355.000	65.95	68.20	-2.25	64.32	1.63	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax20_TX_5825MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	11650.000	53.31	74.00	-28.69	54.96	-1.65	Peak
2	17475.000	64.79	68.20	-3.41	63.09	1.70	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax20_TX_5825MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	11650.000	51.71	74.00	-22.29	53.36	-1.65	Peak
2	17475.000	66.60	68.20	-1.60	64.90	1.70	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5190MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5149.400	57.65	74.00	-16.35	34.18	23.47	Peak
2	5179.250	109.04	-----	-----	85.55	23.49	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5190MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5149.850	45.39	54.00	-8.61	21.92	23.47	Average
2	5188.850	98.09	-----	-----	74.59	23.50	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5190MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.400	65.81	74.00	-8.19	42.34	23.47	Peak
2	5189.150	118.24	-----	-----	94.74	23.50	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5190MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	53.61	54.00	-0.39	30.14	23.47	Average
2	5189.300	106.39	-----	-----	82.89	23.50	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5190MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10380.000	50.41	68.20	-17.79	53.87	-3.46	Peak
2	15570.000	53.37	74.00	-20.63	50.45	2.92	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5190MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10380.000	49.95	68.20	-18.25	53.41	-3.46	Peak
2	15570.000	52.99	74.00	-21.01	50.07	2.92	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5230MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.100	60.48	74.00	-13.52	37.01	23.47	Peak
2	5224.100	113.60	-----	-----	90.07	23.53	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5230MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.100	45.89	54.00	-8.11	22.42	23.47	Average
2	5228.900	102.28	-----	-----	78.75	23.53	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5230MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.250	69.55	74.00	-4.45	46.08	23.47	Peak
2	5228.900	122.16	-----	-----	98.63	23.53	Peak



Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5230MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.250	53.42	54.00	-0.58	29.95	23.47	Average
2	5228.900	110.86	-----	-----	87.33	23.53	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.




Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5270MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
-----	MHz	dBuV/m	dBuV/m	-----	dB	dBuV	-----
1	5268.750	123.12	-----	-----	99.57	23.55	Peak
2	5354.250	72.43	74.00	-1.57	48.82	23.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5270MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
-----	MHz	dBuV/m	dBuV/m	-----	dB	dBuV	-----
1	5269.200	109.89	-----	-----	86.34	23.55	Average
2	5353.950	52.85	54.00	-1.15	29.24	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5270MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
-----	MHz	dBuV/m	dBuV/m	-----	dB	dBuV	-----
1	10540.000	51.57	68.20	-16.63	54.87	-3.30	Peak
2	15810.000	53.57	74.00	-20.43	50.69	2.88	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5270MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
-----	MHz	dBuV/m	dBuV/m	-----	dB	dBuV	-----
1	10540.000	50.71	68.20	-17.49	54.01	-3.30	Peak
2	15810.000	53.52	74.00	-20.48	50.64	2.88	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5310MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5311.200	112.12	-----	-----	88.54	23.58	Peak
2	5351.700	58.06	74.00	-15.94	34.45	23.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5310MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5311.500	99.02	-----	-----	75.44	23.58	Average
2	5351.550	45.57	54.00	-8.43	21.96	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5310MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5308.800	119.41	-----	-----	95.83	23.58	Peak
2	5353.950	64.68	74.00	-9.32	41.07	23.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5310MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m		dB	dBuV	
1	5309.100	107.27	-----	-----	83.69	23.58	Average
2	5350.050	53.62	54.00	-0.38	30.01	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.




Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5510MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.500	61.26	74.00	-12.74	37.58	23.68	Peak
2	5469.125	67.14	68.20	-1.06	43.46	23.68	Peak
3	5509.200	117.32	-----	-----	93.59	23.73	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5510MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.500	46.50	54.00	-7.50	22.82	23.68	Average
2	5509.200	105.13	-----	-----	81.40	23.73	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5510MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11020.000	49.73	74.00	-24.27	52.27	-2.54	Peak
2	16530.000	52.93	68.20	-15.27	50.93	2.00	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5510MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11020.000	49.39	74.00	-24.61	51.93	-2.54	Peak
2	16530.000	52.06	68.20	-16.14	50.06	2.00	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5550MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.675	57.96	74.00	-16.04	34.28	23.68	Peak
2	5469.475	58.21	68.20	-9.99	34.53	23.68	Peak
3	5554.350	110.90	-----	-----	87.03	23.87	Peak
4	5733.200	56.46	68.20	-11.74	32.03	24.43	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5550MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5429.925	46.66	54.00	-7.34	23.00	23.66	Average
2	5549.275	99.92	-----	-----	76.06	23.86	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5550MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.500	64.68	74.00	-9.32	41.00	23.68	Peak
2	5468.775	65.97	68.20	-2.23	42.29	23.68	Peak
3	5548.925	120.46	-----	-----	96.60	23.86	Peak
4	5748.250	57.95	68.20	-10.25	33.46	24.49	Peak



Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5550MHz
 Test By :Nelson




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5430.100	50.79	54.00	-3.21	27.13	23.66	Average
2	5549.100	108.37	-----	-----	84.51	23.86	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.




Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5670MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	11340.000	49.64	74.00	-24.36	51.64	-2.00	Peak
2	17010.000	53.34	68.20	-14.86	51.96	1.38	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5670MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	11340.000	49.67	74.00	-24.33	51.67	-2.00	Peak
2	17010.000	52.20	68.20	-16.00	50.82	1.38	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5755MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	5644.500	57.09	68.20	-11.11	32.93	24.16	Peak
2	5653.750	60.63	70.98	-10.35	36.44	24.19	Peak
3	5724.000	87.49	119.92	-32.43	63.09	24.40	Peak
4	5753.250	116.38	-----	-----	91.88	24.50	Peak
5	5854.000	62.72	113.08	-50.36	37.90	24.82	Peak
6	5924.000	56.92	68.95	-12.03	31.89	25.03	Peak
7	6019.000	56.59	68.20	-11.61	31.21	25.38	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5755MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	5648.750	67.93	68.20	-0.27	43.76	24.17	Peak
2	5654.000	69.70	71.17	-1.47	45.51	24.19	Peak
3	5724.000	97.94	119.92	-21.98	73.54	24.40	Peak
4	5754.250	123.65	-----	-----	99.15	24.50	Peak
5	5859.000	74.37	109.68	-35.31	49.53	24.84	Peak
6	5924.000	60.57	68.95	-8.38	35.54	25.03	Peak
7	5939.250	59.42	68.20	-8.78	34.33	25.09	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5755MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	11510.000	50.50	74.00	-23.50	52.24	-1.74	Peak
2	17265.000	57.87	68.20	-10.33	56.31	1.56	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5755MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	11510.000	50.71	74.00	-23.29	52.45	-1.74	Peak
2	17265.000	61.03	68.20	-7.17	59.47	1.56	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5795MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	5632.000	56.16	68.20	-12.04	32.04	24.12	Peak
2	5651.750	56.30	69.50	-13.20	32.13	24.17	Peak
3	5722.500	70.01	116.50	-46.49	45.61	24.40	Peak
4	5797.000	113.06	-----	-----	88.42	24.64	Peak
5	5852.250	77.65	117.07	-39.42	52.84	24.81	Peak
6	5924.000	58.66	68.95	-10.29	33.63	25.03	Peak
7	5926.750	58.31	68.20	-9.89	33.26	25.05	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5795MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
1	5646.750	62.95	68.20	-5.25	38.79	24.16	Peak
2	5655.000	62.89	71.91	-9.02	38.70	24.19	Peak
3	5725.000	78.45	122.20	-43.75	54.04	24.41	Peak
4	5800.500	122.31	-----	-----	97.66	24.65	Peak
5	5854.250	88.13	112.51	-24.38	63.31	24.82	Peak
6	5920.000	70.08	71.91	-1.83	45.06	25.02	Peak
7	5929.000	66.28	68.20	-1.92	41.23	25.05	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax40_TX_5795MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11590.000	50.38	74.00	-23.62	52.06	-1.68	Peak
2	17385.000	57.51	68.20	-10.69	55.87	1.64	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax40_TX_5795MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11590.000	50.37	74.00	-23.63	52.05	-1.68	Peak
2	17385.000	60.78	68.20	-7.42	59.14	1.64	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5210MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.550	58.16	74.00	-15.84	34.69	23.47	Peak
2	5206.400	103.56	-----	-----	80.05	23.51	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5210MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.250	46.38	54.00	-7.62	22.91	23.47	Average
2	5211.950	90.92	-----	-----	67.40	23.52	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5210MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5146.250	65.35	74.00	-8.65	41.88	23.47	Peak
2	5216.600	111.78	-----	-----	88.27	23.51	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5210MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5146.100	53.29	54.00	-0.71	29.82	23.47	Average
2	5211.350	100.43	-----	-----	76.91	23.52	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5210MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10420.000	50.16	68.20	-18.04	53.59	-3.43	Peak
2	15630.000	53.76	74.00	-20.24	50.84	2.92	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5210MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10420.000	49.99	68.20	-18.21	53.42	-3.43	Peak
2	15630.000	53.44	74.00	-20.56	50.52	2.92	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5290MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5281.800	103.56	-----	-----	80.00	23.56	Peak
2	5371.500	56.82	74.00	-17.18	33.21	23.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5290MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5291.550	91.68	-----	-----	68.11	23.57	Average
2	5351.100	45.33	54.00	-8.67	21.72	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5290MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5276.550	111.66	-----	-----	88.11	23.55	Peak
2	5351.700	64.29	74.00	-9.71	40.68	23.61	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5290MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5291.400	100.64	-----	-----	77.07	23.57	Average
2	5350.950	53.19	54.00	-0.81	29.58	23.61	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5290MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10580.000	49.04	68.20	-19.16	52.28	-3.24	Peak
2	15870.000	53.92	74.00	-20.08	51.06	2.86	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5290MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10580.000	49.50	68.20	-18.70	52.74	-3.24	Peak
2	15870.000	53.92	74.00	-20.08	51.06	2.86	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5530MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5453.900	57.74	74.00	-16.26	34.06	23.68	Peak
2	5469.475	59.81	68.20	-8.39	36.13	23.68	Peak
3	5524.600	106.04	-----	-----	82.27	23.77	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5530MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5453.900	45.67	54.00	-8.33	21.99	23.68	Average
2	5529.150	93.13	-----	-----	69.34	23.79	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5530MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5457.575	67.53	74.00	-6.47	43.85	23.68	Peak
2	5462.475	65.70	68.20	-2.50	42.02	23.68	Peak
3	5532.300	114.12	-----	-----	90.32	23.80	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5530MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5457.400	52.84	54.00	-1.16	29.16	23.68	Average
2	5532.300	101.66	-----	-----	77.86	23.80	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5530MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11060.000	50.64	74.00	-23.36	53.12	-2.48	Peak
2	16590.000	52.09	68.20	-16.11	50.17	1.92	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5530MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11060.000	49.97	74.00	-24.03	52.45	-2.48	Peak
2	16590.000	52.81	68.20	-15.39	50.89	1.92	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5610MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5447.775	55.97	74.00	-18.03	32.31	23.66	Peak
2	5469.300	56.82	68.20	-11.38	33.14	23.68	Peak
3	5609.125	107.62	-----	-----	83.57	24.05	Peak
4	5733.200	60.43	68.20	-7.77	36.00	24.43	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5610MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5459.325	43.79	54.00	-10.21	20.11	23.68	Average
2	5609.300	96.16	-----	-----	72.11	24.05	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5610MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5437.800	62.04	74.00	-11.96	38.39	23.65	Peak
2	5467.725	62.27	68.20	-5.93	38.59	23.68	Peak
3	5613.150	116.80	-----	-----	92.74	24.06	Peak
4	5727.775	67.27	68.20	-0.93	42.85	24.42	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5610MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5457.400	49.32	54.00	-4.68	25.64	23.68	Average
2	5612.625	104.73	-----	-----	80.67	24.06	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5610MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11220.000	49.68	74.00	-24.32	51.89	-2.21	Peak
2	16830.000	52.50	68.20	-15.70	50.90	1.60	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5610MHz
 Test by :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11220.000	49.46	74.00	-24.54	51.67	-2.21	Peak
2	16830.000	52.70	68.20	-15.50	51.10	1.60	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5775MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5648.000	62.57	68.20	-5.63	38.40	24.17	Peak
2	5652.500	58.28	70.06	-11.78	34.10	24.18	Peak
3	5723.250	79.25	118.21	-38.96	54.85	24.49	Peak
4	5778.250	189.89	-----	-----	85.31	24.58	Peak
5	5858.500	75.52	109.82	-34.30	50.68	24.84	Peak
6	5922.750	58.04	69.87	-11.83	33.01	25.03	Peak
7	5933.000	59.72	68.20	-8.48	34.65	25.07	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5775MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5646.000	66.17	68.20	-2.03	42.01	24.16	Peak
2	5651.000	66.70	68.95	-2.25	42.53	24.17	Peak
3	5720.750	90.63	112.51	-21.88	66.23	24.48	Peak
4	5770.500	118.23	-----	-----	93.67	24.56	Peak
5	5856.750	82.93	120.49	-37.56	58.12	24.81	Peak
6	5920.750	67.19	71.35	-4.16	42.16	25.03	Peak
7	5930.250	66.25	68.20	-1.95	41.19	25.06	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax80_TX_5775MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11550.000	50.15	74.00	-23.85	51.86	-1.71	Peak
2	17325.000	51.41	68.20	-16.79	49.81	1.60	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax80_TX_5775MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	11550.000	49.69	74.00	-24.31	51.40	-1.71	Peak
2	17325.000	51.23	68.20	-16.97	49.63	1.60	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax160_TX_5250MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5128.100	57.34	74.00	-16.66	33.88	23.46	Peak
2	5246.750	101.00	-----	-----	77.47	23.53	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax160_TX_5250MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5107.100	45.20	54.00	-8.80	21.75	23.45	Average
2	5246.900	89.36	-----	-----	65.83	23.53	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax160_TX_5250MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5144.000	63.85	74.00	-10.15	49.38	23.47	Peak
2	5234.300	109.06	-----	-----	85.53	23.53	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax160_TX_5250MHz
 Test By :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5144.000	52.15	54.00	-1.85	28.68	23.47	Average
2	5234.300	97.78	-----	-----	74.25	23.53	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax160_TX_5250MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10500.000	49.40	68.20	-18.80	52.76	-3.36	Peak
2	15750.000	53.22	74.00	-20.78	50.33	2.89	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax160_TX_5250MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10500.000	49.73	68.20	-18.47	53.09	-3.36	Peak
2	15750.000	52.96	74.00	-21.04	50.07	2.89	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax160_TX_5570MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5449.350	58.33	74.00	-15.67	34.67	23.66	Peak
2	5464.750	57.90	68.20	-10.30	34.23	23.67	Peak
3	5564.325	182.75	-----	-----	78.85	23.90	Peak
4	5734.600	59.76	68.20	-8.44	35.32	24.44	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax160_TX_5570MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5450.050	47.98	54.00	-6.02	24.31	23.67	Average
2	5579.725	91.29	-----	-----	67.33	23.96	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax160_TX_5570MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5448.475	61.57	74.00	-12.43	37.91	23.66	Peak
2	5463.525	62.66	68.20	-5.54	38.99	23.67	Peak
3	5563.625	189.96	-----	-----	86.06	23.90	Peak
4	5725.150	68.03	68.20	-0.17	43.61	24.42	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Vertical
 Mode :ax160_TX_5570MHz
 Test By :Nelson



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5448.475	51.62	54.00	-2.38	27.96	23.66	Average
2	5568.350	98.22	-----	-----	74.31	23.91	Average

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Site :HC-CB02
 Condition :3m Horizontal
 Mode :ax160_TX_5570MHz
 Test by :Nelson



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
-----	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	-----
1	11140.000	49.24	74.00	-24.76	51.58	-2.34	Peak
2	16710.000	52.61	68.20	-15.59	50.85	1.76	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.

Site :HC-CB02
 Condition :3m Vertical
 Mode :ax160_TX_5570MHz
 Test by :Nelson




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
-----	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	-----
1	11140.000	49.32	74.00	-24.68	51.66	-2.34	Peak
2	16710.000	53.25	68.20	-14.95	51.49	1.76	Peak

Note:
 1. Level = Read Level + Factor
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor
 3. Over Limit = Level - Limit Line
 4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
 5. The other emission levels were very low against the limit.


Appendix F. Test Result of Radiated Emissions Co-location

30 MHz ~ 1 GHz:

Mode 1: EUT + Adapter: WiFi 2.4 GHz + WiFi 5 GHz + Buletooth LE function



Mode 2: EUT + PoE: WiFi 2.4 GHz + WiFi 5 GHz + Buletooth LE function



Above 1 GHz:

WiFi 2.4 GHz + WiFi 5 GHz + Buletooth LE function

