


Site :HC-CB04
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 1
Mode :g_TX_2462MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2460.480	91.56	-----	-----	80.99	10.57	Average
2	2483.470	40.80	-----	-----	30.16	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
RB/VB(kHz):1000 / 1
Mode :g_TX_2462MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2463.045	102.01	-----	-----	91.42	10.59	Average
2	2483.945	50.46	54.00	-3.54	39.81	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :g_TX_2462MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	46.85	74.00	-27.15	64.34	-17.49	Peak
2	7386.000	41.23	54.00	-12.77	53.76	-12.53	Average
3	7386.000	54.04	74.00	-19.96	66.57	-12.53	Peak
4	9848.000	45.20	74.00	-28.80	54.05	-8.85	Peak
5	12310.000	47.73	74.00	-26.27	53.26	-5.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :g_TX_2462MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	49.21	74.00	-24.79	66.70	-17.49	Peak
2	7386.000	43.12	54.00	-10.88	55.65	-12.53	Average
3	7386.000	56.28	74.00	-17.72	68.81	-12.53	Peak
4	9848.000	45.75	74.00	-28.25	54.60	-8.85	Peak
5	12310.000	48.49	74.00	-25.51	54.02	-5.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 3000
Mode :ax20_TX_2412MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2387.520	53.36	74.00	-20.64	42.96	10.40	Peak
2	2410.130	96.92	-----	-----	86.46	10.46	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
RB/VB(kHz):1000 / 3000
Mode :ax20_TX_2412MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2385.525	70.08	74.00	-3.92	59.69	10.39	Peak
2	2413.740	112.64	-----	-----	102.17	10.47	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 1
Mode :ax20_TX_2412MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.610	34.25	54.00	-19.75	23.84	10.41	Average
2	2412.885	85.49	-----	-----	75.02	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
RB/VB(kHz):1000 / 1
Mode :ax20_TX_2412MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.990	53.10	54.00	-0.90	42.69	10.41	Average
2	2413.930	100.65	-----	-----	90.18	10.47	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2412MHz
Test By :Jason Young




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	43.64	74.00	-30.36	61.40	-17.76	Peak
2	7236.000	46.74	74.00	-27.26	59.52	-12.78	Peak
3	9648.000	46.12	74.00	-27.88	55.21	-9.09	Peak
4	12060.000	47.96	74.00	-26.04	53.74	-5.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2412MHz
Test By :Jason Young




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4824.000	44.06	74.00	-29.94	61.82	-17.76	Peak
2	7236.000	49.51	74.00	-24.49	62.29	-12.78	Peak
3	9648.000	46.64	74.00	-27.36	55.73	-9.09	Peak
4	12060.000	47.96	74.00	-26.04	53.74	-5.78	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 3000
Mode :ax20_TX_2437MHz
Test By :Jason Young




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2388.280	55.60	74.00	-18.40	45.20	10.40	Peak
2	2435.210	106.80	-----	-----	96.28	10.52	Peak
3	2483.660	59.26	74.00	-14.74	48.62	10.64	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
RB/VB(kHz):1000 / 3000
Mode :ax20_TX_2437MHz
Test By :Jason Young




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2380.680	63.29	74.00	-10.71	52.91	10.38	Peak
2	2435.020	112.99	-----	-----	102.47	10.52	Peak
3	2486.605	62.61	74.00	-11.39	51.96	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 1
Mode :ax20_TX_2437MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.565	37.65	54.00	-16.35	27.25	10.40	Average
2	2437.680	94.79	54.00	40.79	84.27	10.52	Average
3	2483.850	42.41	54.00	-11.59	31.76	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
RB/VB(kHz):1000 / 1
Mode :ax20_TX_2437MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.945	44.52	54.00	-9.48	34.12	10.40	Average
2	2434.925	100.38	54.00	46.38	89.86	10.52	Average
3	2483.755	46.02	54.00	-7.98	35.37	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2437MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	45.64	74.00	-28.36	63.26	-17.62	Peak
2	7311.000	44.56	54.00	-9.44	57.22	-12.66	Average
3	7311.000	54.49	74.00	-19.51	67.15	-12.66	Peak
4	9748.000	45.60	74.00	-28.40	54.58	-8.98	Peak
5	12185.000	48.85	74.00	-25.15	54.50	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2437MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4874.000	47.99	74.00	-26.01	65.61	-17.62	Peak
2	7311.000	38.90	54.00	-15.10	51.56	-12.66	Average
3	7311.000	46.40	54.00	-7.60	59.06	-12.66	Average
4	7311.000	56.77	74.00	-17.23	69.43	-12.66	Peak
5	9748.000	45.54	74.00	-28.46	54.52	-8.98	Peak
6	12185.000	48.09	74.00	-25.91	53.74	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 3000
Mode :ax20_TX_2462MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2461.335	108.27	-----	-----	97.69	10.58	Peak
2	2485.560	67.56	74.00	-6.44	56.91	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
RB/VB(kHz):1000 / 3000
Mode :ax20_TX_2462MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2463.330	111.78	-----	-----	101.19	10.59	Peak
2	2485.085	69.09	74.00	-4.91	58.44	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 1
Mode :ax20_TX_2462MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2463.005	95.74	-----	-----	85.15	10.59	Average
2	2483.565	47.72	54.00	-6.28	37.08	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
RB/VB(kHz):1000 / 1
Mode :ax20_TX_2462MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2463.615	100.47	-----	-----	89.88	10.59	Average
2	2484.610	47.86	54.00	-6.14	37.21	10.65	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax20_TX_2462MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	45.38	74.00	-28.62	62.87	-17.49	Peak
2	7386.000	52.09	74.00	-21.91	64.62	-12.53	Peak
3	9848.000	46.13	74.00	-27.87	54.98	-8.85	Peak
4	12310.000	47.59	74.00	-26.41	53.12	-5.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax20_TX_2462MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4924.000	48.80	74.00	-25.20	66.29	-17.49	Peak
2	7386.000	43.16	54.00	-10.84	55.69	-12.53	Average
3	7386.000	54.04	74.00	-19.96	66.57	-12.53	Peak
4	9848.000	46.29	74.00	-27.71	55.14	-8.85	Peak
5	12310.000	48.02	74.00	-25.98	53.55	-5.53	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 3000
Mode :ax40_TX_2422MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2382.010	43.45	74.00	-30.55	33.07	10.38	Peak
2	2425.900	99.20	-----	-----	88.70	10.50	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
RB/VB(kHz):1000 / 3000
Mode :ax40_TX_2422MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.755	54.71	74.00	-19.29	44.31	10.40	Peak
2	2423.050	113.30	-----	-----	102.81	10.49	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 2
Mode :ax40_TX_2422MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2381.535	29.92	54.00	-24.08	19.54	10.38	Average
2	2423.715	88.24	-----	-----	77.75	10.49	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
RB/VB(kHz):1000 / 2
Mode :ax40_TX_2422MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.895	43.07	54.00	-10.93	32.66	10.41	Average
2	2422.955	102.13	-----	-----	91.64	10.49	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2422MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4844.000	40.33	74.00	-33.67	58.03	-17.70	Peak
2	7266.000	45.29	74.00	-28.71	58.02	-12.73	Peak
3	9688.000	45.73	74.00	-28.27	54.78	-9.05	Peak
4	12110.000	48.22	74.00	-25.78	53.95	-5.73	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2422MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4844.000	40.77	74.00	-33.23	58.47	-17.70	Peak
2	7266.000	45.24	74.00	-28.76	57.97	-12.73	Peak
3	9688.000	46.11	74.00	-27.89	55.16	-9.05	Peak
4	12110.000	48.28	74.00	-25.72	54.01	-5.73	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 3000
Mode :ax40_TX_2437MHz
Test By :Jason Young



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2379.255	45.02	74.00	-28.98	34.64	10.38	Peak
2	2438.440	97.46	74.00	23.46	86.94	10.52	Peak
3	2485.275	46.75	74.00	-27.25	36.10	10.65	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
RB/VB(kHz):1000 / 3000
Mode :ax40_TX_2437MHz
Test By :Jason Young



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2388.850	62.92	74.00	-11.08	52.52	10.40	Peak
2	2441.860	116.96	74.00	42.96	106.42	10.54	Peak
3	2490.975	61.39	74.00	-12.61	50.73	10.66	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 2
Mode :ax40_TX_2437MHz
Test By :Jason Young



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2383.150	31.55	54.00	-22.45	21.16	10.39	Average
2	2438.630	85.49	74.00	11.49	74.97	10.52	Average
3	2484.325	32.60	54.00	-21.40	21.95	10.65	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
RB/VB(kHz):1000 / 2
Mode :ax40_TX_2437MHz
Test By :Jason Young



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	2389.040	47.25	54.00	-6.75	36.85	10.40	Average
2	2434.545	105.66	74.00	31.66	95.14	10.52	Average
3	2484.515	46.42	54.00	-7.58	35.77	10.65	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2437MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m	dB	dB	dB	dB	
1	4874.000	41.96	74.00	-32.04	59.58	-17.62	Peak
2	7311.000	48.46	74.00	-25.54	61.12	-12.66	Peak
3	9748.000	45.49	74.00	-28.51	54.47	-8.98	Peak
4	12185.000	47.84	74.00	-26.16	53.49	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2437MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m	dB	dB	dB	dB	
1	4874.000	45.58	74.00	-28.42	63.20	-17.62	Peak
2	7311.000	52.31	74.00	-21.69	64.97	-12.66	Peak
3	9748.000	46.29	74.00	-27.71	55.27	-8.98	Peak
4	12185.000	49.26	74.00	-24.74	54.91	-5.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 3000
Mode :ax40_TX_2452MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m	dB	dB	dB	dB	
1	2453.545	102.55	-----	-----	91.99	10.56	Peak
2	2486.320	48.48	74.00	-25.52	37.83	10.65	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
RB/VB(kHz):1000 / 3000
Mode :ax40_TX_2452MHz
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
		dBuV/m	dB	dB	dB	dB	
1	2454.685	115.70	-----	-----	105.13	10.57	Peak
2	2483.565	56.19	74.00	-17.81	45.55	10.64	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
RB/VB(kHz):1000 / 2
Mode :ax40_TX_2452MHz
Test By :Jason Young




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2453.450	91.38	-----	-----	80.82	10.56	Average
2	2498.480	36.53	54.00	-17.47	25.85	10.68	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
RB/VB(kHz):1000 / 2
Mode :ax40_TX_2452MHz
Test By :Jason Young




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	2452.500	103.69	-----	-----	93.13	10.56	Average
2	2483.470	44.46	-----	-----	33.82	10.64	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :ax40_TX_2452MHz
Test By :Jason Young




No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4904.000	42.06	74.00	-31.94	59.60	-17.54	Peak
2	7356.000	46.14	74.00	-27.86	58.71	-12.57	Peak
3	9808.000	46.28	74.00	-27.72	55.18	-8.90	Peak
4	12260.000	47.91	74.00	-26.09	53.49	-5.58	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ax40_TX_2452MHz
Test By :Jason Young



No.	Frequency MHz	Level dBuV/m	Limit Line dBuV/m	Over Limit dB	Read Level dBuV	Factor dB	Remark
1	4904.000	43.45	74.00	-30.55	60.99	-17.54	Peak
2	7356.000	46.47	74.00	-27.53	59.04	-12.57	Peak
3	9808.000	46.83	74.00	-27.17	55.73	-8.90	Peak
4	12260.000	47.18	74.00	-26.82	52.76	-5.58	Peak

Note:


1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Appendix G. Test Result of Radiated Emissions Co-location

Bluetooth LE + WiFi 2.4 GHz + WiFi 5 GHz

30 MHz ~ 1 GHz:

Site :HC-CB04
Condition :3m ,Horizontal
Mode :Co-location BLE+WiFi 2.4G+WiFi 5G_LF
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	158.913	28.00	43.50	-15.50	30.98	-2.98	QP
2	292.094	32.40	46.00	-13.60	35.25	-2.85	QP
3	372.022	30.41	46.00	-15.59	31.32	-0.91	QP
4	471.447	30.23	46.00	-15.77	28.47	1.76	QP
5	580.184	27.72	46.00	-18.28	23.87	3.85	QP
6	757.985	30.49	46.00	-15.51	23.07	7.42	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :Co-location BLE+WiFi 2.4G+WiFi 5G_LF
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	Limit	Level	dB	
1	185.588	23.78	43.50	-19.72	29.15	-5.37	QP
2	282.103	24.47	46.00	-21.53	27.61	-3.14	QP
3	374.932	28.41	46.00	-17.59	29.14	-0.73	QP
4	441.280	31.18	46.00	-14.82	30.06	1.12	QP
5	585.907	24.65	46.00	-21.35	20.55	4.10	QP
6	730.631	27.65	46.00	-18.35	20.84	6.81	QP

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Above 1 GHz:

Site :HC-CB04
Condition :3m ,Horizontal
Mode :Co-location BLE+WIFI 2.4G+WIFI 5G
Test By :Jason Young




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4804.000	38.96	74.00	-35.04	56.78	-17.82	Peak
2	4874.000	45.44	74.00	-28.56	63.06	-17.62	Peak
3	7206.000	45.58	74.00	-28.42	58.41	-12.83	Peak
4	7311.000	43.62	54.00	-10.38	56.28	-12.66	Average
5	7311.000	56.48	74.00	-17.52	69.14	-12.66	Peak
6	9608.000	45.73	74.00	-28.27	54.88	-9.15	Peak
7	9748.000	45.80	74.00	-28.20	54.78	-8.98	Peak
8	11590.150	52.16	74.00	-21.84	58.19	-6.83	Peak
9	17385.000	60.12	74.00	-13.88	63.31	-3.19	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :Co-location BLE+WIFI 2.4G+WIFI 5G
Test By :Jason Young



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	4804.000	38.99	74.00	-35.01	56.81	-17.82	Peak
2	4874.000	52.27	74.00	-21.73	69.89	-17.62	Peak
3	7206.000	44.43	74.00	-29.57	57.26	-12.83	Peak
4	7311.000	45.25	54.00	-8.75	57.91	-12.66	Average
5	7311.000	57.63	74.00	-16.37	70.29	-12.66	Peak
6	9608.000	45.56	74.00	-28.44	54.71	-9.15	Peak
7	9748.000	45.00	74.00	-29.00	53.98	-8.98	Peak
8	11590.000	51.93	74.00	-22.07	57.96	-6.03	Peak
9	17385.000	61.95	74.00	-12.05	65.14	-3.19	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.