


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5240MHz_TX




EUT_Z_2TX
Setting 23
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1032G	57.51	74.00	-16.49	52.31	3	Vertical	18	1.86	-	31.80	5.00	31.60
AV	5.0972G	45.19	54.00	-8.81	39.99	3	Vertical	18	1.86	-	31.80	5.00	31.60
PK	5.2346G	111.15	Inf	-Inf	106.45	3	Vertical	18	1.86	-	31.39	5.00	31.69
AV	5.2352G	97.79	Inf	-Inf	93.09	3	Vertical	18	1.86	-	31.39	5.00	31.69
PK	5.375G	56.45	74.00	-17.55	51.89	3	Vertical	18	1.86	-	31.35	5.00	31.79
AV	5.369G	44.40	54.00	-9.60	39.87	3	Vertical	18	1.86	-	31.31	5.00	31.78

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5240MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	57.78	74.00	-16.22	52.61	3	Horizontal	299	2.93	-	31.80	5.00	31.63
AV	5.0936G	45.61	54.00	-8.39	40.40	3	Horizontal	299	2.93	-	31.80	5.00	31.59
PK	5.237G	117.47	Inf	-Inf	112.78	3	Horizontal	299	2.93	-	31.38	5.00	31.69
AV	5.2376G	105.40	Inf	-Inf	100.72	3	Horizontal	299	2.93	-	31.37	5.00	31.69
PK	5.3594G	57.60	74.00	-16.40	53.11	3	Horizontal	299	2.93	-	31.26	5.00	31.77
AV	5.3762G	44.86	54.00	-9.14	40.29	3	Horizontal	299	2.93	-	31.36	5.00	31.79

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5240MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72242G	59.97	74.00	-14.03	44.77	3	Vertical	76	1.72	-	38.79	10.46	34.05
AV	15.72074G	46.72	54.00	-7.28	31.51	3	Vertical	76	1.72	-	38.80	10.46	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5240MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7176G	59.71	74.00	-14.29	44.49	3	Horizontal	124	1.99	-	38.81	10.46	34.05
AV	15.71757G	46.97	54.00	-7.03	31.75	3	Horizontal	124	1.99	-	38.81	10.46	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5745MHz_TX




EUT_Z_2TX
Setting 23
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.536G	57.48	68.20	-10.72	52.63	3	Vertical	11	1.80	-	31.56	5.14	31.85
PK	5.741G	109.45	Inf	-Inf	104.07	3	Vertical	11	1.80	-	31.86	5.27	31.75
AV	5.741G	98.15	Inf	-Inf	92.77	3	Vertical	11	1.80	-	31.86	5.27	31.75
PK	5.96G	58.08	68.20	-10.12	51.97	3	Vertical	11	1.80	-	32.30	5.46	31.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5745MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	57.59	68.20	-10.61	52.67	3	Horizontal	77	1.80	-	31.50	5.22	31.80
PK	5.747G	113.98	Inf	-Inf	108.57	3	Horizontal	77	1.80	-	31.89	5.27	31.75
AV	5.748G	102.21	Inf	-Inf	96.80	3	Horizontal	77	1.80	-	31.89	5.27	31.75
PK	5.933G	58.12	68.20	-10.08	52.05	3	Horizontal	77	1.80	-	32.30	5.43	31.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5745MHz_TX




EUT_Z_2TX
Setting 23
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49044G	56.07	74.00	-17.93	42.00	3	Vertical	304	1.42	-	39.98	8.30	34.21
AV	11.4895G	42.97	54.00	-11.03	28.90	3	Vertical	304	1.42	-	39.98	8.30	34.21

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5745MHz_TX




EUT_Z_2TX
Setting 23
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48936G	56.14	74.00	-17.86	42.07	3	Horizontal	211	2.56	-	39.98	8.30	34.21
AV	11.48952G	42.93	54.00	-11.07	28.86	3	Horizontal	211	2.56	-	39.98	8.30	34.21

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5785MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.562G	57.60	68.20	-10.60	52.78	3	Vertical	13	1.83	-	31.50	5.16	31.84
PK	5.786G	110.18	Inf	-Inf	104.65	3	Vertical	13	1.83	-	31.97	5.29	31.73
AV	5.787G	99.25	Inf	-Inf	93.72	3	Vertical	13	1.83	-	31.97	5.29	31.73
PK	5.989G	57.62	68.20	-10.58	51.47	3	Vertical	13	1.83	-	32.30	5.49	31.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5785MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.576G	57.62	68.20	-10.58	52.77	3	Horizontal	286	2.78	-	31.50	5.18	31.83
PK	5.782G	117.64	Inf	-Inf	112.12	3	Horizontal	286	2.78	-	31.96	5.29	31.73
AV	5.783G	106.45	Inf	-Inf	100.92	3	Horizontal	286	2.78	-	31.97	5.29	31.73
PK	5.959G	58.51	68.20	-9.69	52.40	3	Horizontal	286	2.78	-	32.30	5.46	31.65

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5785MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55674G	55.82	74.00	-18.18	41.94	3	Vertical	310	1.91	-	39.77	8.32	34.21
AV	11.57912G	43.29	54.00	-10.71	29.48	3	Vertical	310	1.91	-	39.68	8.33	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5785MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56977G	56.39	74.00	-17.61	42.54	3	Horizontal	257	1.80	-	39.72	8.33	34.20
AV	11.56795G	43.38	54.00	-10.62	29.52	3	Horizontal	257	1.80	-	39.73	8.33	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5825MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.61G	57.23	68.20	-10.97	52.34	3	Vertical	26	1.57	-	31.50	5.21	31.82
PK	5.819G	110.65	Inf	-Inf	104.97	3	Vertical	26	1.57	-	32.08	5.32	31.72
AV	5.818G	99.53	Inf	-Inf	93.86	3	Vertical	26	1.57	-	32.07	5.32	31.72
PK	5.931G	58.20	68.20	-10.00	52.13	3	Vertical	26	1.57	-	32.30	5.43	31.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5825MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	57.04	68.20	-11.16	52.16	3	Horizontal	288	2.75	-	31.50	5.20	31.82
PK	5.826G	118.67	Inf	-Inf	112.95	3	Horizontal	288	2.75	-	32.10	5.33	31.71
AV	5.827G	107.57	Inf	-Inf	101.84	3	Horizontal	288	2.75	-	32.11	5.33	31.71
PK	5.973G	59.20	68.20	-9.00	53.07	3	Horizontal	288	2.75	-	32.30	5.47	31.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5825MHz_TX




EUT_Z_2TX
Setting 23
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63614G	56.36	74.00	-17.64	42.83	3	Vertical	153	1.15	-	39.38	8.35	34.20
AV	11.64196G	43.00	54.00	-11.00	29.49	3	Vertical	153	1.15	-	39.35	8.36	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/11/2020

5825MHz_TX




EUT_Z_2TX
Setting 23
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65918G	55.77	74.00	-18.23	42.37	3	Horizontal	276	1.24	-	39.24	8.36	34.20
AV	11.66128G	43.25	54.00	-10.75	29.86	3	Horizontal	276	1.24	-	39.23	8.36	34.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5190MHz_TX




EUT Z_2TX
Setting 21
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	61.45	74.00	-12.55	56.28	3	Vertical	17	1.80	-	31.80	5.00	31.63
AV	5.134G	46.57	54.00	-7.43	41.39	3	Vertical	17	1.80	-	31.80	5.00	31.62
PK	5.1824G	103.06	Inf	-Inf	98.04	3	Vertical	17	1.80	-	31.67	5.00	31.65
AV	5.1816G	91.76	Inf	-Inf	86.74	3	Vertical	17	1.80	-	31.67	5.00	31.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5190MHz_TX




EUT Z_2TX
Setting 21
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	69.50	74.00	-4.50	64.33	3	Horizontal	278	1.95	-	31.80	5.00	31.63
AV	5.148G	53.88	54.00	-0.12	48.71	3	Horizontal	278	1.95	-	31.80	5.00	31.63
PK	5.1984G	112.34	Inf	-Inf	107.39	3	Horizontal	278	1.95	-	31.61	5.00	31.66
AV	5.1992G	99.77	Inf	-Inf	94.84	3	Horizontal	278	1.95	-	31.60	5.00	31.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5190MHz_TX




EUT Z_2TX
Setting 21
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56978G	59.80	74.00	-14.20	44.35	3	Vertical	60	2.78	-	39.01	10.38	33.94
AV	15.57175G	46.55	54.00	-7.45	31.10	3	Vertical	60	2.78	-	39.00	10.39	33.94

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5190MHz_TX




EUT Z_2TX
Setting 21
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56784G	60.06	74.00	-13.94	44.59	3	Horizontal	102	1.13	-	39.03	10.38	33.94
AV	15.55746G	46.95	54.00	-7.05	31.40	3	Horizontal	102	1.13	-	39.10	10.38	33.93

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5230MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	61.54	74.00	-12.46	56.37	3	Vertical	23	2.41	-	31.80	5.00	31.63
AV	5.149G	46.26	54.00	-7.74	41.09	3	Vertical	23	2.41	-	31.80	5.00	31.63
PK	5.2198G	106.41	Inf	-Inf	101.61	3	Vertical	23	2.41	-	31.48	5.00	31.68
AV	5.2162G	94.11	Inf	-Inf	89.29	3	Vertical	23	2.41	-	31.50	5.00	31.68
PK	5.371G	57.25	74.00	-16.75	52.70	3	Vertical	23	2.41	-	31.33	5.00	31.78
AV	5.353G	44.42	54.00	-9.58	39.97	3	Vertical	23	2.41	-	31.22	5.00	31.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5230MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	68.01	74.00	-5.99	62.84	3	Horizontal	297	3.00	-	31.80	5.00	31.63
AV	5.15G	50.89	54.00	-3.11	45.72	3	Horizontal	297	3.00	-	31.80	5.00	31.63
PK	5.2312G	114.01	Inf	-Inf	109.29	3	Horizontal	297	3.00	-	31.41	5.00	31.69
AV	5.227G	101.45	Inf	-Inf	96.69	3	Horizontal	297	3.00	-	31.44	5.00	31.68
PK	5.3584G	62.90	74.00	-11.10	58.42	3	Horizontal	297	3.00	-	31.25	5.00	31.77
AV	5.3512G	45.39	54.00	-8.61	40.95	3	Horizontal	297	3.00	-	31.21	5.00	31.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5230MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68809G	59.36	74.00	-14.64	44.06	3	Vertical	70	1.36	-	38.89	10.44	34.03
AV	15.69084G	46.11	54.00	-7.89	30.80	3	Vertical	70	1.36	-	38.89	10.45	34.03

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5230MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68942G	58.84	74.00	-15.16	43.54	3	Horizontal	154	2.88	-	38.89	10.44	34.03
AV	15.69129G	46.31	54.00	-7.69	31.00	3	Horizontal	154	2.88	-	38.89	10.45	34.03

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5755MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	62.76	68.20	-5.44	57.84	3	Vertical	15	1.83	-	31.50	5.22	31.80
PK	5.749G	109.13	Inf	-Inf	103.71	3	Vertical	15	1.83	-	31.90	5.27	31.75
AV	5.749G	98.10	Inf	-Inf	92.68	3	Vertical	15	1.83	-	31.90	5.27	31.75
PK	5.939G	58.05	68.20	-10.15	51.97	3	Vertical	15	1.83	-	32.30	5.44	31.66

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5755MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	65.46	68.20	-2.74	60.54	3	Horizontal	289	2.87	-	31.50	5.22	31.80
PK	5.741G	114.74	Inf	-Inf	109.36	3	Horizontal	289	2.87	-	31.86	5.27	31.75
AV	5.744G	103.81	Inf	-Inf	98.41	3	Horizontal	289	2.87	-	31.88	5.27	31.75
PK	5.979G	59.67	68.20	-8.53	53.53	3	Horizontal	289	2.87	-	32.30	5.48	31.64

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5755MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51021G	56.63	74.00	-17.37	42.58	3	Vertical	226	2.53	-	39.96	8.30	34.21
AV	11.50821G	43.45	54.00	-10.55	29.39	3	Vertical	226	2.53	-	39.97	8.30	34.21

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5755MHz_TX




EUT_Z_2TX
Setting 23
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51001G	56.65	74.00	-17.35	42.60	3	Horizontal	58	1.47	-	39.96	8.30	34.21
AV	11.50834G	43.49	54.00	-10.51	29.43	3	Horizontal	58	1.47	-	39.97	8.30	34.21

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5795MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	57.76	68.20	-10.44	52.86	3	Vertical	14	1.80	-	31.50	5.21	31.81
PK	5.783G	107.47	Inf	-Inf	101.94	3	Vertical	14	1.80	-	31.97	5.29	31.73
AV	5.787G	97.87	Inf	-Inf	92.34	3	Vertical	14	1.80	-	31.97	5.29	31.73
PK	5.94G	58.74	68.20	-9.46	52.66	3	Vertical	14	1.80	-	32.30	5.44	31.66

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5795MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	60.51	68.20	-7.69	55.59	3	Horizontal	277	1.22	-	31.50	5.22	31.80
PK	5.784G	115.62	Inf	-Inf	110.09	3	Horizontal	277	1.22	-	31.97	5.29	31.73
AV	5.783G	104.25	Inf	-Inf	98.72	3	Horizontal	277	1.22	-	31.97	5.29	31.73
PK	5.932G	62.60	68.20	-5.60	56.53	3	Horizontal	277	1.22	-	32.30	5.43	31.66

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5795MHz_TX




EUT Z_2TX
Setting 23
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58844G	56.74	74.00	-17.26	42.95	3	Vertical	272	2.08	-	39.65	8.34	34.20
AV	11.59177G	42.84	54.00	-11.16	29.07	3	Vertical	272	2.08	-	39.63	8.34	34.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/11/2020

5795MHz_TX




EUT_Z_2TX
Setting 23
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59126G	57.43	74.00	-16.57	43.66	3	Horizontal	31	1.17	-	39.63	8.34	34.20
AV	11.58896G	43.02	54.00	-10.98	29.24	3	Horizontal	31	1.17	-	39.64	8.34	34.20

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/11/2020

5210MHz_TX




EUT Z_2TX
Setting 17.5
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	59.14	74.00	-14.86	53.96	3	Vertical	16	1.80	-	31.80	5.00	31.62
AV	5.145G	46.19	54.00	-7.81	41.02	3	Vertical	16	1.80	-	31.80	5.00	31.63
PK	5.221G	99.94	Inf	-Inf	95.15	3	Vertical	16	1.80	-	31.47	5.00	31.68
AV	5.225G	87.73	Inf	-Inf	82.96	3	Vertical	16	1.80	-	31.45	5.00	31.68
PK	5.406G	57.27	74.00	-16.73	52.56	3	Vertical	16	1.80	-	31.51	5.01	31.81
AV	5.442G	44.75	54.00	-9.25	39.96	3	Vertical	16	1.80	-	31.58	5.04	31.83

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/11/2020

5210MHz_TX




EUT Z_2TX
Setting 17.5
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	66.35	74.00	-7.65	61.18	3	Horizontal	285	2.95	-	31.80	5.00	31.63
AV	5.15G	52.28	54.00	-1.72	47.11	3	Horizontal	285	2.95	-	31.80	5.00	31.63
PK	5.183G	110.69	Inf	-Inf	105.67	3	Horizontal	285	2.95	-	31.67	5.00	31.65
AV	5.198G	97.09	Inf	-Inf	92.14	3	Horizontal	285	2.95	-	31.61	5.00	31.66
PK	5.368G	60.39	74.00	-13.61	55.86	3	Horizontal	285	2.95	-	31.31	5.00	31.78
AV	5.355G	46.57	54.00	-7.43	42.11	3	Horizontal	285	2.95	-	31.23	5.00	31.77

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/11/2020

5210MHz_TX




EUT Z_2TX
Setting 17.5
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62961G	59.23	74.00	-14.77	43.97	3	Vertical	92	2.28	-	38.83	10.41	33.98
AV	15.62892G	46.35	54.00	-7.65	31.09	3	Vertical	92	2.28	-	38.83	10.41	33.98

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/11/2020

5210MHz_TX




EUT Z_2TX
Setting 17.5
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62936G	59.62	74.00	-14.38	44.36	3	Horizontal	346	1.84	-	38.83	10.41	33.98
AV	15.62978G	46.34	54.00	-7.66	31.08	3	Horizontal	346	1.84	-	38.83	10.41	33.98

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

12/11/2020

5775MHz_TX




EUT Z_2TX
Setting 21.5
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	58.50	68.20	-9.70	53.59	3	Vertical	11	1.80	-	31.50	5.22	31.81
PK	5.784G	103.51	Inf	-Inf	97.98	3	Vertical	11	1.80	-	31.97	5.29	31.73
AV	5.749G	95.19	Inf	-Inf	89.77	3	Vertical	11	1.80	-	31.90	5.27	31.75
PK	5.926G	59.32	68.20	-8.88	53.26	3	Vertical	11	1.80	-	32.30	5.43	31.67

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

12/11/2020

5775MHz_TX




EUT_Z_2TX
Setting 21.5
06-D-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.26	68.20	-3.94	59.34	3	Horizontal	279	1.54	-	31.50	5.22	31.80
PK	5.741G	111.53	Inf	-Inf	106.15	3	Horizontal	279	1.54	-	31.86	5.27	31.75
AV	5.742G	102.91	Inf	-Inf	97.52	3	Horizontal	279	1.54	-	31.87	5.27	31.75
PK	5.94G	66.68	68.20	-1.52	60.60	3	Horizontal	279	1.54	-	32.30	5.44	31.66

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

12/11/2020

5775MHz_TX




EUT_Z_2TX
Setting 21.5
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54718G	55.17	74.00	-18.83	41.25	3	Vertical	3	2.92	-	39.81	8.32	34.21
AV	11.55588G	42.84	54.00	-11.16	28.95	3	Vertical	3	2.92	-	39.78	8.32	34.21

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

12/11/2020

5775MHz_TX



EUT_Z_2TX
Setting 21.5
06-D-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55064G	56.03	74.00	-17.97	42.12	3	Horizontal	221	2.06	-	39.80	8.32	34.21
AV	11.55107G	42.62	54.00	-11.38	28.71	3	Horizontal	221	2.06	-	39.80	8.32	34.21



RSE Co-location Result


Appendix F

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.65058G	32.37	54.00	-21.63	Vertical

Mode 1


15/12/2020



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	2.65058G	43.98	74.00	-30.02	-2.19	3	Vertical	259	1.08	-	46.17	27.60	3.40	33.19
AV	2.65058G	32.37	54.00	-21.63	-2.19	3	Vertical	259	1.08	"Worst"	34.56	27.60	3.40	33.19

Mode 1

15/12/2020



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	2.64916G	43.89	74.00	-30.11	-2.19	3	Horizontal	296	1.36	-	46.08	27.60	3.40	33.19
AV	2.64957G	31.88	54.00	-22.12	-2.19	3	Horizontal	296	1.36	"Worst"	34.07	27.60	3.40	33.19