


802.11ax HEW20_Nss1,(MCS0)_2TX

11/11/2020

5580MHz_TX




EUT Z_2TX
Setting 23
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.79	74.00	-14.21	54.95	3	Horizontal	282	2.88	-	31.62	5.06	31.84
AV	5.46G	47.12	54.00	-6.88	42.28	3	Horizontal	282	2.88	-	31.62	5.06	31.84
PK	5.4696G	61.29	68.20	-6.91	56.43	3	Horizontal	282	2.88	-	31.64	5.07	31.85
PK	5.5824G	122.55	Inf	-Inf	117.70	3	Horizontal	282	2.88	-	31.50	5.18	31.83
AV	5.5832G	109.42	Inf	-Inf	104.57	3	Horizontal	282	2.88	-	31.50	5.18	31.83
PK	5.7256G	59.46	68.20	-8.74	54.16	3	Horizontal	282	2.88	-	31.80	5.26	31.76

802.11ax HEW20_Nss1,(MCS0)_2TX

11/11/2020

5580MHz_TX




EUT_Z_2TX
Setting 23
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16504G	55.40	74.00	-18.60	41.74	3	Vertical	92	1.53	-	39.67	8.17	34.18
AV	11.16188G	41.92	54.00	-12.08	28.26	3	Vertical	92	1.53	-	39.68	8.16	34.18

802.11ax HEW20_Nss1,(MCS0)_2TX

11/11/2020

5580MHz_TX




EUT Z_2TX
Setting 23
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15776G	54.70	74.00	-19.30	41.04	3	Horizontal	281	2.55	-	39.68	8.16	34.18
AV	11.15616G	41.91	54.00	-12.09	28.24	3	Horizontal	281	2.55	-	39.69	8.16	34.18

802.11ax HEW20_Nss1,(MCS0)_2TX

11/11/2020

5700MHz_TX




EUT_Z_2TX
Setting 18
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7016G	106.55	Inf	-Inf	101.36	3	Vertical	29	2.17	-	31.71	5.25	31.77	
AV	5.7012G	93.85	Inf	-Inf	88.67	3	Vertical	29	2.17	-	31.70	5.25	31.77	
PK	5.7292G	58.45	68.20	-9.75	53.13	3	Vertical	29	2.17	-	31.82	5.26	31.76	

802.11ax HEW20_Nss1,(MCS0)_2TX

11/11/2020

5700MHz_TX




EUT Z_2TX
Setting 18
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6988G	116.53	Inf	-Inf	111.35	3	Horizontal	279	1.80	-	31.70	5.25	31.77
AV	5.6984G	103.72	Inf	-Inf	98.55	3	Horizontal	279	1.80	-	31.69	5.25	31.77
PK	5.7274G	67.28	68.20	-0.92	61.97	3	Horizontal	279	1.80	-	31.81	5.26	31.76

802.11ax HEW20_Nss1,(MCS0)_2TX

11/11/2020

5700MHz_TX




EUT Z_2TX
Setting 18
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3944G	55.20	74.00	-18.80	41.35	3	Vertical	251	1.36	-	39.79	8.26	34.20
AV	11.39928G	41.88	54.00	-12.12	28.02	3	Vertical	251	1.36	-	39.80	8.26	34.20

802.11ax HEW20_Nss1,(MCS0)_2TX

11/11/2020

5700MHz_TX




EUT Z_2TX
Setting 18
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40048G	55.77	74.00	-18.23	41.91	3	Horizontal	106	2.53	-	39.80	8.26	34.20
AV	11.407G	41.90	54.00	-12.10	28.03	3	Horizontal	106	2.53	-	39.81	8.26	34.20

802.11ax HEW20_Nss1,(MCS0)_2TX

11/11/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 23
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.725G	110.05	Inf	-Inf	104.75	3	Vertical	3	1.91	-	31.80	5.26	31.76
AV	5.726G	98.37	Inf	-Inf	93.07	3	Vertical	3	1.91	-	31.80	5.26	31.76
PK	5.915G	58.60	68.20	-9.60	52.55	3	Vertical	3	1.91	-	32.30	5.42	31.67

802.11ax HEW20_Nss1,(MCS0)_2TX

11/11/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 23
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.721G	120.58	Inf	-Inf	115.30	3	Horizontal	280	2.80	-	31.78	5.26	31.76
AV	5.721G	108.63	Inf	-Inf	103.35	3	Horizontal	280	2.80	-	31.78	5.26	31.76
PK	5.854G	60.80	68.20	-7.40	54.94	3	Horizontal	280	2.80	-	32.21	5.35	31.70

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX

11/11/2020




EUT_Z_2TX
Setting 23
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4466G	55.75	74.00	-18.25	41.78	3	Vertical	322	1.82	-	39.89	8.28	34.20
AV	11.44756G	42.03	54.00	-11.97	28.05	3	Vertical	322	1.82	-	39.90	8.28	34.20

802.11ax HEW20_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX

11/11/2020




EUT Z_2TX
 Setting 23
 06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43148G	55.60	74.00	-18.40	41.67	3	Horizontal	176	2.28	-	39.86	8.27	34.20
AV	11.4462G	41.95	54.00	-12.05	27.98	3	Horizontal	176	2.28	-	39.89	8.28	34.20

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5270MHz_TX




EUT Z_2TX
Setting 19.5
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.056G	57.54	74.00	-16.46	52.31	3	Vertical	4	2.56	-	31.80	5.00	31.57
AV	5.084G	44.73	54.00	-9.27	39.52	3	Vertical	4	2.56	-	31.80	5.00	31.59
PK	5.263G	105.63	Inf	-Inf	101.07	3	Vertical	4	2.56	-	31.27	5.00	31.71
AV	5.272G	93.81	Inf	-Inf	89.26	3	Vertical	4	2.56	-	31.26	5.00	31.71
PK	5.351G	60.45	74.00	-13.55	56.01	3	Vertical	4	2.56	-	31.21	5.00	31.77
AV	5.352G	46.61	54.00	-7.39	42.17	3	Vertical	4	2.56	-	31.21	5.00	31.77
PK	5.488G	56.49	68.20	-11.71	51.58	3	Vertical	4	2.56	-	31.68	5.09	31.86

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5270MHz_TX




EUT Z_2TX
Setting 19.5
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	61.38	74.00	-12.62	56.21	3	Horizontal	281	1.69	-	31.80	5.00	31.63
AV	5.15G	47.32	54.00	-6.68	42.15	3	Horizontal	281	1.69	-	31.80	5.00	31.63
PK	5.262G	116.44	Inf	-Inf	111.87	3	Horizontal	281	1.69	-	31.28	5.00	31.71
AV	5.263G	102.69	Inf	-Inf	98.13	3	Horizontal	281	1.69	-	31.27	5.00	31.71
PK	5.356G	68.90	74.00	-5.10	64.43	3	Horizontal	281	1.69	-	31.24	5.00	31.77
AV	5.354G	53.66	54.00	-0.34	49.21	3	Horizontal	281	1.69	-	31.22	5.00	31.77
PK	5.512G	57.04	68.20	-11.16	52.14	3	Horizontal	281	1.69	-	31.65	5.11	31.86

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5270MHz_TX




EUT_Z_2TX
Setting 19.5
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80044G	58.42	74.00	-15.58	43.63	3	Vertical	126	1.37	-	38.40	10.50	34.11
AV	15.81668G	45.46	54.00	-8.54	30.70	3	Vertical	126	1.37	-	38.37	10.51	34.12

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5270MHz_TX




EUT Z_2TX
Setting 19.5
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81796G	58.50	74.00	-15.50	43.75	3	Horizontal	113	2.38	-	38.36	10.51	34.12
AV	15.8194G	45.37	54.00	-8.63	30.62	3	Horizontal	113	2.38	-	38.36	10.51	34.12

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5310MHz_TX




EUT Z_2TX
Setting 18
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3028G	104.13	Inf	-Inf	99.67	3	Vertical	14	1.94	-	31.20	5.00	31.74	
AV	5.3024G	91.73	Inf	-Inf	87.27	3	Vertical	14	1.94	-	31.20	5.00	31.74	
PK	5.3512G	63.08	74.00	-10.92	58.64	3	Vertical	14	1.94	-	31.21	5.00	31.77	
AV	5.352G	46.09	54.00	-7.91	41.65	3	Vertical	14	1.94	-	31.21	5.00	31.77	

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5310MHz_TX




EUT Z_2TX
Setting 18
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3092G	113.34	Inf	-Inf	108.88	3	Horizontal	281	1.69	-	31.20	5.00	31.74
AV	5.2988G	100.10	Inf	-Inf	95.63	3	Horizontal	281	1.69	-	31.20	5.00	31.73
PK	5.3512G	69.66	74.00	-4.34	65.22	3	Horizontal	281	1.69	-	31.21	5.00	31.77
AV	5.3504G	51.23	54.00	-2.77	46.80	3	Horizontal	281	1.69	-	31.20	5.00	31.77

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5310MHz_TX




EUT Z_2TX
Setting 18
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9272G	57.84	74.00	-16.16	43.28	3	Vertical	7	1.89	-	38.20	10.56	34.20
AV	15.92804G	44.57	54.00	-9.43	30.01	3	Vertical	7	1.89	-	38.20	10.56	34.20

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5310MHz_TX




EUT Z_2TX
Setting 18
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93944G	58.16	74.00	-15.84	43.60	3	Horizontal	9	1.57	-	38.20	10.57	34.21
AV	15.93044G	44.46	54.00	-9.54	29.89	3	Horizontal	9	1.57	-	38.20	10.57	34.20

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5510MHz_TX




EUT_Z_2TX
Setting 18
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	57.73	74.00	-16.27	52.89	3	Vertical	360	2.47	-	31.62	5.06	31.84
AV	5.4596G	44.38	54.00	-9.62	39.54	3	Vertical	360	2.47	-	31.62	5.06	31.84
PK	5.4652G	57.76	68.20	-10.44	52.91	3	Vertical	360	2.47	-	31.63	5.07	31.85
PK	5.5224G	103.65	Inf	-Inf	98.78	3	Vertical	360	2.47	-	31.61	5.12	31.86
AV	5.5128G	89.95	Inf	-Inf	85.05	3	Vertical	360	2.47	-	31.65	5.11	31.86

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5510MHz_TX




EUT Z_2TX
Setting 18
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.46G	63.07	74.00	-10.93	58.23	3	Horizontal	286	2.90	-	31.62	5.06	31.84	
AV	5.4592G	47.97	54.00	-6.03	43.13	3	Horizontal	286	2.90	-	31.62	5.06	31.84	
PK	5.466G	65.91	68.20	-2.29	61.06	3	Horizontal	286	2.90	-	31.63	5.07	31.85	
PK	5.5204G	114.75	Inf	-Inf	109.87	3	Horizontal	286	2.90	-	31.62	5.12	31.86	
AV	5.5216G	102.11	Inf	-Inf	97.24	3	Horizontal	286	2.90	-	31.61	5.12	31.86	

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5510MHz_TX




EUT Z_2TX
Setting 18
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01292G	55.83	74.00	-18.17	41.73	3	Vertical	69	1.21	-	40.15	8.11	34.16
AV	11.0194G	42.41	54.00	-11.59	28.34	3	Vertical	69	1.21	-	40.12	8.11	34.16

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5510MHz_TX




EUT Z_2TX
Setting 18
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01844G	55.84	74.00	-18.16	41.76	3	Horizontal	35	2.97	-	40.13	8.11	34.16
AV	11.0184G	42.39	54.00	-11.61	28.31	3	Horizontal	35	2.97	-	40.13	8.11	34.16

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5550MHz_TX




EUT Z_2TX
Setting 19.5
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.46G	59.75	74.00	-14.25	54.91	3	Vertical	31	2.35	-	31.62	5.06	31.84	
AV	5.46G	45.08	54.00	-8.92	40.24	3	Vertical	31	2.35	-	31.62	5.06	31.84	
PK	5.4696G	59.02	68.20	-9.18	54.16	3	Vertical	31	2.35	-	31.64	5.07	31.85	
PK	5.5404G	105.23	Inf	-Inf	100.40	3	Vertical	31	2.35	-	31.54	5.14	31.85	
AV	5.5404G	92.71	Inf	-Inf	87.88	3	Vertical	31	2.35	-	31.54	5.14	31.85	

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5550MHz_TX




EUT_Z_2TX
Setting 19.5
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	64.14	74.00	-9.86	59.31	3	Horizontal	285	2.86	-	31.61	5.06	31.84
AV	5.4576G	47.83	54.00	-6.17	42.99	3	Horizontal	285	2.86	-	31.62	5.06	31.84
PK	5.4666G	68.16	68.20	-0.04	63.31	3	Horizontal	285	2.86	-	31.63	5.07	31.85
PK	5.5482G	116.91	Inf	-Inf	112.10	3	Horizontal	285	2.86	-	31.51	5.15	31.85
AV	5.547G	104.21	Inf	-Inf	99.40	3	Horizontal	285	2.86	-	31.51	5.15	31.85

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5550MHz_TX




EUT Z_2TX
Setting 19.5
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.108G	55.05	74.00	-18.95	41.30	3	Vertical	43	2.71	-	39.78	8.14	34.17
AV	11.09668G	42.09	54.00	-11.91	28.31	3	Vertical	43	2.71	-	39.81	8.14	34.17

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5550MHz_TX




EUT_Z_2TX
Setting 19.5
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09536G	55.88	74.00	-18.12	42.09	3	Horizontal	304	2.16	-	39.82	8.14	34.17
AV	11.09672G	42.08	54.00	-11.92	28.30	3	Horizontal	304	2.16	-	39.81	8.14	34.17

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5670MHz_TX




EUT Z_2TX
Setting 18
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6672G	106.16	Inf	-Inf	101.15	3	Vertical	14	1.98	-	31.57	5.23	31.79
AV	5.6676G	92.31	Inf	-Inf	87.30	3	Vertical	14	1.98	-	31.57	5.23	31.79
PK	5.7252G	58.57	68.20	-9.63	53.27	3	Vertical	14	1.98	-	31.80	5.26	31.76

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5670MHz_TX




EUT Z_2TX
Setting 18
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6688G	115.58	Inf	-Inf	110.56	3	Horizontal	287	2.87	-	31.58	5.23	31.79
AV	5.668G	102.35	Inf	-Inf	97.34	3	Horizontal	287	2.87	-	31.57	5.23	31.79
PK	5.7272G	66.92	68.20	-1.28	61.61	3	Horizontal	287	2.87	-	31.81	5.26	31.76

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5670MHz_TX




EUT Z_2TX
Setting 18
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34984G	55.39	74.00	-18.61	41.64	3	Vertical	176	3.00	-	39.70	8.24	34.19
AV	11.34024G	41.71	54.00	-12.29	27.98	3	Vertical	176	3.00	-	39.68	8.24	34.19

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5670MHz_TX




EUT Z_2TX
Setting 18
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33772G	55.17	74.00	-18.83	41.44	3	Horizontal	259	1.60	-	39.68	8.24	34.19
AV	11.33252G	41.74	54.00	-12.26	28.03	3	Horizontal	259	1.60	-	39.67	8.23	34.19

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 21.5
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.706G	109.19	Inf	-Inf	103.99	3	Vertical	21	1.97	-	31.72	5.25	31.77
AV	5.7052G	95.76	Inf	-Inf	90.56	3	Vertical	21	1.97	-	31.72	5.25	31.77
PK	5.854G	61.58	68.20	-6.62	55.72	3	Vertical	21	1.97	-	32.21	5.35	31.70

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 21.5
06-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	119.27	Inf	-Inf	114.08	3	Horizontal	289	2.84	-	31.71	5.25	31.77
AV	5.7132G	106.41	Inf	-Inf	101.17	3	Horizontal	289	2.84	-	31.75	5.26	31.77
PK	5.8548G	67.72	68.20	-0.48	61.86	3	Horizontal	289	2.84	-	32.21	5.35	31.70

802.11ax HEW40_Nss1,(MCS0)_2TX

11/11/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 21.5
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4256G	54.84	74.00	-19.16	40.92	3	Vertical	204	2.00	-	39.85	8.27	34.20
AV	11.41548G	41.90	54.00	-12.10	28.00	3	Vertical	204	2.00	-	39.83	8.27	34.20

802.11ax HEW40_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX

11/11/2020




EUT_Z_2TX
Setting 21.5
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41848G	55.38	74.00	-18.62	41.47	3	Horizontal	315	2.63	-	39.84	8.27	34.20
AV	11.41788G	41.83	54.00	-12.17	27.92	3	Horizontal	315	2.63	-	39.84	8.27	34.20

802.11ax HEW80_Nss1,(MCS0)_2TX

11/11/2020

5290MHz_TX




EUT_Z_2TX
Setting 18
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.07G	58.57	74.00	-15.43	53.35	3	Vertical	13	1.96	-	31.80	5.00	31.58
AV	5.08G	45.21	54.00	-8.79	39.99	3	Vertical	13	1.96	-	31.80	5.00	31.58
PK	5.274G	103.28	Inf	-Inf	98.75	3	Vertical	13	1.96	-	31.25	5.00	31.72
AV	5.284G	90.10	Inf	-Inf	85.59	3	Vertical	13	1.96	-	31.23	5.00	31.72
PK	5.353G	63.33	74.00	-10.67	58.88	3	Vertical	13	1.96	-	31.22	5.00	31.77
AV	5.353G	46.96	54.00	-7.04	42.51	3	Vertical	13	1.96	-	31.22	5.00	31.77
PK	5.465G	58.02	68.20	-10.18	53.18	3	Vertical	13	1.96	-	31.63	5.06	31.85

802.11ax HEW80_Nss1,(MCS0)_2TX

11/11/2020

5290MHz_TX



EUT_Z_2TX
Setting 18
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	60.95	74.00	-13.05	55.78	3	Horizontal	282	1.72	-	31.80	5.00	31.63
AV	5.146G	47.23	54.00	-6.77	42.06	3	Horizontal	282	1.72	-	31.80	5.00	31.63
PK	5.279G	111.56	Inf	-Inf	107.04	3	Horizontal	282	1.72	-	31.24	5.00	31.72
AV	5.278G	98.73	Inf	-Inf	94.21	3	Horizontal	282	1.72	-	31.24	5.00	31.72
PK	5.358G	69.57	74.00	-4.43	65.09	3	Horizontal	282	1.72	-	31.25	5.00	31.77
AV	5.35G	52.82	54.00	-1.18	48.39	3	Horizontal	282	1.72	-	31.20	5.00	31.77
PK	5.47G	58.29	68.20	-9.91	53.43	3	Horizontal	282	1.72	-	31.64	5.07	31.85

802.11ax HEW80_Nss1,(MCS0)_2TX

11/11/2020

5290MHz_TX




EUT Z_2TX
Setting 18
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8776G	59.78	74.00	-14.22	45.16	3	Vertical	212	1.90	-	38.24	10.54	34.16
AV	15.868G	46.19	54.00	-7.81	31.55	3	Vertical	212	1.90	-	38.26	10.53	34.15

802.11ax HEW80_Nss1,(MCS0)_2TX

11/11/2020

5290MHz_TX




EUT Z_2TX
Setting 18
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86464G	58.78	74.00	-15.22	44.13	3	Horizontal	356	2.92	-	38.27	10.53	34.15
AV	15.86436G	45.86	54.00	-8.14	31.21	3	Horizontal	356	2.92	-	38.27	10.53	34.15

802.11ax HEW80_Nss1,(MCS0)_2TX

11/11/2020

5530MHz_TX




EUT_Z_2TX
Setting 18
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	56.17	68.20	-12.03	51.74	3	Vertical	28	2.37	-	31.20	5.00	31.77
PK	5.455G	63.44	74.00	-10.56	58.62	3	Vertical	28	2.37	-	31.61	5.05	31.84
AV	5.444G	45.42	54.00	-8.58	40.62	3	Vertical	28	2.37	-	31.59	5.04	31.83
PK	5.464G	59.78	68.20	-8.42	54.94	3	Vertical	28	2.37	-	31.63	5.06	31.85
PK	5.544G	102.42	Inf	-Inf	97.61	3	Vertical	28	2.37	-	31.52	5.14	31.85
AV	5.533G	89.77	Inf	-Inf	84.92	3	Vertical	28	2.37	-	31.57	5.13	31.85
PK	5.759G	57.82	68.20	-10.38	52.37	3	Vertical	28	2.37	-	31.92	5.28	31.75

802.11ax HEW80_Nss1,(MCS0)_2TX

11/11/2020

5530MHz_TX




EUT_Z_2TX
Setting 18
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	56.73	68.20	-11.47	52.30	3	Horizontal	286	2.90	-	31.20	5.00	31.77
PK	5.458G	70.25	74.00	-3.75	65.41	3	Horizontal	286	2.90	-	31.62	5.06	31.84
AV	5.456G	48.76	54.00	-5.24	43.93	3	Horizontal	286	2.90	-	31.61	5.06	31.84
PK	5.466G	67.76	68.20	-0.44	62.91	3	Horizontal	286	2.90	-	31.63	5.07	31.85
PK	5.526G	112.00	Inf	-Inf	107.13	3	Horizontal	286	2.90	-	31.60	5.13	31.86
AV	5.536G	99.80	Inf	-Inf	94.95	3	Horizontal	286	2.90	-	31.56	5.14	31.85
PK	5.732G	59.84	68.20	-8.36	54.50	3	Horizontal	286	2.90	-	31.83	5.27	31.76

802.11ax HEW80_Nss1,(MCS0)_2TX

11/11/2020

5530MHz_TX




EUT Z_2TX
Setting 18
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06804G	55.38	74.00	-18.62	41.49	3	Vertical	303	1.25	-	39.93	8.13	34.17
AV	11.05684G	42.16	54.00	-11.84	28.24	3	Vertical	303	1.25	-	39.97	8.12	34.17

802.11ax HEW80_Nss1,(MCS0)_2TX

11/11/2020

5530MHz_TX




EUT Z_2TX
Setting 18
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0546G	55.52	74.00	-18.48	41.59	3	Horizontal	19	2.93	-	39.98	8.12	34.17
AV	11.06976G	42.28	54.00	-11.72	28.40	3	Horizontal	19	2.93	-	39.92	8.13	34.17

802.11ax HEW80_Nss1,(MCS0)_2TX

21/01/2021

5610MHz_TX




EUT_Z_2TX
Setting 19
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	60.34	74.00	-13.66	55.53	3	Vertical	27	1.80	-	31.60	5.05	31.84
AV	5.459G	45.98	54.00	-8.02	41.14	3	Vertical	27	1.80	-	31.62	5.06	31.84
PK	5.47G	60.20	68.20	-8.00	55.34	3	Vertical	27	1.80	-	31.64	5.07	31.85
PK	5.598G	103.91	Inf	-Inf	99.03	3	Vertical	27	1.80	-	31.50	5.20	31.82
AV	5.608G	91.09	Inf	-Inf	86.21	3	Vertical	27	1.80	-	31.50	5.20	31.82
PK	5.809G	63.79	68.20	-4.41	58.16	3	Vertical	27	1.80	-	32.04	5.31	31.72

802.11ax HEW80_Nss1,(MCS0)_2TX

21/01/2021

5610MHz_TX



EUT_Z_2TX
Setting 19
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	65.78	74.00	-8.22	60.95	3	Horizontal	59	1.67	-	31.61	5.06	31.84
AV	5.456G	49.70	54.00	-4.30	44.87	3	Horizontal	59	1.67	-	31.61	5.06	31.84
PK	5.466G	67.84	68.20	-0.36	62.99	3	Horizontal	59	1.67	-	31.63	5.07	31.85
PK	5.595G	109.82	Inf	-Inf	104.94	3	Horizontal	59	1.67	-	31.50	5.20	31.82
AV	5.605G	97.21	Inf	-Inf	92.33	3	Horizontal	59	1.67	-	31.50	5.20	31.82
PK	5.732G	66.81	68.20	-1.39	61.47	3	Horizontal	59	1.67	-	31.83	5.27	31.76

802.11ax HEW80_Nss1,(MCS0)_2TX

21/01/2021

5610MHz_TX




EUT_Z_2TX
Setting 19
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22668G	56.50	74.00	-17.50	42.89	3	Vertical	255	2.88	-	39.60	8.19	34.18
AV	11.21776G	42.02	54.00	-11.98	28.41	3	Vertical	255	2.88	-	39.60	8.19	34.18

802.11ax HEW80_Nss1,(MCS0)_2TX

21/01/2021

5610MHz_TX




EUT Z_2TX
Setting 19
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21828G	55.32	74.00	-18.68	41.71	3	Horizontal	255	1.47	-	39.60	8.19	34.18
AV	11.22488G	42.13	54.00	-11.87	28.52	3	Horizontal	255	1.47	-	39.60	8.19	34.18

802.11ax HEW80_Nss1,(MCS0)_2TX

11/11/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 18.5
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	56.55	74.00	-17.45	51.73	3	Vertical	2	1.88	-	31.61	5.05	31.84
AV	5.452G	44.07	54.00	-9.93	39.26	3	Vertical	2	1.88	-	31.60	5.05	31.84
PK	5.467G	56.31	68.20	-11.89	51.46	3	Vertical	2	1.88	-	31.63	5.07	31.85
PK	5.685G	101.54	Inf	-Inf	96.44	3	Vertical	2	1.88	-	31.64	5.24	31.78
AV	5.687G	88.56	Inf	-Inf	83.45	3	Vertical	2	1.88	-	31.65	5.24	31.78
PK	5.863G	59.33	68.20	-8.87	53.44	3	Vertical	2	1.88	-	32.23	5.36	31.70

802.11ax HEW80_Nss1,(MCS0)_2TX

11/11/2020

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 18.5
06-D-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	58.52	74.00	-15.48	53.69	3	Horizontal	286	2.80	-	31.61	5.06	31.84
AV	5.456G	45.01	54.00	-8.99	40.18	3	Horizontal	286	2.80	-	31.61	5.06	31.84
PK	5.467G	58.19	68.20	-10.01	53.34	3	Horizontal	286	2.80	-	31.63	5.07	31.85
PK	5.699G	112.65	Inf	-Inf	107.47	3	Horizontal	286	2.80	-	31.70	5.25	31.77
AV	5.688G	99.44	Inf	-Inf	94.33	3	Horizontal	286	2.80	-	31.65	5.24	31.78
PK	5.85G	67.39	68.20	-0.81	61.54	3	Horizontal	286	2.80	-	32.20	5.35	31.70

802.11ax HEW80_Nss1,(MCS0)_2TX

11/11/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 18.5
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38236G	55.11	74.00	-18.89	41.30	3	Vertical	137	1.78	-	39.76	8.25	34.20
AV	11.38564G	41.86	54.00	-12.14	28.04	3	Vertical	137	1.78	-	39.77	8.25	34.20

802.11ax HEW80_Nss1,(MCS0)_2TX

11/11/2020

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 18.5
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3732G	55.34	74.00	-18.66	41.54	3	Horizontal	158	2.03	-	39.75	8.25	34.20
AV	11.37784G	41.83	54.00	-12.17	28.02	3	Horizontal	158	2.03	-	39.76	8.25	34.20



For beamforming mode:

For Set 1:


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.4644G	68.11	68.20	-0.09	3	Vertical	220	2.31	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5260MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1334G	57.74	74.00	-16.26	52.56	3	Vertical	230	2.18	-	31.80	5.00	31.62
AV	5.1328G	44.67	54.00	-9.33	39.49	3	Vertical	230	2.18	-	31.80	5.00	31.62
PK	5.2606G	111.94	Inf	-Inf	107.37	3	Vertical	230	2.18	-	31.28	5.00	31.71
AV	5.2636G	100.10	Inf	-Inf	95.54	3	Vertical	230	2.18	-	31.27	5.00	31.71
PK	5.4028G	56.27	74.00	-17.73	51.56	3	Vertical	230	2.18	-	31.51	5.00	31.80
AV	5.3602G	44.23	54.00	-9.77	39.74	3	Vertical	230	2.18	-	31.26	5.00	31.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5260MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1304G	58.19	74.00	-15.81	53.01	3	Horizontal	318	2.12	-	31.80	5.00	31.62
AV	5.1154G	44.78	54.00	-9.22	39.59	3	Horizontal	318	2.12	-	31.80	5.00	31.61
PK	5.2546G	106.84	Inf	-Inf	102.25	3	Horizontal	318	2.12	-	31.29	5.00	31.70
AV	5.2516G	95.92	Inf	-Inf	91.32	3	Horizontal	318	2.12	-	31.30	5.00	31.70
PK	5.3872G	55.64	74.00	-18.36	51.01	3	Horizontal	318	2.12	-	31.42	5.00	31.79
AV	5.3998G	44.11	54.00	-9.89	39.41	3	Horizontal	318	2.12	-	31.50	5.00	31.80

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5260MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77814G	59.73	74.00	-14.27	44.82	3	Vertical	193	2.85	-	38.51	10.49	34.09
AV	15.78176G	46.73	54.00	-7.27	31.84	3	Vertical	193	2.85	-	38.49	10.49	34.09

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5260MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7836G	60.55	74.00	-13.45	45.67	3	Horizontal	88	2.30	-	38.48	10.49	34.09
AV	15.77672G	46.60	54.00	-7.40	31.68	3	Horizontal	88	2.30	-	38.52	10.49	34.09

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5300MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2944G	115.12	Inf	-Inf	110.64	3	Vertical	265	2.23	-	31.21	5.00	31.73
AV	5.2972G	102.94	Inf	-Inf	98.46	3	Vertical	265	2.23	-	31.21	5.00	31.73
PK	5.3504G	59.65	74.00	-14.35	55.22	3	Vertical	265	2.23	-	31.20	5.00	31.77
AV	5.35G	46.79	54.00	-7.21	42.36	3	Vertical	265	2.23	-	31.20	5.00	31.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5300MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3056G	103.98	Inf	-Inf	99.52	3	Horizontal	20	1.80	-	31.20	5.00	31.74
AV	5.3064G	92.46	Inf	-Inf	88.00	3	Horizontal	20	1.80	-	31.20	5.00	31.74
PK	5.3528G	56.29	74.00	-17.71	51.84	3	Horizontal	20	1.80	-	31.22	5.00	31.77
AV	5.35G	44.42	54.00	-9.58	39.99	3	Horizontal	20	1.80	-	31.20	5.00	31.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5300MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89566G	59.89	74.00	-14.11	45.30	3	Vertical	356	1.80	-	38.21	10.55	34.17
AV	15.89724G	46.39	54.00	-7.61	31.81	3	Vertical	356	1.80	-	38.21	10.55	34.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5300MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8974G	59.46	74.00	-14.54	44.88	3	Horizontal	183	1.62	-	38.21	10.55	34.18
AV	15.89668G	46.36	54.00	-7.64	31.78	3	Horizontal	183	1.62	-	38.21	10.55	34.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5320MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	110.94	Inf	-Inf	106.49	3	Vertical	230	2.36	-	31.20	5.00	31.75
AV	5.3182G	99.23	Inf	-Inf	94.78	3	Vertical	230	2.36	-	31.20	5.00	31.75
PK	5.3588G	60.99	74.00	-13.01	56.51	3	Vertical	230	2.36	-	31.25	5.00	31.77
AV	5.35G	47.58	54.00	-6.42	43.15	3	Vertical	230	2.36	-	31.20	5.00	31.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5320MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3218G	103.50	Inf	-Inf	99.05	3	Horizontal	53	1.80	-	31.20	5.00	31.75
AV	5.3162G	90.84	Inf	-Inf	86.39	3	Horizontal	53	1.80	-	31.20	5.00	31.75
PK	5.352G	60.97	74.00	-13.03	56.53	3	Horizontal	53	1.80	-	31.21	5.00	31.77
AV	5.3514G	45.69	54.00	-8.31	41.25	3	Horizontal	53	1.80	-	31.21	5.00	31.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5320MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9566G	58.83	74.00	-15.17	44.27	3	Vertical	215	1.86	-	38.20	10.58	34.22
AV	15.9601G	45.38	54.00	-8.62	30.82	3	Vertical	215	1.86	-	38.20	10.58	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5320MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96228G	58.44	74.00	-15.56	43.88	3	Horizontal	37	1.43	-	38.20	10.58	34.22
AV	15.95784G	45.35	54.00	-8.65	30.79	3	Horizontal	37	1.43	-	38.20	10.58	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5500MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.458G	60.33	74.00	-13.67	55.49	3	Vertical	263	2.71	-	31.62	5.06	31.84	
AV	5.46G	48.08	54.00	-5.92	43.24	3	Vertical	263	2.71	-	31.62	5.06	31.84	
PK	5.47G	64.76	68.20	-3.44	59.90	3	Vertical	263	2.71	-	31.64	5.07	31.85	
PK	5.4932G	110.50	Inf	-Inf	105.59	3	Vertical	263	2.71	-	31.69	5.09	31.87	
AV	5.492G	98.28	Inf	-Inf	93.37	3	Vertical	263	2.71	-	31.68	5.09	31.86	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5500MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4596G	57.58	74.00	-16.42	52.74	3	Horizontal	161	1.33	-	31.62	5.06	31.84	
AV	5.46G	45.24	54.00	-8.76	40.40	3	Horizontal	161	1.33	-	31.62	5.06	31.84	
PK	5.4696G	58.68	68.20	-9.52	53.82	3	Horizontal	161	1.33	-	31.64	5.07	31.85	
PK	5.504G	104.09	Inf	-Inf	99.18	3	Horizontal	161	1.33	-	31.68	5.10	31.87	
AV	5.504G	93.05	Inf	-Inf	88.14	3	Horizontal	161	1.33	-	31.68	5.10	31.87	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5500MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00112G	56.47	74.00	-17.53	42.33	3	Vertical	129	1.00	-	40.20	8.10	34.16
AV	11.00312G	42.76	54.00	-11.24	28.63	3	Vertical	129	1.00	-	40.19	8.10	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5500MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00178G	55.99	74.00	-18.01	41.86	3	Horizontal	343	2.12	-	40.19	8.10	34.16
AV	11.00332G	42.86	54.00	-11.14	28.73	3	Horizontal	343	2.12	-	40.19	8.10	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5580MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4426G	56.25	74.00	-17.75	51.45	3	Vertical	218	1.80	-	31.59	5.04	31.83
AV	5.433G	45.02	54.00	-8.98	40.24	3	Vertical	218	1.80	-	31.57	5.03	31.82
PK	5.4648G	56.38	68.20	-11.82	51.54	3	Vertical	218	1.80	-	31.63	5.06	31.85
PK	5.5812G	108.72	Inf	-Inf	103.87	3	Vertical	218	1.80	-	31.50	5.18	31.83
AV	5.5776G	96.75	Inf	-Inf	91.90	3	Vertical	218	1.80	-	31.50	5.18	31.83
PK	5.7282G	56.29	68.20	-11.91	50.98	3	Vertical	218	1.80	-	31.81	5.26	31.76

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5580MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4414G	56.95	74.00	-17.05	52.16	3	Horizontal	51	1.80	-	31.58	5.04	31.83
PK	5.4666G	56.53	68.20	-11.67	51.68	3	Horizontal	51	1.80	-	31.63	5.07	31.85
AV	5.4576G	44.30	54.00	-9.70	39.46	3	Horizontal	51	1.80	-	31.62	5.06	31.84
PK	5.5764G	101.19	Inf	-Inf	96.34	3	Horizontal	51	1.80	-	31.50	5.18	31.83
AV	5.577G	90.19	Inf	-Inf	85.34	3	Horizontal	51	1.80	-	31.50	5.18	31.83
PK	5.7252G	56.49	68.20	-11.71	51.19	3	Horizontal	51	1.80	-	31.80	5.26	31.76

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5580MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15834G	56.81	74.00	-17.19	43.15	3	Vertical	266	1.88	-	39.68	8.16	34.18
AV	11.15596G	42.34	54.00	-11.66	28.67	3	Vertical	266	1.88	-	39.69	8.16	34.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5580MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16166G	55.58	74.00	-18.42	41.92	3	Horizontal	354	1.34	-	39.68	8.16	34.18
AV	11.16094G	42.42	54.00	-11.58	28.76	3	Horizontal	354	1.34	-	39.68	8.16	34.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5700MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.694G	107.31	Inf	-Inf	102.16	3	Vertical	213	2.01	-	31.68	5.25	31.78
AV	5.6948G	95.59	Inf	-Inf	90.44	3	Vertical	213	2.01	-	31.68	5.25	31.78
PK	5.7252G	62.15	68.20	-6.05	56.85	3	Vertical	213	2.01	-	31.80	5.26	31.76

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5700MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7016G	100.04	Inf	-Inf	94.85	3	Horizontal	302	1.88	-	31.71	5.25	31.77
AV	5.6956G	88.15	Inf	-Inf	83.00	3	Horizontal	302	1.88	-	31.68	5.25	31.78
PK	5.7976G	57.99	68.20	-10.21	52.42	3	Horizontal	302	1.88	-	32.00	5.30	31.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5700MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39634G	55.02	74.00	-18.98	41.17	3	Vertical	337	2.15	-	39.79	8.26	34.20
AV	11.39632G	42.92	54.00	-11.08	29.07	3	Vertical	337	2.15	-	39.79	8.26	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5700MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39858G	56.13	74.00	-17.87	42.27	3	Horizontal	351	1.69	-	39.80	8.26	34.20
AV	11.39642G	43.19	54.00	-10.81	29.34	3	Horizontal	351	1.69	-	39.79	8.26	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	107.72	Inf	-Inf	102.43	3	Vertical	35	1.97	-	31.79	5.26	31.76
AV	5.724G	94.83	Inf	-Inf	89.53	3	Vertical	35	1.97	-	31.80	5.26	31.76
PK	5.852G	57.65	68.20	-10.55	51.80	3	Vertical	35	1.97	-	32.20	5.35	31.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7192G	101.88	Inf	-Inf	96.60	3	Horizontal	310	2.01	-	31.78	5.26	31.76
AV	5.7192G	91.26	Inf	-Inf	85.98	3	Horizontal	310	2.01	-	31.78	5.26	31.76
PK	5.8976G	57.57	68.20	-10.63	51.55	3	Horizontal	310	2.01	-	32.30	5.40	31.68

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44298G	55.04	74.00	-18.96	41.07	3	Vertical	280	2.91	-	39.89	8.28	34.20
AV	11.44328G	41.91	54.00	-12.09	27.94	3	Vertical	280	2.91	-	39.89	8.28	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

13/11/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44298G	54.89	74.00	-19.11	40.92	3	Horizontal	119	2.84	-	39.89	8.28	34.20
AV	11.44278G	41.96	54.00	-12.04	27.99	3	Horizontal	119	2.84	-	39.89	8.28	34.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5270MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	57.99	74.00	-16.01	52.82	3	Vertical	269	2.41	-	31.80	5.00	31.63
AV	5.1494G	44.74	54.00	-9.26	39.57	3	Vertical	269	2.41	-	31.80	5.00	31.63
PK	5.2748G	111.19	Inf	-Inf	106.66	3	Vertical	269	2.41	-	31.25	5.00	31.72
AV	5.2532G	98.64	Inf	-Inf	94.05	3	Vertical	269	2.41	-	31.29	5.00	31.70
PK	5.363G	65.14	74.00	-8.86	60.64	3	Vertical	269	2.41	-	31.28	5.00	31.78
AV	5.3522G	47.17	54.00	-6.83	42.73	3	Vertical	269	2.41	-	31.21	5.00	31.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5270MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1338G	57.20	74.00	-16.80	52.02	3	Horizontal	291	2.15	-	31.80	5.00	31.62
AV	5.1416G	44.19	54.00	-9.81	39.02	3	Horizontal	291	2.15	-	31.80	5.00	31.63
PK	5.267G	104.30	Inf	-Inf	99.74	3	Horizontal	291	2.15	-	31.27	5.00	31.71
AV	5.2664G	92.68	Inf	-Inf	88.12	3	Horizontal	291	2.15	-	31.27	5.00	31.71
PK	5.3552G	57.16	74.00	-16.84	52.70	3	Horizontal	291	2.15	-	31.23	5.00	31.77
AV	5.3522G	44.41	54.00	-9.59	39.97	3	Horizontal	291	2.15	-	31.21	5.00	31.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5270MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80716G	60.12	74.00	-13.88	45.34	3	Vertical	307	2.47	-	38.39	10.50	34.11
AV	15.8148G	46.86	54.00	-7.14	32.10	3	Vertical	307	2.47	-	38.37	10.51	34.12

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5270MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81392G	60.13	74.00	-13.87	45.37	3	Horizontal	27	1.98	-	38.37	10.51	34.12
AV	15.80672G	46.71	54.00	-7.29	31.93	3	Horizontal	27	1.98	-	38.39	10.50	34.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5310MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	108.35	Inf	-Inf	103.89	3	Vertical	75	2.53	-	31.20	5.00	31.74
AV	5.302G	94.77	Inf	-Inf	90.31	3	Vertical	75	2.53	-	31.20	5.00	31.74
PK	5.3596G	69.99	74.00	-4.01	65.50	3	Vertical	75	2.53	-	31.26	5.00	31.77
AV	5.35G	53.85	54.00	-0.15	49.42	3	Vertical	75	2.53	-	31.20	5.00	31.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5310MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3112G	100.15	Inf	-Inf	95.69	3	Horizontal	288	1.99	-	31.20	5.00	31.74
AV	5.3076G	87.74	Inf	-Inf	83.28	3	Horizontal	288	1.99	-	31.20	5.00	31.74
PK	5.3608G	62.69	74.00	-11.31	58.21	3	Horizontal	288	1.99	-	31.26	5.00	31.78
AV	5.35G	48.04	54.00	-5.96	43.61	3	Horizontal	288	1.99	-	31.20	5.00	31.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5310MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6212G	55.14	74.00	-18.86	41.36	3	Vertical	153	2.41	-	39.82	7.95	33.99
AV	10.61664G	42.00	54.00	-12.00	28.22	3	Vertical	153	2.41	-	39.82	7.95	33.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5310MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61792G	55.65	74.00	-18.35	41.87	3	Horizontal	320	1.30	-	39.82	7.95	33.99
AV	10.62224G	42.12	54.00	-11.88	28.34	3	Horizontal	320	1.30	-	39.82	7.95	33.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5510MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	67.07	74.00	-6.93	62.23	3	Vertical	220	2.31	-	31.62	5.06	31.84
AV	5.4592G	46.30	54.00	-7.70	41.46	3	Vertical	220	2.31	-	31.62	5.06	31.84
PK	5.4644G	68.11	68.20	-0.09	63.27	3	Vertical	220	2.31	-	31.63	5.06	31.85
PK	5.5152G	103.89	Inf	-Inf	98.99	3	Vertical	220	2.31	-	31.64	5.12	31.86
AV	5.4992G	94.81	Inf	-Inf	89.88	3	Vertical	220	2.31	-	31.70	5.10	31.87

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5510MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	56.90	74.00	-17.10	52.06	3	Horizontal	165	1.80	-	31.62	5.06	31.84
AV	5.4584G	44.96	54.00	-9.04	40.12	3	Horizontal	165	1.80	-	31.62	5.06	31.84
PK	5.4676G	57.77	68.20	-10.43	52.91	3	Horizontal	165	1.80	-	31.64	5.07	31.85
PK	5.4984G	100.24	Inf	-Inf	95.31	3	Horizontal	165	1.80	-	31.70	5.10	31.87
AV	5.4996G	87.28	Inf	-Inf	82.35	3	Horizontal	165	1.80	-	31.70	5.10	31.87

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5510MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02092G	56.03	74.00	-17.97	41.96	3	Vertical	199	2.00	-	40.12	8.11	34.16
AV	11.02336G	43.04	54.00	-10.96	28.98	3	Vertical	199	2.00	-	40.11	8.11	34.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5510MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02148G	55.69	74.00	-18.31	41.63	3	Horizontal	279	2.78	-	40.11	8.11	34.16
AV	11.01632G	42.91	54.00	-11.09	28.83	3	Horizontal	279	2.78	-	40.13	8.11	34.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5550MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.25	74.00	-11.75	57.41	3	Vertical	33	2.98	-	31.62	5.06	31.84
AV	5.4588G	46.68	54.00	-7.32	41.84	3	Vertical	33	2.98	-	31.62	5.06	31.84
PK	5.469G	63.12	68.20	-5.08	58.26	3	Vertical	33	2.98	-	31.64	5.07	31.85
PK	5.5404G	107.21	Inf	-Inf	102.38	3	Vertical	33	2.98	-	31.54	5.14	31.85
AV	5.5404G	94.80	Inf	-Inf	89.97	3	Vertical	33	2.98	-	31.54	5.14	31.85

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5550MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	57.08	74.00	-16.92	52.27	3	Horizontal	164	1.80	-	31.60	5.05	31.84
AV	5.4534G	44.53	54.00	-9.47	39.71	3	Horizontal	164	1.80	-	31.61	5.05	31.84
PK	5.4618G	56.47	68.20	-11.73	51.63	3	Horizontal	164	1.80	-	31.62	5.06	31.84
PK	5.5338G	101.60	Inf	-Inf	96.76	3	Horizontal	164	1.80	-	31.56	5.13	31.85
AV	5.5428G	90.55	Inf	-Inf	85.73	3	Horizontal	164	1.80	-	31.53	5.14	31.85

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5550MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09638G	55.66	74.00	-18.34	41.88	3	Vertical	47	1.10	-	39.81	8.14	34.17
AV	11.09564G	42.58	54.00	-11.42	28.79	3	Vertical	47	1.10	-	39.82	8.14	34.17

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5550MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10268G	55.59	74.00	-18.41	41.83	3	Horizontal	204	2.83	-	39.79	8.14	34.17
AV	11.0971G	42.54	54.00	-11.46	28.76	3	Horizontal	204	2.83	-	39.81	8.14	34.17

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5670MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6838G	104.50	Inf	-Inf	99.40	3	Vertical	77	3.00	-	31.64	5.24	31.78
AV	5.6838G	91.66	Inf	-Inf	86.56	3	Vertical	77	3.00	-	31.64	5.24	31.78
PK	5.7312G	66.95	68.20	-1.25	61.62	3	Vertical	77	3.00	-	31.82	5.27	31.76

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5670MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6682G	101.63	Inf	-Inf	96.62	3	Horizontal	241	2.98	-	31.57	5.23	31.79
AV	5.6682G	90.58	Inf	-Inf	85.57	3	Horizontal	241	2.98	-	31.57	5.23	31.79
PK	5.727G	61.95	68.20	-6.25	56.64	3	Horizontal	241	2.98	-	31.81	5.26	31.76

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5670MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33926G	54.96	74.00	-19.04	41.23	3	Vertical	189	1.11	-	39.68	8.24	34.19
AV	11.3421G	42.23	54.00	-11.77	28.50	3	Vertical	189	1.11	-	39.68	8.24	34.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5670MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34474G	55.32	74.00	-18.68	41.58	3	Horizontal	302	2.88	-	39.69	8.24	34.19
AV	11.34482G	42.17	54.00	-11.83	28.43	3	Horizontal	302	2.88	-	39.69	8.24	34.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7124G	104.90	Inf	-Inf	99.66	3	Vertical	213	1.92	-	31.75	5.26	31.77
AV	5.7052G	93.28	Inf	-Inf	88.08	3	Vertical	213	1.92	-	31.72	5.25	31.77
PK	5.9044G	57.83	68.20	-10.37	51.81	3	Vertical	213	1.92	-	32.30	5.40	31.68

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7036G	100.88	Inf	-Inf	95.69	3	Horizontal	311	1.80	-	31.71	5.25	31.77
AV	5.7052G	89.67	Inf	-Inf	84.47	3	Horizontal	311	1.80	-	31.72	5.25	31.77
PK	5.854G	57.60	68.20	-10.60	51.74	3	Horizontal	311	1.80	-	32.21	5.35	31.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41502G	55.47	74.00	-18.53	41.57	3	Vertical	113	2.73	-	39.83	8.27	34.20
AV	11.41634G	41.96	54.00	-12.04	28.06	3	Vertical	113	2.73	-	39.83	8.27	34.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

13/11/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42336G	54.95	74.00	-19.05	41.03	3	Horizontal	90	1.54	-	39.85	8.27	34.20
AV	11.4152G	42.15	54.00	-11.85	28.25	3	Horizontal	90	1.54	-	39.83	8.27	34.20

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

13/11/2020

5290MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	59.23	74.00	-14.77	54.06	3	Vertical	77	2.68	-	31.80	5.00	31.63
AV	5.144G	46.03	54.00	-7.97	40.86	3	Vertical	77	2.68	-	31.80	5.00	31.63
PK	5.257G	108.04	Inf	-Inf	103.45	3	Vertical	77	2.68	-	31.29	5.00	31.70
AV	5.266G	95.94	Inf	-Inf	91.38	3	Vertical	77	2.68	-	31.27	5.00	31.71
PK	5.368G	70.82	74.00	-3.18	66.29	3	Vertical	77	2.68	-	31.31	5.00	31.78
AV	5.353G	52.18	54.00	-1.82	47.73	3	Vertical	77	2.68	-	31.22	5.00	31.77
PK	5.481G	56.91	68.20	-11.29	52.03	3	Vertical	77	2.68	-	31.66	5.08	31.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

13/11/2020

5290MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.131G	57.49	74.00	-16.51	52.31	3	Horizontal	271	2.26	-	31.80	5.00	31.62
AV	5.06G	44.61	54.00	-9.39	39.38	3	Horizontal	271	2.26	-	31.80	5.00	31.57
PK	5.254G	98.94	Inf	-Inf	94.35	3	Horizontal	271	2.26	-	31.29	5.00	31.70
AV	5.263G	89.82	Inf	-Inf	85.26	3	Horizontal	271	2.26	-	31.27	5.00	31.71
PK	5.353G	61.54	74.00	-12.46	57.09	3	Horizontal	271	2.26	-	31.22	5.00	31.77
AV	5.35G	47.72	54.00	-6.28	43.29	3	Horizontal	271	2.26	-	31.20	5.00	31.77
PK	5.46G	56.82	68.20	-11.38	51.98	3	Horizontal	271	2.26	-	31.62	5.06	31.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

13/11/2020

5290MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87354G	59.91	74.00	-14.09	45.28	3	Vertical	295	1.64	-	38.25	10.54	34.16
AV	15.86716G	46.88	54.00	-7.12	32.23	3	Vertical	295	1.64	-	38.27	10.53	34.15

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

13/11/2020

5290MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87004G	59.58	74.00	-14.42	44.94	3	Horizontal	205	1.80	-	38.26	10.54	34.16
AV	15.86922G	46.86	54.00	-7.14	32.23	3	Horizontal	205	1.80	-	38.26	10.53	34.16

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

13/11/2020

5530MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.281G	56.54	68.20	-11.66	52.02	3	Vertical	32	1.80	-	31.24	5.00	31.72
PK	5.457G	65.83	74.00	-8.17	61.00	3	Vertical	32	1.80	-	31.61	5.06	31.84
AV	5.46G	48.23	54.00	-5.77	43.39	3	Vertical	32	1.80	-	31.62	5.06	31.84
PK	5.468G	67.72	68.20	-0.48	62.86	3	Vertical	32	1.80	-	31.64	5.07	31.85
PK	5.504G	105.34	Inf	-Inf	100.43	3	Vertical	32	1.80	-	31.68	5.10	31.87
AV	5.501G	90.78	Inf	-Inf	85.85	3	Vertical	32	1.80	-	31.70	5.10	31.87
PK	5.745G	58.18	68.20	-10.02	52.78	3	Vertical	32	1.80	-	31.88	5.27	31.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

13/11/2020

5530MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.291G	56.56	68.20	-11.64	52.07	3	Horizontal	49	1.69	-	31.22	5.00	31.73
PK	5.445G	65.73	74.00	-8.27	60.93	3	Horizontal	49	1.69	-	31.59	5.04	31.83
AV	5.452G	46.13	54.00	-7.87	41.32	3	Horizontal	49	1.69	-	31.60	5.05	31.84
PK	5.464G	62.44	68.20	-5.76	57.60	3	Horizontal	49	1.69	-	31.63	5.06	31.85
PK	5.528G	96.20	Inf	-Inf	91.34	3	Horizontal	49	1.69	-	31.59	5.13	31.86
AV	5.497G	87.88	Inf	-Inf	82.96	3	Horizontal	49	1.69	-	31.69	5.10	31.87
PK	5.743G	57.20	68.20	-11.00	51.81	3	Horizontal	49	1.69	-	31.87	5.27	31.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

13/11/2020

5530MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0642G	55.21	74.00	-18.79	41.31	3	Vertical	18	1.01	-	39.94	8.13	34.17
AV	11.05708G	42.77	54.00	-11.23	28.85	3	Vertical	18	1.01	-	39.97	8.12	34.17

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

13/11/2020

5530MHz_TX




EUT Y_2TX
Setting 21
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05674G	56.33	74.00	-17.67	42.41	3	Horizontal	288	2.34	-	39.97	8.12	34.17
AV	11.05624G	42.77	54.00	-11.23	28.84	3	Horizontal	288	2.34	-	39.98	8.12	34.17

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

21/01/2021

5610MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.449G	59.43	74.00	-14.57	54.62	3	Vertical	82	1.80	-	31.60	5.05	31.84
PK	5.467G	59.40	68.20	-8.80	54.55	3	Vertical	82	1.80	-	31.63	5.07	31.85
AV	5.46G	46.93	54.00	-7.07	42.09	3	Vertical	82	1.80	-	31.62	5.06	31.84
PK	5.582G	106.32	Inf	-Inf	101.47	3	Vertical	82	1.80	-	31.50	5.18	31.83
AV	5.575G	94.71	Inf	-Inf	89.87	3	Vertical	82	1.80	-	31.50	5.17	31.83
PK	5.736G	62.85	68.20	-5.35	57.50	3	Vertical	82	1.80	-	31.84	5.27	31.76

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

21/01/2021

5610MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.386G	58.87	74.00	-15.13	54.24	3	Horizontal	342	2.36	-	31.42	5.00	31.79
PK	5.47G	58.14	68.20	-10.06	53.28	3	Horizontal	342	2.36	-	31.64	5.07	31.85
AV	5.451G	45.70	54.00	-8.30	40.89	3	Horizontal	342	2.36	-	31.60	5.05	31.84
PK	5.635G	96.70	Inf	-Inf	91.79	3	Horizontal	342	2.36	-	31.50	5.22	31.81
AV	5.599G	85.53	Inf	-Inf	80.65	3	Horizontal	342	2.36	-	31.50	5.20	31.82
PK	5.749G	58.24	68.20	-9.96	52.82	3	Horizontal	342	2.36	-	31.90	5.27	31.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

21/01/2021

5610MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21084G	56.19	74.00	-17.81	42.59	3	Vertical	325	1.83	-	39.60	8.18	34.18
AV	11.22408G	43.01	54.00	-10.99	29.40	3	Vertical	325	1.83	-	39.60	8.19	34.18

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

21/01/2021

5610MHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.215G	55.94	74.00	-18.06	42.33	3	Horizontal	105	1.98	-	39.60	8.19	34.18
AV	11.22688G	43.07	54.00	-10.93	29.46	3	Horizontal	105	1.98	-	39.60	8.19	34.18

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

13/11/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	57.69	74.00	-16.31	52.85	3	Vertical	255	1.80	-	31.62	5.06	31.84
AV	5.458G	45.07	54.00	-8.93	40.23	3	Vertical	255	1.80	-	31.62	5.06	31.84
AV	5.46G	45.03	54.00	-8.97	40.19	3	Vertical	255	1.80	-	31.62	5.06	31.84
PK	5.464G	58.65	68.20	-9.55	53.81	3	Vertical	255	1.80	-	31.63	5.06	31.85
PK	5.654G	100.60	Inf	-Inf	95.65	3	Vertical	255	1.80	-	31.52	5.23	31.80
AV	5.693G	87.96	Inf	-Inf	82.82	3	Vertical	255	1.80	-	31.67	5.25	31.78
PK	5.851G	58.80	68.20	-9.40	52.95	3	Vertical	255	1.80	-	32.20	5.35	31.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

13/11/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.449G	57.00	74.00	-17.00	52.19	3	Horizontal	50	1.04	-	31.60	5.05	31.84
PK	5.468G	55.67	68.20	-12.53	50.81	3	Horizontal	50	1.04	-	31.64	5.07	31.85
AV	5.46G	44.38	54.00	-9.62	39.54	3	Horizontal	50	1.04	-	31.62	5.06	31.84
AV	5.46G	44.38	54.00	-9.62	39.54	3	Horizontal	50	1.04	-	31.62	5.06	31.84
PK	5.688G	93.81	Inf	-Inf	88.70	3	Horizontal	50	1.04	-	31.65	5.24	31.78
AV	5.659G	84.54	Inf	-Inf	79.56	3	Horizontal	50	1.04	-	31.54	5.23	31.79
PK	5.865G	57.88	68.20	-10.32	51.98	3	Horizontal	50	1.04	-	32.23	5.36	31.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

13/11/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37984G	55.36	74.00	-18.64	41.55	3	Vertical	77	2.45	-	39.76	8.25	34.20
AV	11.38306G	42.19	54.00	-11.81	28.37	3	Vertical	77	2.45	-	39.77	8.25	34.20

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

13/11/2020

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_2TX
Setting 23
ANT Z
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38486G	55.19	74.00	-18.81	41.37	3	Horizontal	134	2.70	-	39.77	8.25	34.20
AV	11.37964G	42.05	54.00	-11.95	28.24	3	Horizontal	134	2.70	-	39.76	8.25	34.20



For beamforming mode:

For Set 2:


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.462G	68.17	68.20	-0.03	3	Horizontal	62	1.89	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5260MHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1346G	56.90	74.00	-17.10	51.72	3	Vertical	11	1.81	-	31.80	5.00	31.62
AV	5.1166G	44.52	54.00	-9.48	39.33	3	Vertical	11	1.81	-	31.80	5.00	31.61
PK	5.257G	110.46	Inf	-Inf	105.87	3	Vertical	11	1.81	-	31.29	5.00	31.70
AV	5.257G	99.82	Inf	-Inf	95.23	3	Vertical	11	1.81	-	31.29	5.00	31.70
PK	5.3836G	56.35	74.00	-17.65	51.74	3	Vertical	11	1.81	-	31.40	5.00	31.79
AV	5.3938G	43.89	54.00	-10.11	39.23	3	Vertical	11	1.81	-	31.46	5.00	31.80

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5260MHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1274G	57.31	74.00	-16.69	52.13	3	Horizontal	85	1.80	-	31.80	5.00	31.62
AV	5.15G	45.22	54.00	-8.78	40.05	3	Horizontal	85	1.80	-	31.80	5.00	31.63
PK	5.2534G	115.15	Inf	-Inf	110.56	3	Horizontal	85	1.80	-	31.29	5.00	31.70
AV	5.2528G	104.33	Inf	-Inf	99.74	3	Horizontal	85	1.80	-	31.29	5.00	31.70
PK	5.3662G	57.47	74.00	-16.53	52.95	3	Horizontal	85	1.80	-	31.30	5.00	31.78
AV	5.3542G	44.70	54.00	-9.30	40.24	3	Horizontal	85	1.80	-	31.23	5.00	31.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5260MHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7801G	59.71	74.00	-14.29	44.81	3	Vertical	131	2.36	-	38.50	10.49	34.09
AV	15.78083G	46.74	54.00	-7.26	31.84	3	Vertical	131	2.36	-	38.50	10.49	34.09

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5260MHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77901G	59.52	74.00	-14.48	44.62	3	Horizontal	10	1.34	-	38.50	10.49	34.09
AV	15.77978G	46.80	54.00	-7.20	31.90	3	Horizontal	10	1.34	-	38.50	10.49	34.09

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5300MHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3016G	110.16	Inf	-Inf	105.70	3	Vertical	18	1.79	-	31.20	5.00	31.74
AV	5.302G	99.66	Inf	-Inf	95.20	3	Vertical	18	1.79	-	31.20	5.00	31.74
PK	5.3592G	56.50	74.00	-17.50	52.01	3	Vertical	18	1.79	-	31.26	5.00	31.77
AV	5.3504G	44.64	54.00	-9.36	40.21	3	Vertical	18	1.79	-	31.20	5.00	31.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5300MHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3036G	113.86	Inf	-Inf	109.40	3	Horizontal	95	2.12	-	31.20	5.00	31.74	
AV	5.2976G	100.99	Inf	-Inf	96.52	3	Horizontal	95	2.12	-	31.20	5.00	31.73	
PK	5.35G	62.88	74.00	-11.12	58.45	3	Horizontal	95	2.12	-	31.20	5.00	31.77	
AV	5.35G	46.29	54.00	-7.71	41.86	3	Horizontal	95	2.12	-	31.20	5.00	31.77	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5300MHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60039G	55.32	74.00	-18.68	41.56	3	Vertical	105	2.97	-	39.80	7.94	33.98
AV	10.6004G	42.31	54.00	-11.69	28.55	3	Vertical	105	2.97	-	39.80	7.94	33.98
PK	15.89918G	59.32	74.00	-14.68	44.75	3	Vertical	50	1.66	-	38.20	10.55	34.18
AV	15.90011G	46.45	54.00	-7.55	31.88	3	Vertical	50	1.66	-	38.20	10.55	34.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5300MHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60041G	55.15	74.00	-18.85	41.39	3	Horizontal	312	2.36	-	39.80	7.94	33.98
AV	10.60035G	42.38	54.00	-11.62	28.62	3	Horizontal	312	2.36	-	39.80	7.94	33.98
PK	15.90026G	59.61	74.00	-14.39	45.04	3	Horizontal	76	1.93	-	38.20	10.55	34.18
AV	15.89922G	46.39	54.00	-7.61	31.82	3	Horizontal	76	1.93	-	38.20	10.55	34.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5320MHz_TX




EUT_Z_2TX
Setting 23
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.316G	105.83	Inf	-Inf	101.37	3	Vertical	12	1.62	-	31.20	5.00	31.74
AV	5.317G	95.11	Inf	-Inf	90.66	3	Vertical	12	1.62	-	31.20	5.00	31.75
PK	5.3522G	58.34	74.00	-15.66	53.90	3	Vertical	12	1.62	-	31.21	5.00	31.77
AV	5.3614G	43.98	54.00	-10.02	39.49	3	Vertical	12	1.62	-	31.27	5.00	31.78

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5320MHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3146G	113.40	Inf	-Inf	108.94	3	Horizontal	87	1.81	-	31.20	5.00	31.74
AV	5.322G	101.83	Inf	-Inf	97.38	3	Horizontal	87	1.81	-	31.20	5.00	31.75
PK	5.3564G	68.69	74.00	-5.31	64.22	3	Horizontal	87	1.81	-	31.24	5.00	31.77
AV	5.35G	53.48	54.00	-0.52	49.05	3	Horizontal	87	1.81	-	31.20	5.00	31.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5320MHz_TX




EUT_Z_2TX
Setting 23
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63966G	54.60	74.00	-19.40	40.80	3	Vertical	241	1.95	-	39.84	7.96	34.00
AV	10.64065G	42.10	54.00	-11.90	28.30	3	Vertical	241	1.95	-	39.84	7.96	34.00
PK	15.96018G	57.95	74.00	-16.05	43.39	3	Vertical	195	1.42	-	38.20	10.58	34.22
AV	15.95954G	45.63	54.00	-8.37	31.07	3	Vertical	195	1.42	-	38.20	10.58	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5320MHz_TX




EUT_Z_2TX
Setting 23
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63992G	55.23	74.00	-18.77	41.43	3	Horizontal	46	2.90	-	39.84	7.96	34.00
AV	10.64007G	42.13	54.00	-11.87	28.33	3	Horizontal	46	2.90	-	39.84	7.96	34.00
PK	15.95983G	58.62	74.00	-15.38	44.06	3	Horizontal	207	2.09	-	38.20	10.58	34.22
AV	15.95967G	45.61	54.00	-8.39	31.05	3	Horizontal	207	2.09	-	38.20	10.58	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5500MHz_TX




EUT Z_2TX
Setting 22
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	56.90	74.00	-17.10	52.08	3	Vertical	8	1.88	-	31.61	5.05	31.84
AV	5.4536G	44.44	54.00	-9.56	39.62	3	Vertical	8	1.88	-	31.61	5.05	31.84
PK	5.4696G	59.20	68.20	-9.00	54.34	3	Vertical	8	1.88	-	31.64	5.07	31.85
PK	5.4932G	109.48	Inf	-Inf	104.57	3	Vertical	8	1.88	-	31.69	5.09	31.87
AV	5.4956G	98.54	Inf	-Inf	93.62	3	Vertical	8	1.88	-	31.69	5.10	31.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5500MHz_TX




EUT_Z_2TX
Setting 22
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	58.30	74.00	-15.70	53.46	3	Horizontal	89	1.92	-	31.62	5.06	31.84
AV	5.46G	46.00	54.00	-8.00	41.16	3	Horizontal	89	1.92	-	31.62	5.06	31.84
PK	5.47G	67.74	68.20	-0.46	62.88	3	Horizontal	89	1.92	-	31.64	5.07	31.85
PK	5.5016G	113.98	Inf	-Inf	109.06	3	Horizontal	89	1.92	-	31.69	5.10	31.87
AV	5.498G	101.50	Inf	-Inf	96.57	3	Horizontal	89	1.92	-	31.70	5.10	31.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5500MHz_TX




EUT_Z_2TX
Setting 22
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00026G	56.89	74.00	-17.11	42.75	3	Vertical	323	1.14	-	40.20	8.10	34.16
AV	11.00036G	42.92	54.00	-11.08	28.78	3	Vertical	323	1.14	-	40.20	8.10	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5500MHz_TX




EUT_Z_2TX
Setting 22
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00074G	56.32	74.00	-17.68	42.18	3	Horizontal	198	1.82	-	40.20	8.10	34.16
AV	10.99971G	42.91	54.00	-11.09	28.77	3	Horizontal	198	1.82	-	40.20	8.10	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5580MHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4376G	56.92	74.00	-17.08	52.13	3	Vertical	11	1.98	-	31.58	5.04	31.83
AV	5.4488G	44.23	54.00	-9.77	39.42	3	Vertical	11	1.98	-	31.60	5.05	31.84
PK	5.4664G	55.81	68.20	-12.39	50.96	3	Vertical	11	1.98	-	31.63	5.07	31.85
PK	5.576G	109.04	Inf	-Inf	104.19	3	Vertical	11	1.98	-	31.50	5.18	31.83
AV	5.5792G	97.25	Inf	-Inf	92.40	3	Vertical	11	1.98	-	31.50	5.18	31.83
PK	5.7696G	57.48	68.20	-10.72	52.00	3	Vertical	11	1.98	-	31.94	5.28	31.74

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5580MHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	56.74	74.00	-17.26	51.92	3	Horizontal	64	1.76	-	31.61	5.05	31.84
AV	5.4488G	44.89	54.00	-9.11	40.08	3	Horizontal	64	1.76	-	31.60	5.05	31.84
PK	5.4688G	56.73	68.20	-11.47	51.87	3	Horizontal	64	1.76	-	31.64	5.07	31.85
PK	5.5816G	114.71	Inf	-Inf	109.86	3	Horizontal	64	1.76	-	31.50	5.18	31.83
AV	5.5792G	103.44	Inf	-Inf	98.59	3	Horizontal	64	1.76	-	31.50	5.18	31.83
PK	5.7568G	57.10	68.20	-11.10	51.66	3	Horizontal	64	1.76	-	31.91	5.28	31.75

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5580MHz_TX




EUT_Z_2TX
Setting 23
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16068G	55.48	74.00	-18.52	41.82	3	Vertical	297	1.83	-	39.68	8.16	34.18
AV	11.15904G	42.53	54.00	-11.47	28.87	3	Vertical	297	1.83	-	39.68	8.16	34.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5580MHz_TX




EUT_Z_2TX
Setting 23
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15961G	55.75	74.00	-18.25	42.09	3	Horizontal	45	2.45	-	39.68	8.16	34.18
AV	11.15971G	42.49	54.00	-11.51	28.83	3	Horizontal	45	2.45	-	39.68	8.16	34.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5700MHz_TX




EUT Z_2TX
Setting 19
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.707G	109.57	Inf	-Inf	104.36	3	Vertical	24	1.51	-	31.73	5.25	31.77
AV	5.7084G	100.08	Inf	-Inf	94.87	3	Vertical	24	1.51	-	31.73	5.25	31.77
PK	5.7398G	58.24	68.20	-9.96	52.86	3	Vertical	24	1.51	-	31.86	5.27	31.75

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5700MHz_TX




EUT_Z_2TX
Setting 19
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	115.70	Inf	-Inf	110.50	3	Horizontal	278	1.52	-	31.72	5.25	31.77
AV	5.7054G	104.87	Inf	-Inf	99.67	3	Horizontal	278	1.52	-	31.72	5.25	31.77
PK	5.7274G	67.40	68.20	-0.80	62.09	3	Horizontal	278	1.52	-	31.81	5.26	31.76

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5700MHz_TX




EUT Z_2TX
Setting 19
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.401G	55.14	74.00	-18.86	41.28	3	Vertical	0	2.21	-	39.80	8.26	34.20
AV	11.39957G	42.21	54.00	-11.79	28.35	3	Vertical	0	2.21	-	39.80	8.26	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5700MHz_TX




EUT Z_2TX
Setting 19
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39974G	55.25	74.00	-18.75	41.39	3	Horizontal	61	2.85	-	39.80	8.26	34.20
AV	11.39991G	42.33	54.00	-11.67	28.47	3	Horizontal	61	2.85	-	39.80	8.26	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7144G	109.72	Inf	-Inf	104.47	3	Vertical	9	1.90	-	31.76	5.26	31.77
AV	5.7136G	96.53	Inf	-Inf	91.29	3	Vertical	9	1.90	-	31.75	5.26	31.77
PK	5.8648G	57.99	68.20	-10.21	52.09	3	Vertical	9	1.90	-	32.23	5.36	31.69

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	115.46	Inf	-Inf	110.20	3	Horizontal	281	1.69	-	31.77	5.26	31.77
AV	5.7184G	103.74	Inf	-Inf	98.48	3	Horizontal	281	1.69	-	31.77	5.26	31.77
PK	5.8504G	58.59	68.20	-9.61	52.74	3	Horizontal	281	1.69	-	32.20	5.35	31.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43986G	55.39	74.00	-18.61	41.43	3	Vertical	37	2.27	-	39.88	8.28	34.20
AV	11.43987G	42.09	54.00	-11.91	28.13	3	Vertical	37	2.27	-	39.88	8.28	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

27/11/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44077G	55.36	74.00	-18.64	41.40	3	Horizontal	37	2.97	-	39.88	8.28	34.20
AV	11.43999G	42.15	54.00	-11.85	28.19	3	Horizontal	37	2.97	-	39.88	8.28	34.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5270MHz_TX




EUT_Z_2TX
Setting 20
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	57.87	74.00	-16.13	52.70	3	Vertical	13	1.83	-	31.80	5.00	31.63
AV	5.1452G	44.72	54.00	-9.28	39.55	3	Vertical	13	1.83	-	31.80	5.00	31.63
PK	5.2736G	107.79	Inf	-Inf	103.26	3	Vertical	13	1.83	-	31.25	5.00	31.72
AV	5.2712G	96.70	Inf	-Inf	92.15	3	Vertical	13	1.83	-	31.26	5.00	31.71
PK	5.3624G	62.95	74.00	-11.05	58.46	3	Vertical	13	1.83	-	31.27	5.00	31.78
AV	5.35G	48.49	54.00	-5.51	44.06	3	Vertical	13	1.83	-	31.20	5.00	31.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5270MHz_TX




EUT Z_2TX
Setting 20
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	61.30	74.00	-12.70	56.13	3	Horizontal	63	1.00	-	31.80	5.00	31.63
AV	5.1494G	47.18	54.00	-6.82	42.01	3	Horizontal	63	1.00	-	31.80	5.00	31.63
PK	5.264G	114.20	Inf	-Inf	109.64	3	Horizontal	63	1.00	-	31.27	5.00	31.71
AV	5.2634G	103.82	Inf	-Inf	99.26	3	Horizontal	63	1.00	-	31.27	5.00	31.71
PK	5.3594G	68.43	74.00	-5.57	63.94	3	Horizontal	63	1.00	-	31.26	5.00	31.77
AV	5.351G	53.47	54.00	-0.53	49.03	3	Horizontal	63	1.00	-	31.21	5.00	31.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5270MHz_TX




EUT Z_2TX
Setting 20
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81066G	60.10	74.00	-13.90	45.32	3	Vertical	152	2.38	-	38.38	10.51	34.11
AV	15.81046G	46.65	54.00	-7.35	31.87	3	Vertical	152	2.38	-	38.38	10.51	34.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5270MHz_TX




EUT Z_2TX
Setting 20
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81077G	59.67	74.00	-14.33	44.89	3	Horizontal	142	2.21	-	38.38	10.51	34.11
AV	15.81046G	46.82	54.00	-7.18	32.04	3	Horizontal	142	2.21	-	38.38	10.51	34.11

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5310MHz_TX




EUT_Z_2TX
Setting 17
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	103.50	Inf	-Inf	99.05	3	Vertical	12	1.80	-	31.20	5.00	31.75
AV	5.322G	92.47	Inf	-Inf	88.02	3	Vertical	12	1.80	-	31.20	5.00	31.75
PK	5.3564G	64.01	74.00	-9.99	59.54	3	Vertical	12	1.80	-	31.24	5.00	31.77
AV	5.352G	44.77	54.00	-9.23	40.33	3	Vertical	12	1.80	-	31.21	5.00	31.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5310MHz_TX




EUT Z_2TX
Setting 17
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3016G	111.11	Inf	-Inf	106.65	3	Horizontal	88	1.80	-	31.20	5.00	31.74
AV	5.3068G	99.52	Inf	-Inf	95.06	3	Horizontal	88	1.80	-	31.20	5.00	31.74
PK	5.3624G	69.46	74.00	-4.54	64.97	3	Horizontal	88	1.80	-	31.27	5.00	31.78
AV	5.35G	53.25	54.00	-0.75	48.82	3	Horizontal	88	1.80	-	31.20	5.00	31.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5310MHz_TX




EUT Z_2TX
Setting 17
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61978G	55.37	74.00	-18.63	41.59	3	Vertical	240	2.21	-	39.82	7.95	33.99
AV	10.61955G	42.24	54.00	-11.76	28.46	3	Vertical	240	2.21	-	39.82	7.95	33.99
PK	15.931G	59.17	74.00	-14.83	44.60	3	Vertical	141	1.26	-	38.20	10.57	34.20
AV	15.93094G	46.23	54.00	-7.77	31.66	3	Vertical	141	1.26	-	38.20	10.57	34.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5310MHz_TX




EUT_Z_2TX
Setting 17
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61928G	56.11	74.00	-17.89	42.33	3	Horizontal	209	2.83	-	39.82	7.95	33.99
AV	10.61916G	42.18	54.00	-11.82	28.40	3	Horizontal	209	2.83	-	39.82	7.95	33.99
PK	15.92977G	59.09	74.00	-14.91	44.53	3	Horizontal	140	1.06	-	38.20	10.56	34.20
AV	15.93034G	46.18	54.00	-7.82	31.61	3	Horizontal	140	1.06	-	38.20	10.57	34.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5510MHz_TX




EUT_Z_2TX
Setting 19
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	57.80	74.00	-16.20	52.99	3	Vertical	10	1.80	-	31.60	5.05	31.84
PK	5.4648G	57.10	68.20	-11.10	52.26	3	Vertical	10	1.80	-	31.63	5.06	31.85
AV	5.46G	44.59	54.00	-9.41	39.75	3	Vertical	10	1.80	-	31.62	5.06	31.84
PK	5.5244G	104.20	Inf	-Inf	99.34	3	Vertical	10	1.80	-	31.60	5.12	31.86
AV	5.5284G	92.90	Inf	-Inf	88.04	3	Vertical	10	1.80	-	31.59	5.13	31.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5510MHz_TX




EUT Z_2TX
Setting 19
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	64.00	74.00	-10.00	59.17	3	Horizontal	62	1.89	-	31.61	5.06	31.84
PK	5.462G	68.17	68.20	-0.03	63.33	3	Horizontal	62	1.89	-	31.62	5.06	31.84
AV	5.46G	49.89	54.00	-4.11	45.05	3	Horizontal	62	1.89	-	31.62	5.06	31.84
PK	5.5184G	111.13	Inf	-Inf	106.24	3	Horizontal	62	1.89	-	31.63	5.12	31.86
AV	5.5032G	100.49	Inf	-Inf	95.57	3	Horizontal	62	1.89	-	31.69	5.10	31.87

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5510MHz_TX




EUT_Z_2TX
Setting 19
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0196G	56.12	74.00	-17.88	42.05	3	Vertical	35	1.49	-	40.12	8.11	34.16
AV	11.02091G	42.98	54.00	-11.02	28.91	3	Vertical	35	1.49	-	40.12	8.11	34.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5510MHz_TX




EUT_Z_2TX
Setting 19
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02078G	56.40	74.00	-17.60	42.33	3	Horizontal	121	2.54	-	40.12	8.11	34.16
AV	11.01917G	43.12	54.00	-10.88	29.05	3	Horizontal	121	2.54	-	40.12	8.11	34.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5550MHz_TX




EUT_Z_2TX
Setting 19
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.436G	56.79	74.00	-17.21	52.01	3	Vertical	22	1.54	-	31.57	5.04	31.83
AV	5.4402G	44.33	54.00	-9.67	39.54	3	Vertical	22	1.54	-	31.58	5.04	31.83
PK	5.4696G	55.67	68.20	-12.53	50.81	3	Vertical	22	1.54	-	31.64	5.07	31.85
PK	5.5362G	108.25	Inf	-Inf	103.40	3	Vertical	22	1.54	-	31.56	5.14	31.85
AV	5.5374G	96.08	Inf	-Inf	91.24	3	Vertical	22	1.54	-	31.55	5.14	31.85

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5550MHz_TX




EUT_Z_2TX
Setting 19
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4522G	61.76	74.00	-12.24	56.95	3	Horizontal	62	1.81	-	31.60	5.05	31.84
AV	5.46G	46.64	54.00	-7.36	41.80	3	Horizontal	62	1.81	-	31.62	5.06	31.84
PK	5.4696G	64.10	68.20	-4.10	59.24	3	Horizontal	62	1.81	-	31.64	5.07	31.85
PK	5.5398G	111.64	Inf	-Inf	106.81	3	Horizontal	62	1.81	-	31.54	5.14	31.85
AV	5.541G	99.32	Inf	-Inf	94.49	3	Horizontal	62	1.81	-	31.54	5.14	31.85

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5550MHz_TX




EUT Z_2TX
Setting 19
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10006G	55.68	74.00	-18.32	41.91	3	Vertical	211	2.98	-	39.80	8.14	34.17
AV	11.09998G	42.55	54.00	-11.45	28.78	3	Vertical	211	2.98	-	39.80	8.14	34.17

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5550MHz_TX




EUT_Z_2TX
Setting 19
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09982G	55.57	74.00	-18.43	41.80	3	Horizontal	334	2.50	-	39.80	8.14	34.17
AV	11.1008G	42.51	54.00	-11.49	28.74	3	Horizontal	334	2.50	-	39.80	8.14	34.17

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5670MHz_TX




EUT Z_2TX
Setting 18
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6832G	106.20	Inf	-Inf	101.11	3	Vertical	22	1.86	-	31.63	5.24	31.78
AV	5.6848G	95.72	Inf	-Inf	90.62	3	Vertical	22	1.86	-	31.64	5.24	31.78
PK	5.728G	64.66	68.20	-3.54	59.35	3	Vertical	22	1.86	-	31.81	5.26	31.76

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5670MHz_TX




EUT Z_2TX
Setting 18
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6728G	112.87	Inf	-Inf	107.83	3	Horizontal	276	1.61	-	31.59	5.24	31.79
AV	5.672G	101.14	Inf	-Inf	96.10	3	Horizontal	276	1.61	-	31.59	5.24	31.79
PK	5.7256G	68.16	68.20	-0.04	62.86	3	Horizontal	276	1.61	-	31.80	5.26	31.76

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5670MHz_TX




EUT_Z_2TX
Setting 18
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33916G	55.38	74.00	-18.62	41.65	3	Vertical	182	1.53	-	39.68	8.24	34.19
AV	11.339G	42.42	54.00	-11.58	28.69	3	Vertical	182	1.53	-	39.68	8.24	34.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5670MHz_TX




EUT_Z_2TX
Setting 18
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33974G	55.44	74.00	-18.56	41.71	3	Horizontal	112	2.76	-	39.68	8.24	34.19
AV	11.33977G	42.36	54.00	-11.64	28.63	3	Horizontal	112	2.76	-	39.68	8.24	34.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7092G	108.54	Inf	-Inf	103.32	3	Vertical	9	1.87	-	31.74	5.25	31.77
AV	5.7076G	96.48	Inf	-Inf	91.27	3	Vertical	9	1.87	-	31.73	5.25	31.77
PK	5.8572G	59.63	68.20	-8.57	53.76	3	Vertical	9	1.87	-	32.21	5.36	31.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6964G	115.81	Inf	-Inf	110.65	3	Horizontal	282	1.74	-	31.69	5.25	31.78
AV	5.7236G	103.36	Inf	-Inf	98.07	3	Horizontal	282	1.74	-	31.79	5.26	31.76
PK	5.8508G	63.64	68.20	-4.56	57.79	3	Horizontal	282	1.74	-	32.20	5.35	31.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41911G	55.78	74.00	-18.22	41.87	3	Vertical	266	1.25	-	39.84	8.27	34.20
AV	11.41988G	42.21	54.00	-11.79	28.30	3	Vertical	266	1.25	-	39.84	8.27	34.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

27/11/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 23
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41913G	55.21	74.00	-18.79	41.30	3	Horizontal	96	1.48	-	39.84	8.27	34.20
AV	11.42086G	42.24	54.00	-11.76	28.33	3	Horizontal	96	1.48	-	39.84	8.27	34.20

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

27/11/2020

5290MHz_TX




EUT_Z_2TX
Setting 19
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.114G	57.23	74.00	-16.77	52.04	3	Vertical	13	1.79	-	31.80	5.00	31.61
AV	5.1004G	44.96	54.00	-9.04	39.76	3	Vertical	13	1.79	-	31.80	5.00	31.60
PK	5.2588G	100.41	Inf	-Inf	95.84	3	Vertical	13	1.79	-	31.28	5.00	31.71
AV	5.2628G	90.07	Inf	-Inf	85.51	3	Vertical	13	1.79	-	31.27	5.00	31.71
PK	5.3692G	67.46	74.00	-6.54	62.92	3	Vertical	13	1.79	-	31.32	5.00	31.78
AV	5.37G	47.74	54.00	-6.26	43.20	3	Vertical	13	1.79	-	31.32	5.00	31.78
PK	5.462G	56.81	68.20	-11.39	51.97	3	Vertical	13	1.79	-	31.62	5.06	31.84

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

27/11/2020

5290MHz_TX




EUT Z_2TX
Setting 19
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	61.02	74.00	-12.98	55.85	3	Horizontal	86	1.67	-	31.80	5.00	31.63
AV	5.15G	47.13	54.00	-6.87	41.96	3	Horizontal	86	1.67	-	31.80	5.00	31.63
PK	5.2532G	109.17	Inf	-Inf	104.58	3	Horizontal	86	1.67	-	31.29	5.00	31.70
AV	5.2804G	94.39	Inf	-Inf	89.87	3	Horizontal	86	1.67	-	31.24	5.00	31.72
PK	5.3796G	73.04	74.00	-0.96	68.45	3	Horizontal	86	1.67	-	31.38	5.00	31.79
AV	5.3532G	53.37	54.00	-0.63	48.92	3	Horizontal	86	1.67	-	31.22	5.00	31.77
PK	5.4812G	58.14	68.20	-10.06	53.26	3	Horizontal	86	1.67	-	31.66	5.08	31.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

27/11/2020

5290MHz_TX




EUT Z_2TX
Setting 19
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87069G	60.20	74.00	-13.80	45.56	3	Vertical	337	2.20	-	38.26	10.54	34.16
AV	15.86981G	47.24	54.00	-6.76	32.61	3	Vertical	337	2.20	-	38.26	10.53	34.16

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

27/11/2020

5290MHz_TX




EUT_Z_2TX
Setting 19
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87073G	60.15	74.00	-13.85	45.51	3	Horizontal	214	2.12	-	38.26	10.54	34.16
AV	15.87021G	46.97	54.00	-7.03	32.33	3	Horizontal	214	2.12	-	38.26	10.54	34.16

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

27/11/2020

5530MHz_TX




EUT_Z_2TX
Setting 18
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	61.02	74.00	-12.98	56.21	3	Vertical	11	1.87	-	31.59	5.05	31.83
AV	5.4436G	44.99	54.00	-9.01	40.19	3	Vertical	11	1.87	-	31.59	5.04	31.83
PK	5.467G	65.52	68.20	-2.68	60.67	3	Vertical	11	1.87	-	31.63	5.07	31.85
PK	5.5318G	103.72	Inf	-Inf	98.87	3	Vertical	11	1.87	-	31.57	5.13	31.85
AV	5.5072G	92.68	Inf	-Inf	87.77	3	Vertical	11	1.87	-	31.67	5.11	31.87

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

27/11/2020

5530MHz_TX




EUT_Z_2TX
Setting 18
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4322G	70.93	74.00	-3.07	66.16	3	Horizontal	87	1.74	-	31.56	5.03	31.82
PK	5.4628G	67.98	68.20	-0.22	63.13	3	Horizontal	87	1.74	-	31.63	5.06	31.84
AV	5.4568G	49.10	54.00	-4.90	44.27	3	Horizontal	87	1.74	-	31.61	5.06	31.84
PK	5.5222G	108.58	Inf	-Inf	103.71	3	Horizontal	87	1.74	-	31.61	5.12	31.86
AV	5.527G	95.51	Inf	-Inf	90.65	3	Horizontal	87	1.74	-	31.59	5.13	31.86

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

27/11/2020

5530MHz_TX




EUT_Z_2TX
Setting 18
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06091G	56.18	74.00	-17.82	42.27	3	Vertical	32	1.63	-	39.96	8.12	34.17
AV	11.05936G	42.78	54.00	-11.22	28.87	3	Vertical	32	1.63	-	39.96	8.12	34.17

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

27/11/2020

5530MHz_TX




EUT Z_2TX
Setting 18
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06051G	55.71	74.00	-18.29	41.80	3	Horizontal	344	1.98	-	39.96	8.12	34.17
AV	11.06098G	42.88	54.00	-11.12	28.97	3	Horizontal	344	1.98	-	39.96	8.12	34.17

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

21/01/2021

5610MHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.421G	57.87	74.00	-16.13	53.13	3	Vertical	26	1.82	-	31.54	5.02	31.82
PK	5.47G	58.31	68.20	-9.89	53.45	3	Vertical	26	1.82	-	31.64	5.07	31.85
AV	5.458G	45.61	54.00	-8.39	40.77	3	Vertical	26	1.82	-	31.62	5.06	31.84
PK	5.605G	104.41	Inf	-Inf	99.53	3	Vertical	26	1.82	-	31.50	5.20	31.82
AV	5.579G	95.20	Inf	-Inf	90.35	3	Vertical	26	1.82	-	31.50	5.18	31.83
PK	5.809G	63.31	68.20	-4.89	57.68	3	Vertical	26	1.82	-	32.04	5.31	31.72

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

21/01/2021

5610MHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.447G	59.32	74.00	-14.68	54.51	3	Horizontal	83	1.70	-	31.59	5.05	31.83
PK	5.464G	61.54	68.20	-6.66	56.70	3	Horizontal	83	1.70	-	31.63	5.06	31.85
AV	5.458G	47.09	54.00	-6.91	42.25	3	Horizontal	83	1.70	-	31.62	5.06	31.84
PK	5.595G	108.17	Inf	-Inf	103.29	3	Horizontal	83	1.70	-	31.50	5.20	31.82
AV	5.592G	97.15	Inf	-Inf	92.29	3	Horizontal	83	1.70	-	31.50	5.19	31.83
PK	5.726G	64.39	68.20	-3.81	59.09	3	Horizontal	83	1.70	-	31.80	5.26	31.76

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

21/01/2021

5610MHz_TX




EUT Z_2TX
Setting 23
ANT Y
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22304G	55.70	74.00	-18.30	42.09	3	Vertical	93	2.02	-	39.60	8.19	34.18
AV	11.2188G	42.27	54.00	-11.73	28.66	3	Vertical	93	2.02	-	39.60	8.19	34.18

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

21/01/2021

5610MHz_TX




EUT_Z_2TX
Setting 23
ANT Y
06-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22948G	55.65	74.00	-18.35	42.04	3	Horizontal	168	2.78	-	39.60	8.19	34.18
AV	11.21424G	42.37	54.00	-11.63	28.76	3	Horizontal	168	2.78	-	39.60	8.19	34.18

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

27/11/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4452G	57.09	74.00	-16.91	52.28	3	Vertical	11	1.84	-	31.59	5.05	31.83
PK	5.4608G	57.52	68.20	-10.68	52.68	3	Vertical	11	1.84	-	31.62	5.06	31.84
AV	5.456G	45.37	54.00	-8.63	40.54	3	Vertical	11	1.84	-	31.61	5.06	31.84
PK	5.7008G	105.12	Inf	-Inf	99.94	3	Vertical	11	1.84	-	31.70	5.25	31.77
AV	5.6636G	96.74	Inf	-Inf	91.75	3	Vertical	11	1.84	-	31.55	5.23	31.79
PK	5.852G	62.64	68.20	-5.56	56.79	3	Vertical	11	1.84	-	32.20	5.35	31.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

27/11/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 22
ANT Y
06-D-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	58.15	74.00	-15.85	53.32	3	Horizontal	279	1.60	-	31.61	5.06	31.84
PK	5.462G	59.32	68.20	-8.88	54.48	3	Horizontal	279	1.60	-	31.62	5.06	31.84
AV	5.4596G	46.35	54.00	-7.65	41.51	3	Horizontal	279	1.60	-	31.62	5.06	31.84
PK	5.7008G	111.93	Inf	-Inf	106.75	3	Horizontal	279	1.60	-	31.70	5.25	31.77
AV	5.6972G	100.16	Inf	-Inf	95.00	3	Horizontal	279	1.60	-	31.69	5.25	31.78
PK	5.8532G	67.74	68.20	-0.46	61.88	3	Horizontal	279	1.60	-	32.21	5.35	31.70

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

27/11/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 22
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38058G	55.64	74.00	-18.36	41.83	3	Vertical	267	2.15	-	39.76	8.25	34.20
AV	11.37924G	42.47	54.00	-11.53	28.66	3	Vertical	267	2.15	-	39.76	8.25	34.20

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

27/11/2020

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 22
ANT Y
06-D-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37994G	55.76	74.00	-18.24	41.95	3	Horizontal	320	1.84	-	39.76	8.25	34.20
AV	11.37969G	42.34	54.00	-11.66	28.53	3	Horizontal	320	1.84	-	39.76	8.25	34.20