








11AX20MIMO_Ant8_5240_106Tone_RU54



Date: 10.AUG.2024 12:43:09


11AX20MIMO_Ant10_5240_26Tone_RU8



Date: 10.AUG.2024 12:41:22




11AX20MIMO_Ant10_5240_52Tone_RU40





Date: 10.AUG.2024 12:42:31

11AX20MIMO_Ant10_5240_106Tone_RU54




Date: 10.AUG.2024 12:43:30








11AX20MIMO_Ant10_5260_52Tone_RU37




Date: 10.AUG.2024 12:47:21

11AX20MIMO_Ant10_5260_106Tone_RU53




Date: 10.AUG.2024 12:48:53






11AX20MIMO_Ant8_5300_106Tone_RU53



Date: 10.AUG.2024 12:50:54


11AX20MIMO_Ant10_5300_26Tone_RU0



Date: 10.AUG.2024 12:49:39




11AX20MIMO_Ant10_5300_52Tone_RU37




Date: 10.AUG.2024 12:50:30

11AX20MIMO_Ant10_5300_106Tone_RU53




Date: 10.AUG.2024 12:52:14






11AX20MIMO_Ant8_5320_106Tone_RU54



Date: 10.AUG.2024 12:56:24


11AX20MIMO_Ant10_5320_26Tone_RU8



Date: 10.AUG.2024 12:54:10




11AX20MIMO_Ant10_5320_52Tone_RU40




Date: 10.AUG.2024 12:54:49

11AX20MIMO_Ant10_5320_106Tone_RU54




Date: 10.AUG.2024 12:56:34






11AX20MIMO_Ant8_5500_106Tone_RU53



Date: 10.AUG.2024 12:59:47


11AX20MIMO_Ant10_5500_26Tone_RU0



Date: 10.AUG.2024 12:57:57




11AX20MIMO_Ant10_5500_52Tone_RU37




Date: 10.AUG.2024 12:58:39

11AX20MIMO_Ant10_5500_106Tone_RU53




Date: 10.AUG.2024 12:59:57






11AX20MIMO_Ant8_5580_106Tone_RU53



Date: 10.AUG.2024 13:01:57


11AX20MIMO_Ant10_5580_26Tone_RU0



Date: 10.AUG.2024 13:00:56




11AX20MIMO_Ant10_5580_52Tone_RU37




Date: 10.AUG.2024 13:01:34

11AX20MIMO_Ant10_5580_106Tone_RU53




Date: 10.AUG.2024 13:02:07






11AX20MIMO_Ant8_5700_106Tone_RU54



Date: 10.AUG.2024 13:04:42


11AX20MIMO_Ant10_5700_26Tone_RU8



Date: 10.AUG.2024 13:03:19




11AX20MIMO_Ant10_5700_52Tone_RU40




Date: 10.AUG.2024 13:04:09

11AX20MIMO_Ant10_5700_106Tone_RU54




Date: 10.AUG.2024 13:04:51






11AX20MIMO_Ant8_5720_106Tone_RU54



Date: 10.AUG.2024 13:09:56


11AX20MIMO_Ant10_5720_26Tone_RU8



Date: 10.AUG.2024 13:08:32




11AX20MIMO_Ant10_5720_52Tone_RU40





Date: 10.AUG.2024 13:09:30


11AX20MIMO_Ant10_5720_106Tone_RU54





Date: 10.AUG.2024 13:10:22















11AX20MIMO_Ant10_5785_52Tone_RU37





Date: 10.AUG.2024 13:14:27

11AX20MIMO_Ant10_5785_106Tone_RU53




Date: 10.AUG.2024 13:15:47








11AX20MIMO_Ant10_5825_52Tone_RU40



Date: 10.AUG.2024 13:19:01


11AX20MIMO_Ant10_5825_106Tone_RU54



Date: 10.AUG.2024 13:19:39




11AX40MIMO_Ant8_5190_242Tone_RU61



Date: 10.AUG.2024 13:23:58


11AX40MIMO_Ant10_5190_242Tone_RU61



Date: 10.AUG.2024 13:24:08




11AX40MIMO_Ant8_5230_242Tone_RU62



Date: 10.AUG.2024 13:27:09


11AX40MIMO_Ant10_5230_242Tone_RU62



Date: 10.AUG.2024 13:27:30




11AX40MIMO_Ant8_5270_242Tone_RU61



Date: 10.AUG.2024 13:28:11


11AX40MIMO_Ant10_5270_242Tone_RU61



Date: 10.AUG.2024 13:28:21




11AX40MIMO_Ant8_5310_242Tone_RU62



Date: 10.AUG.2024 13:28:04


11AX40MIMO_Ant10_5310_242Tone_RU62



Date: 10.AUG.2024 13:28:14




11AX40MIMO_Ant8_5510_242Tone_RU61



Date: 10.AUG.2024 13:30:57


11AX40MIMO_Ant10_5510_242Tone_RU61



Date: 10.AUG.2024 13:31:07




11AX40MIMO_Ant8_5550_242Tone_RU61



Date: 10.AUG.2024 13:31:50


11AX40MIMO_Ant10_5550_242Tone_RU61



Date: 10.AUG.2024 13:32:00




11AX40MIMO_Ant8_5670_242Tone_RU62



Date: 10.AUG.2024 13:34:28


11AX40MIMO_Ant10_5670_242Tone_RU62



Date: 10.AUG.2024 13:34:38




11AX40MIMO_Ant8_5710_242Tone_RU62



Date: 10.AUG.2024 13:35:20


11AX40MIMO_Ant10_5710_242Tone_RU62



Date: 10.AUG.2024 13:35:30




11AX40MIMO_Ant8_5755_242Tone_RU61



Date: 10.AUG.2024 14:00:20


11AX40MIMO_Ant10_5755_242Tone_RU61



Date: 10.AUG.2024 14:00:30




11AX40MIMO_Ant8_5795_242Tone_RU62



Date: 10.AUG.2024 14:01:16


11AX40MIMO_Ant10_5795_242Tone_RU62



Date: 10.AUG.2024 14:01:25




11AX80MIMO_Ant8_5210_484Tone_RU65



Date: 10.AUG.2024 14:03:12


11AX80MIMO_Ant10_5210_484Tone_RU65



Date: 10.AUG.2024 14:03:34




11AX80MIMO_Ant8_5290_484Tone_RU66



Date: 10.AUG.2024 14:04:28


11AX80MIMO_Ant10_5290_484Tone_RU66



Date: 10.AUG.2024 14:04:49




11AX80MIMO_Ant8_5530_484Tone_RU65



Date: 10.AUG.2024 14:07:23


11AX80MIMO_Ant10_5530_484Tone_RU65




Date: 10.AUG.2024 14:07:33



11AX80MIMO_Ant8_5610_484Tone_RU65




11AX80MIMO_Ant10_5610_484Tone_RU65






11AX80MIMO_Ant8_5690_484Tone_RU66



Date: 10.AUG.2024 14:10:06


11AX80MIMO_Ant10_5690_484Tone_RU66



Date: 10.AUG.2024 14:10:16




11AX80MIMO_Ant8_5775_484Tone_RU65



Date: 10.AUG.2024 14:11:13


11AX80MIMO_Ant8_5775_484Tone_RU66



Date: 10.AUG.2024 14:11:43




11AX80MIMO_Ant10_5775_484Tone_RU65





Date: 10.AUG.2024 14:11:23

11AX80MIMO_Ant10_5775_484Tone_RU66




Date: 10.AUG.2024 14:11:53








11AX160MIMO_Ant8_5570_996Tone_RU67




Date: 10.AUG.2024 14:18:31

11AX160MIMO_Ant8_5570_996Tone_RU68




Date: 10.AUG.2024 14:19:42





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.159	44.03	-21.49	65.52	33.50	0.11	10.42	QP
2	0.159	27.73	-27.79	55.52	17.20	0.11	10.42	Average
3	0.197	46.39	-17.37	63.76	35.90	0.08	10.41	QP
4	0.197	30.79	-22.97	53.76	20.30	0.08	10.41	Average
5	1.269	37.69	-18.31	56.00	27.79	-0.19	10.09	QP
6	1.269	28.39	-17.61	46.00	18.49	-0.19	10.09	Average
7	1.628	40.07	-16.93	56.00	30.20	-0.21	10.08	QP
8	1.628	31.07	-14.93	46.00	21.20	-0.21	10.08	Average
9	2.422	38.78	-17.22	56.00	28.90	-0.19	10.07	QP
10	2.422	33.48	-12.52	46.00	23.60	-0.19	10.07	Average
11	2.794	38.80	-17.20	56.00	28.90	-0.19	10.07	QP
12 *	2.794	33.50	-12.50	46.00	23.60	-0.17	10.07	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.182	46.04	-18.38	64.42	35.50	0.13	10.41	QP
2	0.182	28.74	-25.68	54.42	18.20	0.13	10.41	Average
3	0.192	46.04	-17.89	63.93	35.50	0.13	10.41	QP
4	0.192	29.04	-24.89	53.93	18.50	0.13	10.41	Average
5	0.252	39.25	-22.44	61.69	28.90	-0.02	10.37	QP
6	0.252	26.25	-25.44	51.69	15.90	-0.02	10.37	Average
7	2.567	36.77	-19.23	56.00	26.90	-0.20	10.07	QP
8 *	2.567	30.47	-15.53	46.00	20.60	-0.20	10.07	Average
9	2.809	37.06	-18.94	56.00	27.20	-0.21	10.07	QP
10	2.809	30.16	-15.84	46.00	20.30	-0.21	10.07	Average
11	3.190	36.06	-19.94	56.00	26.20	-0.21	10.07	QP
12	3.190	28.46	-17.54	46.00	18.60	-0.21	10.07	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	levi zhao	Relative Humidity :	41~42 %
		Temperature :	22~23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 8+10	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 8+10	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 8+10	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE20	36	5180	MCS0	Full	-
Mode 5	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE20	36	5180	MCS0	RU106/53	-
Mode 6	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE20	44	5220	MCS0	Full	-
Mode 7	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE20	48	5240	MCS0	Full	-
Mode 8	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE40	38	5190	MCS0	Full	-
Mode 9	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE40	38	5190	MCS0	RU242/61	-
Mode 10	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE40	46	5230	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE80	42	5210	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE80	42	5210	MCS0	RU484/65	-
Mode 13	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE160	50	5250	MCS0	RU996/67	-
Mode 14	U-NII-2A	5.25-5.35	CDD 8+10	802.11a	52	5260	6Mbps	-	-
Mode 15	U-NII-2A	5.25-5.35	CDD 8+10	802.11a	60	5300	6Mbps	-	-
Mode 16	U-NII-2A	5.25-5.35	CDD 8+10	802.11a	64	5320	6Mbps	-	-
Mode 17	U-NII-2A	5.25-5.35	CDD 8+10	802.11ax HE20	52	5260	MCS0	Full	-
Mode 18	U-NII-2A	5.25-5.35	CDD 8+10	802.11ax HE20	60	5300	MCS0	Full	-
Mode 19	U-NII-2A	5.25-5.35	CDD 8+10	802.11ax HE20	64	5320	MCS0	Full	-
Mode 20	U-NII-2A	5.25-5.35	CDD 8+10	802.11ax HE20	60	5300	MCS0	RU106/54	-
Mode 21	U-NII-2A	5.25-5.35	CDD 8+10	802.11ax HE40	54	5270	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	CDD 8+10	802.11ax HE40	62	5310	MCS0	Full	-
Mode 23	U-NII-2A	5.25-5.35	CDD 8+10	802.11ax HE40	62	5310	MCS0	RU242/62	-
Mode 24	U-NII-2A	5.25-5.35	CDD 8+10	802.11ax HE80	58	5290	MCS0	Full	-
Mode 25	U-NII-2A	5.25-5.35	CDD 8+10	802.11ax HE80	58	5290	MCS0	RU484/66	-
Mode 26	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE160	50	5250	MCS0	Full	-
Mode 28	U-NII-2C	5.47-5.725	CDD 8+10	802.11a	100	5500	6Mbps	-	-
Mode 29	U-NII-2C	5.47-5.725	CDD 8+10	802.11a	116	5580	6Mbps	-	-
Mode 30	U-NII-2C	5.47-5.725	CDD 8+10	802.11a	140	5700	6Mbps	-	-
Mode 31	U-NII-2C	5.47-5.725	CDD 8+10	802.11ax HE20	100	5500	MCS0	-	-
Mode 32	U-NII-2C	5.47-5.725	CDD 8+10	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 33	U-NII-2C	5.47-5.725	CDD 8+10	802.11ax HE20	116	5580	MCS0	-	-
Mode 34	U-NII-2C	5.47-5.725	CDD 8+10	802.11ax HE20	140	5700	MCS0	-	-
Mode 35	U-NII-2C	5.47-5.725	CDD 8+10	802.11ax HE20	140	5700	MCS0	RU106/54	-
Mode 36	U-NII-2C	5.47-5.725	CDD 8+10	802.11ax HE40	102	5510	MCS0	Full	-
Mode 37	U-NII-2C	5.47-5.725	CDD 8+10	802.11ax HE40	102	5510	MCS0	RU242/61	-
Mode 38	U-NII-2C	5.47-5.725	CDD 8+10	802.11ax HE40	110	5550	MCS0	Full	-



Mode 39	U-NII-2C	5.47-5.725	CDD 8+10	802.11ax HE40	134	5670	MCS0	Full	-
Mode 40	U-NII-2C	5.47-5.725	CDD 8+10	802.11ax HE40	134	5670	MCS0	RU242/62	-
Mode 41	U-NII-2C	5.47-5.725	CDD 8+10	802.11ax HE80	106	5530	MCS0	Full	-
Mode 42	U-NII-2C	5.47-5.725	CDD 8+10	802.11ax HE80	106	5530	MCS0	RU484/65	-
Mode 43	U-NII-2C	5.47-5.725	CDD 8+10	802.11ax HE80	122	5610	MCS0	Full	-
Mode 44	U-NII-2C	5.47-5.725	CDD 8+10	802.11ax HE80	122	5610	MCS0	RU484/66	-
Mode 45	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE160	114	5570	MCS0	Full	-
Mode 46	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE160	114	5570	MCS0	RU996/67	-
Mode 47	U-NII-2C	5.47-5.85	CDD 8+10	802.11a	144	5720	6Mbps	-	-
Mode 48	U-NII-2C	5.47-5.85	CDD 8+10	802.11ax HE20	144	5720	MCS0	Full	-
Mode 49	U-NII-2C	5.47-5.85	CDD 8+10	802.11ax HE40	142	5710	MCS0	Full	-
Mode 50	U-NII-2C	5.47-5.85	CDD 8+10	802.11ax HE80	138	5690	MCS0	Full	-
Mode 51	U-NII-3	5.725-5.85	CDD 8+10	802.11a	149	5745	6Mbps	-	-
Mode 52	U-NII-3	5.725-5.85	CDD 8+10	802.11a	157	5785	6Mbps	-	-
Mode 53	U-NII-3	5.725-5.85	CDD 8+10	802.11a	165	5825	6Mbps	-	-
Mode 54	U-NII-3	5.725-5.85	CDD 8+10	802.11ax HE20	149	5745	MCS0	Full	-
Mode 55	U-NII-3	5.725-5.85	CDD 8+10	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 56	U-NII-3	5.725-5.85	CDD 8+10	802.11ax HE20	157	5785	MCS0	Full	-
Mode 57	U-NII-3	5.725-5.85	CDD 8+10	802.11ax HE20	165	5825	MCS0	Full	-
Mode 58	U-NII-3	5.725-5.85	CDD 8+10	802.11ax HE20	165	5825	MCS0	RU106/54	-
Mode 59	U-NII-3	5.725-5.85	CDD 8+10	802.11ax HE40	151	5755	MCS0	RU242/61	-
Mode 60	U-NII-3	5.725-5.85	CDD 8+10	802.11ax HE40	151	5755	MCS0	Full	-
Mode 61	U-NII-3	5.725-5.85	CDD 8+10	802.11ax HE40	159	5795	MCS0	Full	-
Mode 62	U-NII-3	5.725-5.85	CDD 8+10	802.11ax HE40	159	5795	MCS0	RU242/62	-
Mode 63	U-NII-3	5.725-5.85	CDD 8+10	802.11ax HE80	155	5775	MCS0	Full	-
Mode 64	U-NII-3	5.725-5.85	CDD 8+10	802.11ax HE80	155	5775	MCS0	RU484/65	-
Mode 65	U-NII-3	5.725-5.85	CDD 8+10	802.11ax HE80	155	5775	MCS0	RU484/66	-



<Co-location>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 66	2400-2483.5	2400-2483.5	CDD 7+9	802.11ax HE20	11	2462	MCS0	Full	-
	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE80	42	5210	MCS0	Full	-
	Part 96 LTE Band 48 - BW 20M								
Mode 67	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE80	42	5210	MCS0	Full	-
	2400-2483.5	2400-2483.5	9	802.11ax HE20	11	2462	MCS0	Full	-
	2400-2483.5	2400-2483.5	7	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-
	Part 96 LTE Band 48 - BW 20M								
Mode 68	2400-2483.5	2400-2483.5	CDD 7+9	802.11ax HE20	11	2462	MCS0	Full	-
	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE80	42	5210	MCS0	Full	-
	RFID T x 914.75 Mhz								
Mode 69	U-NII-1	5.15-5.25	CDD 8+10	802.11ax HE80	42	5210	MCS0	Full	-
	2400-2483.5	2400-2483.5	9	802.11ax HE20	11	2462	MCS0	Full	-
	2400-2483.5	2400-2483.5	7	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-
	RFID T x 914.75 Mhz								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5148.48	47.37	54.00	-6.63	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10356.10	51.68	68.20	-16.52	V	Peak	Pass	Harmonic
2	802.11a	44	5148.96	43.96	54.00	-10.04	H	AVERAGE	Pass	Band Edge
2	802.11a	44	10440.00	48.34	68.20	-19.86	V	PEAK	Pass	Harmonic
3	802.11a	48	5458.24	42.42	54.00	-11.58	H	AVERAGE	Pass	Band Edge
3	802.11a	48	10480.00	56.27	68.20	-11.93	V	PEAK	Pass	Harmonic
4	802.11ax HE20	36	5148.00	45.92	54.00	-8.08	H	AVERAGE	Pass	Band Edge
4	802.11ax HE20	36	10360.00	48.60	68.20	-19.60	V	PEAK	Pass	Harmonic
5	802.11ax HE20	36	5148.80	45.65	54.00	-8.35	H	AVERAGE	Pass	Band Edge
5	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
6	802.11ax HE20	44	5149.76	43.80	54.00	-10.20	H	AVERAGE	Pass	Band Edge
6	802.11ax HE20	44	10440.00	48.02	68.20	-20.18	V	PEAK	Pass	Harmonic
7	802.11ax HE20	48	5454.50	42.41	54.00	-11.59	V	AVERAGE	Pass	Band Edge
7	802.11ax HE20	48	10480.00	48.11	68.20	-20.09	V	PEAK	Pass	Harmonic
8	802.11ax HE40	38	5146.30	46.28	54.00	-7.72	H	AVERAGE	Pass	Band Edge
8	802.11ax HE40	38	10380.00	46.74	68.20	-21.46	V	PEAK	Pass	Harmonic
9	802.11ax HE40	38	5149.40	44.66	54.00	-9.34	H	AVERAGE	Pass	Band Edge
9	802.11ax HE40	38	-	-	-	-	-	-	-	Harmonic
10	802.11ax HE40	46	5148.58	44.17	54.00	-9.83	H	AVERAGE	Pass	Band Edge
10	802.11ax HE40	46	10460.00	46.37	68.20	-21.83	V	PEAK	Pass	Harmonic
11	802.11ax HE80	42	5145.53	50.86	54.00	-3.14	H	AVERAGE	Pass	Band Edge
11	802.11ax HE80	42	10420.00	46.51	68.20	-21.69	H	PEAK	Pass	Harmonic
12	802.11ax HE80	42	5149.10	68.17	74.00	-5.83	H	PEAK	Pass	Band Edge
12	802.11ax HE80	42	-	-	-	-	-	-	-	Harmonic
13	802.11ax HE160	50	5146.75	49.55	54.00	-4.45	H	AVERAGE	Pass	Band Edge
13	802.11ax HE160	50	-	-	-	-	-	-	-	Harmonic
14	802.11a	52	5143.78	43.60	54.00	-10.40	H	AVERAGE	Pass	Band Edge
14	802.11a	52	7013.20	49.31	68.20	-18.89	V	Peak	Pass	Harmonic
15	802.11a	60	5146.10	43.59	54.00	-10.41	H	AVERAGE	Pass	Band Edge
15	802.11a	60	7067.10	50.72	68.20	-17.48	V	Peak	Pass	Harmonic
16	802.11a	64	5353.74	45.41	54.00	-8.59	H	AVERAGE	Pass	Band Edge
16	802.11a	64	7093.32	50.23	68.20	-17.97	V	PEAK	Pass	Harmonic
17	802.11ax HE20	52	5143.52	43.51	54.00	-10.49	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	52	7013.32	50.34	68.20	-17.86	V	PEAK	Pass	Harmonic
18	802.11ax HE20	60	5145.20	43.44	54.00	-10.56	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	60	7067.10	50.08	68.20	-18.12	V	Peak	Pass	Harmonic
19	802.11ax HE20	64	5350.10	44.27	54.00	-9.73	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	7093.32	51.78	68.20	-16.42	H	PEAK	Pass	Harmonic
20	802.11ax HE20	60	5129.30	43.83	54.00	-10.17	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	60	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE40	54	5149.04	44.02	54.00	-9.98	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	54	7026.65	46.16	68.20	-22.04	V	PEAK	Pass	Harmonic



22	802.11ax HE40	62	5350.05	44.69	54.00	-9.31	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	62	7079.98	51.44	68.20	-16.76	H	PEAK	Pass	Harmonic
23	802.11ax HE40	62	5132.99	43.96	54.00	-10.04	V	AVERAGE	Pass	Band Edge
23	802.11ax HE40	62	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE80	58	5350.01	45.53	54.00	-8.47	H	AVERAGE	Pass	Band Edge
24	802.11ax HE80	58	7053.32	51.68	68.20	-16.52	H	PEAK	Pass	Harmonic
25	802.11ax HE80	58	5350.01	44.66	54.00	-9.34	H	AVERAGE	Pass	Band Edge
25	802.11ax HE80	58	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE160	50	5358.99	48.96	54.00	-5.04	H	AVERAGE	Pass	Band Edge
26	802.11ax HE160	50	10500.00	46.14	68.20	-22.06	H	PEAK	Pass	Harmonic
28	802.11a	100	5459.35	47.27	54.00	-6.73	H	AVERAGE	Pass	Band Edge
28	802.11a	100	7700.70	44.50	54.00	-9.50	V	Average	Pass	Harmonic
29	802.11a	116	5459.25	42.48	54.00	-11.52	V	AVERAGE	Pass	Band Edge
	802.11a	116	11160.00	43.25	54.00	-10.75	V	AVERAGE	Pass	Harmonic
30	802.11a	140	5725.22	58.32	68.20	-9.88	H	PEAK	Pass	Band Edge
	802.11a	140	11400.00	38.52	54.00	-15.48	V	AVERAGE	Pass	Harmonic
31	802.11ax HE20	100	5459.65	43.24	54.00	-10.76	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	100	7699.60	48.57	54.00	-5.43	V	Average	Pass	Harmonic
32	802.11ax HE20	100	5464.60	60.20	68.20	-8.00	H	PEAK	Pass	Band Edge
	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
33	802.11ax HE20	116	5458.10	42.59	54.00	-11.41	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	116	7812.00	59.17	68.20	-9.03	V	PEAK	Pass	Harmonic
34	802.11ax HE20	140	5725.42	62.36	68.20	-5.84	H	PEAK	Pass	Band Edge
	802.11ax HE20	140	11400.00	37.21	54.00	-16.79	V	AVERAGE	Pass	Harmonic
35	802.11ax HE20	140	5738.42	61.90	68.20	-6.30	V	PEAK	Pass	Band Edge
	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
36	802.11ax HE40	102	5459.76	43.88	54.00	-10.12	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	102	7712.80	44.33	54.00	-9.67	V	Average	Pass	Harmonic
37	802.11ax HE40	102	5468.40	61.11	68.20	-7.09	V	PEAK	Pass	Band Edge
	802.11ax HE40	102	-	-	-	-	-	-	-	Harmonic
38	802.11ax HE40	110	5448.60	43.20	54.00	-10.80	H	AVERAGE	Pass	Band Edge
	802.11ax HE40	110	7782.10	50.32	68.20	-17.88	V	Peak	Pass	Harmonic
39	802.11ax HE40	134	5736.03	56.80	68.20	-11.40	V	PEAK	Pass	Band Edge
	802.11ax HE40	134	7939.40	49.02	68.20	-19.18	V	Peak	Pass	Harmonic
40	802.11ax HE40	134	5725.20	62.60	68.20	-5.60	V	PEAK	Pass	Band Edge
	802.11ax HE40	134	-	-	-	-	-	-	-	Harmonic
41	802.11ax HE80	106	5459.44	46.95	54.00	-7.05	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	106	7719.40	48.91	74.00	-25.09	H	Peak	Pass	Harmonic
42	802.11ax HE80	106	5464.84	62.07	68.20	-6.13	H	PEAK	Pass	Band Edge
	802.11ax HE80	106	-	-	-	-	-	-	-	Harmonic
43	802.11ax HE80	122	5457.64	43.15	54.00	-10.85	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	122	7817.30	48.53	68.20	-19.67	V	Peak	Pass	Harmonic
44	802.11ax HE80	122	5453.14	43.15	54.00	-10.85	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	122	-	-	-	-	-	-	-	Harmonic
45	802.11ax HE160	114	5429.42	49.70	54.00	-4.30	H	AVERAGE	Pass	Band Edge
	802.11ax HE160	114	7768.90	46.83	68.20	-21.37	H	Peak	Pass	Harmonic



46	802.11ax HE160	114	5461.10	64.18	68.20	-4.02	V	PEAK	Pass	Band Edge
	802.11ax HE160	114	-	-	-	-	-	-	-	Harmonic
47	802.11a	144	-	-	-	-	-	-	-	Band Edge
	802.11a	144	11440.00	38.30	54.00	-15.70	V	AVERAGE	Pass	Harmonic
48	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	144	8008.00	45.86	68.20	-22.34	V	PEAK	Pass	Harmonic
49	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	142	11420.00	44.70	74.00	-29.30	V	PEAK	Pass	Harmonic
50	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	138	7939.40	46.63	68.20	-21.57	H	Peak	Pass	Harmonic
51	802.11a	149	5625.09	55.13	68.20	-13.07	H	PEAK	Pass	Band Edge
	802.11a	149	11490.00	38.47	54.00	-15.53	V	AVERAGE	Pass	Harmonic
52	802.11a	157	5945.55	55.83	68.20	-12.37	H	PEAK	Pass	Band Edge
	802.11a	157	11570.00	47.27	74.00	-26.73	V	PEAK	Pass	Harmonic
53	802.11a	165	5949.38	55.41	68.20	-12.79	V	PEAK	Pass	Band Edge
	802.11a	165	11650.00	38.11	54.00	-15.89	V	AVERAGE	Pass	Harmonic
54	802.11ax HE20	149	5640.60	55.02	68.20	-13.18	H	PEAK	Pass	Band Edge
	802.11ax HE20	149	11490.00	37.05	54.00	-16.95	V	AVERAGE	Pass	Harmonic
55	802.11ax HE20	149	5603.34	55.00	68.20	-13.20	H	PEAK	Pass	Band Edge
	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	157	5934.49	55.16	68.20	-13.04	V	PEAK	Pass	Band Edge
	802.11ax HE20	157	11570.00	46.43	74.00	-27.57	H	PEAK	Pass	Harmonic
57	802.11ax HE20	165	5936.50	55.31	68.20	-12.89	V	PEAK	Pass	Band Edge
	802.11ax HE20	165	7764.73	46.74	68.20	-21.46	V	PEAK	Pass	Harmonic
58	802.11ax HE20	165	5929.00	55.65	68.20	-12.55	V	PEAK	Pass	Band Edge
	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
59	802.11ax HE40	151	5944.15	56.63	68.20	-11.57	H	PEAK	Pass	Band Edge
	802.11ax HE40	151	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE40	151	5637.20	55.31	68.20	-12.89	H	PEAK	Pass	Band Edge
	802.11ax HE40	151	11510.00	46.27	74.00	-27.73	V	PEAK	Pass	Harmonic
61	802.11ax HE40	159	5635.49	55.16	68.20	-13.04	H	PEAK	Pass	Band Edge
	802.11ax HE40	159	11590.00	46.05	74.00	-27.95	V	PEAK	Pass	Harmonic
62	802.11ax HE40	159	5924.74	56.29	68.40	-12.11	V	PEAK	Pass	Band Edge
	802.11ax HE40	159	-	-	-	-	-	-	-	Harmonic
63	802.11ax HE80	155	5944.40	57.77	68.20	-10.43	H	PEAK	Pass	Band Edge
	802.11ax HE80	155	11550.00	46.24	74.00	-27.76	H	PEAK	Pass	Harmonic
64	802.11ax HE80	155	5946.68	57.22	68.20	-10.98	V	PEAK	Pass	Band Edge
	802.11ax HE80	155	-	-	-	-	-	-	-	Harmonic
65	802.11ax HE80	155	5928.30	55.93	68.20	-12.27	V	PEAK	Pass	Band Edge
	802.11ax HE80	155	-	-	-	-	-	-	-	Harmonic







<Co-location>





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
66	802.11ax HE20	11	2485.64	52.02	54.00	-1.98	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	4924.00	48.24	54.00	-5.76	H	AVERAGE	Pass	Harmonic
	802.11ax HE80	42	5145.95	50.57	54.00	-3.43	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	42	7371.80	46.96	54.00	-7.04	H	Average	Pass	Harmonic
67	802.11ax HE80	42	5145.74	50.49	54.00	-3.51	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	42	7232.10	53.66	68.20	-14.54	H	Peak	Pass	Harmonic
	802.11ax HE20	11	2483.51	49.14	54.00	-4.86	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	4924.00	45.64	54.00	-8.36	H	AVERAGE	Pass	Harmonic
	Bluetooth-LE_GSKF	39	2483.68	50.33	54.00	-3.67	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	4960.00	43.65	74.00	-30.35	H	PEAK	Pass	Harmonic
68	802.11ax HE20	11	2483.51	50.99	54.00	-3.01	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	4924.00	47.00	54.00	-7.00	H	AVERAGE	Pass	Harmonic
	802.11ax HE80	42	5146.16	50.25	54.00	-3.75	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	42	10420.00	46.44	68.20	-21.76	V	PEAK	Pass	Harmonic
69	802.11ax HE80	42	5146.16	48.84	54.00	-5.16	H	AVERAGE	Pass	Band Edge
	802.11ax HE80	42	7377.30	40.76	54.00	-13.24	V	Average	Pass	Harmonic
	802.11ax HE20	11	2483.51	51.63	54.00	-2.37	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	4924.00	43.44	54.00	-10.56	V	AVERAGE	Pass	Harmonic
	Bluetooth-LE_GSKF	39	2483.62	50.66	54.00	-3.34	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	4960.00	43.37	74.00	-30.63	H	PEAK	Pass	Harmonic





Mode	1																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																														
ANT	CDD 8+10																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.52</td><td>57.90</td><td>74.00</td><td>-16.10</td><td>45.81</td><td>34.20</td><td>9.78</td><td>31.89</td><td>0.00</td><td>311</td><td>46 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.52	57.90	74.00	-16.10	45.81	34.20	9.78	31.89	0.00	311	46 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>114.07</td><td>-----</td><td>-----</td><td>101.94</td><td>34.20</td><td>9.81</td><td>31.88</td><td>0.00</td><td>311</td><td>46 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	114.07	-----	-----	101.94	34.20	9.81	31.88	0.00	311
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5147.52	57.90	74.00	-16.10	45.81	34.20	9.78	31.89	0.00	311	46 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	114.07	-----	-----	101.94	34.20	9.81	31.88	0.00	311	46 PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.48</td><td>47.37</td><td>54.00</td><td>-6.63</td><td>35.27</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>311</td><td>46 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.48	47.37	54.00	-6.63	35.27	34.20	9.79	31.89	0.00	311	46 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.59</td><td>-----</td><td>-----</td><td>93.46</td><td>34.20</td><td>9.81</td><td>31.88</td><td>0.00</td><td>311</td><td>46 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.59	-----	-----	93.46	34.20	9.81	31.88	0.00	311
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5148.48	47.37	54.00	-6.63	35.27	34.20	9.79	31.89	0.00	311	46 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5180.00	105.59	-----	-----	93.46	34.20	9.81	31.88	0.00	311	46 AVERAGE																																																																																																				







		1																																																																																																			
Mode	Band Edge																																																																																																				
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																				
ANT	CDD 8+10																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.56</td><td>56.00</td><td>74.00</td><td>-18.00</td><td>43.94</td><td>34.18</td><td>9.78</td><td>31.90</td><td>0.00</td><td>303</td><td>218 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.56	56.00	74.00	-18.00	43.94	34.18	9.78	31.90	0.00	303	218 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>109.06</td><td>-----</td><td>-----</td><td>96.94</td><td>34.20</td><td>9.80</td><td>31.88</td><td>0.00</td><td>303</td><td>218 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.06	-----	-----	96.94	34.20	9.80	31.88	0.00	303
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5138.56	56.00	74.00	-18.00	43.94	34.18	9.78	31.90	0.00	303	218 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5180.00	109.06	-----	-----	96.94	34.20	9.80	31.88	0.00	303	218 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.52</td><td>45.43</td><td>54.00</td><td>-8.57</td><td>33.34</td><td>34.20</td><td>9.78</td><td>31.89</td><td>0.00</td><td>303</td><td>218 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.52	45.43	54.00	-8.57	33.34	34.20	9.78	31.89	0.00	303	218 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>100.78</td><td>-----</td><td>-----</td><td>88.65</td><td>34.20</td><td>9.81</td><td>31.88</td><td>0.00</td><td>303</td><td>218 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.78	-----	-----	88.65	34.20	9.81	31.88	0.00	303
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5147.52	45.43	54.00	-8.57	33.34	34.20	9.78	31.89	0.00	303	218 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5180.00	100.78	-----	-----	88.65	34.20	9.81	31.88	0.00	303	218 AVERAGE																																																																																										





Mode	1																																																																																																									
	Harmonic																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																									
ANT	CDD 8+10																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10367.10</td><td>49.25</td><td>68.20</td><td>-18.95</td><td>58.97</td><td>37.43</td><td>14.13</td><td>61.28</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10367.10	49.25	68.20	-18.95	58.97	37.43	14.13	61.28	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10356.10</td><td>51.68</td><td>68.20</td><td>-16.52</td><td>61.42</td><td>37.41</td><td>14.13</td><td>61.28</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10356.10	51.68	68.20	-16.52	61.42	37.41	14.13	61.28	0.00	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10367.10	49.25	68.20	-18.95	58.97	37.43	14.13	61.28	0.00	---	---	Peak																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	10356.10	51.68	68.20	-16.52	61.42	37.41	14.13	61.28	0.00	---	---	Peak																																																																																														







Mode	2																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																						
ANT	CDD 8+10																																																						
Pol.	Horizontal																																																						
Peak	Fundamental																																																						
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5112.48</td><td>56.38</td><td>74.00</td><td>-17.62</td><td>44.42</td><td>34.12</td><td>9.75</td><td>31.91</td><td>0.00</td><td>301 44 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5112.48	56.38	74.00	-17.62	44.42	34.12	9.75	31.91	0.00	301 44 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5112.48	56.38	74.00	-17.62	44.42	34.12	9.75	31.91	0.00	301 44 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.96</td><td>43.96</td><td>54.00</td><td>-10.04</td><td>31.86</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>301 44 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.96	43.96	54.00	-10.04	31.86	34.20	9.79	31.89	0.00	301 44 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.96	43.96	54.00	-10.04	31.86	34.20	9.79	31.89	0.00	301 44 AVERAGE																																													
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>113.46</td><td>-----</td><td>-----</td><td>101.23</td><td>34.24</td><td>9.84</td><td>31.85</td><td>0.00</td><td>301 44 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	113.46	-----	-----	101.23	34.24	9.84	31.85	0.00	301 44 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5220.00	113.46	-----	-----	101.23	34.24	9.84	31.85	0.00	301 44 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>105.09</td><td>-----</td><td>-----</td><td>92.86</td><td>34.24</td><td>9.84</td><td>31.85</td><td>0.00</td><td>301 44 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	105.09	-----	-----	92.86	34.24	9.84	31.85	0.00	301 44 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5220.00	105.09	-----	-----	92.86	34.24	9.84	31.85	0.00	301 44 AVERAGE																																													





Mode	2																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal							Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.08</td><td>53.33</td><td>74.00</td><td>-20.67</td><td>40.59</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>301</td><td>44 PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.08	53.33	74.00	-20.67	40.59	34.61	9.91	31.78	0.00	301	44 PEAK	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5356.08	53.33	74.00	-20.67	40.59	34.61	9.91	31.78	0.00	301	44 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.58</td><td>42.39</td><td>54.00</td><td>-11.61</td><td>29.66</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>301</td><td>44 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.58	42.39	54.00	-11.61	29.66	34.60	9.91	31.78	0.00	301	44 AVERAGE	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.58	42.39	54.00	-11.61	29.66	34.60	9.91	31.78	0.00	301	44 AVERAGE																																													





Mode	2																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																	
ANT	CDD 8+10																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.84</td><td>54.53</td><td>74.00</td><td>-19.47</td><td>42.45</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>320 216 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.84	54.53	74.00	-19.47	42.45	34.19	9.78	31.89	0.00	320 216 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5220.00</td><td>108.52</td><td>-----</td><td>-----</td><td>96.28</td><td>34.25</td><td>9.84</td><td>31.85</td><td>0.00</td><td>320 216 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	108.52	-----	-----	96.28	34.25	9.84	31.85	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5143.84	54.53	74.00	-19.47	42.45	34.19	9.78	31.89	0.00	320 216 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5220.00	108.52	-----	-----	96.28	34.25	9.84	31.85	0.00	320 216 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5128.16</td><td>43.50</td><td>54.00</td><td>-10.50</td><td>31.47</td><td>34.16</td><td>9.77</td><td>31.90</td><td>0.00</td><td>320 216 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5128.16	43.50	54.00	-10.50	31.47	34.16	9.77	31.90	0.00	320 216 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5220.00</td><td>100.72</td><td>-----</td><td>-----</td><td>88.48</td><td>34.25</td><td>9.84</td><td>31.85</td><td>0.00</td><td>320 216 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	100.72	-----	-----	88.48	34.25	9.84	31.85	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5128.16	43.50	54.00	-10.50	31.47	34.16	9.77	31.90	0.00	320 216 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5220.00	100.72	-----	-----	88.48	34.25	9.84	31.85	0.00	320 216 AVERAGE																																																																																								



Mode	2																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Vertical										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.16</td><td>53.03</td><td>74.00</td><td>-20.97</td><td>40.23</td><td>34.65</td><td>9.92</td><td>31.77</td><td>0.00</td><td>320</td><td>216 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.16	53.03	74.00	-20.97	40.23	34.65	9.92	31.77	0.00	320	216 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5375.16	53.03	74.00	-20.97	40.23	34.65	9.92	31.77	0.00	320	216 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5381.10</td><td>42.24</td><td>54.00</td><td>-11.76</td><td>29.42</td><td>34.66</td><td>9.93</td><td>31.77</td><td>0.00</td><td>320</td><td>216 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.10	42.24	54.00	-11.76	29.42	34.66	9.93	31.77	0.00	320	216 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5381.10	42.24	54.00	-11.76	29.42	34.66	9.93	31.77	0.00	320	216 AVERAGE																																													



Mode	2																																																																																																					
	Harmonic																																																																																																					
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																					
ANT	CDD 8+10																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>46.94</td><td>68.20</td><td>-21.26</td><td>56.45</td><td>37.58</td><td>14.18</td><td>61.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	46.94	68.20	-21.26	56.45	37.58	14.18	61.27	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>48.34</td><td>68.20</td><td>-19.86</td><td>57.85</td><td>37.58</td><td>14.18</td><td>61.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	48.34	68.20	-19.86	57.85	37.58	14.18	61.27	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10440.00	46.94	68.20	-21.26	56.45	37.58	14.18	61.27	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	10440.00	48.34	68.20	-19.86	57.85	37.58	14.18	61.27	0.00	---	PEAK																																																																																											



		3										
Mode		Band Edge										
		U-NII-1_5.15-5.25_802.11a_CH48_5240MHz										
ANT		CDD 8+10										
Pol.		Fundamental										
Peak	Horizontal	Fundamental										
	<											