










Mode	30																																																																																																																																																																																				
	Harmonic																																																																																																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																																																																				
ANT	CDD 8+10																																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																																														
Peak Avg																																																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7627.00</td><td>45.82</td><td>74.00</td><td>-28.18</td><td>58.99</td><td>35.75</td><td>11.98</td><td>60.90</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7986.70</td><td>44.80</td><td>68.20</td><td>-23.40</td><td>56.76</td><td>35.83</td><td>12.41</td><td>60.20</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11400.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>55.37</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>11400.00</td><td>36.12</td><td>54.00</td><td>-17.88</td><td>44.36</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7627.00	45.82	74.00	-28.18	58.99	35.75	11.98	60.90	0.00	---	---	Peak	2	7986.70	44.80	68.20	-23.40	56.76	35.83	12.41	60.20	0.00	---	---	Peak	3	11400.00	47.13	74.00	-26.87	55.37	38.10	14.85	61.19	0.00	300	360	PEAK	4	11400.00	36.12	54.00	-17.88	44.36	38.10	14.85	61.19	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7624.00</td><td>46.18</td><td>74.00</td><td>-27.82</td><td>59.36</td><td>35.75</td><td>11.98</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7981.20</td><td>45.21</td><td>68.20</td><td>-22.99</td><td>57.18</td><td>35.84</td><td>12.40</td><td>60.21</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>11400.00</td><td>48.73</td><td>74.00</td><td>-25.27</td><td>56.97</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>11400.00</td><td>38.52</td><td>54.00</td><td>-15.48</td><td>46.77</td><td>38.10</td><td>14.84</td><td>61.19</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7624.00	46.18	74.00	-27.82	59.36	35.75	11.98	60.91	0.00	---	---	Peak	2	7981.20	45.21	68.20	-22.99	57.18	35.84	12.40	60.21	0.00	---	---	Peak	3	11400.00	48.73	74.00	-25.27	56.97	38.10	14.85	61.19	0.00	100	360	PEAK	4	11400.00	38.52	54.00	-15.48	46.77	38.10	14.84	61.19	0.00	100	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																											
1	7627.00	45.82	74.00	-28.18	58.99	35.75	11.98	60.90	0.00	---	---	Peak																																																																																																																																																																									
2	7986.70	44.80	68.20	-23.40	56.76	35.83	12.41	60.20	0.00	---	---	Peak																																																																																																																																																																									
3	11400.00	47.13	74.00	-26.87	55.37	38.10	14.85	61.19	0.00	300	360	PEAK																																																																																																																																																																									
4	11400.00	36.12	54.00	-17.88	44.36	38.10	14.85	61.19	0.00	300	360	AVERAGE																																																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																											
1	7624.00	46.18	74.00	-27.82	59.36	35.75	11.98	60.91	0.00	---	---	Peak																																																																																																																																																																									
2	7981.20	45.21	68.20	-22.99	57.18	35.84	12.40	60.21	0.00	---	---	Peak																																																																																																																																																																									
3	11400.00	48.73	74.00	-25.27	56.97	38.10	14.85	61.19	0.00	100	360	PEAK																																																																																																																																																																									
4	11400.00	38.52	54.00	-15.48	46.77	38.10	14.84	61.19	0.00	100	360	AVERAGE																																																																																																																																																																									



Mode	31																																																																		
	Band Edge																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																		
ANT	CDD 8+10																																																																		
Pol.	Horizontal																																																																		
Peak	Fundamental																																																																		
																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5429.80</td><td>53.99</td><td>74.00</td><td>-20.01</td><td>40.99</td><td>34.76</td><td>9.98</td><td>31.74</td><td>0.00</td><td>300</td><td>50 PEAK</td></tr><tr><td>2</td><td>5461.90</td><td>54.42</td><td>68.20</td><td>-13.78</td><td>41.33</td><td>34.78</td><td>10.03</td><td>31.72</td><td>0.00</td><td>300</td><td>50 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5429.80	53.99	74.00	-20.01	40.99	34.76	9.98	31.74	0.00	300	50 PEAK	2	5461.90	54.42	68.20	-13.78	41.33	34.78	10.03	31.72	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5429.80	53.99	74.00	-20.01	40.99	34.76	9.98	31.74	0.00	300	50 PEAK																																																								
2	5461.90	54.42	68.20	-13.78	41.33	34.78	10.03	31.72	0.00	300	50 PEAK																																																								
Avg																																																																			
																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>110.56</td><td>-----</td><td>-----</td><td>97.47</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>300</td><td>50 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.56	-----	-----	97.47	34.70	10.09	31.70	0.00	300	50 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5500.00	110.56	-----	-----	97.47	34.70	10.09	31.70	0.00	300	50 PEAK																																																								



Mode	31																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5369.50</td><td>54.22</td><td>74.00</td><td>-19.78</td><td>41.43</td><td>34.64</td><td>9.92</td><td>31.77</td><td>0.00</td><td>150</td><td>21 PEAK</td></tr><tr><td>2</td><td>5461.45</td><td>53.76</td><td>68.20</td><td>-14.44</td><td>40.67</td><td>34.78</td><td>10.03</td><td>31.72</td><td>0.00</td><td>150</td><td>21 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.50	54.22	74.00	-19.78	41.43	34.64	9.92	31.77	0.00	150	21 PEAK	2	5461.45	53.76	68.20	-14.44	40.67	34.78	10.03	31.72	0.00	150	21 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>108.50</td><td>-----</td><td>-----</td><td>95.41</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>150</td><td>21 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.50	-----	-----	95.41	34.70	10.09	31.70	0.00	150	21 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5369.50	54.22	74.00	-19.78	41.43	34.64	9.92	31.77	0.00	150	21 PEAK																																																																																																						
2	5461.45	53.76	68.20	-14.44	40.67	34.78	10.03	31.72	0.00	150	21 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	108.50	-----	-----	95.41	34.70	10.09	31.70	0.00	150	21 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.05</td><td>42.90</td><td>54.00</td><td>-11.10</td><td>29.82</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>150</td><td>21 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.05	42.90	54.00	-11.10	29.82	34.78	10.03	31.73	0.00	150	21 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>99.50</td><td>-----</td><td>-----</td><td>86.41</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>150</td><td>21 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.50	-----	-----	86.41	34.70	10.09	31.70	0.00	150	21 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.05	42.90	54.00	-11.10	29.82	34.78	10.03	31.73	0.00	150	21 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	99.50	-----	-----	86.41	34.70	10.09	31.70	0.00	150	21 AVERAGE																																																																																																						

Mode

ANT

Pol.

Peak

Avg

31

Harmonic

U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz

CDD 8+10

Horizontal

Vertical

Level (dBuV/m)

120

105.0

90.0

75.0

60.0

45.0

30.0

15.0

0

7000

9200

11400

13600

15800

18000

U-NII-1-U-NII-2A-U-NII-2C

U-NII-1-U-NII-2A-U-NII-2C(AVG)

2





4

Frequency (MHz)





	Freq	Level	Limit	Over	Read	Ant	Cable	Pream	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7415.00	45.53	74.00	-28.47	59.04	35.70	11.75	60.96	0.00	---	---	Peak
2	7702.90	56.52	74.00	-17.48	69.32	35.90	12.05	60.75	0.00	100	242	Peak
3	7702.90	48.43	54.00	-5.57	61.23	35.90	12.05	60.75	0.00	100	242	Average
4	11000.00	46.92	74.00	-27.08	55.58	38.00	14.56	61.22	0.00	---	---	PEAK

	Freq	Level	Limit	Over	Read	Ant	Cable	Pream	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7424.60	47.83	74.00	-26.17	61.35	35.70	11.76	60.98	0.00	---	---	Peak
2	7699.60	55.71	74.00	-18.29	68.52	35.90	12.05	60.76	0.00	100	296	Peak
3	7699.60	48.57	54.00	-5.43	61.38	35.90	12.05	60.76	0.00	100	305	Average
4	11000.00	47.20	74.00	-26.80	55.86	38.00	14.56	61.22	0.00	100	360	PEAK
5	11000.00	37.25	54.00	-16.75	45.91	38.00	14.56	61.22	0.00	100	360	AVERAGE







Mode	32																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.00</td><td>55.02</td><td>74.00</td><td>-18.98</td><td>41.95</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>300</td><td>49 PEAK</td></tr><tr><td>2</td><td>5464.60</td><td>60.20</td><td>68.20</td><td>-8.00</td><td>47.12</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>300</td><td>49 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	55.02	74.00	-18.98	41.95	34.78	10.02	31.73	0.00	300	49 PEAK	2	5464.60	60.20	68.20	-8.00	47.12	34.77	10.03	31.72	0.00	300	49 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.56</td><td>-----</td><td>-----</td><td>96.47</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>300</td><td>49 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.56	-----	-----	96.47	34.70	10.09	31.70	0.00	300	49 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.00	55.02	74.00	-18.98	41.95	34.78	10.02	31.73	0.00	300	49 PEAK																																																																																																						
2	5464.60	60.20	68.20	-8.00	47.12	34.77	10.03	31.72	0.00	300	49 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	109.56	-----	-----	96.47	34.70	10.09	31.70	0.00	300	49 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.85</td><td>43.55</td><td>54.00</td><td>-10.45</td><td>30.48</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>300</td><td>49 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.85	43.55	54.00	-10.45	30.48	34.78	10.02	31.73	0.00	300	49 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.31</td><td>-----</td><td>-----</td><td>89.22</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>300</td><td>49 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.31	-----	-----	89.22	34.70	10.09	31.70	0.00	300	49 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.85	43.55	54.00	-10.45	30.48	34.78	10.02	31.73	0.00	300	49 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	102.31	-----	-----	89.22	34.70	10.09	31.70	0.00	300	49 AVERAGE																																																																																																						




Mode	32																																																																																																											
	Band Edge																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_RU106/53_5500MHz																																																																																																											
ANT	CDD 8+10																																																																																																											
Pol.	Vertical					Fundamental																																																																																																						
Peak																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.60</td><td>54.25</td><td>74.00</td><td>-19.75</td><td>41.17</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>104 36 PEAK</td></tr><tr><td>2</td><td>5464.75</td><td>53.87</td><td>68.20</td><td>-14.33</td><td>40.79</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>104 36 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.60	54.25	74.00	-19.75	41.17	34.79	10.02	31.73	0.00	104 36 PEAK	2	5464.75	53.87	68.20	-14.33	40.79	34.77	10.03	31.72	0.00	104 36 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>109.53</td><td>-----</td><td>-----</td><td>96.45</td><td>34.71</td><td>10.08</td><td>31.71</td><td>0.00</td><td>104 36 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.53	-----	-----	96.45	34.71	10.08	31.71	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5455.60	54.25	74.00	-19.75	41.17	34.79	10.02	31.73	0.00	104 36 PEAK																																																																																																		
2	5464.75	53.87	68.20	-14.33	40.79	34.77	10.03	31.72	0.00	104 36 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5500.00	109.53	-----	-----	96.45	34.71	10.08	31.71	0.00	104 36 PEAK																																																																																																		
Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.65</td><td>43.21</td><td>54.00</td><td>-10.79</td><td>30.13</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>104 36 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.65	43.21	54.00	-10.79	30.13	34.78	10.03	31.73	0.00	104 36 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>100.54</td><td>-----</td><td>-----</td><td>87.46</td><td>34.71</td><td>10.08</td><td>31.71</td><td>0.00</td><td>104 36 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.54	-----	-----	87.46	34.71	10.08	31.71	0.00	104 36 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5459.65	43.21	54.00	-10.79	30.13	34.78	10.03	31.73	0.00	104 36 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5500.00	100.54	-----	-----	87.46	34.71	10.08	31.71	0.00	104 36 AVERAGE																																																																																																		







Mode	33																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.45</td><td>53.55</td><td>74.00</td><td>-20.45</td><td>40.74</td><td>34.65</td><td>9.93</td><td>31.77</td><td>0.00</td><td>300</td><td>53 PEAK</td></tr><tr><td>2</td><td>5467.53</td><td>52.38</td><td>68.20</td><td>-15.82</td><td>39.30</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>300</td><td>53 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5376.45	53.55	74.00	-20.45	40.74	34.65	9.93	31.77	0.00	300	53 PEAK	2	5467.53	52.38	68.20	-15.82	39.30	34.76	10.04	31.72	0.00	300	53 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>107.09</td><td>-----</td><td>-----</td><td>93.93</td><td>34.60</td><td>10.22</td><td>31.66</td><td>0.00</td><td>300</td><td>53 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	107.09	-----	-----	93.93	34.60	10.22	31.66	0.00	300	53 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5376.45	53.55	74.00	-20.45	40.74	34.65	9.93	31.77	0.00	300	53 PEAK																																																																																																						
2	5467.53	52.38	68.20	-15.82	39.30	34.76	10.04	31.72	0.00	300	53 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5580.00	107.09	-----	-----	93.93	34.60	10.22	31.66	0.00	300	53 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.10</td><td>42.59</td><td>54.00</td><td>-11.41</td><td>29.52</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>300</td><td>53 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.10	42.59	54.00	-11.41	29.52	34.78	10.02	31.73	0.00	300	53 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>99.53</td><td>-----</td><td>-----</td><td>86.38</td><td>34.60</td><td>10.21</td><td>31.66</td><td>0.00</td><td>300</td><td>53 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	99.53	-----	-----	86.38	34.60	10.21	31.66	0.00	300	53 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.10	42.59	54.00	-11.41	29.52	34.78	10.02	31.73	0.00	300	53 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5580.00	99.53	-----	-----	86.38	34.60	10.21	31.66	0.00	300	53 AVERAGE																																																																																																						




Mode	33																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																					
ANT	CDD 8+10																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5752.24</td><td>54.52</td><td>68.20</td><td>-13.68</td><td>41.46</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>300</td><td>53 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5752.24	54.52	68.20	-13.68	41.46	34.60	10.37	31.91	0.00	300	53 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5752.24	54.52	68.20	-13.68	41.46	34.60	10.37	31.91	0.00	300	53 PEAK																																											




		33																																																															
Mode	Band Edge - L																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																
ANT	CDD 8+10																																																																
Pol.	Vertical																																																																
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5372.54</td><td>53.14</td><td>74.00</td><td>-20.86</td><td>40.34</td><td>34.65</td><td>9.92</td><td>31.77</td><td>0.00</td><td>113 29 PEAK</td></tr><tr><td>2</td><td>5468.91</td><td>52.29</td><td>68.20</td><td>-15.91</td><td>39.21</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>113 29 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5372.54	53.14	74.00	-20.86	40.34	34.65	9.92	31.77	0.00	113 29 PEAK	2	5468.91	52.29	68.20	-15.91	39.21	34.76	10.04	31.72	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	5372.54	53.14	74.00	-20.86	40.34	34.65	9.92	31.77	0.00	113 29 PEAK																																																							
2	5468.91	52.29	68.20	-15.91	39.21	34.76	10.04	31.72	0.00	113 29 PEAK																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>107.94</td><td>-----</td><td>-----</td><td>94.78</td><td>34.60</td><td>10.22</td><td>31.66</td><td>0.00</td><td>113 29 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5580.00	107.94	-----	-----	94.78	34.60	10.22	31.66	0.00	113 29 PEAK										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	5580.00	107.94	-----	-----	94.78	34.60	10.22	31.66	0.00	113 29 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.79</td><td>42.46</td><td>54.00</td><td>-11.54</td><td>29.39</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>113 29 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.79	42.46	54.00	-11.54	29.39	34.78	10.02	31.73	0.00	113 29 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	5458.79	42.46	54.00	-11.54	29.39	34.78	10.02	31.73	0.00	113 29 AVERAGE																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>100.34</td><td>-----</td><td>-----</td><td>87.18</td><td>34.60</td><td>10.22</td><td>31.66</td><td>0.00</td><td>113 29 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5580.00	100.34	-----	-----	87.18	34.60	10.22	31.66	0.00	113 29 AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																							
1	5580.00	100.34	-----	-----	87.18	34.60	10.22	31.66	0.00	113 29 AVERAGE																																																							






Mode	33																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																														
ANT	CDD 8+10																																														
Pol.	Vertical	Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5763.71</td><td>54.45</td><td>68.20</td><td>-13.75</td><td>41.41</td><td>34.60</td><td>10.38</td><td>31.94</td><td>0.00</td><td>113</td><td>29 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5763.71	54.45	68.20	-13.75	41.41	34.60	10.38	31.94	0.00	113	29 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5763.71	54.45	68.20	-13.75	41.41	34.60	10.38	31.94	0.00	113	29 PEAK																																				






Mode	33																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																															
ANT	CDD 8+10																																																																																															
Pol.	Horizontal																																																																																															
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7506.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>58.82</td><td>35.70</td><td>11.85</td><td>61.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7812.00</td><td>59.12</td><td>68.20</td><td>-9.08</td><td>71.59</td><td>35.90</td><td>12.17</td><td>60.54</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>3</td><td>11160.00</td><td>47.14</td><td>74.00</td><td>-26.86</td><td>55.67</td><td>38.00</td><td>14.68</td><td>61.21</td><td>0.00</td><td>100</td><td>241</td><td>PEAK</td></tr><tr><td>4</td><td>11160.00</td><td>37.30</td><td>54.00</td><td>-16.70</td><td>45.83</td><td>38.00</td><td>14.68</td><td>61.21</td><td>0.00</td><td>100</td><td>241</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7506.00	45.23	74.00	-28.77	58.82	35.70	11.85	61.14	0.00	---	---	Peak	2	7812.00	59.12	68.20	-9.08	71.59	35.90	12.17	60.54	0.00	100	241	PEAK	3	11160.00	47.14	74.00	-26.86	55.67	38.00	14.68	61.21	0.00	100	241	PEAK	4	11160.00	37.30	54.00	-16.70	45.83	38.00	14.68	61.21	0.00	100	241	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	7506.00	45.23	74.00	-28.77	58.82	35.70	11.85	61.14	0.00	---	---	Peak																																																																																				
2	7812.00	59.12	68.20	-9.08	71.59	35.90	12.17	60.54	0.00	100	241	PEAK																																																																																				
3	11160.00	47.14	74.00	-26.86	55.67	38.00	14.68	61.21	0.00	100	241	PEAK																																																																																				
4	11160.00	37.30	54.00	-16.70	45.83	38.00	14.68	61.21	0.00	100	241	AVERAGE																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7495.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>58.23</td><td>35.70</td><td>11.84</td><td>61.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7812.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>71.64</td><td>35.90</td><td>12.17</td><td>60.54</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr><tr><td>3</td><td>11160.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>56.52</td><td>38.00</td><td>14.68</td><td>61.21</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr><tr><td>4</td><td>11160.00</td><td>37.82</td><td>54.00</td><td>-16.18</td><td>46.36</td><td>38.00</td><td>14.67</td><td>61.21</td><td>0.00</td><td>100</td><td>272</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7495.00	44.63	74.00	-29.37	58.23	35.70	11.84	61.14	0.00	---	---	Peak	2	7812.00	59.17	68.20	-9.03	71.64	35.90	12.17	60.54	0.00	100	272	PEAK	3	11160.00	47.99	74.00	-26.01	56.52	38.00	14.68	61.21	0.00	100	272	PEAK	4	11160.00	37.82	54.00	-16.18	46.36	38.00	14.67	61.21	0.00	100	272	AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7495.00	44.63	74.00	-29.37	58.23	35.70	11.84	61.14	0.00	---	---	Peak																																																																																				
2	7812.00	59.17	68.20	-9.03	71.64	35.90	12.17	60.54	0.00	100	272	PEAK																																																																																				
3	11160.00	47.99	74.00	-26.01	56.52	38.00	14.68	61.21	0.00	100	272	PEAK																																																																																				
4	11160.00	37.82	54.00	-16.18	46.36	38.00	14.67	61.21	0.00	100	272	AVERAGE																																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7495.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>58.23</td><td>35.70</td><td>11.84</td><td>61.14</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7812.00</td><td>59.17</td><td>68.20</td><td>-9.03</td><td>71.64</td><td>35.90</td><td>12.17</td><td>60.54</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr><tr><td>3</td><td>11160.00</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>56.52</td><td>38.00</td><td>14.68</td><td>61.21</td><td>0.00</td><td>100</td><td>272</td><td>PEAK</td></tr><tr><td>4</td><td>11160.00</td><td>37.82</td><td>54.00</td><td>-16.18</td><td>46.36</td><td>38.00</td><td>14.67</td><td>61.21</td><td>0.00</td><td>100</td><td>272</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7495.00	44.63	74.00	-29.37	58.23	35.70	11.84	61.14	0.00	---	---	Peak	2	7812.00	59.17	68.20	-9.03	71.64	35.90	12.17	60.54	0.00	100	272	PEAK	3	11160.00	47.99	74.00	-26.01	56.52	38.00	14.68	61.21	0.00	100	272	PEAK	4	11160.00	37.82	54.00	-16.18	46.36	38.00	14.67	61.21	0.00	100	272	AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7495.00	44.63	74.00	-29.37	58.23	35.70	11.84	61.14	0.00	---	---	Peak																																																																																				
2	7812.00	59.17	68.20	-9.03	71.64	35.90	12.17	60.54	0.00	100	272	PEAK																																																																																				
3	11160.00	47.99	74.00	-26.01	56.52	38.00	14.68	61.21	0.00	100	272	PEAK																																																																																				
4	11160.00	37.82	54.00	-16.18	46.36	38.00	14.67	61.21	0.00	100	272	AVERAGE																																																																																				



Mode	34																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																																			
ANT	CDD 8+10																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.42</td><td>62.36</td><td>68.20</td><td>-5.84</td><td>49.26</td><td>34.60</td><td>10.34</td><td>31.84</td><td>0.00</td><td>226</td><td>293 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.42	62.36	68.20	-5.84	49.26	34.60	10.34	31.84	0.00	226	293 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>110.53</td><td>-----</td><td>-----</td><td>97.37</td><td>34.60</td><td>10.32</td><td>31.76</td><td>0.00</td><td>226</td><td>293 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	110.53	-----	-----	97.37	34.60	10.32	31.76	0.00	226	293 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5725.42	62.36	68.20	-5.84	49.26	34.60	10.34	31.84	0.00	226	293 PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5700.00	110.53	-----	-----	97.37	34.60	10.32	31.76	0.00	226	293 PEAK																																																																																																									
Avg	Blank																																																																																																																			
													<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>102.37</td><td>-----</td><td>-----</td><td>89.23</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>226</td><td>293 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	102.37	-----	-----	89.23	34.60	10.33	31.79	0.00	226	293 AVERAGE																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	5700.00	102.37	-----	-----	89.23	34.60	10.33	31.79	0.00	226	293 AVERAGE																																																																																																									






Mode	34																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																	
ANT	CDD 8+10																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.61</td><td>62.21</td><td>68.20</td><td>-5.99</td><td>49.10</td><td>34.60</td><td>10.35</td><td>31.84</td><td>0.00</td><td>103 38 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.61	62.21	68.20	-5.99	49.10	34.60	10.35	31.84	0.00	103 38 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.90</td><td>-----</td><td>-----</td><td>97.76</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>103 38 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.90	-----	-----	97.76	34.60	10.33	31.79	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5725.61	62.21	68.20	-5.99	49.10	34.60	10.35	31.84	0.00	103 38 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5700.00	110.90	-----	-----	97.76	34.60	10.33	31.79	0.00	103 38 PEAK																																																																																								
Avg	Blank																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.12</td><td>-----</td><td>-----</td><td>88.98</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>103 38 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.12	-----	-----	88.98	34.60	10.33	31.79	0.00	103 38 AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5700.00	102.12	-----	-----	88.98	34.60	10.33	31.79	0.00	103 38 AVERAGE																																																																																								






		34																																																																																											
Mode		Harmonic																																																																																											
		U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																											
ANT		CDD 8+10																																																																																											
Pol.		Horizontal																																																																																											
Peak Avg																																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7638.00	44.41	74.00	-29.59	57.52	35.78	11.99	60.88	0.00	---	PEAK	2	7980.00	44.78	68.20	-23.42	56.75	35.84	12.40	60.21	0.00	---	PEAK	3	11400.00	46.38	74.00	-27.62	54.62	38.10	14.85	61.19	0.00	---	PEAK																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	7638.00	44.41	74.00	-29.59	57.52	35.78	11.99	60.88	0.00	---	PEAK																																																																																		
2	7980.00	44.78	68.20	-23.42	56.75	35.84	12.40	60.21	0.00	---	PEAK																																																																																		
3	11400.00	46.38	74.00	-27.62	54.62	38.10	14.85	61.19	0.00	---	PEAK																																																																																		
		Vertical																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>7638.00</td><td>43.85</td><td>74.00</td><td>-30.15</td><td>56.96</td><td>35.78</td><td>11.99</td><td>60.88</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7980.00</td><td>45.76</td><td>68.20</td><td>-22.44</td><td>57.73</td><td>35.84</td><td>12.40</td><td>60.21</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>11400.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>55.70</td><td>38.10</td><td>14.85</td><td>61.19</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>4</td><td>11400.00</td><td>37.21</td><td>54.00</td><td>-16.79</td><td>45.46</td><td>38.10</td><td>14.84</td><td>61.19</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	7638.00	43.85	74.00	-30.15	56.96	35.78	11.99	60.88	0.00	---	PEAK	2	7980.00	45.76	68.20	-22.44	57.73	35.84	12.40	60.21	0.00	---	PEAK	3	11400.00	47.46	74.00	-26.54	55.70	38.10	14.85	61.19	0.00	100	360 PEAK	4	11400.00	37.21	54.00	-16.79	45.46	38.10	14.84	61.19	0.00	100	360 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	7638.00	43.85	74.00	-30.15	56.96	35.78	11.99	60.88	0.00	---	PEAK																																																																																		
2	7980.00	45.76	68.20	-22.44	57.73	35.84	12.40	60.21	0.00	---	PEAK																																																																																		
3	11400.00	47.46	74.00	-26.54	55.70	38.10	14.85	61.19	0.00	100	360 PEAK																																																																																		
4	11400.00	37.21	54.00	-16.79	45.46	38.10	14.84	61.19	0.00	100	360 AVERAGE																																																																																		







Mode	35																																																																																													
	Band Edge																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																													
ANT	CDD 8+10																																																																																													
Pol.	Horizontal					Fundamental																																																																																								
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5734.06</td><td>61.76</td><td>68.20</td><td>-6.44</td><td>48.67</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>230</td><td>292 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5734.06	61.76	68.20	-6.44	48.67	34.60	10.35	31.86	0.00	230	292 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>113.18</td><td>-----</td><td>-----</td><td>100.04</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>230</td><td>292 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	113.18	-----	-----	100.04	34.60	10.33	31.79	0.00	230	292 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5734.06	61.76	68.20	-6.44	48.67	34.60	10.35	31.86	0.00	230	292 PEAK																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5700.00	113.18	-----	-----	100.04	34.60	10.33	31.79	0.00	230	292 PEAK																																																																																				
Avg	Blank																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>102.91</td><td>-----</td><td>-----</td><td>89.77</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>230</td><td>292 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	102.91	-----	-----	89.77	34.60	10.33	31.79	0.00	230	292 AVERAGE																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5700.00	102.91	-----	-----	89.77	34.60	10.33	31.79	0.00	230	292 AVERAGE																																																																																				




Mode	35																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																																						
ANT	CDD 8+10																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5738.42</td><td>61.90</td><td>68.20</td><td>-6.30</td><td>48.81</td><td>34.60</td><td>10.36</td><td>31.87</td><td>0.00</td><td>110</td><td>40</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.42	61.90	68.20	-6.30	48.81	34.60	10.36	31.87	0.00	110	40	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>112.59</td><td>-----</td><td>-----</td><td>99.45</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>110</td><td>40</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	112.59	-----	-----	99.45	34.60	10.33	31.79	0.00	110	40
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5738.42	61.90	68.20	-6.30	48.81	34.60	10.36	31.87	0.00	110	40	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5700.00	112.59	-----	-----	99.45	34.60	10.33	31.79	0.00	110	40	PEAK																																																																																											
Avg	Blank																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.28</td><td>-----</td><td>-----</td><td>90.14</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>110</td><td>40</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	103.28	-----	-----	90.14	34.60	10.33	31.79	0.00	110	40	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5700.00	103.28	-----	-----	90.14	34.60	10.33	31.79	0.00	110	40	AVERAGE																																																																																											







Mode	36																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5366.00</td><td>55.11</td><td>74.00</td><td>-18.89</td><td>42.34</td><td>34.63</td><td>9.92</td><td>31.78</td><td>0.00</td><td>289</td><td>48 PEAK</td></tr><tr><td>2</td><td>5469.36</td><td>55.81</td><td>68.20</td><td>-12.39</td><td>42.73</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>289</td><td>48 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5366.00	55.11	74.00	-18.89	42.34	34.63	9.92	31.78	0.00	289	48 PEAK	2	5469.36	55.81	68.20	-12.39	42.73	34.76	10.04	31.72	0.00	289	48 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>106.83</td><td>-----</td><td>-----</td><td>93.74</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>289</td><td>48 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	106.83	-----	-----	93.74	34.70	10.09	31.70	0.00	289	48 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5366.00	55.11	74.00	-18.89	42.34	34.63	9.92	31.78	0.00	289	48 PEAK																																																																																																						
2	5469.36	55.81	68.20	-12.39	42.73	34.76	10.04	31.72	0.00	289	48 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	106.83	-----	-----	93.74	34.70	10.09	31.70	0.00	289	48 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>43.88</td><td>54.00</td><td>-10.12</td><td>30.80</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>289</td><td>48 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	43.88	54.00	-10.12	30.80	34.78	10.03	31.73	0.00	289	48 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>97.18</td><td>-----</td><td>-----</td><td>84.09</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>289</td><td>48 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	97.18	-----	-----	84.09	34.70	10.09	31.70	0.00	289	48 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.76	43.88	54.00	-10.12	30.80	34.78	10.03	31.73	0.00	289	48 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	97.18	-----	-----	84.09	34.70	10.09	31.70	0.00	289	48 AVERAGE																																																																																																						




Mode	36																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																					
ANT	CDD 8+10																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5762.71</td><td>54.71</td><td>68.20</td><td>-13.49</td><td>41.67</td><td>34.60</td><td>10.37</td><td>31.93</td><td>0.00</td><td>289</td><td>48 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5762.71	54.71	68.20	-13.49	41.67	34.60	10.37	31.93	0.00	289	48 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5762.71	54.71	68.20	-13.49	41.67	34.60	10.37	31.93	0.00	289	48 PEAK																																											



Mode	36																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																	
ANT	CDD 8+10																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5365.68</td><td>54.49</td><td>74.00</td><td>-19.51</td><td>41.72</td><td>34.63</td><td>9.92</td><td>31.78</td><td>0.00</td><td>144 23 PEAK</td></tr><tr><td>2</td><td>5468.24</td><td>52.94</td><td>68.20</td><td>-15.26</td><td>39.86</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>144 23 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5365.68	54.49	74.00	-19.51	41.72	34.63	9.92	31.78	0.00	144 23 PEAK	2	5468.24	52.94	68.20	-15.26	39.86	34.76	10.04	31.72	0.00	144 23 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5365.68	54.49	74.00	-19.51	41.72	34.63	9.92	31.78	0.00	144 23 PEAK																																																								
2	5468.24	52.94	68.20	-15.26	39.86	34.76	10.04	31.72	0.00	144 23 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>104.18</td><td>-----</td><td>-----</td><td>91.09</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>144 23 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.18	-----	-----	91.09	34.70	10.09	31.70	0.00	144 23 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	104.18	-----	-----	91.09	34.70	10.09	31.70	0.00	144 23 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>43.17</td><td>54.00</td><td>-10.83</td><td>30.09</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>144 23 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	43.17	54.00	-10.83	30.09	34.78	10.03	31.73	0.00	144 23 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.76	43.17	54.00	-10.83	30.09	34.78	10.03	31.73	0.00	144 23 AVERAGE																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>96.09</td><td>-----</td><td>-----</td><td>83.00</td><td>34.68</td><td>10.11</td><td>31.70</td><td>0.00</td><td>144 23 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.09	-----	-----	83.00	34.68	10.11	31.70	0.00	144 23 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	96.09	-----	-----	83.00	34.68	10.11	31.70	0.00	144 23 AVERAGE																																																								







Mode	36																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																					
ANT	CDD 8+10																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.91</td><td>55.95</td><td>68.20</td><td>-12.25</td><td>42.86</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>144</td><td>23 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.91	55.95	68.20	-12.25	42.86	34.60	10.35	31.86	0.00	144	23 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5734.91	55.95	68.20	-12.25	42.86	34.60	10.35	31.86	0.00	144	23 PEAK																																											




		36																																																																																				
Mode		Harmonic																																																																																				
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																				
ANT		CDD 8+10																																																																																				
Pol.		Horizontal						Vertical																																																																														
Peak Avg																																																																																						
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7707.30</td><td>49.83</td><td>74.00</td><td>-24.17</td><td>62.61</td><td>35.90</td><td>12.06</td><td>60.74</td><td>0.00</td><td>100</td><td>250</td><td>Peak</td></tr><tr><td>2</td><td>7707.30</td><td>43.30</td><td>54.00</td><td>-10.70</td><td>56.08</td><td>35.90</td><td>12.06</td><td>60.74</td><td>0.00</td><td>100</td><td>250</td><td>Average</td></tr><tr><td>3</td><td>11020.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>54.52</td><td>38.00</td><td>14.58</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7707.30	49.83	74.00	-24.17	62.61	35.90	12.06	60.74	0.00	100	250	Peak	2	7707.30	43.30	54.00	-10.70	56.08	35.90	12.06	60.74	0.00	100	250	Average	3	11020.00	45.88	74.00	-28.12	54.52	38.00	14.58	61.22	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	7707.30	49.83	74.00	-24.17	62.61	35.90	12.06	60.74	0.00	100	250	Peak																																																																										
2	7707.30	43.30	54.00	-10.70	56.08	35.90	12.06	60.74	0.00	100	250	Average																																																																										
3	11020.00	45.88	74.00	-28.12	54.52	38.00	14.58	61.22	0.00	---	---	PEAK																																																																										
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7712.80</td><td>51.02</td><td>74.00</td><td>-22.98</td><td>63.79</td><td>35.90</td><td>12.06</td><td>60.73</td><td>0.00</td><td>100</td><td>267</td><td>Peak</td></tr><tr><td>2</td><td>7712.80</td><td>44.33</td><td>54.00</td><td>-9.67</td><td>57.10</td><td>35.90</td><td>12.06</td><td>60.73</td><td>0.00</td><td>100</td><td>267</td><td>Average</td></tr><tr><td>3</td><td>11020.00</td><td>45.98</td><td>74.00</td><td>-28.02</td><td>54.62</td><td>38.00</td><td>14.58</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7712.80	51.02	74.00	-22.98	63.79	35.90	12.06	60.73	0.00	100	267	Peak	2	7712.80	44.33	54.00	-9.67	57.10	35.90	12.06	60.73	0.00	100	267	Average	3	11020.00	45.98	74.00	-28.02	54.62	38.00	14.58	61.22	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	7712.80	51.02	74.00	-22.98	63.79	35.90	12.06	60.73	0.00	100	267	Peak																																																																										
2	7712.80	44.33	54.00	-9.67	57.10	35.90	12.06	60.73	0.00	100	267	Average																																																																										
3	11020.00	45.98	74.00	-28.02	54.62	38.00	14.58	61.22	0.00	---	---	PEAK																																																																										







Mode	37																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																																																	
ANT	CDD 8+10																																																																	
Pol.	Horizontal																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.88</td><td>65.04</td><td>74.00</td><td>-8.96</td><td>51.96</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>300 49 PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>59.87</td><td>68.20</td><td>-8.33</td><td>46.79</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>300 49 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.88	65.04	74.00	-8.96	51.96	34.79	10.02	31.73	0.00	300 49 PEAK	2	5469.52	59.87	68.20	-8.33	46.79	34.76	10.04	31.72	0.00	300 49 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5452.88	65.04	74.00	-8.96	51.96	34.79	10.02	31.73	0.00	300 49 PEAK																																																								
2	5469.52	59.87	68.20	-8.33	46.79	34.76	10.04	31.72	0.00	300 49 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>107.39</td><td>-----</td><td>-----</td><td>94.30</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>300 49 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.39	-----	-----	94.30	34.70	10.09	31.70	0.00	300 49 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	107.39	-----	-----	94.30	34.70	10.09	31.70	0.00	300 49 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.00</td><td>44.13</td><td>54.00</td><td>-9.87</td><td>31.06</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>300 49 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	44.13	54.00	-9.87	31.06	34.78	10.02	31.73	0.00	300 49 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5458.00	44.13	54.00	-9.87	31.06	34.78	10.02	31.73	0.00	300 49 AVERAGE																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>98.51</td><td>-----</td><td>-----</td><td>85.42</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>300 49 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.51	-----	-----	85.42	34.70	10.09	31.70	0.00	300 49 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	98.51	-----	-----	85.42	34.70	10.09	31.70	0.00	300 49 AVERAGE																																																								




Mode	37																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																																						
ANT	CDD 8+10																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.97</td><td>55.86</td><td>68.20</td><td>-12.34</td><td>42.77</td><td>34.60</td><td>10.36</td><td>31.87</td><td>0.00</td><td>300</td><td>49</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.97	55.86	68.20	-12.34	42.77	34.60	10.36	31.87	0.00	300	49	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5737.97	55.86	68.20	-12.34	42.77	34.60	10.36	31.87	0.00	300	49	PEAK																																											







Mode	37																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																																																			
ANT	CDD 8+10																																																																			
Pol.	Vertical						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.40</td><td>62.96</td><td>74.00</td><td>-11.04</td><td>49.88</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>33 PEAK</td></tr><tr><td>2</td><td>5468.40</td><td>61.11</td><td>68.20</td><td>-7.09</td><td>48.03</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>33 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.40	62.96	74.00	-11.04	49.88	34.79	10.02	31.73	0.00	100	33 PEAK	2	5468.40	61.11	68.20	-7.09	48.03	34.76	10.04	31.72	0.00	100	33 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5456.40	62.96	74.00	-11.04	49.88	34.79	10.02	31.73	0.00	100	33 PEAK																																																									
2	5468.40	61.11	68.20	-7.09	48.03	34.76	10.04	31.72	0.00	100	33 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.56</td><td>43.68</td><td>54.00</td><td>-10.32</td><td>30.60</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>33 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.56	43.68	54.00	-10.32	30.60	34.79	10.02	31.73	0.00	100	33 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5456.56	43.68	54.00	-10.32	30.60	34.79	10.02	31.73	0.00	100	33 AVERAGE																																																									
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>105.50</td><td>-----</td><td>-----</td><td>92.42</td><td>34.71</td><td>10.08</td><td>31.71</td><td>0.00</td><td>100</td><td>33 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	105.50	-----	-----	92.42	34.71	10.08	31.71	0.00	100	33 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5510.00	105.50	-----	-----	92.42	34.71	10.08	31.71	0.00	100	33 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>96.16</td><td>-----</td><td>-----</td><td>83.07</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>100</td><td>33 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.16	-----	-----	83.07	34.70	10.09	31.70	0.00	100	33 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5510.00	96.16	-----	-----	83.07	34.70	10.09	31.70	0.00	100	33 AVERAGE																																																									




Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.90</td><td>54.91</td><td>68.20</td><td>-13.29</td><td>41.87</td><td>34.60</td><td>10.37</td><td>31.93</td><td>0.00</td><td>100</td><td>33</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.90	54.91	68.20	-13.29	41.87	34.60	10.37	31.93	0.00	100	33	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5759.90	54.91	68.20	-13.29	41.87	34.60	10.37	31.93	0.00	100	33	PEAK																																												



Mode	38																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																																																			
ANT	CDD 8+10																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5426.60</td><td>53.55</td><td>74.00</td><td>-20.45</td><td>40.56</td><td>34.75</td><td>9.98</td><td>31.74</td><td>0.00</td><td>307</td><td>53 PEAK</td></tr><tr><td>2</td><td>5464.80</td><td>52.45</td><td>68.20</td><td>-15.75</td><td>39.37</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>307</td><td>53 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5426.60	53.55	74.00	-20.45	40.56	34.75	9.98	31.74	0.00	307	53 PEAK	2	5464.80	52.45	68.20	-15.75	39.37	34.77	10.03	31.72	0.00	307	53 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5550.00</td><td>104.17</td><td>-----</td><td>-----</td><td>91.08</td><td>34.62</td><td>10.15</td><td>31.68</td><td>0.00</td><td>307</td><td>53 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5550.00	104.17	-----	-----	91.08	34.62	10.15	31.68	0.00	307	53 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5426.60	53.55	74.00	-20.45	40.56	34.75	9.98	31.74	0.00	307	53 PEAK																																																																																																																									
2	5464.80	52.45	68.20	-15.75	39.37	34.77	10.03	31.72	0.00	307	53 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5550.00	104.17	-----	-----	91.08	34.62	10.15	31.68	0.00	307	53 PEAK																																																																																																																									
Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5448.60</td><td>43.20</td><td>54.00</td><td>-10.80</td><td>30.12</td><td>34.00</td><td>10.01</td><td>31.73</td><td>0.00</td><td>307</td><td>53 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5448.60	43.20	54.00	-10.80	30.12	34.00	10.01	31.73	0.00	307	53 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5550.00</td><td>97.16</td><td>-----</td><td>-----</td><td>84.08</td><td>34.60</td><td>10.16</td><td>31.68</td><td>0.00</td><td>307</td><td>53 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5550.00	97.16	-----	-----	84.08	34.60	10.16	31.68	0.00	307	53 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5448.60	43.20	54.00	-10.80	30.12	34.00	10.01	31.73	0.00	307	53 AVERAGE																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5550.00	97.16	-----	-----	84.08	34.60	10.16	31.68	0.00	307	53 AVERAGE																																																																																																																									




Mode	38																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																						
ANT	CDD 8+10																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5746.94</td><td>54.26</td><td>68.20</td><td>-13.94</td><td>41.19</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>307</td><td>53</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5746.94	54.26	68.20	-13.94	41.19	34.60	10.36	31.89	0.00	307	53	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5746.94	54.26	68.20	-13.94	41.19	34.60	10.36	31.89	0.00	307	53	PEAK																																											



Mode	38																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																	
ANT	CDD 8+10																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5372.40</td><td>54.34</td><td>74.00</td><td>-19.66</td><td>41.55</td><td>34.64</td><td>9.92</td><td>31.77</td><td>0.00</td><td>125 26 PEAK</td></tr><tr><td>2</td><td>5461.00</td><td>53.50</td><td>68.20</td><td>-14.70</td><td>40.42</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>125 26 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.40	54.34	74.00	-19.66	41.55	34.64	9.92	31.77	0.00	125 26 PEAK	2	5461.00	53.50	68.20	-14.70	40.42	34.78	10.03	31.73	0.00	125 26 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5372.40	54.34	74.00	-19.66	41.55	34.64	9.92	31.77	0.00	125 26 PEAK																																																								
2	5461.00	53.50	68.20	-14.70	40.42	34.78	10.03	31.73	0.00	125 26 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>104.94</td><td>-----</td><td>-----</td><td>91.85</td><td>34.62</td><td>10.15</td><td>31.68</td><td>0.00</td><td>125 26 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	104.94	-----	-----	91.85	34.62	10.15	31.68	0.00	125 26 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5550.00	104.94	-----	-----	91.85	34.62	10.15	31.68	0.00	125 26 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.60</td><td>42.74</td><td>54.00</td><td>-11.26</td><td>29.66</td><td>34.80</td><td>10.01</td><td>31.73</td><td>0.00</td><td>125 26 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.60	42.74	54.00	-11.26	29.66	34.80	10.01	31.73	0.00	125 26 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5450.60	42.74	54.00	-11.26	29.66	34.80	10.01	31.73	0.00	125 26 AVERAGE																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>96.07</td><td>-----</td><td>-----</td><td>82.98</td><td>34.60</td><td>10.17</td><td>31.68</td><td>0.00</td><td>125 26 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	96.07	-----	-----	82.98	34.60	10.17	31.68	0.00	125 26 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5550.00	96.07	-----	-----	82.98	34.60	10.17	31.68	0.00	125 26 AVERAGE																																																								



Mode	38																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																									
ANT	CDD 8+10																																																									
Pol.	Vertical						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.60</td><td>54.40</td><td>68.20</td><td>-13.80</td><td>41.30</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>125</td><td>26</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.60	54.40	68.20	-13.80	41.30	34.60	10.35	31.85	0.00	125	26	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	5730.60	54.40	68.20	-13.80	41.30	34.60	10.35	31.85	0.00	125	26	PEAK																																														




		38																																																																									
Mode		Harmonic																																																																									
		U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																									
ANT		CDD 8+10																																																																									
Pol.		Horizontal										Vertical																																																															
Peak Avg																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7772.20</td><td>49.58</td><td>68.20</td><td>-18.62</td><td>62.18</td><td>35.90</td><td>12.12</td><td>60.62</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11100.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>54.10</td><td>38.00</td><td>14.63</td><td>61.21</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>																			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7772.20	49.58	68.20	-18.62	62.18	35.90	12.12	60.62	0.00	---	Peak	2	11100.00	45.52	74.00	-28.48	54.10	38.00	14.63	61.21	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	7772.20	49.58	68.20	-18.62	62.18	35.90	12.12	60.62	0.00	---	Peak																																																																
2	11100.00	45.52	74.00	-28.48	54.10	38.00	14.63	61.21	0.00	---	PEAK																																																																
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7782.10</td><td>50.32</td><td>68.20</td><td>-17.88</td><td>62.89</td><td>35.90</td><td>12.13</td><td>60.60</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11100.00</td><td>45.81</td><td>74.00</td><td>-28.19</td><td>54.39</td><td>38.00</td><td>14.63</td><td>61.21</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>																			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7782.10	50.32	68.20	-17.88	62.89	35.90	12.13	60.60	0.00	---	Peak	2	11100.00	45.81	74.00	-28.19	54.39	38.00	14.63	61.21	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																	
1	7782.10	50.32	68.20	-17.88	62.89	35.90	12.13	60.60	0.00	---	Peak																																																																
2	11100.00	45.81	74.00	-28.19	54.39	38.00	14.63	61.21	0.00	---	PEAK																																																																







Mode	39																																																																				
	Band Edge - L																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																				
ANT	CDD 8+10																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5433.84</td><td>54.39</td><td>74.00</td><td>-19.61</td><td>41.37</td><td>34.77</td><td>9.99</td><td>31.74</td><td>0.00</td><td>226</td><td>298 PEAK</td></tr><tr><td>2</td><td>5462.96</td><td>52.29</td><td>68.20</td><td>-15.91</td><td>39.21</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>226</td><td>298 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.84	54.39	74.00	-19.61	41.37	34.77	9.99	31.74	0.00	226	298 PEAK	2	5462.96	52.29	68.20	-15.91	39.21	34.77	10.03	31.72	0.00	226	298 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5433.84	54.39	74.00	-19.61	41.37	34.77	9.99	31.74	0.00	226	298 PEAK																																																										
2	5462.96	52.29	68.20	-15.91	39.21	34.77	10.03	31.72	0.00	226	298 PEAK																																																										
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.24</td><td>42.50</td><td>54.00</td><td>-11.50</td><td>29.42</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>226</td><td>298 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.24	42.50	54.00	-11.50	29.42	34.79	10.02	31.73	0.00	226	298 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5456.24	42.50	54.00	-11.50	29.42	34.79	10.02	31.73	0.00	226	298 AVERAGE																																																										
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>106.90</td><td>-----</td><td>-----</td><td>93.69</td><td>34.60</td><td>10.29</td><td>31.68</td><td>0.00</td><td>226</td><td>298 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	106.90	-----	-----	93.69	34.60	10.29	31.68	0.00	226	298 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5670.00	106.90	-----	-----	93.69	34.60	10.29	31.68	0.00	226	298 PEAK																																																										
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>98.54</td><td>-----</td><td>-----</td><td>85.33</td><td>34.60</td><td>10.29</td><td>31.68</td><td>0.00</td><td>226</td><td>298 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	98.54	-----	-----	85.33	34.60	10.29	31.68	0.00	226	298 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5670.00	98.54	-----	-----	85.33	34.60	10.29	31.68	0.00	226	298 AVERAGE																																																										




Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5757.40</td><td>55.82</td><td>68.20</td><td>-12.38</td><td>42.77</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>226</td><td>298</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.40	55.82	68.20	-12.38	42.77	34.60	10.37	31.92	0.00	226	298	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5757.40	55.82	68.20	-12.38	42.77	34.60	10.37	31.92	0.00	226	298	PEAK																																												





Mode	39																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5433.84</td><td>54.16</td><td>74.00</td><td>-19.84</td><td>41.14</td><td>34.77</td><td>9.99</td><td>31.74</td><td>0.00</td><td>124</td><td>26 PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>51.51</td><td>68.20</td><td>-16.69</td><td>38.43</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>124</td><td>26 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.84	54.16	74.00	-19.84	41.14	34.77	9.99	31.74	0.00	124	26 PEAK	2	5469.04	51.51	68.20	-16.69	38.43	34.76	10.04	31.72	0.00	124	26 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>107.92</td><td>-----</td><td>-----</td><td>94.70</td><td>34.60</td><td>10.29</td><td>31.67</td><td>0.00</td><td>124</td><td>26 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.92	-----	-----	94.70	34.60	10.29	31.67	0.00	124	26 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5433.84	54.16	74.00	-19.84	41.14	34.77	9.99	31.74	0.00	124	26 PEAK																																																																																																						
2	5469.04	51.51	68.20	-16.69	38.43	34.76	10.04	31.72	0.00	124	26 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	107.92	-----	-----	94.70	34.60	10.29	31.67	0.00	124	26 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.60</td><td>42.50</td><td>54.00</td><td>-11.50</td><td>29.42</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>124</td><td>26 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.60	42.50	54.00	-11.50	29.42	34.79	10.02	31.73	0.00	124	26 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>98.43</td><td>-----</td><td>-----</td><td>85.24</td><td>34.60</td><td>10.30</td><td>31.71</td><td>0.00</td><td>124</td><td>26 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	98.43	-----	-----	85.24	34.60	10.30	31.71	0.00	124	26 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5455.60	42.50	54.00	-11.50	29.42	34.79	10.02	31.73	0.00	124	26 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	98.43	-----	-----	85.24	34.60	10.30	31.71	0.00	124	26 AVERAGE																																																																																																						







Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.03</td><td>56.80</td><td>68.20</td><td>-11.40</td><td>43.72</td><td>34.60</td><td>10.35</td><td>31.87</td><td>0.00</td><td>124</td><td>26</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.03	56.80	68.20	-11.40	43.72	34.60	10.35	31.87	0.00	124	26	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5736.03	56.80	68.20	-11.40	43.72	34.60	10.35	31.87	0.00	124	26	PEAK																																												




Mode	39																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																											
ANT	CDD 8+10																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7949.30</td><td>47.84</td><td>68.20</td><td>-20.36</td><td>59.86</td><td>35.90</td><td>12.35</td><td>60.27</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11340.00</td><td>45.31</td><td>74.00</td><td>-28.69</td><td>53.66</td><td>38.04</td><td>14.00</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7949.30	47.84	68.20	-20.36	59.86	35.90	12.35	60.27	0.00	---	Peak	2	11340.00	45.31	74.00	-28.69	53.66	38.04	14.00	61.19	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7939.40</td><td>49.02</td><td>68.20</td><td>-19.18</td><td>61.07</td><td>35.90</td><td>12.34</td><td>60.29</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11340.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>54.24</td><td>38.04</td><td>14.00</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7939.40	49.02	68.20	-19.18	61.07	35.90	12.34	60.29	0.00	---	Peak	2	11340.00	45.89	74.00	-28.11	54.24	38.04	14.00	61.19	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	7949.30	47.84	68.20	-20.36	59.86	35.90	12.35	60.27	0.00	---	Peak																																																																																																																	
2	11340.00	45.31	74.00	-28.69	53.66	38.04	14.00	61.19	0.00	---	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	7939.40	49.02	68.20	-19.18	61.07	35.90	12.34	60.29	0.00	---	Peak																																																																																																																	
2	11340.00	45.89	74.00	-28.11	54.24	38.04	14.00	61.19	0.00	---	PEAK																																																																																																																	



Mode	40																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																																																																													
ANT	CDD 8+10																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5395.44</td><td>54.59</td><td>74.00</td><td>-19.41</td><td>41.72</td><td>34.69</td><td>9.94</td><td>31.76</td><td>0.00</td><td>214 299 PEAK</td></tr><tr><td>2</td><td>5464.56</td><td>52.18</td><td>68.20</td><td>-16.02</td><td>39.10</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>214 299 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.44	54.59	74.00	-19.41	41.72	34.69	9.94	31.76	0.00	214 299 PEAK	2	5464.56	52.18	68.20	-16.02	39.10	34.77	10.03	31.72	0.00	214 299 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>108.76</td><td>-----</td><td>-----</td><td>95.59</td><td>34.60</td><td>10.31</td><td>31.74</td><td>0.00</td><td>214 299 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	108.76	-----	-----	95.59	34.60	10.31	31.74	0.00	214 299 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5395.44	54.59	74.00	-19.41	41.72	34.69	9.94	31.76	0.00	214 299 PEAK																																																																																																				
2	5464.56	52.18	68.20	-16.02	39.10	34.77	10.03	31.72	0.00	214 299 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5670.00	108.76	-----	-----	95.59	34.60	10.31	31.74	0.00	214 299 PEAK																																																																																																				
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5454.32</td><td>42.96</td><td>54.00</td><td>-11.04</td><td>29.88</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>214 299 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.32	42.96	54.00	-11.04	29.88	34.79	10.02	31.73	0.00	214 299 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>99.84</td><td>-----</td><td>-----</td><td>86.67</td><td>34.60</td><td>10.31</td><td>31.74</td><td>0.00</td><td>214 299 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.84	-----	-----	86.67	34.60	10.31	31.74	0.00	214 299 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5454.32	42.96	54.00	-11.04	29.88	34.79	10.02	31.73	0.00	214 299 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5670.00	99.84	-----	-----	86.67	34.60	10.31	31.74	0.00	214 299 AVERAGE																																																																																																				




Mode	40																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.90</td><td>56.06</td><td>68.20</td><td>-12.14</td><td>42.96</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>214</td><td>299</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.90	56.06	68.20	-12.14	42.96	34.60	10.35	31.85	0.00	214	299	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5730.90	56.06	68.20	-12.14	42.96	34.60	10.35	31.85	0.00	214	299	PEAK																																												







Mode	40																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																																	
ANT	CDD 8+10																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5410.16</td><td>53.91</td><td>74.00</td><td>-20.09</td><td>40.99</td><td>34.72</td><td>9.95</td><td>31.75</td><td>0.00</td><td>112 38 PEAK</td></tr><tr><td>2</td><td>5460.72</td><td>52.69</td><td>68.20</td><td>-15.51</td><td>39.61</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>112 38 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5410.16	53.91	74.00	-20.09	40.99	34.72	9.95	31.75	0.00	112 38 PEAK	2	5460.72	52.69	68.20	-15.51	39.61	34.78	10.03	31.73	0.00	112 38 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5410.16	53.91	74.00	-20.09	40.99	34.72	9.95	31.75	0.00	112 38 PEAK																																																								
2	5460.72	52.69	68.20	-15.51	39.61	34.78	10.03	31.73	0.00	112 38 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>109.55</td><td>-----</td><td>-----</td><td>96.36</td><td>34.60</td><td>10.30</td><td>31.71</td><td>0.00</td><td>112 38 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	109.55	-----	-----	96.36	34.60	10.30	31.71	0.00	112 38 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5670.00	109.55	-----	-----	96.36	34.60	10.30	31.71	0.00	112 38 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.00</td><td>42.93</td><td>54.00</td><td>-11.07</td><td>29.85</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>112 38 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.00	42.93	54.00	-11.07	29.85	34.79	10.02	31.73	0.00	112 38 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5454.00	42.93	54.00	-11.07	29.85	34.79	10.02	31.73	0.00	112 38 AVERAGE																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>100.01</td><td>-----</td><td>-----</td><td>86.84</td><td>34.60</td><td>10.31</td><td>31.74</td><td>0.00</td><td>112 38 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	100.01	-----	-----	86.84	34.60	10.31	31.74	0.00	112 38 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5670.00	100.01	-----	-----	86.84	34.60	10.31	31.74	0.00	112 38 AVERAGE																																																								




Mode	40																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.20</td><td>62.60</td><td>68.20</td><td>-5.60</td><td>49.50</td><td>34.60</td><td>10.34</td><td>31.84</td><td>0.00</td><td>112</td><td>30</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.20	62.60	68.20	-5.60	49.50	34.60	10.34	31.84	0.00	112	30	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.20	62.60	68.20	-5.60	49.50	34.60	10.34	31.84	0.00	112	30	PEAK																																												







Mode	41																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.18</td><td>56.98</td><td>74.00</td><td>-17.02</td><td>43.91</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>300</td><td>50 PEAK</td></tr><tr><td>2</td><td>5461.24</td><td>56.23</td><td>68.20</td><td>-11.97</td><td>43.14</td><td>34.78</td><td>10.03</td><td>31.72</td><td>0.00</td><td>300</td><td>50 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.18	56.98	74.00	-17.02	43.91	34.78	10.02	31.73	0.00	300	50 PEAK	2	5461.24	56.23	68.20	-11.97	43.14	34.78	10.03	31.72	0.00	300	50 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>103.76</td><td>-----</td><td>-----</td><td>90.68</td><td>34.63</td><td>10.14</td><td>31.69</td><td>0.00</td><td>300</td><td>50 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	103.76	-----	-----	90.68	34.63	10.14	31.69	0.00	300	50 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.18	56.98	74.00	-17.02	43.91	34.78	10.02	31.73	0.00	300	50 PEAK																																																																																																						
2	5461.24	56.23	68.20	-11.97	43.14	34.78	10.03	31.72	0.00	300	50 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	103.76	-----	-----	90.68	34.63	10.14	31.69	0.00	300	50 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.44</td><td>46.95</td><td>54.00</td><td>-7.05</td><td>33.87</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>300</td><td>50 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	46.95	54.00	-7.05	33.87	34.78	10.03	31.73	0.00	300	50 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>95.20</td><td>-----</td><td>-----</td><td>82.12</td><td>34.64</td><td>10.13</td><td>31.69</td><td>0.00</td><td>300</td><td>50 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	95.20	-----	-----	82.12	34.64	10.13	31.69	0.00	300	50 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.44	46.95	54.00	-7.05	33.87	34.78	10.03	31.73	0.00	300	50 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	95.20	-----	-----	82.12	34.64	10.13	31.69	0.00	300	50 AVERAGE																																																																																																						




Mode	41																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																						
ANT	CDD 8+10																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.85</td><td>55.22</td><td>68.20</td><td>-12.98</td><td>42.15</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>300</td><td>50</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.85	55.22	68.20	-12.98	42.15	34.60	10.36	31.89	0.00	300	50	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5743.85	55.22	68.20	-12.98	42.15	34.60	10.36	31.89	0.00	300	50	PEAK																																											



Mode	41																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																	
ANT	CDD 8+10																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.34</td><td>54.75</td><td>74.00</td><td>-19.25</td><td>41.67</td><td>34.80</td><td>10.01</td><td>31.73</td><td>0.00</td><td>126 26 PEAK</td></tr><tr><td>2</td><td>5462.86</td><td>54.86</td><td>68.20</td><td>-13.34</td><td>41.78</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>126 26 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.34	54.75	74.00	-19.25	41.67	34.80	10.01	31.73	0.00	126 26 PEAK	2	5462.86	54.86	68.20	-13.34	41.78	34.77	10.03	31.72	0.00	126 26 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5451.34	54.75	74.00	-19.25	41.67	34.80	10.01	31.73	0.00	126 26 PEAK																																																								
2	5462.86	54.86	68.20	-13.34	41.78	34.77	10.03	31.72	0.00	126 26 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>102.40</td><td>-----</td><td>-----</td><td>89.32</td><td>34.60</td><td>10.16</td><td>31.68</td><td>0.00</td><td>126 26 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	102.40	-----	-----	89.32	34.60	10.16	31.68	0.00	126 26 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5530.00	102.40	-----	-----	89.32	34.60	10.16	31.68	0.00	126 26 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.98</td><td>44.48</td><td>54.00</td><td>-9.52</td><td>31.40</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>126 26 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	44.48	54.00	-9.52	31.40	34.78	10.03	31.73	0.00	126 26 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5459.98	44.48	54.00	-9.52	31.40	34.78	10.03	31.73	0.00	126 26 AVERAGE																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>93.74</td><td>-----</td><td>-----</td><td>80.66</td><td>34.65</td><td>10.12</td><td>31.69</td><td>0.00</td><td>126 26 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	93.74	-----	-----	80.66	34.65	10.12	31.69	0.00	126 26 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5530.00	93.74	-----	-----	80.66	34.65	10.12	31.69	0.00	126 26 AVERAGE																																																								







Mode	41																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																														
ANT	CDD 8+10																																														
Pol.	Vertical	Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.40</td><td>54.70</td><td>68.20</td><td>-13.50</td><td>41.60</td><td>34.60</td><td>10.35</td><td>31.85</td><td>0.00</td><td>126</td><td>26 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.40	54.70	68.20	-13.50	41.60	34.60	10.35	31.85	0.00	126	26 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																					
1	5727.40	54.70	68.20	-13.50	41.60	34.60	10.35	31.85	0.00	126	26 PEAK																																				




Mode	41																																																																	
	Harmonic																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																	
ANT	CDD 8+10																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7719.40</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>61.66</td><td>35.90</td><td>12.07</td><td>60.72</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>11060.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>54.46</td><td>38.00</td><td>14.61</td><td>61.22</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7719.40	48.91	74.00	-25.09	61.66	35.90	12.07	60.72	0.00	--- Peak	2	11060.00	45.85	74.00	-28.15	54.46	38.00	14.61	61.22	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	7719.40	48.91	74.00	-25.09	61.66	35.90	12.07	60.72	0.00	--- Peak																																																								
2	11060.00	45.85	74.00	-28.15	54.46	38.00	14.61	61.22	0.00	--- PEAK																																																								







Mode	42																																																																							
	Band Edge - L																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																																							
ANT	CDD 8+10																																																																							
Pol.	Horizontal						Fundamental																																																																	
Peak																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5449.90</td><td>61.45</td><td>74.00</td><td>-12.55</td><td>48.37</td><td>34.80</td><td>10.01</td><td>31.73</td><td>0.00</td><td>300</td><td>49 PEAK</td></tr><tr><td>2</td><td>5464.84</td><td>62.07</td><td>68.20</td><td>-6.13</td><td>48.99</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>300</td><td>49 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	5449.90	61.45	74.00	-12.55	48.37	34.80	10.01	31.73	0.00	300	49 PEAK	2	5464.84	62.07	68.20	-6.13	48.99	34.77	10.03	31.72	0.00	300	49 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																
1	5449.90	61.45	74.00	-12.55	48.37	34.80	10.01	31.73	0.00	300	49 PEAK																																																													
2	5464.84	62.07	68.20	-6.13	48.99	34.77	10.03	31.72	0.00	300	49 PEAK																																																													
Avg																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5459.62</td><td>44.18</td><td>54.00</td><td>-9.82</td><td>31.10</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>300</td><td>49 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	5459.62	44.18	54.00	-9.82	31.10	34.78	10.03	31.73	0.00	300	49 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																
1	5459.62	44.18	54.00	-9.82	31.10	34.78	10.03	31.73	0.00	300	49 AVERAGE																																																													
Peak																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>103.27</td><td>-----</td><td>-----</td><td>90.18</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>300</td><td>49 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	5530.00	103.27	-----	-----	90.18	34.70	10.09	31.70	0.00	300	49 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																
1	5530.00	103.27	-----	-----	90.18	34.70	10.09	31.70	0.00	300	49 PEAK																																																													
Avg																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>95.82</td><td>-----</td><td>-----</td><td>82.73</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>300</td><td>49 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1	5530.00	95.82	-----	-----	82.73	34.70	10.09	31.70	0.00	300	49 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																
1	5530.00	95.82	-----	-----	82.73	34.70	10.09	31.70	0.00	300	49 AVERAGE																																																													




Mode	42																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.54</td><td>55.63</td><td>68.20</td><td>-12.57</td><td>42.59</td><td>34.60</td><td>10.37</td><td>31.93</td><td>0.00</td><td>300</td><td>49</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.54	55.63	68.20	-12.57	42.59	34.60	10.37	31.93	0.00	300	49	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5760.54	55.63	68.20	-12.57	42.59	34.60	10.37	31.93	0.00	300	49	PEAK																																												







Mode	42																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																																																																													
ANT	CDD 8+10																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5413.72</td><td>60.38</td><td>74.00</td><td>-13.62</td><td>47.44</td><td>34.73</td><td>9.96</td><td>31.75</td><td>0.00</td><td>114 36 PEAK</td></tr><tr><td>2</td><td>5462.68</td><td>61.51</td><td>68.20</td><td>-6.69</td><td>48.43</td><td>34.77</td><td>10.03</td><td>31.72</td><td>0.00</td><td>114 36 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5413.72	60.38	74.00	-13.62	47.44	34.73	9.96	31.75	0.00	114 36 PEAK	2	5462.68	61.51	68.20	-6.69	48.43	34.77	10.03	31.72	0.00	114 36 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>103.96</td><td>-----</td><td>-----</td><td>90.88</td><td>34.71</td><td>10.08</td><td>31.71</td><td>0.00</td><td>114 36 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	103.96	-----	-----	90.88	34.71	10.08	31.71	0.00	114 36 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5413.72	60.38	74.00	-13.62	47.44	34.73	9.96	31.75	0.00	114 36 PEAK																																																																																																				
2	5462.68	61.51	68.20	-6.69	48.43	34.77	10.03	31.72	0.00	114 36 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5530.00	103.96	-----	-----	90.88	34.71	10.08	31.71	0.00	114 36 PEAK																																																																																																				
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.98</td><td>43.46</td><td>54.00</td><td>-10.54</td><td>30.38</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>114 36 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.98	43.46	54.00	-10.54	30.38	34.78	10.03	31.73	0.00	114 36 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>94.25</td><td>-----</td><td>-----</td><td>81.17</td><td>34.65</td><td>10.12</td><td>31.69</td><td>0.00</td><td>114 36 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.25	-----	-----	81.17	34.65	10.12	31.69	0.00	114 36 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5459.98	43.46	54.00	-10.54	30.38	34.78	10.03	31.73	0.00	114 36 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5530.00	94.25	-----	-----	81.17	34.65	10.12	31.69	0.00	114 36 AVERAGE																																																																																																				



Mode	42																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.67</td><td>56.15</td><td>68.20</td><td>-12.05</td><td>43.00</td><td>34.60</td><td>10.37</td><td>31.90</td><td>0.00</td><td>114</td><td>36</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5750.67	56.15	68.20	-12.05	43.00	34.60	10.37	31.90	0.00	114	36	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5750.67	56.15	68.20	-12.05	43.00	34.60	10.37	31.90	0.00	114	36	PEAK																																												







Mode	43																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5441.80</td><td>54.07</td><td>74.00</td><td>-19.93</td><td>41.03</td><td>34.78</td><td>10.00</td><td>31.74</td><td>0.00</td><td>301</td><td>52 PEAK</td></tr><tr><td>2</td><td>5467.54</td><td>53.88</td><td>68.20</td><td>-14.32</td><td>40.80</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>301</td><td>52 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5441.80	54.07	74.00	-19.93	41.03	34.78	10.00	31.74	0.00	301	52 PEAK	2	5467.54	53.88	68.20	-14.32	40.80	34.76	10.04	31.72	0.00	301	52 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>102.73</td><td>-----</td><td>-----</td><td>89.57</td><td>34.60</td><td>10.22</td><td>31.66</td><td>0.00</td><td>301</td><td>52 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.73	-----	-----	89.57	34.60	10.22	31.66	0.00	301	52 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5441.80	54.07	74.00	-19.93	41.03	34.78	10.00	31.74	0.00	301	52 PEAK																																																																																																						
2	5467.54	53.88	68.20	-14.32	40.80	34.76	10.04	31.72	0.00	301	52 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	102.73	-----	-----	89.57	34.60	10.22	31.66	0.00	301	52 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.64</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>30.08</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>301</td><td>52 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.64	43.15	54.00	-10.85	30.08	34.78	10.02	31.73	0.00	301	52 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>93.85</td><td>-----</td><td>-----</td><td>80.67</td><td>34.60</td><td>10.23</td><td>31.65</td><td>0.00</td><td>301</td><td>52 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.85	-----	-----	80.67	34.60	10.23	31.65	0.00	301	52 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5457.64	43.15	54.00	-10.85	30.08	34.78	10.02	31.73	0.00	301	52 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	93.85	-----	-----	80.67	34.60	10.23	31.65	0.00	301	52 AVERAGE																																																																																																						



Mode	43																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																					
ANT	CDD 8+10																																																					
Pol.	Horizontal						Fundamental																																															
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.50</td><td>55.43</td><td>68.20</td><td>-12.77</td><td>42.35</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>301</td><td>52 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5741.50	55.43	68.20	-12.77	42.35	34.60	10.36	31.88	0.00	301	52 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5741.50	55.43	68.20	-12.77	42.35	34.60	10.36	31.88	0.00	301	52 PEAK																																											





		43																																																																	
Mode	Band Edge - L																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																		
ANT	CDD 8+10																																																																		
Pol.	Vertical																																																																		
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5368.90</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>40.57</td><td>34.64</td><td>9.92</td><td>31.77</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr><tr><td>2</td><td>5460.16</td><td>52.18</td><td>68.20</td><td>-16.02</td><td>39.10</td><td>34.78</td><td>10.03</td><td>31.73</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5368.90	53.36	74.00	-20.64	40.57	34.64	9.92	31.77	0.00	100	35 PEAK	2	5460.16	52.18	68.20	-16.02	39.10	34.78	10.03	31.73	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5368.90	53.36	74.00	-20.64	40.57	34.64	9.92	31.77	0.00	100	35 PEAK																																																								
2	5460.16	52.18	68.20	-16.02	39.10	34.78	10.03	31.73	0.00	100	35 PEAK																																																								
Fundamental																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>104.20</td><td>-----</td><td>-----</td><td>90.98</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.20	-----	-----	90.98	34.60	10.26	31.64	0.00	100	35 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5610.00	104.20	-----	-----	90.98	34.60	10.26	31.64	0.00	100	35 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.20</td><td>42.79</td><td>54.00</td><td>-11.21</td><td>29.71</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>35 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.20	42.79	54.00	-11.21	29.71	34.79	10.02	31.73	0.00	100	35 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5456.20	42.79	54.00	-11.21	29.71	34.79	10.02	31.73	0.00	100	35 AVERAGE																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>94.34</td><td>-----</td><td>-----</td><td>81.12</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>35 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.34	-----	-----	81.12	34.60	10.26	31.64	0.00	100	35 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5610.00	94.34	-----	-----	81.12	34.60	10.26	31.64	0.00	100	35 AVERAGE																																																								







Mode	43																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Vertical						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.33</td><td>55.45</td><td>68.20</td><td>-12.75</td><td>42.37</td><td>34.60</td><td>10.35</td><td>31.87</td><td>0.00</td><td>100</td><td>35</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.33	55.45	68.20	-12.75	42.37	34.60	10.35	31.87	0.00	100	35	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5736.33	55.45	68.20	-12.75	42.37	34.60	10.35	31.87	0.00	100	35	PEAK																																												




Mode	43																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																																											
ANT	CDD 8+10																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7827.20</td><td>48.09</td><td>68.20</td><td>-20.11</td><td>60.51</td><td>35.90</td><td>12.19</td><td>60.51</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11220.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>54.34</td><td>38.00</td><td>14.72</td><td>61.20</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7827.20	48.09	68.20	-20.11	60.51	35.90	12.19	60.51	0.00	---	Peak	2	11220.00	45.86	74.00	-28.14	54.34	38.00	14.72	61.20	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7817.30</td><td>48.53</td><td>68.20</td><td>-19.67</td><td>60.99</td><td>35.90</td><td>12.17</td><td>60.53</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11220.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>54.11</td><td>38.00</td><td>14.72</td><td>61.20</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7817.30	48.53	68.20	-19.67	60.99	35.90	12.17	60.53	0.00	---	Peak	2	11220.00	45.63	74.00	-28.37	54.11	38.00	14.72	61.20	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	7827.20	48.09	68.20	-20.11	60.51	35.90	12.19	60.51	0.00	---	Peak																																																																																																																	
2	11220.00	45.86	74.00	-28.14	54.34	38.00	14.72	61.20	0.00	---	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	7817.30	48.53	68.20	-19.67	60.99	35.90	12.17	60.53	0.00	---	Peak																																																																																																																	
2	11220.00	45.63	74.00	-28.37	54.11	38.00	14.72	61.20	0.00	---	PEAK																																																																																																																	







Mode	44																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																																																																													
ANT	CDD 8+10																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5406.16</td><td>53.85</td><td>74.00</td><td>-20.15</td><td>40.95</td><td>34.71</td><td>9.94</td><td>31.75</td><td>0.00</td><td>216 299 PEAK</td></tr><tr><td>2</td><td>5465.56</td><td>53.37</td><td>68.20</td><td>-14.83</td><td>40.28</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0.00</td><td>216 299 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5406.16	53.85	74.00	-20.15	40.95	34.71	9.94	31.75	0.00	216 299 PEAK	2	5465.56	53.37	68.20	-14.83	40.28	34.77	10.04	31.72	0.00	216 299 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>105.25</td><td>-----</td><td>-----</td><td>92.01</td><td>34.60</td><td>10.28</td><td>31.64</td><td>0.00</td><td>216 299 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.25	-----	-----	92.01	34.60	10.28	31.64	0.00	216 299 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5406.16	53.85	74.00	-20.15	40.95	34.71	9.94	31.75	0.00	216 299 PEAK																																																																																																				
2	5465.56	53.37	68.20	-14.83	40.28	34.77	10.04	31.72	0.00	216 299 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	105.25	-----	-----	92.01	34.60	10.28	31.64	0.00	216 299 PEAK																																																																																																				
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.14</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>30.07</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>216 299 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.14	43.15	54.00	-10.85	30.07	34.79	10.02	31.73	0.00	216 299 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>95.97</td><td>-----</td><td>-----</td><td>82.73</td><td>34.60</td><td>10.28</td><td>31.64</td><td>0.00</td><td>216 299 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	95.97	-----	-----	82.73	34.60	10.28	31.64	0.00	216 299 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5453.14	43.15	54.00	-10.85	30.07	34.79	10.02	31.73	0.00	216 299 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	95.97	-----	-----	82.73	34.60	10.28	31.64	0.00	216 299 AVERAGE																																																																																																				




Mode	44																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.36</td><td>56.16</td><td>68.20</td><td>-12.04</td><td>43.11</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>216</td><td>299</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.36	56.16	68.20	-12.04	43.11	34.60	10.37	31.92	0.00	216	299	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5759.36	56.16	68.20	-12.04	43.11	34.60	10.37	31.92	0.00	216	299	PEAK																																												







Mode	44																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																																																																													
ANT	CDD 8+10																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5425.60</td><td>54.64</td><td>74.00</td><td>-19.36</td><td>41.66</td><td>34.75</td><td>9.97</td><td>31.74</td><td>0.00</td><td>112 38 PEAK</td></tr><tr><td>2</td><td>5468.98</td><td>53.34</td><td>68.20</td><td>-14.86</td><td>40.26</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>112 38 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5425.60	54.64	74.00	-19.36	41.66	34.75	9.97	31.74	0.00	112 38 PEAK	2	5468.98	53.34	68.20	-14.86	40.26	34.76	10.04	31.72	0.00	112 38 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>105.37</td><td>-----</td><td>-----</td><td>92.13</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>112 38 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	105.37	-----	-----	92.13	34.60	10.27	31.63	0.00	112 38 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5425.60	54.64	74.00	-19.36	41.66	34.75	9.97	31.74	0.00	112 38 PEAK																																																																																																				
2	5468.98	53.34	68.20	-14.86	40.26	34.76	10.04	31.72	0.00	112 38 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	105.37	-----	-----	92.13	34.60	10.27	31.63	0.00	112 38 PEAK																																																																																																				
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.60</td><td>43.12</td><td>54.00</td><td>-10.88</td><td>30.04</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>112 38 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.60	43.12	54.00	-10.88	30.04	34.79	10.02	31.73	0.00	112 38 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>96.03</td><td>-----</td><td>-----</td><td>82.79</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>112 38 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	96.03	-----	-----	82.79	34.60	10.27	31.63	0.00	112 38 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5452.60	43.12	54.00	-10.88	30.04	34.79	10.02	31.73	0.00	112 38 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5610.00	96.03	-----	-----	82.79	34.60	10.27	31.63	0.00	112 38 AVERAGE																																																																																																				




Mode	44																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5757.95</td><td>56.83</td><td>68.20</td><td>-11.37</td><td>43.78</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>112</td><td>30</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5757.95	56.83	68.20	-11.37	43.78	34.60	10.37	31.92	0.00	112	30	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5757.95	56.83	68.20	-11.37	43.78	34.60	10.37	31.92	0.00	112	30	PEAK																																												



Mode	45																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_Full_5570MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5440.86</td><td>59.55</td><td>74.00</td><td>-14.45</td><td>46.51</td><td>34.78</td><td>10.00</td><td>31.74</td><td>0.00</td><td>300</td><td>48 PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>59.02</td><td>68.20</td><td>-9.18</td><td>45.94</td><td>34.76</td><td>10.04</td><td>31.72</td><td>0.00</td><td>300</td><td>48 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5440.86	59.55	74.00	-14.45	46.51	34.78	10.00	31.74	0.00	300	48 PEAK	2	5469.68	59.02	68.20	-9.18	45.94	34.76	10.04	31.72	0.00	300	48 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>100.26</td><td>-----</td><td>-----</td><td>87.18</td><td>34.64</td><td>10.13</td><td>31.69</td><td>0.00</td><td>300</td><td>48 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	100.26	-----	-----	87.18	34.64	10.13	31.69	0.00	300	48 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5440.86	59.55	74.00	-14.45	46.51	34.78	10.00	31.74	0.00	300	48 PEAK																																																																																																						
2	5469.68	59.02	68.20	-9.18	45.94	34.76	10.04	31.72	0.00	300	48 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	100.26	-----	-----	87.18	34.64	10.13	31.69	0.00	300	48 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5429.42</td><td>49.70</td><td>54.00</td><td>-4.30</td><td>36.70</td><td>34.76</td><td>9.98</td><td>31.74</td><td>0.00</td><td>300</td><td>48 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5429.42	49.70	54.00	-4.30	36.70	34.76	9.98	31.74	0.00	300	48 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>90.50</td><td>-----</td><td>-----</td><td>77.42</td><td>34.64</td><td>10.13</td><td>31.69</td><td>0.00</td><td>300</td><td>48 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	90.50	-----	-----	77.42	34.64	10.13	31.69	0.00	300	48 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5429.42	49.70	54.00	-4.30	36.70	34.76	9.98	31.74	0.00	300	48 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	90.50	-----	-----	77.42	34.64	10.13	31.69	0.00	300	48 AVERAGE																																																																																																						




Mode	45																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_Full_5570MHz																																																						
ANT	CDD 8+10																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.29</td><td>55.71</td><td>68.20</td><td>-12.49</td><td>42.62</td><td>34.60</td><td>10.36</td><td>31.87</td><td>0.00</td><td>300</td><td>48</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5738.29	55.71	68.20	-12.49	42.62	34.60	10.36	31.87	0.00	300	48	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5738.29	55.71	68.20	-12.49	42.62	34.60	10.36	31.87	0.00	300	48	PEAK																																											





Mode	45																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_Full_5570MHz																																																																																																																						
ANT	CDD 8+10																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5445.48</td><td>56.84</td><td>74.00</td><td>-17.16</td><td>43.78</td><td>34.79</td><td>10.00</td><td>31.73</td><td>0.00</td><td>100</td><td>23 PEAK</td></tr><tr><td>2</td><td>5461.32</td><td>56.49</td><td>68.20</td><td>-11.71</td><td>43.40</td><td>34.78</td><td>10.03</td><td>31.72</td><td>0.00</td><td>100</td><td>23 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5445.48	56.84	74.00	-17.16	43.78	34.79	10.00	31.73	0.00	100	23 PEAK	2	5461.32	56.49	68.20	-11.71	43.40	34.78	10.03	31.72	0.00	100	23 PEAK	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5570.00</td><td>99.79</td><td>-----</td><td>-----</td><td>86.63</td><td>34.60</td><td>10.22</td><td>31.66</td><td>0.00</td><td>100</td><td>23 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5570.00	99.79	-----	-----	86.63	34.60	10.22	31.66	0.00	100
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5445.48	56.84	74.00	-17.16	43.78	34.79	10.00	31.73	0.00	100	23 PEAK																																																																																																												
2	5461.32	56.49	68.20	-11.71	43.40	34.78	10.03	31.72	0.00	100	23 PEAK																																																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5570.00	99.79	-----	-----	86.63	34.60	10.22	31.66	0.00	100	23 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5451.20</td><td>46.70</td><td>54.00</td><td>-7.30</td><td>33.62</td><td>34.80</td><td>10.01</td><td>31.73</td><td>0.00</td><td>100</td><td>23 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5451.20	46.70	54.00	-7.30	33.62	34.80	10.01	31.73	0.00	100	23 AVERAGE	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5570.00</td><td>90.25</td><td>-----</td><td>-----</td><td>77.09</td><td>34.60</td><td>10.22</td><td>31.66</td><td>0.00</td><td>100</td><td>23 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5570.00	90.25	-----	-----	77.09	34.60	10.22	31.66	0.00	100	23 AVERAGE											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5451.20	46.70	54.00	-7.30	33.62	34.80	10.01	31.73	0.00	100	23 AVERAGE																																																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5570.00	90.25	-----	-----	77.09	34.60	10.22	31.66	0.00	100	23 AVERAGE																																																																																																												







Mode	45																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_Full_5570MHz																																																						
ANT	CDD 8+10																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.83</td><td>56.45</td><td>68.20</td><td>-11.75</td><td>43.36</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>100</td><td>23</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.83	56.45	68.20	-11.75	43.36	34.60	10.35	31.86	0.00	100	23	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5732.83	56.45	68.20	-11.75	43.36	34.60	10.35	31.86	0.00	100	23	PEAK																																											



Mode	45																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_Full_5570MHz																																																																																																																																
ANT	CDD 8+10																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7768.90</td><td>46.83</td><td>68.20</td><td>-21.37</td><td>59.43</td><td>35.90</td><td>12.12</td><td>60.62</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>11140.00</td><td>46.58</td><td>74.00</td><td>-27.42</td><td>55.13</td><td>38.00</td><td>14.66</td><td>61.21</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7768.90	46.83	68.20	-21.37	59.43	35.90	12.12	60.62	0.00	---	--- Peak	2	11140.00	46.58	74.00	-27.42	55.13	38.00	14.66	61.21	0.00	---	--- PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7761.20</td><td>46.18</td><td>68.20</td><td>-22.02</td><td>58.81</td><td>35.90</td><td>12.11</td><td>60.64</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>11140.00</td><td>46.13</td><td>74.00</td><td>-27.87</td><td>54.68</td><td>38.00</td><td>14.66</td><td>61.21</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7761.20	46.18	68.20	-22.02	58.81	35.90	12.11	60.64	0.00	---	--- Peak	2	11140.00	46.13	74.00	-27.87	54.68	38.00	14.66	61.21	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	7768.90	46.83	68.20	-21.37	59.43	35.90	12.12	60.62	0.00	---	--- Peak																																																																																																																						
2	11140.00	46.58	74.00	-27.42	55.13	38.00	14.66	61.21	0.00	---	--- PEAK																																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	7761.20	46.18	68.20	-22.02	58.81	35.90	12.11	60.64	0.00	---	--- Peak																																																																																																																						
2	11140.00	46.13	74.00	-27.87	54.68	38.00	14.66	61.21	0.00	---	--- PEAK																																																																																																																						







Mode	46																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_RU996/67_5570MHz																																																																																																																
ANT	CDD 8+10																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5417.54</td><td>61.84</td><td>74.00</td><td>-12.16</td><td>48.89</td><td>34.74</td><td>9.96</td><td>31.75</td><td>0.00</td><td>300</td><td>50 PEAK</td></tr><tr><td>2</td><td>5466.60</td><td>60.20</td><td>68.20</td><td>-8.00</td><td>47.11</td><td>34.77</td><td>10.04</td><td>31.72</td><td>0.00</td><td>300</td><td>50 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5417.54	61.84	74.00	-12.16	48.89	34.74	9.96	31.75	0.00	300	50 PEAK	2	5466.60	60.20	68.20	-8.00	47.11	34.77	10.04	31.72	0.00	300	50 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>102.29</td><td>-----</td><td>-----</td><td>89.20</td><td>34.69</td><td>10.10</td><td>31.70</td><td>0.00</td><td>300</td><td>50 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	102.29	-----	-----	89.20	34.69	10.10	31.70	0.00	300	50 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5417.54	61.84	74.00	-12.16	48.89	34.74	9.96	31.75	0.00	300	50 PEAK																																																																																																						
2	5466.60	60.20	68.20	-8.00	47.11	34.77	10.04	31.72	0.00	300	50 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	102.29	-----	-----	89.20	34.69	10.10	31.70	0.00	300	50 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.34</td><td>47.59</td><td>54.00</td><td>-6.41</td><td>34.51</td><td>34.00</td><td>10.01</td><td>31.73</td><td>0.00</td><td>300</td><td>50 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.34	47.59	54.00	-6.41	34.51	34.00	10.01	31.73	0.00	300	50 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>93.29</td><td>-----</td><td>-----</td><td>80.20</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>300</td><td>50 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	93.29	-----	-----	80.20	34.70	10.09	31.70	0.00	300	50 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5448.34	47.59	54.00	-6.41	34.51	34.00	10.01	31.73	0.00	300	50 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	93.29	-----	-----	80.20	34.70	10.09	31.70	0.00	300	50 AVERAGE																																																																																																						




Mode	46																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_RU996/67_5570MHz																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.04</td><td>56.04</td><td>68.20</td><td>-12.16</td><td>42.98</td><td>34.60</td><td>10.36</td><td>31.90</td><td>0.00</td><td>300</td><td>50</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5748.04	56.04	68.20	-12.16	42.98	34.60	10.36	31.90	0.00	300	50	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5748.04	56.04	68.20	-12.16	42.98	34.60	10.36	31.90	0.00	300	50	PEAK																																												





Mode	46																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_RU996/67_5570MHz																																																																																																													
ANT	CDD 8+10																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5412.48</td><td>61.40</td><td>74.00</td><td>-12.60</td><td>48.48</td><td>34.72</td><td>9.95</td><td>31.75</td><td>0.00</td><td>104 36 PEAK</td></tr><tr><td>2</td><td>5461.10</td><td>64.18</td><td>68.20</td><td>-4.02</td><td>51.09</td><td>34.78</td><td>10.03</td><td>31.72</td><td>0.00</td><td>104 36 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5412.48	61.40	74.00	-12.60	48.48	34.72	9.95	31.75	0.00	104 36 PEAK	2	5461.10	64.18	68.20	-4.02	51.09	34.78	10.03	31.72	0.00	104 36 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>101.34</td><td>-----</td><td>-----</td><td>88.25</td><td>34.70</td><td>10.09</td><td>31.70</td><td>0.00</td><td>104 36 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	101.34	-----	-----	88.25	34.70	10.09	31.70	0.00	104 36 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5412.48	61.40	74.00	-12.60	48.48	34.72	9.95	31.75	0.00	104 36 PEAK																																																																																																				
2	5461.10	64.18	68.20	-4.02	51.09	34.78	10.03	31.72	0.00	104 36 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5570.00	101.34	-----	-----	88.25	34.70	10.09	31.70	0.00	104 36 PEAK																																																																																																				
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.40</td><td>46.04</td><td>54.00</td><td>-7.96</td><td>32.96</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>104 36 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.40	46.04	54.00	-7.96	32.96	34.79	10.02	31.73	0.00	104 36 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>91.74</td><td>-----</td><td>-----</td><td>78.63</td><td>34.60</td><td>10.18</td><td>31.67</td><td>0.00</td><td>104 36 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.74	-----	-----	78.63	34.60	10.18	31.67	0.00	104 36 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5453.40	46.04	54.00	-7.96	32.96	34.79	10.02	31.73	0.00	104 36 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5570.00	91.74	-----	-----	78.63	34.60	10.18	31.67	0.00	104 36 AVERAGE																																																																																																				





Mode	46																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_RU996/67_5570MHz																																																					
ANT	CDD 8+10																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.58</td><td>59.81</td><td>68.20</td><td>-8.39</td><td>46.72</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>104</td><td>36 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.58	59.81	68.20	-8.39	46.72	34.60	10.35	31.86	0.00	104	36 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5734.58	59.81	68.20	-8.39	46.72	34.60	10.35	31.86	0.00	104	36 PEAK																																											





Mode	47																																																																																																																																								
	Harmonic																																																																																																																																								
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																																								
ANT	CDD 8+10																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																		
Peak Avg																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7636.90</td><td>46.13</td><td>74.00</td><td>-27.87</td><td>59.25</td><td>35.77</td><td>11.99</td><td>60.88</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11440.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>55.13</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7636.90	46.13	74.00	-27.87	59.25	35.77	11.99	60.88	0.00	---	Peak	2	11440.00	46.95	74.00	-27.05	55.13	38.14	14.87	61.19	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7646.80</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>58.48</td><td>35.79</td><td>12.00</td><td>60.86</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11440.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>56.04</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>3</td><td>11440.00</td><td>38.30</td><td>54.00</td><td>-15.70</td><td>46.48</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7646.80	45.41	74.00	-28.59	58.48	35.79	12.00	60.86	0.00	---	Peak	2	11440.00	47.86	74.00	-26.14	56.04	38.14	14.87	61.19	0.00	100	360 PEAK	3	11440.00	38.30	54.00	-15.70	46.48	38.14	14.87	61.19	0.00	100	360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	7636.90	46.13	74.00	-27.87	59.25	35.77	11.99	60.88	0.00	---	Peak																																																																																																																														
2	11440.00	46.95	74.00	-27.05	55.13	38.14	14.87	61.19	0.00	---	PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	7646.80	45.41	74.00	-28.59	58.48	35.79	12.00	60.86	0.00	---	Peak																																																																																																																														
2	11440.00	47.86	74.00	-26.14	56.04	38.14	14.87	61.19	0.00	100	360 PEAK																																																																																																																														
3	11440.00	38.30	54.00	-15.70	46.48	38.14	14.87	61.19	0.00	100	360 AVERAGE																																																																																																																														





		48																																																																																																																																																													
Mode		Harmonic																																																																																																																																																													
		U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																																																																																																													
ANT		CDD 8+10																																																																																																																																																													
Pol.		Horizontal											Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7664.00</td><td>43.95</td><td>74.00</td><td>-30.05</td><td>56.93</td><td>35.83</td><td>12.02</td><td>60.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 8008.00</td><td>45.40</td><td>68.20</td><td>-22.80</td><td>57.35</td><td>35.80</td><td>12.43</td><td>60.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3 11440.00</td><td>46.72</td><td>74.00</td><td>-27.28</td><td>54.90</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7664.00	43.95	74.00	-30.05	56.93	35.83	12.02	60.83	0.00	---	---	PEAK	2 8008.00	45.40	68.20	-22.80	57.35	35.80	12.43	60.18	0.00	---	---	PEAK	3 11440.00	46.72	74.00	-27.28	54.90	38.14	14.87	61.19	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7664.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>57.44</td><td>35.83</td><td>12.02</td><td>60.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 8008.00</td><td>45.86</td><td>68.20</td><td>-22.34</td><td>57.81</td><td>35.80</td><td>12.43</td><td>60.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3 11440.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>55.15</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7664.00	44.46	74.00	-29.54	57.44	35.83	12.02	60.83	0.00	---	---	PEAK	2 8008.00	45.86	68.20	-22.34	57.81	35.80	12.43	60.18	0.00	---	---	PEAK	3 11440.00	46.97	74.00	-27.03	55.15	38.14	14.87	61.19	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1 7664.00	43.95	74.00	-30.05	56.93	35.83	12.02	60.83	0.00	---	---	PEAK																																																																																																																																																				
2 8008.00	45.40	68.20	-22.80	57.35	35.80	12.43	60.18	0.00	---	---	PEAK																																																																																																																																																				
3 11440.00	46.72	74.00	-27.28	54.90	38.14	14.87	61.19	0.00	---	---	PEAK																																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1 7664.00	44.46	74.00	-29.54	57.44	35.83	12.02	60.83	0.00	---	---	PEAK																																																																																																																																																				
2 8008.00	45.86	68.20	-22.34	57.81	35.80	12.43	60.18	0.00	---	---	PEAK																																																																																																																																																				
3 11440.00	46.97	74.00	-27.03	55.15	38.14	14.87	61.19	0.00	---	---	PEAK																																																																																																																																																				






Mode	49																																																										
	Harmonic																																																										
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																										
ANT	CDD 8+10																																																										
Pol.	Horizontal						Vertical																																																				
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>44.02</td><td>74.00</td><td>-29.98</td><td>52.23</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	44.02	74.00	-29.98	52.23	38.12	14.86	61.19	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11420.00	44.02	74.00	-29.98	52.23	38.12	14.86	61.19	0.00	---	---	PEAK																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>52.91</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	44.70	74.00	-29.30	52.91	38.12	14.86	61.19	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11420.00	44.70	74.00	-29.30	52.91	38.12	14.86	61.19	0.00	---	---	PEAK																																															






Mode	50																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz																																																																																																																																	
ANT	CDD 8+10																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7939.40</td><td>46.63</td><td>68.20</td><td>-21.57</td><td>58.68</td><td>35.90</td><td>12.34</td><td>60.29</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11300.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>52.65</td><td>38.00</td><td>14.83</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7939.40	46.63	68.20	-21.57	58.68	35.90	12.34	60.29	0.00	---	Peak	2	11300.00	44.37	74.00	-29.63	52.65	38.00	14.83	61.19	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7948.20</td><td>45.90</td><td>68.20</td><td>-22.30</td><td>57.92</td><td>35.90</td><td>12.35</td><td>60.27</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11300.00</td><td>43.89</td><td>74.00</td><td>-30.11</td><td>52.17</td><td>38.00</td><td>14.83</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7948.20	45.90	68.20	-22.30	57.92	35.90	12.35	60.27	0.00	---	Peak	2	11300.00	43.89	74.00	-30.11	52.17	38.00	14.83	61.19	0.00	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7939.40	46.63	68.20	-21.57	58.68	35.90	12.34	60.29	0.00	---	Peak																																																																																																																							
2	11300.00	44.37	74.00	-29.63	52.65	38.00	14.83	61.19	0.00	---	PEAK																																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7948.20	45.90	68.20	-22.30	57.92	35.90	12.35	60.27	0.00	---	Peak																																																																																																																							
2	11300.00	43.89	74.00	-30.11	52.17	38.00	14.83	61.19	0.00	---	PEAK																																																																																																																							



	51																																																																																																																		
Mode	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																		
ANT	CDD 8+10																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.09</td><td>55.13</td><td>68.20</td><td>-13.07</td><td>41.91</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>210</td><td>300 PEAK</td></tr><tr><td>2</td><td>5658.90</td><td>53.84</td><td>68.87</td><td>-15.03</td><td>40.61</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>210</td><td>300 PEAK</td></tr><tr><td>3</td><td>5701.65</td><td>55.96</td><td>105.76</td><td>-49.80</td><td>42.81</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>210</td><td>300 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>57.66</td><td>111.04</td><td>-53.38</td><td>44.55</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>210</td><td>300 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5625.09	55.13	68.20	-13.07	41.91	34.60	10.26	31.64	0.00	210	300 PEAK	2	5658.90	53.84	68.87	-15.03	40.61	34.60	10.29	31.66	0.00	210	300 PEAK	3	5701.65	55.96	105.76	-49.80	42.81	34.60	10.33	31.78	0.00	210	300 PEAK	4	5720.06	57.66	111.04	-53.38	44.55	34.60	10.34	31.83	0.00	210	300 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.67</td><td>-----</td><td>-----</td><td>96.59</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>210</td><td>300 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	109.67	-----	-----	96.59	34.60	10.36	31.88	0.00	210	300 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5625.09	55.13	68.20	-13.07	41.91	34.60	10.26	31.64	0.00	210	300 PEAK																																																																																																								
2	5658.90	53.84	68.87	-15.03	40.61	34.60	10.29	31.66	0.00	210	300 PEAK																																																																																																								
3	5701.65	55.96	105.76	-49.80	42.81	34.60	10.33	31.78	0.00	210	300 PEAK																																																																																																								
4	5720.06	57.66	111.04	-53.38	44.55	34.60	10.34	31.83	0.00	210	300 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5745.00	109.67	-----	-----	96.59	34.60	10.36	31.88	0.00	210	300 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.56</td><td>-----</td><td>-----</td><td>90.49</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>210</td><td>300 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	103.56	-----	-----	90.49	34.60	10.36	31.89	0.00	210	300 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5745.00	103.56	-----	-----	90.49	34.60	10.36	31.89	0.00	210	300 AVERAGE																																																																																																								






Mode	51																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.02</td><td>55.07</td><td>68.20</td><td>-13.13</td><td>41.83</td><td>34.60</td><td>10.28</td><td>31.64</td><td>0.00</td><td>100</td><td>39 PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>52.10</td><td>68.22</td><td>-16.12</td><td>38.87</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>39 PEAK</td></tr><tr><td>3</td><td>5700.34</td><td>53.77</td><td>105.40</td><td>-51.63</td><td>40.63</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>100</td><td>39 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>56.91</td><td>111.04</td><td>-54.13</td><td>43.80</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>39 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5645.02	55.07	68.20	-13.13	41.83	34.60	10.28	31.64	0.00	100	39 PEAK	2	5650.03	52.10	68.22	-16.12	38.87	34.60	10.28	31.65	0.00	100	39 PEAK	3	5700.34	53.77	105.40	-51.63	40.63	34.60	10.32	31.78	0.00	100	39 PEAK	4	5720.06	56.91	111.04	-54.13	43.80	34.60	10.34	31.83	0.00	100	39 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5645.02	55.07	68.20	-13.13	41.83	34.60	10.28	31.64	0.00	100	39 PEAK																																																																																	
2	5650.03	52.10	68.22	-16.12	38.87	34.60	10.28	31.65	0.00	100	39 PEAK																																																																																	
3	5700.34	53.77	105.40	-51.63	40.63	34.60	10.32	31.78	0.00	100	39 PEAK																																																																																	
4	5720.06	56.91	111.04	-54.13	43.80	34.60	10.34	31.83	0.00	100	39 PEAK																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>110.00</td><td>-----</td><td>-----</td><td>97.02</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>100</td><td>39 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.00	-----	-----	97.02	34.60	10.37	31.91	0.00	100	39 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	110.00	-----	-----	97.02	34.60	10.37	31.91	0.00	100	39 PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>102.30</td><td>-----</td><td>-----</td><td>89.23</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>39 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.30	-----	-----	89.23	34.60	10.36	31.89	0.00	100	39 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5745.00	102.30	-----	-----	89.23	34.60	10.36	31.89	0.00	100	39 AVERAGE																																																																																	




		51																																																																																																																																																																					
Mode		Harmonic																																																																																																																																																																					
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																																					
ANT		CDD 8+10																																																																																																																																																																					
Pol.		Horizontal												Vertical																																																																																																																																																									
Peak Avg																																																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7665.50</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>59.38</td><td>35.83</td><td>12.02</td><td>60.83</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>47.19</td><td>74.00</td><td>-26.81</td><td>55.27</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11490.00</td><td>36.57</td><td>54.00</td><td>-17.43</td><td>44.65</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7665.50	46.40	74.00	-27.60	59.38	35.83	12.02	60.83	0.00	---	---	Peak	2	11490.00	47.19	74.00	-26.81	55.27	38.19	14.91	61.18	0.00	300	360	PEAK	3	11490.00	36.57	54.00	-17.43	44.65	38.19	14.91	61.18	0.00	300	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7657.80</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>60.26</td><td>35.82</td><td>12.01</td><td>60.84</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11490.00</td><td>48.46</td><td>74.00</td><td>-25.54</td><td>56.54</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>11490.00</td><td>38.47</td><td>54.00</td><td>-15.53</td><td>46.55</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7657.80	47.25	74.00	-26.75	60.26	35.82	12.01	60.84	0.00	---	---	Peak	2	11490.00	48.46	74.00	-25.54	56.54	38.19	14.91	61.18	0.00	100	360	PEAK	3	11490.00	38.47	54.00	-15.53	46.55	38.19	14.91	61.18	0.00	100	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																													
1	7665.50	46.40	74.00	-27.60	59.38	35.83	12.02	60.83	0.00	---	---	Peak																																																																																																																																																											
2	11490.00	47.19	74.00	-26.81	55.27	38.19	14.91	61.18	0.00	300	360	PEAK																																																																																																																																																											
3	11490.00	36.57	54.00	-17.43	44.65	38.19	14.91	61.18	0.00	300	360	AVERAGE																																																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																													
1	7657.80	47.25	74.00	-26.75	60.26	35.82	12.01	60.84	0.00	---	---	Peak																																																																																																																																																											
2	11490.00	48.46	74.00	-25.54	56.54	38.19	14.91	61.18	0.00	100	360	PEAK																																																																																																																																																											
3	11490.00	38.47	54.00	-15.53	46.55	38.19	14.91	61.18	0.00	100	360	AVERAGE																																																																																																																																																											



Mode	52																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																	
ANT	CDD 8+10																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.05</td><td>54.93</td><td>68.20</td><td>-13.27</td><td>41.71</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>217</td><td>301 PEAK</td></tr><tr><td>2</td><td>5658.88</td><td>54.10</td><td>68.85</td><td>-14.75</td><td>40.87</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>217</td><td>301 PEAK</td></tr><tr><td>3</td><td>5700.09</td><td>54.59</td><td>105.32</td><td>-50.73</td><td>41.45</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>217</td><td>301 PEAK</td></tr><tr><td>4</td><td>5720.07</td><td>51.45</td><td>111.05</td><td>-59.60</td><td>38.34</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>217</td><td>301 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5624.05	54.93	68.20	-13.27	41.71	34.60	10.26	31.64	0.00	217	301 PEAK	2	5658.88	54.10	68.85	-14.75	40.87	34.60	10.29	31.66	0.00	217	301 PEAK	3	5700.09	54.59	105.32	-50.73	41.45	34.60	10.32	31.78	0.00	217	301 PEAK	4	5720.07	51.45	111.05	-59.60	38.34	34.60	10.34	31.83	0.00	217	301 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>111.67</td><td>-----</td><td>-----</td><td>98.67</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>217</td><td>301 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	111.67	-----	-----	98.67	34.60	10.40	32.00	0.00	217
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5624.05	54.93	68.20	-13.27	41.71	34.60	10.26	31.64	0.00	217	301 PEAK																																																																																																							
2	5658.88	54.10	68.85	-14.75	40.87	34.60	10.29	31.66	0.00	217	301 PEAK																																																																																																							
3	5700.09	54.59	105.32	-50.73	41.45	34.60	10.32	31.78	0.00	217	301 PEAK																																																																																																							
4	5720.07	51.45	111.05	-59.60	38.34	34.60	10.34	31.83	0.00	217	301 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5785.00	111.67	-----	-----	98.67	34.60	10.40	32.00	0.00	217	301 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>103.35</td><td>-----</td><td>-----</td><td>90.35</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>217</td><td>301 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5785.00	103.35	-----	-----	90.35	34.60	10.40	32.00	0.00	217	301 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
1	5785.00	103.35	-----	-----	90.35	34.60	10.40	32.00	0.00	217	301 AVERAGE																																																																																																							




Mode	52																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																														
ANT	CDD 8+10																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>54.31</td><td>111.37</td><td>-57.06</td><td>41.30</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>217 301 PEAK</td></tr><tr><td>2</td><td>5871.63</td><td>54.99</td><td>106.24</td><td>-51.25</td><td>41.89</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>217 301 PEAK</td></tr><tr><td>3</td><td>5924.59</td><td>53.61</td><td>68.50</td><td>-14.89</td><td>40.20</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>217 301 PEAK</td></tr><tr><td>4</td><td>5945.55</td><td>55.83</td><td>68.20</td><td>-12.37</td><td>42.30</td><td>35.17</td><td>10.53</td><td>32.17</td><td>0.00</td><td>217 301 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	54.31	111.37	-57.06	41.30	34.72	10.45	32.16	0.00	217 301 PEAK	2	5871.63	54.99	106.24	-51.25	41.89	34.79	10.47	32.16	0.00	217 301 PEAK	3	5924.59	53.61	68.50	-14.89	40.20	35.05	10.52	32.16	0.00	217 301 PEAK	4	5945.55	55.83	68.20	-12.37	42.30	35.17	10.53	32.17	0.00	217 301 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.80	54.31	111.37	-57.06	41.30	34.72	10.45	32.16	0.00	217 301 PEAK																																																																					
2	5871.63	54.99	106.24	-51.25	41.89	34.79	10.47	32.16	0.00	217 301 PEAK																																																																					
3	5924.59	53.61	68.50	-14.89	40.20	35.05	10.52	32.16	0.00	217 301 PEAK																																																																					
4	5945.55	55.83	68.20	-12.37	42.30	35.17	10.53	32.17	0.00	217 301 PEAK																																																																					





Mode	52																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																									
ANT	CDD 8+10																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5608.14</td><td>53.83</td><td>68.20</td><td>-14.37</td><td>40.63</td><td>34.60</td><td>10.25</td><td>31.65</td><td>0.00</td><td>112</td><td>39 PEAK</td></tr><tr><td>2</td><td>5651.43</td><td>54.11</td><td>69.27</td><td>-15.16</td><td>40.88</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>112</td><td>39 PEAK</td></tr><tr><td>3</td><td>5702.31</td><td>54.58</td><td>105.95</td><td>-51.37</td><td>41.43</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>112</td><td>39 PEAK</td></tr><tr><td>4</td><td>5720.07</td><td>53.70</td><td>111.05</td><td>-57.35</td><td>40.59</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>112</td><td>39 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5608.14	53.83	68.20	-14.37	40.63	34.60	10.25	31.65	0.00	112	39 PEAK	2	5651.43	54.11	69.27	-15.16	40.88	34.60	10.29	31.66	0.00	112	39 PEAK	3	5702.31	54.58	105.95	-51.37	41.43	34.60	10.33	31.78	0.00	112	39 PEAK	4	5720.07	53.70	111.05	-57.35	40.59	34.60	10.34	31.83	0.00	112	39 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>110.36</td><td>-----</td><td>-----</td><td>97.36</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>112</td><td>39 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	110.36	-----	-----	97.36	34.60	10.40	32.00	0.00	112	39 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5608.14	53.83	68.20	-14.37	40.63	34.60	10.25	31.65	0.00	112	39 PEAK																																																																																																																															
2	5651.43	54.11	69.27	-15.16	40.88	34.60	10.29	31.66	0.00	112	39 PEAK																																																																																																																															
3	5702.31	54.58	105.95	-51.37	41.43	34.60	10.33	31.78	0.00	112	39 PEAK																																																																																																																															
4	5720.07	53.70	111.05	-57.35	40.59	34.60	10.34	31.83	0.00	112	39 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	110.36	-----	-----	97.36	34.60	10.40	32.00	0.00	112	39 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>102.42</td><td>-----</td><td>-----</td><td>89.41</td><td>34.60</td><td>10.39</td><td>31.98</td><td>0.00</td><td>112</td><td>39 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	102.42	-----	-----	89.41	34.60	10.39	31.98	0.00	112	39 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	102.42	-----	-----	89.41	34.60	10.39	31.98	0.00	112	39 AVERAGE																																																																																																																															






Mode	52																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																														
ANT	CDD 8+10																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.96</td><td>52.10</td><td>110.99</td><td>-58.89</td><td>39.09</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>112 39 PEAK</td></tr><tr><td>2</td><td>5869.48</td><td>55.52</td><td>106.84</td><td>-51.32</td><td>42.43</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>112 39 PEAK</td></tr><tr><td>3</td><td>5924.92</td><td>53.79</td><td>68.26</td><td>-14.47</td><td>40.38</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>112 39 PEAK</td></tr><tr><td>4</td><td>5942.58</td><td>55.57</td><td>68.20</td><td>-12.63</td><td>42.05</td><td>35.16</td><td>10.53</td><td>32.17</td><td>0.00</td><td>112 39 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.96	52.10	110.99	-58.89	39.09	34.72	10.45	32.16	0.00	112 39 PEAK	2	5869.48	55.52	106.84	-51.32	42.43	34.78	10.47	32.16	0.00	112 39 PEAK	3	5924.92	53.79	68.26	-14.47	40.38	35.05	10.52	32.16	0.00	112 39 PEAK	4	5942.58	55.57	68.20	-12.63	42.05	35.16	10.53	32.17	0.00	112 39 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.96	52.10	110.99	-58.89	39.09	34.72	10.45	32.16	0.00	112 39 PEAK																																																																					
2	5869.48	55.52	106.84	-51.32	42.43	34.78	10.47	32.16	0.00	112 39 PEAK																																																																					
3	5924.92	53.79	68.26	-14.47	40.38	35.05	10.52	32.16	0.00	112 39 PEAK																																																																					
4	5942.58	55.57	68.20	-12.63	42.05	35.16	10.53	32.17	0.00	112 39 PEAK																																																																					






Mode	52																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																								
ANT	CDD 8+10																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>54.32</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.36	74.00	-27.64	54.32	38.27	14.97	61.20	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>55.23</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	47.27	74.00	-26.73	55.23	38.27	14.97	61.20	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11570.00	46.36	74.00	-27.64	54.32	38.27	14.97	61.20	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11570.00	47.27	74.00	-26.73	55.23	38.27	14.97	61.20	0.00	---	---	PEAK																																																																																													





Mode	53																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>59.58</td><td>111.75</td><td>-52.17</td><td>46.57</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>318 PEAK</td></tr><tr><td>2</td><td>5874.50</td><td>55.36</td><td>105.44</td><td>-50.08</td><td>42.25</td><td>34.00</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>318 PEAK</td></tr><tr><td>3</td><td>5923.75</td><td>54.30</td><td>69.12</td><td>-14.82</td><td>40.91</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>318 PEAK</td></tr><tr><td>4</td><td>5938.88</td><td>54.72</td><td>68.20</td><td>-13.48</td><td>41.23</td><td>35.13</td><td>10.53</td><td>32.17</td><td>0.00</td><td>100</td><td>318 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	59.58	111.75	-52.17	46.57	34.72	10.45	32.16	0.00	100	318 PEAK	2	5874.50	55.36	105.44	-50.08	42.25	34.00	10.47	32.16	0.00	100	318 PEAK	3	5923.75	54.30	69.12	-14.82	40.91	35.04	10.51	32.16	0.00	100	318 PEAK	4	5938.88	54.72	68.20	-13.48	41.23	35.13	10.53	32.17	0.00	100	318 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.63	59.58	111.75	-52.17	46.57	34.72	10.45	32.16	0.00	100	318 PEAK																																																																																	
2	5874.50	55.36	105.44	-50.08	42.25	34.00	10.47	32.16	0.00	100	318 PEAK																																																																																	
3	5923.75	54.30	69.12	-14.82	40.91	35.04	10.51	32.16	0.00	100	318 PEAK																																																																																	
4	5938.88	54.72	68.20	-13.48	41.23	35.13	10.53	32.17	0.00	100	318 PEAK																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>109.76</td><td>-----</td><td>-----</td><td>96.77</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>318 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.76	-----	-----	96.77	34.66	10.43	32.10	0.00	100	318 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	109.76	-----	-----	96.77	34.66	10.43	32.10	0.00	100	318 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.55</td><td>-----</td><td>-----</td><td>89.56</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>318 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.55	-----	-----	89.56	34.66	10.43	32.10	0.00	100	318 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	102.55	-----	-----	89.56	34.66	10.43	32.10	0.00	100	318 AVERAGE																																																																																	






Mode	53																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>54.69</td><td>111.75</td><td>-57.06</td><td>41.68</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>104</td><td>36 PEAK</td></tr><tr><td>2</td><td>5868.75</td><td>55.70</td><td>107.05</td><td>-51.35</td><td>42.61</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>104</td><td>36 PEAK</td></tr><tr><td>3</td><td>5924.88</td><td>54.32</td><td>68.29</td><td>-13.97</td><td>40.91</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>104</td><td>36 PEAK</td></tr><tr><td>4</td><td>5949.38</td><td>55.41</td><td>68.20</td><td>-12.79</td><td>41.84</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>104</td><td>36 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	54.69	111.75	-57.06	41.68	34.72	10.45	32.16	0.00	104	36 PEAK	2	5868.75	55.70	107.05	-51.35	42.61	34.78	10.47	32.16	0.00	104	36 PEAK	3	5924.88	54.32	68.29	-13.97	40.91	35.05	10.52	32.16	0.00	104	36 PEAK	4	5949.38	55.41	68.20	-12.79	41.84	35.20	10.54	32.17	0.00	104	36 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.63	54.69	111.75	-57.06	41.68	34.72	10.45	32.16	0.00	104	36 PEAK																																																																																	
2	5868.75	55.70	107.05	-51.35	42.61	34.78	10.47	32.16	0.00	104	36 PEAK																																																																																	
3	5924.88	54.32	68.29	-13.97	40.91	35.05	10.52	32.16	0.00	104	36 PEAK																																																																																	
4	5949.38	55.41	68.20	-12.79	41.84	35.20	10.54	32.17	0.00	104	36 PEAK																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>110.03</td><td>-----</td><td>-----</td><td>97.03</td><td>34.65</td><td>10.43</td><td>32.00</td><td>0.00</td><td>104</td><td>36 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.03	-----	-----	97.03	34.65	10.43	32.00	0.00	104	36 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	110.03	-----	-----	97.03	34.65	10.43	32.00	0.00	104	36 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.49</td><td>-----</td><td>-----</td><td>89.49</td><td>34.65</td><td>10.43</td><td>32.00</td><td>0.00</td><td>104</td><td>36 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.49	-----	-----	89.49	34.65	10.43	32.00	0.00	104	36 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	102.49	-----	-----	89.49	34.65	10.43	32.00	0.00	104	36 AVERAGE																																																																																	






Mode	53																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																	
ANT	CDD 8+10																																																																																																																	
Pol.	Horizontal								Vertical																																																																																																									
Peak Avg																																																																																																																		
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7766.70</td><td>49.73</td><td>68.20</td><td>-18.47</td><td>62.34</td><td>35.90</td><td>12.12</td><td>60.63</td></tr><tr><td>2</td><td>11650.00</td><td>46.48</td><td>74.00</td><td>-27.52</td><td>54.33</td><td>38.35</td><td>15.02</td><td>61.22</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7766.70	49.73	68.20	-18.47	62.34	35.90	12.12	60.63	2	11650.00	46.48	74.00	-27.52	54.33	38.35	15.02	61.22	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7766.70</td><td>48.32</td><td>68.20</td><td>-19.88</td><td>60.93</td><td>35.90</td><td>12.12</td><td>60.63</td></tr><tr><td>2</td><td>11650.00</td><td>48.25</td><td>74.00</td><td>-25.75</td><td>56.10</td><td>38.35</td><td>15.02</td><td>61.22</td></tr><tr><td>3</td><td>11650.00</td><td>38.11</td><td>54.00</td><td>-15.89</td><td>45.96</td><td>38.35</td><td>15.02</td><td>61.22</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7766.70	48.32	68.20	-19.88	60.93	35.90	12.12	60.63	2	11650.00	48.25	74.00	-25.75	56.10	38.35	15.02	61.22	3	11650.00	38.11	54.00	-15.89	45.96	38.35	15.02
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																										
1	7766.70	49.73	68.20	-18.47	62.34	35.90	12.12	60.63																																																																																																										
2	11650.00	46.48	74.00	-27.52	54.33	38.35	15.02	61.22																																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																										
1	7766.70	48.32	68.20	-19.88	60.93	35.90	12.12	60.63																																																																																																										
2	11650.00	48.25	74.00	-25.75	56.10	38.35	15.02	61.22																																																																																																										
3	11650.00	38.11	54.00	-15.89	45.96	38.35	15.02	61.22																																																																																																										




	54																																																																																																																																								
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																								
ANT	CDD 8+10																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5640.60</td><td>55.02</td><td>68.20</td><td>-13.18</td><td>41.77</td><td>34.60</td><td>10.28</td><td>31.63</td><td>0.00</td><td>210</td><td>300 PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>52.38</td><td>68.43</td><td>-16.05</td><td>39.16</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>210</td><td>300 PEAK</td></tr><tr><td>3</td><td>5707.45</td><td>55.20</td><td>107.39</td><td>-52.19</td><td>42.07</td><td>34.60</td><td>10.33</td><td>31.00</td><td>0.00</td><td>210</td><td>300 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>54.98</td><td>111.04</td><td>-56.06</td><td>41.87</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>210</td><td>300 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5640.60	55.02	68.20	-13.18	41.77	34.60	10.28	31.63	0.00	210	300 PEAK	2	5650.32	52.38	68.43	-16.05	39.16	34.60	10.28	31.66	0.00	210	300 PEAK	3	5707.45	55.20	107.39	-52.19	42.07	34.60	10.33	31.00	0.00	210	300 PEAK	4	5720.06	54.98	111.04	-56.06	41.87	34.60	10.34	31.83	0.00	210	300 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.98</td><td>-----</td><td>-----</td><td>99.92</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>210</td><td>300 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	112.98	-----	-----	99.92	34.60	10.37	31.91	0.00	210	300 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5640.60	55.02	68.20	-13.18	41.77	34.60	10.28	31.63	0.00	210	300 PEAK																																																																																																																														
2	5650.32	52.38	68.43	-16.05	39.16	34.60	10.28	31.66	0.00	210	300 PEAK																																																																																																																														
3	5707.45	55.20	107.39	-52.19	42.07	34.60	10.33	31.00	0.00	210	300 PEAK																																																																																																																														
4	5720.06	54.98	111.04	-56.06	41.87	34.60	10.34	31.83	0.00	210	300 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	112.98	-----	-----	99.92	34.60	10.37	31.91	0.00	210	300 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.45</td><td>-----</td><td>-----</td><td>88.39</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>210</td><td>300 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.45	-----	-----	88.39	34.60	10.37	31.91	0.00	210	300 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	101.45	-----	-----	88.39	34.60	10.37	31.91	0.00	210	300 AVERAGE																																																																																																																														






	54																																																																																																																																		
Mode	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																		
ANT	CDD 8+10																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5648.00</td><td>54.60</td><td>68.20</td><td>-13.60</td><td>41.37</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr><tr><td>2 5650.46</td><td>52.31</td><td>68.54</td><td>-16.23</td><td>39.09</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr><tr><td>3 5703.53</td><td>54.74</td><td>106.29</td><td>-51.55</td><td>41.60</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr><tr><td>4 5720.21</td><td>55.75</td><td>111.37</td><td>-55.62</td><td>42.64</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5648.00	54.60	68.20	-13.60	41.37	34.60	10.28	31.65	0.00	100	38 PEAK	2 5650.46	52.31	68.54	-16.23	39.09	34.60	10.28	31.66	0.00	100	38 PEAK	3 5703.53	54.74	106.29	-51.55	41.60	34.60	10.33	31.79	0.00	100	38 PEAK	4 5720.21	55.75	111.37	-55.62	42.64	34.60	10.34	31.83	0.00	100	38 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>109.37</td><td>-----</td><td>-----</td><td>96.30</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	109.37	-----	-----	96.30	34.60	10.36	31.89	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5648.00	54.60	68.20	-13.60	41.37	34.60	10.28	31.65	0.00	100	38 PEAK																																																																																																																									
2 5650.46	52.31	68.54	-16.23	39.09	34.60	10.28	31.66	0.00	100	38 PEAK																																																																																																																									
3 5703.53	54.74	106.29	-51.55	41.60	34.60	10.33	31.79	0.00	100	38 PEAK																																																																																																																									
4 5720.21	55.75	111.37	-55.62	42.64	34.60	10.34	31.83	0.00	100	38 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	109.37	-----	-----	96.30	34.60	10.36	31.89	0.00	100	38 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>100.64</td><td>-----</td><td>-----</td><td>87.58</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>100</td><td>38 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	100.64	-----	-----	87.58	34.60	10.37	31.91	0.00	100	38 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	100.64	-----	-----	87.58	34.60	10.37	31.91	0.00	100	38 AVERAGE																																																																																																																									






		54																																																																												
Mode		Harmonic																																																																												
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																												
ANT		CDD 8+10																																																																												
Pol.		Horizontal										Vertical																																																																		
Peak Avg																																																																														
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>8043.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>57.33</td><td>35.80</td><td>12.44</td><td>60.24</td></tr><tr><td>2</td><td>11490.00</td><td>46.82</td><td>74.00</td><td>-27.18</td><td>54.90</td><td>38.19</td><td>14.91</td><td>61.18</td></tr></table>																Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	8043.00	45.33	74.00	-28.67	57.33	35.80	12.44	60.24	2	11490.00	46.82	74.00	-27.18	54.90	38.19	14.91	61.18																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1	8043.00	45.33	74.00	-28.67	57.33	35.80	12.44	60.24																																																																						
2	11490.00	46.82	74.00	-27.18	54.90	38.19	14.91	61.18																																																																						
<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7662.20</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>58.47</td><td>35.82</td><td>12.01</td><td>60.83</td></tr><tr><td>2</td><td>8043.00</td><td>46.01</td><td>74.00</td><td>-27.99</td><td>58.01</td><td>35.80</td><td>12.44</td><td>60.24</td></tr><tr><td>3</td><td>11490.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>55.48</td><td>38.19</td><td>14.91</td><td>61.18</td></tr><tr><td>4</td><td>11490.00</td><td>37.05</td><td>54.00</td><td>-16.95</td><td>45.13</td><td>38.19</td><td>14.91</td><td>61.18</td></tr></table>																Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7662.20	45.47	74.00	-28.53	58.47	35.82	12.01	60.83	2	8043.00	46.01	74.00	-27.99	58.01	35.80	12.44	60.24	3	11490.00	47.40	74.00	-26.60	55.48	38.19	14.91	61.18	4	11490.00	37.05	54.00	-16.95	45.13	38.19	14.91	61.18
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1	7662.20	45.47	74.00	-28.53	58.47	35.82	12.01	60.83																																																																						
2	8043.00	46.01	74.00	-27.99	58.01	35.80	12.44	60.24																																																																						
3	11490.00	47.40	74.00	-26.60	55.48	38.19	14.91	61.18																																																																						
4	11490.00	37.05	54.00	-16.95	45.13	38.19	14.91	61.18																																																																						
<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7662.20</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>58.47</td><td>35.82</td><td>12.01</td><td>60.83</td></tr><tr><td>2</td><td>8043.00</td><td>46.01</td><td>74.00</td><td>-27.99</td><td>58.01</td><td>35.80</td><td>12.44</td><td>60.24</td></tr><tr><td>3</td><td>11490.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>55.48</td><td>38.19</td><td>14.91</td><td>61.18</td></tr><tr><td>4</td><td>11490.00</td><td>37.05</td><td>54.00</td><td>-16.95</td><td>45.13</td><td>38.19</td><td>14.91</td><td>61.18</td></tr></table>																Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7662.20	45.47	74.00	-28.53	58.47	35.82	12.01	60.83	2	8043.00	46.01	74.00	-27.99	58.01	35.80	12.44	60.24	3	11490.00	47.40	74.00	-26.60	55.48	38.19	14.91	61.18	4	11490.00	37.05	54.00	-16.95	45.13	38.19	14.91	61.18
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																						
1	7662.20	45.47	74.00	-28.53	58.47	35.82	12.01	60.83																																																																						
2	8043.00	46.01	74.00	-27.99	58.01	35.80	12.44	60.24																																																																						
3	11490.00	47.40	74.00	-26.60	55.48	38.19	14.91	61.18																																																																						
4	11490.00	37.05	54.00	-16.95	45.13	38.19	14.91	61.18																																																																						






Mode	55																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																							
ANT	CDD 8+10																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5603.34</td><td>55.00</td><td>68.20</td><td>-13.20</td><td>41.81</td><td>34.60</td><td>10.24</td><td>31.65</td><td>0.00</td><td>200</td><td>292 PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>52.76</td><td>68.22</td><td>-15.46</td><td>39.53</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>200</td><td>292 PEAK</td></tr><tr><td>3</td><td>5719.05</td><td>69.73</td><td>110.63</td><td>-40.90</td><td>56.62</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>200</td><td>292 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>70.77</td><td>111.04</td><td>-40.27</td><td>57.66</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>200</td><td>292 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5603.34	55.00	68.20	-13.20	41.81	34.60	10.24	31.65	0.00	200	292 PEAK	2	5650.03	52.76	68.22	-15.46	39.53	34.60	10.28	31.65	0.00	200	292 PEAK	3	5719.05	69.73	110.63	-40.90	56.62	34.60	10.34	31.83	0.00	200	292 PEAK	4	5720.06	70.77	111.04	-40.27	57.66	34.60	10.34	31.83	0.00	200	292 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.65</td><td>-----</td><td>-----</td><td>98.57</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>200</td><td>292 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	111.65	-----	-----	98.57	34.60	10.36	31.88	0.00	200
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5603.34	55.00	68.20	-13.20	41.81	34.60	10.24	31.65	0.00	200	292 PEAK																																																																																																																													
2	5650.03	52.76	68.22	-15.46	39.53	34.60	10.28	31.65	0.00	200	292 PEAK																																																																																																																													
3	5719.05	69.73	110.63	-40.90	56.62	34.60	10.34	31.83	0.00	200	292 PEAK																																																																																																																													
4	5720.06	70.77	111.04	-40.27	57.66	34.60	10.34	31.83	0.00	200	292 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	111.65	-----	-----	98.57	34.60	10.36	31.88	0.00	200	292 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.50</td><td>-----</td><td>-----</td><td>89.42</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>200</td><td>292 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.50	-----	-----	89.42	34.60	10.36	31.88	0.00	200	292 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5745.00	102.50	-----	-----	89.42	34.60	10.36	31.88	0.00	200	292 AVERAGE																																																																																																																													




	55																																																																																																																																								
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																								
ANT	CDD 8+10																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.45</td><td>54.37</td><td>68.20</td><td>-13.83</td><td>41.14</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>117</td><td>40 PEAK</td></tr><tr><td>2</td><td>5650.61</td><td>53.94</td><td>68.65</td><td>-14.71</td><td>40.72</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>117</td><td>40 PEAK</td></tr><tr><td>3</td><td>5712.81</td><td>72.31</td><td>108.89</td><td>-36.58</td><td>59.19</td><td>34.60</td><td>10.33</td><td>31.81</td><td>0.00</td><td>117</td><td>40 PEAK</td></tr><tr><td>4</td><td>5724.12</td><td>76.45</td><td>120.29</td><td>-43.84</td><td>63.35</td><td>34.60</td><td>10.34</td><td>31.84</td><td>0.00</td><td>117</td><td>40 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.45	54.37	68.20	-13.83	41.14	34.60	10.28	31.65	0.00	117	40 PEAK	2	5650.61	53.94	68.65	-14.71	40.72	34.60	10.28	31.66	0.00	117	40 PEAK	3	5712.81	72.31	108.89	-36.58	59.19	34.60	10.33	31.81	0.00	117	40 PEAK	4	5724.12	76.45	120.29	-43.84	63.35	34.60	10.34	31.84	0.00	117	40 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.90</td><td>-----</td><td>-----</td><td>98.82</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>117</td><td>40 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	111.90	-----	-----	98.82	34.60	10.36	31.88	0.00	117	40 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5649.45	54.37	68.20	-13.83	41.14	34.60	10.28	31.65	0.00	117	40 PEAK																																																																																																																														
2	5650.61	53.94	68.65	-14.71	40.72	34.60	10.28	31.66	0.00	117	40 PEAK																																																																																																																														
3	5712.81	72.31	108.89	-36.58	59.19	34.60	10.33	31.81	0.00	117	40 PEAK																																																																																																																														
4	5724.12	76.45	120.29	-43.84	63.35	34.60	10.34	31.84	0.00	117	40 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	111.90	-----	-----	98.82	34.60	10.36	31.88	0.00	117	40 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.07</td><td>-----</td><td>-----</td><td>89.99</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>117</td><td>40 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.07	-----	-----	89.99	34.60	10.36	31.88	0.00	117	40 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	103.07	-----	-----	89.99	34.60	10.36	31.88	0.00	117	40 AVERAGE																																																																																																																														






	56																																																																																																																																								
Mode	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																																								
ANT	CDD 8+10																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5603.09</td><td>53.92</td><td>68.20</td><td>-14.28</td><td>40.72</td><td>34.60</td><td>10.25</td><td>31.65</td><td>0.00</td><td>186</td><td>302 PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>53.46</td><td>68.44</td><td>-14.98</td><td>40.24</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>186</td><td>302 PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>53.92</td><td>105.64</td><td>-51.72</td><td>40.77</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>186</td><td>302 PEAK</td></tr><tr><td>4</td><td>5720.07</td><td>52.36</td><td>111.05</td><td>-58.69</td><td>39.25</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>186</td><td>302 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5603.09	53.92	68.20	-14.28	40.72	34.60	10.25	31.65	0.00	186	302 PEAK	2	5650.32	53.46	68.44	-14.98	40.24	34.60	10.28	31.66	0.00	186	302 PEAK	3	5701.20	53.92	105.64	-51.72	40.77	34.60	10.33	31.78	0.00	186	302 PEAK	4	5720.07	52.36	111.05	-58.69	39.25	34.60	10.34	31.83	0.00	186	302 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>110.65</td><td>-----</td><td>-----</td><td>97.65</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>186</td><td>302 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	110.65	-----	-----	97.65	34.60	10.40	32.00	0.00	186	302 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5603.09	53.92	68.20	-14.28	40.72	34.60	10.25	31.65	0.00	186	302 PEAK																																																																																																																														
2	5650.32	53.46	68.44	-14.98	40.24	34.60	10.28	31.66	0.00	186	302 PEAK																																																																																																																														
3	5701.20	53.92	105.64	-51.72	40.77	34.60	10.33	31.78	0.00	186	302 PEAK																																																																																																																														
4	5720.07	52.36	111.05	-58.69	39.25	34.60	10.34	31.83	0.00	186	302 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5785.00	110.65	-----	-----	97.65	34.60	10.40	32.00	0.00	186	302 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>100.89</td><td>-----</td><td>-----</td><td>87.89</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>186</td><td>302 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	100.89	-----	-----	87.89	34.60	10.40	32.00	0.00	186	302 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5785.00	100.89	-----	-----	87.89	34.60	10.40	32.00	0.00	186	302 AVERAGE																																																																																																																														




Mode	56																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																
ANT	CDD 8+10																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.96</td><td>52.34</td><td>110.99</td><td>-58.65</td><td>39.33</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>186</td><td>302</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>53.89</td><td>105.32</td><td>-51.43</td><td>40.78</td><td>34.00</td><td>10.47</td><td>32.16</td><td>0.00</td><td>186</td><td>302</td><td>PEAK</td></tr><tr><td>3</td><td>5924.43</td><td>53.99</td><td>68.63</td><td>-14.64</td><td>40.58</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>186</td><td>302</td><td>PEAK</td></tr><tr><td>4</td><td>5928.88</td><td>55.11</td><td>68.20</td><td>-13.09</td><td>41.68</td><td>35.07</td><td>10.52</td><td>32.16</td><td>0.00</td><td>186</td><td>302</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.96	52.34	110.99	-58.65	39.33	34.72	10.45	32.16	0.00	186	302	PEAK	2	5874.93	53.89	105.32	-51.43	40.78	34.00	10.47	32.16	0.00	186	302	PEAK	3	5924.43	53.99	68.63	-14.64	40.58	35.05	10.52	32.16	0.00	186	302	PEAK	4	5928.88	55.11	68.20	-13.09	41.68	35.07	10.52	32.16	0.00	186	302	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5854.96	52.34	110.99	-58.65	39.33	34.72	10.45	32.16	0.00	186	302	PEAK																																																																																					
2	5874.93	53.89	105.32	-51.43	40.78	34.00	10.47	32.16	0.00	186	302	PEAK																																																																																					
3	5924.43	53.99	68.63	-14.64	40.58	35.05	10.52	32.16	0.00	186	302	PEAK																																																																																					
4	5928.88	55.11	68.20	-13.09	41.68	35.07	10.52	32.16	0.00	186	302	PEAK																																																																																					





Mode	56																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																																			
ANT	CDD 8+10																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5641.26</td><td>54.09</td><td>68.20</td><td>-14.11</td><td>40.84</td><td>34.60</td><td>10.28</td><td>31.63</td><td>0.00</td><td>100</td><td>23 PEAK</td></tr><tr><td>2 5651.25</td><td>53.23</td><td>69.13</td><td>-15.90</td><td>40.00</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>23 PEAK</td></tr><tr><td>3 5703.60</td><td>53.64</td><td>106.31</td><td>-52.67</td><td>40.50</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>23 PEAK</td></tr><tr><td>4 5720.44</td><td>51.60</td><td>111.89</td><td>-60.29</td><td>38.49</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>23 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5641.26	54.09	68.20	-14.11	40.84	34.60	10.28	31.63	0.00	100	23 PEAK	2 5651.25	53.23	69.13	-15.90	40.00	34.60	10.29	31.66	0.00	100	23 PEAK	3 5703.60	53.64	106.31	-52.67	40.50	34.60	10.33	31.79	0.00	100	23 PEAK	4 5720.44	51.60	111.89	-60.29	38.49	34.60	10.34	31.83	0.00	100	23 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>107.72</td><td>-----</td><td>-----</td><td>94.72</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>100</td><td>23 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	107.72	-----	-----	94.72	34.60	10.40	32.00	0.00	100	23 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5641.26	54.09	68.20	-14.11	40.84	34.60	10.28	31.63	0.00	100	23 PEAK																																																																																																																										
2 5651.25	53.23	69.13	-15.90	40.00	34.60	10.29	31.66	0.00	100	23 PEAK																																																																																																																										
3 5703.60	53.64	106.31	-52.67	40.50	34.60	10.33	31.79	0.00	100	23 PEAK																																																																																																																										
4 5720.44	51.60	111.89	-60.29	38.49	34.60	10.34	31.83	0.00	100	23 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5785.00	107.72	-----	-----	94.72	34.60	10.40	32.00	0.00	100	23 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>99.63</td><td>-----</td><td>-----</td><td>86.63</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>100</td><td>23 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	99.63	-----	-----	86.63	34.60	10.40	32.00	0.00	100	23 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5785.00	99.63	-----	-----	86.63	34.60	10.40	32.00	0.00	100	23 AVERAGE																																																																																																																										



Mode	56																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.96</td><td>52.93</td><td>110.99</td><td>-58.06</td><td>39.92</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>23 PEAK</td></tr><tr><td>2</td><td>5872.95</td><td>54.20</td><td>105.87</td><td>-51.67</td><td>41.10</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>23 PEAK</td></tr><tr><td>3</td><td>5923.77</td><td>52.88</td><td>69.11</td><td>-16.23</td><td>39.49</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>23 PEAK</td></tr><tr><td>4</td><td>5934.49</td><td>55.16</td><td>68.20</td><td>-13.04</td><td>41.69</td><td>35.11</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>23 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.96	52.93	110.99	-58.06	39.92	34.72	10.45	32.16	0.00	100	23 PEAK	2	5872.95	54.20	105.87	-51.67	41.10	34.79	10.47	32.16	0.00	100	23 PEAK	3	5923.77	52.88	69.11	-16.23	39.49	35.04	10.51	32.16	0.00	100	23 PEAK	4	5934.49	55.16	68.20	-13.04	41.69	35.11	10.52	32.16	0.00	100	23 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.96	52.93	110.99	-58.06	39.92	34.72	10.45	32.16	0.00	100	23 PEAK																																																																																	
2	5872.95	54.20	105.87	-51.67	41.10	34.79	10.47	32.16	0.00	100	23 PEAK																																																																																	
3	5923.77	52.88	69.11	-16.23	39.49	35.04	10.51	32.16	0.00	100	23 PEAK																																																																																	
4	5934.49	55.16	68.20	-13.04	41.69	35.11	10.52	32.16	0.00	100	23 PEAK																																																																																	






Mode	56																																																																																																				
	Harmonic																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																				
ANT	CDD 8+10																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.43</td><td>74.00</td><td>-27.57</td><td>54.39</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.43	74.00	-27.57	54.39	38.27	14.97	61.20	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.22</td><td>74.00</td><td>-27.78</td><td>54.18</td><td>38.27</td><td>14.97</td><td>61.20</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.22	74.00	-27.78	54.18	38.27	14.97	61.20	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11570.00	46.43	74.00	-27.57	54.39	38.27	14.97	61.20	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	11570.00	46.22	74.00	-27.78	54.18	38.27	14.97	61.20	0.00	---	PEAK																																																																																										





Mode	57																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																											
ANT	CDD 8+10																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.13</td><td>55.14</td><td>112.89</td><td>-57.75</td><td>42.13</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>145</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>5871.88</td><td>55.46</td><td>106.17</td><td>-50.71</td><td>42.36</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>145</td><td>303</td><td>PEAK</td></tr><tr><td>3</td><td>5923.63</td><td>55.00</td><td>69.22</td><td>-14.22</td><td>41.61</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>145</td><td>303</td><td>PEAK</td></tr><tr><td>4</td><td>5940.13</td><td>54.67</td><td>68.20</td><td>-13.53</td><td>41.17</td><td>35.14</td><td>10.53</td><td>32.17</td><td>0.00</td><td>145</td><td>303</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.13	55.14	112.89	-57.75	42.13	34.72	10.45	32.16	0.00	145	303	PEAK	2	5871.88	55.46	106.17	-50.71	42.36	34.79	10.47	32.16	0.00	145	303	PEAK	3	5923.63	55.00	69.22	-14.22	41.61	35.04	10.51	32.16	0.00	145	303	PEAK	4	5940.13	54.67	68.20	-13.53	41.17	35.14	10.53	32.17	0.00	145	303	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.32</td><td>-----</td><td>-----</td><td>96.33</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>145</td><td>303</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	109.32	-----	-----	96.33	34.66	10.43	32.10	0.00	145	303
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																	
1	5854.13	55.14	112.89	-57.75	42.13	34.72	10.45	32.16	0.00	145	303	PEAK																																																																																																																
2	5871.88	55.46	106.17	-50.71	42.36	34.79	10.47	32.16	0.00	145	303	PEAK																																																																																																																
3	5923.63	55.00	69.22	-14.22	41.61	35.04	10.51	32.16	0.00	145	303	PEAK																																																																																																																
4	5940.13	54.67	68.20	-13.53	41.17	35.14	10.53	32.17	0.00	145	303	PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																	
1	5825.00	109.32	-----	-----	96.33	34.66	10.43	32.10	0.00	145	303	PEAK																																																																																																																
Avg	Blank																																																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.28</td><td>-----</td><td>-----</td><td>88.29</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>145</td><td>303</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	101.28	-----	-----	88.29	34.66	10.43	32.10	0.00	145	303	AVERAGE																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																																	
1	5825.00	101.28	-----	-----	88.29	34.66	10.43	32.10	0.00	145	303	AVERAGE																																																																																																																






Mode	57																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																								
ANT	CDD 8+10																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>53.38</td><td>110.90</td><td>-57.52</td><td>40.37</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>105</td><td>37 PEAK</td></tr><tr><td>2</td><td>5871.38</td><td>54.71</td><td>106.31</td><td>-51.60</td><td>41.61</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>105</td><td>37 PEAK</td></tr><tr><td>3</td><td>5923.75</td><td>54.92</td><td>69.12</td><td>-14.20</td><td>41.53</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>105</td><td>37 PEAK</td></tr><tr><td>4</td><td>5936.50</td><td>55.31</td><td>68.20</td><td>-12.89</td><td>41.82</td><td>35.12</td><td>10.53</td><td>32.16</td><td>0.00</td><td>105</td><td>37 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	53.38	110.90	-57.52	40.37	34.72	10.45	32.16	0.00	105	37 PEAK	2	5871.38	54.71	106.31	-51.60	41.61	34.79	10.47	32.16	0.00	105	37 PEAK	3	5923.75	54.92	69.12	-14.20	41.53	35.04	10.51	32.16	0.00	105	37 PEAK	4	5936.50	55.31	68.20	-12.89	41.82	35.12	10.53	32.16	0.00	105	37 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.66</td><td>-----</td><td>-----</td><td>97.67</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>105</td><td>37 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.66	-----	-----	97.67	34.66	10.43	32.10	0.00	105	37 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5855.00	53.38	110.90	-57.52	40.37	34.72	10.45	32.16	0.00	105	37 PEAK																																																																																																																														
2	5871.38	54.71	106.31	-51.60	41.61	34.79	10.47	32.16	0.00	105	37 PEAK																																																																																																																														
3	5923.75	54.92	69.12	-14.20	41.53	35.04	10.51	32.16	0.00	105	37 PEAK																																																																																																																														
4	5936.50	55.31	68.20	-12.89	41.82	35.12	10.53	32.16	0.00	105	37 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	110.66	-----	-----	97.67	34.66	10.43	32.10	0.00	105	37 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>100.23</td><td>-----</td><td>-----</td><td>87.24</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>105</td><td>37 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.23	-----	-----	87.24	34.66	10.43	32.10	0.00	105	37 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	100.23	-----	-----	87.24	34.66	10.43	32.10	0.00	105	37 AVERAGE																																																																																																																														






		57																																																						
Mode		Harmonic																																																						
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																						
ANT		CDD 8+10																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7764.73	44.83	68.20	-23.37	57.44	35.90	12.12	60.63	0.00	---	PEAK	2	11650.00	46.12	74.00	-27.88	53.97	38.35	15.02	61.22	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	7764.73	44.83	68.20	-23.37	57.44	35.90	12.12	60.63	0.00	---	PEAK																																													
2	11650.00	46.12	74.00	-27.88	53.97	38.35	15.02	61.22	0.00	---	PEAK																																													
Peak Avg																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7764.73	46.74	68.20	-21.46	59.35	35.90	12.12	60.63	0.00	---	PEAK	2	11650.00	46.28	74.00	-27.72	54.13	38.35	15.02	61.22	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	7764.73	46.74	68.20	-21.46	59.35	35.90	12.12	60.63	0.00	---	PEAK																																													
2	11650.00	46.28	74.00	-27.72	54.13	38.35	15.02	61.22	0.00	---	PEAK																																													






	58																																																																																																																																			
Mode	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																			
ANT	CDD 8+10																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.38</td><td>54.70</td><td>112.32</td><td>-57.62</td><td>41.69</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>147</td><td>309 PEAK</td></tr><tr><td>2 5870.75</td><td>57.56</td><td>106.49</td><td>-48.93</td><td>44.47</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>147</td><td>309 PEAK</td></tr><tr><td>3 5924.50</td><td>55.23</td><td>68.57</td><td>-13.34</td><td>41.82</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>147</td><td>309 PEAK</td></tr><tr><td>4 5940.38</td><td>55.57</td><td>68.20</td><td>-12.63</td><td>42.07</td><td>35.14</td><td>10.53</td><td>32.17</td><td>0.00</td><td>147</td><td>309 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.38	54.70	112.32	-57.62	41.69	34.72	10.45	32.16	0.00	147	309 PEAK	2 5870.75	57.56	106.49	-48.93	44.47	34.78	10.47	32.16	0.00	147	309 PEAK	3 5924.50	55.23	68.57	-13.34	41.82	35.05	10.52	32.16	0.00	147	309 PEAK	4 5940.38	55.57	68.20	-12.63	42.07	35.14	10.53	32.17	0.00	147	309 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>111.91</td><td>-----</td><td>-----</td><td>98.92</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>147</td><td>309 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	111.91	-----	-----	98.92	34.66	10.43	32.10	0.00	147	309 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5854.38	54.70	112.32	-57.62	41.69	34.72	10.45	32.16	0.00	147	309 PEAK																																																																																																																										
2 5870.75	57.56	106.49	-48.93	44.47	34.78	10.47	32.16	0.00	147	309 PEAK																																																																																																																										
3 5924.50	55.23	68.57	-13.34	41.82	35.05	10.52	32.16	0.00	147	309 PEAK																																																																																																																										
4 5940.38	55.57	68.20	-12.63	42.07	35.14	10.53	32.17	0.00	147	309 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	111.91	-----	-----	98.92	34.66	10.43	32.10	0.00	147	309 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>102.93</td><td>-----</td><td>-----</td><td>89.94</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>147</td><td>309 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	102.93	-----	-----	89.94	34.66	10.43	32.10	0.00	147	309 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	102.93	-----	-----	89.94	34.66	10.43	32.10	0.00	147	309 AVERAGE																																																																																																																										




Mode	58																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.88</td><td>53.20</td><td>111.18</td><td>-57.98</td><td>40.19</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr><tr><td>2</td><td>5878.88</td><td>59.86</td><td>106.45</td><td>-46.59</td><td>46.77</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr><tr><td>3</td><td>5924.38</td><td>54.24</td><td>68.66</td><td>-14.42</td><td>40.83</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr><tr><td>4</td><td>5929.00</td><td>55.65</td><td>68.20</td><td>-12.55</td><td>42.22</td><td>35.07</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.88	53.20	111.18	-57.98	40.19	34.72	10.45	32.16	0.00	100	36 PEAK	2	5878.88	59.86	106.45	-46.59	46.77	34.78	10.47	32.16	0.00	100	36 PEAK	3	5924.38	54.24	68.66	-14.42	40.83	35.05	10.52	32.16	0.00	100	36 PEAK	4	5929.00	55.65	68.20	-12.55	42.22	35.07	10.52	32.16	0.00	100	36 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.88	53.20	111.18	-57.98	40.19	34.72	10.45	32.16	0.00	100	36 PEAK																																																																																	
2	5878.88	59.86	106.45	-46.59	46.77	34.78	10.47	32.16	0.00	100	36 PEAK																																																																																	
3	5924.38	54.24	68.66	-14.42	40.83	35.05	10.52	32.16	0.00	100	36 PEAK																																																																																	
4	5929.00	55.65	68.20	-12.55	42.22	35.07	10.52	32.16	0.00	100	36 PEAK																																																																																	
Fundamental																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>112.35</td><td>-----</td><td>-----</td><td>99.36</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>36 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	112.35	-----	-----	99.36	34.66	10.43	32.10	0.00	100	36 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	112.35	-----	-----	99.36	34.66	10.43	32.10	0.00	100	36 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.35</td><td>-----</td><td>-----</td><td>89.36</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>36 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.35	-----	-----	89.36	34.66	10.43	32.10	0.00	100	36 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	102.35	-----	-----	89.36	34.66	10.43	32.10	0.00	100	36 AVERAGE																																																																																	






Mode	59																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																																																		
ANT	CDD 8+10																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5622.01</td><td>54.93</td><td>68.20</td><td>-13.27</td><td>41.71</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>209</td><td>292 PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>52.46</td><td>68.25</td><td>-15.79</td><td>39.23</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>209</td><td>292 PEAK</td></tr><tr><td>3</td><td>5701.84</td><td>54.70</td><td>105.81</td><td>-51.11</td><td>41.55</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>209</td><td>292 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>56.74</td><td>111.19</td><td>-54.45</td><td>43.63</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>209</td><td>292 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5622.01	54.93	68.20	-13.27	41.71	34.60	10.26	31.64	0.00	209	292 PEAK	2	5650.07	52.46	68.25	-15.79	39.23	34.60	10.28	31.65	0.00	209	292 PEAK	3	5701.84	54.70	105.81	-51.11	41.55	34.60	10.33	31.78	0.00	209	292 PEAK	4	5720.13	56.74	111.19	-54.45	43.63	34.60	10.34	31.83	0.00	209	292 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.29</td><td>-----</td><td>-----</td><td>96.21</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>209</td><td>292 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5755.00	109.29	-----	-----	96.21	34.60	10.36	31.88	0.00	209	292 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5622.01	54.93	68.20	-13.27	41.71	34.60	10.26	31.64	0.00	209	292 PEAK																																																																																																								
2	5650.07	52.46	68.25	-15.79	39.23	34.60	10.28	31.65	0.00	209	292 PEAK																																																																																																								
3	5701.84	54.70	105.81	-51.11	41.55	34.60	10.33	31.78	0.00	209	292 PEAK																																																																																																								
4	5720.13	56.74	111.19	-54.45	43.63	34.60	10.34	31.83	0.00	209	292 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5755.00	109.29	-----	-----	96.21	34.60	10.36	31.88	0.00	209	292 PEAK																																																																																																								
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.38</td><td>-----</td><td>-----</td><td>86.30</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>209</td><td>292 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5755.00	99.38	-----	-----	86.30	34.60	10.36	31.88	0.00	209	292 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5755.00	99.38	-----	-----	86.30	34.60	10.36	31.88	0.00	209	292 AVERAGE																																																																																																								



Mode	59																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																							
ANT	CDD 8+10																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>55.75</td><td>111.26</td><td>-55.51</td><td>42.74</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>209 292 PEAK</td></tr><tr><td>2</td><td>5872.20</td><td>56.34</td><td>106.08</td><td>-49.74</td><td>43.24</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>209 292 PEAK</td></tr><tr><td>3</td><td>5923.68</td><td>55.09</td><td>69.18</td><td>-14.09</td><td>41.70</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>209 292 PEAK</td></tr><tr><td>4</td><td>5944.15</td><td>56.63</td><td>68.20</td><td>-11.57</td><td>43.11</td><td>35.16</td><td>10.53</td><td>32.17</td><td>0.00</td><td>209 292 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	55.75	111.26	-55.51	42.74	34.72	10.45	32.16	0.00	209 292 PEAK	2	5872.20	56.34	106.08	-49.74	43.24	34.79	10.47	32.16	0.00	209 292 PEAK	3	5923.68	55.09	69.18	-14.09	41.70	35.04	10.51	32.16	0.00	209 292 PEAK	4	5944.15	56.63	68.20	-11.57	43.11	35.16	10.53	32.17	0.00	209 292 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.84	55.75	111.26	-55.51	42.74	34.72	10.45	32.16	0.00	209 292 PEAK																																																																														
2	5872.20	56.34	106.08	-49.74	43.24	34.79	10.47	32.16	0.00	209 292 PEAK																																																																														
3	5923.68	55.09	69.18	-14.09	41.70	35.04	10.51	32.16	0.00	209 292 PEAK																																																																														
4	5944.15	56.63	68.20	-11.57	43.11	35.16	10.53	32.17	0.00	209 292 PEAK																																																																														






	59																																																																																																																																							
Mode	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																																																																							
ANT	CDD 8+10																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5642.63</td><td>54.63</td><td>68.20</td><td>-13.57</td><td>41.39</td><td>34.60</td><td>10.28</td><td>31.64</td><td>0.00</td><td>100</td><td>40 PEAK</td></tr><tr><td>2</td><td>5650.53</td><td>54.32</td><td>68.59</td><td>-14.27</td><td>41.10</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>40 PEAK</td></tr><tr><td>3</td><td>5700.60</td><td>55.77</td><td>105.47</td><td>-49.70</td><td>42.62</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>40 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>53.81</td><td>111.19</td><td>-57.38</td><td>40.70</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>40 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5642.63	54.63	68.20	-13.57	41.39	34.60	10.28	31.64	0.00	100	40 PEAK	2	5650.53	54.32	68.59	-14.27	41.10	34.60	10.28	31.66	0.00	100	40 PEAK	3	5700.60	55.77	105.47	-49.70	42.62	34.60	10.33	31.78	0.00	100	40 PEAK	4	5720.13	53.81	111.19	-57.38	40.70	34.60	10.34	31.83	0.00	100	40 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>107.10</td><td>-----</td><td>-----</td><td>94.02</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>40 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	107.10	-----	-----	94.02	34.60	10.36	31.88	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5642.63	54.63	68.20	-13.57	41.39	34.60	10.28	31.64	0.00	100	40 PEAK																																																																																																																													
2	5650.53	54.32	68.59	-14.27	41.10	34.60	10.28	31.66	0.00	100	40 PEAK																																																																																																																													
3	5700.60	55.77	105.47	-49.70	42.62	34.60	10.33	31.78	0.00	100	40 PEAK																																																																																																																													
4	5720.13	53.81	111.19	-57.38	40.70	34.60	10.34	31.83	0.00	100	40 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	107.10	-----	-----	94.02	34.60	10.36	31.88	0.00	100	40 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>98.62</td><td>-----</td><td>-----</td><td>85.54</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>100</td><td>40 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	98.62	-----	-----	85.54	34.60	10.36	31.88	0.00	100	40 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	98.62	-----	-----	85.54	34.60	10.36	31.88	0.00	100	40 AVERAGE																																																																																																																													




Mode	59	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz	
ANT	CDD 8+10	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) </	






	60																																																																																																																		
Mode	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																		
ANT	CDD 8+10																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.20</td><td>55.31</td><td>68.20</td><td>-12.89</td><td>42.07</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>218</td><td>297 PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>52.64</td><td>68.25</td><td>-15.61</td><td>39.41</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>218</td><td>297 PEAK</td></tr><tr><td>3</td><td>5702.15</td><td>54.50</td><td>105.90</td><td>-51.40</td><td>41.35</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>218</td><td>297 PEAK</td></tr><tr><td>4</td><td>5720.59</td><td>57.39</td><td>112.25</td><td>-54.86</td><td>44.28</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>218</td><td>297 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5637.20	55.31	68.20	-12.89	42.07	34.60	10.27	31.63	0.00	218	297 PEAK	2	5650.07	52.64	68.25	-15.61	39.41	34.60	10.28	31.65	0.00	218	297 PEAK	3	5702.15	54.50	105.90	-51.40	41.35	34.60	10.33	31.78	0.00	218	297 PEAK	4	5720.59	57.39	112.25	-54.86	44.28	34.60	10.34	31.83	0.00	218	297 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>106.24</td><td>-----</td><td>-----</td><td>93.21</td><td>34.60</td><td>10.38</td><td>31.95</td><td>0.00</td><td>218</td><td>297 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5755.00	106.24	-----	-----	93.21	34.60	10.38	31.95	0.00	218	297 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5637.20	55.31	68.20	-12.89	42.07	34.60	10.27	31.63	0.00	218	297 PEAK																																																																																																								
2	5650.07	52.64	68.25	-15.61	39.41	34.60	10.28	31.65	0.00	218	297 PEAK																																																																																																								
3	5702.15	54.50	105.90	-51.40	41.35	34.60	10.33	31.78	0.00	218	297 PEAK																																																																																																								
4	5720.59	57.39	112.25	-54.86	44.28	34.60	10.34	31.83	0.00	218	297 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5755.00	106.24	-----	-----	93.21	34.60	10.38	31.95	0.00	218	297 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.66</td><td>-----</td><td>-----</td><td>84.61</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>218</td><td>297 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5755.00	97.66	-----	-----	84.61	34.60	10.37	31.92	0.00	218	297 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5755.00	97.66	-----	-----	84.61	34.60	10.37	31.92	0.00	218	297 AVERAGE																																																																																																								




Mode	60																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																							
ANT	CDD 8+10																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>51.20</td><td>111.26</td><td>-60.06</td><td>38.19</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>218 297 PEAK</td></tr><tr><td>2</td><td>5872.39</td><td>53.46</td><td>106.03</td><td>-52.57</td><td>40.36</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>218 297 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>54.52</td><td>68.31</td><td>-13.79</td><td>41.11</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>218 297 PEAK</td></tr><tr><td>4</td><td>5941.62</td><td>55.28</td><td>68.20</td><td>-12.92</td><td>41.77</td><td>35.15</td><td>10.53</td><td>32.17</td><td>0.00</td><td>218 297 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	51.20	111.26	-60.06	38.19	34.72	10.45	32.16	0.00	218 297 PEAK	2	5872.39	53.46	106.03	-52.57	40.36	34.79	10.47	32.16	0.00	218 297 PEAK	3	5924.85	54.52	68.31	-13.79	41.11	35.05	10.52	32.16	0.00	218 297 PEAK	4	5941.62	55.28	68.20	-12.92	41.77	35.15	10.53	32.17	0.00	218 297 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.84	51.20	111.26	-60.06	38.19	34.72	10.45	32.16	0.00	218 297 PEAK																																																																														
2	5872.39	53.46	106.03	-52.57	40.36	34.79	10.47	32.16	0.00	218 297 PEAK																																																																														
3	5924.85	54.52	68.31	-13.79	41.11	35.05	10.52	32.16	0.00	218 297 PEAK																																																																														
4	5941.62	55.28	68.20	-12.92	41.77	35.15	10.53	32.17	0.00	218 297 PEAK																																																																														





Mode	60																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																							
ANT	CDD 8+10																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.43</td><td>54.27</td><td>68.20</td><td>-13.93</td><td>41.04</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr><tr><td>2</td><td>5658.22</td><td>53.72</td><td>68.36</td><td>-14.64</td><td>40.50</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr><tr><td>3</td><td>5700.75</td><td>54.16</td><td>105.51</td><td>-51.35</td><td>41.01</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr><tr><td>4</td><td>5720.75</td><td>57.05</td><td>112.60</td><td>-55.55</td><td>43.94</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.43	54.27	68.20	-13.93	41.04	34.60	10.28	31.65	0.00	100	38 PEAK	2	5658.22	53.72	68.36	-14.64	40.50	34.60	10.28	31.66	0.00	100	38 PEAK	3	5700.75	54.16	105.51	-51.35	41.01	34.60	10.33	31.78	0.00	100	38 PEAK	4	5720.75	57.05	112.60	-55.55	43.94	34.60	10.34	31.83	0.00	100	38 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>106.70</td><td>-----</td><td>-----</td><td>93.64</td><td>34.60</td><td>10.37</td><td>31.91</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	106.70	-----	-----	93.64	34.60	10.37	31.91	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5647.43	54.27	68.20	-13.93	41.04	34.60	10.28	31.65	0.00	100	38 PEAK																																																																																																																													
2	5658.22	53.72	68.36	-14.64	40.50	34.60	10.28	31.66	0.00	100	38 PEAK																																																																																																																													
3	5700.75	54.16	105.51	-51.35	41.01	34.60	10.33	31.78	0.00	100	38 PEAK																																																																																																																													
4	5720.75	57.05	112.60	-55.55	43.94	34.60	10.34	31.83	0.00	100	38 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	106.70	-----	-----	93.64	34.60	10.37	31.91	0.00	100	38 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.30</td><td>-----</td><td>-----</td><td>84.25</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>100</td><td>38 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	97.30	-----	-----	84.25	34.60	10.37	31.92	0.00	100	38 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																														
1	5755.00	97.30	-----	-----	84.25	34.60	10.37	31.92	0.00	100	38 AVERAGE																																																																																																																													






Mode	60																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																
ANT	CDD 8+10																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>53.71</td><td>112.15</td><td>-58.44</td><td>40.70</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>30</td><td>PEAK</td></tr><tr><td>2</td><td>5873.17</td><td>56.23</td><td>105.81</td><td>-49.58</td><td>43.13</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>30</td><td>PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>53.58</td><td>68.89</td><td>-15.31</td><td>40.19</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>30</td><td>PEAK</td></tr><tr><td>4</td><td>5934.60</td><td>55.17</td><td>68.20</td><td>-13.03</td><td>41.70</td><td>35.11</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>30</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	53.71	112.15	-58.44	40.70	34.72	10.45	32.16	0.00	100	30	PEAK	2	5873.17	56.23	105.81	-49.58	43.13	34.79	10.47	32.16	0.00	100	30	PEAK	3	5924.07	53.58	68.89	-15.31	40.19	35.04	10.51	32.16	0.00	100	30	PEAK	4	5934.60	55.17	68.20	-13.03	41.70	35.11	10.52	32.16	0.00	100	30	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5854.45	53.71	112.15	-58.44	40.70	34.72	10.45	32.16	0.00	100	30	PEAK																																																																																					
2	5873.17	56.23	105.81	-49.58	43.13	34.79	10.47	32.16	0.00	100	30	PEAK																																																																																					
3	5924.07	53.58	68.89	-15.31	40.19	35.04	10.51	32.16	0.00	100	30	PEAK																																																																																					
4	5934.60	55.17	68.20	-13.03	41.70	35.11	10.52	32.16	0.00	100	30	PEAK																																																																																					




Mode	60																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																												
ANT	CDD 8+10																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7671.42</td><td>44.61</td><td>74.00</td><td>-29.39</td><td>57.56</td><td>35.84</td><td>12.02</td><td>60.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>45.94</td><td>74.00</td><td>-28.06</td><td>53.99</td><td>38.21</td><td>14.92</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7671.42	44.61	74.00	-29.39	57.56	35.84	12.02	60.81	0.00	---	---	PEAK	2	11510.00	45.94	74.00	-28.06	53.99	38.21	14.92	61.18	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7671.42</td><td>44.13</td><td>74.00</td><td>-29.87</td><td>57.08</td><td>35.84</td><td>12.02</td><td>60.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>46.27</td><td>74.00</td><td>-27.73</td><td>54.32</td><td>38.21</td><td>14.92</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7671.42	44.13	74.00	-29.87	57.08	35.84	12.02	60.81	0.00	---	---	PEAK	2	11510.00	46.27	74.00	-27.73	54.32	38.21	14.92	61.18	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7671.42	44.61	74.00	-29.39	57.56	35.84	12.02	60.81	0.00	---	---	PEAK																																																																																																																	
2	11510.00	45.94	74.00	-28.06	53.99	38.21	14.92	61.18	0.00	---	---	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	7671.42	44.13	74.00	-29.87	57.08	35.84	12.02	60.81	0.00	---	---	PEAK																																																																																																																	
2	11510.00	46.27	74.00	-27.73	54.32	38.21	14.92	61.18	0.00	---	---	PEAK																																																																																																																	






Mode	61																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																			
ANT	CDD 8+10																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5635.49</td><td>55.16</td><td>68.20</td><td>-13.04</td><td>41.92</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>188</td><td>302 PEAK</td></tr><tr><td>2 5651.29</td><td>53.23</td><td>69.16</td><td>-15.93</td><td>40.00</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>188</td><td>302 PEAK</td></tr><tr><td>3 5710.37</td><td>56.06</td><td>108.21</td><td>-52.15</td><td>42.93</td><td>34.60</td><td>10.33</td><td>31.00</td><td>0.00</td><td>188</td><td>302 PEAK</td></tr><tr><td>4 5720.12</td><td>53.28</td><td>111.17</td><td>-57.89</td><td>40.17</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>188</td><td>302 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5635.49	55.16	68.20	-13.04	41.92	34.60	10.27	31.63	0.00	188	302 PEAK	2 5651.29	53.23	69.16	-15.93	40.00	34.60	10.29	31.66	0.00	188	302 PEAK	3 5710.37	56.06	108.21	-52.15	42.93	34.60	10.33	31.00	0.00	188	302 PEAK	4 5720.12	53.28	111.17	-57.89	40.17	34.60	10.34	31.83	0.00	188	302 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>106.34</td><td>-----</td><td>-----</td><td>93.35</td><td>34.62</td><td>10.42</td><td>32.05</td><td>0.00</td><td>188</td><td>302 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	106.34	-----	-----	93.35	34.62	10.42	32.05	0.00	188	302 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5635.49	55.16	68.20	-13.04	41.92	34.60	10.27	31.63	0.00	188	302 PEAK																																																																																																																										
2 5651.29	53.23	69.16	-15.93	40.00	34.60	10.29	31.66	0.00	188	302 PEAK																																																																																																																										
3 5710.37	56.06	108.21	-52.15	42.93	34.60	10.33	31.00	0.00	188	302 PEAK																																																																																																																										
4 5720.12	53.28	111.17	-57.89	40.17	34.60	10.34	31.83	0.00	188	302 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	106.34	-----	-----	93.35	34.62	10.42	32.05	0.00	188	302 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>97.89</td><td>-----</td><td>-----</td><td>84.90</td><td>34.60</td><td>10.41</td><td>32.02</td><td>0.00</td><td>188</td><td>302 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5795.00	97.89	-----	-----	84.90	34.60	10.41	32.02	0.00	188	302 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5795.00	97.89	-----	-----	84.90	34.60	10.41	32.02	0.00	188	302 AVERAGE																																																																																																																										




Mode	61																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																							
ANT	CDD 8+10																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.21</td><td>53.97</td><td>112.70</td><td>-58.73</td><td>40.96</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>188 302 PEAK</td></tr><tr><td>2</td><td>5872.50</td><td>54.54</td><td>106.00</td><td>-51.46</td><td>41.44</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>188 302 PEAK</td></tr><tr><td>3</td><td>5924.89</td><td>53.96</td><td>68.28</td><td>-14.32</td><td>40.55</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>188 302 PEAK</td></tr><tr><td>4</td><td>5949.07</td><td>54.63</td><td>68.20</td><td>-13.57</td><td>41.07</td><td>35.19</td><td>10.54</td><td>32.17</td><td>0.00</td><td>188 302 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.21	53.97	112.70	-58.73	40.96	34.72	10.45	32.16	0.00	188 302 PEAK	2	5872.50	54.54	106.00	-51.46	41.44	34.79	10.47	32.16	0.00	188 302 PEAK	3	5924.89	53.96	68.28	-14.32	40.55	35.05	10.52	32.16	0.00	188 302 PEAK	4	5949.07	54.63	68.20	-13.57	41.07	35.19	10.54	32.17	0.00	188 302 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.21	53.97	112.70	-58.73	40.96	34.72	10.45	32.16	0.00	188 302 PEAK																																																																														
2	5872.50	54.54	106.00	-51.46	41.44	34.79	10.47	32.16	0.00	188 302 PEAK																																																																														
3	5924.89	53.96	68.28	-14.32	40.55	35.05	10.52	32.16	0.00	188 302 PEAK																																																																														
4	5949.07	54.63	68.20	-13.57	41.07	35.19	10.54	32.17	0.00	188 302 PEAK																																																																														





Mode	61																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																								
ANT	CDD 8+10																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5612.09</td><td>54.82</td><td>68.20</td><td>-13.38</td><td>41.61</td><td>34.60</td><td>10.25</td><td>31.64</td><td>0.00</td><td>100</td><td>22 PEAK</td></tr><tr><td>2</td><td>5652.07</td><td>54.03</td><td>69.74</td><td>-15.71</td><td>40.80</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>22 PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>54.60</td><td>105.75</td><td>-51.15</td><td>41.45</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>22 PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>54.08</td><td>111.17</td><td>-57.09</td><td>40.97</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>22 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5612.09	54.82	68.20	-13.38	41.61	34.60	10.25	31.64	0.00	100	22 PEAK	2	5652.07	54.03	69.74	-15.71	40.80	34.60	10.29	31.66	0.00	100	22 PEAK	3	5701.60	54.60	105.75	-51.15	41.45	34.60	10.33	31.78	0.00	100	22 PEAK	4	5720.12	54.08	111.17	-57.09	40.97	34.60	10.34	31.83	0.00	100	22 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>104.81</td><td>-----</td><td>-----</td><td>91.81</td><td>34.60</td><td>10.40</td><td>32.00</td><td>0.00</td><td>100</td><td>22 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	104.81	-----	-----	91.81	34.60	10.40	32.00	0.00	100	22 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5612.09	54.82	68.20	-13.38	41.61	34.60	10.25	31.64	0.00	100	22 PEAK																																																																																																																														
2	5652.07	54.03	69.74	-15.71	40.80	34.60	10.29	31.66	0.00	100	22 PEAK																																																																																																																														
3	5701.60	54.60	105.75	-51.15	41.45	34.60	10.33	31.78	0.00	100	22 PEAK																																																																																																																														
4	5720.12	54.08	111.17	-57.09	40.97	34.60	10.34	31.83	0.00	100	22 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	104.81	-----	-----	91.81	34.60	10.40	32.00	0.00	100	22 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>96.53</td><td>-----</td><td>-----</td><td>83.54</td><td>34.60</td><td>10.40</td><td>32.01</td><td>0.00</td><td>100</td><td>22 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	96.53	-----	-----	83.54	34.60	10.40	32.01	0.00	100	22 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	96.53	-----	-----	83.54	34.60	10.40	32.01	0.00	100	22 AVERAGE																																																																																																																														






Mode	61																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																											
ANT	CDD 8+10																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>51.74</td><td>110.93</td><td>-59.19</td><td>38.73</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>22 PEAK</td></tr><tr><td>2</td><td>5871.57</td><td>54.16</td><td>106.26</td><td>-52.10</td><td>41.06</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>22 PEAK</td></tr><tr><td>3</td><td>5924.89</td><td>53.32</td><td>68.28</td><td>-14.96</td><td>39.91</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>22 PEAK</td></tr><tr><td>4</td><td>5950.00</td><td>54.90</td><td>68.20</td><td>-13.30</td><td>41.33</td><td>35.20</td><td>10.54</td><td>32.17</td><td>0.00</td><td>100</td><td>22 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	51.74	110.93	-59.19	38.73	34.72	10.45	32.16	0.00	100	22 PEAK	2	5871.57	54.16	106.26	-52.10	41.06	34.79	10.47	32.16	0.00	100	22 PEAK	3	5924.89	53.32	68.28	-14.96	39.91	35.05	10.52	32.16	0.00	100	22 PEAK	4	5950.00	54.90	68.20	-13.30	41.33	35.20	10.54	32.17	0.00	100	22 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.99	51.74	110.93	-59.19	38.73	34.72	10.45	32.16	0.00	100	22 PEAK																																																																																	
2	5871.57	54.16	106.26	-52.10	41.06	34.79	10.47	32.16	0.00	100	22 PEAK																																																																																	
3	5924.89	53.32	68.28	-14.96	39.91	35.05	10.52	32.16	0.00	100	22 PEAK																																																																																	
4	5950.00	54.90	68.20	-13.30	41.33	35.20	10.54	32.17	0.00	100	22 PEAK																																																																																	




Mode	61																																																																																																							
	Harmonic																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																							
ANT	CDD 8+10																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7724.74</td><td>43.54</td><td>74.00</td><td>-30.46</td><td>56.27</td><td>35.90</td><td>12.08</td><td>60.71</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>53.48</td><td>38.29</td><td>14.98</td><td>61.21</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	7724.74	43.54	74.00	-30.46	56.27	35.90	12.08	60.71	0.00	---	PEAK	2	11590.00	45.54	74.00	-28.46	53.48	38.29	14.98	61.21	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>7724.74</td><td>43.95</td><td>74.00</td><td>-30.05</td><td>56.68</td><td>35.90</td><td>12.08</td><td>60.71</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>53.99</td><td>38.29</td><td>14.98</td><td>61.21</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	7724.74	43.95	74.00	-30.05	56.68	35.90	12.08	60.71	0.00	---	PEAK	2	11590.00	46.05	74.00	-27.95	53.99	38.29	14.98	61.21	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
1	7724.74	43.54	74.00	-30.46	56.27	35.90	12.08	60.71	0.00	---	PEAK																																																																																													
2	11590.00	45.54	74.00	-28.46	53.48	38.29	14.98	61.21	0.00	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
1	7724.74	43.95	74.00	-30.05	56.68	35.90	12.08	60.71	0.00	---	PEAK																																																																																													
2	11590.00	46.05	74.00	-27.95	53.99	38.29	14.98	61.21	0.00	---	PEAK																																																																																													






Mode	62																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																																																																			
ANT	CDD 8+10																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.34</td><td>54.42</td><td>68.20</td><td>-13.78</td><td>41.22</td><td>34.60</td><td>10.25</td><td>31.65</td><td>0.00</td><td>150 300 PEAK</td></tr><tr><td>2</td><td>5650.70</td><td>52.97</td><td>68.72</td><td>-15.75</td><td>39.74</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>150 300 PEAK</td></tr><tr><td>3</td><td>5700.82</td><td>53.79</td><td>105.53</td><td>-51.74</td><td>40.64</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>150 300 PEAK</td></tr><tr><td>4</td><td>5720.51</td><td>54.88</td><td>112.06</td><td>-57.18</td><td>41.77</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>150 300 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.34	54.42	68.20	-13.78	41.22	34.60	10.25	31.65	0.00	150 300 PEAK	2	5650.70	52.97	68.72	-15.75	39.74	34.60	10.29	31.66	0.00	150 300 PEAK	3	5700.82	53.79	105.53	-51.74	40.64	34.60	10.33	31.78	0.00	150 300 PEAK	4	5720.51	54.88	112.06	-57.18	41.77	34.60	10.34	31.83	0.00	150 300 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>108.69</td><td>-----</td><td>-----</td><td>95.71</td><td>34.61</td><td>10.41</td><td>32.04</td><td>0.00</td><td>150 300 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	108.69	-----	-----	95.71	34.61	10.41	32.04	0.00	150 300 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5610.34	54.42	68.20	-13.78	41.22	34.60	10.25	31.65	0.00	150 300 PEAK																																																																																																																										
2	5650.70	52.97	68.72	-15.75	39.74	34.60	10.29	31.66	0.00	150 300 PEAK																																																																																																																										
3	5700.82	53.79	105.53	-51.74	40.64	34.60	10.33	31.78	0.00	150 300 PEAK																																																																																																																										
4	5720.51	54.88	112.06	-57.18	41.77	34.60	10.34	31.83	0.00	150 300 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5795.00	108.69	-----	-----	95.71	34.61	10.41	32.04	0.00	150 300 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.62</td><td>-----</td><td>-----</td><td>86.64</td><td>34.61</td><td>10.41</td><td>32.04</td><td>0.00</td><td>150 300 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	99.62	-----	-----	86.64	34.61	10.41	32.04	0.00	150 300 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5795.00	99.62	-----	-----	86.64	34.61	10.41	32.04	0.00	150 300 AVERAGE																																																																																																																										




Mode	62																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																							
ANT	CDD 8+10																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>5854.99</td><td>54.58</td><td>110.93</td><td>-56.35</td><td>41.57</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>150 300 PEAK</td></tr><tr><td>2</td><td>5874.05</td><td>54.24</td><td>105.57</td><td>-51.33</td><td>41.13</td><td>34.00</td><td>10.47</td><td>32.16</td><td>0.00</td><td>150 300 PEAK</td></tr><tr><td>3</td><td>5923.81</td><td>54.88</td><td>69.08</td><td>-14.20</td><td>41.49</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>150 300 PEAK</td></tr><tr><td>4</td><td>5930.63</td><td>55.67</td><td>68.20</td><td>-12.53</td><td>42.23</td><td>35.08</td><td>10.52</td><td>32.16</td><td>0.00</td><td>150 300 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5854.99	54.58	110.93	-56.35	41.57	34.72	10.45	32.16	0.00	150 300 PEAK	2	5874.05	54.24	105.57	-51.33	41.13	34.00	10.47	32.16	0.00	150 300 PEAK	3	5923.81	54.88	69.08	-14.20	41.49	35.04	10.51	32.16	0.00	150 300 PEAK	4	5930.63	55.67	68.20	-12.53	42.23	35.08	10.52	32.16	0.00	150 300 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																															
1	5854.99	54.58	110.93	-56.35	41.57	34.72	10.45	32.16	0.00	150 300 PEAK																																																																														
2	5874.05	54.24	105.57	-51.33	41.13	34.00	10.47	32.16	0.00	150 300 PEAK																																																																														
3	5923.81	54.88	69.08	-14.20	41.49	35.04	10.51	32.16	0.00	150 300 PEAK																																																																														
4	5930.63	55.67	68.20	-12.53	42.23	35.08	10.52	32.16	0.00	150 300 PEAK																																																																														



Mode	62																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																																																																				
ANT	CDD 8+10																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5614.24</td><td>54.78</td><td>68.20</td><td>-13.42</td><td>41.56</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>111 37 PEAK</td></tr><tr><td>2</td><td>5651.09</td><td>53.85</td><td>69.01</td><td>-15.16</td><td>40.62</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>111 37 PEAK</td></tr><tr><td>3</td><td>5702.38</td><td>55.18</td><td>105.97</td><td>-50.79</td><td>42.03</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>111 37 PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>52.51</td><td>111.17</td><td>-58.66</td><td>39.40</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>111 37 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5614.24	54.78	68.20	-13.42	41.56	34.60	10.26	31.64	0.00	111 37 PEAK	2	5651.09	53.85	69.01	-15.16	40.62	34.60	10.29	31.66	0.00	111 37 PEAK	3	5702.38	55.18	105.97	-50.79	42.03	34.60	10.33	31.78	0.00	111 37 PEAK	4	5720.12	52.51	111.17	-58.66	39.40	34.60	10.34	31.83	0.00	111 37 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>108.73</td><td>-----</td><td>-----</td><td>95.74</td><td>34.60</td><td>10.41</td><td>32.02</td><td>0.00</td><td>111 37 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	108.73	-----	-----	95.74	34.60	10.41	32.02	0.00	111 37 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5614.24	54.78	68.20	-13.42	41.56	34.60	10.26	31.64	0.00	111 37 PEAK																																																																																																																											
2	5651.09	53.85	69.01	-15.16	40.62	34.60	10.29	31.66	0.00	111 37 PEAK																																																																																																																											
3	5702.38	55.18	105.97	-50.79	42.03	34.60	10.33	31.78	0.00	111 37 PEAK																																																																																																																											
4	5720.12	52.51	111.17	-58.66	39.40	34.60	10.34	31.83	0.00	111 37 PEAK																																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5795.00	108.73	-----	-----	95.74	34.60	10.41	32.02	0.00	111 37 PEAK																																																																																																																											
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.59</td><td>-----</td><td>-----</td><td>86.61</td><td>34.61</td><td>10.41</td><td>32.04</td><td>0.00</td><td>111 37 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	99.59	-----	-----	86.61	34.61	10.41	32.04	0.00	111 37 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5795.00	99.59	-----	-----	86.61	34.61	10.41	32.04	0.00	111 37 AVERAGE																																																																																																																											




Mode	62																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																														
ANT	CDD 8+10																																																																														
Pol.	Vertical	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.37</td><td>55.50</td><td>112.35</td><td>-56.85</td><td>42.49</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>111 37 PEAK</td></tr><tr><td>2</td><td>5873.59</td><td>55.34</td><td>105.70</td><td>-50.36</td><td>42.24</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>111 37 PEAK</td></tr><tr><td>3</td><td>5924.74</td><td>56.29</td><td>68.40</td><td>-12.11</td><td>42.88</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>111 37 PEAK</td></tr><tr><td>4</td><td>5939.31</td><td>55.89</td><td>68.20</td><td>-12.31</td><td>42.39</td><td>35.14</td><td>10.53</td><td>32.17</td><td>0.00</td><td>111 37 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5854.37	55.50	112.35	-56.85	42.49	34.72	10.45	32.16	0.00	111 37 PEAK	2	5873.59	55.34	105.70	-50.36	42.24	34.79	10.47	32.16	0.00	111 37 PEAK	3	5924.74	56.29	68.40	-12.11	42.88	35.05	10.52	32.16	0.00	111 37 PEAK	4	5939.31	55.89	68.20	-12.31	42.39	35.14	10.53	32.17	0.00	111 37 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																							
1	5854.37	55.50	112.35	-56.85	42.49	34.72	10.45	32.16	0.00	111 37 PEAK																																																																					
2	5873.59	55.34	105.70	-50.36	42.24	34.79	10.47	32.16	0.00	111 37 PEAK																																																																					
3	5924.74	56.29	68.40	-12.11	42.88	35.05	10.52	32.16	0.00	111 37 PEAK																																																																					
4	5939.31	55.89	68.20	-12.31	42.39	35.14	10.53	32.17	0.00	111 37 PEAK																																																																					






Mode	63																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																			
ANT	CDD 8+10																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5612.60</td><td>55.00</td><td>68.20</td><td>-13.20</td><td>41.79</td><td>34.60</td><td>10.25</td><td>31.64</td><td>0.00</td><td>217</td><td>300 PEAK</td></tr><tr><td>2 5658.05</td><td>52.54</td><td>68.24</td><td>-15.70</td><td>39.31</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>217</td><td>300 PEAK</td></tr><tr><td>3 5700.63</td><td>57.37</td><td>105.48</td><td>-48.11</td><td>44.22</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>217</td><td>300 PEAK</td></tr><tr><td>4 5720.05</td><td>56.72</td><td>111.01</td><td>-54.29</td><td>43.61</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>217</td><td>300 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5612.60	55.00	68.20	-13.20	41.79	34.60	10.25	31.64	0.00	217	300 PEAK	2 5658.05	52.54	68.24	-15.70	39.31	34.60	10.28	31.65	0.00	217	300 PEAK	3 5700.63	57.37	105.48	-48.11	44.22	34.60	10.33	31.78	0.00	217	300 PEAK	4 5720.05	56.72	111.01	-54.29	43.61	34.60	10.34	31.83	0.00	217	300 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>103.66</td><td>-----</td><td>-----</td><td>90.63</td><td>34.60</td><td>10.38</td><td>31.95</td><td>0.00</td><td>217</td><td>300 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	103.66	-----	-----	90.63	34.60	10.38	31.95	0.00	217	300 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5612.60	55.00	68.20	-13.20	41.79	34.60	10.25	31.64	0.00	217	300 PEAK																																																																																																																										
2 5658.05	52.54	68.24	-15.70	39.31	34.60	10.28	31.65	0.00	217	300 PEAK																																																																																																																										
3 5700.63	57.37	105.48	-48.11	44.22	34.60	10.33	31.78	0.00	217	300 PEAK																																																																																																																										
4 5720.05	56.72	111.01	-54.29	43.61	34.60	10.34	31.83	0.00	217	300 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	103.66	-----	-----	90.63	34.60	10.38	31.95	0.00	217	300 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>95.17</td><td>-----</td><td>-----</td><td>82.16</td><td>34.60</td><td>10.39</td><td>31.98</td><td>0.00</td><td>217</td><td>300 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	95.17	-----	-----	82.16	34.60	10.39	31.98	0.00	217	300 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5775.00	95.17	-----	-----	82.16	34.60	10.39	31.98	0.00	217	300 AVERAGE																																																																																																																										




Mode	63																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																							
ANT	CDD 8+10																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>55.05</td><td>111.36</td><td>-56.31</td><td>42.04</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>217 300 PEAK</td></tr><tr><td>2</td><td>5868.40</td><td>59.75</td><td>109.39</td><td>-49.64</td><td>46.71</td><td>34.74</td><td>10.46</td><td>32.16</td><td>0.00</td><td>217 300 PEAK</td></tr><tr><td>3</td><td>5922.88</td><td>54.48</td><td>69.77</td><td>-15.29</td><td>41.09</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>217 300 PEAK</td></tr><tr><td>4</td><td>5944.40</td><td>57.77</td><td>68.20</td><td>-10.43</td><td>44.24</td><td>35.17</td><td>10.53</td><td>32.17</td><td>0.00</td><td>217 300 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	55.05	111.36	-56.31	42.04	34.72	10.45	32.16	0.00	217 300 PEAK	2	5868.40	59.75	109.39	-49.64	46.71	34.74	10.46	32.16	0.00	217 300 PEAK	3	5922.88	54.48	69.77	-15.29	41.09	35.04	10.51	32.16	0.00	217 300 PEAK	4	5944.40	57.77	68.20	-10.43	44.24	35.17	10.53	32.17	0.00	217 300 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.80	55.05	111.36	-56.31	42.04	34.72	10.45	32.16	0.00	217 300 PEAK																																																																														
2	5868.40	59.75	109.39	-49.64	46.71	34.74	10.46	32.16	0.00	217 300 PEAK																																																																														
3	5922.88	54.48	69.77	-15.29	41.09	35.04	10.51	32.16	0.00	217 300 PEAK																																																																														
4	5944.40	57.77	68.20	-10.43	44.24	35.17	10.53	32.17	0.00	217 300 PEAK																																																																														





Mode	63																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																													
ANT	CDD 8+10																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5619.95</td><td>55.11</td><td>68.20</td><td>-13.09</td><td>41.89</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>111</td><td>38 PEAK</td></tr><tr><td>2 5658.05</td><td>53.15</td><td>68.24</td><td>-15.09</td><td>39.92</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>111</td><td>38 PEAK</td></tr><tr><td>3 5705.88</td><td>58.15</td><td>106.95</td><td>-48.80</td><td>45.01</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>111</td><td>38 PEAK</td></tr><tr><td>4 5720.05</td><td>58.79</td><td>111.01</td><td>-52.22</td><td>45.68</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>111</td><td>38 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5619.95	55.11	68.20	-13.09	41.89	34.60	10.26	31.64	0.00	111	38 PEAK	2 5658.05	53.15	68.24	-15.09	39.92	34.60	10.28	31.65	0.00	111	38 PEAK	3 5705.88	58.15	106.95	-48.80	45.01	34.60	10.33	31.79	0.00	111	38 PEAK	4 5720.05	58.79	111.01	-52.22	45.68	34.60	10.34	31.83	0.00	111	38 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>103.56</td><td>-----</td><td>-----</td><td>90.53</td><td>34.60</td><td>10.38</td><td>31.95</td><td>0.00</td><td>111</td><td>38 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5775.00	103.56	-----	-----	90.53	34.60	10.38	31.95	0.00	111	38 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5619.95	55.11	68.20	-13.09	41.89	34.60	10.26	31.64	0.00	111	38 PEAK																																																																																																				
2 5658.05	53.15	68.24	-15.09	39.92	34.60	10.28	31.65	0.00	111	38 PEAK																																																																																																				
3 5705.88	58.15	106.95	-48.80	45.01	34.60	10.33	31.79	0.00	111	38 PEAK																																																																																																				
4 5720.05	58.79	111.01	-52.22	45.68	34.60	10.34	31.83	0.00	111	38 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5775.00	103.56	-----	-----	90.53	34.60	10.38	31.95	0.00	111	38 PEAK																																																																																																				
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>94.26</td><td>-----</td><td>-----</td><td>81.24</td><td>34.60</td><td>10.39</td><td>31.97</td><td>0.00</td><td>111</td><td>38 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1 5775.00	94.26	-----	-----	81.24	34.60	10.39	31.97	0.00	111	38 AVERAGE																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																				
1 5775.00	94.26	-----	-----	81.24	34.60	10.39	31.97	0.00	111	38 AVERAGE																																																																																																				





Mode	63																																																																																																
	Band Edge - R																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																
ANT	CDD 8+10																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5854.63</td><td>53.32</td><td>111.75</td><td>-58.43</td><td>40.31</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>111</td><td>30</td><td>PEAK</td></tr><tr><td>2</td><td>5868.63</td><td>56.58</td><td>107.08</td><td>-50.50</td><td>43.50</td><td>34.77</td><td>10.47</td><td>32.16</td><td>0.00</td><td>111</td><td>30</td><td>PEAK</td></tr><tr><td>3</td><td>5924.10</td><td>54.36</td><td>68.86</td><td>-14.50</td><td>40.97</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>111</td><td>30</td><td>PEAK</td></tr><tr><td>4</td><td>5938.10</td><td>55.28</td><td>68.20</td><td>-12.92</td><td>41.78</td><td>35.13</td><td>10.53</td><td>32.16</td><td>0.00</td><td>111</td><td>30</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5854.63	53.32	111.75	-58.43	40.31	34.72	10.45	32.16	0.00	111	30	PEAK	2	5868.63	56.58	107.08	-50.50	43.50	34.77	10.47	32.16	0.00	111	30	PEAK	3	5924.10	54.36	68.86	-14.50	40.97	35.04	10.51	32.16	0.00	111	30	PEAK	4	5938.10	55.28	68.20	-12.92	41.78	35.13	10.53	32.16	0.00	111	30	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	5854.63	53.32	111.75	-58.43	40.31	34.72	10.45	32.16	0.00	111	30	PEAK																																																																																					
2	5868.63	56.58	107.08	-50.50	43.50	34.77	10.47	32.16	0.00	111	30	PEAK																																																																																					
3	5924.10	54.36	68.86	-14.50	40.97	35.04	10.51	32.16	0.00	111	30	PEAK																																																																																					
4	5938.10	55.28	68.20	-12.92	41.78	35.13	10.53	32.16	0.00	111	30	PEAK																																																																																					



Mode	63																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																														
ANT	CDD 8+10																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7698.00</td><td>43.46</td><td>74.00</td><td>-30.54</td><td>56.27</td><td>35.90</td><td>12.05</td><td>60.76</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>54.23</td><td>38.25</td><td>14.95</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7698.00	43.46	74.00	-30.54	56.27	35.90	12.05	60.76	0.00	---	PEAK	2	11550.00	46.24	74.00	-27.76	54.23	38.25	14.95	61.19	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7698.00</td><td>43.76</td><td>74.00</td><td>-30.24</td><td>56.57</td><td>35.90</td><td>12.05</td><td>60.76</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>45.96</td><td>74.00</td><td>-28.04</td><td>53.95</td><td>38.25</td><td>14.95</td><td>61.19</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7698.00	43.76	74.00	-30.24	56.57	35.90	12.05	60.76	0.00	---	PEAK	2	11550.00	45.96	74.00	-28.04	53.95	38.25	14.95	61.19	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7698.00	43.46	74.00	-30.54	56.27	35.90	12.05	60.76	0.00	---	PEAK																																																																																																																				
2	11550.00	46.24	74.00	-27.76	54.23	38.25	14.95	61.19	0.00	---	PEAK																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7698.00	43.76	74.00	-30.24	56.57	35.90	12.05	60.76	0.00	---	PEAK																																																																																																																				
2	11550.00	45.96	74.00	-28.04	53.95	38.25	14.95	61.19	0.00	---	PEAK																																																																																																																				







Mode	63	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	CDD 8+10	
Pol.	Horizontal	Vertical
Peak Avg		




		63																																																																																																																			
Mode		30-1G																																																																																																																			
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																			
ANT		CDD 8+10																																																																																																																			
Pol.		Horizontal																																																																																																																			
QP																																																																																																																					
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>22.36</td><td>40.00</td><td>-17.64</td><td>28.81</td><td>25.74</td><td>0.76</td><td>32.95</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>81.41</td><td>27.85</td><td>40.00</td><td>-12.15</td><td>45.50</td><td>13.70</td><td>1.32</td><td>32.67</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>177.44</td><td>34.35</td><td>43.50</td><td>-9.15</td><td>49.89</td><td>15.29</td><td>1.94</td><td>32.77</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>267.65</td><td>27.80</td><td>46.00</td><td>-18.20</td><td>39.14</td><td>19.38</td><td>2.26</td><td>32.98</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>527.61</td><td>26.86</td><td>46.00</td><td>-19.14</td><td>32.54</td><td>24.62</td><td>3.17</td><td>33.47</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>771.08</td><td>29.93</td><td>46.00</td><td>-16.07</td><td>31.31</td><td>27.77</td><td>4.13</td><td>33.28</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	22.36	40.00	-17.64	28.81	25.74	0.76	32.95	0.00	---	Peak	2	81.41	27.85	40.00	-12.15	45.50	13.70	1.32	32.67	0.00	---	Peak	3	177.44	34.35	43.50	-9.15	49.89	15.29	1.94	32.77	0.00	---	Peak	4	267.65	27.80	46.00	-18.20	39.14	19.38	2.26	32.98	0.00	---	Peak	5	527.61	26.86	46.00	-19.14	32.54	24.62	3.17	33.47	0.00	---	Peak	6	771.08	29.93	46.00	-16.07	31.31	27.77	4.13	33.28	0.00	---	Peak
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
		1	30.00	22.36	40.00	-17.64	28.81	25.74	0.76	32.95	0.00	---	Peak																																																																																																								
		2	81.41	27.85	40.00	-12.15	45.50	13.70	1.32	32.67	0.00	---	Peak																																																																																																								
		3	177.44	34.35	43.50	-9.15	49.89	15.29	1.94	32.77	0.00	---	Peak																																																																																																								
		4	267.65	27.80	46.00	-18.20	39.14	19.38	2.26	32.98	0.00	---	Peak																																																																																																								
		5	527.61	26.86	46.00	-19.14	32.54	24.62	3.17	33.47	0.00	---	Peak																																																																																																								
6	771.08	29.93	46.00	-16.07	31.31	27.77	4.13	33.28	0.00	---	Peak																																																																																																										
Vertical																																																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>22.08</td><td>40.00</td><td>-17.92</td><td>28.53</td><td>25.74</td><td>0.76</td><td>32.95</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>62.98</td><td>27.63</td><td>40.00</td><td>-12.37</td><td>46.04</td><td>13.18</td><td>1.11</td><td>32.70</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>177.44</td><td>24.17</td><td>43.50</td><td>-19.33</td><td>39.71</td><td>15.29</td><td>1.94</td><td>32.77</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>263.77</td><td>24.66</td><td>46.00</td><td>-21.34</td><td>35.92</td><td>19.53</td><td>2.22</td><td>33.01</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>478.14</td><td>25.97</td><td>46.00</td><td>-20.03</td><td>32.53</td><td>23.56</td><td>3.14</td><td>33.26</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>775.93</td><td>28.57</td><td>46.00</td><td>-17.43</td><td>29.87</td><td>27.84</td><td>4.15</td><td>33.29</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.00	22.08	40.00	-17.92	28.53	25.74	0.76	32.95	0.00	---	Peak	2	62.98	27.63	40.00	-12.37	46.04	13.18	1.11	32.70	0.00	---	Peak	3	177.44	24.17	43.50	-19.33	39.71	15.29	1.94	32.77	0.00	---	Peak	4	263.77	24.66	46.00	-21.34	35.92	19.53	2.22	33.01	0.00	---	Peak	5	478.14	25.97	46.00	-20.03	32.53	23.56	3.14	33.26	0.00	---	Peak	6	775.93	28.57	46.00	-17.43	29.87	27.84	4.15	33.29	0.00	---	Peak		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																											
1	30.00	22.08	40.00	-17.92	28.53	25.74	0.76	32.95	0.00	---	Peak																																																																																																										
2	62.98	27.63	40.00	-12.37	46.04	13.18	1.11	32.70	0.00	---	Peak																																																																																																										
3	177.44	24.17	43.50	-19.33	39.71	15.29	1.94	32.77	0.00	---	Peak																																																																																																										
4	263.77	24.66	46.00	-21.34	35.92	19.53	2.22	33.01	0.00	---	Peak																																																																																																										
5	478.14	25.97	46.00	-20.03	32.53	23.56	3.14	33.26	0.00	---	Peak																																																																																																										
6	775.93	28.57	46.00	-17.43	29.87	27.84	4.15	33.29	0.00	---	Peak																																																																																																										






Mode	64																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/65_5775MHz																																																																																																																																		
ANT	CDD 8+10																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.88	57.20	68.20	-11.00	43.97	34.60	10.28	31.65	0.00	220	291 PEAK	2	5658.23	56.31	68.37	-12.06	43.09	34.60	10.28	31.66	0.00	220	291 PEAK	3	5783.95	62.93	106.41	-43.48	49.79	34.60	10.33	31.79	0.00	220	291 PEAK	4	5722.68	68.50	117.00	-48.50	55.39	34.60	10.34	31.83	0.00	220	291 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>106.43</td><td>-----</td><td>-----</td><td>93.39</td><td>34.60</td><td>10.38</td><td>31.94</td><td>0.00</td><td>220</td><td>291 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	106.43	-----	-----	93.39	34.60	10.38	31.94	0.00	220
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5649.88	57.20	68.20	-11.00	43.97	34.60	10.28	31.65	0.00	220	291 PEAK																																																																																																																								
2	5658.23	56.31	68.37	-12.06	43.09	34.60	10.28	31.66	0.00	220	291 PEAK																																																																																																																								
3	5783.95	62.93	106.41	-43.48	49.79	34.60	10.33	31.79	0.00	220	291 PEAK																																																																																																																								
4	5722.68	68.50	117.00	-48.50	55.39	34.60	10.34	31.83	0.00	220	291 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5775.00	106.43	-----	-----	93.39	34.60	10.38	31.94	0.00	220	291 PEAK																																																																																																																								
Avg																																																																																																																																			
	Blank						<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>96.05</td><td>-----</td><td>-----</td><td>83.00</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>220</td><td>291 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	96.05	-----	-----	83.00	34.60	10.37	31.92	0.00	220	291 AVERAGE																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	5775.00	96.05	-----	-----	83.00	34.60	10.37	31.92	0.00	220	291 AVERAGE																																																																																																																								




Mode	64																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/65_5775MHz																																																																																							
ANT	CDD 8+10																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.93</td><td>61.19</td><td>113.35</td><td>-52.16</td><td>48.18</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>220 291 PEAK</td></tr><tr><td>2</td><td>5873.53</td><td>57.61</td><td>105.71</td><td>-48.10</td><td>44.51</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>220 291 PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>54.49</td><td>68.22</td><td>-13.73</td><td>41.08</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>220 291 PEAK</td></tr><tr><td>4</td><td>5938.98</td><td>57.09</td><td>68.20</td><td>-11.11</td><td>43.60</td><td>35.13</td><td>10.53</td><td>32.17</td><td>0.00</td><td>220 291 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.93	61.19	113.35	-52.16	48.18	34.72	10.45	32.16	0.00	220 291 PEAK	2	5873.53	57.61	105.71	-48.10	44.51	34.79	10.47	32.16	0.00	220 291 PEAK	3	5924.98	54.49	68.22	-13.73	41.08	35.05	10.52	32.16	0.00	220 291 PEAK	4	5938.98	57.09	68.20	-11.11	43.60	35.13	10.53	32.17	0.00	220 291 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5853.93	61.19	113.35	-52.16	48.18	34.72	10.45	32.16	0.00	220 291 PEAK																																																																														
2	5873.53	57.61	105.71	-48.10	44.51	34.79	10.47	32.16	0.00	220 291 PEAK																																																																														
3	5924.98	54.49	68.22	-13.73	41.08	35.05	10.52	32.16	0.00	220 291 PEAK																																																																														
4	5938.98	57.09	68.20	-11.11	43.60	35.13	10.53	32.17	0.00	220 291 PEAK																																																																														



Mode	64																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/65_5775MHz																																																																																							
ANT	CDD 8+10																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5647.60</td><td>56.69</td><td>68.20</td><td>-11.51</td><td>43.46</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>115</td><td>38 PEAK</td></tr><tr><td>2 5665.98</td><td>61.16</td><td>80.09</td><td>-18.93</td><td>47.95</td><td>34.60</td><td>10.30</td><td>31.69</td><td>0.00</td><td>115</td><td>38 PEAK</td></tr><tr><td>3 5712.53</td><td>65.27</td><td>108.81</td><td>-43.54</td><td>52.15</td><td>34.60</td><td>10.33</td><td>31.81</td><td>0.00</td><td>115</td><td>38 PEAK</td></tr><tr><td>4 5720.23</td><td>64.52</td><td>111.41</td><td>-46.89</td><td>51.41</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>115</td><td>38 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5647.60	56.69	68.20	-11.51	43.46	34.60	10.28	31.65	0.00	115	38 PEAK	2 5665.98	61.16	80.09	-18.93	47.95	34.60	10.30	31.69	0.00	115	38 PEAK	3 5712.53	65.27	108.81	-43.54	52.15	34.60	10.33	31.81	0.00	115	38 PEAK	4 5720.23	64.52	111.41	-46.89	51.41	34.60	10.34	31.83	0.00	115	38 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5647.60	56.69	68.20	-11.51	43.46	34.60	10.28	31.65	0.00	115	38 PEAK																																																																														
2 5665.98	61.16	80.09	-18.93	47.95	34.60	10.30	31.69	0.00	115	38 PEAK																																																																														
3 5712.53	65.27	108.81	-43.54	52.15	34.60	10.33	31.81	0.00	115	38 PEAK																																																																														
4 5720.23	64.52	111.41	-46.89	51.41	34.60	10.34	31.83	0.00	115	38 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5775.00</td><td>106.09</td><td>-----</td><td>-----</td><td>93.04</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>115</td><td>38 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	106.09	-----	-----	93.04	34.60	10.37	31.92	0.00	115	38 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	106.09	-----	-----	93.04	34.60	10.37	31.92	0.00	115	38 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5775.00</td><td>95.92</td><td>-----</td><td>-----</td><td>82.87</td><td>34.60</td><td>10.37</td><td>31.92</td><td>0.00</td><td>115</td><td>38 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	95.92	-----	-----	82.87	34.60	10.37	31.92	0.00	115	38 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5775.00	95.92	-----	-----	82.87	34.60	10.37	31.92	0.00	115	38 AVERAGE																																																																														



Mode	64																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/65_5775MHz																																																																																															
ANT	CDD 8+10																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.28</td><td>58.70</td><td>112.55</td><td>-53.85</td><td>45.69</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>115</td><td>38</td><td>PEAK</td></tr><tr><td>2</td><td>5862.68</td><td>66.49</td><td>108.75</td><td>-42.26</td><td>53.44</td><td>34.75</td><td>10.46</td><td>32.16</td><td>0.00</td><td>115</td><td>38</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>55.15</td><td>68.22</td><td>-13.07</td><td>41.74</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>115</td><td>38</td><td>PEAK</td></tr><tr><td>4</td><td>5946.68</td><td>60.22</td><td>68.20</td><td>-7.98</td><td>46.68</td><td>35.18</td><td>10.53</td><td>32.17</td><td>0.00</td><td>115</td><td>38</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.28	58.70	112.55	-53.85	45.69	34.72	10.45	32.16	0.00	115	38	PEAK	2	5862.68	66.49	108.75	-42.26	53.44	34.75	10.46	32.16	0.00	115	38	PEAK	3	5924.98	55.15	68.22	-13.07	41.74	35.05	10.52	32.16	0.00	115	38	PEAK	4	5946.68	60.22	68.20	-7.98	46.68	35.18	10.53	32.17	0.00	115	38	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.28	58.70	112.55	-53.85	45.69	34.72	10.45	32.16	0.00	115	38	PEAK																																																																																				
2	5862.68	66.49	108.75	-42.26	53.44	34.75	10.46	32.16	0.00	115	38	PEAK																																																																																				
3	5924.98	55.15	68.22	-13.07	41.74	35.05	10.52	32.16	0.00	115	38	PEAK																																																																																				
4	5946.68	60.22	68.20	-7.98	46.68	35.18	10.53	32.17	0.00	115	38	PEAK																																																																																				