










Mode	65																																																																																																																																			
	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																																																																																			
ANT	CDD 8+10																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5638.50</td><td>53.95</td><td>68.20</td><td>-14.25</td><td>40.70</td><td>34.60</td><td>10.28</td><td>31.63</td><td>0.00</td><td>150 300 PEAK</td></tr><tr><td>2</td><td>5658.23</td><td>53.86</td><td>68.37</td><td>-14.51</td><td>40.64</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>150 300 PEAK</td></tr><tr><td>3</td><td>5701.15</td><td>55.17</td><td>105.62</td><td>-50.45</td><td>42.02</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>150 300 PEAK</td></tr><tr><td>4</td><td>5721.45</td><td>58.70</td><td>114.21</td><td>-55.51</td><td>45.59</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>150 300 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5638.50	53.95	68.20	-14.25	40.70	34.60	10.28	31.63	0.00	150 300 PEAK	2	5658.23	53.86	68.37	-14.51	40.64	34.60	10.28	31.66	0.00	150 300 PEAK	3	5701.15	55.17	105.62	-50.45	42.02	34.60	10.33	31.78	0.00	150 300 PEAK	4	5721.45	58.70	114.21	-55.51	45.59	34.60	10.34	31.83	0.00	150 300 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>106.71</td><td>-----</td><td>-----</td><td>93.72</td><td>34.60</td><td>10.41</td><td>32.02</td><td>0.00</td><td>150 300 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	106.71	-----	-----	93.72	34.60	10.41	32.02	0.00	150 300 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5638.50	53.95	68.20	-14.25	40.70	34.60	10.28	31.63	0.00	150 300 PEAK																																																																																																																										
2	5658.23	53.86	68.37	-14.51	40.64	34.60	10.28	31.66	0.00	150 300 PEAK																																																																																																																										
3	5701.15	55.17	105.62	-50.45	42.02	34.60	10.33	31.78	0.00	150 300 PEAK																																																																																																																										
4	5721.45	58.70	114.21	-55.51	45.59	34.60	10.34	31.83	0.00	150 300 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5775.00	106.71	-----	-----	93.72	34.60	10.41	32.02	0.00	150 300 PEAK																																																																																																																										
Avg	Blank						 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.57</td><td>-----</td><td>-----</td><td>83.59</td><td>34.61</td><td>10.41</td><td>32.04</td><td>0.00</td><td>150 300 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	96.57	-----	-----	83.59	34.61	10.41	32.04	0.00	150 300 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5775.00	96.57	-----	-----	83.59	34.61	10.41	32.04	0.00	150 300 AVERAGE																																																																																																																										




Mode	65																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																																							
ANT	CDD 8+10																																																																																							
Pol.	Horizontal							Fundamental																																																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>54.87</td><td>110.96</td><td>-56.09</td><td>41.06</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>150 300 PEAK</td></tr><tr><td>2</td><td>5870.38</td><td>56.67</td><td>106.59</td><td>-49.92</td><td>43.58</td><td>34.78</td><td>10.47</td><td>32.16</td><td>0.00</td><td>150 300 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.73</td><td>68.35</td><td>-13.62</td><td>41.32</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>150 300 PEAK</td></tr><tr><td>4</td><td>5933.03</td><td>55.83</td><td>68.20</td><td>-12.37</td><td>42.37</td><td>35.10</td><td>10.52</td><td>32.16</td><td>0.00</td><td>150 300 PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	54.87	110.96	-56.09	41.06	34.72	10.45	32.16	0.00	150 300 PEAK	2	5870.38	56.67	106.59	-49.92	43.58	34.78	10.47	32.16	0.00	150 300 PEAK	3	5924.80	54.73	68.35	-13.62	41.32	35.05	10.52	32.16	0.00	150 300 PEAK	4	5933.03	55.83	68.20	-12.37	42.37	35.10	10.52	32.16	0.00	150 300 PEAK	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.98	54.87	110.96	-56.09	41.06	34.72	10.45	32.16	0.00	150 300 PEAK																																																																														
2	5870.38	56.67	106.59	-49.92	43.58	34.78	10.47	32.16	0.00	150 300 PEAK																																																																														
3	5924.80	54.73	68.35	-13.62	41.32	35.05	10.52	32.16	0.00	150 300 PEAK																																																																														
4	5933.03	55.83	68.20	-12.37	42.37	35.10	10.52	32.16	0.00	150 300 PEAK																																																																														







Mode	65																																																																																																																		
	Band Edge - L																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																																																																		
ANT	CDD 8+10																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5628.53</td><td>55.67</td><td>68.20</td><td>-12.53</td><td>42.44</td><td>34.60</td><td>10.27</td><td>31.64</td><td>0.00</td><td>109</td><td>37 PEAK</td></tr><tr><td>2</td><td>5658.05</td><td>52.37</td><td>68.24</td><td>-15.87</td><td>39.14</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>109</td><td>37 PEAK</td></tr><tr><td>3</td><td>5706.05</td><td>61.78</td><td>107.00</td><td>-45.22</td><td>48.64</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>109</td><td>37 PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>56.48</td><td>111.01</td><td>-54.53</td><td>43.37</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>109</td><td>37 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5628.53	55.67	68.20	-12.53	42.44	34.60	10.27	31.64	0.00	109	37 PEAK	2	5658.05	52.37	68.24	-15.87	39.14	34.60	10.28	31.65	0.00	109	37 PEAK	3	5706.05	61.78	107.00	-45.22	48.64	34.60	10.33	31.79	0.00	109	37 PEAK	4	5720.05	56.48	111.01	-54.53	43.37	34.60	10.34	31.83	0.00	109	37 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>104.96</td><td>-----</td><td>-----</td><td>91.98</td><td>34.61</td><td>10.41</td><td>32.04</td><td>0.00</td><td>109</td><td>37 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5775.00	104.96	-----	-----	91.98	34.61	10.41	32.04	0.00	109	37 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5628.53	55.67	68.20	-12.53	42.44	34.60	10.27	31.64	0.00	109	37 PEAK																																																																																																								
2	5658.05	52.37	68.24	-15.87	39.14	34.60	10.28	31.65	0.00	109	37 PEAK																																																																																																								
3	5706.05	61.78	107.00	-45.22	48.64	34.60	10.33	31.79	0.00	109	37 PEAK																																																																																																								
4	5720.05	56.48	111.01	-54.53	43.37	34.60	10.34	31.83	0.00	109	37 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5775.00	104.96	-----	-----	91.98	34.61	10.41	32.04	0.00	109	37 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.12</td><td>-----</td><td>-----</td><td>83.14</td><td>34.61</td><td>10.41</td><td>32.04</td><td>0.00</td><td>109</td><td>37 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5775.00	96.12	-----	-----	83.14	34.61	10.41	32.04	0.00	109	37 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5775.00	96.12	-----	-----	83.14	34.61	10.41	32.04	0.00	109	37 AVERAGE																																																																																																								







Mode	65																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																																						
ANT	CDD 8+10																																																																																						
Pol.	Vertical	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.28</td><td>58.73</td><td>112.55</td><td>-53.82</td><td>45.72</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>109</td><td>37</td><td>PEAK</td></tr><tr><td>2</td><td>5858.48</td><td>60.19</td><td>109.93</td><td>-49.74</td><td>47.16</td><td>34.73</td><td>10.46</td><td>32.16</td><td>0.00</td><td>109</td><td>37</td><td>PEAK</td></tr><tr><td>3</td><td>5924.63</td><td>55.94</td><td>68.48</td><td>-12.54</td><td>42.53</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>109</td><td>37</td><td>PEAK</td></tr><tr><td>4</td><td>5928.30</td><td>55.93</td><td>68.20</td><td>-12.27</td><td>42.50</td><td>35.07</td><td>10.52</td><td>32.16</td><td>0.00</td><td>109</td><td>37</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.28	58.73	112.55	-53.82	45.72	34.72	10.45	32.16	0.00	109	37	PEAK	2	5858.48	60.19	109.93	-49.74	47.16	34.73	10.46	32.16	0.00	109	37	PEAK	3	5924.63	55.94	68.48	-12.54	42.53	35.05	10.52	32.16	0.00	109	37	PEAK	4	5928.30	55.93	68.20	-12.27	42.50	35.07	10.52	32.16	0.00	109	37	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5854.28	58.73	112.55	-53.82	45.72	34.72	10.45	32.16	0.00	109	37	PEAK																																																																											
2	5858.48	60.19	109.93	-49.74	47.16	34.73	10.46	32.16	0.00	109	37	PEAK																																																																											
3	5924.63	55.94	68.48	-12.54	42.53	35.05	10.52	32.16	0.00	109	37	PEAK																																																																											
4	5928.30	55.93	68.20	-12.27	42.50	35.07	10.52	32.16	0.00	109	37	PEAK																																																																											





<Co-location>

		66																																																																																																										
Mode		Co-location Band Edge																																																																																																										
		802.11ax HE20_CH11_2462MHz_Full																																																																																																										
ANT		CDD 7+9																																																																																																										
Pol.		Horizontal					Fundamental																																																																																																					
Peak																																																																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2486.02</td><td>70.64</td><td>74.00</td><td>-3.36</td><td>57.52</td><td>32.62</td><td>6.74</td><td>32.24</td><td>6.00</td><td>100</td><td>235</td><td>PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.02	70.64	74.00	-3.36	57.52	32.62	6.74	32.24	6.00	100	235	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>114.30</td><td>-----</td><td>-----</td><td>101.31</td><td>32.50</td><td>6.71</td><td>32.22</td><td>6.00</td><td>100</td><td>235</td><td>PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	114.30	-----	-----	101.31	32.50	6.71	32.22	6.00	100	235
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2486.02	70.64	74.00	-3.36	57.52	32.62	6.74	32.24	6.00	100	235	PEAK																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2462.00	114.30	-----	-----	101.31	32.50	6.71	32.22	6.00	100	235	PEAK																																																																																																
Avg																																																																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.64</td><td>52.02</td><td>54.00</td><td>-1.98</td><td>38.90</td><td>32.61</td><td>6.74</td><td>32.23</td><td>6.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.64	52.02	54.00	-1.98	38.90	32.61	6.74	32.23	6.00	100	235	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>104.29</td><td>-----</td><td>-----</td><td>91.29</td><td>32.51</td><td>6.71</td><td>32.22</td><td>6.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.29	-----	-----	91.29	32.51	6.71	32.22	6.00	100	235
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2485.64	52.02	54.00	-1.98	38.90	32.61	6.74	32.23	6.00	100	235	AVERAGE																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2462.00	104.29	-----	-----	91.29	32.51	6.71	32.22	6.00	100	235	AVERAGE																																																																																																







		66																																										
Mode		Co-location Band Edge																																										
		802.11ax HE20_CH11_2462MHz_Full																																										
ANT		CDD 7+9																																										
Pol.		Vertical																																										
Peak																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.89	65.37	74.00	-8.63	52.27	32.60	6.73	32.23	6.00	365
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	2483.89	65.37	74.00	-8.63	52.27	32.60	6.73	32.23	6.00	365	30 PEAK																																	
Fundamental																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.52	-----	-----	98.55	32.48	6.71	32.22	6.00	365
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	2462.00	111.52	-----	-----	98.55	32.48	6.71	32.22	6.00	365	30 PEAK																																	
Avg																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	49.27	54.00	-4.73	36.17	32.60	6.73	32.23	6.00	365
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	2483.51	49.27	54.00	-4.73	36.17	32.60	6.73	32.23	6.00	365	30 AVERAGE																																	
AVERAGE																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.94	-----	-----	88.99	32.47	6.70	32.22	6.00	365
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	2462.00	101.94	-----	-----	88.99	32.47	6.70	32.22	6.00	365	30 AVERAGE																																	



		66																																																																																
Mode		Co-location Harmonic																																																																																
		802.11ax HE20_CH11_2462MHz_Full																																																																																
ANT		CDD 7+9																																																																																
Pol.		Horizontal																																																																																
Peak Avg																																																																																		
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>59.52</td><td>74.00</td><td>-14.48</td><td>77.09</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>107</td><td>126 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>48.24</td><td>54.00</td><td>-5.76</td><td>65.80</td><td>34.06</td><td>9.57</td><td>61.19</td><td>0.00</td><td>107</td><td>126 AVERAGE</td></tr><tr><td>3</td><td>5210.00</td><td>59.94</td><td>74.00</td><td>-14.06</td><td>76.79</td><td>34.22</td><td>9.84</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	59.52	74.00	-14.48	77.09	34.05	9.57	61.19	0.00	107	126 PEAK	2	4924.00	48.24	54.00	-5.76	65.80	34.06	9.57	61.19	0.00	107	126 AVERAGE	3	5210.00	59.94	74.00	-14.06	76.79	34.22	9.84	60.91	0.00	---	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	4924.00	59.52	74.00	-14.48	77.09	34.05	9.57	61.19	0.00	107	126 PEAK																																																																							
2	4924.00	48.24	54.00	-5.76	65.80	34.06	9.57	61.19	0.00	107	126 AVERAGE																																																																							
3	5210.00	59.94	74.00	-14.06	76.79	34.22	9.84	60.91	0.00	---	---	Peak																																																																						
																																																																																		
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>54.86</td><td>74.00</td><td>-19.14</td><td>72.43</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>100</td><td>354 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>45.59</td><td>54.00</td><td>-8.41</td><td>63.16</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>100</td><td>354 AVERAGE</td></tr><tr><td>3</td><td>5210.00</td><td>61.88</td><td>74.00</td><td>-12.12</td><td>78.73</td><td>34.22</td><td>9.84</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	54.86	74.00	-19.14	72.43	34.05	9.57	61.19	0.00	100	354 PEAK	2	4924.00	45.59	54.00	-8.41	63.16	34.05	9.57	61.19	0.00	100	354 AVERAGE	3	5210.00	61.88	74.00	-12.12	78.73	34.22	9.84	60.91	0.00	---	---	Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	4924.00	54.86	74.00	-19.14	72.43	34.05	9.57	61.19	0.00	100	354 PEAK																																																																							
2	4924.00	45.59	54.00	-8.41	63.16	34.05	9.57	61.19	0.00	100	354 AVERAGE																																																																							
3	5210.00	61.88	74.00	-12.12	78.73	34.22	9.84	60.91	0.00	---	---	Peak																																																																						

Note: #3 is co-location of WLAN 5G CH42 fundmental signal.







Mode	66																																																																																																																																
	Co-location Band Edge																																																																																																																																
	802.11ax HE80_CH42_5210MHz_Full																																																																																																																																
ANT	CDD 8+10																																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																																										
Peak																																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.08</td><td>62.44</td><td>74.00</td><td>-11.56</td><td>50.40</td><td>34.17</td><td>9.77</td><td>31.90</td><td>0.00</td><td>272</td><td>223</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5136.08	62.44	74.00	-11.56	50.40	34.17	9.77	31.90	0.00	272	223	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2470.00</td><td>112.63</td><td>-----</td><td>-----</td><td>105.62</td><td>32.52</td><td>6.71</td><td>32.22</td><td>0.00</td><td>272</td><td>223</td><td>Peak</td></tr><tr><td>2</td><td>3616.00</td><td>121.66</td><td>-----</td><td>-----</td><td>112.00</td><td>33.03</td><td>8.26</td><td>31.63</td><td>0.00</td><td>272</td><td>223</td><td>Peak</td></tr><tr><td>3</td><td>5200.00</td><td>107.31</td><td>-----</td><td>-----</td><td>95.14</td><td>34.20</td><td>9.83</td><td>31.86</td><td>0.00</td><td>272</td><td>223</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2470.00	112.63	-----	-----	105.62	32.52	6.71	32.22	0.00	272	223	Peak	2	3616.00	121.66	-----	-----	112.00	33.03	8.26	31.63	0.00	272	223	Peak	3	5200.00	107.31	-----	-----	95.14	34.20	9.83	31.86	0.00	272	223
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5136.08	62.44	74.00	-11.56	50.40	34.17	9.77	31.90	0.00	272	223	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	2470.00	112.63	-----	-----	105.62	32.52	6.71	32.22	0.00	272	223	Peak																																																																																																																					
2	3616.00	121.66	-----	-----	112.00	33.03	8.26	31.63	0.00	272	223	Peak																																																																																																																					
3	5200.00	107.31	-----	-----	95.14	34.20	9.83	31.86	0.00	272	223	Peak																																																																																																																					
Avg																																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5145.95</td><td>50.57</td><td>54.00</td><td>-3.43</td><td>38.49</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>272</td><td>223</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.95	50.57	54.00	-3.43	38.49	34.19	9.78	31.89	0.00	272	223	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2464.00</td><td>103.32</td><td>-----</td><td>-----</td><td>96.35</td><td>32.48</td><td>6.71</td><td>32.22</td><td>0.00</td><td>272</td><td>223</td><td>Average</td></tr><tr><td>2</td><td>3616.00</td><td>118.49</td><td>-----</td><td>-----</td><td>108.83</td><td>33.03</td><td>8.26</td><td>31.63</td><td>0.00</td><td>272</td><td>223</td><td>Average</td></tr><tr><td>3</td><td>5206.00</td><td>98.78</td><td>-----</td><td>-----</td><td>86.60</td><td>34.21</td><td>9.83</td><td>31.86</td><td>0.00</td><td>272</td><td>223</td><td>Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2464.00	103.32	-----	-----	96.35	32.48	6.71	32.22	0.00	272	223	Average	2	3616.00	118.49	-----	-----	108.83	33.03	8.26	31.63	0.00	272	223	Average	3	5206.00	98.78	-----	-----	86.60	34.21	9.83	31.86	0.00	272	223
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5145.95	50.57	54.00	-3.43	38.49	34.19	9.78	31.89	0.00	272	223	AVERAGE																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	2464.00	103.32	-----	-----	96.35	32.48	6.71	32.22	0.00	272	223	Average																																																																																																																					
2	3616.00	118.49	-----	-----	108.83	33.03	8.26	31.63	0.00	272	223	Average																																																																																																																					
3	5206.00	98.78	-----	-----	86.60	34.21	9.83	31.86	0.00	272	223	Average																																																																																																																					





Mode	66																																																								
	Co-location Band Edge																																																								
	802.11ax HE80_CH42_5210MHz_Full																																																								
ANT	CDD 8+10																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5378.25</td><td>54.06</td><td>74.00</td><td>-19.94</td><td>41.24</td><td>34.66</td><td>9.93</td><td>31.77</td><td>0.00</td><td>272</td><td>223</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.25	54.06	74.00	-19.94	41.24	34.66	9.93	31.77	0.00	272	223	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5378.25	54.06	74.00	-19.94	41.24	34.66	9.93	31.77	0.00	272	223	PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>43.55</td><td>54.00</td><td>-10.45</td><td>30.82</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>272</td><td>223</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	43.55	54.00	-10.45	30.82	34.60	9.91	31.78	0.00	272	223	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5350.00	43.55	54.00	-10.45	30.82	34.60	9.91	31.78	0.00	272	223	AVERAGE																																													



		66																																																																					
Mode		Co-location Band Edge																																																																					
		802.11ax HE80_CH42_5210MHz_Full																																																																					
ANT		CDD 8+10																																																																					
Pol.		Vertical																																																																					
Peak																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5143.43	59.10	74.00	-14.90	47.02	34.19	9.78	31.89	0.00	300	55 PEAK																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5143.43	59.10	74.00	-14.90	47.02	34.19	9.78	31.89	0.00	300	55 PEAK																																																												
Fundamental																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2470.00	112.19	-----	105.18	32.52	6.71	32.22	0.00	300	55	Peak	2	3616.00	106.88	-----	97.22	33.03	8.26	31.63	0.00	300	55	Peak	3	5194.00	101.82	-----	89.66	34.20	9.83	31.87	0.00	300	55
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2470.00	112.19	-----	105.18	32.52	6.71	32.22	0.00	300	55	Peak																																																												
2	3616.00	106.88	-----	97.22	33.03	8.26	31.63	0.00	300	55	Peak																																																												
3	5194.00	101.82	-----	89.66	34.20	9.83	31.87	0.00	300	55	Peak																																																												
Avg																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5143.64	48.10	54.00	-5.90	36.02	34.19	9.78	31.89	0.00	300	55 AVERAGE																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	5143.64	48.10	54.00	-5.90	36.02	34.19	9.78	31.89	0.00	300	55 AVERAGE																																																												
Fundamental																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2464.00	102.51	-----	95.54	32.48	6.71	32.22	0.00	300	55	Average	2	3616.00	95.90	-----	86.24	33.03	8.26	31.63	0.00	300	55	Average	3	5194.00	93.14	-----	80.98	34.20	9.83	31.87	0.00	300	55
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2464.00	102.51	-----	95.54	32.48	6.71	32.22	0.00	300	55	Average																																																												
2	3616.00	95.90	-----	86.24	33.03	8.26	31.63	0.00	300	55	Average																																																												
3	5194.00	93.14	-----	80.98	34.20	9.83	31.87	0.00	300	55	Average																																																												







Mode	66																																											
	Co-location Band Edge																																											
	802.11ax HE80_CH42_5210MHz_Full																																											
ANT	CDD 8+10																																											
Pol.	Vertical						Fundamental																																					
Peak							Blank																																					
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5406.50</td><td>55.05</td><td>74.00</td><td>-18.95</td><td>42.14</td><td>34.71</td><td>9.95</td><td>31.75</td><td>0.00</td><td>300</td><td>55</td><td>PEAK</td></tr></tbody></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5406.50	55.05	74.00	-18.95	42.14	34.71
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1	5406.50	55.05	74.00	-18.95	42.14	34.71	9.95	31.75	0.00	300	55	PEAK																																
Avg							Blank																																					
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5456.00</td><td>42.68</td><td>54.00</td><td>-11.32</td><td>29.60</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>300</td><td>55</td><td>AVERAGE</td></tr></tbody></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5456.00	42.68	54.00	-11.32	29.60	34.79
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1	5456.00	42.68	54.00	-11.32	29.60	34.79	10.02	31.73	0.00	300	55	AVERAGE																																





		66																																																																									
Mode		Co-location Harmonic																																																																									
		802.11ax HE80_CH42_5210MHz_Full																																																																									
ANT		CDD 8+10																																																																									
Pol.		Horizontal																																																																									
Peak Avg																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		1	7232.10	54.01	68.20	-14.19	67.30	35.60	11.66	60.55	0.00	---	---	Peak	2	7371.80	52.21	74.00	-21.79	65.66	35.70	11.71	60.86	0.00	100	275	Peak	3	7371.80	46.96	54.00	-7.04	60.41	35.70	11.71	60.86	0.00	100	275	Average	4	10420.00	46.16	68.20	-22.04	55.67	37.58	14.18	61.27	0.00	---	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																	
1	7232.10	54.01	68.20	-14.19	67.30	35.60	11.66	60.55	0.00	---	---	Peak																																																															
2	7371.80	52.21	74.00	-21.79	65.66	35.70	11.71	60.86	0.00	100	275	Peak																																																															
3	7371.80	46.96	54.00	-7.04	60.41	35.70	11.71	60.86	0.00	100	275	Average																																																															
4	10420.00	46.16	68.20	-22.04	55.67	37.58	14.18	61.27	0.00	---	---	PEAK																																																															
		Vertical																																																																									
Peak Avg																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg		1	7232.10	53.20	68.20	-15.00	66.49	35.60	11.66	60.55	0.00	100	303	Peak	2	7379.50	49.95	74.00	-24.05	63.41	35.70	11.72	60.88	0.00	100	303	Peak	3	7379.50	44.90	54.00	-9.10	58.36	35.70	11.72	60.88	0.00	100	303	Average	4	10420.00	47.33	68.20	-20.87	56.90	37.53	14.17	61.27	0.00	---	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																	
1	7232.10	53.20	68.20	-15.00	66.49	35.60	11.66	60.55	0.00	100	303	Peak																																																															
2	7379.50	49.95	74.00	-24.05	63.41	35.70	11.72	60.88	0.00	100	303	Peak																																																															
3	7379.50	44.90	54.00	-9.10	58.36	35.70	11.72	60.88	0.00	100	303	Average																																																															
4	10420.00	47.33	68.20	-20.87	56.90	37.53	14.17	61.27	0.00	---	---	PEAK																																																															







Mode	67																																																																																																																							
	Co-location Band Edge																																																																																																																							
	802.11ax HE80_CH42_5210MHz_Full																																																																																																																							
ANT	CDD 8+10																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5137.76</td><td>62.14</td><td>-11.86</td><td>50.08</td><td>34.18</td><td>9.78</td><td>31.90</td><td>0.00</td><td>300</td><td>226 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5137.76	62.14	-11.86	50.08	34.18	9.78	31.90	0.00	300	226 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2470.00</td><td>102.03</td><td>-----</td><td>95.02</td><td>32.52</td><td>6.71</td><td>32.22</td><td>0.00</td><td>300</td><td>226 Peak</td></tr><tr><td>2</td><td>3616.00</td><td>120.01</td><td>-----</td><td>110.35</td><td>33.03</td><td>8.26</td><td>31.63</td><td>0.00</td><td>300</td><td>226 Peak</td></tr><tr><td>3</td><td>5206.00</td><td>105.97</td><td>-----</td><td>93.79</td><td>34.21</td><td>9.83</td><td>31.86</td><td>0.00</td><td>300</td><td>226 Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2470.00	102.03	-----	95.02	32.52	6.71	32.22	0.00	300	226 Peak	2	3616.00	120.01	-----	110.35	33.03	8.26	31.63	0.00	300	226 Peak	3	5206.00	105.97	-----	93.79	34.21	9.83	31.86	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5137.76	62.14	-11.86	50.08	34.18	9.78	31.90	0.00	300	226 PEAK																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	2470.00	102.03	-----	95.02	32.52	6.71	32.22	0.00	300	226 Peak																																																																																																														
2	3616.00	120.01	-----	110.35	33.03	8.26	31.63	0.00	300	226 Peak																																																																																																														
3	5206.00	105.97	-----	93.79	34.21	9.83	31.86	0.00	300	226 Peak																																																																																																														
Avg																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5145.74</td><td>50.49</td><td>-3.51</td><td>38.41</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>300</td><td>226 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5145.74	50.49	-3.51	38.41	34.19	9.78	31.89	0.00	300	226 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>95.79</td><td>-----</td><td>88.70</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>300</td><td>226 Average</td></tr><tr><td>2</td><td>3616.00</td><td>117.01</td><td>-----</td><td>107.35</td><td>33.03</td><td>8.26</td><td>31.63</td><td>0.00</td><td>300</td><td>226 Average</td></tr><tr><td>3</td><td>5206.00</td><td>97.17</td><td>-----</td><td>84.99</td><td>34.21</td><td>9.83</td><td>31.86</td><td>0.00</td><td>300</td><td>226 Average</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2482.00	95.79	-----	88.70	32.59	6.73	32.23	0.00	300	226 Average	2	3616.00	117.01	-----	107.35	33.03	8.26	31.63	0.00	300	226 Average	3	5206.00	97.17	-----	84.99	34.21	9.83	31.86	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	5145.74	50.49	-3.51	38.41	34.19	9.78	31.89	0.00	300	226 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1	2482.00	95.79	-----	88.70	32.59	6.73	32.23	0.00	300	226 Average																																																																																																														
2	3616.00	117.01	-----	107.35	33.03	8.26	31.63	0.00	300	226 Average																																																																																																														
3	5206.00	97.17	-----	84.99	34.21	9.83	31.86	0.00	300	226 Average																																																																																																														





Mode	67																																																										
	Co-location Band Edge																																																										
	802.11ax HE80_CH42_5210MHz_Full																																																										
ANT	CDD 8+10																																																										
Pol.	Horizontal						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5380.25</td><td>53.95</td><td>74.00</td><td>-20.05</td><td>41.13</td><td>34.66</td><td>9.93</td><td>31.77</td><td>0.00</td><td>300</td><td>226</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5380.25	53.95	74.00	-20.05	41.13	34.66	9.93	31.77	0.00	300	226	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5380.25	53.95	74.00	-20.05	41.13	34.66	9.93	31.77	0.00	300	226	PEAK																																															
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5390.25</td><td>43.29</td><td>54.00</td><td>-10.71</td><td>30.56</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>300</td><td>226</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5390.25	43.29	54.00	-10.71	30.56	34.60	9.91	31.78	0.00	300	226	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5390.25	43.29	54.00	-10.71	30.56	34.60	9.91	31.78	0.00	300	226	AVERAGE																																															





		67																																																																																						
Mode	Co-location Band Edge																																																																																							
	802.11ax HE80_CH42_5210MHz_Full																																																																																							
ANT	CDD 8+10																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak																																																																																								
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5132.72</td><td>58.32</td><td>74.00</td><td>-15.68</td><td>46.28</td><td>34.17</td><td>9.77</td><td>31.90</td><td>0.00</td><td>289</td><td>54</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5132.72	58.32	74.00	-15.68	46.28	34.17	9.77	31.90	0.00	289	54	PEAK																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5132.72	58.32	74.00	-15.68	46.28	34.17	9.77	31.90	0.00	289	54	PEAK																																																																												
Avg																																																																																								
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>5144.06</td><td>46.84</td><td>54.00</td><td>-7.16</td><td>34.76</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>289</td><td>54</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	5144.06	46.84	54.00	-7.16	34.76	34.19	9.78	31.89	0.00	289	54	AVERAGE																									
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	5144.06	46.84	54.00	-7.16	34.76	34.19	9.78	31.89	0.00	289	54	AVERAGE																																																																												
Peak																																																																																								
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2452.00</td><td>109.03</td><td>-----</td><td>102.14</td><td>32.41</td><td>6.69</td><td>32.21</td><td>0.00</td><td>289</td><td>54</td><td>Peak</td><td></td></tr><tr><td>2</td><td>3616.00</td><td>104.53</td><td>-----</td><td>94.87</td><td>33.03</td><td>8.26</td><td>31.63</td><td>0.00</td><td>289</td><td>54</td><td>Peak</td><td></td></tr><tr><td>3</td><td>5224.00</td><td>101.57</td><td>-----</td><td>89.33</td><td>34.25</td><td>9.84</td><td>31.85</td><td>0.00</td><td>289</td><td>54</td><td>Peak</td><td></td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	2452.00	109.03	-----	102.14	32.41	6.69	32.21	0.00	289	54	Peak		2	3616.00	104.53	-----	94.87	33.03	8.26	31.63	0.00	289	54	Peak		3	5224.00	101.57	-----	89.33	34.25	9.84	31.85	0.00	289	54	Peak
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2452.00	109.03	-----	102.14	32.41	6.69	32.21	0.00	289	54	Peak																																																																													
2	3616.00	104.53	-----	94.87	33.03	8.26	31.63	0.00	289	54	Peak																																																																													
3	5224.00	101.57	-----	89.33	34.25	9.84	31.85	0.00	289	54	Peak																																																																													
Avg																																																																																								
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>2458.00</td><td>98.45</td><td>-----</td><td>91.52</td><td>32.45</td><td>6.70</td><td>32.22</td><td>0.00</td><td>289</td><td>54</td><td>Average</td><td></td></tr><tr><td>2</td><td>3616.00</td><td>101.12</td><td>-----</td><td>91.46</td><td>33.03</td><td>8.26</td><td>31.63</td><td>0.00</td><td>289</td><td>54</td><td>Average</td><td></td></tr><tr><td>3</td><td>5206.00</td><td>92.99</td><td>-----</td><td>88.81</td><td>34.21</td><td>9.83</td><td>31.86</td><td>0.00</td><td>289</td><td>54</td><td>Average</td><td></td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	2458.00	98.45	-----	91.52	32.45	6.70	32.22	0.00	289	54	Average		2	3616.00	101.12	-----	91.46	33.03	8.26	31.63	0.00	289	54	Average		3	5206.00	92.99	-----	88.81	34.21	9.83	31.86	0.00	289	54	Average
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2458.00	98.45	-----	91.52	32.45	6.70	32.22	0.00	289	54	Average																																																																													
2	3616.00	101.12	-----	91.46	33.03	8.26	31.63	0.00	289	54	Average																																																																													
3	5206.00	92.99	-----	88.81	34.21	9.83	31.86	0.00	289	54	Average																																																																													







Mode	67																																																					
	Co-location Band Edge																																																					
	802.11ax HE80_CH42_5210MHz_Full																																																					
ANT	CDD 8+10																																																					
Pol.	Vertical										Fundamental																																											
Peak											Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.00</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>41.78</td><td>34.77</td><td>9.99</td><td>31.74</td><td>0.00</td><td>289</td><td>54 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.00	54.80	74.00	-19.20	41.78	34.77	9.99	31.74	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5437.00	54.80	74.00	-19.20	41.78	34.77	9.99	31.74	0.00	289	54 PEAK																																											
Avg											Blank																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.25</td><td>42.62</td><td>54.00</td><td>-11.38</td><td>29.88</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>289</td><td>54 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.25	42.62	54.00	-11.38	29.88	34.61	9.91	31.78	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5353.25	42.62	54.00	-11.38	29.88	34.61	9.91	31.78	0.00	289	54 AVERAGE																																											







Mode	67																																																																																																																																																				
	Co-location Harmonic																																																																																																																																																				
	802.11ax HE80_CH42_5210MHz_Full																																																																																																																																																				
ANT	CDD 8+10																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7232.10</td><td>53.66</td><td>68.20</td><td>-14.54</td><td>66.95</td><td>35.60</td><td>11.66</td><td>60.55</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7392.70</td><td>47.24</td><td>74.00</td><td>-26.76</td><td>60.73</td><td>35.70</td><td>11.72</td><td>60.91</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10420.00</td><td>45.98</td><td>68.20</td><td>-22.22</td><td>55.49</td><td>37.58</td><td>14.18</td><td>61.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7232.10	53.66	68.20	-14.54	66.95	35.60	11.66	60.55	0.00	---	Peak	2	7392.70	47.24	74.00	-26.76	60.73	35.70	11.72	60.91	0.00	---	Peak	3	10420.00	45.98	68.20	-22.22	55.49	37.58	14.18	61.27	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7232.10</td><td>51.79</td><td>68.20</td><td>-16.41</td><td>65.08</td><td>35.60</td><td>11.66</td><td>60.55</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7383.90</td><td>45.93</td><td>74.00</td><td>-28.07</td><td>59.40</td><td>35.70</td><td>11.72</td><td>60.89</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10420.00</td><td>46.19</td><td>68.20</td><td>-22.01</td><td>55.84</td><td>37.48</td><td>14.15</td><td>61.28</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7232.10	51.79	68.20	-16.41	65.08	35.60	11.66	60.55	0.00	---	Peak	2	7383.90	45.93	74.00	-28.07	59.40	35.70	11.72	60.89	0.00	---	Peak	3	10420.00	46.19	68.20	-22.01	55.84	37.48	14.15	61.28	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	7232.10	53.66	68.20	-14.54	66.95	35.60	11.66	60.55	0.00	---	Peak																																																																																																																																										
2	7392.70	47.24	74.00	-26.76	60.73	35.70	11.72	60.91	0.00	---	Peak																																																																																																																																										
3	10420.00	45.98	68.20	-22.22	55.49	37.58	14.18	61.27	0.00	---	PEAK																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	7232.10	51.79	68.20	-16.41	65.08	35.60	11.66	60.55	0.00	---	Peak																																																																																																																																										
2	7383.90	45.93	74.00	-28.07	59.40	35.70	11.72	60.89	0.00	---	Peak																																																																																																																																										
3	10420.00	46.19	68.20	-22.01	55.84	37.48	14.15	61.28	0.00	---	PEAK																																																																																																																																										





Mode	67																																																																																																				
	Co-location Band Edge																																																																																																				
	802.11ax HE20_CH11_2462MHz_Full																																																																																																				
ANT	9																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.81</td><td>65.30</td><td>74.00</td><td>-8.70</td><td>52.20</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>147 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.81	65.30	74.00	-8.70	52.20	32.60	6.73	32.23	6.00	100	147 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>111.75</td><td>-----</td><td>-----</td><td>98.74</td><td>32.52</td><td>6.71</td><td>32.22</td><td>6.00</td><td>100</td><td>147 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.75	-----	-----	98.74	32.52	6.71	32.22	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.81	65.30	74.00	-8.70	52.20	32.60	6.73	32.23	6.00	100	147 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	111.75	-----	-----	98.74	32.52	6.71	32.22	6.00	100	147 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>49.14</td><td>54.00</td><td>-4.86</td><td>36.04</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>147 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	49.14	54.00	-4.86	36.04	32.60	6.73	32.23	6.00	100	147 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.97</td><td>-----</td><td>-----</td><td>87.98</td><td>32.50</td><td>6.71</td><td>32.22</td><td>6.00</td><td>100</td><td>147 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.97	-----	-----	87.98	32.50	6.71	32.22	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.51	49.14	54.00	-4.86	36.04	32.60	6.73	32.23	6.00	100	147 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	100.97	-----	-----	87.98	32.50	6.71	32.22	6.00	100	147 AVERAGE																																																																																										







Mode	67																																																																																															
	Co-location Band Edge																																																																																															
	802.11ax HE20_CH11_2462MHz_Full																																																																																															
ANT	9																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.70</td><td>63.03</td><td>74.00</td><td>-10.97</td><td>49.93</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>60 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.70	63.03	74.00	-10.97	49.93	32.60	6.73	32.23	6.00	100	60 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>107.71</td><td>-----</td><td>-----</td><td>94.74</td><td>32.48</td><td>6.71</td><td>32.22</td><td>6.00</td><td>100</td><td>60 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.71	-----	-----	94.74	32.48	6.71	32.22	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2483.70	63.03	74.00	-10.97	49.93	32.60	6.73	32.23	6.00	100	60 PEAK																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2462.00	107.71	-----	-----	94.74	32.48	6.71	32.22	6.00	100	60 PEAK																																																																																					
Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>46.47</td><td>54.00</td><td>-7.53</td><td>33.37</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>60 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	46.47	54.00	-7.53	33.37	32.60	6.73	32.23	6.00	100	60 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>95.72</td><td>-----</td><td>-----</td><td>82.73</td><td>32.50</td><td>6.71</td><td>32.22</td><td>6.00</td><td>100</td><td>60 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.72	-----	-----	82.73	32.50	6.71	32.22	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2483.51	46.47	54.00	-7.53	33.37	32.60	6.73	32.23	6.00	100	60 AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2462.00	95.72	-----	-----	82.73	32.50	6.71	32.22	6.00	100	60 AVERAGE																																																																																					







Mode	67																																																																																																																																																																			
	Co-location Harmonic																																																																																																																																																																			
	802.11ax HE20_CH11_2462MHz_Full																																																																																																																																																																			
ANT	9																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>56.16</td><td>74.00</td><td>-17.84</td><td>73.73</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>322 219 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>45.64</td><td>54.00</td><td>-8.36</td><td>63.21</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>322 219 AVERAGE</td></tr><tr><td>3</td><td>4960.00</td><td>43.65</td><td>74.00</td><td>-30.35</td><td>61.20</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>--- --- Peak</td></tr><tr><td>4</td><td>5210.00</td><td>62.06</td><td>74.00</td><td>-11.14</td><td>79.71</td><td>34.22</td><td>9.84</td><td>60.91</td><td>0.00</td><td>--- --- Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	56.16	74.00	-17.84	73.73	34.05	9.57	61.19	0.00	322 219 PEAK	2	4924.00	45.64	54.00	-8.36	63.21	34.05	9.57	61.19	0.00	322 219 AVERAGE	3	4960.00	43.65	74.00	-30.35	61.20	34.00	9.61	61.16	0.00	--- --- Peak	4	5210.00	62.06	74.00	-11.14	79.71	34.22	9.84	60.91	0.00	--- --- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>56.13</td><td>74.00</td><td>-17.87</td><td>73.70</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>308 55 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>44.65</td><td>54.00</td><td>-9.35</td><td>62.22</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>308 55 AVERAGE</td></tr><tr><td>3</td><td>4960.00</td><td>41.48</td><td>74.00</td><td>-32.52</td><td>59.03</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>--- --- Peak</td></tr><tr><td>4</td><td>5210.00</td><td>58.65</td><td>74.00</td><td>-15.35</td><td>75.50</td><td>34.22</td><td>9.84</td><td>60.91</td><td>0.00</td><td>--- --- Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	56.13	74.00	-17.87	73.70	34.05	9.57	61.19	0.00	308 55 PEAK	2	4924.00	44.65	54.00	-9.35	62.22	34.05	9.57	61.19	0.00	308 55 AVERAGE	3	4960.00	41.48	74.00	-32.52	59.03	34.00	9.61	61.16	0.00	--- --- Peak	4	5210.00	58.65	74.00	-15.35	75.50	34.22	9.84	60.91	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4924.00	56.16	74.00	-17.84	73.73	34.05	9.57	61.19	0.00	322 219 PEAK																																																																																																																																																										
2	4924.00	45.64	54.00	-8.36	63.21	34.05	9.57	61.19	0.00	322 219 AVERAGE																																																																																																																																																										
3	4960.00	43.65	74.00	-30.35	61.20	34.00	9.61	61.16	0.00	--- --- Peak																																																																																																																																																										
4	5210.00	62.06	74.00	-11.14	79.71	34.22	9.84	60.91	0.00	--- --- Peak																																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4924.00	56.13	74.00	-17.87	73.70	34.05	9.57	61.19	0.00	308 55 PEAK																																																																																																																																																										
2	4924.00	44.65	54.00	-9.35	62.22	34.05	9.57	61.19	0.00	308 55 AVERAGE																																																																																																																																																										
3	4960.00	41.48	74.00	-32.52	59.03	34.00	9.61	61.16	0.00	--- --- Peak																																																																																																																																																										
4	5210.00	58.65	74.00	-15.35	75.50	34.22	9.84	60.91	0.00	--- --- Peak																																																																																																																																																										

Note: #4 is co-location of WLAN 5G CH42 fundmental signal.







		67																																																																																																												
Mode		Co-location Band Edge																																																																																																												
		2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																												
ANT		7																																																																																																												
Pol.		Horizontal					Fundamental																																																																																																							
Peak																																																																																																														
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.80</td><td>62.20</td><td>74.00</td><td>-11.80</td><td>49.10</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>126</td><td>281 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	62.20	74.00	-11.80	49.10	32.60	6.73	32.23	6.00	126	281 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.74</td><td>-----</td><td>-----</td><td>91.73</td><td>32.52</td><td>6.71</td><td>32.22</td><td>6.00</td><td>126</td><td>281 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.74	-----	-----	91.73	32.52	6.71	32.22	6.00	126
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2483.80	62.20	74.00	-11.80	49.10	32.60	6.73	32.23	6.00	126	281 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2480.00	104.74	-----	-----	91.73	32.52	6.71	32.22	6.00	126	281 PEAK																																																																																																			
Avg																																																																																																														
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>50.33</td><td>54.00</td><td>-3.67</td><td>37.23</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>126</td><td>281 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	50.33	54.00	-3.67	37.23	32.60	6.73	32.23	6.00	126	281 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.24</td><td>-----</td><td>-----</td><td>87.16</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>126</td><td>281 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.24	-----	-----	87.16	32.58	6.73	32.23	6.00	126
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2483.68	50.33	54.00	-3.67	37.23	32.60	6.73	32.23	6.00	126	281 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2480.00	100.24	-----	-----	87.16	32.58	6.73	32.23	6.00	126	281 AVERAGE																																																																																																			



Mode	67																																																																																																				
	Co-location Band Edge																																																																																																				
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																				
ANT	7																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>57.45</td><td>74.00</td><td>-16.55</td><td>44.35</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>276</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	57.45	74.00	-16.55	44.35	32.60	6.73	32.23	6.00	276	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.36</td><td>-----</td><td>-----</td><td>84.28</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>276</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.36	-----	-----	84.28	32.58	6.73	32.23	6.00	276
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.50	57.45	74.00	-16.55	44.35	32.60	6.73	32.23	6.00	276	0 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	97.36	-----	-----	84.28	32.58	6.73	32.23	6.00	276	0 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.10</td><td>46.65</td><td>54.00</td><td>-7.35</td><td>33.55</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>276</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.10	46.65	54.00	-7.35	33.55	32.60	6.73	32.23	6.00	276	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.10</td><td>-----</td><td>-----</td><td>82.02</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>276</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.10	-----	-----	82.02	32.58	6.73	32.23	6.00	276
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2484.10	46.65	54.00	-7.35	33.55	32.60	6.73	32.23	6.00	276	0 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	95.10	-----	-----	82.02	32.58	6.73	32.23	6.00	276	0 AVERAGE																																																																																										





		68																																																																																																												
Mode		Co-location Band Edge																																																																																																												
		802.11ax HE20_CH11_2462MHz_Full																																																																																																												
ANT		CDD 7+9																																																																																																												
Pol.		Horizontal					Fundamental																																																																																																							
Peak																																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.81	67.91	74.00	-6.09	54.81	32.60	6.73	32.23	6.00	108											297 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>113.95</td><td>-----</td><td>-----</td><td>101.01</td><td>32.46</td><td>6.70</td><td>32.22</td><td>6.00</td><td>108</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>297 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	113.95	-----	-----	101.01	32.46	6.70	32.22	6.00	108										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2483.81	67.91	74.00	-6.09	54.81	32.60	6.73	32.23	6.00	108																																																																																																				
										297 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2462.00	113.95	-----	-----	101.01	32.46	6.70	32.22	6.00	108																																																																																																				
										297 PEAK																																																																																																				
Avg																																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	50.99	54.00	-3.01	37.89	32.60	6.73	32.23	6.00	108											297 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.26</td><td>-----</td><td>-----</td><td>91.32</td><td>32.46</td><td>6.70</td><td>32.22</td><td>6.00</td><td>108</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>297 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.26	-----	-----	91.32	32.46	6.70	32.22	6.00	108										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2483.51	50.99	54.00	-3.01	37.89	32.60	6.73	32.23	6.00	108																																																																																																				
										297 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2462.00	104.26	-----	-----	91.32	32.46	6.70	32.22	6.00	108																																																																																																				
										297 AVERAGE																																																																																																				







		68																																																					
Mode		Co-location Band Edge																																																					
		802.11ax HE20_CH11_2462MHz_Full																																																					
ANT		CDD 7+9																																																					
Pol.		Vertical					Fundamental																																																
Peak																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.77</td><td>63.45</td><td>74.00</td><td>-10.55</td><td>50.35</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>244</td><td>0 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.77	63.45	74.00	-10.55	50.35	32.60	6.73	32.23	6.00	244
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.77	63.45	74.00	-10.55	50.35	32.60	6.73	32.23	6.00	244	0 PEAK																																												
Peak																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>108.87</td><td>-----</td><td>-----</td><td>95.88</td><td>32.50</td><td>6.71</td><td>32.22</td><td>6.00</td><td>244</td><td>0 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.87	-----	-----	95.88	32.50	6.71	32.22	6.00	244
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	108.87	-----	-----	95.88	32.50	6.71	32.22	6.00	244	0 PEAK																																												
Peak Avg																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>47.74</td><td>54.00</td><td>-6.26</td><td>34.64</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>244</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	47.74	54.00	-6.26	34.64	32.60	6.73	32.23	6.00	244
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.51	47.74	54.00	-6.26	34.64	32.60	6.73	32.23	6.00	244	0 AVERAGE																																												
Peak Avg																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>98.19</td><td>-----</td><td>-----</td><td>85.22</td><td>32.48</td><td>6.71</td><td>32.22</td><td>6.00</td><td>244</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.19	-----	-----	85.22	32.48	6.71	32.22	6.00	244
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	98.19	-----	-----	85.22	32.48	6.71	32.22	6.00	244	0 AVERAGE																																												





Mode	68																																																																																																																																																											
	Co-location Harmonic																																																																																																																																																											
	802.11ax HE20_CH11_2462MHz_Full																																																																																																																																																											
ANT	CDD 7+9																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>57.74</td><td>74.00</td><td>-16.26</td><td>75.31</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>102</td><td>118</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>47.00</td><td>54.00</td><td>-7.00</td><td>64.56</td><td>34.04</td><td>9.58</td><td>61.18</td><td>0.00</td><td>102</td><td>118</td><td>AVERAGE</td></tr><tr><td>3</td><td>5210.00</td><td>58.10</td><td>74.00</td><td>-15.90</td><td>74.95</td><td>34.22</td><td>9.84</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	57.74	74.00	-16.26	75.31	34.05	9.57	61.19	0.00	102	118	PEAK	2	4924.00	47.00	54.00	-7.00	64.56	34.04	9.58	61.18	0.00	102	118	AVERAGE	3	5210.00	58.10	74.00	-15.90	74.95	34.22	9.84	60.91	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>55.36</td><td>74.00</td><td>-18.64</td><td>72.93</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>114</td><td>349</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>45.14</td><td>54.00</td><td>-8.86</td><td>62.71</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>114</td><td>349</td><td>AVERAGE</td></tr><tr><td>3</td><td>5210.00</td><td>59.67</td><td>74.00</td><td>-14.33</td><td>76.52</td><td>34.22</td><td>9.84</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	55.36	74.00	-18.64	72.93	34.05	9.57	61.19	0.00	114	349	PEAK	2	4924.00	45.14	54.00	-8.86	62.71	34.05	9.57	61.19	0.00	114	349	AVERAGE	3	5210.00	59.67	74.00	-14.33	76.52	34.22	9.84	60.91	0.00	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	4924.00	57.74	74.00	-16.26	75.31	34.05	9.57	61.19	0.00	102	118	PEAK																																																																																																																																																
2	4924.00	47.00	54.00	-7.00	64.56	34.04	9.58	61.18	0.00	102	118	AVERAGE																																																																																																																																																
3	5210.00	58.10	74.00	-15.90	74.95	34.22	9.84	60.91	0.00	---	---	Peak																																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	4924.00	55.36	74.00	-18.64	72.93	34.05	9.57	61.19	0.00	114	349	PEAK																																																																																																																																																
2	4924.00	45.14	54.00	-8.86	62.71	34.05	9.57	61.19	0.00	114	349	AVERAGE																																																																																																																																																
3	5210.00	59.67	74.00	-14.33	76.52	34.22	9.84	60.91	0.00	---	---	Peak																																																																																																																																																

Note: #3 is co-location of WLAN 5G CH42 fundmental signal.







		68																																																																																																											
Mode		Co-location Band Edge																																																																																																											
		802.11ax HE80_CH42_5210MHz_Full																																																																																																											
ANT		CDD 8+10																																																																																																											
Pol.		Horizontal					Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5144.69</td><td>61.70</td><td>74.00</td><td>-12.30</td><td>49.62</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>300</td><td>46 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.69	61.70	74.00	-12.30	49.62	34.19	9.78	31.89	0.00	300	46 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2464.00</td><td>109.04</td><td>-----</td><td>102.07</td><td>32.48</td><td>6.71</td><td>32.22</td><td>0.00</td><td>300</td><td>46 Peak</td></tr><tr><td>2</td><td>5206.00</td><td>105.46</td><td>-----</td><td>93.28</td><td>34.21</td><td>9.83</td><td>31.86</td><td>0.00</td><td>300</td><td>46 Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2464.00	109.04	-----	102.07	32.48	6.71	32.22	0.00	300	46 Peak	2	5206.00	105.46	-----	93.28	34.21	9.83	31.86	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5144.69	61.70	74.00	-12.30	49.62	34.19	9.78	31.89	0.00	300	46 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2464.00	109.04	-----	102.07	32.48	6.71	32.22	0.00	300	46 Peak																																																																																																			
2	5206.00	105.46	-----	93.28	34.21	9.83	31.86	0.00	300	46 Peak																																																																																																			
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5146.16</td><td>50.25</td><td>54.00</td><td>-3.75</td><td>38.17</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>300</td><td>46 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.16	50.25	54.00	-3.75	38.17	34.19	9.78	31.89	0.00	300	46 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2464.00</td><td>100.16</td><td>-----</td><td>93.19</td><td>32.48</td><td>6.71</td><td>32.22</td><td>0.00</td><td>300</td><td>46 Average</td></tr><tr><td>2</td><td>5210.00</td><td>96.16</td><td>-----</td><td>83.96</td><td>34.22</td><td>9.84</td><td>31.86</td><td>0.00</td><td>300</td><td>46 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2464.00	100.16	-----	93.19	32.48	6.71	32.22	0.00	300	46 Average	2	5210.00	96.16	-----	83.96	34.22	9.84	31.86	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5146.16	50.25	54.00	-3.75	38.17	34.19	9.78	31.89	0.00	300	46 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2464.00	100.16	-----	93.19	32.48	6.71	32.22	0.00	300	46 Average																																																																																																			
2	5210.00	96.16	-----	83.96	34.22	9.84	31.86	0.00	300	46 AVERAGE																																																																																																			





Mode	68																																																							
	Co-location Band Edge																																																							
	802.11ax HE80_CH42_5210MHz_Full																																																							
ANT	CDD 8+10																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.75</td><td>53.84</td><td>74.00</td><td>-20.16</td><td>41.11</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>300</td><td>46 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.75	53.84	74.00	-20.16	41.11	34.60	9.91	31.78	0.00	300	46 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.75	53.84	74.00	-20.16	41.11	34.60	9.91	31.78	0.00	300	46 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>42.91</td><td>54.00</td><td>-11.09</td><td>30.18</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>300</td><td>46 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	42.91	54.00	-11.09	30.18	34.60	9.91	31.78	0.00	300	46 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.00	42.91	54.00	-11.09	30.18	34.60	9.91	31.78	0.00	300	46 AVERAGE																																													




		68																																																																																																																									
Mode		Co-location Band Edge																																																																																																																									
		802.11ax HE80_CH42_5210MHz_Full																																																																																																																									
ANT		CDD 8+10																																																																																																																									
Pol.		Fundamental																																																																																																																									
Peak	Vertical																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5135.87</td><td>58.44</td><td>74.00</td><td>-15.56</td><td>46.40</td><td>34.17</td><td>9.77</td><td>31.90</td><td>0.00</td><td>300</td><td>225 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.87	58.44	74.00	-15.56	46.40	34.17	9.77	31.90	0.00	300	225 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2464.00</td><td>107.69</td><td>-----</td><td>-----</td><td>100.72</td><td>32.48</td><td>6.71</td><td>32.22</td><td>0.00</td><td>300</td><td>225 Peak</td></tr><tr><td>2</td><td>5210.00</td><td>101.69</td><td>-----</td><td>-----</td><td>89.49</td><td>34.22</td><td>9.84</td><td>31.86</td><td>0.00</td><td>300</td><td>225 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2464.00	107.69	-----	-----	100.72	32.48	6.71	32.22	0.00	300	225 Peak	2	5210.00	101.69	-----	-----	89.49	34.22	9.84	31.86	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5135.87	58.44	74.00	-15.56	46.40	34.17	9.77	31.90	0.00	300	225 PEAK																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	2464.00	107.69	-----	-----	100.72	32.48	6.71	32.22	0.00	300	225 Peak																																																																																																																
2	5210.00	101.69	-----	-----	89.49	34.22	9.84	31.86	0.00	300	225 PEAK																																																																																																																
Avg	Vertical																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5144.27</td><td>46.81</td><td>54.00</td><td>-7.19</td><td>34.73</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>300</td><td>225 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.27	46.81	54.00	-7.19	34.73	34.19	9.78	31.89	0.00	300	225 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2464.00</td><td>100.00</td><td>-----</td><td>-----</td><td>93.11</td><td>32.48</td><td>6.71</td><td>32.22</td><td>0.00</td><td>300</td><td>225 Average</td></tr><tr><td>2</td><td>5210.00</td><td>91.00</td><td>-----</td><td>-----</td><td>78.88</td><td>34.22</td><td>9.84</td><td>31.86</td><td>0.00</td><td>300</td><td>225 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2464.00	100.00	-----	-----	93.11	32.48	6.71	32.22	0.00	300	225 Average	2	5210.00	91.00	-----	-----	78.88	34.22	9.84	31.86	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	5144.27	46.81	54.00	-7.19	34.73	34.19	9.78	31.89	0.00	300	225 AVERAGE																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1	2464.00	100.00	-----	-----	93.11	32.48	6.71	32.22	0.00	300	225 Average																																																																																																																
2	5210.00	91.00	-----	-----	78.88	34.22	9.84	31.86	0.00	300	225 AVERAGE																																																																																																																







Mode	68																																																									
	Co-location Band Edge																																																									
	802.11ax HE80_CH42_5210MHz_Full																																																									
ANT	CDD 8+10																																																									
Pol.	Horizontal						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.25</td><td>53.87</td><td>74.00</td><td>-20.13</td><td>41.13</td><td>34.61</td><td>9.91</td><td>31.78</td><td>0.00</td><td>300</td><td>225</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.25	53.87	74.00	-20.13	41.13	34.61	9.91	31.78	0.00	300	225	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	5354.25	53.87	74.00	-20.13	41.13	34.61	9.91	31.78	0.00	300	225	PEAK																																														
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.50</td><td>42.29</td><td>54.00</td><td>-11.71</td><td>29.22</td><td>34.78</td><td>10.02</td><td>31.73</td><td>0.00</td><td>300</td><td>225</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.50	42.29	54.00	-11.71	29.22	34.78	10.02	31.73	0.00	300	225	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	5458.50	42.29	54.00	-11.71	29.22	34.78	10.02	31.73	0.00	300	225	AVERAGE																																														





		68																																																																						
Mode		Co-location Harmonic																																																																						
		802.11ax HE80_CH42_5210MHz_Full																																																																						
ANT		CDD 8+10																																																																						
Pol.		Horizontal																																																																						
Peak Avg																																																																								
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7375.10</td><td>48.26</td><td>74.00</td><td>-25.74</td><td>61.72</td><td>35.70</td><td>11.71</td><td>60.87</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10420.00</td><td>45.46</td><td>68.20</td><td>-22.74</td><td>55.06</td><td>37.51</td><td>14.16</td><td>61.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7375.10	48.26	74.00	-25.74	61.72	35.70	11.71	60.87	0.00	---	Peak	2	10420.00	45.46	68.20	-22.74	55.06	37.51	14.16	61.27	0.00	---	PEAK	
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	7375.10	48.26	74.00	-25.74	61.72	35.70	11.71	60.87	0.00	---	Peak																																																													
2	10420.00	45.46	68.20	-22.74	55.06	37.51	14.16	61.27	0.00	---	PEAK																																																													
		<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7399.30</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>62.43</td><td>35.70</td><td>11.73</td><td>60.92</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10420.00</td><td>46.44</td><td>68.20</td><td>-21.76</td><td>56.06</td><td>37.50</td><td>14.16</td><td>61.28</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7399.30	48.94	74.00	-25.06	62.43	35.70	11.73	60.92	0.00	---	Peak	2	10420.00	46.44	68.20	-21.76	56.06	37.50	14.16	61.28	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	7399.30	48.94	74.00	-25.06	62.43	35.70	11.73	60.92	0.00	---	Peak																																																													
2	10420.00	46.44	68.20	-21.76	56.06	37.50	14.16	61.28	0.00	---	PEAK																																																													
		<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7399.30</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>62.43</td><td>35.70</td><td>11.73</td><td>60.92</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10420.00</td><td>46.44</td><td>68.20</td><td>-21.76</td><td>56.06</td><td>37.50</td><td>14.16</td><td>61.28</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7399.30	48.94	74.00	-25.06	62.43	35.70	11.73	60.92	0.00	---	Peak	2	10420.00	46.44	68.20	-21.76	56.06	37.50	14.16	61.28	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	7399.30	48.94	74.00	-25.06	62.43	35.70	11.73	60.92	0.00	---	Peak																																																													
2	10420.00	46.44	68.20	-21.76	56.06	37.50	14.16	61.28	0.00	---	PEAK																																																													







		69																																																																
Mode		Co-location Band Edge																																																																
		802.11ax HE80_CH42_5210MHz_Full																																																																
ANT		CDD 8+10																																																																
Pol.		Horizontal																																																																
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.79</td><td>60.58</td><td>74.00</td><td>-13.42</td><td>48.50</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>350</td><td>45 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.79	60.58	74.00	-13.42	48.50	34.19	9.78	31.89	0.00	350	45 PEAK									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5146.79	60.58	74.00	-13.42	48.50	34.19	9.78	31.89	0.00	350	45 PEAK																																																							
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2458.00</td><td>103.79</td><td>-----</td><td>96.86</td><td>32.45</td><td>6.70</td><td>32.22</td><td>0.00</td><td>350</td><td>45 Peak</td></tr><tr><td>2</td><td>5210.00</td><td>104.40</td><td>-----</td><td>92.22</td><td>34.21</td><td>9.83</td><td>31.86</td><td>0.00</td><td>350</td><td>45 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2458.00	103.79	-----	96.86	32.45	6.70	32.22	0.00	350	45 Peak	2	5210.00	104.40	-----	92.22	34.21	9.83	31.86	0.00	350
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2458.00	103.79	-----	96.86	32.45	6.70	32.22	0.00	350	45 Peak																																																								
2	5210.00	104.40	-----	92.22	34.21	9.83	31.86	0.00	350	45 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.16</td><td>48.84</td><td>54.00</td><td>-5.16</td><td>36.76</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>350</td><td>45 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.16	48.84	54.00	-5.16	36.76	34.19	9.78	31.89	0.00	350	45 AVERAGE									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5146.16	48.84	54.00	-5.16	36.76	34.19	9.78	31.89	0.00	350	45 AVERAGE																																																							
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2458.00</td><td>92.72</td><td>-----</td><td>85.79</td><td>32.45</td><td>6.70</td><td>32.22</td><td>0.00</td><td>350</td><td>45 Average</td></tr><tr><td>2</td><td>5210.00</td><td>95.45</td><td>-----</td><td>83.27</td><td>34.21</td><td>9.83</td><td>31.86</td><td>0.00</td><td>350</td><td>45 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2458.00	92.72	-----	85.79	32.45	6.70	32.22	0.00	350	45 Average	2	5210.00	95.45	-----	83.27	34.21	9.83	31.86	0.00	350
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	2458.00	92.72	-----	85.79	32.45	6.70	32.22	0.00	350	45 Average																																																								
2	5210.00	95.45	-----	83.27	34.21	9.83	31.86	0.00	350	45 AVERAGE																																																								





Mode	69																																																									
	Co-location Band Edge																																																									
	802.11ax HE80_CH42_5210MHz_Full																																																									
ANT	CDD 8+10																																																									
Pol.	Horizontal						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.00</td><td>53.33</td><td>74.00</td><td>-20.67</td><td>40.31</td><td>34.77</td><td>9.99</td><td>31.74</td><td>0.00</td><td>300</td><td>254</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5436.00	53.33	74.00	-20.67	40.31	34.77	9.99	31.74	0.00	300	254	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5436.00	53.33	74.00	-20.67	40.31	34.77	9.99	31.74	0.00	300	254	PEAK																																														
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.75</td><td>42.26</td><td>54.00</td><td>-11.74</td><td>29.18</td><td>34.79</td><td>10.02</td><td>31.73</td><td>0.00</td><td>300</td><td>254</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5455.75	42.26	54.00	-11.74	29.18	34.79	10.02	31.73	0.00	300	254	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5455.75	42.26	54.00	-11.74	29.18	34.79	10.02	31.73	0.00	300	254	AVERAGE																																														





		69																																																																																																																													
Mode		Co-location Band Edge																																																																																																																													
		802.11ax HE80_CH42_5210MHz_Full																																																																																																																													
ANT		CDD 8+10																																																																																																																													
Pol.		Vertical											Fundamental																																																																																																																		
Peak																																																																																																																															
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5112.77</td><td>57.00</td><td>74.00</td><td>-16.92</td><td>45.11</td><td>34.13</td><td>9.75</td><td>31.91</td><td>0.00</td><td>300</td><td>254</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5112.77	57.00	74.00	-16.92	45.11	34.13	9.75	31.91	0.00	300	254	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2458.00</td><td>107.19</td><td>-----</td><td>-----</td><td>100.26</td><td>32.45</td><td>6.70</td><td>32.22</td><td>0.00</td><td>300</td><td>254</td><td>Peak</td></tr><tr><td>2</td><td>5194.00</td><td>101.45</td><td>-----</td><td>-----</td><td>89.29</td><td>34.20</td><td>9.83</td><td>31.87</td><td>0.00</td><td>300</td><td>254</td><td>Peak</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2458.00	107.19	-----	-----	100.26	32.45	6.70	32.22	0.00	300	254	Peak	2	5194.00	101.45	-----	-----	89.29	34.20	9.83	31.87	0.00	300	254
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5112.77	57.00	74.00	-16.92	45.11	34.13	9.75	31.91	0.00	300	254	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	2458.00	107.19	-----	-----	100.26	32.45	6.70	32.22	0.00	300	254	Peak																																																																																																																			
2	5194.00	101.45	-----	-----	89.29	34.20	9.83	31.87	0.00	300	254	Peak																																																																																																																			
Avg																																																																																																																															
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.85</td><td>44.93</td><td>54.00</td><td>-9.07</td><td>32.85</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>300</td><td>254</td><td>AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.85	44.93	54.00	-9.07	32.85	34.19	9.78	31.89	0.00	300	254	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2458.00</td><td>97.78</td><td>-----</td><td>-----</td><td>90.85</td><td>32.45</td><td>6.70</td><td>32.22</td><td>0.00</td><td>300</td><td>254</td><td>Average</td></tr><tr><td>2</td><td>5194.00</td><td>92.35</td><td>-----</td><td>-----</td><td>80.19</td><td>34.20</td><td>9.83</td><td>31.87</td><td>0.00</td><td>300</td><td>254</td><td>Average</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2458.00	97.78	-----	-----	90.85	32.45	6.70	32.22	0.00	300	254	Average	2	5194.00	92.35	-----	-----	80.19	34.20	9.83	31.87	0.00	300	254
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5143.85	44.93	54.00	-9.07	32.85	34.19	9.78	31.89	0.00	300	254	AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	2458.00	97.78	-----	-----	90.85	32.45	6.70	32.22	0.00	300	254	Average																																																																																																																			
2	5194.00	92.35	-----	-----	80.19	34.20	9.83	31.87	0.00	300	254	Average																																																																																																																			







Mode	69																																									
	Co-location Band Edge																																									
	802.11ax HE80_CH42_5210MHz_Full																																									
ANT	CDD 8+10																																									
Pol.	Horizontal							Fundamental																																		
Peak								Blank																																		
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5434.50</td><td>53.32</td><td>74.00</td><td>-20.68</td><td>40.30</td><td>34.77</td><td>9.99</td><td>31.74</td><td>0.00</td><td>350</td><td>45 PEAK</td></tr></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5434.50	53.32	74.00	-20.68	40.30	34.77
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																															
1	5434.50	53.32	74.00	-20.68	40.30	34.77	9.99	31.74	0.00	350	45 PEAK																															
Avg								Blank																																		
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.00</td><td>42.67</td><td>54.00</td><td>-11.33</td><td>29.94</td><td>34.60</td><td>9.91</td><td>31.78</td><td>0.00</td><td>350</td><td>45 AVERAGE</td></tr></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5351.00	42.67	54.00	-11.33	29.94	34.60
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																															
1	5351.00	42.67	54.00	-11.33	29.94	34.60	9.91	31.78	0.00	350	45 AVERAGE																															







Mode	69																																																																																																																																																													
	Co-location Harmonic																																																																																																																																																													
	802.11ax HE80_CH42_5210MHz_Full																																																																																																																																																													
ANT	CDD 8+10																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7393.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>58.27</td><td>35.70</td><td>11.72</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10420.00</td><td>47.27</td><td>68.20</td><td>-20.93</td><td>56.83</td><td>37.54</td><td>14.17</td><td>61.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>3</td><td>15525.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>52.85</td><td>40.05</td><td>17.51</td><td>63.80</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7393.00	44.78	74.00	-29.22	58.27	35.70	11.72	60.91	0.00	---	---	Peak	2	10420.00	47.27	68.20	-20.93	56.83	37.54	14.17	61.27	0.00	---	---	PEAK	3	15525.00	46.61	74.00	-27.39	52.85	40.05	17.51	63.80	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7377.30</td><td>53.71</td><td>74.00</td><td>-20.29</td><td>67.18</td><td>35.70</td><td>11.71</td><td>60.88</td><td>0.00</td><td>300</td><td>297</td><td>Peak</td></tr><tr><td>2</td><td>7377.30</td><td>40.76</td><td>54.00</td><td>-13.24</td><td>54.23</td><td>35.70</td><td>11.71</td><td>60.88</td><td>0.00</td><td>305</td><td>294</td><td>Average</td></tr><tr><td>3</td><td>10420.00</td><td>46.29</td><td>68.20</td><td>-21.91</td><td>55.78</td><td>37.59</td><td>14.19</td><td>61.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7377.30	53.71	74.00	-20.29	67.18	35.70	11.71	60.88	0.00	300	297	Peak	2	7377.30	40.76	54.00	-13.24	54.23	35.70	11.71	60.88	0.00	305	294	Average	3	10420.00	46.29	68.20	-21.91	55.78	37.59	14.19	61.27	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	7393.00	44.78	74.00	-29.22	58.27	35.70	11.72	60.91	0.00	---	---	Peak																																																																																																																																																		
2	10420.00	47.27	68.20	-20.93	56.83	37.54	14.17	61.27	0.00	---	---	PEAK																																																																																																																																																		
3	15525.00	46.61	74.00	-27.39	52.85	40.05	17.51	63.80	0.00	---	---	Peak																																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	7377.30	53.71	74.00	-20.29	67.18	35.70	11.71	60.88	0.00	300	297	Peak																																																																																																																																																		
2	7377.30	40.76	54.00	-13.24	54.23	35.70	11.71	60.88	0.00	305	294	Average																																																																																																																																																		
3	10420.00	46.29	68.20	-21.91	55.78	37.59	14.19	61.27	0.00	---	---	PEAK																																																																																																																																																		







Mode	69																																																																																																																							
	Co-location Band Edge																																																																																																																							
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																							
ANT	7																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.80</td><td>62.94</td><td>74.00</td><td>-11.06</td><td>49.84</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>299 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	62.94	74.00	-11.06	49.84	32.60	6.73	32.23	6.00	100											299 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>108.41</td><td>-----</td><td>-----</td><td>95.49</td><td>32.44</td><td>6.70</td><td>32.22</td><td>6.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>299 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	108.41	-----	-----	95.49	32.44	6.70	32.22	6.00	100										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2483.80	62.94	74.00	-11.06	49.84	32.60	6.73	32.23	6.00	100																																																																																																														
										299 PEAK																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2480.00	108.41	-----	-----	95.49	32.44	6.70	32.22	6.00	100																																																																																																														
										299 PEAK																																																																																																														
Avg																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>37.56</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>299 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	50.66	54.00	-3.34	37.56	32.60	6.73	32.23	6.00	100											299 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>100.73</td><td>-----</td><td>-----</td><td>87.65</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>299 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.73	-----	-----	87.65	32.58	6.73	32.23	6.00	100										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2483.62	50.66	54.00	-3.34	37.56	32.60	6.73	32.23	6.00	100																																																																																																														
										299 AVERAGE																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	2480.00	100.73	-----	-----	87.65	32.58	6.73	32.23	6.00	100																																																																																																														
										299 AVERAGE																																																																																																														







Mode	69																																																																																																			
	Co-location Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																			
ANT	7																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.80</td><td>55.22</td><td>74.00</td><td>-18.78</td><td>42.12</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>247</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	55.22	74.00	-18.78	42.12	32.60	6.73	32.23	6.00	247	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.24</td><td>-----</td><td>-----</td><td>84.16</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>247</td><td>0 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.24	-----	-----	84.16	32.58	6.73	32.23	6.00	247
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.80	55.22	74.00	-18.78	42.12	32.60	6.73	32.23	6.00	247	0 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	97.24	-----	-----	84.16	32.58	6.73	32.23	6.00	247	0 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.44</td><td>45.66</td><td>54.00</td><td>-8.34</td><td>32.48</td><td>32.67</td><td>6.75</td><td>32.24</td><td>6.00</td><td>247</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.44	45.66	54.00	-8.34	32.48	32.67	6.75	32.24	6.00	247	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.84</td><td>-----</td><td>-----</td><td>81.76</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>247</td><td>0 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.84	-----	-----	81.76	32.58	6.73	32.23	6.00	247
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2495.44	45.66	54.00	-8.34	32.48	32.67	6.75	32.24	6.00	247	0 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	94.84	-----	-----	81.76	32.58	6.73	32.23	6.00	247	0 AVERAGE																																																																																									





		69																																																																																						
Mode		Co-location Band Edge																																																																																						
		802.11ax HE20_CH11_2462MHz_Full																																																																																						
ANT		9																																																																																						
Pol.	Horizontal										Fundamental																																																																													
Peak																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	68.79	74.00	-5.21	55.69	32.60	6.73	32.23	6.00	162 145 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>111.27</td><td>-----</td><td>-----</td><td>98.32</td><td>32.47</td><td>6.70</td><td>32.22</td><td>6.00</td><td>162 145 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.27	-----	-----	98.32	32.47	6.70	32.22	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2483.62	68.79	74.00	-5.21	55.69	32.60	6.73	32.23	6.00	162 145 PEAK																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2462.00	111.27	-----	-----	98.32	32.47	6.70	32.22	6.00	162 145 PEAK																																																																														
Avg																																																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	51.63	54.00	-2.37	38.53	32.60	6.73	32.23	6.00	162 145 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>100.71</td><td>-----</td><td>-----</td><td>87.72</td><td>32.50</td><td>6.71</td><td>32.22</td><td>6.00</td><td>162 145 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.71	-----	-----	87.72	32.50	6.71	32.22	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2483.51	51.63	54.00	-2.37	38.53	32.60	6.73	32.23	6.00	162 145 AVERAGE																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2462.00	100.71	-----	-----	87.72	32.50	6.71	32.22	6.00	162 145 AVERAGE																																																																														



		69																																																																																															
Mode		Co-location Band Edge																																																																																															
		802.11ax HE20_CH11_2462MHz_Full																																																																																															
ANT		9																																																																																															
Pol.		Vertical					Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.46</td><td>60.62</td><td>74.00</td><td>-13.38</td><td>47.51</td><td>32.61</td><td>6.73</td><td>32.23</td><td>6.00</td><td>373 32 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.46	60.62	74.00	-13.38	47.51	32.61	6.73	32.23	6.00	373 32 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>106.59</td><td>-----</td><td>-----</td><td>93.66</td><td>32.45</td><td>6.70</td><td>32.22</td><td>6.00</td><td>373 32 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.59	-----	-----	93.66	32.45	6.70	32.22	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2484.46	60.62	74.00	-13.38	47.51	32.61	6.73	32.23	6.00	373 32 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	106.59	-----	-----	93.66	32.45	6.70	32.22	6.00	373 32 PEAK																																																																																							
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.55</td><td>46.58</td><td>54.00</td><td>-7.42</td><td>33.48</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>373 32 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.55	46.58	54.00	-7.42	33.48	32.60	6.73	32.23	6.00	373 32 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>95.94</td><td>-----</td><td>-----</td><td>83.02</td><td>32.44</td><td>6.70</td><td>32.22</td><td>6.00</td><td>373 32 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.94	-----	-----	83.02	32.44	6.70	32.22	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.55	46.58	54.00	-7.42	33.48	32.60	6.73	32.23	6.00	373 32 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2462.00	95.94	-----	-----	83.02	32.44	6.70	32.22	6.00	373 32 AVERAGE																																																																																							



Mode	69																																																																																																																																																																																				
	Co-location Harmonic																																																																																																																																																																																				
	802.11ax HE20_CH11_2462MHz_Full																																																																																																																																																																																				
ANT	9																																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																																														
Peak Avg																																																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>70.61</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>320</td><td>342</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>42.79</td><td>54.00</td><td>-11.21</td><td>60.36</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>320</td><td>342</td><td>AVERAGE</td></tr><tr><td>3</td><td>4960.00</td><td>43.37</td><td>74.00</td><td>-30.63</td><td>60.92</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>5210.00</td><td>60.30</td><td>74.00</td><td>-13.70</td><td>77.15</td><td>34.22</td><td>9.84</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	53.04	74.00	-20.96	70.61	34.05	9.57	61.19	0.00	320	342	PEAK	2	4924.00	42.79	54.00	-11.21	60.36	34.05	9.57	61.19	0.00	320	342	AVERAGE	3	4960.00	43.37	74.00	-30.63	60.92	34.00	9.61	61.16	0.00	---	---	Peak	4	5210.00	60.30	74.00	-13.70	77.15	34.22	9.84	60.91	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>54.30</td><td>74.00</td><td>-19.70</td><td>71.87</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>208</td><td>204</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>43.44</td><td>54.00</td><td>-10.56</td><td>61.01</td><td>34.05</td><td>9.57</td><td>61.19</td><td>0.00</td><td>208</td><td>204</td><td>AVERAGE</td></tr><tr><td>3</td><td>4960.00</td><td>40.40</td><td>74.00</td><td>-33.60</td><td>57.95</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>5210.00</td><td>58.42</td><td>74.00</td><td>-15.58</td><td>75.27</td><td>34.22</td><td>9.84</td><td>60.91</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	54.30	74.00	-19.70	71.87	34.05	9.57	61.19	0.00	208	204	PEAK	2	4924.00	43.44	54.00	-10.56	61.01	34.05	9.57	61.19	0.00	208	204	AVERAGE	3	4960.00	40.40	74.00	-33.60	57.95	34.00	9.61	61.16	0.00	---	---	Peak	4	5210.00	58.42	74.00	-15.58	75.27	34.22	9.84	60.91	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																											
1	4924.00	53.04	74.00	-20.96	70.61	34.05	9.57	61.19	0.00	320	342	PEAK																																																																																																																																																																									
2	4924.00	42.79	54.00	-11.21	60.36	34.05	9.57	61.19	0.00	320	342	AVERAGE																																																																																																																																																																									
3	4960.00	43.37	74.00	-30.63	60.92	34.00	9.61	61.16	0.00	---	---	Peak																																																																																																																																																																									
4	5210.00	60.30	74.00	-13.70	77.15	34.22	9.84	60.91	0.00	---	---	Peak																																																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																											
1	4924.00	54.30	74.00	-19.70	71.87	34.05	9.57	61.19	0.00	208	204	PEAK																																																																																																																																																																									
2	4924.00	43.44	54.00	-10.56	61.01	34.05	9.57	61.19	0.00	208	204	AVERAGE																																																																																																																																																																									
3	4960.00	40.40	74.00	-33.60	57.95	34.00	9.61	61.16	0.00	---	---	Peak																																																																																																																																																																									
4	5210.00	58.42	74.00	-15.58	75.27	34.22	9.84	60.91	0.00	---	---	Peak																																																																																																																																																																									


Note: #4 is co-location of WLAN 5G CH42 fundmental signal.



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	98.97	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz
802.11ax HE80	100	-	-	10Hz
802.11ax HE160	100	-	-	10Hz
802.11ax HE20-106RU	100	-	-	10Hz
802.11ax HE40-242RU	100	-	-	10Hz
802.11ax HE80-484RU	98.98	-	-	10Hz
802.11ax HE160-996RU	98.95	-	-	10Hz

802.11a







802.11ax HE20




802.11ax HE40



802.11ax HE80




802.11ax HE160






802.11ax HE20-106RU




802.11ax HE40-242RU





802.11ax HE80-484RU



802.11ax HE160-996RU

