













Mode	65																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_Full_7115MHz																																																																																																														
ANT	SDM 8+10																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>73.79</td><td>88.20</td><td>-14.41</td><td>63.32</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td><td>112</td><td>304</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	73.79	88.20	-14.41	63.32	35.70	12.62	37.85	0.00	112	304	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>87.99</td><td>-----</td><td>-----</td><td>77.56</td><td>35.70</td><td>12.60</td><td>37.87</td><td>0.00</td><td>112</td><td>304</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	87.99	-----	-----	77.56	35.70	12.60	37.87	0.00	112	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.00	73.79	88.20	-14.41	63.32	35.70	12.62	37.85	0.00	112	304	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7115.00	87.99	-----	-----	77.56	35.70	12.60	37.87	0.00	112	304	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>66.62</td><td>68.20</td><td>-1.58</td><td>56.15</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td><td>112</td><td>304</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	66.62	68.20	-1.58	56.15	35.70	12.62	37.85	0.00	112	304	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>78.91</td><td>-----</td><td>-----</td><td>68.48</td><td>35.70</td><td>12.60</td><td>37.87</td><td>0.00</td><td>112</td><td>304</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	78.91	-----	-----	68.48	35.70	12.60	37.87	0.00	112	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7125.00	66.62	68.20	-1.58	56.15	35.70	12.62	37.85	0.00	112	304	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7115.00	78.91	-----	-----	68.48	35.70	12.60	37.87	0.00	112	304	AVERAGE																																																																																																			







		65																																													
Mode		Band Edge																																													
		U-NII-8_6.875-7.125_802.11ax HE20_Full_7115MHz																																													
ANT		SDM 8+10																																													
Pol.		Vertical																																													
Peak																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.00	76.02	88.20	-12.18	65.55	35.70	12.62	37.85	0.00	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	7125.00	76.02	88.20	-12.18	65.55	35.70	12.62	37.85	0.00	304	353 PEAK																																				
Fundamental																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7115.00	85.93	-----	-----	75.48	35.70	12.61	37.86	0.00	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	7115.00	85.93	-----	-----	75.48	35.70	12.61	37.86	0.00	304	353 PEAK																																				
Avg																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7125.00	65.88	68.20	-2.32	55.41	35.70	12.62	37.85	0.00	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	7125.00	65.88	68.20	-2.32	55.41	35.70	12.62	37.85	0.00	304	353 AVERAGE																																				
Avg																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7115.00	77.34	-----	-----	66.89	35.70	12.61	37.86	0.00	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	7115.00	77.34	-----	-----	66.89	35.70	12.61	37.86	0.00	304	353 AVERAGE																																				







Mode	65																																																																																																			
	Harmonic																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_Full_7115MHz																																																																																																			
ANT	SDM 8+10																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>45.88</td><td>88.20</td><td>-42.32</td><td>53.54</td><td>38.93</td><td>18.19</td><td>64.78</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	45.88	88.20	-42.32	53.54	38.93	18.19	64.78	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>45.64</td><td>88.20</td><td>-42.56</td><td>53.30</td><td>38.93</td><td>18.19</td><td>64.78</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	45.64	88.20	-42.56	53.30	38.93	18.19	64.78	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	14230.00	45.88	88.20	-42.32	53.54	38.93	18.19	64.78	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	14230.00	45.64	88.20	-42.56	53.30	38.93	18.19	64.78	0.00	--	--	PEAK																																																																																								







Mode	66																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																																																																		
ANT	9																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 2485.60</td><td>63.12</td><td>74.00</td><td>-10.88</td><td>54.23</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>124 82 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 2485.60	63.12	74.00	-10.88	54.23	32.47	7.26	36.84	6.00	124 82 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 2462.00</td><td>111.18</td><td>-----</td><td>-----</td><td>102.44</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>124 82 PEAK</td></tr><tr><td>2 2480.00</td><td>98.00</td><td>-----</td><td>-----</td><td>89.15</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>124 82 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 2462.00	111.18	-----	-----	102.44	32.42	7.22	36.90	6.00	124 82 PEAK	2 2480.00	98.00	-----	-----	89.15	32.46	7.25	36.86	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																										
1 2485.60	63.12	74.00	-10.88	54.23	32.47	7.26	36.84	6.00	124 82 PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																										
1 2462.00	111.18	-----	-----	102.44	32.42	7.22	36.90	6.00	124 82 PEAK																																																																																										
2 2480.00	98.00	-----	-----	89.15	32.46	7.25	36.86	6.00	124 82 Peak																																																																																										
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 2483.50</td><td>49.06</td><td>54.00</td><td>-4.94</td><td>40.18</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>124 82 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 2483.50	49.06	54.00	-4.94	40.18	32.47	7.26	36.85	6.00	124 82 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 2462.00</td><td>101.04</td><td>-----</td><td>-----</td><td>92.33</td><td>32.41</td><td>7.21</td><td>36.91</td><td>6.00</td><td>124 82 AVERAGE</td></tr><tr><td>2 2480.00</td><td>93.66</td><td>-----</td><td>-----</td><td>84.81</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>124 82 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 2462.00	101.04	-----	-----	92.33	32.41	7.21	36.91	6.00	124 82 AVERAGE	2 2480.00	93.66	-----	-----	84.81	32.46	7.25	36.86	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																										
1 2483.50	49.06	54.00	-4.94	40.18	32.47	7.26	36.85	6.00	124 82 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																										
1 2462.00	101.04	-----	-----	92.33	32.41	7.21	36.91	6.00	124 82 AVERAGE																																																																																										
2 2480.00	93.66	-----	-----	84.81	32.46	7.25	36.86	6.00	124 82 Average																																																																																										







	66																																																																																																					
Mode	Band Edge																																																																																																					
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																																																																					
ANT	9																																																																																																					
Pol.	Vertical	Fundamental																																																																																																				
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2462.00</td><td>109.51</td><td>-----</td><td>100.75</td><td>32.43</td><td>7.22</td><td>36.89</td><td>6.00</td><td>400</td><td>41 PEAK</td></tr><tr><td>2 2480.00</td><td>99.33</td><td>-----</td><td>90.48</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>400</td><td>41 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	109.51	-----	100.75	32.43	7.22	36.89	6.00	400	41 PEAK	2 2480.00	99.33	-----	90.48	32.46	7.25	36.86	6.00	400	41 Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2462.00</td><td>109.51</td><td>-----</td><td>100.75</td><td>32.43</td><td>7.22</td><td>36.89</td><td>6.00</td><td>400</td><td>41 PEAK</td></tr><tr><td>2 2480.00</td><td>99.33</td><td>-----</td><td>90.48</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>400</td><td>41 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	109.51	-----	100.75	32.43	7.22	36.89	6.00	400	41 PEAK	2 2480.00	99.33	-----	90.48	32.46	7.25	36.86	6.00	400	41 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 2462.00	109.51	-----	100.75	32.43	7.22	36.89	6.00	400	41 PEAK																																																																																													
2 2480.00	99.33	-----	90.48	32.46	7.25	36.86	6.00	400	41 Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 2462.00	109.51	-----	100.75	32.43	7.22	36.89	6.00	400	41 PEAK																																																																																													
2 2480.00	99.33	-----	90.48	32.46	7.25	36.86	6.00	400	41 Peak																																																																																													
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2462.00</td><td>98.42</td><td>-----</td><td>89.63</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>400</td><td>41 AVERAGE</td></tr><tr><td>2 2480.00</td><td>95.02</td><td>-----</td><td>86.17</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>400</td><td>41 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	98.42	-----	89.63	32.44	7.23	36.88	6.00	400	41 AVERAGE	2 2480.00	95.02	-----	86.17	32.46	7.25	36.86	6.00	400	41 Average	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2462.00</td><td>98.42</td><td>-----</td><td>89.63</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>400</td><td>41 AVERAGE</td></tr><tr><td>2 2480.00</td><td>95.02</td><td>-----</td><td>86.17</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>400</td><td>41 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2462.00	98.42	-----	89.63	32.44	7.23	36.88	6.00	400	41 AVERAGE	2 2480.00	95.02	-----	86.17	32.46	7.25	36.86	6.00	400	41 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 2462.00	98.42	-----	89.63	32.44	7.23	36.88	6.00	400	41 AVERAGE																																																																																													
2 2480.00	95.02	-----	86.17	32.46	7.25	36.86	6.00	400	41 Average																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 2462.00	98.42	-----	89.63	32.44	7.23	36.88	6.00	400	41 AVERAGE																																																																																													
2 2480.00	95.02	-----	86.17	32.46	7.25	36.86	6.00	400	41 Average																																																																																													







Mode	66																																																																																																																																																
	Harmonic																																																																																																																																																
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																																																																																																																
ANT	9																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.44</td><td>74.00</td><td>-32.56</td><td>62.46</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4960.00</td><td>36.60</td><td>74.00</td><td>-37.40</td><td>57.57</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	41.44	74.00	-32.56	62.46	34.19	10.35	65.56	0.00	--	PEAK	2	4960.00	36.60	74.00	-37.40	57.57	34.22	10.40	65.59	0.00	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>41.81</td><td>74.00</td><td>-32.19</td><td>62.83</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4960.00</td><td>37.86</td><td>74.00</td><td>-36.14</td><td>58.83</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	41.81	74.00	-32.19	62.83	34.19	10.35	65.56	0.00	--	PEAK	2	4960.00	37.86	74.00	-36.14	58.83	34.22	10.40	65.59	0.00	--	Peak																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	4924.00	41.44	74.00	-32.56	62.46	34.19	10.35	65.56	0.00	--	PEAK																																																																																																																																						
2	4960.00	36.60	74.00	-37.40	57.57	34.22	10.40	65.59	0.00	--	Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	4924.00	41.81	74.00	-32.19	62.83	34.19	10.35	65.56	0.00	--	PEAK																																																																																																																																						
2	4960.00	37.86	74.00	-36.14	58.83	34.22	10.40	65.59	0.00	--	Peak																																																																																																																																						
Peak Avg																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>77.27</td><td>74.00</td><td>3.27</td><td>94.74</td><td>35.70</td><td>12.61</td><td>65.78</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>57.35</td><td>35.80</td><td>12.73</td><td>66.49</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>38.77</td><td>74.00</td><td>-35.23</td><td>56.82</td><td>35.80</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	77.27	74.00	3.27	94.74	35.70	12.61	65.78	0.00	--	Peak	2	7386.00	39.39	74.00	-34.61	57.35	35.80	12.73	66.49	0.00	--	Peak	3	7440.00	38.77	74.00	-35.23	56.82	35.80	12.78	66.63	0.00	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>67.30</td><td>74.00</td><td>-6.70</td><td>84.77</td><td>35.70</td><td>12.61</td><td>65.78</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>39.52</td><td>74.00</td><td>-34.48</td><td>57.48</td><td>35.80</td><td>12.73</td><td>66.49</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>38.61</td><td>74.00</td><td>-35.39</td><td>56.66</td><td>35.80</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	67.30	74.00	-6.70	84.77	35.70	12.61	65.78	0.00	--	Peak	2	7386.00	39.52	74.00	-34.48	57.48	35.80	12.73	66.49	0.00	--	Peak	3	7440.00	38.61	74.00	-35.39	56.66	35.80	12.78	66.63	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	7115.00	77.27	74.00	3.27	94.74	35.70	12.61	65.78	0.00	--	Peak																																																																																																																																						
2	7386.00	39.39	74.00	-34.61	57.35	35.80	12.73	66.49	0.00	--	Peak																																																																																																																																						
3	7440.00	38.77	74.00	-35.23	56.82	35.80	12.78	66.63	0.00	--	Peak																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	7115.00	67.30	74.00	-6.70	84.77	35.70	12.61	65.78	0.00	--	Peak																																																																																																																																						
2	7386.00	39.52	74.00	-34.48	57.48	35.80	12.73	66.49	0.00	--	Peak																																																																																																																																						
3	7440.00	38.61	74.00	-35.39	56.66	35.80	12.78	66.63	0.00	--	Peak																																																																																																																																						

Note: #1 (7115MHz) is co-location of WIFI 6E CH233 fundamental signal.







Mode	66																																																																																																													
	Band Edge - L																																																																																																													
	2400-2483.5_Bluetooth-LE _Bluetooth-LE _CH39_2480MHz																																																																																																													
ANT	7																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.12</td><td>56.41</td><td>74.00</td><td>-17.59</td><td>47.51</td><td>32.48</td><td>7.26</td><td>36.84</td><td>6.00</td><td>308</td><td>305 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.12	56.41	74.00	-17.59	47.51	32.48	7.26	36.84	6.00	308	305 PEAK	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2458.00</td><td>102.82</td><td>-----</td><td>-----</td><td>94.10</td><td>32.42</td><td>7.21</td><td>36.91</td><td>6.00</td><td>308</td><td>305 Peak</td></tr><tr><td>2</td><td>2480.00</td><td>104.72</td><td>-----</td><td>-----</td><td>95.87</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>308</td><td>305 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2458.00	102.82	-----	-----	94.10	32.42	7.21	36.91	6.00	308	305 Peak	2	2480.00	104.72	-----	-----	95.87	32.46	7.25	36.86	6.00	308	305 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2488.12	56.41	74.00	-17.59	47.51	32.48	7.26	36.84	6.00	308	305 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2458.00	102.82	-----	-----	94.10	32.42	7.21	36.91	6.00	308	305 Peak																																																																																																			
2	2480.00	104.72	-----	-----	95.87	32.46	7.25	36.86	6.00	308	305 PEAK																																																																																																			
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.84</td><td>44.89</td><td>54.00</td><td>-9.11</td><td>35.98</td><td>32.48</td><td>7.27</td><td>36.84</td><td>6.00</td><td>308</td><td>305 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.84	44.89	54.00	-9.11	35.98	32.48	7.27	36.84	6.00	308	305 AVERAGE	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2456.00</td><td>92.85</td><td>-----</td><td>-----</td><td>84.14</td><td>32.41</td><td>7.21</td><td>36.91</td><td>6.00</td><td>308</td><td>305 Average</td></tr><tr><td>2</td><td>2480.00</td><td>102.35</td><td>-----</td><td>-----</td><td>93.50</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>308</td><td>305 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2456.00	92.85	-----	-----	84.14	32.41	7.21	36.91	6.00	308	305 Average	2	2480.00	102.35	-----	-----	93.50	32.46	7.25	36.86	6.00	308	305 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2488.84	44.89	54.00	-9.11	35.98	32.48	7.27	36.84	6.00	308	305 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2456.00	92.85	-----	-----	84.14	32.41	7.21	36.91	6.00	308	305 Average																																																																																																			
2	2480.00	102.35	-----	-----	93.50	32.46	7.25	36.86	6.00	308	305 AVERAGE																																																																																																			







	66																																																																																																											
Mode	Band Edge - L																																																																																																											
	2400-2483.5_Bluetooth-LE _Bluetooth-LE _CH39_2480MHz																																																																																																											
ANT	7																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.82</td><td>56.19</td><td>74.00</td><td>-17.81</td><td>47.31</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>283</td><td>0 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.82	56.19	74.00	-17.81	47.31	32.47	7.26	36.85	6.00	283	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2454.00</td><td>99.08</td><td>-----</td><td>-----</td><td>90.38</td><td>32.41</td><td>7.21</td><td>36.92</td><td>6.00</td><td>283</td><td>0 Peak</td></tr><tr><td>2</td><td>2480.00</td><td>97.32</td><td>-----</td><td>-----</td><td>88.47</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>283</td><td>0 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2454.00	99.08	-----	-----	90.38	32.41	7.21	36.92	6.00	283	0 Peak	2	2480.00	97.32	-----	-----	88.47	32.46	7.25	36.86	6.00	283
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2484.82	56.19	74.00	-17.81	47.31	32.47	7.26	36.85	6.00	283	0 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2454.00	99.08	-----	-----	90.38	32.41	7.21	36.92	6.00	283	0 Peak																																																																																																	
2	2480.00	97.32	-----	-----	88.47	32.46	7.25	36.86	6.00	283	0 Peak																																																																																																	
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.16</td><td>44.86</td><td>54.00</td><td>-9.14</td><td>35.98</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>283</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.16	44.86	54.00	-9.14	35.98	32.47	7.26	36.85	6.00	283	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2456.00</td><td>89.20</td><td>-----</td><td>-----</td><td>80.49</td><td>32.41</td><td>7.21</td><td>36.91</td><td>6.00</td><td>283</td><td>0 Average</td></tr><tr><td>2</td><td>2480.00</td><td>95.14</td><td>-----</td><td>-----</td><td>86.29</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>283</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2456.00	89.20	-----	-----	80.49	32.41	7.21	36.91	6.00	283	0 Average	2	2480.00	95.14	-----	-----	86.29	32.46	7.25	36.86	6.00	283
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2484.16	44.86	54.00	-9.14	35.98	32.47	7.26	36.85	6.00	283	0 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	2456.00	89.20	-----	-----	80.49	32.41	7.21	36.91	6.00	283	0 Average																																																																																																	
2	2480.00	95.14	-----	-----	86.29	32.46	7.25	36.86	6.00	283	0 AVERAGE																																																																																																	





		66																																																					
Mode		Band Edge																																																					
		U-NII-8_6.875-7.125_802.11ax HE20_Full_7115MHz																																																					
ANT		CDD 8+10																																																					
Pol.		Horizontal																																																					
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>75.81</td><td>88.20</td><td>-12.39</td><td>65.34</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>232</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	75.81	88.20	-12.39	65.34	35.70	12.62	37.85	0.00	100	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	7125.00	75.81	88.20	-12.39	65.34	35.70	12.62	37.85	0.00	100	232	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>87.57</td><td>-----</td><td>-----</td><td>77.12</td><td>35.70</td><td>12.61</td><td>37.86</td><td>0.00</td><td>100</td><td>232</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	87.57	-----	-----	77.12	35.70	12.61	37.86	0.00	100	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	7115.00	87.57	-----	-----	77.12	35.70	12.61	37.86	0.00	100	232	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>66.90</td><td>68.20</td><td>-1.22</td><td>56.51</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>232</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	66.90	68.20	-1.22	56.51	35.70	12.62	37.85	0.00	100	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	7125.00	66.90	68.20	-1.22	56.51	35.70	12.62	37.85	0.00	100	232	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>78.38</td><td>-----</td><td>-----</td><td>67.95</td><td>35.70</td><td>12.60</td><td>37.87</td><td>0.00</td><td>100</td><td>232</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	78.38	-----	-----	67.95	35.70	12.60	37.87	0.00	100	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	7115.00	78.38	-----	-----	67.95	35.70	12.60	37.87	0.00	100	232	AVERAGE																																											



	66																																																																																																		
Mode	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE20_Full_7115MHz																																																																																																		
ANT	CDD 8+10																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>77.77</td><td>88.20</td><td>-10.43</td><td>67.30</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>300</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	77.77	88.20	-10.43	67.30	35.70	12.62	37.85	0.00	100	300	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>88.70</td><td>-----</td><td>-----</td><td>78.27</td><td>35.70</td><td>12.60</td><td>37.87</td><td>0.00</td><td>100</td><td>300</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	88.70	-----	-----	78.27	35.70	12.60	37.87	0.00	100	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.00	77.77	88.20	-10.43	67.30	35.70	12.62	37.85	0.00	100	300	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7115.00	88.70	-----	-----	78.27	35.70	12.60	37.87	0.00	100	300	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>67.14</td><td>68.20</td><td>-1.06</td><td>56.67</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td><td>100</td><td>300</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	67.14	68.20	-1.06	56.67	35.70	12.62	37.85	0.00	100	300	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>78.90</td><td>68.20</td><td>10.70</td><td>68.47</td><td>35.70</td><td>12.60</td><td>37.87</td><td>0.00</td><td>100</td><td>300</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	78.90	68.20	10.70	68.47	35.70	12.60	37.87	0.00	100	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7125.00	67.14	68.20	-1.06	56.67	35.70	12.62	37.85	0.00	100	300	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	7115.00	78.90	68.20	10.70	68.47	35.70	12.60	37.87	0.00	100	300	AVERAGE																																																																																							







Mode	66																																																																																							
	Harmonic																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_Full_7115MHz																																																																																							
ANT	CDD 8+10																																																																																							
Pol.	Horizontal								Vertical																																																																															
Peak Avg																																																																																								
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 14230.00</td><td>45.86</td><td>88.20</td><td>-42.34</td><td>53.52</td><td>38.93</td><td>18.19</td><td>64.78</td><td>0.00</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 14230.00	45.86	88.20	-42.34	53.52	38.93	18.19	64.78	0.00	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 14230.00</td><td>45.85</td><td>88.20</td><td>-42.35</td><td>53.51</td><td>38.93</td><td>18.19</td><td>64.78</td><td>0.00</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 14230.00	45.85	88.20	-42.35	53.51	38.93	18.19	64.78	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																
1 14230.00	45.86	88.20	-42.34	53.52	38.93	18.19	64.78	0.00																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																
1 14230.00	45.85	88.20	-42.35	53.51	38.93	18.19	64.78	0.00																																																																																
<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 14230.00</td><td>45.86</td><td>88.20</td><td>-42.34</td><td>53.52</td><td>38.93</td><td>18.19</td><td>64.78</td><td>0.00</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 14230.00	45.86	88.20	-42.34	53.52	38.93	18.19	64.78	0.00	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1 14230.00</td><td>45.85</td><td>88.20</td><td>-42.35</td><td>53.51</td><td>38.93</td><td>18.19</td><td>64.78</td><td>0.00</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 14230.00	45.85	88.20	-42.35	53.51	38.93	18.19	64.78	0.00	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																
1 14230.00	45.86	88.20	-42.34	53.52	38.93	18.19	64.78	0.00																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																
1 14230.00	45.85	88.20	-42.35	53.51	38.93	18.19	64.78	0.00																																																																																



	67																																																																																									
Mode	Band Edge																																																																																									
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																																																									
ANT	CDD 7+9																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.82</td><td>68.89</td><td>74.00</td><td>-5.11</td><td>60.01</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>165</td><td>207</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.82	68.89	74.00	-5.11	60.01	32.47	7.26	36.85	6.00	165	207	PEAK	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>113.70</td><td>-----</td><td>-----</td><td>104.93</td><td>32.43</td><td>7.23</td><td>36.89</td><td>6.00</td><td>165</td><td>207</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	113.70	-----	-----	104.93	32.43	7.23	36.89	6.00	165	207	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2484.82	68.89	74.00	-5.11	60.01	32.47	7.26	36.85	6.00	165	207	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2462.00	113.70	-----	-----	104.93	32.43	7.23	36.89	6.00	165	207	PEAK																																																																														
Avg	Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.64</td><td>50.53</td><td>54.00</td><td>-3.47</td><td>41.65</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>165</td><td>207</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.64	50.53	54.00	-3.47	41.65	32.47	7.26	36.85	6.00	165	207	AVERAGE	Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.95</td><td>-----</td><td>-----</td><td>95.18</td><td>32.43</td><td>7.23</td><td>36.89</td><td>6.00</td><td>165</td><td>207</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.95	-----	-----	95.18	32.43	7.23	36.89	6.00	165	207	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2484.64	50.53	54.00	-3.47	41.65	32.47	7.26	36.85	6.00	165	207	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2462.00	103.95	-----	-----	95.18	32.43	7.23	36.89	6.00	165	207	AVERAGE																																																																														







Mode	67																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																																																																		
ANT	CDD 7+9																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.80</td><td>66.28</td><td>74.00</td><td>-7.72</td><td>57.40</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>362</td><td>32</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	66.28	74.00	-7.72	57.40	32.47	7.26	36.85	6.00	362	32	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.61</td><td>-----</td><td>-----</td><td>101.87</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>362</td><td>32</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.61	-----	-----	101.87	32.42	7.22	36.90	6.00	362	32
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.80	66.28	74.00	-7.72	57.40	32.47	7.26	36.85	6.00	362	32	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	110.61	-----	-----	101.87	32.42	7.22	36.90	6.00	362	32	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.00</td><td>54.00</td><td>-3.92</td><td>41.20</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>362</td><td>32</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.00	54.00	-3.92	41.20	32.47	7.26	36.85	6.00	362	32	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.35</td><td>-----</td><td>-----</td><td>91.61</td><td>32.42</td><td>7.22</td><td>36.90</td><td>6.00</td><td>362</td><td>32</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.35	-----	-----	91.61	32.42	7.22	36.90	6.00	362	32
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	50.00	54.00	-3.92	41.20	32.47	7.26	36.85	6.00	362	32	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	100.35	-----	-----	91.61	32.42	7.22	36.90	6.00	362	32	AVERAGE																																																																																							







Mode	67																																																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																																																								
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																																																																																																																																																																																								
ANT	CDD 7+9																																																																																																																																																																																																																								
Pol.	Horizontal								Vertical																																																																																																																																																																																																																
Peak Avg																																																																																																																																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>41.18</td><td>74.00</td><td>-32.82</td><td>62.20</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td colspan="3"></td><td>PEAK</td></tr><tr><td>2</td><td>7115.07</td><td>65.32</td><td>74.00</td><td>-8.68</td><td>82.79</td><td>35.70</td><td>12.61</td><td>65.78</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td colspan="3"></td><td>Peak</td></tr><tr><td>3</td><td>7386.00</td><td>41.96</td><td>74.00</td><td>-32.04</td><td>59.92</td><td>35.00</td><td>12.73</td><td>66.49</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td colspan="3"></td><td>PEAK</td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg					1	4924.00	41.18	74.00	-32.82	62.20	34.19	10.35	65.56	0.00	--	--	--				PEAK	2	7115.07	65.32	74.00	-8.68	82.79	35.70	12.61	65.78	0.00	--	--	--				Peak	3	7386.00	41.96	74.00	-32.04	59.92	35.00	12.73	66.49	0.00	--	--	--				PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>41.45</td><td>74.00</td><td>-32.55</td><td>62.47</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td colspan="3"></td><td>PEAK</td></tr><tr><td>2</td><td>7113.67</td><td>64.82</td><td>74.00</td><td>-9.18</td><td>82.30</td><td>35.70</td><td>12.60</td><td>65.78</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td colspan="3"></td><td>Peak</td></tr><tr><td>3</td><td>7386.00</td><td>42.29</td><td>74.00</td><td>-31.71</td><td>60.25</td><td>35.00</td><td>12.73</td><td>66.49</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td colspan="3"></td><td>PEAK</td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg					1	4924.00	41.45	74.00	-32.55	62.47	34.19	10.35	65.56	0.00	--	--	--				PEAK	2	7113.67	64.82	74.00	-9.18	82.30	35.70	12.60	65.78	0.00	--	--	--				Peak	3	7386.00	42.29	74.00	-31.71	60.25	35.00	12.73	66.49	0.00	--	--	--			
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																													
1	4924.00	41.18	74.00	-32.82	62.20	34.19	10.35	65.56	0.00	--	--	--				PEAK																																																																																																																																																																																																									
2	7115.07	65.32	74.00	-8.68	82.79	35.70	12.61	65.78	0.00	--	--	--				Peak																																																																																																																																																																																																									
3	7386.00	41.96	74.00	-32.04	59.92	35.00	12.73	66.49	0.00	--	--	--				PEAK																																																																																																																																																																																																									
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																													
1	4924.00	41.45	74.00	-32.55	62.47	34.19	10.35	65.56	0.00	--	--	--				PEAK																																																																																																																																																																																																									
2	7113.67	64.82	74.00	-9.18	82.30	35.70	12.60	65.78	0.00	--	--	--				Peak																																																																																																																																																																																																									
3	7386.00	42.29	74.00	-31.71	60.25	35.00	12.73	66.49	0.00	--	--	--				PEAK																																																																																																																																																																																																									

Note: #2 (7115MHz) is co-location of WIFI 6E CH233 fundamental signal.



Mode	67																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_Full_7115MHz																																																																																																															
ANT	SDM 8+10																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>73.08</td><td>88.20</td><td>-15.12</td><td>62.61</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td><td>130</td><td>294</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	73.08	88.20	-15.12	62.61	35.70	12.62	37.85	0.00	130	294	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.69</td><td>-----</td><td>-----</td><td>98.95</td><td>32.42</td><td>7.22</td><td>36.90</td><td>0.00</td><td>130</td><td>294</td><td>Peak</td></tr><tr><td>2</td><td>7115.50</td><td>88.97</td><td>-----</td><td>-----</td><td>78.52</td><td>35.70</td><td>12.61</td><td>37.86</td><td>0.00</td><td>130</td><td>294</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.69	-----	-----	98.95	32.42	7.22	36.90	0.00	130	294	Peak	2	7115.50	88.97	-----	-----	78.52	35.70	12.61	37.86	0.00	130	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.00	73.08	88.20	-15.12	62.61	35.70	12.62	37.85	0.00	130	294	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2462.00	101.69	-----	-----	98.95	32.42	7.22	36.90	0.00	130	294	Peak																																																																																																				
2	7115.50	88.97	-----	-----	78.52	35.70	12.61	37.86	0.00	130	294	Peak																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>64.80</td><td>68.20</td><td>-3.40</td><td>54.33</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td><td>130</td><td>294</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	64.80	68.20	-3.40	54.33	35.70	12.62	37.85	0.00	130	294	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>91.12</td><td>-----</td><td>-----</td><td>88.38</td><td>32.42</td><td>7.22</td><td>36.90</td><td>0.00</td><td>130</td><td>294</td><td>Average</td></tr><tr><td>2</td><td>7115.00</td><td>79.48</td><td>-----</td><td>-----</td><td>69.04</td><td>35.70</td><td>12.61</td><td>37.87</td><td>0.00</td><td>130</td><td>294</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	91.12	-----	-----	88.38	32.42	7.22	36.90	0.00	130	294	Average	2	7115.00	79.48	-----	-----	69.04	35.70	12.61	37.87	0.00	130	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.00	64.80	68.20	-3.40	54.33	35.70	12.62	37.85	0.00	130	294	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2462.00	91.12	-----	-----	88.38	32.42	7.22	36.90	0.00	130	294	Average																																																																																																				
2	7115.00	79.48	-----	-----	69.04	35.70	12.61	37.87	0.00	130	294	Average																																																																																																				







Mode	67																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_Full_7115MHz																																																																																																															
ANT	SDM 8+10																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>76.61</td><td>88.20</td><td>-11.59</td><td>66.14</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td><td>300</td><td>348</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	76.61	88.20	-11.59	66.14	35.70	12.62	37.85	0.00	300	348	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>108.65</td><td>-----</td><td>-----</td><td>105.91</td><td>32.42</td><td>7.22</td><td>36.90</td><td>0.00</td><td>300</td><td>348</td><td>Peak</td></tr><tr><td>2</td><td>7115.00</td><td>86.90</td><td>-----</td><td>-----</td><td>76.46</td><td>35.70</td><td>12.61</td><td>37.87</td><td>0.00</td><td>300</td><td>348</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.65	-----	-----	105.91	32.42	7.22	36.90	0.00	300	348	Peak	2	7115.00	86.90	-----	-----	76.46	35.70	12.61	37.87	0.00	300	348
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.00	76.61	88.20	-11.59	66.14	35.70	12.62	37.85	0.00	300	348	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2462.00	108.65	-----	-----	105.91	32.42	7.22	36.90	0.00	300	348	Peak																																																																																																				
2	7115.00	86.90	-----	-----	76.46	35.70	12.61	37.87	0.00	300	348	Peak																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.00</td><td>65.07</td><td>68.20</td><td>-3.13</td><td>54.60</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td><td>300</td><td>348</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	65.07	68.20	-3.13	54.60	35.70	12.62	37.85	0.00	300	348	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>99.44</td><td>-----</td><td>-----</td><td>96.70</td><td>32.42</td><td>7.22</td><td>36.90</td><td>0.00</td><td>300</td><td>348</td><td>Peak</td></tr><tr><td>2</td><td>7115.00</td><td>77.31</td><td>-----</td><td>-----</td><td>66.87</td><td>35.70</td><td>12.61</td><td>37.87</td><td>0.00</td><td>300</td><td>348</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.44	-----	-----	96.70	32.42	7.22	36.90	0.00	300	348	Peak	2	7115.00	77.31	-----	-----	66.87	35.70	12.61	37.87	0.00	300	348
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.00	65.07	68.20	-3.13	54.60	35.70	12.62	37.85	0.00	300	348	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	2462.00	99.44	-----	-----	96.70	32.42	7.22	36.90	0.00	300	348	Peak																																																																																																				
2	7115.00	77.31	-----	-----	66.87	35.70	12.61	37.87	0.00	300	348	Peak																																																																																																				







Mode	67																																																																																	
	Harmonic																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_Full_7115MHz																																																																																	
ANT	SDM 8+10																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14230.00</td><td>46.17</td><td>88.20</td><td>-42.03</td><td>53.83</td><td>38.93</td><td>18.19</td><td>64.78</td><td>0.00</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14230.00	46.17	88.20	-42.03	53.83	38.93	18.19	64.78	0.00	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14230.00</td><td>46.70</td><td>88.20</td><td>-41.50</td><td>54.36</td><td>38.93</td><td>18.19</td><td>64.78</td><td>0.00</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14230.00	46.70	88.20	-41.50	54.36	38.93	18.19	64.78	0.00	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 14230.00	46.17	88.20	-42.03	53.83	38.93	18.19	64.78	0.00	-- PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 14230.00	46.70	88.20	-41.50	54.36	38.93	18.19	64.78	0.00	-- PEAK																																																																									



		68																																																												
Mode		Band Edge																																																												
		2400-2483.5_2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																												
ANT		9																																																												
Pol.		Horizontal					Fundamental																																																							
Peak																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.22</td><td>64.16</td><td>74.00</td><td>-9.84</td><td>55.28</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>101 92 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.22	64.16	74.00	-9.84	55.28	32.47	7.26	36.85	6.00	101 92 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2484.22	64.16	74.00	-9.84	55.28	32.47	7.26	36.85	6.00	101 92 PEAK																																																				
Fundamental																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>111.55</td><td>-----</td><td>-----</td><td>102.85</td><td>32.41</td><td>7.21</td><td>36.92</td><td>6.00</td><td>101 92 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>94.02</td><td>-----</td><td>-----</td><td>85.17</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>101 92 Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.55	-----	-----	102.85	32.41	7.21	36.92	6.00	101 92 PEAK	2	2480.00	94.02	-----	-----	85.17	32.46	7.25	36.86	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2462.00	111.55	-----	-----	102.85	32.41	7.21	36.92	6.00	101 92 PEAK																																																				
2	2480.00	94.02	-----	-----	85.17	32.46	7.25	36.86	6.00	101 92 Peak																																																				
Avg																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>48.24</td><td>54.00</td><td>-5.76</td><td>39.36</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>101 92 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	48.24	54.00	-5.76	39.36	32.47	7.26	36.85	6.00	101 92 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2483.50	48.24	54.00	-5.76	39.36	32.47	7.26	36.85	6.00	101 92 AVERAGE																																																				
Fundamental																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>100.48</td><td>-----</td><td>-----</td><td>91.78</td><td>32.41</td><td>7.21</td><td>36.92</td><td>6.00</td><td>101 92 AVERAGE</td></tr><tr><td>2</td><td>2480.00</td><td>89.40</td><td>-----</td><td>-----</td><td>80.55</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>101 92 Average</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.48	-----	-----	91.78	32.41	7.21	36.92	6.00	101 92 AVERAGE	2	2480.00	89.40	-----	-----	80.55	32.46	7.25	36.86	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	2462.00	100.48	-----	-----	91.78	32.41	7.21	36.92	6.00	101 92 AVERAGE																																																				
2	2480.00	89.40	-----	-----	80.55	32.46	7.25	36.86	6.00	101 92 Average																																																				







Mode	68																																																																																																												
	Band Edge																																																																																																												
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																																																																												
ANT	9																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.36</td><td>60.35</td><td>74.00</td><td>-13.65</td><td>51.46</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>260</td><td>26 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.36	60.35	74.00	-13.65	51.46	32.47	7.26	36.84	6.00	260	26 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>107.37</td><td>-----</td><td>-----</td><td>98.61</td><td>32.43</td><td>7.22</td><td>36.89</td><td>6.00</td><td>260</td><td>26 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>92.31</td><td>-----</td><td>-----</td><td>83.46</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>260</td><td>26 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.37	-----	-----	98.61	32.43	7.22	36.89	6.00	260	26 PEAK	2	2480.00	92.31	-----	-----	83.46	32.46	7.25	36.86	6.00	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2485.36	60.35	74.00	-13.65	51.46	32.47	7.26	36.84	6.00	260	26 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2462.00	107.37	-----	-----	98.61	32.43	7.22	36.89	6.00	260	26 PEAK																																																																																																		
2	2480.00	92.31	-----	-----	83.46	32.46	7.25	36.86	6.00	260	26 Peak																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>45.28</td><td>54.00</td><td>-8.72</td><td>36.40</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>260</td><td>26 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	45.28	54.00	-8.72	36.40	32.47	7.26	36.85	6.00	260	26 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>96.24</td><td>-----</td><td>-----</td><td>87.54</td><td>32.41</td><td>7.21</td><td>36.92</td><td>6.00</td><td>260</td><td>26 AVERAGE</td></tr><tr><td>2</td><td>2480.00</td><td>87.95</td><td>-----</td><td>-----</td><td>79.10</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>260</td><td>26 Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.24	-----	-----	87.54	32.41	7.21	36.92	6.00	260	26 AVERAGE	2	2480.00	87.95	-----	-----	79.10	32.46	7.25	36.86	6.00	260
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2483.50	45.28	54.00	-8.72	36.40	32.47	7.26	36.85	6.00	260	26 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2462.00	96.24	-----	-----	87.54	32.41	7.21	36.92	6.00	260	26 AVERAGE																																																																																																		
2	2480.00	87.95	-----	-----	79.10	32.46	7.25	36.86	6.00	260	26 Average																																																																																																		







Mode	68																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																											
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																																																																																																																																																																											
ANT	9																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																					
Peak Avg																																																																																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>40.96</td><td>74.00</td><td>-33.04</td><td>61.98</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4960.00</td><td>37.04</td><td>74.00</td><td>-36.96</td><td>58.01</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7115.07</td><td>80.09</td><td>74.00</td><td>6.09</td><td>97.56</td><td>35.70</td><td>12.61</td><td>65.78</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7386.00</td><td>42.10</td><td>74.00</td><td>-31.90</td><td>60.06</td><td>35.00</td><td>12.73</td><td>66.49</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>7440.00</td><td>39.31</td><td>74.00</td><td>-34.69</td><td>57.36</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	40.96	74.00	-33.04	61.98	34.19	10.35	65.56	0.00	--	--	PEAK	2	4960.00	37.04	74.00	-36.96	58.01	34.22	10.40	65.59	0.00	--	--	Peak	3	7115.07	80.09	74.00	6.09	97.56	35.70	12.61	65.78	0.00	--	--	Peak	4	7386.00	42.10	74.00	-31.90	60.06	35.00	12.73	66.49	0.00	--	--	PEAK	5	7440.00	39.31	74.00	-34.69	57.36	35.00	12.78	66.63	0.00	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>42.40</td><td>74.00</td><td>-31.60</td><td>63.42</td><td>34.19</td><td>10.35</td><td>65.56</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4960.00</td><td>37.33</td><td>74.00</td><td>-36.67</td><td>58.30</td><td>34.22</td><td>10.40</td><td>65.59</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7115.07</td><td>81.96</td><td>74.00</td><td>7.96</td><td>99.43</td><td>35.70</td><td>12.61</td><td>65.78</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7386.00</td><td>42.48</td><td>74.00</td><td>-31.52</td><td>60.44</td><td>35.00</td><td>12.73</td><td>66.49</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>7440.00</td><td>39.18</td><td>74.00</td><td>-34.82</td><td>57.23</td><td>35.00</td><td>12.78</td><td>66.63</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	42.40	74.00	-31.60	63.42	34.19	10.35	65.56	0.00	--	--	PEAK	2	4960.00	37.33	74.00	-36.67	58.30	34.22	10.40	65.59	0.00	--	--	Peak	3	7115.07	81.96	74.00	7.96	99.43	35.70	12.61	65.78	0.00	--	--	Peak	4	7386.00	42.48	74.00	-31.52	60.44	35.00	12.73	66.49	0.00	--	--	PEAK	5	7440.00	39.18	74.00	-34.82	57.23	35.00	12.78	66.63	0.00	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																		
1	4924.00	40.96	74.00	-33.04	61.98	34.19	10.35	65.56	0.00	--	--	PEAK																																																																																																																																																																																																
2	4960.00	37.04	74.00	-36.96	58.01	34.22	10.40	65.59	0.00	--	--	Peak																																																																																																																																																																																																
3	7115.07	80.09	74.00	6.09	97.56	35.70	12.61	65.78	0.00	--	--	Peak																																																																																																																																																																																																
4	7386.00	42.10	74.00	-31.90	60.06	35.00	12.73	66.49	0.00	--	--	PEAK																																																																																																																																																																																																
5	7440.00	39.31	74.00	-34.69	57.36	35.00	12.78	66.63	0.00	--	--	Peak																																																																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																		
1	4924.00	42.40	74.00	-31.60	63.42	34.19	10.35	65.56	0.00	--	--	PEAK																																																																																																																																																																																																
2	4960.00	37.33	74.00	-36.67	58.30	34.22	10.40	65.59	0.00	--	--	Peak																																																																																																																																																																																																
3	7115.07	81.96	74.00	7.96	99.43	35.70	12.61	65.78	0.00	--	--	Peak																																																																																																																																																																																																
4	7386.00	42.48	74.00	-31.52	60.44	35.00	12.73	66.49	0.00	--	--	PEAK																																																																																																																																																																																																
5	7440.00	39.18	74.00	-34.82	57.23	35.00	12.78	66.63	0.00	--	--	Peak																																																																																																																																																																																																

Note: #3 (7115MHz) is co-location of WIFI 6E CH233 fundamental signal.







		68																																																																		
Mode		Band Edge - L																																																																		
		2400-2483.5_Bluetooth-LE _Bluetooth-LE _CH39_2480MHz																																																																		
ANT		7																																																																		
Pol.		Horizontal						Fundamental																																																												
Peak																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.06</td><td>55.49</td><td>74.00</td><td>-18.51</td><td>46.59</td><td>32.48</td><td>7.26</td><td>36.84</td><td>6.00</td><td>308</td><td>308</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2488.06	55.49	74.00	-18.51	46.59	32.48	7.26	36.84	6.00	308	308	PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2488.06	55.49	74.00	-18.51	46.59	32.48	7.26	36.84	6.00	308	308	PEAK																																																								
Avg																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2488.54</td><td>45.68</td><td>54.00</td><td>-8.32</td><td>36.78</td><td>32.48</td><td>7.26</td><td>36.84</td><td>6.00</td><td>308</td><td>308</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2488.54	45.68	54.00	-8.32	36.78	32.48	7.26	36.84	6.00	308	308	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2488.54	45.68	54.00	-8.32	36.78	32.48	7.26	36.84	6.00	308	308	AVERAGE																																																								
																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2456.00</td><td>103.77</td><td>-----</td><td>-----</td><td>95.06</td><td>32.41</td><td>7.21</td><td>36.91</td><td>6.00</td><td>308</td><td>308</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>104.12</td><td>-----</td><td>-----</td><td>95.27</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>308</td><td>308</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2456.00	103.77	-----	-----	95.06	32.41	7.21	36.91	6.00	308	308	Peak	2	2480.00	104.12	-----	-----	95.27	32.46	7.25	36.86	6.00	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2456.00	103.77	-----	-----	95.06	32.41	7.21	36.91	6.00	308	308	Peak																																																								
2	2480.00	104.12	-----	-----	95.27	32.46	7.25	36.86	6.00	308	308	PEAK																																																								
																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2458.00</td><td>94.52</td><td>-----</td><td>-----</td><td>85.00</td><td>32.42</td><td>7.21</td><td>36.91</td><td>6.00</td><td>308</td><td>308</td><td>Average</td></tr><tr><td>2</td><td>2480.00</td><td>101.90</td><td>-----</td><td>-----</td><td>93.05</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>308</td><td>308</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2458.00	94.52	-----	-----	85.00	32.42	7.21	36.91	6.00	308	308	Average	2	2480.00	101.90	-----	-----	93.05	32.46	7.25	36.86	6.00	308
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2458.00	94.52	-----	-----	85.00	32.42	7.21	36.91	6.00	308	308	Average																																																								
2	2480.00	101.90	-----	-----	93.05	32.46	7.25	36.86	6.00	308	308	AVERAGE																																																								







		68																																																																		
Mode		Band Edge - L																																																																		
		2400-2483.5_Bluetooth-LE _Bluetooth-LE _CH39_2480MHz																																																																		
ANT		7																																																																		
Pol.		Vertical						Fundamental																																																												
Peak																																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2485.36</td><td>53.83</td><td>74.00</td><td>-20.17</td><td>44.94</td><td>32.47</td><td>7.26</td><td>36.84</td><td>6.00</td><td>283</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2485.36	53.83	74.00	-20.17	44.94	32.47	7.26	36.84	6.00	283	0	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1	2485.36	53.83	74.00	-20.17	44.94	32.47	7.26	36.84	6.00	283	0	PEAK																																																								
Avg																																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2484.04</td><td>42.43</td><td>54.00</td><td>-11.57</td><td>33.55</td><td>32.47</td><td>7.26</td><td>36.85</td><td>6.00</td><td>283</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2484.04	42.43	54.00	-11.57	33.55	32.47	7.26	36.85	6.00	283	0	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1	2484.04	42.43	54.00	-11.57	33.55	32.47	7.26	36.85	6.00	283	0	AVERAGE																																																								
																																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2468.00</td><td>98.14</td><td>-----</td><td>-----</td><td>89.35</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>283</td><td>0</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>98.60</td><td>-----</td><td>-----</td><td>89.83</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>283</td><td>0</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2468.00	98.14	-----	-----	89.35	32.44	7.23	36.88	6.00	283	0	Peak	2	2480.00	98.60	-----	-----	89.83	32.46	7.25	36.86	6.00	283	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1	2468.00	98.14	-----	-----	89.35	32.44	7.23	36.88	6.00	283	0	Peak																																																								
2	2480.00	98.60	-----	-----	89.83	32.46	7.25	36.86	6.00	283	0	PEAK																																																								
																																																																				
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>2470.00</td><td>87.05</td><td>-----</td><td>-----</td><td>78.26</td><td>32.44</td><td>7.23</td><td>36.88</td><td>6.00</td><td>283</td><td>0</td><td>Average</td></tr><tr><td>2</td><td>2480.00</td><td>96.34</td><td>-----</td><td>-----</td><td>87.49</td><td>32.46</td><td>7.25</td><td>36.86</td><td>6.00</td><td>283</td><td>0</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	2470.00	87.05	-----	-----	78.26	32.44	7.23	36.88	6.00	283	0	Average	2	2480.00	96.34	-----	-----	87.49	32.46	7.25	36.86	6.00	283	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																												
1	2470.00	87.05	-----	-----	78.26	32.44	7.23	36.88	6.00	283	0	Average																																																								
2	2480.00	96.34	-----	-----	87.49	32.46	7.25	36.86	6.00	283	0	AVERAGE																																																								





		68																																																																																																											
Mode		Band Edge - L																																																																																																											
		U-NII-8_6.875-7.125_802.11ax HE20_Full_7115MHz																																																																																																											
ANT		CDD 8+10																																																																																																											
Pol.		Horizontal					Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7125.00</td><td>73.39</td><td>88.20</td><td>-14.81</td><td>62.92</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	7125.00	73.39	88.20	-14.81	62.92	35.70	12.62	37.85	0.00	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2462.00</td><td>100.68</td><td>-----</td><td>97.94</td><td>32.42</td><td>7.22</td><td>36.90</td><td>0.00</td><td>153</td></tr><tr><td>2</td><td>2480.00</td><td>99.10</td><td>-----</td><td>96.25</td><td>32.46</td><td>7.25</td><td>36.86</td><td>0.00</td><td>153</td></tr><tr><td>3</td><td>7107.00</td><td>89.53</td><td>-----</td><td>79.11</td><td>35.70</td><td>12.60</td><td>37.88</td><td>0.00</td><td>153</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	2462.00	100.68	-----	97.94	32.42	7.22	36.90	0.00	153	2	2480.00	99.10	-----	96.25	32.46	7.25	36.86	0.00	153	3	7107.00	89.53	-----	79.11	35.70	12.60	37.88	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																				
1	7125.00	73.39	88.20	-14.81	62.92	35.70	12.62	37.85	0.00																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																				
1	2462.00	100.68	-----	97.94	32.42	7.22	36.90	0.00	153																																																																																																				
2	2480.00	99.10	-----	96.25	32.46	7.25	36.86	0.00	153																																																																																																				
3	7107.00	89.53	-----	79.11	35.70	12.60	37.88	0.00	153																																																																																																				
Avg																																																																																																													
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7125.00</td><td>64.64</td><td>68.20</td><td>-3.56</td><td>54.17</td><td>35.70</td><td>12.62</td><td>37.85</td><td>0.00</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	7125.00	64.64	68.20	-3.56	54.17	35.70	12.62	37.85	0.00	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2462.00</td><td>95.28</td><td>-----</td><td>92.54</td><td>32.42</td><td>7.22</td><td>36.90</td><td>0.00</td><td>153</td></tr><tr><td>2</td><td>2480.00</td><td>92.02</td><td>-----</td><td>89.17</td><td>32.46</td><td>7.25</td><td>36.86</td><td>0.00</td><td>153</td></tr><tr><td>3</td><td>7115.50</td><td>78.95</td><td>-----</td><td>68.50</td><td>35.70</td><td>12.61</td><td>37.86</td><td>0.00</td><td>153</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	2462.00	95.28	-----	92.54	32.42	7.22	36.90	0.00	153	2	2480.00	92.02	-----	89.17	32.46	7.25	36.86	0.00	153	3	7115.50	78.95	-----	68.50	35.70	12.61	37.86	0.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																				
1	7125.00	64.64	68.20	-3.56	54.17	35.70	12.62	37.85	0.00																																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																				
1	2462.00	95.28	-----	92.54	32.42	7.22	36.90	0.00	153																																																																																																				
2	2480.00	92.02	-----	89.17	32.46	7.25	36.86	0.00	153																																																																																																				
3	7115.50	78.95	-----	68.50	35.70	12.61	37.86	0.00	153																																																																																																				



		68																																																																																																																																										
Mode		Band Edge - L																																																																																																																																										
		U-NII-8_6.875-7.125_802.11ax HE20_Full_7115MHz																																																																																																																																										
ANT		SDM 8+10																																																																																																																																										
Pol.		Vertical					Fundamental																																																																																																																																					
Peak																																																																																																																																												
			Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark		Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg		1	7125.00	74.45	88.20	-13.75	63.90	35.70	12.62	37.85	0.00								300	354	PEAK	<table><tbody><tr><td>1</td><td>2462.00</td><td>107.99</td><td>-----</td><td>-----</td><td>105.25</td><td>32.42</td><td>7.22</td><td>36.90</td><td>0.00</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>300</td><td>354</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>91.26</td><td>-----</td><td>-----</td><td>88.41</td><td>32.46</td><td>7.25</td><td>36.86</td><td>0.00</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>300</td><td>354</td><td>Peak</td></tr><tr><td>3</td><td>7115.50</td><td>86.99</td><td>-----</td><td>-----</td><td>76.54</td><td>35.70</td><td>12.61</td><td>37.86</td><td>0.00</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>300</td><td>354</td><td>Peak</td></tr></tbody></table>	1	2462.00	107.99	-----	-----	105.25	32.42	7.22	36.90	0.00								300	354	Peak	2	2480.00	91.26	-----	-----	88.41	32.46	7.25	36.86	0.00								300	354	Peak	3	7115.50	86.99	-----	-----	76.54	35.70	12.61	37.86	0.00								300	354
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																										
Freq		Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																																									
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																										
1	7125.00	74.45	88.20	-13.75	63.90	35.70	12.62	37.85	0.00								300	354	PEAK																																																																																																																									
1	2462.00	107.99	-----	-----	105.25	32.42	7.22	36.90	0.00								300	354	Peak																																																																																																																									
2	2480.00	91.26	-----	-----	88.41	32.46	7.25	36.86	0.00								300	354	Peak																																																																																																																									
3	7115.50	86.99	-----	-----	76.54	35.70	12.61	37.86	0.00								300	354	Peak																																																																																																																									
Avg																																																																																																																																												
	1	7125.00	65.02	68.20	-3.18	54.55	35.70	12.62	37.85	0.00								300	354	AVERAGE	<table><tbody><tr><td>1</td><td>2462.00</td><td>97.27</td><td>-----</td><td>-----</td><td>94.53</td><td>32.42</td><td>7.22</td><td>36.90</td><td>0.00</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>300</td><td>354</td><td>Average</td></tr><tr><td>2</td><td>2480.00</td><td>83.04</td><td>-----</td><td>-----</td><td>80.19</td><td>32.46</td><td>7.25</td><td>36.86</td><td>0.00</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>300</td><td>354</td><td>Average</td></tr><tr><td>3</td><td>7115.50</td><td>76.78</td><td>-----</td><td>-----</td><td>66.33</td><td>35.70</td><td>12.61</td><td>37.86</td><td>0.00</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>300</td><td>354</td><td>Average</td></tr></tbody></table>	1	2462.00	97.27	-----	-----	94.53	32.42	7.22	36.90	0.00								300	354	Average	2	2480.00	83.04	-----	-----	80.19	32.46	7.25	36.86	0.00								300	354	Average	3	7115.50	76.78	-----	-----	66.33	35.70	12.61	37.86	0.00								300	354	Average																																																											
1	7125.00	65.02	68.20	-3.18	54.55	35.70	12.62	37.85	0.00								300	354	AVERAGE																																																																																																																									
1	2462.00	97.27	-----	-----	94.53	32.42	7.22	36.90	0.00								300	354	Average																																																																																																																									
2	2480.00	83.04	-----	-----	80.19	32.46	7.25	36.86	0.00								300	354	Average																																																																																																																									
3	7115.50	76.78	-----	-----	66.33	35.70	12.61	37.86	0.00								300	354	Average																																																																																																																									




		68																																												
Mode		Harmonic																																												
		U-NII-8_6.875-7.125_802.11ax HE20_Full_7115MHz																																												
ANT		SDM 8+10																																												
Pol.		Horizontal																																												
Peak Avg																																														
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14230.00	45.87	88.20	-42.33	53.53	38.93	18.19	64.78	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	14230.00	45.87	88.20	-42.33	53.53	38.93	18.19	64.78	0.00	--	--	PEAK																																		
		Vertical																																												
Peak Avg																																														
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14230.00	46.20	88.20	-42.00	53.86	38.93	18.19	64.78	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	14230.00	46.20	88.20	-42.00	53.86	38.93	18.19	64.78	0.00	--	--	PEAK																																		

Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
8+10	802.11a	99.32	-	-	10Hz
8+10	802.11ax HE20	100	-	-	10Hz
8+10	802.11ax HE40	100	-	-	10Hz
8+10	802.11ax HE80	100	-	-	10Hz
8+10	802.11ax HE160	100	-	-	10Hz
8+10	802.11ax HE20 RU106	100	-	-	10Hz
8+10	802.11ax HE40 RU242	100	-	-	10Hz
8+10	802.11ax HE80 RU484	98.98	-	-	10Hz
8+10	802.11ax HE160 RU996	99.16	-	-	10Hz

802.11a






802.11ax HE20




802.11ax HE40






802.11ax HE80




802.11ax HE160






802.11ax HE20 RU106




802.11ax HE40 RU242





802.11ax HE80 RU484



802.11ax HE160 RU996

