













Band edge measurements


Test Result


TestMode	Antenna	ChName	Freq(MHz)	RefLevel[dBm /100KHz]	Result[dBm /100KHz]	Limit[dBm /100KHz]	Verdict
11B-CDD	Ant7	Low	2412	8.95	-39	≤-21.05	PASS
	Ant9	Low	2412	8.99	-41.68	≤-21.01	PASS
	Ant7	High	2462	11.27	-47.96	≤-18.73	PASS
	Ant9	High	2462	10.89	-48.23	≤-19.11	PASS
11G-CDD	Ant7	Low	2412	6.88	-29.57	≤-23.12	PASS
	Ant9	Low	2412	7.58	-33.52	≤-22.42	PASS
	Ant7	High	2462	6.41	-43.86	≤-23.59	PASS
	Ant9	High	2462	6.56	-45.78	≤-23.44	PASS
11AC20MIMO	Ant7	Low	2412	5.58	-31.59	≤-24.42	PASS
	Ant9	Low	2412	5.86	-34.84	≤-24.14	PASS
	Ant7	High	2462	5.68	-44.57	≤-24.32	PASS
	Ant9	High	2462	5.75	-47.19	≤-24.25	PASS
11AX20MIMO	Ant7	Low	2412	6.22	-28.11	≤-23.78	PASS
	Ant9	Low	2412	6.12	-35.19	≤-23.88	PASS
	Ant7	High	2462	6.67	-41.69	≤-23.33	PASS
	Ant9	High	2462	7.32	-45.07	≤-22.68	PASS





Test Graphs






















Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [Mhz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
11B-CDD	Ant7	2412	30~1000	8.95	-48.62	≤-21.05	PASS
			1000~26500	8.95	-43.42	≤-21.05	PASS
	Ant9	2412	30~1000	8.99	-49.48	≤-21.01	PASS
			1000~26500	8.99	-42.85	≤-21.01	PASS
	Ant7	2437	30~1000	8.97	-49.95	≤-21.03	PASS
			1000~26500	8.97	-44.26	≤-21.03	PASS
	Ant9	2437	30~1000	9.10	-49.85	≤-20.9	PASS
			1000~26500	9.10	-43.67	≤-20.9	PASS
	Ant7	2462	30~1000	11.27	-48.96	≤-18.73	PASS
			1000~26500	11.27	-43.67	≤-18.73	PASS
	Ant9	2462	30~1000	10.89	-49.95	≤-19.11	PASS
			1000~26500	10.89	-43.75	≤-19.11	PASS
11G-CDD	Ant7	2412	30~1000	6.88	-49.5	≤-23.12	PASS
			1000~26500	6.88	-44.07	≤-23.12	PASS
	Ant9	2412	30~1000	7.58	-50.04	≤-22.42	PASS
			1000~26500	7.58	-44.03	≤-22.42	PASS
	Ant7	2437	30~1000	7.86	-50.1	≤-22.14	PASS
			1000~26500	7.86	-44.22	≤-22.14	PASS
	Ant9	2437	30~1000	8.01	-50.04	≤-21.99	PASS
			1000~26500	8.01	-44.03	≤-21.99	PASS
	Ant7	2462	30~1000	6.41	-48.67	≤-23.59	PASS
			1000~26500	6.41	-42.78	≤-23.59	PASS
	Ant9	2462	30~1000	6.56	-50.06	≤-23.44	PASS
			1000~26500	6.56	-43.57	≤-23.44	PASS
11AC20MIMO	Ant7	2412	30~1000	5.58	-49.3	≤-24.42	PASS
			1000~26500	5.58	-43.96	≤-24.42	PASS
	Ant9	2412	30~1000	5.86	-49.84	≤-24.14	PASS
			1000~26500	5.86	-43.6	≤-24.14	PASS
	Ant7	2437	30~1000	6.88	-50.03	≤-23.12	PASS
			1000~26500	6.88	-43.66	≤-23.12	PASS
	Ant9	2437	30~1000	6.79	-50.13	≤-23.21	PASS
			1000~26500	6.79	-44.03	≤-23.21	PASS
	Ant7	2462	30~1000	5.68	-49.31	≤-24.32	PASS
			1000~26500	5.68	-43.96	≤-24.32	PASS





	Ant9	2462	1000~26500	5.68	-43.79	≤ -24.32	PASS
			30~1000	5.75	-50.4	≤ -24.25	PASS
			1000~26500	5.75	-43.55	≤ -24.25	PASS
11AX20MIMO	Ant7	2412	30~1000	6.22	-49.55	≤ -23.78	PASS
			1000~26500	6.22	-43.91	≤ -23.78	PASS
	Ant9	2412	30~1000	6.12	-49.44	≤ -23.88	PASS
			1000~26500	6.12	-42.95	≤ -23.88	PASS
	Ant7	2437	30~1000	7.03	-50.02	≤ -22.97	PASS
			1000~26500	7.03	-43.97	≤ -22.97	PASS
	Ant9	2437	30~1000	7.27	-49.32	≤ -22.73	PASS
			1000~26500	7.27	-43.57	≤ -22.73	PASS
	Ant7	2462	30~1000	6.67	-49.8	≤ -23.33	PASS
			1000~26500	6.67	-43.84	≤ -23.33	PASS
	Ant9	2462	30~1000	7.32	-49.75	≤ -22.68	PASS
			1000~26500	7.32	-43.75	≤ -22.68	PASS





Test Graphs






































































<802.11axPartial RU>


Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant7	2412	26Tone	RU0	-7.47	≤8.00	PASS
			52Tone	RU37	-7.41	≤8.00	PASS
			106Tone	RU53	-7.07	≤8.00	PASS
	Ant9	2412	26Tone	RU0	-8.16	≤8.00	PASS
			52Tone	RU37	-8.24	≤8.00	PASS
			106Tone	RU53	-7.59	≤8.00	PASS
	total	2412	26Tone	RU0	-4.79	≤8.00	PASS
			52Tone	RU37	-4.79	≤8.00	PASS
			106Tone	RU53	-4.31	≤8.00	PASS
	Ant7	2437	26Tone	RU0	-7.11	≤8.00	PASS
			52Tone	RU37	-7.43	≤8.00	PASS
			106Tone	RU53	-7.17	≤8.00	PASS
	Ant9	2437	26Tone	RU0	-7.50	≤8.00	PASS
			52Tone	RU37	-7.06	≤8.00	PASS
			106Tone	RU53	-6.85	≤8.00	PASS
	total	2437	26Tone	RU0	-4.29	≤8.00	PASS
			52Tone	RU37	-4.23	≤8.00	PASS
			106Tone	RU53	-4.00	≤8.00	PASS
	Ant7	2462	26Tone	RU8	-8.40	≤8.00	PASS
			52Tone	RU40	-8.49	≤8.00	PASS
			106Tone	RU54	-8.46	≤8.00	PASS
	Ant9	2462	26Tone	RU8	-8.46	≤8.00	PASS
			52Tone	RU40	-8.44	≤8.00	PASS
			106Tone	RU54	-8.30	≤8.00	PASS
	total	2462	26Tone	RU8	-5.42	≤8.00	PASS
			52Tone	RU40	-5.45	≤8.00	PASS
			106Tone	RU54	-5.37	≤8.00	PASS




Test Graphs








11AX20MIMO_Ant7_2412_106Tone_RU53



11AX20MIMO_Ant9_2412_26Tone_RU0













11AX20MIMO_Ant7_2437_106Tone_RU53




11AX20MIMO_Ant9_2437_26Tone_RU0













11AX20MIMO_Ant9_2462_52Tone_RU40



Date: 24.JUN.2024 21:04:34

11AX20MIMO_Ant9_2462_106Tone_RU54




Date: 24.JUN.2024 21:07:49



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L 2023 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.186	47.05	-17.15	64.20	36.61	0.03	10.41	QP
2	0.186	31.47	-22.73	54.20	21.03	0.03	10.41	Average
3	0.242	39.31	-22.73	62.04	28.91	0.03	10.37	QP
4	0.242	28.61	-23.43	52.04	18.21	0.03	10.37	Average
5	1.388	38.17	-17.83	56.00	28.21	-0.12	10.08	QP
6	1.388	28.87	-17.13	46.00	18.91	-0.12	10.08	Average
7	1.628	40.15	-15.85	56.00	30.20	-0.13	10.08	QP
8	1.628	31.25	-14.75	46.00	21.30	-0.13	10.08	Average
9	2.527	39.17	-16.83	56.00	29.21	-0.11	10.07	QP
10 *	2.527	34.07	-11.93	46.00	24.11	-0.11	10.07	Average
11	2.839	38.18	-17.82	56.00	28.20	-0.09	10.07	QP
12	2.839	33.58	-12.42	46.00	23.60	-0.09	10.07	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.185	47.06	-17.18	64.24	36.60	0.05	10.41	QP
2	0.185	30.66	-23.58	54.24	20.20	0.05	10.41	Average
3	0.253	37.86	-23.78	61.64	27.49	0.00	10.37	QP
4	0.253	26.66	-24.98	51.64	16.29	0.00	10.37	Average
5	0.611	34.30	-21.70	56.00	24.20	-0.07	10.17	QP
6	0.611	26.70	-19.30	46.00	16.60	-0.07	10.17	Average
7	1.645	35.17	-20.83	56.00	25.20	-0.11	10.08	QP
8	1.645	25.87	-20.13	46.00	15.90	-0.11	10.08	Average
9	2.721	37.14	-18.86	56.00	27.20	-0.13	10.07	QP
10 *	2.721	30.24	-15.76	46.00	20.30	-0.13	10.07	Average
11	3.090	36.14	-19.86	56.00	26.20	-0.13	10.07	QP
12	3.090	29.14	-16.86	46.00	19.20	-0.13	10.07	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41~42%
		Temperature :	22~23°C





Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	CDD 7+9	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	CDD 7+9	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	CDD 7+9	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	CDD 7+9	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	CDD 7+9	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	CDD 7+9	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	CDD 7+9	802.11ax HE20	01	2412	MCS0	Full RU	-
Mode 8	2400-2483.5	CDD 7+9	802.11ax HE20	01	2412	MCS0	106/53	-
Mode 9	2400-2483.5	CDD 7+9	802.11ax HE20	06	2437	MCS0	Full RU	-
Mode 10	2400-2483.5	CDD 7+9	802.11ax HE20	11	2462	MCS0	Full RU	-
Mode 11	2400-2483.5	CDD 7+9	802.11ax HE20	11	2462	MCS0	106/54	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2389.82	43.34	54.00	-10.66	H	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	50.64	54.00	-3.36	V	AVERAGE	Pass	Harmonic
2	802.11b	06	2483.75	43.45	54.00	-10.55	H	AVERAGE	Pass	Band Edge
2	802.11b	06	4874.00	50.49	54.00	-3.51	V	AVERAGE	Pass	Harmonic
3	802.11b	11	2483.51	44.56	54.00	-9.44	H	AVERAGE	Pass	Band Edge
3	802.11b	11	4924.00	50.26	54.00	-3.74	V	AVERAGE	Pass	Harmonic
4	802.11g	01	2389.95	52.23	54.00	-1.77	H	AVERAGE	Pass	Band Edge
4	802.11g	01	4824.00	40.79	54.00	-13.21	V	AVERAGE	Pass	Harmonic
5	802.11g	06	2483.56	48.80	54.00	-5.20	H	AVERAGE	Pass	Band Edge
5	802.11g	06	4874.00	41.75	54.00	-12.25	V	AVERAGE	Pass	Harmonic
6	802.11g	11	2485.60	52.04	54.00	-1.96	H	AVERAGE	Pass	Band Edge
6	802.11g	11	4924.00	37.88	54.00	-16.12	V	AVERAGE	Pass	Harmonic
7	802.11ax HE20	01	2389.95	52.24	54.00	-1.76	V	AVERAGE	Pass	Band Edge
7	802.11ax HE20	01	4824.00	34.78	54.00	-19.22	V	AVERAGE	Pass	Harmonic
8	802.11ax HE20	01	2388.78	68.17	74.00	-5.83	H	PEAK	Pass	Band Edge
8	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
9	802.11ax HE20	06	2484.00	48.88	54.00	-5.12	H	AVERAGE	Pass	Band Edge
9	802.11ax HE20	06	4874.00	34.43	54.00	-19.57	V	AVERAGE	Pass	Harmonic
10	802.11ax HE20	11	2483.51	52.29	54.00	-1.71	H	AVERAGE	Pass	Band Edge
10	802.11ax HE20	11	4924.00	39.04	54.00	-14.96	V	AVERAGE	Pass	Harmonic
11	802.11ax HE20	11	2483.55	70.07	74.00	-3.93	H	PEAK	Pass	Band Edge
11	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic





Mode	1																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																		
ANT	CDD 7+9																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2366.94</td><td>55.58</td><td>74.00</td><td>-18.42</td><td>43.47</td><td>31.73</td><td>6.57</td><td>32.19</td><td>6.00</td><td>103</td><td>128</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2366.94	55.58	74.00	-18.42	43.47	31.73	6.57	32.19	6.00	103	128	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>114.19</td><td>-----</td><td>-----</td><td>101.93</td><td>31.82</td><td>6.63</td><td>32.19</td><td>6.00</td><td>103</td><td>128</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	114.19	-----	-----	101.93	31.82	6.63	32.19	6.00	103	128
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	2366.94	55.58	74.00	-18.42	43.47	31.73	6.57	32.19	6.00	103	128	PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	2412.00	114.19	-----	-----	101.93	31.82	6.63	32.19	6.00	103	128	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>31.14</td><td>31.78</td><td>6.60</td><td>32.18</td><td>6.00</td><td>103</td><td>128</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	43.34	54.00	-10.66	31.14	31.78	6.60	32.18	6.00	103	128	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.62</td><td>-----</td><td>-----</td><td>97.36</td><td>31.82</td><td>6.63</td><td>32.19</td><td>6.00</td><td>103</td><td>128</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.62	-----	-----	97.36	31.82	6.63	32.19	6.00	103	128
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	2389.82	43.34	54.00	-10.66	31.14	31.78	6.60	32.18	6.00	103	128	AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	2412.00	109.62	-----	-----	97.36	31.82	6.63	32.19	6.00	103	128	AVERAGE																																																																																																							







		1																																																									
Mode	Band Edge																																																										
	2400-2483.5_802.11b_CH01_2412MHz																																																										
ANT	CDD 7+9																																																										
Pol.	Vertical						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2356.41</td><td>55.01</td><td>74.00</td><td>-18.99</td><td>42.95</td><td>31.71</td><td>6.55</td><td>32.20</td><td>6.00</td><td>383</td><td>222 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2356.41	55.01	74.00	-18.99	42.95	31.71	6.55	32.20	6.00	383
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2356.41	55.01	74.00	-18.99	42.95	31.71	6.55	32.20	6.00	383	222 PEAK																																																
Fundamental																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>112.65</td><td>-----</td><td>-----</td><td>100.39</td><td>31.82</td><td>6.63</td><td>32.19</td><td>6.00</td><td>383</td><td>222 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	112.65	-----	-----	100.39	31.82	6.63	32.19	6.00	383
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2412.00	112.65	-----	-----	100.39	31.82	6.63	32.19	6.00	383	222 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.48</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>30.96</td><td>31.77</td><td>6.60</td><td>32.18</td><td>6.00</td><td>383</td><td>222 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.48	43.15	54.00	-10.85	30.96	31.77	6.60	32.18	6.00	383
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2387.48	43.15	54.00	-10.85	30.96	31.77	6.60	32.18	6.00	383	222 AVERAGE																																																
Fundamental																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>108.11</td><td>-----</td><td>-----</td><td>95.85</td><td>31.82</td><td>6.63</td><td>32.19</td><td>6.00</td><td>383</td><td>222 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	108.11	-----	-----	95.85	31.82	6.63	32.19	6.00	383
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	2412.00	108.11	-----	-----	95.85	31.82	6.63	32.19	6.00	383	222 AVERAGE																																																





Mode	1																																																																																																																
	Harmonic																																																																																																																
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																
ANT	CDD 7+9																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4824.00</td><td>42.24</td><td>74.00</td><td>-31.76</td><td>59.69</td><td>34.35</td><td>9.47</td><td>61.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4824.00	42.24	74.00	-31.76	59.69	34.35	9.47	61.27	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4824.00</td><td>53.18</td><td>74.00</td><td>-20.82</td><td>70.63</td><td>34.35</td><td>9.47</td><td>61.27</td><td>0.00</td><td>286</td><td>5</td><td>PEAK</td></tr><tr><td>2 4824.00</td><td>50.64</td><td>54.00</td><td>-3.36</td><td>68.09</td><td>34.35</td><td>9.47</td><td>61.27</td><td>0.00</td><td>286</td><td>5</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4824.00	53.18	74.00	-20.82	70.63	34.35	9.47	61.27	0.00	286	5	PEAK	2 4824.00	50.64	54.00	-3.36	68.09	34.35	9.47	61.27	0.00	286	5	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1 4824.00	42.24	74.00	-31.76	59.69	34.35	9.47	61.27	0.00	---	---	PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1 4824.00	53.18	74.00	-20.82	70.63	34.35	9.47	61.27	0.00	286	5	PEAK																																																																																																						
2 4824.00	50.64	54.00	-3.36	68.09	34.35	9.47	61.27	0.00	286	5	AVERAGE																																																																																																						







Mode	2																																																						
	Band Edge - L																																																						
	2400-2483.5_802.11b_CH06_2437MHz																																																						
ANT	CDD 7+9																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2342.00</td><td>55.27</td><td>74.00</td><td>-18.73</td><td>43.27</td><td>31.67</td><td>6.53</td><td>32.20</td><td>6.00</td><td>100</td><td>127 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2342.00	55.27	74.00	-18.73	43.27	31.67	6.53	32.20	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2342.00	55.27	74.00	-18.73	43.27	31.67	6.53	32.20	6.00	100	127 PEAK																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>113.00</td><td>-----</td><td>-----</td><td>100.74</td><td>31.87</td><td>6.67</td><td>32.20</td><td>6.00</td><td>100</td><td>127 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	113.00	-----	-----	100.74	31.87	6.67	32.20	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2437.00	113.00	-----	-----	100.74	31.87	6.67	32.20	6.00	100	127 PEAK																																												
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.76</td><td>42.89</td><td>54.00</td><td>-11.11</td><td>30.69</td><td>31.78</td><td>6.60</td><td>32.18</td><td>6.00</td><td>100</td><td>127 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.76	42.89	54.00	-11.11	30.69	31.78	6.60	32.18	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.76	42.89	54.00	-11.11	30.69	31.78	6.60	32.18	6.00	100	127 AVERAGE																																												
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>108.67</td><td>-----</td><td>-----</td><td>96.32</td><td>31.88</td><td>6.67</td><td>32.20</td><td>6.00</td><td>100</td><td>127 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	108.67	-----	-----	96.32	31.88	6.67	32.20	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2437.00	108.67	-----	-----	96.32	31.88	6.67	32.20	6.00	100	127 AVERAGE																																												





Mode	2																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11b_CH06_2437MHz																																																							
ANT	CDD 7+9																																																							
Pol.	Horizontal										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.33</td><td>55.24</td><td>74.00</td><td>-18.76</td><td>42.77</td><td>31.97</td><td>6.74</td><td>32.24</td><td>6.00</td><td>100</td><td>127 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.33	55.24	74.00	-18.76	42.77	31.97	6.74	32.24	6.00	100	127 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2486.33	55.24	74.00	-18.76	42.77	31.97	6.74	32.24	6.00	100	127 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.75</td><td>43.45</td><td>54.00</td><td>-10.55</td><td>30.98</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>127 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.75	43.45	54.00	-10.55	30.98	31.97	6.73	32.23	6.00	100	127 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.75	43.45	54.00	-10.55	30.98	31.97	6.73	32.23	6.00	100	127 AVERAGE																																													





		2																																																																																																					
Mode	Band Edge - L																																																																																																						
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																						
ANT	CDD 7+9																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2324.48</td><td>54.91</td><td>74.00</td><td>-19.09</td><td>43.02</td><td>31.60</td><td>6.50</td><td>32.21</td><td>6.00</td><td>372</td><td>204</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2324.48	54.91	74.00	-19.09	43.02	31.60	6.50	32.21	6.00	372	204	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>110.35</td><td>-----</td><td>-----</td><td>98.01</td><td>31.87</td><td>6.67</td><td>32.20</td><td>6.00</td><td>372</td><td>204</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	110.35	-----	-----	98.01	31.87	6.67	32.20	6.00	372	204
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2324.48	54.91	74.00	-19.09	43.02	31.60	6.50	32.21	6.00	372	204	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2437.00	110.35	-----	-----	98.01	31.87	6.67	32.20	6.00	372	204	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.76</td><td>42.50</td><td>54.00</td><td>-11.50</td><td>30.30</td><td>31.78</td><td>6.60</td><td>32.18</td><td>6.00</td><td>372</td><td>204</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.76	42.50	54.00	-11.50	30.30	31.78	6.60	32.18	6.00	372	204	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>105.83</td><td>-----</td><td>-----</td><td>93.49</td><td>31.87</td><td>6.67</td><td>32.20</td><td>6.00</td><td>372</td><td>204</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	105.83	-----	-----	93.49	31.87	6.67	32.20	6.00	372	204
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2389.76	42.50	54.00	-11.50	30.30	31.78	6.60	32.18	6.00	372	204	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2437.00	105.83	-----	-----	93.49	31.87	6.67	32.20	6.00	372	204	AVERAGE																																																																																											







Mode	2																																																								
	Band Edge - R																																																								
	2400-2483.5_802.11b_CH06_2437MHz																																																								
ANT	CDD 7+9																																																								
Pol.	Vertical										Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.36</td><td>55.55</td><td>74.00</td><td>-18.45</td><td>43.07</td><td>31.98</td><td>6.74</td><td>32.24</td><td>6.00</td><td>372</td><td>204</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.36	55.55	74.00	-18.45	43.07	31.98	6.74	32.24	6.00	372	204	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2490.36	55.55	74.00	-18.45	43.07	31.98	6.74	32.24	6.00	372	204	PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>42.77</td><td>54.00</td><td>-11.23</td><td>30.30</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>372</td><td>204</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	42.77	54.00	-11.23	30.30	31.97	6.73	32.23	6.00	372	204	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	2483.56	42.77	54.00	-11.23	30.30	31.97	6.73	32.23	6.00	372	204	AVERAGE																																													







		2																																																																																											
Mode		Harmonic																																																																																											
		2400-2483.5_802.11b_CH06_2437MHz																																																																																											
ANT		CDD 7+9																																																																																											
Pol.		Horizontal											Vertical																																																																																
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>43.02</td><td>74.00</td><td>-30.98</td><td>60.38</td><td>34.35</td><td>9.52</td><td>61.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>58.20</td><td>35.00</td><td>11.69</td><td>60.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	43.02	74.00	-30.98	60.38	34.35	9.52	61.23	0.00	---	---	PEAK	2	7311.00	44.96	74.00	-29.04	58.20	35.00	11.69	60.73	0.00	---	---	PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	4874.00	43.02	74.00	-30.98	60.38	34.35	9.52	61.23	0.00	---	---	PEAK																																																																																	
2	7311.00	44.96	74.00	-29.04	58.20	35.00	11.69	60.73	0.00	---	---	PEAK																																																																																	
																																																																																													
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>52.68</td><td>74.00</td><td>-21.32</td><td>70.04</td><td>34.35</td><td>9.52</td><td>61.23</td><td>0.00</td><td>263</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>50.49</td><td>54.00</td><td>-3.51</td><td>67.85</td><td>34.35</td><td>9.52</td><td>61.23</td><td>0.00</td><td>263</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>44.26</td><td>74.00</td><td>-29.74</td><td>57.50</td><td>35.00</td><td>11.69</td><td>60.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																									Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	52.68	74.00	-21.32	70.04	34.35	9.52	61.23	0.00	263	0	PEAK	2	4874.00	50.49	54.00	-3.51	67.85	34.35	9.52	61.23	0.00	263	0	AVERAGE	3	7311.00	44.26	74.00	-29.74	57.50	35.00	11.69	60.73	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	4874.00	52.68	74.00	-21.32	70.04	34.35	9.52	61.23	0.00	263	0	PEAK																																																																																	
2	4874.00	50.49	54.00	-3.51	67.85	34.35	9.52	61.23	0.00	263	0	AVERAGE																																																																																	
3	7311.00	44.26	74.00	-29.74	57.50	35.00	11.69	60.73	0.00	---	---	PEAK																																																																																	





Mode	3																																																							
	Band Edge																																																							
	2400-2483.5_802.11b_CH11_2462MHz																																																							
ANT	CDD 7+9																																																							
Pol.	Horizontal						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.08</td><td>56.76</td><td>74.00</td><td>-17.24</td><td>44.29</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>156</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.08	56.76	74.00	-17.24	44.29	31.97	6.73	32.23	6.00	156	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.08	56.76	74.00	-17.24	44.29	31.97	6.73	32.23	6.00	156	0 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>113.06</td><td>-----</td><td>-----</td><td>100.66</td><td>31.92</td><td>6.70</td><td>32.22</td><td>6.00</td><td>156</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	113.06	-----	-----	100.66	31.92	6.70	32.22	6.00	156	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	113.06	-----	-----	100.66	31.92	6.70	32.22	6.00	156	0 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>44.56</td><td>54.00</td><td>-9.44</td><td>32.09</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>156</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	44.56	54.00	-9.44	32.09	31.97	6.73	32.23	6.00	156	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.51	44.56	54.00	-9.44	32.09	31.97	6.73	32.23	6.00	156	0 AVERAGE																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>108.74</td><td>-----</td><td>-----</td><td>96.34</td><td>31.92</td><td>6.70</td><td>32.22</td><td>6.00</td><td>156</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.74	-----	-----	96.34	31.92	6.70	32.22	6.00	156	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	108.74	-----	-----	96.34	31.92	6.70	32.22	6.00	156	0 AVERAGE																																													







Mode	3																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																				
ANT	CDD 7+9																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>55.33</td><td>74.00</td><td>-18.67</td><td>42.86</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>360</td><td>225 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	55.33	74.00	-18.67	42.86	31.97	6.73	32.23	6.00	360	225 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>112.05</td><td>-----</td><td>-----</td><td>99.65</td><td>31.92</td><td>6.70</td><td>32.22</td><td>6.00</td><td>360</td><td>225 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	112.05	-----	-----	99.65	31.92	6.70	32.22	6.00	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2483.51	55.33	74.00	-18.67	42.86	31.97	6.73	32.23	6.00	360	225 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	112.05	-----	-----	99.65	31.92	6.70	32.22	6.00	360	225 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.15</td><td>43.27</td><td>54.00</td><td>-10.73</td><td>30.80</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>360</td><td>225 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.15	43.27	54.00	-10.73	30.80	31.97	6.73	32.23	6.00	360	225 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>107.61</td><td>-----</td><td>-----</td><td>95.21</td><td>31.92</td><td>6.70</td><td>32.22</td><td>6.00</td><td>360</td><td>225 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.61	-----	-----	95.21	31.92	6.70	32.22	6.00	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2484.15	43.27	54.00	-10.73	30.80	31.97	6.73	32.23	6.00	360	225 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2462.00	107.61	-----	-----	95.21	31.92	6.70	32.22	6.00	360	225 AVERAGE																																																																																										







Mode	3																																																																																																																																																												
	Harmonic																																																																																																																																																												
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																																																																												
ANT	CDD 7+9																																																																																																																																																												
Pol.	Horizontal							Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>47.97</td><td>74.00</td><td>-26.03</td><td>65.34</td><td>34.25</td><td>9.57</td><td>61.19</td><td>0.00</td><td>293</td><td>349</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>44.05</td><td>54.00</td><td>-9.95</td><td>61.42</td><td>34.25</td><td>9.57</td><td>61.19</td><td>0.00</td><td>293</td><td>349</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>57.84</td><td>35.73</td><td>11.72</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	47.97	74.00	-26.03	65.34	34.25	9.57	61.19	0.00	293	349	PEAK	2	4924.00	44.05	54.00	-9.95	61.42	34.25	9.57	61.19	0.00	293	349	AVERAGE	3	7386.00	44.40	74.00	-29.60	57.84	35.73	11.72	60.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>52.81</td><td>74.00</td><td>-21.19</td><td>70.18</td><td>34.25</td><td>9.57</td><td>61.19</td><td>0.00</td><td>257</td><td>5</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>50.26</td><td>54.00</td><td>-3.74</td><td>67.63</td><td>34.25</td><td>9.57</td><td>61.19</td><td>0.00</td><td>257</td><td>5</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>44.14</td><td>74.00</td><td>-29.86</td><td>57.58</td><td>35.73</td><td>11.72</td><td>60.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.00	52.81	74.00	-21.19	70.18	34.25	9.57	61.19	0.00	257	5	PEAK	2	4924.00	50.26	54.00	-3.74	67.63	34.25	9.57	61.19	0.00	257	5	AVERAGE	3	7386.00	44.14	74.00	-29.86	57.58	35.73	11.72	60.89	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4924.00	47.97	74.00	-26.03	65.34	34.25	9.57	61.19	0.00	293	349	PEAK																																																																																																																																																	
2	4924.00	44.05	54.00	-9.95	61.42	34.25	9.57	61.19	0.00	293	349	AVERAGE																																																																																																																																																	
3	7386.00	44.40	74.00	-29.60	57.84	35.73	11.72	60.89	0.00	---	---	PEAK																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																			
1	4924.00	52.81	74.00	-21.19	70.18	34.25	9.57	61.19	0.00	257	5	PEAK																																																																																																																																																	
2	4924.00	50.26	54.00	-3.74	67.63	34.25	9.57	61.19	0.00	257	5	AVERAGE																																																																																																																																																	
3	7386.00	44.14	74.00	-29.86	57.58	35.73	11.72	60.89	0.00	---	---	PEAK																																																																																																																																																	



Mode	4																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																														
ANT	CDD 7+9																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>68.32</td><td>74.00</td><td>-5.68</td><td>56.12</td><td>31.78</td><td>6.60</td><td>32.18</td><td>6.00</td><td>100</td><td>291 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	68.32	74.00	-5.68	56.12	31.78	6.60	32.18	6.00	100	291 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>114.32</td><td>-----</td><td>-----</td><td>102.06</td><td>31.82</td><td>6.63</td><td>32.19</td><td>6.00</td><td>100</td><td>291 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	114.32	-----	-----	102.06	31.82	6.63	32.19	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	68.32	74.00	-5.68	56.12	31.78	6.60	32.18	6.00	100	291 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	114.32	-----	-----	102.06	31.82	6.63	32.19	6.00	100	291 PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>52.23</td><td>54.00</td><td>-1.77</td><td>40.03</td><td>31.78</td><td>6.60</td><td>32.18</td><td>6.00</td><td>100</td><td>291 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	52.23	54.00	-1.77	40.03	31.78	6.60	32.18	6.00	100	291 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.05</td><td>-----</td><td>-----</td><td>92.79</td><td>31.82</td><td>6.63</td><td>32.19</td><td>6.00</td><td>100</td><td>291 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.05	-----	-----	92.79	31.82	6.63	32.19	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	52.23	54.00	-1.77	40.03	31.78	6.60	32.18	6.00	100	291 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	105.05	-----	-----	92.79	31.82	6.63	32.19	6.00	100	291 AVERAGE																																																																																																				







		4																																																																																																													
Mode		Band Edge																																																																																																													
		2400-2483.5_802.11g_CH01_2412MHz																																																																																																													
ANT		CDD 7+9																																																																																																													
Pol.		Vertical					Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>65.30</td><td>74.00</td><td>-8.70</td><td>53.10</td><td>31.78</td><td>6.60</td><td>32.18</td><td>6.00</td><td>390</td><td>55 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	65.30	74.00	-8.70	53.10	31.78	6.60	32.18	6.00	390	55 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>112.39</td><td>-----</td><td>-----</td><td>100.13</td><td>31.81</td><td>6.63</td><td>32.18</td><td>6.00</td><td>390</td><td>55 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	112.39	-----	-----	100.13	31.81	6.63	32.18	6.00	390
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	65.30	74.00	-8.70	53.10	31.78	6.60	32.18	6.00	390	55 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	112.39	-----	-----	100.13	31.81	6.63	32.18	6.00	390	55 PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>51.00</td><td>54.00</td><td>-3.00</td><td>38.00</td><td>31.78</td><td>6.60</td><td>32.18</td><td>6.00</td><td>390</td><td>55 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	51.00	54.00	-3.00	38.00	31.78	6.60	32.18	6.00	390	55 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.65</td><td>-----</td><td>-----</td><td>91.39</td><td>31.81</td><td>6.63</td><td>32.18</td><td>6.00</td><td>390</td><td>55 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.65	-----	-----	91.39	31.81	6.63	32.18	6.00	390
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.95	51.00	54.00	-3.00	38.00	31.78	6.60	32.18	6.00	390	55 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2412.00	103.65	-----	-----	91.39	31.81	6.63	32.18	6.00	390	55 AVERAGE																																																																																																				





Mode	4																																																																																																																
	Harmonic																																																																																																																
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																
ANT	CDD 7+9																																																																																																																
Pol.	Horizontal										Vertical																																																																																																						
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>43.11</td><td>74.00</td><td>-30.89</td><td>60.56</td><td>34.35</td><td>9.47</td><td>61.27</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	43.11	74.00	-30.89	60.56	34.35	9.47	61.27	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>52.06</td><td>74.00</td><td>-21.94</td><td>69.51</td><td>34.35</td><td>9.47</td><td>61.27</td><td>0.00</td><td>291</td><td>348 PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>40.79</td><td>54.00</td><td>-13.21</td><td>58.26</td><td>34.34</td><td>9.46</td><td>61.27</td><td>0.00</td><td>291</td><td>348 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	52.06	74.00	-21.94	69.51	34.35	9.47	61.27	0.00	291	348 PEAK	2	4824.00	40.79	54.00	-13.21	58.26	34.34	9.46	61.27	0.00	291	348 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4824.00	43.11	74.00	-30.89	60.56	34.35	9.47	61.27	0.00	---	PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	4824.00	52.06	74.00	-21.94	69.51	34.35	9.47	61.27	0.00	291	348 PEAK																																																																																																						
2	4824.00	40.79	54.00	-13.21	58.26	34.34	9.46	61.27	0.00	291	348 AVERAGE																																																																																																						



Mode	5																																																																																																														
	Band Edge - L																																																																																																														
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																														
ANT	CDD 7+9																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2337.56</td><td>60.63</td><td>74.00</td><td>-13.37</td><td>48.66</td><td>31.65</td><td>6.52</td><td>32.20</td><td>6.00</td><td>100</td><td>198 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2337.56	60.63	74.00	-13.37	48.66	31.65	6.52	32.20	6.00	100	198 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>114.89</td><td>-----</td><td>-----</td><td>102.54</td><td>31.88</td><td>6.67</td><td>32.20</td><td>6.00</td><td>100</td><td>198 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	114.89	-----	-----	102.54	31.88	6.67	32.20	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2337.56	60.63	74.00	-13.37	48.66	31.65	6.52	32.20	6.00	100	198 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2437.00	114.89	-----	-----	102.54	31.88	6.67	32.20	6.00	100	198 PEAK																																																																																																				
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.87</td><td>48.29</td><td>54.00</td><td>-5.71</td><td>36.09</td><td>31.78</td><td>6.60</td><td>32.18</td><td>6.00</td><td>100</td><td>198 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.87	48.29	54.00	-5.71	36.09	31.78	6.60	32.18	6.00	100	198 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>106.24</td><td>-----</td><td>-----</td><td>93.89</td><td>31.88</td><td>6.67</td><td>32.20</td><td>6.00</td><td>100</td><td>198 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	106.24	-----	-----	93.89	31.88	6.67	32.20	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2388.87	48.29	54.00	-5.71	36.09	31.78	6.60	32.18	6.00	100	198 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2437.00	106.24	-----	-----	93.89	31.88	6.67	32.20	6.00	100	198 AVERAGE																																																																																																				



Mode	5																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11g_CH06_2437MHz																																																							
ANT	CDD 7+9																																																							
Pol.	Horizontal										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.22</td><td>61.26</td><td>74.00</td><td>-12.74</td><td>48.76</td><td>31.99</td><td>6.75</td><td>32.24</td><td>6.00</td><td>100</td><td>198 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.22	61.26	74.00	-12.74	48.76	31.99	6.75	32.24	6.00	100	198 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2496.22	61.26	74.00	-12.74	48.76	31.99	6.75	32.24	6.00	100	198 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>48.80</td><td>54.00</td><td>-5.20</td><td>36.33</td><td>31.97</td><td>6.73</td><td>32.23</td><td>6.00</td><td>100</td><td>198 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	48.80	54.00	-5.20	36.33	31.97	6.73	32.23	6.00	100	198 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.56	48.80	54.00	-5.20	36.33	31.97	6.73	32.23	6.00	100	198 AVERAGE																																													