






Plot on Channel 6625 MHz




Plot on Channel 6705 MHz



Plot on Channel 6865 MHz




Plot on Channel 6945 MHz





Plot on Channel 7025 MHz






EUT Mode


802.11ax HE80 484RU65

Plot on Channel 5985 MHz




Date: 18.JUL.2024 06:54:26

Plot on Channel 6225 MHz




Date: 18.JUL.2024 06:55:26

Plot on Channel 6465 MHz



Date: 18.JUL.2024 06:52:24


Plot on Channel 6625 MHz




Date: 18.JUL.2024 06:59:47



Plot on Channel 6705 MHz



Plot on Channel 6945 MHz






EUT Mode


802.11ax HE80 484RU66

Plot on Channel 6385 MHz




Date: 18.JUL.2024 06:56:40

Plot on Channel 6865 MHz



Date: 18.JUL.2024 07:02:22

Plot on Channel 7025 MHz



Date: 18.JUL.2024 04:26:22




MIMO <Ant. 1+2(1)>

EUT Mode


802.11ax HE160 Full RU

Plot on Channel 6025 MHz




Date: 17.JUL.2024 04:23:20

Plot on Channel 6185 MHz




Date: 17.JUL.2024 04:25:03

Plot on Channel 6345 MHz



Date: 17.JUL.2024 04:25:58


Plot on Channel 6505 MHz



Date: 17.JUL.2024 04:26:55




Plot on Channel 6665 MHz




Date: 17.JUL.2024 04:28:42

Plot on Channel 6825 MHz



Date: 17.JUL.2024 04:29:43

Plot on Channel 6985 MHz




Date: 17.JUL.2024 04:32:44



EUT Mode


802.11ax HE160 996RU67

Plot on Channel 6025 MHz




Date: 17.JUL.2024 06:31:12

Plot on Channel 6185 MHz




Date: 17.JUL.2024 06:32:20

Plot on Channel 6505 MHz



Date: 17.JUL.2024 06:50:21


Plot on Channel 6665 MHz




Date: 17.JUL.2024 06:52:43



Plot on Channel 6825 MHz



Plot on Channel 6985 MHz






EUT Mode


802.11ax HE160 996RUS67

Plot on Channel 6345 MHz




Date: 17.JUL.2024 06:34:47

Plot on Channel 6505 MHz




Date: 17.JUL.2024 06:51:16

Plot on Channel 6825 MHz



Date: 17.JUL.2024 06:55:29

Plot on Channel 6985 MHz



Date: 17.JUL.2024 07:10:08




MIMO <Ant. 1+2(2)>

EUT Mode


802.11ax HE160 Full RU

Plot on Channel 6025 MHz




Date: 18.JUL.2024 03:48:32

Plot on Channel 6185 MHz




Date: 18.JUL.2024 03:58:37

Plot on Channel 6345 MHz



Date: 18.JUL.2024 03:54:47


Plot on Channel 6505 MHz



Date: 18.JUL.2024 03:46:55




Plot on Channel 6665 MHz




Date: 18.JUL.2024 04:01:39

Plot on Channel 6825 MHz



Date: 18.JUL.2024 04:02:59

Plot on Channel 6985 MHz




Date: 18.JUL.2024 04:05:45



EUT Mode


802.11ax HE160 996RU67

Plot on Channel 6025 MHz




Date: 18.JUL.2024 06:06:14

Plot on Channel 6185 MHz




Date: 18.JUL.2024 06:29:43

Plot on Channel 6505 MHz



Date: 18.JUL.2024 06:34:01


Plot on Channel 6665 MHz



Date: 18.JUL.2024 06:36:11




Plot on Channel 6825 MHz



Date: 18.JUL.2024 06:37:45

Plot on Channel 6985 MHz




Date: 18.JUL.2024 04:28:51




EUT Mode 802.11ax HE160 996RUS67

Plot on Channel 6345 MHz




Date: 18.JUL.2024 06:32:25

Plot on Channel 6505 MHz




Date: 18.JUL.2024 06:34:45

Plot on Channel 6825 MHz



Date: 18.JUL.2024 06:38:41

Plot on Channel 6985 MHz



Date: 18.JUL.2024 04:29:44




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	22.3~24.7℃
		Relative Humidity :	40.4~48.9%

EUT Information

Report NO : 450112
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.156750	45.07	---	65.63	20.56	L1	OFF	19.9
0.156750	---	22.83	55.63	32.80	L1	OFF	19.9
0.280500	33.77	---	60.80	27.03	L1	OFF	19.9
0.280500	---	17.31	50.80	33.49	L1	OFF	19.9
0.357000	29.72	---	58.80	29.08	L1	OFF	19.9
0.357000	---	14.83	48.80	33.97	L1	OFF	19.9
11.851170	35.97	---	60.00	24.03	L1	OFF	20.1
11.851170	---	29.83	50.00	20.17	L1	OFF	20.1
12.455250	42.96	---	60.00	17.04	L1	OFF	20.1
12.455250	---	38.05	50.00	11.95	L1	OFF	20.1
12.856560	46.40	---	60.00	13.60	L1	OFF	20.1
12.856560	---	39.95	50.00	10.05	L1	OFF	20.1
13.559910	43.97	---	60.00	16.03	L1	OFF	20.1
13.559910	---	41.15	50.00	8.85	L1	OFF	20.1
14.577000	41.20	---	60.00	18.80	L1	OFF	20.1
14.577000	---	33.52	50.00	16.48	L1	OFF	20.1
15.220500	38.26	---	60.00	21.74	L1	OFF	20.1
15.220500	---	31.11	50.00	18.89	L1	OFF	20.1

EUT Information

Report NO : 450112
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.156750	---	22.89	55.63	32.74	N	OFF	19.9
0.156750	45.43	---	65.63	20.20	N	OFF	19.9
0.278250	---	18.84	50.87	32.03	N	OFF	19.9
0.278250	34.10	---	60.87	26.77	N	OFF	19.9
0.343950	---	17.36	49.11	31.75	N	OFF	19.9
0.343950	30.47	---	59.11	28.64	N	OFF	19.9
11.850540	---	30.88	50.00	19.12	N	OFF	20.1
11.850540	36.87	---	60.00	23.13	N	OFF	20.1
12.553890	---	38.96	50.00	11.04	N	OFF	20.1
12.553890	43.94	---	60.00	16.06	N	OFF	20.1
12.947190	---	39.73	50.00	10.27	N	OFF	20.1
12.947190	45.75	---	60.00	14.25	N	OFF	20.1
13.558470	---	40.38	50.00	9.62	N	OFF	20.1
13.558470	43.51	---	60.00	16.49	N	OFF	20.1
14.540010	---	32.98	50.00	17.02	N	OFF	20.1
14.540010	39.89	---	60.00	20.11	N	OFF	20.1
17.167290	---	24.65	50.00	25.35	N	OFF	20.2
17.167290	31.25	---	60.00	28.75	N	OFF	20.2
20.746680	---	25.20	50.00	24.80	N	OFF	20.2

20.746680	32.68	---	60.00	27.32	N	OFF	20.2
-----------	-------	-----	-------	-------	---	-----	------



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Daniel Lee, Quentin Liu and Bigshow Wan	Temperature :	21.0~23.4°C
		Relative Humidity :	47.0~58.0%



C1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	1+2	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	1+2	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	1+2	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	1+2	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	1+2	802.11ax HE20	1	5955	MCS0	Partial_1 06/53RU	-
Mode 6	U-NII-5	5.925-6.425	1+2	802.11ax HE20	49	6195	MCS0	Full RU	-
Mode 7	U-NII-5	5.925-6.425	1+2	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 8	U-NII-5	5.925-6.425	1+2	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 9	U-NII-5	5.925-6.425	1+2	802.11ax HE40	3	5965	MCS0	Partial_2 42/61RU	-
Mode 10	U-NII-5	5.925-6.425	1+2	802.11ax HE40	51	6205	MCS0	Full RU	-
Mode 11	U-NII-5	5.925-6.425	1+2	802.11ax HE40	91	6405	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII-5	5.925-6.425	1+2	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	1+2	802.11ax HE80	7	5985	MCS0	Partial_4 84/65RU	-
Mode 14	U-NII-5	5.925-6.425	1+2	802.11ax HE80	55	6225	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	1+2	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	1+2	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 17	U-NII-5	6.425-6.525	1+2	802.11ax HE160	15	6025	MCS0	Partial_9 96/67RU	-
Mode 18	U-NII-5	6.425-6.525	1+2	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 19	U-NII-5	6.425-6.525	1+2	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 20	U-NII-6	6.425-6.525	1+2	802.11a	97	6435	6Mbps	Full RU	-
Mode 21	U-NII-6	6.425-6.525	1+2	802.11a	105	6475	6Mbps	Full RU	-
Mode 22	U-NII-6	6.425-6.525	1+2	802.11a	113	6515	6Mbps	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	U-NII-6	6.425-6.525	1+2	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 24	U-NII-6	6.425-6.525	1+2	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 25	U-NII-6	6.425-6.525	1+2	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 26	U-NII-6	6.425-6.525	1+2	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 27	U-NII-6	6.425-6.525	1+2	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 28	U-NII-6	6.425-6.525	1+2	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 29	U-NII-6	6.525-6.875	1+2	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 30	U-NII-6	6.525-6.875	1+2	802.11ax HE160	111	6545	MCS0	Full RU	-
Mode 31	U-NII-7	6.525-6.875	1+2	802.11a	117	6535	6Mbps	Full RU	-
Mode 32	U-NII-7	6.525-6.875	1+2	802.11a	149	6695	6Mbps	Full RU	-
Mode 33	U-NII-7	6.525-6.875	1+2	802.11a	185	6875	6Mbps	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-7	6.525-6.875	1+2	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 35	U-NII-7	6.525-6.875	1+2	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 36	U-NII-7	6.525-6.875	1+2	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 37	U-NII-7	6.525-6.875	1+2	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 38	U-NII-7	6.525-6.875	1+2	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 39	U-NII-7	6.525-6.875	1+2	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	1+2	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	1+2	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	1+2	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	1+2	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	1+2	802.11ax HE160	175	6825	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 45	U-NII-8	6.525-6.875	1+2	802.11a	189	6895	6Mbps	-	-
Mode 46	U-NII-8	6.525-6.875	1+2	802.11a	209	6995	6Mbps	-	-
Mode 47	U-NII-8	6.875-7.125	1+2	802.11a	233	7115	6Mbps	-	-
Mode 48	U-NII-8	6.875-7.125	1+2	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 49	U-NII-8	6.875-7.125	1+2	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 50	U-NII-8	6.875-7.125	1+2	802.11ax HE20	233	7115	MCS0	Full RU	-
Mode 51	U-NII-8	6.875-7.125	1+2	802.11ax HE20	233	7115	MCS0	Partial_ 106/54 RU	-
Mode 52	U-NII-8	6.875-7.125	1+2	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 53	U-NII-8	6.875-7.125	1+2	802.11ax HE40	211	7005	MCS0	Full RU	-
Mode 54	U-NII-8	6.875-7.125	1+2	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 55	U-NII-8	6.875-7.125	1+2	802.11ax HE40	227	7085	MCS0	Partial_ 242/62 RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 56	U-NII-8	6.875-7.125	1+2	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 57	U-NII-8	6.875-7.125	1+2	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 58	U-NII-8	6.875-7.125	1+2	802.11ax HE80	215	7025	MCS0	Partial_ 484/66 RU	-
Mode 59	U-NII-8	6.875-7.125	1+2	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 60	U-NII-8	6.875-7.125	1+2	802.11ax HE160	207	6985	MCS0	Partial_ 996/68 RU	-
Mode 61	U-NII-8	6.875-7.125	1+2	802.11ax HE20	233	7115	MCS0	Full RU	LF



C2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5923.98	60.51	68.20	-7.69	H	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	47.92	74.00	-26.08	V	Peak	Pass	-	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	44.85	74.00	-29.15	H	Peak	Pass	-	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	12830.00	47.26	74.00	-26.74	H	Peak	Pass	-	Harmonic
4	802.11ax HE20	1	5924.96	61.82	68.20	-6.38	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	1	17865.00	46.97	74.00	-27.03	H	Peak	Pass	Full RU	Harmonic
5	802.11ax HE20	1	5924.82	49.79	68.20	-18.41	H	Avg.	Pass	Partial_106/53RU	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Partial_106/53RU	Harmonic
6	802.11ax HE20	49	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
6	802.11ax HE20	49	12390.00	45.35	74.00	-28.65	H	Peak	Pass	Full RU	Harmonic
7	802.11ax HE20	93	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	93	19245.00	37.49	74.00	-36.51	H	Peak	Pass	Full RU	Harmonic
8	802.11ax HE40	3	5925.00	64.51	68.20	-3.69	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	3	17895.00	47.46	74.00	-26.54	H	Peak	Pass	Full RU	Harmonic
9	802.11ax HE40	3	5920.52	83.04	88.20	-5.16	H	Peak	Pass	Partial_242/61RU	Band Edge
	802.11ax HE40	3	12410.00	45.09	74.00	-28.91	V	Peak	Pass	Partial_242/61RU	Harmonic
10	802.11ax HE40	51	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	51	12410.00	45.09	74.00	-28.91	V	Peak	Pass	Full RU	Harmonic
11	802.11ax HE40	91	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	91	12810.00	47.58	74.00	-26.42	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
12	802.11ax HE80	7	5920.80	65.32	68.20	-2.88	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	7	17955.00	48.72	74.00	-25.28	V	Peak	Pass	Full RU	Harmonic
13	802.11ax HE80	7	5918.20	65.79	68.20	-2.41	H	Avg.	Pass	Partial_484/65RU	Band Edge
	802.11ax HE80	7	-	-	-	-	-	-	-	Partial_484/65RU	Harmonic
14	802.11ax HE80	55	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	55	12450.00	45.58	74.00	-28.42	H	Peak	Pass	Full RU	Harmonic
15	802.11ax HE80	87	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	87	12770.00	46.64	74.00	-27.36	V	Peak	Pass	Full RU	Harmonic
16	802.11ax HE160	15	5891.08	66.19	68.20	-2.01	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	15	12050.00	45.52	74.00	-28.48	V	Peak	Pass	Full RU	Harmonic
17	802.11ax HE160	15	5892.48	65.49	68.20	-2.71	H	Avg.	Pass	Partial_996/67RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
17	802.11ax HE160	15	-	-	-	-	-	-	-	Partial_996/67RU	Harmonic
18	802.11ax HE160	47	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	47	12370.00	45.99	74.00	-28.01	V	Peak	Pass	Full RU	Harmonic
19	802.11ax HE160	79	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	79	12690.00	45.97	74.00	-28.03	H	Peak	Pass	Full RU	Harmonic
20	802.11a	97	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11a	97	12870.00	46.68	74.00	-27.32	H	Peak	Pass	Full RU	Harmonic
21	802.11a	105	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11a	105	19425.00	37.20	74.00	-36.80	V	Peak	Pass	Full RU	Harmonic
22	802.11a	113	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11a	113	13030.00	46.10	74.00	-27.90	V	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
23	802.11ax HE20	97	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	97	19305.00	36.64	74.00	-37.36	H	Peak	Pass	Full RU	Harmonic
24	802.11ax HE20	105	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	105	19425.00	37.46	74.00	-36.54	V	Peak	Pass	Full RU	Harmonic
25	802.11ax HE20	113	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	113	19545.00	38.31	74.00	-35.69	V	Peak	Pass	Full RU	Harmonic
26	802.11ax HE40	99	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	99	19335.00	37.04	74.00	-36.96	V	Peak	Pass	Full RU	Harmonic
27	802.11ax HE40	107	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	107	19455.00	38.92	74.00	-35.08	H	Peak	Pass	Full RU	Harmonic
28	802.11ax HE40	115	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
28	802.11ax HE40	115	19575.00	38.33	74.00	-35.67	H	Peak	Pass	Full RU	Harmonic
29	802.11ax HE80	103	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	103	19395.00	36.80	74.00	-37.20	H	Peak	Pass	Full RU	Harmonic
30	802.11ax HE160	111	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	111	13090.00	46.00	88.20	-42.20	H	Peak	Pass	Full RU	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11a	117	13070.00	46.92	74.00	-27.08	V	Peak	Pass	Full RU	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11a	149	13390.00	47.78	74.00	-26.22	H	Peak	Pass	Full RU	Harmonic
33	802.11a	185	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11a	185	13750.00	48.76	74.00	-25.24	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
34	802.11ax HE20	117	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	117	19605.00	40.26	74.00	-33.74	H	Peak	Pass	Full RU	Harmonic
35	802.11ax HE20	149	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	149	13390.00	47.70	74.00	-26.30	H	Peak	Pass	Full RU	Harmonic
36	802.11ax HE20	185	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	185	13750.00	46.94	74.00	-27.06	H	Peak	Pass	Full RU	Harmonic
37	802.11ax HE40	123	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	123	13130.00	47.20	74.00	-26.80	H	Peak	Pass	Full RU	Harmonic
38	802.11ax HE40	147	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	147	13370.00	48.02	74.00	-25.98	H	Peak	Pass	Full RU	Harmonic
39	802.11ax HE40	187	-	-	-	-	-	-	-	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
39	802.11ax HE40	187	13770.00	48.46	74.00	-25.54	H	Peak	Pass	Full RU	Harmonic
40	802.11ax HE80	135	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	135	13250.00	46.76	74.00	-27.24	V	Peak	Pass	Full RU	Harmonic
41	802.11ax HE80	151	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	151	13410.00	48.35	74.00	-25.65	H	Peak	Pass	Full RU	Harmonic
42	802.11ax HE80	183	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	183	13730.00	47.47	74.00	-26.53	V	Peak	Pass	Full RU	Harmonic
43	802.11ax HE160	143	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	143	13330.00	47.15	74.00	-26.85	H	Peak	Pass	Full RU	Harmonic
44	802.11ax HE160	175	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE160	175	13650.00	48.32	74.00	-25.68	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
45	802.11a	189	-	-	-	-	-	-	-	-	Band Edge
	802.11a	189	13790.00	48.35	74.00	-25.65	H	Peak	Pass	-	Harmonic
46	802.11a	209	-	-	-	-	-	-	-	-	Band Edge
	802.11a	209	20985.00	39.54	74.00	-34.46	H	Peak	Pass	-	Harmonic
47	802.11a	233	7125.00	67.00	68.20	-1.20	H	Avg.	Pass	-	Band Edge
	802.11a	233	21345.00	38.57	74.00	-35.43	H	Peak	Pass	-	Harmonic
48	802.11ax HE20	189	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	189	20685.00	36.69	74.00	-37.31	V	Peak	Pass	Full RU	Harmonic
49	802.11ax HE20	209	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE20	209	20985.00	38.94	74.00	-35.06	H	Peak	Pass	Full RU	Harmonic
50	802.11ax HE20	233	7125.00	67.14	68.20	-1.06	H	Avg.	Pass	Full RU	Band Edge





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
50	802.11ax HE20	233	21345.00	38.56	74.00	-35.44	H	Peak	Pass	Full RU	Harmonic
51	802.11ax HE20	233	7125.00	66.83	68.20	-1.37	H	Avg.	Pass	Partial_106/54RU	Band Edge
	802.11ax HE20	233	-	-	-	-	-	-	-	Partial_106/54RU	Harmonic
52	802.11ax HE40	195	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	195	20775.00	38.13	74.00	-35.87	H	Peak	Pass	Full RU	Harmonic
53	802.11ax HE40	211	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE40	211	21015.00	37.54	74.00	-36.46	H	Peak	Pass	Full RU	Harmonic
54	802.11ax HE40	227	7125.16	65.36	68.20	-2.84	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	227	21255.00	38.09	74.00	-35.91	V	Peak	Pass	Full RU	Harmonic
55	802.11ax HE40	227	7127.40	62.86	68.20	-5.34	H	Avg.	Pass	Partial_242/62RU	Band Edge
	802.11ax HE40	227	-	-	-	-	-	-	-	Partial_242/62RU	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
56	802.11ax HE80	199	-	-	-	-	-	-	-	Full RU	Band Edge
	802.11ax HE80	199	20835.00	37.28	74.00	-36.72	H	Peak	Pass	Full RU	Harmonic
57	802.11ax HE80	215	7125.10	63.04	68.20	-5.16	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	215	21075.00	37.57	74.00	-36.43	V	Peak	Pass	Full RU	Harmonic
58	802.11ax HE80	215	7125.10	55.87	68.20	-12.33	H	Avg.	Pass	Partial_484/66RU	Band Edge
	802.11ax HE80	215	-	-	-	-	-	-	-	Partial_484/66RU	Harmonic
59	802.11ax HE160	207	7125.16	66.73	68.20	-1.47	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	207	20955.00	38.45	74.00	-35.55	V	Peak	Pass	Full RU	Harmonic
60	802.11ax HE160	207	7133.80	65.85	68.20	-2.35	H	Avg.	Pass	Partial_996/68RU	Band Edge
	802.11ax HE160	207	-	-	-	-	-	-	-	Partial_996/68RU	Harmonic
61	802.11ax HE20	233	441.28	39.39	46.00	-6.61	V	QP	Pass	Full RU	LF





Mode	1																																													
	Band Edge																																													
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																													
ANT	1+2																																													
Pol.	Horizontal	Fundamental																																												
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.42</td><td>74.01</td><td>88.20</td><td>-14.19</td><td>67.05</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>300</td><td>8</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.42	74.01	88.20	-14.19	67.05	34.35	8.99	36.38	0.00	300	8	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5923.42	74.01	88.20	-14.19	67.05	34.35	8.99	36.38	0.00	300	8	PEAK																																		
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.90</td><td>60.51</td><td>68.20</td><td>-7.69</td><td>53.55</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>300</td><td>8</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.90	60.51	68.20	-7.69	53.55	34.35	8.99	36.38	0.00	300	8	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5923.90	60.51	68.20	-7.69	53.55	34.35	8.99	36.38	0.00	300	8	AVERAGE																																		







Mode	1																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																							
ANT	1+2																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.84</td><td>73.04</td><td>88.20</td><td>-15.16</td><td>66.08</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>71 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.84	73.04	88.20	-15.16	66.08	34.35	8.99	36.38	0.00	100	71 PEAK	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>112.12</td><td>-----</td><td>-----</td><td>105.12</td><td>34.36</td><td>9.03</td><td>36.39</td><td>0.00</td><td>100</td><td>71 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.12	-----	-----	105.12	34.36	9.03	36.39	0.00	100	71 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5923.84	73.04	88.20	-15.16	66.08	34.35	8.99	36.38	0.00	100	71 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	112.12	-----	-----	105.12	34.36	9.03	36.39	0.00	100	71 PEAK																																																																													
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>59.66</td><td>68.20</td><td>-8.54</td><td>52.70</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>71 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	59.66	68.20	-8.54	52.70	34.35	8.99	36.38	0.00	100	71 AVERAGE	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>105.38</td><td>-----</td><td>-----</td><td>90.38</td><td>34.36</td><td>9.03</td><td>36.39</td><td>0.00</td><td>100</td><td>71 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.38	-----	-----	90.38	34.36	9.03	36.39	0.00	100	71 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5924.96	59.66	68.20	-8.54	52.70	34.35	8.99	36.38	0.00	100	71 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	105.38	-----	-----	90.38	34.36	9.03	36.39	0.00	100	71 AVERAGE																																																																													





Mode	1																																																													
	Harmonic																																																													
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																													
ANT	1+2																																																													
Pol.	Horizontal					Vertical																																																								
Peak Avg																																																														
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL					Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>50.35</td><td>38.81</td><td>12.84</td><td>57.90</td><td>0.57</td><td>-- Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>47.82</td><td>41.63</td><td>15.84</td><td>58.61</td><td>0.53</td><td>-- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	11910.00	44.67	74.00	-29.33	50.35	38.81	12.84	57.90	0.57	-- Peak	2	17865.00	47.21	74.00	-26.79	47.82	41.63	15.84	58.61	0.53	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																					
1	11910.00	44.67	74.00	-29.33	50.35	38.81	12.84	57.90	0.57	-- Peak																																																				
2	17865.00	47.21	74.00	-26.79	47.82	41.63	15.84	58.61	0.53	-- Peak																																																				







Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	2																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>49.97</td><td>38.92</td><td>13.06</td><td>57.78</td><td>0.68</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>37.81</td><td>74.00</td><td>-36.19</td><td>58.56</td><td>38.42</td><td>6.00</td><td>55.63</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	44.85	74.00	-29.15	49.97	38.92	13.06	57.78	0.68	--	Peak	2	18585.00	37.81	74.00	-36.19	58.56	38.42	6.00	55.63	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	12390.00	44.85	74.00	-29.15	49.97	38.92	13.06	57.78	0.68	--	Peak																																																							
2	18585.00	37.81	74.00	-36.19	58.56	38.42	6.00	55.63	-9.54	--	Peak																																																							







Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL







Mode	3																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal								Vertical																																																									
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>12830.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>51.18</td><td>39.80</td><td>13.25</td><td>57.77</td><td>0.80 -- -- Peak</td></tr><tr><td>2</td><td>19245.00</td><td>36.96</td><td>74.00</td><td>-37.04</td><td>57.44</td><td>38.15</td><td>6.11</td><td>55.20</td><td>-9.54 -- -- Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB		1	12830.00	47.26	74.00	-26.74	51.18	39.80	13.25	57.77	0.80 -- -- Peak	2	19245.00	36.96	74.00	-37.04	57.44	38.15	6.11	55.20	-9.54 -- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dB/m	dB	dB																																																										
1	12830.00	47.26	74.00	-26.74	51.18	39.80	13.25	57.77	0.80 -- -- Peak																																																									
2	19245.00	36.96	74.00	-37.04	57.44	38.15	6.11	55.20	-9.54 -- -- Peak																																																									







Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



		4																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.82</td><td>71.80</td><td>88.20</td><td>-16.40</td><td>64.84</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>341</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	71.80	88.20	-16.40	64.84	34.35	8.99	36.38	0.00	100	341	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>115.63</td><td>-----</td><td>-----</td><td>108.62</td><td>34.38</td><td>9.02</td><td>36.39</td><td>0.00</td><td>100</td><td>341</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	115.63	-----	-----	108.62	34.38	9.02	36.39	0.00	100	341
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.82	71.80	88.20	-16.40	64.84	34.35	8.99	36.38	0.00	100	341	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	115.63	-----	-----	108.62	34.38	9.02	36.39	0.00	100	341	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>61.82</td><td>68.20</td><td>-6.38</td><td>54.86</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>341</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	61.82	68.20	-6.38	54.86	34.35	8.99	36.38	0.00	100	341	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>108.81</td><td>-----</td><td>-----</td><td>101.80</td><td>34.38</td><td>9.02</td><td>36.39</td><td>0.00</td><td>100</td><td>341</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.81	-----	-----	101.80	34.38	9.02	36.39	0.00	100	341
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.96	61.82	68.20	-6.38	54.86	34.35	8.99	36.38	0.00	100	341	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	108.81	-----	-----	101.80	34.38	9.02	36.39	0.00	100	341	AVERAGE																																																																																							







Mode	4																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.26</td><td>67.59</td><td>88.20</td><td>-20.61</td><td>60.63</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>358</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.26	67.59	88.20	-20.61	60.63	34.35	8.99	36.38	0.00	100	358	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>112.92</td><td>-----</td><td>-----</td><td>105.91</td><td>34.38</td><td>9.02</td><td>36.39</td><td>0.00</td><td>100</td><td>358</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.92	-----	-----	105.91	34.38	9.02	36.39	0.00	100	358
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.26	67.59	88.20	-20.61	60.63	34.35	8.99	36.38	0.00	100	358	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	112.92	-----	-----	105.91	34.38	9.02	36.39	0.00	100	358	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>57.73</td><td>68.20</td><td>-10.47</td><td>50.77</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>358</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	57.73	68.20	-10.47	50.77	34.35	8.99	36.38	0.00	100	358	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>105.80</td><td>-----</td><td>-----</td><td>90.79</td><td>34.38</td><td>9.02</td><td>36.39</td><td>0.00</td><td>100</td><td>358</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.80	-----	-----	90.79	34.38	9.02	36.39	0.00	100	358
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.96	57.73	68.20	-10.47	50.77	34.35	8.99	36.38	0.00	100	358	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	105.80	-----	-----	90.79	34.38	9.02	36.39	0.00	100	358	AVERAGE																																																																																							







Mode	4																																																																							
	Harmonic																																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																							
ANT	1+2																																																																							
Pol.	Horizontal								Vertical																																																															
Peak Avg																																																																								
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>44.88</td><td>74.00</td><td>-29.12</td><td>50.56</td><td>38.81</td><td>12.84</td><td>57.90</td><td>0.57</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>47.58</td><td>41.63</td><td>15.84</td><td>58.61</td><td>0.53</td><td>--</td><td>--</td><td>Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1	11910.00	44.88	74.00	-29.12	50.56	38.81	12.84	57.90	0.57	--	--	Peak	2	17865.00	46.97	74.00	-27.03	47.58	41.63	15.84	58.61	0.53	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																															
1	11910.00	44.88	74.00	-29.12	50.56	38.81	12.84	57.90	0.57	--	--	Peak																																																												
2	17865.00	46.97	74.00	-27.03	47.58	41.63	15.84	58.61	0.53	--	--	Peak																																																												







Mode	4	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



		5																																																																																											
Mode		Band Edge																																																																																											
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_106/53RU_5955MHz																																																																																											
ANT		1+2																																																																																											
Pol.		Horizontal					Fundamental																																																																																						
Peak																																																																																													
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5924.40</td><td>66.96</td><td>88.20</td><td>-21.24</td><td>60.00</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>343 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5924.40	66.96	88.20	-21.24	60.00	34.35	8.99	36.38	0.00	100	343 PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>118.27</td><td>-----</td><td>-----</td><td>111.25</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>100</td><td>343 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	118.27	-----	-----	111.25	34.40	9.01	36.39	0.00	100
	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5924.40	66.96	88.20	-21.24	60.00	34.35	8.99	36.38	0.00	100	343 PEAK																																																																																		
	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5955.00	118.27	-----	-----	111.25	34.40	9.01	36.39	0.00	100	343 PEAK																																																																																		
Avg																																																																																													
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5924.02</td><td>49.79</td><td>68.20</td><td>-18.41</td><td>42.03</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>343 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5924.02	49.79	68.20	-18.41	42.03	34.35	8.99	36.38	0.00	100	343 AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>111.11</td><td>-----</td><td>-----</td><td>104.09</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>100</td><td>343 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	111.11	-----	-----	104.09	34.40	9.01	36.39	0.00	100
	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5924.02	49.79	68.20	-18.41	42.03	34.35	8.99	36.38	0.00	100	343 AVERAGE																																																																																		
	Limit	Read	Ant	Cable Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5955.00	111.11	-----	-----	104.09	34.40	9.01	36.39	0.00	100	343 AVERAGE																																																																																		







		5																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_106/53RU_5955MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.82</td><td>61.38</td><td>88.20</td><td>-26.82</td><td>54.42</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	61.38	88.20	-26.82	54.42	34.35	8.99	36.38	0.00	100	360	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>114.64</td><td>-----</td><td>-----</td><td>107.62</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.64	-----	-----	107.62	34.40	9.01	36.39	0.00	100	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.82	61.38	88.20	-26.82	54.42	34.35	8.99	36.38	0.00	100	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	114.64	-----	-----	107.62	34.40	9.01	36.39	0.00	100	360	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.82</td><td>45.76</td><td>68.20</td><td>-22.44</td><td>38.00</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	45.76	68.20	-22.44	38.00	34.35	8.99	36.38	0.00	100	360	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.240kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>107.42</td><td>-----</td><td>-----</td><td>100.40</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.42	-----	-----	100.40	34.40	9.01	36.39	0.00	100	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.82	45.76	68.20	-22.44	38.00	34.35	8.99	36.38	0.00	100	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	107.42	-----	-----	100.40	34.40	9.01	36.39	0.00	100	360	AVERAGE																																																																																							



Mode	6																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz																																																																																																																		
ANT	1+2																																																																																																																		
Pol.	Horizontal								Vertical																																																																																																										
Peak Avg																																																																																																																			
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12390.00</td><td>45.35</td><td>74.00</td><td>-28.65</td><td>50.47</td><td>38.92</td><td>13.06</td><td>57.78</td><td>0.68</td><td>-- -- Peak</td></tr><tr><td>2 18585.00</td><td>36.64</td><td>74.00</td><td>-37.36</td><td>57.39</td><td>38.42</td><td>6.00</td><td>55.63</td><td>-9.54</td><td>-- -- Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 12390.00	45.35	74.00	-28.65	50.47	38.92	13.06	57.78	0.68	-- -- Peak	2 18585.00	36.64	74.00	-37.36	57.39	38.42	6.00	55.63	-9.54	-- -- Peak	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12390.00</td><td>45.18</td><td>74.00</td><td>-28.82</td><td>50.30</td><td>38.92</td><td>13.06</td><td>57.78</td><td>0.68</td><td>-- -- Peak</td></tr><tr><td>2 18585.00</td><td>36.87</td><td>74.00</td><td>-37.13</td><td>57.62</td><td>38.42</td><td>6.00</td><td>55.63</td><td>-9.54</td><td>-- -- Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 12390.00	45.18	74.00	-28.82	50.30	38.92	13.06	57.78	0.68	-- -- Peak	2 18585.00	36.87	74.00	-37.13	57.62	38.42	6.00	55.63	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																																										
1 12390.00	45.35	74.00	-28.65	50.47	38.92	13.06	57.78	0.68	-- -- Peak																																																																																																										
2 18585.00	36.64	74.00	-37.36	57.39	38.42	6.00	55.63	-9.54	-- -- Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																																										
1 12390.00	45.18	74.00	-28.82	50.30	38.92	13.06	57.78	0.68	-- -- Peak																																																																																																										
2 18585.00	36.87	74.00	-37.13	57.62	38.42	6.00	55.63	-9.54	-- -- Peak																																																																																																										







Mode	6	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	7																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal								Vertical																																																									
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12830.00</td><td>45.36</td><td>88.20</td><td>-42.84</td><td>49.30</td><td>39.79</td><td>13.25</td><td>57.77</td><td>0.79</td><td>-- Peak</td></tr><tr><td>2 19245.00</td><td>37.49</td><td>74.00</td><td>-36.51</td><td>57.97</td><td>38.15</td><td>6.11</td><td>55.20</td><td>-9.54</td><td>-- Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	45.36	88.20	-42.84	49.30	39.79	13.25	57.77	0.79	-- Peak	2 19245.00	37.49	74.00	-36.51	57.97	38.15	6.11	55.20	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1 12830.00	45.36	88.20	-42.84	49.30	39.79	13.25	57.77	0.79	-- Peak																																																									
2 19245.00	37.49	74.00	-36.51	57.97	38.15	6.11	55.20	-9.54	-- Peak																																																									





Mode	7	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	8																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																							
ANT	1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.72</td><td>74.90</td><td>88.20</td><td>-13.30</td><td>67.94</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>347</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.72	74.90	88.20	-13.30	67.94	34.35	8.99	36.38	0.00	100	347	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5923.72	74.90	88.20	-13.30	67.94	34.35	8.99	36.38	0.00	100	347	PEAK																																												
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>64.51</td><td>68.20</td><td>-3.69</td><td>57.55</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>347</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	64.51	68.20	-3.69	57.55	34.35	8.99	36.38	0.00	100	347	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5925.00	64.51	68.20	-3.69	57.55	34.35	8.99	36.38	0.00	100	347	AVERAGE																																												







Mode	8																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																							
ANT	1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>71.79</td><td>88.20</td><td>-16.41</td><td>64.83</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>358</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	71.79	88.20	-16.41	64.83	34.35	8.99	36.38	0.00	100	358	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.68	71.79	88.20	-16.41	64.83	34.35	8.99	36.38	0.00	100	358	PEAK																																												
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>60.96</td><td>68.20</td><td>-7.24</td><td>54.00</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>358</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	60.96	68.20	-7.24	54.00	34.35	8.99	36.38	0.00	100	358	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5925.00	60.96	68.20	-7.24	54.00	34.35	8.99	36.38	0.00	100	358	AVERAGE																																												







Mode	8																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal								Vertical																																																									
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>50.91</td><td>38.86</td><td>12.86</td><td>57.88</td><td>0.57</td><td>-- Peak</td></tr><tr><td>2 17895.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>47.61</td><td>42.02</td><td>15.86</td><td>58.56</td><td>0.53</td><td>-- Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 11930.00	45.32	74.00	-28.68	50.91	38.86	12.86	57.88	0.57	-- Peak	2 17895.00	47.46	74.00	-26.54	47.61	42.02	15.86	58.56	0.53	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																									
1 11930.00	45.32	74.00	-28.68	50.91	38.86	12.86	57.88	0.57	-- Peak																																																									
2 17895.00	47.46	74.00	-26.54	47.61	42.02	15.86	58.56	0.53	-- Peak																																																									







Mode	8	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_242/61RU_5965MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5920.52</td><td>83.04</td><td>88.20</td><td>-5.16</td><td>76.10</td><td>34.34</td><td>8.98</td><td>36.38</td><td>0.00</td><td>116</td><td>343</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.52	83.04	88.20	-5.16	76.10	34.34	8.98	36.38	0.00	116	343	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>117.21</td><td>-----</td><td>-----</td><td>110.19</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>116</td><td>343</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	117.21	-----	-----	110.19	34.40	9.01	36.39	0.00	116	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5920.52	83.04	88.20	-5.16	76.10	34.34	8.98	36.38	0.00	116	343	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	117.21	-----	-----	110.19	34.40	9.01	36.39	0.00	116	343	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.20</td><td>62.88</td><td>68.20</td><td>-5.32</td><td>55.95</td><td>34.33</td><td>8.98</td><td>36.38</td><td>0.00</td><td>116</td><td>343</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.20	62.88	68.20	-5.32	55.95	34.33	8.98	36.38	0.00	116	343	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>109.67</td><td>-----</td><td>-----</td><td>102.65</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>116</td><td>343</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	109.67	-----	-----	102.65	34.40	9.01	36.39	0.00	116	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5916.20	62.88	68.20	-5.32	55.95	34.33	8.98	36.38	0.00	116	343	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	109.67	-----	-----	102.65	34.40	9.01	36.39	0.00	116	343	AVERAGE																																																																																							







		9																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_242/61RU_5965MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5908.52</td><td>73.54</td><td>88.20</td><td>-14.66</td><td>66.63</td><td>34.32</td><td>8.97</td><td>36.38</td><td>0.00</td><td>361 346 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5908.52	73.54	88.20	-14.66	66.63	34.32	8.97	36.38	0.00	361 346 PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>115.59</td><td>-----</td><td>-----</td><td>108.57</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>361 346 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	115.59	-----	-----	108.57	34.40	9.01	36.39	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5908.52	73.54	88.20	-14.66	66.63	34.32	8.97	36.38	0.00	361 346 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	115.59	-----	-----	108.57	34.40	9.01	36.39	0.00	361 346 PEAK																																																																																									
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.36</td><td>59.87</td><td>68.20</td><td>-8.33</td><td>52.94</td><td>34.33</td><td>8.98</td><td>36.38</td><td>0.00</td><td>361 346 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.36	59.87	68.20	-8.33	52.94	34.33	8.98	36.38	0.00	361 346 AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>107.53</td><td>-----</td><td>-----</td><td>100.51</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>361 346 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	107.53	-----	-----	100.51	34.40	9.01	36.39	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5916.36	59.87	68.20	-8.33	52.94	34.33	8.98	36.38	0.00	361 346 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	107.53	-----	-----	100.51	34.40	9.01	36.39	0.00	361 346 AVERAGE																																																																																									



Mode	9																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_242/61RU_5965MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal								Vertical																																																											
Peak Avg																																																																				
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>50.16</td><td>38.91</td><td>13.07</td><td>57.77</td><td>0.68</td><td>-- Peak</td></tr><tr><td>2</td><td>18615.00</td><td>36.66</td><td>74.00</td><td>-37.34</td><td>57.42</td><td>38.38</td><td>6.01</td><td>55.61</td><td>-9.54</td><td>-- Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	45.05	74.00	-28.95	50.16	38.91	13.07	57.77	0.68	-- Peak	2	18615.00	36.66	74.00	-37.34	57.42	38.38	6.01	55.61	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	12410.00	45.05	74.00	-28.95	50.16	38.91	13.07	57.77	0.68	-- Peak																																																										
2	18615.00	36.66	74.00	-37.34	57.42	38.38	6.01	55.61	-9.54	-- Peak																																																										







Mode	9	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_242/61RU_5965MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	10																																																																		
	Harmonic																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal						Vertical																																																												
Peak Avg																																																																			
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12410.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>50.16</td><td>38.91</td><td>13.07</td><td>57.77</td><td>0.68</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>18615.00</td><td>36.66</td><td>74.00</td><td>-37.34</td><td>57.42</td><td>38.38</td><td>6.01</td><td>55.61</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12410.00	45.05	74.00	-28.95	50.16	38.91	13.07	57.77	0.68	--	-- Peak	2	18615.00	36.66	74.00	-37.34	57.42	38.38	6.01	55.61	-9.54	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	12410.00	45.05	74.00	-28.95	50.16	38.91	13.07	57.77	0.68	--	-- Peak																																																								
2	18615.00	36.66	74.00	-37.34	57.42	38.38	6.01	55.61	-9.54	--	-- Peak																																																								







Mode	10	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	11																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal								Vertical																																																									
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12810.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>51.59</td><td>39.73</td><td>13.24</td><td>57.77</td><td>0.79</td><td>-- Peak</td></tr><tr><td>2 19215.00</td><td>35.93</td><td>74.00</td><td>-38.07</td><td>56.45</td><td>38.13</td><td>6.11</td><td>55.22</td><td>-9.54</td><td>-- Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12810.00	47.58	74.00	-26.42	51.59	39.73	13.24	57.77	0.79	-- Peak	2 19215.00	35.93	74.00	-38.07	56.45	38.13	6.11	55.22	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1 12810.00	47.58	74.00	-26.42	51.59	39.73	13.24	57.77	0.79	-- Peak																																																									
2 19215.00	35.93	74.00	-38.07	56.45	38.13	6.11	55.22	-9.54	-- Peak																																																									





Mode	11	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	12																																										
	Band Edge																																										
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																										
ANT	1+2																																										
Pol.	Horizontal	Fundamental																																									
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5920.40</td><td>76.77</td><td>88.20</td><td>-11.43</td><td>69.83</td><td>34.34</td><td>8.98</td><td>36.38</td><td>0.00</td><td>146</td><td>334 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5920.40	76.77	88.20	-11.43	69.83	34.34	8.98	36.38	0.00	146	334 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 5920.40	76.77	88.20	-11.43	69.83	34.34	8.98	36.38	0.00	146	334 PEAK																																	
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5920.00</td><td>65.32</td><td>68.20</td><td>-2.88</td><td>58.38</td><td>34.34</td><td>8.98</td><td>36.38</td><td>0.00</td><td>146</td><td>334 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5920.00	65.32	68.20	-2.88	58.38	34.34	8.98	36.38	0.00	146	334 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																	
1 5920.00	65.32	68.20	-2.88	58.38	34.34	8.98	36.38	0.00	146	334 AVERAGE																																	







Mode	12																																	
	Band Edge																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																	
ANT	1+2																																	
Pol.	Vertical	Fundamental																																
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 5924.20</td><td>74.83</td><td>88.20</td><td>-13.37</td><td>67.87</td><td>34.35</td><td>8.99</td><td>36.38</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5924.20	74.83	88.20	-13.37	67.87	34.35	8.99	36.38	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																											
1 5924.20	74.83	88.20	-13.37	67.87	34.35	8.99	36.38																											
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 5925.00</td><td>61.41</td><td>68.20</td><td>-6.79</td><td>54.45</td><td>34.35</td><td>8.99</td><td>36.38</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5925.00	61.41	68.20	-6.79	54.45	34.35	8.99	36.38	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																											
1 5925.00	61.41	68.20	-6.79	54.45	34.35	8.99	36.38																											





Mode	12																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>51.53</td><td>38.95</td><td>12.88</td><td>57.86</td><td>0.57</td><td>-- -- Peak</td></tr><tr><td>2 17955.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>46.47</td><td>42.45</td><td>15.90</td><td>58.46</td><td>0.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 11970.00	46.07	74.00	-27.93	51.53	38.95	12.88	57.86	0.57	-- -- Peak	2 17955.00	46.90	74.00	-27.10	46.47	42.45	15.90	58.46	0.54	-- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>45.72</td><td>74.00</td><td>-28.28</td><td>51.18</td><td>38.95</td><td>12.88</td><td>57.86</td><td>0.57</td><td>-- -- Peak</td></tr><tr><td>2 17955.00</td><td>48.72</td><td>74.00</td><td>-25.28</td><td>48.29</td><td>42.45</td><td>15.90</td><td>58.46</td><td>0.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 11970.00	45.72	74.00	-28.28	51.18	38.95	12.88	57.86	0.57	-- -- Peak	2 17955.00	48.72	74.00	-25.28	48.29	42.45	15.90	58.46	0.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																													
1 11970.00	46.07	74.00	-27.93	51.53	38.95	12.88	57.86	0.57	-- -- Peak																																																																																													
2 17955.00	46.90	74.00	-27.10	46.47	42.45	15.90	58.46	0.54	-- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																													
1 11970.00	45.72	74.00	-28.28	51.18	38.95	12.88	57.86	0.57	-- -- Peak																																																																																													
2 17955.00	48.72	74.00	-25.28	48.29	42.45	15.90	58.46	0.54	-- -- Peak																																																																																													





Mode	12	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	13																																					
	Band Edge																																					
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial_484/65RU_5985MHz																																					
ANT	1+2																																					
Pol.	Horizontal	Fundamental																																				
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5922.60</td><td>85.23</td><td>88.20</td><td>-2.97</td><td>78.28</td><td>34.35</td><td>8.98</td><td>36.38</td><td>0.00</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5922.60	85.23	88.20	-2.97	78.28	34.35	8.98	36.38	0.00	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																														
1 5922.60	85.23	88.20	-2.97	78.28	34.35	8.98	36.38	0.00																														
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5918.20</td><td>65.79</td><td>68.20</td><td>-2.41</td><td>58.85</td><td>34.34</td><td>8.98</td><td>36.38</td><td>0.00</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5918.20	65.79	68.20	-2.41	58.85	34.34	8.98	36.38	0.00	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																														
1 5918.20	65.79	68.20	-2.41	58.85	34.34	8.98	36.38	0.00																														



Mode	13																																																			
	Band Edge																																																			
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial_484/65RU_5985MHz																																																			
ANT	1+2																																																			
Pol.	Vertical						Fundamental																																													
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5922.20</td><td>80.68</td><td>88.20</td><td>-7.52</td><td>73.74</td><td>34.34</td><td>8.98</td><td>36.38</td><td>0.00</td><td>346 336 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5922.20	80.68	88.20	-7.52	73.74	34.34	8.98	36.38	0.00	346 336 PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																											
1 5922.20	80.68	88.20	-7.52	73.74	34.34	8.98	36.38	0.00	346 336 PEAK																																											
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 5925.00</td><td>62.33</td><td>68.20</td><td>-5.87</td><td>55.37</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>346 336 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5925.00	62.33	68.20	-5.87	55.37	34.35	8.99	36.38	0.00	346 336 AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																											
1 5925.00	62.33	68.20	-5.87	55.37	34.35	8.99	36.38	0.00	346 336 AVERAGE																																											



Mode	14																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>50.62</td><td>38.95</td><td>13.09</td><td>57.77</td><td>0.69</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18675.00</td><td>38.72</td><td>74.00</td><td>-35.28</td><td>59.47</td><td>38.33</td><td>6.02</td><td>55.56</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg	1	12450.00	45.58	74.00	-28.42	50.62	38.95	13.09	57.77	0.69	--	Peak	2	18675.00	38.72	74.00	-35.28	59.47	38.33	6.02	55.56	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	cm	deg																																																									
1	12450.00	45.58	74.00	-28.42	50.62	38.95	13.09	57.77	0.69	--	Peak																																																							
2	18675.00	38.72	74.00	-35.28	59.47	38.33	6.02	55.56	-9.54	--	Peak																																																							