



	<b>14</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G ~14.5G Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
<b>17G ~18G Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	15																																																																																																														
	Harmonic																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																																														
ANT	1+2																																																																																																														
Pol.	Horizontal	Vertical																																																																																																													
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12770.00</td> <td>45.76</td> <td>74.00</td> <td>-28.24</td> <td>49.92</td> <td>39.61</td> <td>13.22</td> <td>57.77</td> <td>0.78</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19155.00</td> <td>37.24</td> <td>74.00</td> <td>-36.76</td> <td>57.82</td> <td>38.09</td> <td>6.11</td> <td>55.24</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	45.76	74.00	-28.24	49.92	39.61	13.22	57.77	0.78	--	--	Peak	2	19155.00	37.24	74.00	-36.76	57.82	38.09	6.11	55.24	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12770.00</td> <td>46.64</td> <td>74.00</td> <td>-27.36</td> <td>50.80</td> <td>39.61</td> <td>13.22</td> <td>57.77</td> <td>0.78</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19155.00</td> <td>36.77</td> <td>74.00</td> <td>-37.23</td> <td>57.35</td> <td>38.09</td> <td>6.11</td> <td>55.24</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12770.00	46.64	74.00	-27.36	50.80	39.61	13.22	57.77	0.78	--	--	Peak	2	19155.00	36.77	74.00	-37.23	57.35	38.09	6.11	55.24	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12770.00	45.76	74.00	-28.24	49.92	39.61	13.22	57.77	0.78	--	--	Peak																																																																																																			
2	19155.00	37.24	74.00	-36.76	57.82	38.09	6.11	55.24	-9.54	--	--	Peak																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	12770.00	46.64	74.00	-27.36	50.80	39.61	13.22	57.77	0.78	--	--	Peak																																																																																																			
2	19155.00	36.77	74.00	-37.23	57.35	38.09	6.11	55.24	-9.54	--	--	Peak																																																																																																			





	15	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-5 5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>
<b>17G</b> <b>~18G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>



Mode	16																																									
	Band Edge																																									
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																									
ANT	1+2																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p>Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5890.80</td> <td>76.19</td> <td>88.20</td> <td>-12.01</td> <td>69.35</td> <td>34.26</td> <td>8.95</td> <td>36.37</td> <td>0.00</td> <td>100</td> <td>354</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5890.80	76.19	88.20	-12.01	69.35	34.26	8.95	36.37	0.00	100	354	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5890.80	76.19	88.20	-12.01	69.35	34.26	8.95	36.37	0.00	100	354	PEAK																														
Avg	<p>Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5891.00</td> <td>66.19</td> <td>68.20</td> <td>-2.01</td> <td>59.35</td> <td>34.26</td> <td>8.95</td> <td>36.37</td> <td>0.00</td> <td>100</td> <td>354</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5891.00	66.19	68.20	-2.01	59.35	34.26	8.95	36.37	0.00	100	354	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5891.00	66.19	68.20	-2.01	59.35	34.26	8.95	36.37	0.00	100	354	AVERAGE																														



	<b>16</b>																																										
<b>Mode</b>	<b>Band Edge</b>																																										
<b>ANT</b>	<b>1+2</b>																																										
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																									
<b>Peak</b>	 <p>Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5896.96</td> <td>74.39</td> <td>88.20</td> <td>-13.81</td> <td>67.52</td> <td>34.29</td> <td>8.96</td> <td>36.38</td> <td>0.00</td> <td>400</td> <td>334</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5896.96	74.39	88.20	-13.81	67.52	34.29	8.96	36.38	0.00	400	334	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5896.96	74.39	88.20	-13.81	67.52	34.29	8.96	36.38	0.00	400	334	PEAK																															
<b>Avg</b>	 <p>Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5897.52</td> <td>64.76</td> <td>68.20</td> <td>-3.44</td> <td>57.89</td> <td>34.29</td> <td>8.96</td> <td>36.38</td> <td>0.00</td> <td>400</td> <td>334</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5897.52	64.76	68.20	-3.44	57.89	34.29	8.96	36.38	0.00	400	334	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5897.52	64.76	68.20	-3.44	57.89	34.29	8.96	36.38	0.00	400	334	AVERAGE																															



Mode	16																																																																																	
	Harmonic																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th rowspan="2">MHz</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>45.18</td> <td>74.00</td> <td>-28.82</td> <td>50.42</td> <td>39.09</td> <td>12.92</td> <td>57.83</td> <td>0.58</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 18075.00</td> <td>36.89</td> <td>74.00</td> <td>-37.11</td> <td>58.71</td> <td>37.91</td> <td>5.76</td> <td>55.95</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	MHz	Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	dBuV/m	dBuV/m	dB	dBuV	1 12050.00	45.18	74.00	-28.82	50.42	39.09	12.92	57.83	0.58	--	--	Peak	2 18075.00	36.89	74.00	-37.11	58.71	37.91	5.76	55.95	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL</p> <table border="1"> <thead> <tr> <th rowspan="2">MHz</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> </tr> </thead> <tbody> <tr> <td>1 12050.00</td> <td>45.52</td> <td>74.00</td> <td>-28.48</td> <td>50.76</td> <td>39.09</td> <td>12.92</td> <td>57.83</td> <td>0.58</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 18075.00</td> <td>36.89</td> <td>74.00</td> <td>-37.11</td> <td>58.71</td> <td>37.91</td> <td>5.76</td> <td>55.95</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	MHz	Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	dBuV/m	dBuV/m	dB	dBuV	1 12050.00	45.52	74.00	-28.48	50.76	39.09	12.92	57.83	0.58	--	--	Peak	2 18075.00	36.89	74.00	-37.11	58.71	37.91	5.76	55.95	-9.54	--	--	Peak
	MHz		Limit		Read									Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
dBuV/m		dBuV/m	dB	dBuV																																																																														
1 12050.00	45.18	74.00	-28.82	50.42	39.09	12.92	57.83	0.58	--	--	Peak																																																																							
2 18075.00	36.89	74.00	-37.11	58.71	37.91	5.76	55.95	-9.54	--	--	Peak																																																																							
MHz	Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
	dBuV/m	dBuV/m	dB	dBuV																																																																														
1 12050.00	45.52	74.00	-28.48	50.76	39.09	12.92	57.83	0.58	--	--	Peak																																																																							
2 18075.00	36.89	74.00	-37.11	58.71	37.91	5.76	55.95	-9.54	--	--	Peak																																																																							



	<b>16</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



	17																																					
Mode	Band Edge																																					
	U-NII-5_6.425-6.525_802.11ax HE160_CH15_Partial_996/67RU_6025MHz																																					
ANT	1+2																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5903.12</td> <td>80.65</td> <td>88.20</td> <td>-7.55</td> <td>73.76</td> <td>34.31</td> <td>8.96</td> <td>36.38</td> <td>0.00 148 352 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5903.12	80.65	88.20	-7.55	73.76	34.31	8.96	36.38	0.00 148 352 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5903.12	80.65	88.20	-7.55	73.76	34.31	8.96	36.38	0.00 148 352 PEAK																														
Avg	<p>Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5892.48</td> <td>65.49</td> <td>68.20</td> <td>-2.71</td> <td>58.64</td> <td>34.27</td> <td>8.95</td> <td>36.37</td> <td>0.00 148 352 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5892.48	65.49	68.20	-2.71	58.64	34.27	8.95	36.37	0.00 148 352 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																														
1 5892.48	65.49	68.20	-2.71	58.64	34.27	8.95	36.37	0.00 148 352 AVERAGE																														





	17																																									
Mode	Band Edge																																									
	U-NII-5_6.425-6.525_802.11ax HE160_CH15_Partial_996/67RU_6025MHz																																									
ANT	1+2																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5896.40</td> <td>77.53</td> <td>88.20</td> <td>-10.67</td> <td>70.66</td> <td>34.29</td> <td>8.96</td> <td>36.38</td> <td>0.00</td> <td>400</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5896.40	77.53	88.20	-10.67	70.66	34.29	8.96	36.38	0.00	400	330	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5896.40	77.53	88.20	-10.67	70.66	34.29	8.96	36.38	0.00	400	330	PEAK																														
Avg	<p>Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5896.60</td> <td>63.59</td> <td>68.20</td> <td>-4.61</td> <td>56.72</td> <td>34.29</td> <td>8.96</td> <td>36.38</td> <td>0.00</td> <td>400</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5896.60	63.59	68.20	-4.61	56.72	34.29	8.96	36.38	0.00	400	330	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																		
1	5896.60	63.59	68.20	-4.61	56.72	34.29	8.96	36.38	0.00	400	330	AVERAGE																														



Mode	18																																																																																																	
	Harmonic																																																																																																	
	U-NII-5_6.425-6.525_802.11ax HE160_CH47_Full RU_6185MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12370.00</td> <td>45.60</td> <td>74.00</td> <td>-28.40</td> <td>50.69</td> <td>38.97</td> <td>13.05</td> <td>57.78</td> <td>0.67</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>18555.00</td> <td>37.43</td> <td>74.00</td> <td>-36.57</td> <td>58.19</td> <td>38.45</td> <td>5.99</td> <td>55.66</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12370.00	45.60	74.00	-28.40	50.69	38.97	13.05	57.78	0.67	--	Peak	2	18555.00	37.43	74.00	-36.57	58.19	38.45	5.99	55.66	-9.54	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Read Level</th> <th>Line Margin</th> <th>Ant Level</th> <th>Cable Factor</th> <th>Preamp Loss</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12370.00</td> <td>45.99</td> <td>74.00</td> <td>-28.01</td> <td>51.08</td> <td>38.97</td> <td>13.05</td> <td>57.78</td> <td>0.67</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>18555.00</td> <td>36.42</td> <td>74.00</td> <td>-37.58</td> <td>57.18</td> <td>38.45</td> <td>5.99</td> <td>55.66</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12370.00	45.99	74.00	-28.01	51.08	38.97	13.05	57.78	0.67	--	Peak	2	18555.00	36.42	74.00	-37.58	57.18	38.45	5.99	55.66	-9.54	--	Peak
		Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12370.00	45.60	74.00	-28.40	50.69	38.97	13.05	57.78	0.67	--	Peak																																																																																							
2	18555.00	37.43	74.00	-36.57	58.19	38.45	5.99	55.66	-9.54	--	Peak																																																																																							
	Limit Freq	Limit Level	Read Level	Line Margin	Ant Level	Cable Factor	Preamp Loss	Aux Factor	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	12370.00	45.99	74.00	-28.01	51.08	38.97	13.05	57.78	0.67	--	Peak																																																																																							
2	18555.00	36.42	74.00	-37.58	57.18	38.45	5.99	55.66	-9.54	--	Peak																																																																																							



	<b>18</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-5_6.425-6.525_802.11ax HE160_CH47_Full RU_6185MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	19																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_6.425-6.525_802.11ax HE160_CH79_Full RU_6345MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UUNI)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12690.00</td> <td>45.97</td> <td>74.00</td> <td>-28.03</td> <td>50.40</td> <td>39.39</td> <td>13.19</td> <td>57.77</td> <td>0.76</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19035.00</td> <td>37.27</td> <td>74.00</td> <td>-36.73</td> <td>57.99</td> <td>38.02</td> <td>6.09</td> <td>55.29</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	45.97	74.00	-28.03	50.40	39.39	13.19	57.77	0.76	--	Peak	2	19035.00	37.27	74.00	-36.73	57.99	38.02	6.09	55.29	-9.54	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UUNI)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12690.00</td> <td>45.46</td> <td>74.00</td> <td>-28.54</td> <td>49.89</td> <td>39.39</td> <td>13.19</td> <td>57.77</td> <td>0.76</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19035.00</td> <td>37.21</td> <td>74.00</td> <td>-36.79</td> <td>57.93</td> <td>38.02</td> <td>6.09</td> <td>55.29</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	45.46	74.00	-28.54	49.89	39.39	13.19	57.77	0.76	--	Peak	2	19035.00	37.21	74.00	-36.79	57.93	38.02	6.09	55.29	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12690.00	45.97	74.00	-28.03	50.40	39.39	13.19	57.77	0.76	--	Peak																																																																																																					
2	19035.00	37.27	74.00	-36.73	57.99	38.02	6.09	55.29	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12690.00	45.46	74.00	-28.54	49.89	39.39	13.19	57.77	0.76	--	Peak																																																																																																					
2	19035.00	37.21	74.00	-36.79	57.93	38.02	6.09	55.29	-9.54	--	Peak																																																																																																					



	<b>19</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-5_6.425-6.525_802.11ax HE160_CH79_Full RU_6345MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	20																																																																																																											
	Harmonic																																																																																																											
	U-NII-6_6.425-6.525_802.11a_CH97_Full RU_6435MHz																																																																																																											
ANT	1+2																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12870.00</td> <td>46.68</td> <td>74.00</td> <td>-27.32</td> <td>50.49</td> <td>39.90</td> <td>13.26</td> <td>57.77</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19305.00</td> <td>37.16</td> <td>74.00</td> <td>-36.84</td> <td>57.58</td> <td>38.18</td> <td>6.12</td> <td>55.18</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	12870.00	46.68	74.00	-27.32	50.49	39.90	13.26	57.77	0.00	--	--	Peak	2	19305.00	37.16	74.00	-36.84	57.58	38.18	6.12	55.18	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12870.00</td> <td>46.63</td> <td>74.00</td> <td>-27.37</td> <td>50.44</td> <td>39.90</td> <td>13.26</td> <td>57.77</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19305.00</td> <td>36.30</td> <td>74.00</td> <td>-37.70</td> <td>56.72</td> <td>38.18</td> <td>6.12</td> <td>55.18</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	12870.00	46.63	74.00	-27.37	50.44	39.90	13.26	57.77	0.00	--	--	Peak	2	19305.00	36.30	74.00	-37.70	56.72	38.18	6.12	55.18	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	12870.00	46.68	74.00	-27.32	50.49	39.90	13.26	57.77	0.00	--	--	Peak																																																																																																
2	19305.00	37.16	74.00	-36.84	57.58	38.18	6.12	55.18	-9.54	--	--	Peak																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	12870.00	46.63	74.00	-27.37	50.44	39.90	13.26	57.77	0.00	--	--	Peak																																																																																																
2	19305.00	36.30	74.00	-37.70	56.72	38.18	6.12	55.18	-9.54	--	--	Peak																																																																																																



	<b>20</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-6_6.425-6.525_802.11a_CH97_Full RU_6435MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>



Mode	21																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11a_CH105_Full RU_6475MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UUNI)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12950.00</td> <td>45.58</td> <td>88.20</td> <td>-42.62</td> <td>49.28</td> <td>39.95</td> <td>13.30</td> <td>57.78</td> <td>0.83</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19425.00</td> <td>37.18</td> <td>74.00</td> <td>-36.82</td> <td>57.47</td> <td>38.25</td> <td>6.13</td> <td>55.13</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	45.58	88.20	-42.62	49.28	39.95	13.30	57.78	0.83	--	Peak	2	19425.00	37.18	74.00	-36.82	57.47	38.25	6.13	55.13	-9.54	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UUNI)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12950.00</td> <td>45.84</td> <td>88.20</td> <td>-42.36</td> <td>49.54</td> <td>39.95</td> <td>13.30</td> <td>57.78</td> <td>0.83</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19425.00</td> <td>37.20</td> <td>74.00</td> <td>-36.80</td> <td>57.49</td> <td>38.25</td> <td>6.13</td> <td>55.13</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	45.84	88.20	-42.36	49.54	39.95	13.30	57.78	0.83	--	Peak	2	19425.00	37.20	74.00	-36.80	57.49	38.25	6.13	55.13	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12950.00	45.58	88.20	-42.62	49.28	39.95	13.30	57.78	0.83	--	Peak																																																																																																					
2	19425.00	37.18	74.00	-36.82	57.47	38.25	6.13	55.13	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12950.00	45.84	88.20	-42.36	49.54	39.95	13.30	57.78	0.83	--	Peak																																																																																																					
2	19425.00	37.20	74.00	-36.80	57.49	38.25	6.13	55.13	-9.54	--	Peak																																																																																																					





	<b>21</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-6_6.425-6.525_802.11a_CH105_Full RU_6475MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
<b>17.7G</b> <b>~18G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	22																																																																															
	Harmonic																																																																															
	U-NII-6_6.425-6.525_802.11a_CH113_Full RU_6515MHZ																																																																															
ANT	1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13030.00</td> <td>45.66</td> <td>74.00</td> <td>-28.34</td> <td>49.38</td> <td>39.87</td> <td>13.35</td> <td>57.79</td> <td>0.85</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19545.00</td> <td>36.73</td> <td>74.00</td> <td>-37.27</td> <td>56.93</td> <td>38.29</td> <td>6.14</td> <td>55.09</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	13030.00	45.66	74.00	-28.34	49.38	39.87	13.35	57.79	0.85	--	--	Peak	2	19545.00	36.73	74.00	-37.27	56.93	38.29	6.14	55.09	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13030.00</td> <td>46.10</td> <td>74.00</td> <td>-27.90</td> <td>49.82</td> <td>39.87</td> <td>13.35</td> <td>57.79</td> <td>0.85</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19545.00</td> <td>37.56</td> <td>74.00</td> <td>-36.44</td> <td>57.76</td> <td>38.29</td> <td>6.14</td> <td>55.09</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	13030.00	46.10	74.00	-27.90	49.82	39.87	13.35	57.79	0.85	--	--	Peak	2	19545.00	37.56	74.00	-36.44	57.76	38.29	6.14	55.09	-9.54	--	--	Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																			
1	13030.00	45.66	74.00	-28.34	49.38	39.87	13.35	57.79	0.85	--	--	Peak																																																																				
2	19545.00	36.73	74.00	-37.27	56.93	38.29	6.14	55.09	-9.54	--	--	Peak																																																																				
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																																				
1	13030.00	46.10	74.00	-27.90	49.82	39.87	13.35	57.79	0.85	--	--	Peak																																																																				
2	19545.00	37.56	74.00	-36.44	57.76	38.29	6.14	55.09	-9.54	--	--	Peak																																																																				



	22	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-6_6.425-6.525_802.11a_CH113_Full RU_6515MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>
<b>17.7G</b> <b>~18G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>



Mode	23																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12870.00</td> <td>47.02</td> <td>88.20</td> <td>-41.18</td> <td>50.83</td> <td>39.90</td> <td>13.26</td> <td>57.77</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19305.00</td> <td>36.64</td> <td>74.00</td> <td>-37.36</td> <td>57.06</td> <td>38.18</td> <td>6.12</td> <td>55.18</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.02	88.20	-41.18	50.83	39.90	13.26	57.77	0.00	--	Peak	2	19305.00	36.64	74.00	-37.36	57.06	38.18	6.12	55.18	-9.54	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12870.00</td> <td>46.67</td> <td>88.20</td> <td>-41.53</td> <td>50.48</td> <td>39.90</td> <td>13.26</td> <td>57.77</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19305.00</td> <td>36.54</td> <td>74.00</td> <td>-37.46</td> <td>56.96</td> <td>38.18</td> <td>6.12</td> <td>55.18</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	46.67	88.20	-41.53	50.48	39.90	13.26	57.77	0.00	--	Peak	2	19305.00	36.54	74.00	-37.46	56.96	38.18	6.12	55.18	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12870.00	47.02	88.20	-41.18	50.83	39.90	13.26	57.77	0.00	--	Peak																																																																																																					
2	19305.00	36.64	74.00	-37.36	57.06	38.18	6.12	55.18	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12870.00	46.67	88.20	-41.53	50.48	39.90	13.26	57.77	0.00	--	Peak																																																																																																					
2	19305.00	36.54	74.00	-37.46	56.96	38.18	6.12	55.18	-9.54	--	Peak																																																																																																					



	<b>23</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
<b>17.7G</b> <b>~18G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	24																																																																																																														
	Harmonic																																																																																																														
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz																																																																																																														
ANT	1+2																																																																																																														
Pol.	Horizontal	Vertical																																																																																																													
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12950.00</td> <td>46.21</td> <td>88.20</td> <td>-41.99</td> <td>49.91</td> <td>39.95</td> <td>13.30</td> <td>57.78</td> <td>0.83</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19425.00</td> <td>36.43</td> <td>74.00</td> <td>-37.57</td> <td>56.72</td> <td>38.25</td> <td>6.13</td> <td>55.13</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	46.21	88.20	-41.99	49.91	39.95	13.30	57.78	0.83	--	--	Peak	2	19425.00	36.43	74.00	-37.57	56.72	38.25	6.13	55.13	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12950.00</td> <td>46.79</td> <td>88.20</td> <td>-41.41</td> <td>50.49</td> <td>39.95</td> <td>13.30</td> <td>57.78</td> <td>0.83</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19425.00</td> <td>37.46</td> <td>74.00</td> <td>-36.54</td> <td>57.75</td> <td>38.25</td> <td>6.13</td> <td>55.13</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12950.00	46.79	88.20	-41.41	50.49	39.95	13.30	57.78	0.83	--	--	Peak	2	19425.00	37.46	74.00	-36.54	57.75	38.25	6.13	55.13	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12950.00	46.21	88.20	-41.99	49.91	39.95	13.30	57.78	0.83	--	--	Peak																																																																																																			
2	19425.00	36.43	74.00	-37.57	56.72	38.25	6.13	55.13	-9.54	--	--	Peak																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	12950.00	46.79	88.20	-41.41	50.49	39.95	13.30	57.78	0.83	--	--	Peak																																																																																																			
2	19425.00	37.46	74.00	-36.54	57.75	38.25	6.13	55.13	-9.54	--	--	Peak																																																																																																			



	<b>24</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	25																																																																																																															
	Harmonic																																																																																																															
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UUNI)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13030.00</td> <td>46.08</td> <td>88.20</td> <td>-42.12</td> <td>49.00</td> <td>39.87</td> <td>13.35</td> <td>57.79</td> <td>0.85</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19545.00</td> <td>37.31</td> <td>74.00</td> <td>-36.69</td> <td>57.51</td> <td>38.29</td> <td>6.14</td> <td>55.09</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	46.08	88.20	-42.12	49.00	39.87	13.35	57.79	0.85	--	Peak	2	19545.00	37.31	74.00	-36.69	57.51	38.29	6.14	55.09	-9.54	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UUNI)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13030.00</td> <td>47.12</td> <td>88.20</td> <td>-41.08</td> <td>50.84</td> <td>39.87</td> <td>13.35</td> <td>57.79</td> <td>0.85</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19545.00</td> <td>38.31</td> <td>74.00</td> <td>-35.69</td> <td>58.51</td> <td>38.29</td> <td>6.14</td> <td>55.09</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	47.12	88.20	-41.08	50.84	39.87	13.35	57.79	0.85	--	Peak	2	19545.00	38.31	74.00	-35.69	58.51	38.29	6.14	55.09	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	46.08	88.20	-42.12	49.00	39.87	13.35	57.79	0.85	--	Peak																																																																																																					
2	19545.00	37.31	74.00	-36.69	57.51	38.29	6.14	55.09	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13030.00	47.12	88.20	-41.08	50.84	39.87	13.35	57.79	0.85	--	Peak																																																																																																					
2	19545.00	38.31	74.00	-35.69	58.51	38.29	6.14	55.09	-9.54	--	Peak																																																																																																					





	<b>25</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	26																																																																																	
	Harmonic																																																																																	
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th rowspan="2">MHz</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant Level</th> <th rowspan="2">Cable Loss</th> <th rowspan="2">Preamp Factor</th> <th rowspan="2">Aux Factor</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>47.18</td> <td>88.20</td> <td>-41.02</td> <td>50.91</td> <td>39.97</td> <td>13.27</td> <td>57.78</td> <td>0.81</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 19335.00</td> <td>36.61</td> <td>74.00</td> <td>-37.39</td> <td>57.00</td> <td>38.20</td> <td>6.12</td> <td>55.17</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	MHz	Limit		Read		Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	dBuV/m	dBuV/m	dB	dBuV	1 12890.00	47.18	88.20	-41.02	50.91	39.97	13.27	57.78	0.81	--	--	Peak	2 19335.00	36.61	74.00	-37.39	57.00	38.20	6.12	55.17	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL</p> <table border="1"> <thead> <tr> <th rowspan="2">MHz</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant Level</th> <th rowspan="2">Cable Loss</th> <th rowspan="2">Preamp Factor</th> <th rowspan="2">Aux Factor</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>46.91</td> <td>88.20</td> <td>-41.29</td> <td>50.64</td> <td>39.97</td> <td>13.27</td> <td>57.78</td> <td>0.81</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 19335.00</td> <td>37.04</td> <td>74.00</td> <td>-36.96</td> <td>57.43</td> <td>38.20</td> <td>6.12</td> <td>55.17</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	MHz	Limit		Read		Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	dBuV/m	dBuV/m	dB	dBuV	1 12890.00	46.91	88.20	-41.29	50.64	39.97	13.27	57.78	0.81	--	--	Peak	2 19335.00	37.04	74.00	-36.96	57.43	38.20	6.12	55.17	-9.54	--	--	Peak
	MHz		Limit		Read									Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																														
dBuV/m		dBuV/m	dB	dBuV																																																																														
1 12890.00	47.18	88.20	-41.02	50.91	39.97	13.27	57.78	0.81	--	--	Peak																																																																							
2 19335.00	36.61	74.00	-37.39	57.00	38.20	6.12	55.17	-9.54	--	--	Peak																																																																							
MHz	Limit		Read		Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
	dBuV/m	dBuV/m	dB	dBuV																																																																														
1 12890.00	46.91	88.20	-41.29	50.64	39.97	13.27	57.78	0.81	--	--	Peak																																																																							
2 19335.00	37.04	74.00	-36.96	57.43	38.20	6.12	55.17	-9.54	--	--	Peak																																																																							



	26	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>
<b>17.7G</b> <b>~18G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>



Mode	27																																																																																																	
	Harmonic																																																																																																	
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Limit Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12970.00</td> <td>46.53</td> <td>88.20</td> <td>-41.67</td> <td>50.24</td> <td>39.93</td> <td>13.31</td> <td>57.78</td> <td>0.83</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>19455.00</td> <td>38.92</td> <td>74.00</td> <td>-35.08</td> <td>59.17</td> <td>38.27</td> <td>6.14</td> <td>55.12</td> <td>-9.54</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12970.00	46.53	88.20	-41.67	50.24	39.93	13.31	57.78	0.83	--	-- Peak	2	19455.00	38.92	74.00	-35.08	59.17	38.27	6.14	55.12	-9.54	--	-- Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Limit Level</th> <th>Limit Line Margin</th> <th>Read Level</th> <th>Ant Factor</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12970.00</td> <td>47.17</td> <td>88.20</td> <td>-41.03</td> <td>50.88</td> <td>39.93</td> <td>13.31</td> <td>57.78</td> <td>0.83</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>19455.00</td> <td>37.57</td> <td>74.00</td> <td>-36.43</td> <td>57.82</td> <td>38.27</td> <td>6.14</td> <td>55.12</td> <td>-9.54</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>		Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12970.00	47.17	88.20	-41.03	50.88	39.93	13.31	57.78	0.83	--	-- Peak	2	19455.00	37.57	74.00	-36.43	57.82	38.27	6.14	55.12	-9.54	--	-- Peak
		Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																						
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	12970.00	46.53	88.20	-41.67	50.24	39.93	13.31	57.78	0.83	--	-- Peak																																																																																							
2	19455.00	38.92	74.00	-35.08	59.17	38.27	6.14	55.12	-9.54	--	-- Peak																																																																																							
	Limit Freq	Limit Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	12970.00	47.17	88.20	-41.03	50.88	39.93	13.31	57.78	0.83	--	-- Peak																																																																																							
2	19455.00	37.57	74.00	-36.43	57.82	38.27	6.14	55.12	-9.54	--	-- Peak																																																																																							



	<b>27</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	28																																																																									
	Harmonic																																																																									
	U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13050.00</td> <td>45.86</td> <td>88.20</td> <td>-42.34</td> <td>49.60</td> <td>39.85</td> <td>13.36</td> <td>57.80</td> <td>0.85</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>19575.00</td> <td>38.33</td> <td>74.00</td> <td>-35.67</td> <td>58.53</td> <td>38.28</td> <td>6.14</td> <td>55.08</td> <td>-9.54</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	13050.00	45.86	88.20	-42.34	49.60	39.85	13.36	57.80	0.85	--	-- Peak	2	19575.00	38.33	74.00	-35.67	58.53	38.28	6.14	55.08	-9.54	--	-- Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Line Margin (dB)</th> <th>Read Level (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13050.00</td> <td>46.17</td> <td>88.20</td> <td>-42.03</td> <td>49.91</td> <td>39.85</td> <td>13.36</td> <td>57.80</td> <td>0.85</td> <td>--</td> <td>-- Peak</td> </tr> <tr> <td>2</td> <td>19575.00</td> <td>36.29</td> <td>74.00</td> <td>-37.71</td> <td>56.49</td> <td>38.28</td> <td>6.14</td> <td>55.08</td> <td>-9.54</td> <td>--</td> <td>-- Peak</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	13050.00	46.17	88.20	-42.03	49.91	39.85	13.36	57.80	0.85	--	-- Peak	2	19575.00	36.29	74.00	-37.71	56.49	38.28	6.14	55.08	-9.54	--	-- Peak
	Peak	Freq (MHz)	Level (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																														
1	13050.00	45.86	88.20	-42.34	49.60	39.85	13.36	57.80	0.85	--	-- Peak																																																															
2	19575.00	38.33	74.00	-35.67	58.53	38.28	6.14	55.08	-9.54	--	-- Peak																																																															
Peak	Freq (MHz)	Level (dBuV/m)	Line Margin (dB)	Read Level (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																															
1	13050.00	46.17	88.20	-42.03	49.91	39.85	13.36	57.80	0.85	--	-- Peak																																																															
2	19575.00	36.29	74.00	-37.71	56.49	38.28	6.14	55.08	-9.54	--	-- Peak																																																															



	<b>28</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	29																																																																																																											
	Harmonic																																																																																																											
	U-NII-6_6.525-6.875_802.11ax HE80_CH103_Full RU_6465MHz																																																																																																											
ANT	1+2																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12930.00</td> <td>46.06</td> <td>88.20</td> <td>-42.14</td> <td>49.76</td> <td>39.97</td> <td>13.29</td> <td>57.78</td> <td>0.82</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19395.00</td> <td>36.80</td> <td>74.00</td> <td>-37.20</td> <td>57.11</td> <td>38.24</td> <td>6.13</td> <td>55.14</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	12930.00	46.06	88.20	-42.14	49.76	39.97	13.29	57.78	0.82	--	--	Peak	2	19395.00	36.80	74.00	-37.20	57.11	38.24	6.13	55.14	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>12930.00</td> <td>46.76</td> <td>88.20</td> <td>-41.44</td> <td>50.46</td> <td>39.97</td> <td>13.29</td> <td>57.78</td> <td>0.82</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19395.00</td> <td>36.70</td> <td>74.00</td> <td>-37.30</td> <td>57.01</td> <td>38.24</td> <td>6.13</td> <td>55.14</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	12930.00	46.76	88.20	-41.44	50.46	39.97	13.29	57.78	0.82	--	--	Peak	2	19395.00	36.70	74.00	-37.30	57.01	38.24	6.13	55.14	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	12930.00	46.06	88.20	-42.14	49.76	39.97	13.29	57.78	0.82	--	--	Peak																																																																																																
2	19395.00	36.80	74.00	-37.20	57.11	38.24	6.13	55.14	-9.54	--	--	Peak																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	12930.00	46.76	88.20	-41.44	50.46	39.97	13.29	57.78	0.82	--	--	Peak																																																																																																
2	19395.00	36.70	74.00	-37.30	57.01	38.24	6.13	55.14	-9.54	--	--	Peak																																																																																																





	<b>29</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-6_6.525-6.875_802.11ax HE80_CH103_Full RU_6465MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	30																																																																															
	Harmonic																																																																															
	U-NII-6_6.525-6.875_802.11ax HE160_CH111_Full RU_6545MHz																																																																															
ANT	1+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13090.00</td> <td>46.00</td> <td>88.20</td> <td>-42.20</td> <td>49.76</td> <td>39.81</td> <td>13.39</td> <td>57.82</td> <td>0.86</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13090.00	46.00	88.20	-42.20	49.76	39.81	13.39	57.82	0.86	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13090.00</td> <td>45.83</td> <td>88.20</td> <td>-42.37</td> <td>49.59</td> <td>39.81</td> <td>13.39</td> <td>57.82</td> <td>0.86</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13090.00	45.83	88.20	-42.37	49.59	39.81	13.39	57.82	0.86	--	Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13090.00	46.00	88.20	-42.20	49.76	39.81	13.39	57.82	0.86	--	Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13090.00	45.83	88.20	-42.37	49.59	39.81	13.39	57.82	0.86	--	Peak																																																																						



	<b>30</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-6_6.525-6.875_802.11ax HE160_CH111_Full RU_6545MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	31																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11a_CH117_Full RU_6535MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13070.00</td> <td>45.80</td> <td>74.00</td> <td>-28.20</td> <td>49.54</td> <td>39.83</td> <td>13.38</td> <td>57.81</td> <td>0.86</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19605.00</td> <td>37.76</td> <td>74.00</td> <td>-36.24</td> <td>57.97</td> <td>38.28</td> <td>6.13</td> <td>55.08</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	45.80	74.00	-28.20	49.54	39.83	13.38	57.81	0.86	--	Peak	2	19605.00	37.76	74.00	-36.24	57.97	38.28	6.13	55.08	-9.54	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13070.00</td> <td>46.92</td> <td>74.00</td> <td>-27.08</td> <td>50.66</td> <td>39.83</td> <td>13.38</td> <td>57.81</td> <td>0.86</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19605.00</td> <td>38.77</td> <td>74.00</td> <td>-35.23</td> <td>58.98</td> <td>38.28</td> <td>6.13</td> <td>55.08</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.92	74.00	-27.08	50.66	39.83	13.38	57.81	0.86	--	Peak	2	19605.00	38.77	74.00	-35.23	58.98	38.28	6.13	55.08	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	45.80	74.00	-28.20	49.54	39.83	13.38	57.81	0.86	--	Peak																																																																																																					
2	19605.00	37.76	74.00	-36.24	57.97	38.28	6.13	55.08	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	46.92	74.00	-27.08	50.66	39.83	13.38	57.81	0.86	--	Peak																																																																																																					
2	19605.00	38.77	74.00	-35.23	58.98	38.28	6.13	55.08	-9.54	--	Peak																																																																																																					



	<b>31</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-7_6.525-6.875_802.11a_CH117_Full RU_6535MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>



Mode	32																																																																																	
	Harmonic																																																																																	
	U-NII-7_6.525-6.875_802.11a_CH149_Full RU_6695MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>47.78</td> <td>74.00</td> <td>-26.22</td> <td>50.69</td> <td>40.46</td> <td>13.65</td> <td>57.97</td> <td>0.95</td> <td>-- -- Peak</td> </tr> <tr> <td>2 20085.00</td> <td>37.53</td> <td>74.00</td> <td>-36.47</td> <td>57.78</td> <td>38.15</td> <td>6.14</td> <td>55.00</td> <td>-9.54</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 13390.00	47.78	74.00	-26.22	50.69	40.46	13.65	57.97	0.95	-- -- Peak	2 20085.00	37.53	74.00	-36.47	57.78	38.15	6.14	55.00	-9.54	-- -- Peak	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>46.68</td> <td>74.00</td> <td>-27.32</td> <td>49.59</td> <td>40.46</td> <td>13.65</td> <td>57.97</td> <td>0.95</td> <td>-- -- Peak</td> </tr> <tr> <td>2 20085.00</td> <td>37.07</td> <td>74.00</td> <td>-36.93</td> <td>57.32</td> <td>38.15</td> <td>6.14</td> <td>55.00</td> <td>-9.54</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 13390.00	46.68	74.00	-27.32	49.59	40.46	13.65	57.97	0.95	-- -- Peak	2 20085.00	37.07	74.00	-36.93	57.32	38.15	6.14	55.00	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																									
1 13390.00	47.78	74.00	-26.22	50.69	40.46	13.65	57.97	0.95	-- -- Peak																																																																									
2 20085.00	37.53	74.00	-36.47	57.78	38.15	6.14	55.00	-9.54	-- -- Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																									
1 13390.00	46.68	74.00	-27.32	49.59	40.46	13.65	57.97	0.95	-- -- Peak																																																																									
2 20085.00	37.07	74.00	-36.93	57.32	38.15	6.14	55.00	-9.54	-- -- Peak																																																																									



	32	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-7_6.525-6.875_802.11a_CH149_Full RU_6695MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
<b>17.7G</b> <b>~18G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	33																																																																																																											
	Harmonic																																																																																																											
	U-NII-7_6.525-6.875_802.11a_CH185_Full RU_6875MHz																																																																																																											
ANT	1+2																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13750.00</td> <td>48.76</td> <td>74.00</td> <td>-25.24</td> <td>51.12</td> <td>40.65</td> <td>13.96</td> <td>58.01</td> <td>1.04</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20625.00</td> <td>37.73</td> <td>74.00</td> <td>-36.27</td> <td>57.95</td> <td>38.03</td> <td>6.24</td> <td>54.95</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	13750.00	48.76	74.00	-25.24	51.12	40.65	13.96	58.01	1.04	--	--	Peak	2	20625.00	37.73	74.00	-36.27	57.95	38.03	6.24	54.95	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13750.00</td> <td>47.07</td> <td>74.00</td> <td>-26.93</td> <td>49.43</td> <td>40.65</td> <td>13.96</td> <td>58.01</td> <td>1.04</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20625.00</td> <td>38.06</td> <td>74.00</td> <td>-35.94</td> <td>58.28</td> <td>38.03</td> <td>6.24</td> <td>54.95</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	13750.00	47.07	74.00	-26.93	49.43	40.65	13.96	58.01	1.04	--	--	Peak	2	20625.00	38.06	74.00	-35.94	58.28	38.03	6.24	54.95	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	13750.00	48.76	74.00	-25.24	51.12	40.65	13.96	58.01	1.04	--	--	Peak																																																																																																
2	20625.00	37.73	74.00	-36.27	57.95	38.03	6.24	54.95	-9.54	--	--	Peak																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	13750.00	47.07	74.00	-26.93	49.43	40.65	13.96	58.01	1.04	--	--	Peak																																																																																																
2	20625.00	38.06	74.00	-35.94	58.28	38.03	6.24	54.95	-9.54	--	--	Peak																																																																																																





	<b>33</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-7_6.525-6.875_802.11a_CH185_Full RU_6875MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	34																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13070.00</td> <td>46.64</td> <td>88.20</td> <td>-41.56</td> <td>50.38</td> <td>39.83</td> <td>13.38</td> <td>57.81</td> <td>0.86</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19605.00</td> <td>40.26</td> <td>74.00</td> <td>-33.74</td> <td>60.47</td> <td>38.28</td> <td>6.13</td> <td>55.08</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.64	88.20	-41.56	50.38	39.83	13.38	57.81	0.86	--	Peak	2	19605.00	40.26	74.00	-33.74	60.47	38.28	6.13	55.08	-9.54	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13070.00</td> <td>46.05</td> <td>88.20</td> <td>-42.15</td> <td>49.79</td> <td>39.83</td> <td>13.38</td> <td>57.81</td> <td>0.86</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19605.00</td> <td>37.34</td> <td>74.00</td> <td>-36.66</td> <td>57.55</td> <td>38.28</td> <td>6.13</td> <td>55.08</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	46.05	88.20	-42.15	49.79	39.83	13.38	57.81	0.86	--	Peak	2	19605.00	37.34	74.00	-36.66	57.55	38.28	6.13	55.08	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	46.64	88.20	-41.56	50.38	39.83	13.38	57.81	0.86	--	Peak																																																																																																					
2	19605.00	40.26	74.00	-33.74	60.47	38.28	6.13	55.08	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13070.00	46.05	88.20	-42.15	49.79	39.83	13.38	57.81	0.86	--	Peak																																																																																																					
2	19605.00	37.34	74.00	-36.66	57.55	38.28	6.13	55.08	-9.54	--	Peak																																																																																																					



	<b>34</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
<b>17.7G</b> <b>~18G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	35																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13390.00</td> <td>47.70</td> <td>74.00</td> <td>-26.30</td> <td>50.61</td> <td>40.46</td> <td>13.65</td> <td>57.97</td> <td>0.95</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20085.00</td> <td>37.02</td> <td>74.00</td> <td>-36.98</td> <td>57.27</td> <td>38.15</td> <td>6.14</td> <td>55.00</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.70	74.00	-26.30	50.61	40.46	13.65	57.97	0.95	--	Peak	2	20085.00	37.02	74.00	-36.98	57.27	38.15	6.14	55.00	-9.54	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13390.00</td> <td>47.45</td> <td>74.00</td> <td>-26.55</td> <td>50.36</td> <td>40.46</td> <td>13.65</td> <td>57.97</td> <td>0.95</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20085.00</td> <td>36.08</td> <td>74.00</td> <td>-37.92</td> <td>56.33</td> <td>38.15</td> <td>6.14</td> <td>55.00</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.45	74.00	-26.55	50.36	40.46	13.65	57.97	0.95	--	Peak	2	20085.00	36.08	74.00	-37.92	56.33	38.15	6.14	55.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13390.00	47.70	74.00	-26.30	50.61	40.46	13.65	57.97	0.95	--	Peak																																																																																																					
2	20085.00	37.02	74.00	-36.98	57.27	38.15	6.14	55.00	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13390.00	47.45	74.00	-26.55	50.36	40.46	13.65	57.97	0.95	--	Peak																																																																																																					
2	20085.00	36.08	74.00	-37.92	56.33	38.15	6.14	55.00	-9.54	--	Peak																																																																																																					



	<b>35</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	36																																																																																	
	Harmonic																																																																																	
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th rowspan="2">Freq</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant Level</th> <th rowspan="2">Cable Loss</th> <th rowspan="2">Preamp Factor</th> <th rowspan="2">Aux Factor</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13750.00</td> <td>46.94</td> <td>74.00</td> <td>-27.06</td> <td>49.30</td> <td>40.65</td> <td>13.96</td> <td>58.01</td> <td>1.04</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20625.00</td> <td>37.78</td> <td>74.00</td> <td>-36.22</td> <td>58.00</td> <td>38.03</td> <td>6.24</td> <td>54.95</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Limit		Read		Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	1	13750.00	46.94	74.00	-27.06	49.30	40.65	13.96	58.01	1.04	--	Peak	2	20625.00	37.78	74.00	-36.22	58.00	38.03	6.24	54.95	-9.54	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th rowspan="2">Freq</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant Level</th> <th rowspan="2">Cable Loss</th> <th rowspan="2">Preamp Factor</th> <th rowspan="2">Aux Factor</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13750.00</td> <td>46.93</td> <td>74.00</td> <td>-27.07</td> <td>49.29</td> <td>40.65</td> <td>13.96</td> <td>58.01</td> <td>1.04</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20625.00</td> <td>37.99</td> <td>74.00</td> <td>-36.01</td> <td>58.21</td> <td>38.03</td> <td>6.24</td> <td>54.95</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Limit		Read		Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	1	13750.00	46.93	74.00	-27.07	49.29	40.65	13.96	58.01	1.04	--	Peak	2	20625.00	37.99	74.00	-36.01	58.21	38.03	6.24	54.95	-9.54	--	Peak
	Freq		Limit		Read									Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																														
MHz		dBuV/m	dBuV/m	dB																																																																														
1	13750.00	46.94	74.00	-27.06	49.30	40.65	13.96	58.01	1.04	--	Peak																																																																							
2	20625.00	37.78	74.00	-36.22	58.00	38.03	6.24	54.95	-9.54	--	Peak																																																																							
Freq	Limit		Read		Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB																																																																														
1	13750.00	46.93	74.00	-27.07	49.29	40.65	13.96	58.01	1.04	--	Peak																																																																							
2	20625.00	37.99	74.00	-36.01	58.21	38.03	6.24	54.95	-9.54	--	Peak																																																																							



	<b>36</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	37																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13130.00</td> <td>47.20</td> <td>74.00</td> <td>-26.80</td> <td>50.87</td> <td>39.86</td> <td>13.43</td> <td>57.84</td> <td>0.88</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19695.00</td> <td>37.28</td> <td>74.00</td> <td>-36.72</td> <td>57.49</td> <td>38.26</td> <td>6.13</td> <td>55.06</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	47.20	74.00	-26.80	50.87	39.86	13.43	57.84	0.88	--	Peak	2	19695.00	37.28	74.00	-36.72	57.49	38.26	6.13	55.06	-9.54	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13130.00</td> <td>45.89</td> <td>74.00</td> <td>-28.11</td> <td>49.56</td> <td>39.86</td> <td>13.43</td> <td>57.84</td> <td>0.88</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19695.00</td> <td>36.73</td> <td>74.00</td> <td>-37.27</td> <td>56.94</td> <td>38.26</td> <td>6.13</td> <td>55.06</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	45.89	74.00	-28.11	49.56	39.86	13.43	57.84	0.88	--	Peak	2	19695.00	36.73	74.00	-37.27	56.94	38.26	6.13	55.06	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13130.00	47.20	74.00	-26.80	50.87	39.86	13.43	57.84	0.88	--	Peak																																																																																																					
2	19695.00	37.28	74.00	-36.72	57.49	38.26	6.13	55.06	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13130.00	45.89	74.00	-28.11	49.56	39.86	13.43	57.84	0.88	--	Peak																																																																																																					
2	19695.00	36.73	74.00	-37.27	56.94	38.26	6.13	55.06	-9.54	--	Peak																																																																																																					





	<b>37</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	38																																																																																	
	Harmonic																																																																																	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UUNI)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th rowspan="2">MHz</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant Level</th> <th rowspan="2">Cable Loss</th> <th rowspan="2">Preamp Factor</th> <th rowspan="2">Aux Factor</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>48.02</td> <td>74.00</td> <td>-25.98</td> <td>51.03</td> <td>40.38</td> <td>13.63</td> <td>57.96</td> <td>0.94</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 20055.00</td> <td>36.69</td> <td>74.00</td> <td>-37.31</td> <td>56.93</td> <td>38.17</td> <td>6.13</td> <td>55.00</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	MHz	Limit		Read		Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	dBuV/m	dB	dBuV	dB/m	1 13370.00	48.02	74.00	-25.98	51.03	40.38	13.63	57.96	0.94	--	--	Peak	2 20055.00	36.69	74.00	-37.31	56.93	38.17	6.13	55.00	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UUNI)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th rowspan="2">MHz</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant Level</th> <th rowspan="2">Cable Loss</th> <th rowspan="2">Preamp Factor</th> <th rowspan="2">Aux Factor</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>46.54</td> <td>74.00</td> <td>-27.46</td> <td>49.55</td> <td>40.38</td> <td>13.63</td> <td>57.96</td> <td>0.94</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 20055.00</td> <td>36.97</td> <td>74.00</td> <td>-37.03</td> <td>57.21</td> <td>38.17</td> <td>6.13</td> <td>55.00</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	MHz	Limit		Read		Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	dBuV/m	dB	dBuV	dB/m	1 13370.00	46.54	74.00	-27.46	49.55	40.38	13.63	57.96	0.94	--	--	Peak	2 20055.00	36.97	74.00	-37.03	57.21	38.17	6.13	55.00	-9.54	--	--	Peak
	MHz		Limit		Read									Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																														
dBuV/m		dB	dBuV	dB/m																																																																														
1 13370.00	48.02	74.00	-25.98	51.03	40.38	13.63	57.96	0.94	--	--	Peak																																																																							
2 20055.00	36.69	74.00	-37.31	56.93	38.17	6.13	55.00	-9.54	--	--	Peak																																																																							
MHz	Limit		Read		Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
	dBuV/m	dB	dBuV	dB/m																																																																														
1 13370.00	46.54	74.00	-27.46	49.55	40.38	13.63	57.96	0.94	--	--	Peak																																																																							
2 20055.00	36.97	74.00	-37.03	57.21	38.17	6.13	55.00	-9.54	--	--	Peak																																																																							



	<b>38</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>



Mode	39																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13770.00</td> <td>48.46</td> <td>74.00</td> <td>-25.54</td> <td>50.82</td> <td>40.63</td> <td>13.97</td> <td>58.01</td> <td>1.05</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20655.00</td> <td>36.75</td> <td>74.00</td> <td>-37.25</td> <td>56.95</td> <td>38.05</td> <td>6.23</td> <td>54.94</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	48.46	74.00	-25.54	50.82	40.63	13.97	58.01	1.05	--	Peak	2	20655.00	36.75	74.00	-37.25	56.95	38.05	6.23	54.94	-9.54	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13370.00</td> <td>47.79</td> <td>74.00</td> <td>-26.21</td> <td>50.80</td> <td>40.38</td> <td>13.63</td> <td>57.96</td> <td>0.94</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20655.00</td> <td>36.99</td> <td>74.00</td> <td>-37.01</td> <td>57.19</td> <td>38.05</td> <td>6.23</td> <td>54.94</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	47.79	74.00	-26.21	50.80	40.38	13.63	57.96	0.94	--	Peak	2	20655.00	36.99	74.00	-37.01	57.19	38.05	6.23	54.94	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13770.00	48.46	74.00	-25.54	50.82	40.63	13.97	58.01	1.05	--	Peak																																																																																																					
2	20655.00	36.75	74.00	-37.25	56.95	38.05	6.23	54.94	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13370.00	47.79	74.00	-26.21	50.80	40.38	13.63	57.96	0.94	--	Peak																																																																																																					
2	20655.00	36.99	74.00	-37.01	57.19	38.05	6.23	54.94	-9.54	--	Peak																																																																																																					



	<b>39</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>



Mode	40																																																																																																											
	Harmonic																																																																																																											
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz																																																																																																											
ANT	1+2																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13250.00</td> <td>46.19</td> <td>74.00</td> <td>-27.81</td> <td>49.60</td> <td>40.05</td> <td>13.53</td> <td>57.90</td> <td>0.91</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19875.00</td> <td>36.34</td> <td>74.00</td> <td>-37.66</td> <td>56.56</td> <td>38.23</td> <td>6.12</td> <td>55.03</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	13250.00	46.19	74.00	-27.81	49.60	40.05	13.53	57.90	0.91	--	--	Peak	2	19875.00	36.34	74.00	-37.66	56.56	38.23	6.12	55.03	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13250.00</td> <td>46.76</td> <td>74.00</td> <td>-27.24</td> <td>50.17</td> <td>40.05</td> <td>13.53</td> <td>57.90</td> <td>0.91</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19875.00</td> <td>36.25</td> <td>74.00</td> <td>-37.75</td> <td>56.47</td> <td>38.23</td> <td>6.12</td> <td>55.03</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	13250.00	46.76	74.00	-27.24	50.17	40.05	13.53	57.90	0.91	--	--	Peak	2	19875.00	36.25	74.00	-37.75	56.47	38.23	6.12	55.03	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	13250.00	46.19	74.00	-27.81	49.60	40.05	13.53	57.90	0.91	--	--	Peak																																																																																																
2	19875.00	36.34	74.00	-37.66	56.56	38.23	6.12	55.03	-9.54	--	--	Peak																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	13250.00	46.76	74.00	-27.24	50.17	40.05	13.53	57.90	0.91	--	--	Peak																																																																																																
2	19875.00	36.25	74.00	-37.75	56.47	38.23	6.12	55.03	-9.54	--	--	Peak																																																																																																



	<b>40</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	41																																																																																																															
	Harmonic																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13410.00</td> <td>48.35</td> <td>74.00</td> <td>-25.65</td> <td>51.20</td> <td>40.51</td> <td>13.67</td> <td>57.98</td> <td>0.95</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20115.00</td> <td>36.72</td> <td>74.00</td> <td>-37.28</td> <td>56.98</td> <td>38.13</td> <td>6.15</td> <td>55.00</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	48.35	74.00	-25.65	51.20	40.51	13.67	57.98	0.95	--	Peak	2	20115.00	36.72	74.00	-37.28	56.98	38.13	6.15	55.00	-9.54	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13410.00</td> <td>47.56</td> <td>74.00</td> <td>-26.44</td> <td>50.41</td> <td>40.51</td> <td>13.67</td> <td>57.98</td> <td>0.95</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20115.00</td> <td>37.74</td> <td>74.00</td> <td>-36.26</td> <td>58.00</td> <td>38.13</td> <td>6.15</td> <td>55.00</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	47.56	74.00	-26.44	50.41	40.51	13.67	57.98	0.95	--	Peak	2	20115.00	37.74	74.00	-36.26	58.00	38.13	6.15	55.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13410.00	48.35	74.00	-25.65	51.20	40.51	13.67	57.98	0.95	--	Peak																																																																																																					
2	20115.00	36.72	74.00	-37.28	56.98	38.13	6.15	55.00	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13410.00	47.56	74.00	-26.44	50.41	40.51	13.67	57.98	0.95	--	Peak																																																																																																					
2	20115.00	37.74	74.00	-36.26	58.00	38.13	6.15	55.00	-9.54	--	Peak																																																																																																					





	<b>41</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



Mode	42																																																																																																											
	Harmonic																																																																																																											
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz																																																																																																											
ANT	1+2																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13730.00</td> <td>46.80</td> <td>74.00</td> <td>-27.20</td> <td>49.16</td> <td>40.67</td> <td>13.94</td> <td>58.01</td> <td>1.04</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20595.00</td> <td>35.93</td> <td>74.00</td> <td>-38.07</td> <td>56.18</td> <td>38.00</td> <td>6.25</td> <td>54.96</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	13730.00	46.80	74.00	-27.20	49.16	40.67	13.94	58.01	1.04	--	--	Peak	2	20595.00	35.93	74.00	-38.07	56.18	38.00	6.25	54.96	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13730.00</td> <td>47.47</td> <td>74.00</td> <td>-26.53</td> <td>49.83</td> <td>40.67</td> <td>13.94</td> <td>58.01</td> <td>1.04</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20595.00</td> <td>35.00</td> <td>74.00</td> <td>-38.20</td> <td>56.05</td> <td>38.00</td> <td>6.25</td> <td>54.96</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	13730.00	47.47	74.00	-26.53	49.83	40.67	13.94	58.01	1.04	--	--	Peak	2	20595.00	35.00	74.00	-38.20	56.05	38.00	6.25	54.96	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	13730.00	46.80	74.00	-27.20	49.16	40.67	13.94	58.01	1.04	--	--	Peak																																																																																																
2	20595.00	35.93	74.00	-38.07	56.18	38.00	6.25	54.96	-9.54	--	--	Peak																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	13730.00	47.47	74.00	-26.53	49.83	40.67	13.94	58.01	1.04	--	--	Peak																																																																																																
2	20595.00	35.00	74.00	-38.20	56.05	38.00	6.25	54.96	-9.54	--	--	Peak																																																																																																



	<b>42</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>



Mode	43																																																																																																													
	Harmonic																																																																																																													
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13330.00</td> <td>47.15</td> <td>74.00</td> <td>-26.85</td> <td>50.36</td> <td>40.20</td> <td>13.60</td> <td>57.94</td> <td>0.93</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19995.00</td> <td>36.24</td> <td>74.00</td> <td>-37.76</td> <td>56.47</td> <td>38.20</td> <td>6.11</td> <td>55.00</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	47.15	74.00	-26.85	50.36	40.20	13.60	57.94	0.93	--	--	Peak	2	19995.00	36.24	74.00	-37.76	56.47	38.20	6.11	55.00	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13330.00</td> <td>46.88</td> <td>74.00</td> <td>-27.12</td> <td>50.09</td> <td>40.20</td> <td>13.60</td> <td>57.94</td> <td>0.93</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>19995.00</td> <td>35.00</td> <td>74.00</td> <td>-38.20</td> <td>56.03</td> <td>38.20</td> <td>6.11</td> <td>55.00</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13330.00	46.88	74.00	-27.12	50.09	40.20	13.60	57.94	0.93	--	--	Peak	2	19995.00	35.00	74.00	-38.20	56.03	38.20	6.11	55.00	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	13330.00	47.15	74.00	-26.85	50.36	40.20	13.60	57.94	0.93	--	--	Peak																																																																																																		
2	19995.00	36.24	74.00	-37.76	56.47	38.20	6.11	55.00	-9.54	--	--	Peak																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	13330.00	46.88	74.00	-27.12	50.09	40.20	13.60	57.94	0.93	--	--	Peak																																																																																																		
2	19995.00	35.00	74.00	-38.20	56.03	38.20	6.11	55.00	-9.54	--	--	Peak																																																																																																		



	<b>43</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>



Mode	44																																																																																											
	Harmonic																																																																																											
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th rowspan="2">Peak</th> <th rowspan="2">Avg</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13650.00</td> <td>48.32</td> <td>74.00</td> <td>-25.68</td> <td>50.68</td> <td>40.75</td> <td>13.88</td> <td>58.01</td> <td>1.02</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20475.00</td> <td>38.24</td> <td>74.00</td> <td>-35.76</td> <td>58.59</td> <td>37.92</td> <td>6.27</td> <td>55.00</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Avg	Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	1	13650.00	48.32	74.00	-25.68	50.68	40.75	13.88	58.01	1.02	--	--	Peak	2	20475.00	38.24	74.00	-35.76	58.59	37.92	6.27	55.00	-9.54	--	--	PEAK	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th rowspan="2">Peak</th> <th rowspan="2">Avg</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant</th> <th rowspan="2">Cable</th> <th rowspan="2">Preamp</th> <th rowspan="2">Aux</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13650.00</td> <td>47.21</td> <td>74.00</td> <td>-26.79</td> <td>49.57</td> <td>40.75</td> <td>13.88</td> <td>58.01</td> <td>1.02</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20475.00</td> <td>39.16</td> <td>74.00</td> <td>-34.84</td> <td>59.51</td> <td>37.92</td> <td>6.27</td> <td>55.00</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Avg	Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	1	13650.00	47.21	74.00	-26.79	49.57	40.75	13.88	58.01	1.02	--	--	Peak	2	20475.00	39.16	74.00	-34.84	59.51	37.92	6.27	55.00	-9.54	--	--	PEAK
	Peak			Avg	Limit		Read								Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq		Level	Line		Margin	Level	Factor																																																																																					
1	13650.00	48.32	74.00	-25.68	50.68	40.75	13.88	58.01	1.02	--	--	Peak																																																																																
2	20475.00	38.24	74.00	-35.76	58.59	37.92	6.27	55.00	-9.54	--	--	PEAK																																																																																
Peak	Avg	Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
		Freq	Level	Line	Margin								Level	Factor																																																																														
1	13650.00	47.21	74.00	-26.79	49.57	40.75	13.88	58.01	1.02	--	--	Peak																																																																																
2	20475.00	39.16	74.00	-34.84	59.51	37.92	6.27	55.00	-9.54	--	--	PEAK																																																																																



	<b>44</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>



Mode	45																																																																																																											
	Harmonic																																																																																																											
	U-NII-8_6.525-6.875_802.11a_CH189_6895MHz																																																																																																											
ANT	1+2																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13790.00</td> <td>48.35</td> <td>74.00</td> <td>-25.65</td> <td>50.71</td> <td>40.61</td> <td>13.99</td> <td>58.01</td> <td>1.05</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20685.00</td> <td>38.61</td> <td>74.00</td> <td>-35.39</td> <td>58.77</td> <td>38.09</td> <td>6.22</td> <td>54.93</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	13790.00	48.35	74.00	-25.65	50.71	40.61	13.99	58.01	1.05	--	--	Peak	2	20685.00	38.61	74.00	-35.39	58.77	38.09	6.22	54.93	-9.54	--	--	PEAK	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13790.00</td> <td>47.45</td> <td>74.00</td> <td>-26.55</td> <td>49.81</td> <td>40.61</td> <td>13.99</td> <td>58.01</td> <td>1.05</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20685.00</td> <td>38.39</td> <td>74.00</td> <td>-35.61</td> <td>58.55</td> <td>38.09</td> <td>6.22</td> <td>54.93</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	13790.00	47.45	74.00	-26.55	49.81	40.61	13.99	58.01	1.05	--	--	Peak	2	20685.00	38.39	74.00	-35.61	58.55	38.09	6.22	54.93	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	13790.00	48.35	74.00	-25.65	50.71	40.61	13.99	58.01	1.05	--	--	Peak																																																																																																
2	20685.00	38.61	74.00	-35.39	58.77	38.09	6.22	54.93	-9.54	--	--	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	13790.00	47.45	74.00	-26.55	49.81	40.61	13.99	58.01	1.05	--	--	Peak																																																																																																
2	20685.00	38.39	74.00	-35.61	58.55	38.09	6.22	54.93	-9.54	--	--	PEAK																																																																																																





	<b>45</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-8_6.525-6.875_802.11a_CH189_6895MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>



Mode	46																																																																																																											
	Harmonic																																																																																																											
	U-NII-8_6.525-6.875_802.11a_CH209_6995MHz																																																																																																											
ANT	1+2																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UUNI)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13990.00</td> <td>49.14</td> <td>88.20</td> <td>-39.06</td> <td>50.79</td> <td>41.08</td> <td>14.16</td> <td>58.00</td> <td>1.11</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20985.00</td> <td>39.54</td> <td>74.00</td> <td>-34.46</td> <td>59.38</td> <td>38.39</td> <td>6.12</td> <td>54.81</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	13990.00	49.14	88.20	-39.06	50.79	41.08	14.16	58.00	1.11	--	--	Peak	2	20985.00	39.54	74.00	-34.46	59.38	38.39	6.12	54.81	-9.54	--	--	PEAK	<p>Site : 03CH15-HY Condition: PEAK(UUNI)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13990.00</td> <td>47.25</td> <td>88.20</td> <td>-40.95</td> <td>48.90</td> <td>41.08</td> <td>14.16</td> <td>58.00</td> <td>1.11</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20985.00</td> <td>38.97</td> <td>74.00</td> <td>-35.03</td> <td>58.81</td> <td>38.39</td> <td>6.12</td> <td>54.81</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	13990.00	47.25	88.20	-40.95	48.90	41.08	14.16	58.00	1.11	--	--	Peak	2	20985.00	38.97	74.00	-35.03	58.81	38.39	6.12	54.81	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	13990.00	49.14	88.20	-39.06	50.79	41.08	14.16	58.00	1.11	--	--	Peak																																																																																																
2	20985.00	39.54	74.00	-34.46	59.38	38.39	6.12	54.81	-9.54	--	--	PEAK																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	13990.00	47.25	88.20	-40.95	48.90	41.08	14.16	58.00	1.11	--	--	Peak																																																																																																
2	20985.00	38.97	74.00	-35.03	58.81	38.39	6.12	54.81	-9.54	--	--	PEAK																																																																																																







	46	
<b>Mode</b>	Harmonic	
	U-NII-8_6.525-6.875_802.11a_CH209_6995MHz	
<b>ANT</b>	1+2	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>
<b>17.7G</b> <b>~18G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>



<b>47</b>																																																																																					
<b>Mode</b>	<b>Band Edge</b>																																																																																				
<b>U-NII-8_6.875-7.125_802.11a_CH233_7115MHz</b>																																																																																					
<b>ANT</b>	<b>1+2</b>																																																																																				
<b>Pol.</b>	<b>Horizontal</b>																																																																																				
<b>Peak</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>73.83</td> <td>88.20</td> <td>-14.37</td> <td>63.80</td> <td>36.45</td> <td>9.82</td> <td>36.24</td> <td>0.00</td> <td>207 320 PEAK</td> </tr> <tr> <td>2 7126.42</td> <td>73.97</td> <td>88.20</td> <td>-14.23</td> <td>63.92</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>207 320 PEAK</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7115.00</td> <td>109.32</td> <td>-----</td> <td>-----</td> <td>99.36</td> <td>36.38</td> <td>9.81</td> <td>36.23</td> <td>0.00</td> <td>207 320 PEAK</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7125.00	73.83	88.20	-14.37	63.80	36.45	9.82	36.24	0.00	207 320 PEAK	2 7126.42	73.97	88.20	-14.23	63.92	36.46	9.83	36.24	0.00	207 320 PEAK	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7115.00	109.32	-----	-----	99.36	36.38	9.81	36.23	0.00	207 320 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1 7125.00	73.83	88.20	-14.37	63.80	36.45	9.82	36.24	0.00	207 320 PEAK																																																																												
2 7126.42	73.97	88.20	-14.23	63.92	36.46	9.83	36.24	0.00	207 320 PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1 7115.00	109.32	-----	-----	99.36	36.38	9.81	36.23	0.00	207 320 PEAK																																																																												
<b>Avg</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 48%;"> <p>Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>67.00</td> <td>68.20</td> <td>-1.20</td> <td>56.97</td> <td>36.45</td> <td>9.82</td> <td>36.24</td> <td>0.00</td> <td>207 320 AVERAGE</td> </tr> <tr> <td>2 7126.00</td> <td>63.22</td> <td>68.20</td> <td>-4.98</td> <td>53.17</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>207 320 AVERAGE</td> </tr> </tbody> </table> </div> <div style="width: 48%;"> <p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7115.00</td> <td>102.22</td> <td>-----</td> <td>-----</td> <td>92.22</td> <td>36.42</td> <td>9.82</td> <td>36.24</td> <td>0.00</td> <td>207 320 AVERAGE</td> </tr> </tbody> </table> </div> </div>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7125.00	67.00	68.20	-1.20	56.97	36.45	9.82	36.24	0.00	207 320 AVERAGE	2 7126.00	63.22	68.20	-4.98	53.17	36.46	9.83	36.24	0.00	207 320 AVERAGE	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7115.00	102.22	-----	-----	92.22	36.42	9.82	36.24	0.00	207 320 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1 7125.00	67.00	68.20	-1.20	56.97	36.45	9.82	36.24	0.00	207 320 AVERAGE																																																																												
2 7126.00	63.22	68.20	-4.98	53.17	36.46	9.83	36.24	0.00	207 320 AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																													
1 7115.00	102.22	-----	-----	92.22	36.42	9.82	36.24	0.00	207 320 AVERAGE																																																																												



		<b>47</b>																																																																																													
<b>Mode</b>	<b>Band Edge</b>																																																																																														
	<b>U-NII-8_6.875-7.125_802.11a_CH233_7115MHz</b>																																																																																														
<b>ANT</b>	<b>1+2</b>																																																																																														
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																													
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>72.15</td> <td>88.20</td> <td>-16.05</td> <td>62.12</td> <td>36.45</td> <td>9.82</td> <td>36.24</td> <td>0.00</td> <td>303</td> <td>332</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7126.00</td> <td>72.93</td> <td>88.20</td> <td>-15.27</td> <td>62.88</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>303</td> <td>332</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7125.00	72.15	88.20	-16.05	62.12	36.45	9.82	36.24	0.00	303	332	PEAK	2	7126.00	72.93	88.20	-15.27	62.88	36.46	9.83	36.24	0.00	303	332	Peak	 <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>106.62</td> <td>-----</td> <td>-----</td> <td>96.70</td> <td>36.34</td> <td>9.81</td> <td>36.23</td> <td>0.00</td> <td>303</td> <td>332</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7115.00	106.62	-----	-----	96.70	36.34	9.81	36.23	0.00	303	332	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	7125.00	72.15	88.20	-16.05	62.12	36.45	9.82	36.24	0.00	303	332	PEAK																																																																																			
2	7126.00	72.93	88.20	-15.27	62.88	36.46	9.83	36.24	0.00	303	332	Peak																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	7115.00	106.62	-----	-----	96.70	36.34	9.81	36.23	0.00	303	332	PEAK																																																																																			
<b>Avg</b>	 <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>64.84</td> <td>68.20</td> <td>-3.36</td> <td>54.81</td> <td>36.45</td> <td>9.82</td> <td>36.24</td> <td>0.00</td> <td>303</td> <td>332</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7126.00</td> <td>61.23</td> <td>68.20</td> <td>-6.97</td> <td>51.18</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>303</td> <td>332</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7125.00	64.84	68.20	-3.36	54.81	36.45	9.82	36.24	0.00	303	332	AVERAGE	2	7126.00	61.23	68.20	-6.97	51.18	36.46	9.83	36.24	0.00	303	332	Average	 <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>99.47</td> <td>-----</td> <td>-----</td> <td>89.51</td> <td>36.38</td> <td>9.81</td> <td>36.23</td> <td>0.00</td> <td>303</td> <td>332</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7115.00	99.47	-----	-----	89.51	36.38	9.81	36.23	0.00	303	332	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	7125.00	64.84	68.20	-3.36	54.81	36.45	9.82	36.24	0.00	303	332	AVERAGE																																																																																			
2	7126.00	61.23	68.20	-6.97	51.18	36.46	9.83	36.24	0.00	303	332	Average																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	7115.00	99.47	-----	-----	89.51	36.38	9.81	36.23	0.00	303	332	AVERAGE																																																																																			



Mode	47																																																																																																													
	Harmonic																																																																																																													
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14230.00</td> <td>46.77</td> <td>88.20</td> <td>-41.43</td> <td>48.31</td> <td>41.24</td> <td>14.29</td> <td>58.09</td> <td>1.02</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>21345.00</td> <td>38.57</td> <td>74.00</td> <td>-35.43</td> <td>58.13</td> <td>38.47</td> <td>6.31</td> <td>54.00</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	46.77	88.20	-41.43	48.31	41.24	14.29	58.09	1.02	--	--	Peak	2	21345.00	38.57	74.00	-35.43	58.13	38.47	6.31	54.00	-9.54	--	--	PEAK	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14230.00</td> <td>47.21</td> <td>88.20</td> <td>-40.99</td> <td>48.75</td> <td>41.24</td> <td>14.29</td> <td>58.09</td> <td>1.02</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>21345.00</td> <td>37.47</td> <td>74.00</td> <td>-36.53</td> <td>57.03</td> <td>38.47</td> <td>6.31</td> <td>54.00</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	47.21	88.20	-40.99	48.75	41.24	14.29	58.09	1.02	--	--	Peak	2	21345.00	37.47	74.00	-36.53	57.03	38.47	6.31	54.00	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	14230.00	46.77	88.20	-41.43	48.31	41.24	14.29	58.09	1.02	--	--	Peak																																																																																																		
2	21345.00	38.57	74.00	-35.43	58.13	38.47	6.31	54.00	-9.54	--	--	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	14230.00	47.21	88.20	-40.99	48.75	41.24	14.29	58.09	1.02	--	--	Peak																																																																																																		
2	21345.00	37.47	74.00	-36.53	57.03	38.47	6.31	54.00	-9.54	--	--	PEAK																																																																																																		



	<b>47</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-8_6.875-7.125_802.11a_CH233_7115MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>



Mode	48																																																																													
	Harmonic																																																																													
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz																																																																													
ANT	1+2																																																																													
Pol.	Horizontal	Vertical																																																																												
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th rowspan="2">MHz</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant Level</th> <th rowspan="2">Cable Loss</th> <th rowspan="2">Preamp Factor</th> <th rowspan="2">Aux Factor</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>47.25</td> <td>88.20 -40.95</td> <td>49.61</td> <td>40.61</td> <td>13.99</td> <td>58.01</td> <td>1.05</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 20685.00</td> <td>36.28</td> <td>74.00 -37.72</td> <td>56.45</td> <td>38.08</td> <td>6.22</td> <td>54.93</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	MHz	Limit		Read		Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	dBuV/m	dB	dBuV	dB/m	1 13790.00	47.25	88.20 -40.95	49.61	40.61	13.99	58.01	1.05	--	--	Peak	2 20685.00	36.28	74.00 -37.72	56.45	38.08	6.22	54.93	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL</p> <table border="1"> <thead> <tr> <th rowspan="2">MHz</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant Level</th> <th rowspan="2">Cable Loss</th> <th rowspan="2">Preamp Factor</th> <th rowspan="2">Aux Factor</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>46.91</td> <td>88.20 -41.29</td> <td>49.27</td> <td>40.61</td> <td>13.99</td> <td>58.01</td> <td>1.05</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 20685.00</td> <td>36.69</td> <td>74.00 -37.31</td> <td>56.86</td> <td>38.08</td> <td>6.22</td> <td>54.93</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	MHz	Limit		Read		Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	dBuV/m	dB	dBuV	dB/m	1 13790.00	46.91	88.20 -41.29	49.27	40.61	13.99	58.01	1.05	--	--	Peak	2 20685.00	36.69	74.00 -37.31	56.86	38.08	6.22	54.93	-9.54	--	--	Peak
	MHz		Limit		Read									Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																										
dBuV/m		dB	dBuV	dB/m																																																																										
1 13790.00	47.25	88.20 -40.95	49.61	40.61	13.99	58.01	1.05	--	--	Peak																																																																				
2 20685.00	36.28	74.00 -37.72	56.45	38.08	6.22	54.93	-9.54	--	--	Peak																																																																				
MHz	Limit		Read		Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																			
	dBuV/m	dB	dBuV	dB/m																																																																										
1 13790.00	46.91	88.20 -41.29	49.27	40.61	13.99	58.01	1.05	--	--	Peak																																																																				
2 20685.00	36.69	74.00 -37.31	56.86	38.08	6.22	54.93	-9.54	--	--	Peak																																																																				





	<b>48</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UIN1)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>







Mode	49																																																																																																											
	Harmonic																																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz																																																																																																											
ANT	1+2																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13990.00</td> <td>47.93</td> <td>88.20</td> <td>-40.27</td> <td>49.58</td> <td>41.08</td> <td>14.16</td> <td>58.00</td> <td>1.11</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20985.00</td> <td>38.94</td> <td>74.00</td> <td>-35.06</td> <td>58.77</td> <td>38.39</td> <td>6.12</td> <td>54.00</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	13990.00	47.93	88.20	-40.27	49.58	41.08	14.16	58.00	1.11	--	--	Peak	2	20985.00	38.94	74.00	-35.06	58.77	38.39	6.12	54.00	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13990.00</td> <td>46.68</td> <td>88.20</td> <td>-41.52</td> <td>48.33</td> <td>41.08</td> <td>14.16</td> <td>58.00</td> <td>1.11</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20985.00</td> <td>37.86</td> <td>74.00</td> <td>-36.14</td> <td>57.69</td> <td>38.39</td> <td>6.12</td> <td>54.00</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	13990.00	46.68	88.20	-41.52	48.33	41.08	14.16	58.00	1.11	--	--	Peak	2	20985.00	37.86	74.00	-36.14	57.69	38.39	6.12	54.00	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	13990.00	47.93	88.20	-40.27	49.58	41.08	14.16	58.00	1.11	--	--	Peak																																																																																																
2	20985.00	38.94	74.00	-35.06	58.77	38.39	6.12	54.00	-9.54	--	--	Peak																																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	13990.00	46.68	88.20	-41.52	48.33	41.08	14.16	58.00	1.11	--	--	Peak																																																																																																
2	20985.00	37.86	74.00	-36.14	57.69	38.39	6.12	54.00	-9.54	--	--	Peak																																																																																																



	<b>49</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>



		<b>50</b>																																																																																				
<b>Mode</b>	<b>Band Edge</b>																																																																																					
	<b>U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz</b>																																																																																					
<b>ANT</b>	<b>1+2</b>																																																																																					
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																				
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>78.04</td> <td>88.20</td> <td>-10.16</td> <td>68.01</td> <td>36.45</td> <td>9.82</td> <td>36.24</td> <td>0.00</td> <td>243 344 PEAK</td> </tr> <tr> <td>2 7126.00</td> <td>77.43</td> <td>88.20</td> <td>-10.77</td> <td>67.38</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>243 344 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7125.00	78.04	88.20	-10.16	68.01	36.45	9.82	36.24	0.00	243 344 PEAK	2 7126.00	77.43	88.20	-10.77	67.38	36.46	9.83	36.24	0.00	243 344 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7115.00</td> <td>108.16</td> <td>-----</td> <td>-----</td> <td>98.24</td> <td>36.34</td> <td>9.81</td> <td>36.23</td> <td>0.00</td> <td>243 344 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7115.00	108.16	-----	-----	98.24	36.34	9.81	36.23	0.00	243 344 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 7125.00	78.04	88.20	-10.16	68.01	36.45	9.82	36.24	0.00	243 344 PEAK																																																																													
2 7126.00	77.43	88.20	-10.77	67.38	36.46	9.83	36.24	0.00	243 344 PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 7115.00	108.16	-----	-----	98.24	36.34	9.81	36.23	0.00	243 344 PEAK																																																																													
<b>Avg</b>	 <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>67.14</td> <td>68.20</td> <td>-1.06</td> <td>57.11</td> <td>36.45</td> <td>9.82</td> <td>36.24</td> <td>0.00</td> <td>243 344 AVERAGE</td> </tr> <tr> <td>2 7126.00</td> <td>64.15</td> <td>68.20</td> <td>-4.05</td> <td>54.10</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>243 344 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7125.00	67.14	68.20	-1.06	57.11	36.45	9.82	36.24	0.00	243 344 AVERAGE	2 7126.00	64.15	68.20	-4.05	54.10	36.46	9.83	36.24	0.00	243 344 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7115.00</td> <td>98.54</td> <td>-----</td> <td>-----</td> <td>88.58</td> <td>36.38</td> <td>9.81</td> <td>36.23</td> <td>0.00</td> <td>243 344 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7115.00	98.54	-----	-----	88.58	36.38	9.81	36.23	0.00	243 344 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 7125.00	67.14	68.20	-1.06	57.11	36.45	9.82	36.24	0.00	243 344 AVERAGE																																																																													
2 7126.00	64.15	68.20	-4.05	54.10	36.46	9.83	36.24	0.00	243 344 AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																														
1 7115.00	98.54	-----	-----	88.58	36.38	9.81	36.23	0.00	243 344 AVERAGE																																																																													



		<b>50</b>																																																																																													
<b>Mode</b>	<b>Band Edge</b>																																																																																														
	<b>U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz</b>																																																																																														
<b>ANT</b>	<b>1+2</b>																																																																																														
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																																													
<b>Peak</b>	<p>Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>75.42</td> <td>88.20</td> <td>-12.78</td> <td>65.39</td> <td>36.45</td> <td>9.82</td> <td>36.24</td> <td>0.00</td> <td>298</td> <td>327</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7126.00</td> <td>77.30</td> <td>88.20</td> <td>-10.90</td> <td>67.25</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>298</td> <td>327</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7125.00	75.42	88.20	-12.78	65.39	36.45	9.82	36.24	0.00	298	327	PEAK	2	7126.00	77.30	88.20	-10.90	67.25	36.46	9.83	36.24	0.00	298	327	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>102.81</td> <td>-----</td> <td>-----</td> <td>92.81</td> <td>36.42</td> <td>9.82</td> <td>36.24</td> <td>0.00</td> <td>298</td> <td>327</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7115.00	102.81	-----	-----	92.81	36.42	9.82	36.24	0.00	298	327	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	7125.00	75.42	88.20	-12.78	65.39	36.45	9.82	36.24	0.00	298	327	PEAK																																																																																			
2	7126.00	77.30	88.20	-10.90	67.25	36.46	9.83	36.24	0.00	298	327	Peak																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	7115.00	102.81	-----	-----	92.81	36.42	9.82	36.24	0.00	298	327	PEAK																																																																																			
<b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>64.26</td> <td>68.20</td> <td>-3.94</td> <td>54.23</td> <td>36.45</td> <td>9.82</td> <td>36.24</td> <td>0.00</td> <td>298</td> <td>327</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7126.00</td> <td>60.90</td> <td>68.20</td> <td>-7.30</td> <td>50.85</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>298</td> <td>327</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7125.00	64.26	68.20	-3.94	54.23	36.45	9.82	36.24	0.00	298	327	AVERAGE	2	7126.00	60.90	68.20	-7.30	50.85	36.46	9.83	36.24	0.00	298	327	Average	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>95.00</td> <td>-----</td> <td>-----</td> <td>85.04</td> <td>36.38</td> <td>9.81</td> <td>36.23</td> <td>0.00</td> <td>298</td> <td>327</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7115.00	95.00	-----	-----	85.04	36.38	9.81	36.23	0.00	298	327	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	7125.00	64.26	68.20	-3.94	54.23	36.45	9.82	36.24	0.00	298	327	AVERAGE																																																																																			
2	7126.00	60.90	68.20	-7.30	50.85	36.46	9.83	36.24	0.00	298	327	Average																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	7115.00	95.00	-----	-----	85.04	36.38	9.81	36.23	0.00	298	327	AVERAGE																																																																																			







Mode	50																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14230.00</td> <td>46.56</td> <td>88.20</td> <td>-41.64</td> <td>48.10</td> <td>41.24</td> <td>14.29</td> <td>58.09</td> <td>1.02</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>21345.00</td> <td>38.56</td> <td>74.00</td> <td>-35.44</td> <td>58.12</td> <td>38.47</td> <td>6.31</td> <td>54.80</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	46.56	88.20	-41.64	48.10	41.24	14.29	58.09	1.02	--	Peak	2	21345.00	38.56	74.00	-35.44	58.12	38.47	6.31	54.80	-9.54	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14230.00</td> <td>46.76</td> <td>88.20</td> <td>-41.44</td> <td>48.30</td> <td>41.24</td> <td>14.29</td> <td>58.09</td> <td>1.02</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>21345.00</td> <td>38.28</td> <td>74.00</td> <td>-35.72</td> <td>57.84</td> <td>38.47</td> <td>6.31</td> <td>54.80</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	46.76	88.20	-41.44	48.30	41.24	14.29	58.09	1.02	--	Peak	2	21345.00	38.28	74.00	-35.72	57.84	38.47	6.31	54.80	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14230.00	46.56	88.20	-41.64	48.10	41.24	14.29	58.09	1.02	--	Peak																																																																																																					
2	21345.00	38.56	74.00	-35.44	58.12	38.47	6.31	54.80	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14230.00	46.76	88.20	-41.44	48.30	41.24	14.29	58.09	1.02	--	Peak																																																																																																					
2	21345.00	38.28	74.00	-35.72	57.84	38.47	6.31	54.80	-9.54	--	Peak																																																																																																					







	<b>50</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



<b>51</b>																																																																																											
<b>Mode</b>	<b>Band Edge</b>																																																																																										
<b>U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_106/54RU_7115MHz</b>																																																																																											
<b>ANT</b>	<b>1+2</b>																																																																																										
<b>Pol.</b>	<b>Horizontal</b>																																																																																										
<b>Peak</b>	<b>Fundamental</b>																																																																																										
 <p>Site : 03CH15-HY            Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL            : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto            Detector : PEAK            Mode : 116            Setting : 0            Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>78.83</td> <td>88.20</td> <td>-10.17</td> <td>68.00</td> <td>36.45</td> <td>9.82</td> <td>36.24</td> <td>0.00</td> <td>255</td> <td>346</td> <td>PEAK</td> </tr> <tr> <td>2 7126.00</td> <td>80.67</td> <td>88.20</td> <td>-7.53</td> <td>70.62</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>255</td> <td>346</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7125.00	78.83	88.20	-10.17	68.00	36.45	9.82	36.24	0.00	255	346	PEAK	2 7126.00	80.67	88.20	-7.53	70.62	36.46	9.83	36.24	0.00	255	346	Peak	 <p>Site : 03CH15-HY            Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL            : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto            Detector : PEAK            Mode : 116            Setting : 0            Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 7115.00</td> <td>101.86</td> <td>-----</td> <td>-----</td> <td>91.82</td> <td>36.45</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>255</td> <td>346</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7115.00	101.86	-----	-----	91.82	36.45	9.83	36.24	0.00	255	346	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																			
1 7125.00	78.83	88.20	-10.17	68.00	36.45	9.82	36.24	0.00	255	346	PEAK																																																																																
2 7126.00	80.67	88.20	-7.53	70.62	36.46	9.83	36.24	0.00	255	346	Peak																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																			
1 7115.00	101.86	-----	-----	91.82	36.45	9.83	36.24	0.00	255	346	PEAK																																																																																
<b>Avg</b>	<b>Fundamental</b>																																																																																										
 <p>Site : 03CH15-HY            Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL            : RBW:1000.000kHz VBW:0.240kHz SMT:Auto            Detector : PEAK            Mode : 116            Setting : 0            Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>66.83</td> <td>68.20</td> <td>-1.37</td> <td>56.80</td> <td>36.45</td> <td>9.82</td> <td>36.24</td> <td>0.00</td> <td>255</td> <td>346</td> <td>AVERAGE</td> </tr> <tr> <td>2 7126.00</td> <td>64.18</td> <td>68.20</td> <td>-4.02</td> <td>54.13</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>255</td> <td>346</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7125.00	66.83	68.20	-1.37	56.80	36.45	9.82	36.24	0.00	255	346	AVERAGE	2 7126.00	64.18	68.20	-4.02	54.13	36.46	9.83	36.24	0.00	255	346	Average	 <p>Site : 03CH15-HY            Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL            : RBW:1000.000kHz VBW:0.240kHz SMT:Auto            Detector : PEAK            Mode : 116            Setting : 0            Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 7115.00</td> <td>94.89</td> <td>-----</td> <td>-----</td> <td>84.85</td> <td>36.45</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>255</td> <td>346</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7115.00	94.89	-----	-----	84.85	36.45	9.83	36.24	0.00	255	346	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																			
1 7125.00	66.83	68.20	-1.37	56.80	36.45	9.82	36.24	0.00	255	346	AVERAGE																																																																																
2 7126.00	64.18	68.20	-4.02	54.13	36.46	9.83	36.24	0.00	255	346	Average																																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																			
1 7115.00	94.89	-----	-----	84.85	36.45	9.83	36.24	0.00	255	346	AVERAGE																																																																																





<b>51</b>																																																						
<b>Mode</b>	<b>Band Edge</b>																																																					
<b>U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_106/54RU_7115MHz</b>																																																						
<b>ANT</b>	<b>1+2</b>																																																					
<b>Pol.</b>	<b>Vertical</b>																																																					
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>74.06</td> <td>88.20</td> <td>-14.14</td> <td>64.03</td> <td>36.45</td> <td>9.82</td> <td>36.24</td> <td>0.00</td> <td>247</td> <td>314</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>7126.00</td> <td>76.77</td> <td>88.20</td> <td>-11.43</td> <td>66.72</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>247</td> <td>314</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7125.00	74.06	88.20	-14.14	64.03	36.45	9.82	36.24	0.00	247	314	PEAK	2	7126.00	76.77	88.20	-11.43	66.72	36.46	9.83	36.24	0.00	247	314	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	7125.00	74.06	88.20	-14.14	64.03	36.45	9.82	36.24	0.00	247	314	PEAK																																										
2	7126.00	76.77	88.20	-11.43	66.72	36.46	9.83	36.24	0.00	247	314	Peak																																										
<b>Fundamental</b>	 <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>97.28</td> <td>-----</td> <td>-----</td> <td>87.24</td> <td>36.45</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>247</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7115.00	97.28	-----	-----	87.24	36.45	9.83	36.24	0.00	247	314	PEAK													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	7115.00	97.28	-----	-----	87.24	36.45	9.83	36.24	0.00	247	314	PEAK																																										
<b>Avg</b>	 <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.00</td> <td>62.56</td> <td>68.20</td> <td>-5.64</td> <td>52.53</td> <td>36.45</td> <td>9.82</td> <td>36.24</td> <td>0.00</td> <td>247</td> <td>314</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7126.00</td> <td>59.68</td> <td>68.20</td> <td>-8.52</td> <td>49.63</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>247</td> <td>314</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7125.00	62.56	68.20	-5.64	52.53	36.45	9.82	36.24	0.00	247	314	AVERAGE	2	7126.00	59.68	68.20	-8.52	49.63	36.46	9.83	36.24	0.00	247	314	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	7125.00	62.56	68.20	-5.64	52.53	36.45	9.82	36.24	0.00	247	314	AVERAGE																																										
2	7126.00	59.68	68.20	-8.52	49.63	36.46	9.83	36.24	0.00	247	314	Average																																										
<b>Fundamental</b>	 <p>Level (dBuV/m) vs Frequency (MHz)</p> <p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane :</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7115.00</td> <td>90.16</td> <td>-----</td> <td>-----</td> <td>80.12</td> <td>36.45</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>247</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7115.00	90.16	-----	-----	80.12	36.45	9.83	36.24	0.00	247	314	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																														
1	7115.00	90.16	-----	-----	80.12	36.45	9.83	36.24	0.00	247	314	AVERAGE																																										



Mode	52																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13850.00</td> <td>47.58</td> <td>88.20</td> <td>-40.62</td> <td>49.73</td> <td>40.75</td> <td>14.04</td> <td>58.01</td> <td>1.07</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20775.00</td> <td>38.13</td> <td>74.00</td> <td>-35.87</td> <td>58.20</td> <td>38.17</td> <td>6.19</td> <td>54.89</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	47.58	88.20	-40.62	49.73	40.75	14.04	58.01	1.07	--	Peak	2	20775.00	38.13	74.00	-35.87	58.20	38.17	6.19	54.89	-9.54	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>13850.00</td> <td>47.29</td> <td>88.20</td> <td>-40.91</td> <td>49.44</td> <td>40.75</td> <td>14.04</td> <td>58.01</td> <td>1.07</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>20775.00</td> <td>37.46</td> <td>74.00</td> <td>-36.54</td> <td>57.53</td> <td>38.17</td> <td>6.19</td> <td>54.89</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13850.00	47.29	88.20	-40.91	49.44	40.75	14.04	58.01	1.07	--	Peak	2	20775.00	37.46	74.00	-36.54	57.53	38.17	6.19	54.89	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13850.00	47.58	88.20	-40.62	49.73	40.75	14.04	58.01	1.07	--	Peak																																																																																																					
2	20775.00	38.13	74.00	-35.87	58.20	38.17	6.19	54.89	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	13850.00	47.29	88.20	-40.91	49.44	40.75	14.04	58.01	1.07	--	Peak																																																																																																					
2	20775.00	37.46	74.00	-36.54	57.53	38.17	6.19	54.89	-9.54	--	Peak																																																																																																					



	<b>52</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>





Mode	53																																																																																																														
	Harmonic																																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full RU_7005MHz																																																																																																														
ANT	1+2																																																																																																														
Pol.	Horizontal	Vertical																																																																																																													
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14010.00</td> <td>47.38</td> <td>88.20</td> <td>-40.82</td> <td>48.99</td> <td>41.11</td> <td>14.17</td> <td>58.00</td> <td>1.11</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>21015.00</td> <td>37.54</td> <td>74.00</td> <td>-36.46</td> <td>57.35</td> <td>38.40</td> <td>6.13</td> <td>54.00</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14010.00	47.38	88.20	-40.82	48.99	41.11	14.17	58.00	1.11	--	--	Peak	2	21015.00	37.54	74.00	-36.46	57.35	38.40	6.13	54.00	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14010.00</td> <td>47.35</td> <td>88.20</td> <td>-40.85</td> <td>48.96</td> <td>41.11</td> <td>14.17</td> <td>58.00</td> <td>1.11</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>21015.00</td> <td>37.27</td> <td>74.00</td> <td>-36.73</td> <td>57.08</td> <td>38.40</td> <td>6.13</td> <td>54.00</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	14010.00	47.35	88.20	-40.85	48.96	41.11	14.17	58.00	1.11	--	--	Peak	2	21015.00	37.27	74.00	-36.73	57.08	38.40	6.13	54.00	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14010.00	47.38	88.20	-40.82	48.99	41.11	14.17	58.00	1.11	--	--	Peak																																																																																																			
2	21015.00	37.54	74.00	-36.46	57.35	38.40	6.13	54.00	-9.54	--	--	Peak																																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	14010.00	47.35	88.20	-40.85	48.96	41.11	14.17	58.00	1.11	--	--	Peak																																																																																																			
2	21015.00	37.27	74.00	-36.73	57.08	38.40	6.13	54.00	-9.54	--	--	Peak																																																																																																			





	<b>53</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full RU_7005MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



	<b>54</b>																																										
<b>Mode</b>	<b>Band Edge - L</b>																																										
	<b>U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz</b>																																										
<b>ANT</b>	<b>1+2</b>																																										
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																									
<b>Peak</b>	 <p>Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1" data-bbox="279 1120 790 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.28</td> <td>75.86</td> <td>88.20</td> <td>-12.34</td> <td>65.81</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>243</td> <td>345</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.28	75.86	88.20	-12.34	65.81	36.46	9.83	36.24	0.00	243	345	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	7126.28	75.86	88.20	-12.34	65.81	36.46	9.83	36.24	0.00	243	345	PEAK																															
<b>Avg</b>	 <p>Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p> <table border="1" data-bbox="279 1803 790 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.16</td> <td>65.36</td> <td>68.20</td> <td>-2.84</td> <td>55.32</td> <td>36.45</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>243</td> <td>345</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.16	65.36	68.20	-2.84	55.32	36.45	9.83	36.24	0.00	243	345	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	7125.16	65.36	68.20	-2.84	55.32	36.45	9.83	36.24	0.00	243	345	AVERAGE																															





	<b>54</b>																																																										
<b>Mode</b>	<b>Band Edge - R</b>																																																										
	<b>U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz</b>																																																										
<b>ANT</b>	<b>1+2</b>																																																										
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																									
<b>Peak</b>	 <p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1080.60</td> <td>46.88</td> <td>74.00</td> <td>-27.12</td> <td>54.45</td> <td>25.47</td> <td>3.82</td> <td>36.86</td> <td>0.00</td> <td>243</td> <td>345</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7085.00</td> <td>114.08</td> <td>-----</td> <td>-----</td> <td>104.33</td> <td>36.28</td> <td>9.78</td> <td>36.23</td> <td>0.00</td> <td>243</td> <td>345</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	1080.60	46.88	74.00	-27.12	54.45	25.47	3.82	36.86	0.00	243	345	Peak	2	7085.00	114.08	-----	-----	104.33	36.28	9.78	36.23	0.00	243	345	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																			
1	1080.60	46.88	74.00	-27.12	54.45	25.47	3.82	36.86	0.00	243	345	Peak																																															
2	7085.00	114.08	-----	-----	104.33	36.28	9.78	36.23	0.00	243	345	PEAK																																															
<b>Avg</b>	 <p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1080.60</td> <td>31.40</td> <td>54.00</td> <td>-22.60</td> <td>38.97</td> <td>25.47</td> <td>3.82</td> <td>36.86</td> <td>0.00</td> <td>243</td> <td>345</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7085.00</td> <td>105.40</td> <td>-----</td> <td>-----</td> <td>95.62</td> <td>36.23</td> <td>9.78</td> <td>36.23</td> <td>0.00</td> <td>243</td> <td>345</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	1080.60	31.40	54.00	-22.60	38.97	25.47	3.82	36.86	0.00	243	345	Average	2	7085.00	105.40	-----	-----	95.62	36.23	9.78	36.23	0.00	243	345	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																			
1	1080.60	31.40	54.00	-22.60	38.97	25.47	3.82	36.86	0.00	243	345	Average																																															
2	7085.00	105.40	-----	-----	95.62	36.23	9.78	36.23	0.00	243	345	AVERAGE																																															



	<b>54</b>																																								
<b>Mode</b>	<b>Band Edge - L</b>																																								
	<b>U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz</b>																																								
<b>ANT</b>	<b>1+2</b>																																								
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																							
<b>Peak</b>	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_BE(U111)_6E</p> <p>Site : 03CH15-HY Condition: PEAK_BE(U111)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7125.64</td> <td>73.62</td> <td>88.20</td> <td>-14.58</td> <td>63.58</td> <td>36.45</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>160</td> <td>49 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.64	73.62	88.20	-14.58	63.58	36.45	9.83	36.24	0.00	160	49 PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 7125.64	73.62	88.20	-14.58	63.58	36.45	9.83	36.24	0.00	160	49 PEAK																															
<b>Avg</b>	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_BE(U111)_6E</p> <p>Site : 03CH15-HY Condition: AVG_BE(U111)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7125.32</td> <td>63.63</td> <td>68.20</td> <td>-4.57</td> <td>53.59</td> <td>36.45</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>160</td> <td>49 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.32	63.63	68.20	-4.57	53.59	36.45	9.83	36.24	0.00	160	49 AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 7125.32	63.63	68.20	-4.57	53.59	36.45	9.83	36.24	0.00	160	49 AVERAGE																															





	<b>54</b>																																																										
<b>Mode</b>	<b>Band Edge - R</b>																																																										
	<b>U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz</b>																																																										
<b>ANT</b>	<b>1+2</b>																																																										
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																									
<b>Peak</b>	 <p>Site : 03CH15-HY Condition: PEAK(UNIT)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1024.80</td> <td>44.55</td> <td>74.00</td> <td>-29.45</td> <td>52.55</td> <td>25.15</td> <td>3.72</td> <td>36.87</td> <td>0.00</td> <td>160</td> <td>49</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7085.00</td> <td>112.28</td> <td>-----</td> <td>-----</td> <td>102.53</td> <td>36.20</td> <td>9.78</td> <td>36.23</td> <td>0.00</td> <td>160</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1024.80	44.55	74.00	-29.45	52.55	25.15	3.72	36.87	0.00	160	49	Peak	2	7085.00	112.28	-----	-----	102.53	36.20	9.78	36.23	0.00	160	49	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	1024.80	44.55	74.00	-29.45	52.55	25.15	3.72	36.87	0.00	160	49	Peak																																															
2	7085.00	112.28	-----	-----	102.53	36.20	9.78	36.23	0.00	160	49	PEAK																																															
<b>Avg</b>	 <p>Site : 03CH15-HY Condition: AVG(UNIT)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1024.80</td> <td>29.58</td> <td>54.00</td> <td>-24.42</td> <td>37.58</td> <td>25.15</td> <td>3.72</td> <td>36.87</td> <td>0.00</td> <td>160</td> <td>49</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7085.00</td> <td>102.73</td> <td>-----</td> <td>-----</td> <td>92.98</td> <td>36.20</td> <td>9.78</td> <td>36.23</td> <td>0.00</td> <td>160</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1024.80	29.58	54.00	-24.42	37.58	25.15	3.72	36.87	0.00	160	49	Average	2	7085.00	102.73	-----	-----	92.98	36.20	9.78	36.23	0.00	160	49	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	1024.80	29.58	54.00	-24.42	37.58	25.15	3.72	36.87	0.00	160	49	Average																																															
2	7085.00	102.73	-----	-----	92.98	36.20	9.78	36.23	0.00	160	49	AVERAGE																																															







Mode	54																																																																																																															
	Harmonic																																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14170.00</td> <td>46.92</td> <td>88.20</td> <td>-41.28</td> <td>48.40</td> <td>41.27</td> <td>14.26</td> <td>58.06</td> <td>1.05</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>21255.00</td> <td>37.28</td> <td>74.00</td> <td>-36.72</td> <td>56.91</td> <td>38.45</td> <td>6.26</td> <td>54.00</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	46.92	88.20	-41.28	48.40	41.27	14.26	58.06	1.05	--	Peak	2	21255.00	37.28	74.00	-36.72	56.91	38.45	6.26	54.00	-9.54	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(U_NII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>14170.00</td> <td>47.51</td> <td>88.20</td> <td>-40.69</td> <td>48.99</td> <td>41.27</td> <td>14.26</td> <td>58.06</td> <td>1.05</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>21255.00</td> <td>38.09</td> <td>74.00</td> <td>-35.91</td> <td>57.72</td> <td>38.45</td> <td>6.26</td> <td>54.00</td> <td>-9.54</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14170.00	47.51	88.20	-40.69	48.99	41.27	14.26	58.06	1.05	--	Peak	2	21255.00	38.09	74.00	-35.91	57.72	38.45	6.26	54.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14170.00	46.92	88.20	-41.28	48.40	41.27	14.26	58.06	1.05	--	Peak																																																																																																					
2	21255.00	37.28	74.00	-36.72	56.91	38.45	6.26	54.00	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	14170.00	47.51	88.20	-40.69	48.99	41.27	14.26	58.06	1.05	--	Peak																																																																																																					
2	21255.00	38.09	74.00	-35.91	57.72	38.45	6.26	54.00	-9.54	--	Peak																																																																																																					







	<b>54</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL</p>



		<b>55</b>																																																																																
<b>Mode</b>	<b>Band Edge</b>																																																																																	
	<b>U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial_242/62RU_7085MHz</b>																																																																																	
<b>ANT</b>	<b>1+2</b>																																																																																	
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																
<b>Peak</b>	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK_BE(UNII)_6E</p> <p>Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.76</td> <td>80.30</td> <td>88.20</td> <td>-7.90</td> <td>70.25</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>344</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7126.76	80.30	88.20	-7.90	70.25	36.46	9.83	36.24	0.00	344	0	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>PEAK(UNII)_6E</p> <p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>116.31</td> <td>-----</td> <td>-----</td> <td>106.44</td> <td>36.30</td> <td>9.80</td> <td>36.23</td> <td>0.00</td> <td>344</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7085.00	116.31	-----	-----	106.44	36.30	9.80	36.23	0.00	344	0	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	7126.76	80.30	88.20	-7.90	70.25	36.46	9.83	36.24	0.00	344	0	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	7085.00	116.31	-----	-----	106.44	36.30	9.80	36.23	0.00	344	0	PEAK																																																																						
<b>Avg</b>	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG_BE(UNII)_6E</p> <p>Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.40</td> <td>62.86</td> <td>68.20</td> <td>-5.34</td> <td>52.81</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>344</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7127.40	62.86	68.20	-5.34	52.81	36.46	9.83	36.24	0.00	344	0	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>AVG(UNII)_6E</p> <p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>109.49</td> <td>-----</td> <td>-----</td> <td>99.65</td> <td>36.28</td> <td>9.79</td> <td>36.23</td> <td>0.00</td> <td>344</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	7085.00	109.49	-----	-----	99.65	36.28	9.79	36.23	0.00	344	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	7127.40	62.86	68.20	-5.34	52.81	36.46	9.83	36.24	0.00	344	0	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																										
1	7085.00	109.49	-----	-----	99.65	36.28	9.79	36.23	0.00	344	0	AVERAGE																																																																						



<b>55</b>																																										
<b>Mode</b>	<b>Band Edge</b>																																									
<b>U-NII-8_6.875-7.125_802.11ax HE40_CH227_Partial_242/62RU_7085MHz</b>																																										
<b>ANT</b>	<b>1+2</b>																																									
<b>Pol.</b>	<b>Vertical</b>																																									
<b>Peak</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Vertical. The plot shows a signal level starting at approximately 105 dBuV/m at 7085 MHz and decreasing to about 55 dBuV/m at 7245 MHz. A red horizontal line indicates the peak level at approximately 85 dBuV/m. A vertical blue line is at 7136.36 MHz.</p> <p>Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7136.36</td> <td>76.56</td> <td>88.20</td> <td>-11.64</td> <td>66.44</td> <td>36.52</td> <td>9.84</td> <td>36.24</td> <td>0.00</td> <td>152</td> <td>59</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7136.36	76.56	88.20	-11.64	66.44	36.52	9.84	36.24	0.00	152	59	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	7136.36	76.56	88.20	-11.64	66.44	36.52	9.84	36.24	0.00	152	59	PEAK																														
 <p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a signal level starting at approximately 75 dBuV/m at 1000 MHz and increasing to about 115 dBuV/m at 7200 MHz. A red horizontal line indicates the peak level at approximately 85 dBuV/m. A vertical blue line is at 7085.00 MHz.</p> <p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>115.46</td> <td>-----</td> <td>-----</td> <td>105.65</td> <td>36.25</td> <td>9.79</td> <td>36.23</td> <td>0.00</td> <td>152</td> <td>59</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	115.46	-----	-----	105.65	36.25	9.79	36.23	0.00	152	59	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	7085.00	115.46	-----	-----	105.65	36.25	9.79	36.23	0.00	152	59	PEAK																														
<b>Avg</b>	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Vertical. The plot shows a signal level starting at approximately 105 dBuV/m at 7085 MHz and decreasing to about 45 dBuV/m at 7245 MHz. A red horizontal line indicates the average level at approximately 70 dBuV/m. A vertical blue line is at 7125.16 MHz.</p> <p>Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.16</td> <td>60.68</td> <td>68.20</td> <td>-7.52</td> <td>50.64</td> <td>36.45</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>152</td> <td>59</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.16	60.68	68.20	-7.52	50.64	36.45	9.83	36.24	0.00	152	59	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	7125.16	60.68	68.20	-7.52	50.64	36.45	9.83	36.24	0.00	152	59	AVERAGE																														
 <p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a signal level starting at approximately 35 dBuV/m at 1000 MHz and increasing to about 100 dBuV/m at 7200 MHz. A red horizontal line indicates the average level at approximately 70 dBuV/m. A vertical blue line is at 7085.00 MHz.</p> <p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>107.73</td> <td>-----</td> <td>-----</td> <td>97.86</td> <td>36.30</td> <td>9.80</td> <td>36.23</td> <td>0.00</td> <td>152</td> <td>59</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7085.00	107.73	-----	-----	97.86	36.30	9.80	36.23	0.00	152	59	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	7085.00	107.73	-----	-----	97.86	36.30	9.80	36.23	0.00	152	59	AVERAGE																														



Mode	56																																																																																	
	Harmonic																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th rowspan="2">MHz</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant Level</th> <th rowspan="2">Cable Loss</th> <th rowspan="2">Preamp Factor</th> <th rowspan="2">Aux Factor</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13890.00</td> <td>47.52</td> <td>88.20</td> <td>-40.68</td> <td>49.48</td> <td>40.88</td> <td>14.08</td> <td>58.00</td> <td>1.08</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 20835.00</td> <td>37.28</td> <td>74.00</td> <td>-36.72</td> <td>57.28</td> <td>38.24</td> <td>6.17</td> <td>54.87</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	MHz	Limit		Read		Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	dBuV/m	dB	dBuV	dB	1 13890.00	47.52	88.20	-40.68	49.48	40.88	14.08	58.00	1.08	--	--	Peak	2 20835.00	37.28	74.00	-36.72	57.28	38.24	6.17	54.87	-9.54	--	--	Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th rowspan="2">MHz</th> <th colspan="2">Limit</th> <th colspan="2">Read</th> <th rowspan="2">Ant Level</th> <th rowspan="2">Cable Loss</th> <th rowspan="2">Preamp Factor</th> <th rowspan="2">Aux Factor</th> <th rowspan="2">APos</th> <th rowspan="2">TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13890.00</td> <td>47.44</td> <td>88.20</td> <td>-40.76</td> <td>49.40</td> <td>40.88</td> <td>14.08</td> <td>58.00</td> <td>1.08</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2 20835.00</td> <td>37.02</td> <td>74.00</td> <td>-36.98</td> <td>57.02</td> <td>38.24</td> <td>6.17</td> <td>54.87</td> <td>-9.54</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	MHz	Limit		Read		Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	dBuV/m	dB	dBuV	dB	1 13890.00	47.44	88.20	-40.76	49.40	40.88	14.08	58.00	1.08	--	--	Peak	2 20835.00	37.02	74.00	-36.98	57.02	38.24	6.17	54.87	-9.54	--	--	Peak
	MHz		Limit		Read									Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																														
dBuV/m		dB	dBuV	dB																																																																														
1 13890.00	47.52	88.20	-40.68	49.48	40.88	14.08	58.00	1.08	--	--	Peak																																																																							
2 20835.00	37.28	74.00	-36.72	57.28	38.24	6.17	54.87	-9.54	--	--	Peak																																																																							
MHz	Limit		Read		Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																							
	dBuV/m	dB	dBuV	dB																																																																														
1 13890.00	47.44	88.20	-40.76	49.40	40.88	14.08	58.00	1.08	--	--	Peak																																																																							
2 20835.00	37.02	74.00	-36.98	57.02	38.24	6.17	54.87	-9.54	--	--	Peak																																																																							



	<b>56</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>



	<b>57</b>																																														
<b>Mode</b>	<b>Band Edge - L</b>																																														
	<b>U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz</b>																																														
<b>ANT</b>	<b>1+2</b>																																														
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																													
<b>Peak</b>	<p>Site : 03CH15-HY Condition: PEAK_BE(U11)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 7125.10</td> <td>71.80</td> <td>88.20</td> <td>-16.40</td> <td>61.76</td> <td>36.45</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>253 345 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7125.10	71.80	88.20	-16.40	61.76	36.45	9.83	36.24	0.00									253 345 PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																							
1 7125.10	71.80	88.20	-16.40	61.76	36.45	9.83	36.24	0.00																																							
								253 345 PEAK																																							
<b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG_BE(U11)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 7125.10</td> <td>63.04</td> <td>68.20</td> <td>-5.16</td> <td>53.00</td> <td>36.45</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>253 345 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 7125.10	63.04	68.20	-5.16	53.00	36.45	9.83	36.24	0.00									253 345 AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																							
1 7125.10	63.04	68.20	-5.16	53.00	36.45	9.83	36.24	0.00																																							
								253 345 AVERAGE																																							





<b>57</b>																																																										
<b>Mode</b>	<b>Band Edge - R</b>																																																									
<b>U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz</b>																																																										
<b>ANT</b>	<b>1+2</b>																																																									
<b>Pol.</b>	<b>Horizontal</b>																																																									
<b>Peak</b>	<b>Fundamental</b>																																																									
<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Site : 03CH15-HY          Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL          : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1006.20</td> <td>46.01</td> <td>74.00</td> <td>-27.99</td> <td>54.01</td> <td>25.19</td> <td>3.69</td> <td>36.88</td> <td>0.00</td> <td>253</td> <td>345</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7025.00</td> <td>112.00</td> <td>-----</td> <td>-----</td> <td>102.48</td> <td>36.01</td> <td>9.73</td> <td>36.22</td> <td>0.00</td> <td>253</td> <td>345</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	1006.20	46.01	74.00	-27.99	54.01	25.19	3.69	36.88	0.00	253	345	Peak	2	7025.00	112.00	-----	-----	102.48	36.01	9.73	36.22	0.00	253	345	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																		
1	1006.20	46.01	74.00	-27.99	54.01	25.19	3.69	36.88	0.00	253	345	Peak																																														
2	7025.00	112.00	-----	-----	102.48	36.01	9.73	36.22	0.00	253	345	PEAK																																														
<b>Blank</b>																																																										
<b>Avg</b>	<b>Fundamental</b>																																																									
<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>Site : 03CH15-HY          Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL          : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1006.20</td> <td>32.00</td> <td>54.00</td> <td>-22.00</td> <td>40.00</td> <td>25.19</td> <td>3.69</td> <td>36.88</td> <td>0.00</td> <td>253</td> <td>345</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7025.00</td> <td>103.55</td> <td>-----</td> <td>-----</td> <td>94.01</td> <td>36.03</td> <td>9.73</td> <td>36.22</td> <td>0.00</td> <td>253</td> <td>345</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	1006.20	32.00	54.00	-22.00	40.00	25.19	3.69	36.88	0.00	253	345	Average	2	7025.00	103.55	-----	-----	94.01	36.03	9.73	36.22	0.00	253	345	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																		
1	1006.20	32.00	54.00	-22.00	40.00	25.19	3.69	36.88	0.00	253	345	Average																																														
2	7025.00	103.55	-----	-----	94.01	36.03	9.73	36.22	0.00	253	345	AVERAGE																																														
<b>Blank</b>																																																										



	<b>57</b>																																										
<b>Mode</b>	<b>Band Edge - L</b>																																										
	<b>U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz</b>																																										
<b>ANT</b>	<b>1+2</b>																																										
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																									
<b>Peak</b>	<p>Site : 03CH15-HY Condition: PEAK_BE(U11)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.42</td> <td>69.23</td> <td>88.20</td> <td>-18.97</td> <td>59.18</td> <td>36.46</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>150</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7126.42	69.23	88.20	-18.97	59.18	36.46	9.83	36.24	0.00	150	58	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	7126.42	69.23	88.20	-18.97	59.18	36.46	9.83	36.24	0.00	150	58	PEAK																															
<b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG_BE(U11)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.10</td> <td>60.65</td> <td>68.20</td> <td>-7.55</td> <td>50.61</td> <td>36.45</td> <td>9.83</td> <td>36.24</td> <td>0.00</td> <td>150</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.10	60.65	68.20	-7.55	50.61	36.45	9.83	36.24	0.00	150	58	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	7125.10	60.65	68.20	-7.55	50.61	36.45	9.83	36.24	0.00	150	58	AVERAGE																															



	<b>57</b>																																																										
<b>Mode</b>	<b>Band Edge - R</b>																																																										
	<b>U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz</b>																																																										
<b>ANT</b>	<b>1+2</b>																																																										
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																									
<b>Peak</b>	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1018.60</td> <td>45.27</td> <td>74.00</td> <td>-28.73</td> <td>53.28</td> <td>25.16</td> <td>3.71</td> <td>36.88</td> <td>0.00</td> <td>150</td> <td>58</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7025.00</td> <td>109.31</td> <td>-----</td> <td>-----</td> <td>99.82</td> <td>35.98</td> <td>9.72</td> <td>36.21</td> <td>0.00</td> <td>150</td> <td>58</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1018.60	45.27	74.00	-28.73	53.28	25.16	3.71	36.88	0.00	150	58	Peak	2	7025.00	109.31	-----	-----	99.82	35.98	9.72	36.21	0.00	150	58	PEAK	<b>Blank</b>
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	1018.60	45.27	74.00	-28.73	53.28	25.16	3.71	36.88	0.00	150	58	Peak																																															
2	7025.00	109.31	-----	-----	99.82	35.98	9.72	36.21	0.00	150	58	PEAK																																															
<b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1018.60</td> <td>30.89</td> <td>54.00</td> <td>-23.11</td> <td>38.90</td> <td>25.16</td> <td>3.71</td> <td>36.88</td> <td>0.00</td> <td>150</td> <td>58</td> <td>Average</td> </tr> <tr> <td>2</td> <td>7025.00</td> <td>100.03</td> <td>-----</td> <td>-----</td> <td>90.54</td> <td>35.90</td> <td>9.72</td> <td>36.21</td> <td>0.00</td> <td>150</td> <td>58</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1018.60	30.89	54.00	-23.11	38.90	25.16	3.71	36.88	0.00	150	58	Average	2	7025.00	100.03	-----	-----	90.54	35.90	9.72	36.21	0.00	150	58	AVERAGE	<b>Blank</b>
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	1018.60	30.89	54.00	-23.11	38.90	25.16	3.71	36.88	0.00	150	58	Average																																															
2	7025.00	100.03	-----	-----	90.54	35.90	9.72	36.21	0.00	150	58	AVERAGE																																															



Mode	57																																																																																	
	Harmonic																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14050.00</td> <td>48.75</td> <td>88.20</td> <td>-39.45</td> <td>50.34</td> <td>41.15</td> <td>14.19</td> <td>58.02</td> <td>1.09</td> <td>-- -- Peak</td> </tr> <tr> <td>2 21075.00</td> <td>37.28</td> <td>74.00</td> <td>-36.72</td> <td>57.04</td> <td>38.42</td> <td>6.16</td> <td>54.80</td> <td>-9.54</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 14050.00	48.75	88.20	-39.45	50.34	41.15	14.19	58.02	1.09	-- -- Peak	2 21075.00	37.28	74.00	-36.72	57.04	38.42	6.16	54.80	-9.54	-- -- Peak	<p>Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14050.00</td> <td>47.25</td> <td>88.20</td> <td>-40.95</td> <td>48.84</td> <td>41.15</td> <td>14.19</td> <td>58.02</td> <td>1.09</td> <td>-- -- Peak</td> </tr> <tr> <td>2 21075.00</td> <td>37.57</td> <td>74.00</td> <td>-36.43</td> <td>57.33</td> <td>38.42</td> <td>6.16</td> <td>54.80</td> <td>-9.54</td> <td>-- -- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 14050.00	47.25	88.20	-40.95	48.84	41.15	14.19	58.02	1.09	-- -- Peak	2 21075.00	37.57	74.00	-36.43	57.33	38.42	6.16	54.80	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																									
1 14050.00	48.75	88.20	-39.45	50.34	41.15	14.19	58.02	1.09	-- -- Peak																																																																									
2 21075.00	37.28	74.00	-36.72	57.04	38.42	6.16	54.80	-9.54	-- -- Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																									
1 14050.00	47.25	88.20	-40.95	48.84	41.15	14.19	58.02	1.09	-- -- Peak																																																																									
2 21075.00	37.57	74.00	-36.43	57.33	38.42	6.16	54.80	-9.54	-- -- Peak																																																																									



	<b>57</b>	
<b>Mode</b>	<b>Harmonic</b>	
	<b>U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz</b>	
<b>ANT</b>	<b>1+2</b>	
<b>Pol.</b>	<b>Horizontal</b>	<b>Vertical</b>
<b>14.47G</b> <b>~14.5G</b> <b>Avg</b>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>
	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 HORIZONTAL</p>	<p>Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120_D_91200-02038 VERTICAL</p>