











Mode	7	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	8																																															
	Band Edge																																															
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																															
ANT	1+2																																															
Pol.	Horizontal						Fundamental																																									
Peak							Blank																																									
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.72</td><td>74.90</td><td>88.20</td><td>-13.30</td><td>67.94</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>347 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.72	74.90	88.20	-13.30	67.94
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5923.72	74.90	88.20	-13.30	67.94	34.35	8.99	36.38	0.00	100	347 PEAK																																					
Avg							Blank																																									
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>64.51</td><td>68.20</td><td>-3.69</td><td>57.55</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>347 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	64.51	68.20	-3.69	57.55
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5925.00	64.51	68.20	-3.69	57.55	34.35	8.99	36.38	0.00	100	347 AVERAGE																																					







Mode	8																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																							
ANT	1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>71.79</td><td>88.20</td><td>-16.41</td><td>64.83</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>358</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	71.79	88.20	-16.41	64.83	34.35	8.99	36.38	0.00	100	358	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.68	71.79	88.20	-16.41	64.83	34.35	8.99	36.38	0.00	100	358	PEAK																																												
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>60.96</td><td>68.20</td><td>-7.24</td><td>54.00</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>100</td><td>358</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	60.96	68.20	-7.24	54.00	34.35	8.99	36.38	0.00	100	358	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5925.00	60.96	68.20	-7.24	54.00	34.35	8.99	36.38	0.00	100	358	AVERAGE																																												







Mode	8																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11930.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>50.91</td><td>38.86</td><td>12.86</td><td>57.88</td><td>0.57</td><td>-- Peak</td></tr><tr><td>2 17895.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>47.61</td><td>42.02</td><td>15.86</td><td>58.56</td><td>0.53</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 11930.00	45.32	74.00	-28.68	50.91	38.86	12.86	57.88	0.57	-- Peak	2 17895.00	47.46	74.00	-26.54	47.61	42.02	15.86	58.56	0.53	-- Peak	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11930.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>50.72</td><td>38.86</td><td>12.86</td><td>57.88</td><td>0.57</td><td>-- Peak</td></tr><tr><td>2 17895.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>47.04</td><td>42.02</td><td>15.86</td><td>58.56</td><td>0.53</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 11930.00	45.13	74.00	-28.87	50.72	38.86	12.86	57.88	0.57	-- Peak	2 17895.00	46.89	74.00	-27.11	47.04	42.02	15.86	58.56	0.53	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																													
1 11930.00	45.32	74.00	-28.68	50.91	38.86	12.86	57.88	0.57	-- Peak																																																																																													
2 17895.00	47.46	74.00	-26.54	47.61	42.02	15.86	58.56	0.53	-- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																													
1 11930.00	45.13	74.00	-28.87	50.72	38.86	12.86	57.88	0.57	-- Peak																																																																																													
2 17895.00	46.89	74.00	-27.11	47.04	42.02	15.86	58.56	0.53	-- Peak																																																																																													







Mode	8	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





		9																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_242/61RU_5965MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5920.52</td><td>83.04</td><td>88.20</td><td>-5.16</td><td>76.10</td><td>34.34</td><td>8.98</td><td>36.38</td><td>0.00</td><td>116</td><td>343</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.52	83.04	88.20	-5.16	76.10	34.34	8.98	36.38	0.00	116	343	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>117.21</td><td>-----</td><td>-----</td><td>110.19</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>116</td><td>343</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	117.21	-----	-----	110.19	34.40	9.01	36.39	0.00	116	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5920.52	83.04	88.20	-5.16	76.10	34.34	8.98	36.38	0.00	116	343	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	117.21	-----	-----	110.19	34.40	9.01	36.39	0.00	116	343	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.20</td><td>62.88</td><td>68.20</td><td>-5.32</td><td>55.95</td><td>34.33</td><td>8.98</td><td>36.38</td><td>0.00</td><td>116</td><td>343</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.20	62.88	68.20	-5.32	55.95	34.33	8.98	36.38	0.00	116	343	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>109.67</td><td>-----</td><td>-----</td><td>102.65</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>116</td><td>343</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	109.67	-----	-----	102.65	34.40	9.01	36.39	0.00	116	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5916.20	62.88	68.20	-5.32	55.95	34.33	8.98	36.38	0.00	116	343	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	109.67	-----	-----	102.65	34.40	9.01	36.39	0.00	116	343	AVERAGE																																																																																							







		9																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_242/61RU_5965MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5908.52</td><td>73.54</td><td>88.20</td><td>-14.66</td><td>66.63</td><td>34.32</td><td>8.97</td><td>36.38</td><td>0.00</td><td>361</td><td>346</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5908.52	73.54	88.20	-14.66	66.63	34.32	8.97	36.38	0.00	361	346	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>115.59</td><td>-----</td><td>-----</td><td>108.57</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>361</td><td>346</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	115.59	-----	-----	108.57	34.40	9.01	36.39	0.00	361	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5908.52	73.54	88.20	-14.66	66.63	34.32	8.97	36.38	0.00	361	346	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	115.59	-----	-----	108.57	34.40	9.01	36.39	0.00	361	346	PEAK																																																																																							
Avg																																																																																																			
	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.36</td><td>59.87</td><td>68.20</td><td>-8.33</td><td>52.94</td><td>34.33</td><td>8.98</td><td>36.38</td><td>0.00</td><td>361</td><td>346</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.36	59.87	68.20	-8.33	52.94	34.33	8.98	36.38	0.00	361	346	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>107.53</td><td>-----</td><td>-----</td><td>100.51</td><td>34.40</td><td>9.01</td><td>36.39</td><td>0.00</td><td>361</td><td>346</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	107.53	-----	-----	100.51	34.40	9.01	36.39	0.00	361	346
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5916.36	59.87	68.20	-8.33	52.94	34.33	8.98	36.38	0.00	361	346	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	107.53	-----	-----	100.51	34.40	9.01	36.39	0.00	361	346	AVERAGE																																																																																							



	9																																																																					
Mode	Harmonic																																																																					
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_242/61RU_5965MHz																																																																					
ANT	1+2																																																																					
Pol.	Horizontal								Vertical																																																													
Peak Avg																																																																						
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>50.16</td><td>38.91</td><td>13.07</td><td>57.77</td><td>0.68</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18615.00</td><td>36.66</td><td>74.00</td><td>-37.34</td><td>57.42</td><td>38.38</td><td>6.01</td><td>55.61</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12410.00	45.05	74.00	-28.95	50.16	38.91	13.07	57.77	0.68	--	Peak	2	18615.00	36.66	74.00	-37.34	57.42	38.38	6.01	55.61	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	12410.00	45.05	74.00	-28.95	50.16	38.91	13.07	57.77	0.68	--	Peak																																																											
2	18615.00	36.66	74.00	-37.34	57.42	38.38	6.01	55.61	-9.54	--	Peak																																																											
Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL																																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>45.09</td><td>74.00</td><td>-28.91</td><td>50.20</td><td>38.91</td><td>13.07</td><td>57.77</td><td>0.68</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18615.00</td><td>36.53</td><td>74.00</td><td>-37.47</td><td>57.29</td><td>38.38</td><td>6.01</td><td>55.61</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12410.00	45.09	74.00	-28.91	50.20	38.91	13.07	57.77	0.68	--	Peak	2	18615.00	36.53	74.00	-37.47	57.29	38.38	6.01	55.61	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	12410.00	45.09	74.00	-28.91	50.20	38.91	13.07	57.77	0.68	--	Peak																																																											
2	18615.00	36.53	74.00	-37.47	57.29	38.38	6.01	55.61	-9.54	--	Peak																																																											







Mode	9	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial_242/61RU_5965MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	10																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal								Vertical																																																									
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12410.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>50.16</td><td>38.91</td><td>13.07</td><td>57.77</td><td>0.68</td><td>-- Peak</td></tr><tr><td>2 18615.00</td><td>36.66</td><td>74.00</td><td>-37.34</td><td>57.42</td><td>38.38</td><td>6.01</td><td>55.61</td><td>-9.54</td><td>-- Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12410.00	45.05	74.00	-28.95	50.16	38.91	13.07	57.77	0.68	-- Peak	2 18615.00	36.66	74.00	-37.34	57.42	38.38	6.01	55.61	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1 12410.00	45.05	74.00	-28.95	50.16	38.91	13.07	57.77	0.68	-- Peak																																																									
2 18615.00	36.66	74.00	-37.34	57.42	38.38	6.01	55.61	-9.54	-- Peak																																																									







Mode	10	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





	11																																																																
Mode	Harmonic																																																																
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz																																																																
ANT	1+2																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>47.58</td><td>74.00</td><td>-26.42</td><td>51.59</td><td>39.73</td><td>13.24</td><td>57.77</td><td>0.79</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19215.00</td><td>35.93</td><td>74.00</td><td>-38.07</td><td>56.45</td><td>38.13</td><td>6.11</td><td>55.22</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	12810.00	47.58	74.00	-26.42	51.59	39.73	13.24	57.77	0.79	--	Peak	2	19215.00	35.93	74.00	-38.07	56.45	38.13	6.11	55.22	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																								
1	12810.00	47.58	74.00	-26.42	51.59	39.73	13.24	57.77	0.79	--	Peak																																																						
2	19215.00	35.93	74.00	-38.07	56.45	38.13	6.11	55.22	-9.54	--	Peak																																																						





Mode	11	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	12																																																				
	Band Edge																																																				
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																				
ANT	1+2																																																				
Pol.	Horizontal						Fundamental																																														
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5920.40</td><td>76.77</td><td>88.20</td><td>-11.43</td><td>69.83</td><td>34.34</td><td>8.98</td><td>36.38</td><td>0.00</td><td>146</td><td>334 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5920.40	76.77	88.20	-11.43	69.83	34.34	8.98	36.38	0.00	146	334 PEAK	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1 5920.40	76.77	88.20	-11.43	69.83	34.34	8.98	36.38	0.00	146	334 PEAK																																											
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5920.00</td><td>65.32</td><td>68.20</td><td>-2.88</td><td>58.38</td><td>34.34</td><td>8.98</td><td>36.38</td><td>0.00</td><td>146</td><td>334 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5920.00	65.32	68.20	-2.88	58.38	34.34	8.98	36.38	0.00	146	334 AVERAGE	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																											
1 5920.00	65.32	68.20	-2.88	58.38	34.34	8.98	36.38	0.00	146	334 AVERAGE																																											







Mode	12																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																							
ANT	1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.20</td><td>74.83</td><td>88.20</td><td>-13.37</td><td>67.87</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>359</td><td>24</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.20	74.83	88.20	-13.37	67.87	34.35	8.99	36.38	0.00	359	24	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.20	74.83	88.20	-13.37	67.87	34.35	8.99	36.38	0.00	359	24	PEAK																																												
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>61.41</td><td>68.20</td><td>-6.79</td><td>54.45</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>359</td><td>24</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	61.41	68.20	-6.79	54.45	34.35	8.99	36.38	0.00	359	24	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5925.00	61.41	68.20	-6.79	54.45	34.35	8.99	36.38	0.00	359	24	AVERAGE																																												





Mode	12																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal								Vertical																																																									
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11970.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>51.53</td><td>38.95</td><td>12.88</td><td>57.86</td><td>0.57</td><td>-- Peak</td></tr><tr><td>2 17955.00</td><td>46.90</td><td>74.00</td><td>-27.10</td><td>46.47</td><td>42.45</td><td>15.90</td><td>58.46</td><td>0.54</td><td>-- Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	46.07	74.00	-27.93	51.53	38.95	12.88	57.86	0.57	-- Peak	2 17955.00	46.90	74.00	-27.10	46.47	42.45	15.90	58.46	0.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1 11970.00	46.07	74.00	-27.93	51.53	38.95	12.88	57.86	0.57	-- Peak																																																									
2 17955.00	46.90	74.00	-27.10	46.47	42.45	15.90	58.46	0.54	-- Peak																																																									





Mode	12	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	13																																	
	Band Edge																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial_484/65RU_5985MHz																																	
ANT	1+2																																	
Pol.	Horizontal	Fundamental																																
Peak	 Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5922.60</td><td>85.23</td><td>88.20</td><td>-2.97</td><td>78.28</td><td>34.35</td><td>8.98</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5922.60	85.23	88.20	-2.97	78.28	34.35	8.98	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																											
1	5922.60	85.23	88.20	-2.97	78.28	34.35	8.98																											
Avg	 Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5918.20</td><td>65.79</td><td>68.20</td><td>-2.41</td><td>58.85</td><td>34.34</td><td>8.98</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5918.20	65.79	68.20	-2.41	58.85	34.34	8.98	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																											
1	5918.20	65.79	68.20	-2.41	58.85	34.34	8.98																											







Mode	13																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial_484/65RU_5985MHz																																																							
ANT	1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5922.20</td><td>80.68</td><td>88.20</td><td>-7.52</td><td>73.74</td><td>34.34</td><td>8.98</td><td>36.38</td><td>0.00</td><td>346</td><td>336</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5922.20	80.68	88.20	-7.52	73.74	34.34	8.98	36.38	0.00	346	336	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 5922.20	80.68	88.20	-7.52	73.74	34.34	8.98	36.38	0.00	346	336	PEAK																																													
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5925.00</td><td>62.33</td><td>68.20</td><td>-5.87</td><td>55.37</td><td>34.35</td><td>8.99</td><td>36.38</td><td>0.00</td><td>346</td><td>336</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5925.00	62.33	68.20	-5.87	55.37	34.35	8.99	36.38	0.00	346	336	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 5925.00	62.33	68.20	-5.87	55.37	34.35	8.99	36.38	0.00	346	336	AVERAGE																																													





Mode	14																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz																																																																																																																								
ANT	1+2																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12450.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>50.62</td><td>38.95</td><td>13.09</td><td>57.77</td><td>0.69</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18675.00</td><td>38.72</td><td>74.00</td><td>-35.28</td><td>59.47</td><td>38.33</td><td>6.02</td><td>55.56</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	45.58	74.00	-28.42	50.62	38.95	13.09	57.77	0.69	--	Peak	2	18675.00	38.72	74.00	-35.28	59.47	38.33	6.02	55.56	-9.54	--	Peak	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12450.00</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>50.23</td><td>38.95</td><td>13.09</td><td>57.77</td><td>0.69</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18675.00</td><td>37.39</td><td>74.00</td><td>-36.61</td><td>58.14</td><td>38.33</td><td>6.02</td><td>55.56</td><td>-9.54</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	45.19	74.00	-28.81	50.23	38.95	13.09	57.77	0.69	--	Peak	2	18675.00	37.39	74.00	-36.61	58.14	38.33	6.02	55.56	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12450.00	45.58	74.00	-28.42	50.62	38.95	13.09	57.77	0.69	--	Peak																																																																																																														
2	18675.00	38.72	74.00	-35.28	59.47	38.33	6.02	55.56	-9.54	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	12450.00	45.19	74.00	-28.81	50.23	38.95	13.09	57.77	0.69	--	Peak																																																																																																														
2	18675.00	37.39	74.00	-36.61	58.14	38.33	6.02	55.56	-9.54	--	Peak																																																																																																														







Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	15																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12770.00</td><td>45.76</td><td>74.00</td><td>-28.24</td><td>49.92</td><td>39.61</td><td>13.22</td><td>57.77</td><td>0.78</td><td>-- -- Peak</td></tr><tr><td>2 19155.00</td><td>37.24</td><td>74.00</td><td>-36.76</td><td>57.82</td><td>38.09</td><td>6.11</td><td>55.24</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12770.00	45.76	74.00	-28.24	49.92	39.61	13.22	57.77	0.78	-- -- Peak	2 19155.00	37.24	74.00	-36.76	57.82	38.09	6.11	55.24	-9.54	-- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12770.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>50.80</td><td>39.61</td><td>13.22</td><td>57.77</td><td>0.78</td><td>-- -- Peak</td></tr><tr><td>2 19155.00</td><td>36.77</td><td>74.00</td><td>-37.23</td><td>57.35</td><td>38.09</td><td>6.11</td><td>55.24</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12770.00	46.64	74.00	-27.36	50.80	39.61	13.22	57.77	0.78	-- -- Peak	2 19155.00	36.77	74.00	-37.23	57.35	38.09	6.11	55.24	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 12770.00	45.76	74.00	-28.24	49.92	39.61	13.22	57.77	0.78	-- -- Peak																																																																																													
2 19155.00	37.24	74.00	-36.76	57.82	38.09	6.11	55.24	-9.54	-- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 12770.00	46.64	74.00	-27.36	50.80	39.61	13.22	57.77	0.78	-- -- Peak																																																																																													
2 19155.00	36.77	74.00	-37.23	57.35	38.09	6.11	55.24	-9.54	-- -- Peak																																																																																													





Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	16																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																						
ANT	1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5890.00</td><td>76.19</td><td>88.20</td><td>-12.01</td><td>69.35</td><td>34.26</td><td>8.95</td><td>36.37</td><td>0.00</td><td>100</td><td>354</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5890.00	76.19	88.20	-12.01	69.35	34.26	8.95	36.37	0.00	100	354	PEAK	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5890.00	76.19	88.20	-12.01	69.35	34.26	8.95	36.37	0.00	100	354	PEAK																																												
Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5891.00</td><td>66.19</td><td>68.20</td><td>-2.01</td><td>59.35</td><td>34.26</td><td>8.95</td><td>36.37</td><td>0.00</td><td>100</td><td>354</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5891.00	66.19	68.20	-2.01	59.35	34.26	8.95	36.37	0.00	100	354	AVERAGE	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5891.00	66.19	68.20	-2.01	59.35	34.26	8.95	36.37	0.00	100	354	AVERAGE																																												







Mode	16																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																							
ANT	1+2																																																							
Pol.	Vertical						Fundamental																																																	
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5896.96</td><td>74.39</td><td>88.20</td><td>-13.81</td><td>67.52</td><td>34.29</td><td>8.96</td><td>36.38</td><td>0.00</td><td>400</td><td>334</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5896.96	74.39	88.20	-13.81	67.52	34.29	8.96	36.38	0.00	400	334	PEAK	Blank					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 5896.96	74.39	88.20	-13.81	67.52	34.29	8.96	36.38	0.00	400	334	PEAK																																													
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:2.700kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5897.52</td><td>64.76</td><td>68.20</td><td>-3.44</td><td>57.09</td><td>34.29</td><td>8.96</td><td>36.38</td><td>0.00</td><td>400</td><td>334</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5897.52	64.76	68.20	-3.44	57.09	34.29	8.96	36.38	0.00	400	334	AVERAGE	Blank					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 5897.52	64.76	68.20	-3.44	57.09	34.29	8.96	36.38	0.00	400	334	AVERAGE																																													



Mode	16																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal								Vertical																																																									
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12050.00</td><td>45.18</td><td>74.00</td><td>-28.82</td><td>50.42</td><td>39.09</td><td>12.92</td><td>57.83</td><td>0.58</td><td>-- Peak</td></tr><tr><td>2 18075.00</td><td>36.89</td><td>74.00</td><td>-37.11</td><td>58.71</td><td>37.91</td><td>5.76</td><td>55.95</td><td>-9.54</td><td>-- Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 12050.00	45.18	74.00	-28.82	50.42	39.09	12.92	57.83	0.58	-- Peak	2 18075.00	36.89	74.00	-37.11	58.71	37.91	5.76	55.95	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																									
1 12050.00	45.18	74.00	-28.82	50.42	39.09	12.92	57.83	0.58	-- Peak																																																									
2 18075.00	36.89	74.00	-37.11	58.71	37.91	5.76	55.95	-9.54	-- Peak																																																									



Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	17																																																						
	Band Edge																																																						
	U-NII-5_6.425-6.525_802.11ax HE160_CH15_Partial_996/67RU_6025MHz																																																						
ANT	1+2																																																						
Pol.	Horizontal						Fundamental																																																
Peak	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1 5903.12</td><td>80.65</td><td>88.20</td><td>-7.55</td><td>73.76</td><td>34.31</td><td>8.96</td><td>36.38</td><td>0.00</td><td>148</td><td>352</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1 5903.12	80.65	88.20	-7.55	73.76	34.31	8.96	36.38	0.00	148	352	PEAK	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																															
1 5903.12	80.65	88.20	-7.55	73.76	34.31	8.96	36.38	0.00	148	352	PEAK																																												
Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th><th></th></tr><tr><td>1 5892.48</td><td>65.49</td><td>68.20</td><td>-2.71</td><td>58.64</td><td>34.27</td><td>8.95</td><td>36.37</td><td>0.00</td><td>148</td><td>352</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB				1 5892.48	65.49	68.20	-2.71	58.64	34.27	8.95	36.37	0.00	148	352	AVERAGE	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																															
1 5892.48	65.49	68.20	-2.71	58.64	34.27	8.95	36.37	0.00	148	352	AVERAGE																																												







Mode	17																																																						
	Band Edge																																																						
	U-NII-5_6.425-6.525_802.11ax HE160_CH15_Partial_996/67RU_6025MHz																																																						
ANT	1+2																																																						
Pol.	Vertical						Fundamental																																																
Peak	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5896.40</td><td>77.53</td><td>88.20</td><td>-10.67</td><td>70.66</td><td>34.29</td><td>8.96</td><td>36.38</td><td>0.00</td><td>400</td><td>330</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5896.40	77.53	88.20	-10.67	70.66	34.29	8.96	36.38	0.00	400	330	PEAK	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5896.40	77.53	88.20	-10.67	70.66	34.29	8.96	36.38	0.00	400	330	PEAK																																												
Avg	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5896.60</td><td>63.59</td><td>68.20</td><td>-4.61</td><td>56.72</td><td>34.29</td><td>8.96</td><td>36.38</td><td>0.00</td><td>400</td><td>330</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5896.60	63.59	68.20	-4.61	56.72	34.29	8.96	36.38	0.00	400	330	AVERAGE	Blank				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 5896.60	63.59	68.20	-4.61	56.72	34.29	8.96	36.38	0.00	400	330	AVERAGE																																												



Mode	18																																																																			
	Harmonic																																																																			
	U-NII-5_6.425-6.525_802.11ax HE160_CH47_Full RU_6185MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal									Vertical																																																										
Peak Avg																																																																				
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL									Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12370.00</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>50.69</td><td>38.97</td><td>13.05</td><td>57.78</td><td>0.67</td><td>-- Peak</td></tr><tr><td>2 18555.00</td><td>37.43</td><td>74.00</td><td>-36.57</td><td>58.19</td><td>38.45</td><td>5.99</td><td>55.66</td><td>-9.54</td><td>-- Peak</td></tr></table>																				Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12370.00	45.60	74.00	-28.40	50.69	38.97	13.05	57.78	0.67	-- Peak	2 18555.00	37.43	74.00	-36.57	58.19	38.45	5.99	55.66	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1 12370.00	45.60	74.00	-28.40	50.69	38.97	13.05	57.78	0.67	-- Peak																																																											
2 18555.00	37.43	74.00	-36.57	58.19	38.45	5.99	55.66	-9.54	-- Peak																																																											







Mode	18	
	Harmonic	
	U-NII-5_6.425-6.525_802.11ax HE160_CH47_Full RU_6185MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	19																																																													
	Harmonic																																																													
	U-NII-5_6.425-6.525_802.11ax HE160_CH79_Full RU_6345MHz																																																													
ANT	1+2																																																													
Pol.	Horizontal					Vertical																																																								
Peak Avg																																																														
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL					Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>50.40</td><td>39.39</td><td>13.19</td><td>57.77</td><td>0.76</td><td>-- Peak</td></tr><tr><td>2</td><td>19035.00</td><td>37.27</td><td>74.00</td><td>-36.73</td><td>57.99</td><td>38.02</td><td>6.09</td><td>55.29</td><td>-9.54</td><td>-- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1	12690.00	45.97	74.00	-28.03	50.40	39.39	13.19	57.77	0.76	-- Peak	2	19035.00	37.27	74.00	-36.73	57.99	38.02	6.09	55.29	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																					
1	12690.00	45.97	74.00	-28.03	50.40	39.39	13.19	57.77	0.76	-- Peak																																																				
2	19035.00	37.27	74.00	-36.73	57.99	38.02	6.09	55.29	-9.54	-- Peak																																																				







Mode	19	
	Harmonic	
	U-NII-5_6.425-6.525_802.11ax HE160_CH79_Full RU_6345MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	20																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11a_CH97_Full RU_6435MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal						Vertical																																																												
Peak Avg																																																																			
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12870.00</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>50.49</td><td>39.90</td><td>13.26</td><td>57.77</td><td>0.80</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>19305.00</td><td>37.16</td><td>74.00</td><td>-36.84</td><td>57.58</td><td>38.18</td><td>6.12</td><td>55.18</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12870.00	46.68	74.00	-27.32	50.49	39.90	13.26	57.77	0.80	--	-- Peak	2	19305.00	37.16	74.00	-36.84	57.58	38.18	6.12	55.18	-9.54	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	12870.00	46.68	74.00	-27.32	50.49	39.90	13.26	57.77	0.80	--	-- Peak																																																								
2	19305.00	37.16	74.00	-36.84	57.58	38.18	6.12	55.18	-9.54	--	-- Peak																																																								







Mode	20	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_Full RU_6435MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	21																																																																			
	Harmonic																																																																			
	U-NII-6_6.425-6.525_802.11a_CH105_Full RU_6475MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>45.58</td><td>88.20</td><td>-42.62</td><td>49.28</td><td>39.95</td><td>13.30</td><td>57.78</td><td>0.83</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19425.00</td><td>37.18</td><td>74.00</td><td>-36.82</td><td>57.47</td><td>38.25</td><td>6.13</td><td>55.13</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12950.00	45.58	88.20	-42.62	49.28	39.95	13.30	57.78	0.83	--	--	Peak	2	19425.00	37.18	74.00	-36.82	57.47	38.25	6.13	55.13	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	12950.00	45.58	88.20	-42.62	49.28	39.95	13.30	57.78	0.83	--	--	Peak																																																								
2	19425.00	37.18	74.00	-36.82	57.47	38.25	6.13	55.13	-9.54	--	--	Peak																																																								







Mode	21	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_Full RU_6475MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





	22																																																																	
Mode	Harmonic																																																																	
	U-NII-6_6.425-6.525_802.11a_CH113_Full RU_6515MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>49.38</td><td>39.87</td><td>13.35</td><td>57.79</td><td>0.85</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19545.00</td><td>36.73</td><td>74.00</td><td>-37.27</td><td>56.93</td><td>38.29</td><td>6.14</td><td>55.09</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	45.66	74.00	-28.34	49.38	39.87	13.35	57.79	0.85	--	Peak	2	19545.00	36.73	74.00	-37.27	56.93	38.29	6.14	55.09	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13030.00	45.66	74.00	-28.34	49.38	39.87	13.35	57.79	0.85	--	Peak																																																							
2	19545.00	36.73	74.00	-37.27	56.93	38.29	6.14	55.09	-9.54	--	Peak																																																							







Mode	22	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_Full RU_6515MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	23																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal						Vertical																																																												
Peak Avg																																																																			
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12870.00</td><td>47.02</td><td>88.20</td><td>-41.18</td><td>50.83</td><td>39.90</td><td>13.26</td><td>57.77</td><td>0.80</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19305.00</td><td>36.64</td><td>74.00</td><td>-37.36</td><td>57.06</td><td>38.18</td><td>6.12</td><td>55.18</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12870.00	47.02	88.20	-41.18	50.83	39.90	13.26	57.77	0.80	--	Peak	2	19305.00	36.64	74.00	-37.36	57.06	38.18	6.12	55.18	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	12870.00	47.02	88.20	-41.18	50.83	39.90	13.26	57.77	0.80	--	Peak																																																								
2	19305.00	36.64	74.00	-37.36	57.06	38.18	6.12	55.18	-9.54	--	Peak																																																								









Mode	23	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH97_Full RU_6435MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	24																																																																																																					
	Harmonic																																																																																																					
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12950.00</td><td>46.21</td><td>88.20</td><td>-41.99</td><td>49.91</td><td>39.95</td><td>13.30</td><td>57.78</td><td>0.83</td><td>-- Peak</td></tr><tr><td>2 19425.00</td><td>36.43</td><td>74.00</td><td>-37.57</td><td>56.72</td><td>38.25</td><td>6.13</td><td>55.13</td><td>-9.54</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	46.21	88.20	-41.99	49.91	39.95	13.30	57.78	0.83	-- Peak	2 19425.00	36.43	74.00	-37.57	56.72	38.25	6.13	55.13	-9.54	-- Peak	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 12950.00</td><td>46.79</td><td>88.20</td><td>-41.41</td><td>50.49</td><td>39.95</td><td>13.30</td><td>57.78</td><td>0.83</td><td>-- Peak</td></tr><tr><td>2 19425.00</td><td>37.46</td><td>74.00</td><td>-36.54</td><td>57.75</td><td>38.25</td><td>6.13</td><td>55.13</td><td>-9.54</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	46.79	88.20	-41.41	50.49	39.95	13.30	57.78	0.83	-- Peak	2 19425.00	37.46	74.00	-36.54	57.75	38.25	6.13	55.13	-9.54	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 12950.00	46.21	88.20	-41.99	49.91	39.95	13.30	57.78	0.83	-- Peak																																																																																													
2 19425.00	36.43	74.00	-37.57	56.72	38.25	6.13	55.13	-9.54	-- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 12950.00	46.79	88.20	-41.41	50.49	39.95	13.30	57.78	0.83	-- Peak																																																																																													
2 19425.00	37.46	74.00	-36.54	57.75	38.25	6.13	55.13	-9.54	-- Peak																																																																																													





Mode	24	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_Full RU_6475MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL

	25															
Mode	Harmonic															
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz															
ANT	1+2															
Pol.	Horizontal								Vertical							
Peak Avg	 The plot shows two traces: a red trace for peak level and a blue trace for average level. The y-axis is Level (dBuV/m) from 0 to 140. The x-axis is Frequency (MHz) from 7200 to 40000. Two vertical blue lines mark frequencies 13760 MHz and 20320 MHz. Labels 'PEAK(UINII)_6E' and 'AVG(UINII)_6E' are present near the right side of the traces.								 The plot shows two traces: a red trace for peak level and a blue trace for average level. The y-axis is Level (dBuV/m) from 0 to 140. The x-axis is Frequency (MHz) from 7200 to 40000. Two vertical blue lines mark frequencies 13760 MHz and 20320 MHz. Labels 'PEAK(UINII)_6E' and 'AVG(UINII)_6E' are present near the right side of the traces.							
	Site : 03CH15-HY Condition: PEAK(UINII)_6E 1m BBHA9170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UINII)_6E 1m BBHA9170576 VERTICAL							
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor								Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg						
1 13030.00	46.08	88.20	-42.12	49.80	39.87	13.35	57.79	0.85	--	--	Peak					
2 19545.00	37.31	74.00	-36.69	57.51	38.29	6.14	55.09	-9.54	--	--	Peak					
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor								Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg						
1 13030.00	47.12	88.20	-41.08	50.84	39.87	13.35	57.79	0.85	--	--	Peak					
2 19545.00	38.31	74.00	-35.69	58.51	38.29	6.14	55.09	-9.54	--	--	Peak					







Mode	25	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_Full RU_6515MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	Level (dBuV/m) Frequency (MHz) Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	26																																																																		
	Harmonic																																																																		
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal						Vertical																																																												
Peak Avg																																																																			
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12890.00</td><td>47.18</td><td>88.20</td><td>-41.02</td><td>50.91</td><td>39.97</td><td>13.27</td><td>57.78</td><td>0.81</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19335.00</td><td>36.61</td><td>74.00</td><td>-37.39</td><td>57.00</td><td>38.20</td><td>6.12</td><td>55.17</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12890.00	47.18	88.20	-41.02	50.91	39.97	13.27	57.78	0.81	--	Peak	2	19335.00	36.61	74.00	-37.39	57.00	38.20	6.12	55.17	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	12890.00	47.18	88.20	-41.02	50.91	39.97	13.27	57.78	0.81	--	Peak																																																								
2	19335.00	36.61	74.00	-37.39	57.00	38.20	6.12	55.17	-9.54	--	Peak																																																								







Mode	26	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full RU_6445MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	27																																																																	
	Harmonic																																																																	
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal								Vertical																																																									
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12970.00</td><td>46.53</td><td>88.20</td><td>-41.67</td><td>50.24</td><td>39.93</td><td>13.31</td><td>57.78</td><td>0.83</td><td>-- Peak</td></tr><tr><td>2 19455.00</td><td>38.92</td><td>74.00</td><td>-35.08</td><td>59.17</td><td>38.27</td><td>6.14</td><td>55.12</td><td>-9.54</td><td>-- Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12970.00	46.53	88.20	-41.67	50.24	39.93	13.31	57.78	0.83	-- Peak	2 19455.00	38.92	74.00	-35.08	59.17	38.27	6.14	55.12	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line Margin	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1 12970.00	46.53	88.20	-41.67	50.24	39.93	13.31	57.78	0.83	-- Peak																																																									
2 19455.00	38.92	74.00	-35.08	59.17	38.27	6.14	55.12	-9.54	-- Peak																																																									







Mode	27	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full RU_6485MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	28																																																																	
	Harmonic																																																																	
	U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>45.86</td><td>88.20</td><td>-42.34</td><td>49.60</td><td>39.85</td><td>13.36</td><td>57.80</td><td>0.85</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19575.00</td><td>38.33</td><td>74.00</td><td>-35.67</td><td>58.53</td><td>38.28</td><td>6.14</td><td>55.08</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	45.86	88.20	-42.34	49.60	39.85	13.36	57.80	0.85	--	Peak	2	19575.00	38.33	74.00	-35.67	58.53	38.28	6.14	55.08	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13050.00	45.86	88.20	-42.34	49.60	39.85	13.36	57.80	0.85	--	Peak																																																							
2	19575.00	38.33	74.00	-35.67	58.53	38.28	6.14	55.08	-9.54	--	Peak																																																							







Mode	28	
	Harmonic	
	U-NII-6_6.425-6.525_802.11ax HE40_CH115_Full RU_6525MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	29																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-6_6.525-6.875_802.11ax HE80_CH103_Full RU_6465MHz																																																																																																																										
ANT	1+2																																																																																																																										
Pol.	Horizontal								Vertical																																																																																																																		
Peak Avg																																																																																																																											
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12930.00</td><td>46.06</td><td>88.20</td><td>-42.14</td><td>49.76</td><td>39.97</td><td>13.29</td><td>57.78</td><td>0.82</td><td>-- -- Peak</td></tr><tr><td>2 19395.00</td><td>36.80</td><td>74.00</td><td>-37.20</td><td>57.11</td><td>38.24</td><td>6.13</td><td>55.14</td><td>-9.54</td><td>-- -- Peak</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12930.00	46.06	88.20	-42.14	49.76	39.97	13.29	57.78	0.82	-- -- Peak	2 19395.00	36.80	74.00	-37.20	57.11	38.24	6.13	55.14	-9.54	-- -- Peak	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12930.00</td><td>46.76</td><td>88.20</td><td>-41.44</td><td>50.46</td><td>39.97</td><td>13.29</td><td>57.78</td><td>0.82</td><td>-- -- Peak</td></tr><tr><td>2 19395.00</td><td>36.70</td><td>74.00</td><td>-37.30</td><td>57.01</td><td>38.24</td><td>6.13</td><td>55.14</td><td>-9.54</td><td>-- -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 12930.00	46.76	88.20	-41.44	50.46	39.97	13.29	57.78	0.82	-- -- Peak	2 19395.00	36.70	74.00	-37.30	57.01	38.24	6.13	55.14	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																		
1 12930.00	46.06	88.20	-42.14	49.76	39.97	13.29	57.78	0.82	-- -- Peak																																																																																																																		
2 19395.00	36.80	74.00	-37.20	57.11	38.24	6.13	55.14	-9.54	-- -- Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																		
1 12930.00	46.76	88.20	-41.44	50.46	39.97	13.29	57.78	0.82	-- -- Peak																																																																																																																		
2 19395.00	36.70	74.00	-37.30	57.01	38.24	6.13	55.14	-9.54	-- -- Peak																																																																																																																		







Mode	29	
	Harmonic	
	U-NII-6_6.525-6.875_802.11ax HE80_CH103_Full RU_6465MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	30																																																																																																
	Harmonic																																																																																																
	U-NII-6_6.525-6.875_802.11ax HE160_CH111_Full RU_6545MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13090.00</td><td>46.00</td><td>88.20</td><td>-42.20</td><td>49.76</td><td>39.81</td><td>13.39</td><td>57.82</td><td>0.86</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	46.00	88.20	-42.20	49.76	39.81	13.39	57.82	0.86	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13090.00</td><td>45.83</td><td>88.20</td><td>-42.37</td><td>49.59</td><td>39.81</td><td>13.39</td><td>57.82</td><td>0.86</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13090.00	45.83	88.20	-42.37	49.59	39.81	13.39	57.82	0.86	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13090.00	46.00	88.20	-42.20	49.76	39.81	13.39	57.82	0.86	--	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	13090.00	45.83	88.20	-42.37	49.59	39.81	13.39	57.82	0.86	--	Peak																																																																																						







Mode	30	
	Harmonic	
	U-NII-6_6.525-6.875_802.11ax HE160_CH111_Full RU_6545MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	31																																																																				
	Harmonic																																																																				
	U-NII-7_6.525-6.875_802.11a_CH117_Full RU_6535MHz																																																																				
ANT	1+2																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m 88HA9170576 VERTICAL																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>45.80</td><td>74.00</td><td>-28.20</td><td>49.54</td><td>39.83</td><td>13.38</td><td>57.81</td><td>0.86</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19605.00</td><td>37.76</td><td>74.00</td><td>-36.24</td><td>57.97</td><td>38.28</td><td>6.13</td><td>55.08</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	45.80	74.00	-28.20	49.54	39.83	13.38	57.81	0.86	--	--	Peak	2	19605.00	37.76	74.00	-36.24	57.97	38.28	6.13	55.08	-9.54	--	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	13070.00	45.80	74.00	-28.20	49.54	39.83	13.38	57.81	0.86	--	--	Peak																																																									
2	19605.00	37.76	74.00	-36.24	57.97	38.28	6.13	55.08	-9.54	--	--	Peak																																																									







Mode	31	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_Full RU_6535MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	32																																																																	
	Harmonic																																																																	
	U-NII-7_6.525-6.875_802.11a_CH149_Full RU_6695MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL																																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.78</td><td>74.00</td><td>-26.22</td><td>50.69</td><td>40.46</td><td>13.65</td><td>57.97</td><td>0.95</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20085.00</td><td>37.53</td><td>74.00</td><td>-36.47</td><td>57.78</td><td>38.15</td><td>6.14</td><td>55.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	47.78	74.00	-26.22	50.69	40.46	13.65	57.97	0.95	--	Peak	2	20085.00	37.53	74.00	-36.47	57.78	38.15	6.14	55.00	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	13390.00	47.78	74.00	-26.22	50.69	40.46	13.65	57.97	0.95	--	Peak																																																							
2	20085.00	37.53	74.00	-36.47	57.78	38.15	6.14	55.00	-9.54	--	Peak																																																							

	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	13390.00	46.68	74.00	-27.32	49.59	40.46	13.65	57.97	0.95	--	Peak
2	20085.00	37.07	74.00	-36.93	57.32	38.15	6.14	55.00	-9.54	--	Peak







Mode	32	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_Full RU_6695MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	33																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-7_6.525-6.875_802.11a_CH185_Full RU_6875MHz																																																																																																																														
ANT	1+2																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																																																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>48.76</td><td>74.00</td><td>-25.24</td><td>51.12</td><td>40.65</td><td>13.96</td><td>58.01</td><td>1.04</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>37.73</td><td>74.00</td><td>-36.27</td><td>57.95</td><td>38.03</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	48.76	74.00	-25.24	51.12	40.65	13.96	58.01	1.04	--	Peak	2	20625.00	37.73	74.00	-36.27	57.95	38.03	6.24	54.95	-9.54	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13750.00</td><td>47.07</td><td>74.00</td><td>-26.93</td><td>49.43</td><td>40.65</td><td>13.96</td><td>58.01</td><td>1.04</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20625.00</td><td>38.06</td><td>74.00</td><td>-35.94</td><td>58.28</td><td>38.03</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13750.00	47.07	74.00	-26.93	49.43	40.65	13.96	58.01	1.04	--	Peak	2	20625.00	38.06	74.00	-35.94	58.28	38.03	6.24	54.95	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	13750.00	48.76	74.00	-25.24	51.12	40.65	13.96	58.01	1.04	--	Peak																																																																																																																				
2	20625.00	37.73	74.00	-36.27	57.95	38.03	6.24	54.95	-9.54	--	Peak																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	13750.00	47.07	74.00	-26.93	49.43	40.65	13.96	58.01	1.04	--	Peak																																																																																																																				
2	20625.00	38.06	74.00	-35.94	58.28	38.03	6.24	54.95	-9.54	--	Peak																																																																																																																				







Mode	33	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_Full RU_6875MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	34																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>46.64</td><td>88.20</td><td>-41.56</td><td>50.38</td><td>39.83</td><td>13.38</td><td>57.81</td><td>0.86</td><td>-- -- Peak</td></tr><tr><td>2 19605.00</td><td>40.26</td><td>74.00</td><td>-33.74</td><td>60.47</td><td>38.28</td><td>6.13</td><td>55.08</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 13070.00	46.64	88.20	-41.56	50.38	39.83	13.38	57.81	0.86	-- -- Peak	2 19605.00	40.26	74.00	-33.74	60.47	38.28	6.13	55.08	-9.54	-- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13070.00</td><td>46.05</td><td>88.20</td><td>-42.15</td><td>49.79</td><td>39.83</td><td>13.38</td><td>57.81</td><td>0.86</td><td>-- -- Peak</td></tr><tr><td>2 19605.00</td><td>37.34</td><td>74.00</td><td>-36.66</td><td>57.55</td><td>38.28</td><td>6.13</td><td>55.08</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 13070.00	46.05	88.20	-42.15	49.79	39.83	13.38	57.81	0.86	-- -- Peak	2 19605.00	37.34	74.00	-36.66	57.55	38.28	6.13	55.08	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																													
1 13070.00	46.64	88.20	-41.56	50.38	39.83	13.38	57.81	0.86	-- -- Peak																																																																																													
2 19605.00	40.26	74.00	-33.74	60.47	38.28	6.13	55.08	-9.54	-- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																																																													
1 13070.00	46.05	88.20	-42.15	49.79	39.83	13.38	57.81	0.86	-- -- Peak																																																																																													
2 19605.00	37.34	74.00	-36.66	57.55	38.28	6.13	55.08	-9.54	-- -- Peak																																																																																													







Mode	34	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	35																																																																
	Harmonic																																																																
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz																																																																
ANT	1+2																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg																																																																	
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>47.70</td><td>74.00</td><td>-26.30</td><td>50.61</td><td>40.46</td><td>13.65</td><td>57.97</td><td>0.95</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20085.00</td><td>37.02</td><td>74.00</td><td>-36.98</td><td>57.27</td><td>38.15</td><td>6.14</td><td>55.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg	1	13390.00	47.70	74.00	-26.30	50.61	40.46	13.65	57.97	0.95	--	Peak	2	20085.00	37.02	74.00	-36.98	57.27	38.15	6.14	55.00	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg																																																								
1	13390.00	47.70	74.00	-26.30	50.61	40.46	13.65	57.97	0.95	--	Peak																																																						
2	20085.00	37.02	74.00	-36.98	57.27	38.15	6.14	55.00	-9.54	--	Peak																																																						







Mode	35	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	36																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13750.00</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>49.30</td><td>40.65</td><td>13.96</td><td>58.01</td><td>1.04</td><td>-- -- Peak</td></tr><tr><td>2 20625.00</td><td>37.78</td><td>74.00</td><td>-36.22</td><td>58.00</td><td>38.03</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13750.00	46.94	74.00	-27.06	49.30	40.65	13.96	58.01	1.04	-- -- Peak	2 20625.00	37.78	74.00	-36.22	58.00	38.03	6.24	54.95	-9.54	-- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13750.00</td><td>46.93</td><td>74.00</td><td>-27.07</td><td>49.29</td><td>40.65</td><td>13.96</td><td>58.01</td><td>1.04</td><td>-- -- Peak</td></tr><tr><td>2 20625.00</td><td>37.99</td><td>74.00</td><td>-36.01</td><td>58.21</td><td>38.03</td><td>6.24</td><td>54.95</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13750.00	46.93	74.00	-27.07	49.29	40.65	13.96	58.01	1.04	-- -- Peak	2 20625.00	37.99	74.00	-36.01	58.21	38.03	6.24	54.95	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13750.00	46.94	74.00	-27.06	49.30	40.65	13.96	58.01	1.04	-- -- Peak																																																																																													
2 20625.00	37.78	74.00	-36.22	58.00	38.03	6.24	54.95	-9.54	-- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13750.00	46.93	74.00	-27.07	49.29	40.65	13.96	58.01	1.04	-- -- Peak																																																																																													
2 20625.00	37.99	74.00	-36.01	58.21	38.03	6.24	54.95	-9.54	-- -- Peak																																																																																													







Mode	36	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	37																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13130.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>50.87</td><td>39.86</td><td>13.43</td><td>57.84</td><td>0.88</td><td>-- -- Peak</td></tr><tr><td>2 19695.00</td><td>37.28</td><td>74.00</td><td>-36.72</td><td>57.49</td><td>38.26</td><td>6.13</td><td>55.06</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13130.00	47.20	74.00	-26.80	50.87	39.86	13.43	57.84	0.88	-- -- Peak	2 19695.00	37.28	74.00	-36.72	57.49	38.26	6.13	55.06	-9.54	-- -- Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13130.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>49.56</td><td>39.86</td><td>13.43</td><td>57.84</td><td>0.88</td><td>-- -- Peak</td></tr><tr><td>2 19695.00</td><td>36.73</td><td>74.00</td><td>-37.27</td><td>56.94</td><td>38.26</td><td>6.13</td><td>55.06</td><td>-9.54</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13130.00	45.89	74.00	-28.11	49.56	39.86	13.43	57.84	0.88	-- -- Peak	2 19695.00	36.73	74.00	-37.27	56.94	38.26	6.13	55.06	-9.54	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13130.00	47.20	74.00	-26.80	50.87	39.86	13.43	57.84	0.88	-- -- Peak																																																																																													
2 19695.00	37.28	74.00	-36.72	57.49	38.26	6.13	55.06	-9.54	-- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 13130.00	45.89	74.00	-28.11	49.56	39.86	13.43	57.84	0.88	-- -- Peak																																																																																													
2 19695.00	36.73	74.00	-37.27	56.94	38.26	6.13	55.06	-9.54	-- -- Peak																																																																																													







Mode	37	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	38																																																																	
	Harmonic																																																																	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal								Vertical																																																									
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13370.00</td><td>48.02</td><td>74.00</td><td>-25.98</td><td>51.03</td><td>40.38</td><td>13.63</td><td>57.96</td><td>0.94</td><td>-- Peak</td></tr><tr><td>2 20055.00</td><td>36.69</td><td>74.00</td><td>-37.31</td><td>56.93</td><td>38.17</td><td>6.13</td><td>55.00</td><td>-9.54</td><td>-- Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 13370.00	48.02	74.00	-25.98	51.03	40.38	13.63	57.96	0.94	-- Peak	2 20055.00	36.69	74.00	-37.31	56.93	38.17	6.13	55.00	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																									
1 13370.00	48.02	74.00	-25.98	51.03	40.38	13.63	57.96	0.94	-- Peak																																																									
2 20055.00	36.69	74.00	-37.31	56.93	38.17	6.13	55.00	-9.54	-- Peak																																																									







Mode	38	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	39																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz																																																																		
ANT	1+2																																																																		
Pol.	Horizontal						Vertical																																																												
Peak Avg																																																																			
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13770.00</td><td>48.46</td><td>74.00</td><td>-25.54</td><td>50.82</td><td>40.63</td><td>13.97</td><td>58.01</td><td>1.05</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20655.00</td><td>36.75</td><td>74.00</td><td>-37.25</td><td>56.95</td><td>38.05</td><td>6.23</td><td>54.94</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13770.00	48.46	74.00	-25.54	50.82	40.63	13.97	58.01	1.05	--	Peak	2	20655.00	36.75	74.00	-37.25	56.95	38.05	6.23	54.94	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	13770.00	48.46	74.00	-25.54	50.82	40.63	13.97	58.01	1.05	--	Peak																																																								
2	20655.00	36.75	74.00	-37.25	56.95	38.05	6.23	54.94	-9.54	--	Peak																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>47.79</td><td>74.00</td><td>-26.21</td><td>50.80</td><td>40.38</td><td>13.63</td><td>57.96</td><td>0.94</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20655.00</td><td>36.99</td><td>74.00</td><td>-37.01</td><td>57.19</td><td>38.05</td><td>6.23</td><td>54.94</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	47.79	74.00	-26.21	50.80	40.38	13.63	57.96	0.94	--	Peak	2	20655.00	36.99	74.00	-37.01	57.19	38.05	6.23	54.94	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	13370.00	47.79	74.00	-26.21	50.80	40.38	13.63	57.96	0.94	--	Peak																																																								
2	20655.00	36.99	74.00	-37.01	57.19	38.05	6.23	54.94	-9.54	--	Peak																																																								







Mode	39	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	40																																																																						
	Harmonic																																																																						
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz																																																																						
ANT	1+2																																																																						
Pol.	Horizontal								Vertical																																																														
Peak Avg																																																																							
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13250.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>49.60</td><td>40.05</td><td>13.53</td><td>57.90</td><td>0.91</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>19875.00</td><td>36.34</td><td>74.00</td><td>-37.66</td><td>56.56</td><td>38.23</td><td>6.12</td><td>55.03</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	13250.00	46.19	74.00	-27.81	49.60	40.05	13.53	57.90	0.91	--	Peak	2	19875.00	36.34	74.00	-37.66	56.56	38.23	6.12	55.03	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	13250.00	46.19	74.00	-27.81	49.60	40.05	13.53	57.90	0.91	--	Peak																																																												
2	19875.00	36.34	74.00	-37.66	56.56	38.23	6.12	55.03	-9.54	--	Peak																																																												







Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	41																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13410.00</td><td>48.35</td><td>74.00</td><td>-25.65</td><td>51.20</td><td>40.51</td><td>13.67</td><td>57.98</td><td>0.95</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>20115.00</td><td>36.72</td><td>74.00</td><td>-37.28</td><td>56.98</td><td>38.13</td><td>6.15</td><td>55.00</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13410.00	48.35	74.00	-25.65	51.20	40.51	13.67	57.98	0.95	--	-- Peak	2	20115.00	36.72	74.00	-37.28	56.98	38.13	6.15	55.00	-9.54	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	13410.00	48.35	74.00	-25.65	51.20	40.51	13.67	57.98	0.95	--	-- Peak																																																									
2	20115.00	36.72	74.00	-37.28	56.98	38.13	6.15	55.00	-9.54	--	-- Peak																																																									







Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	42																																																																			
	Harmonic																																																																			
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL						Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13730.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>49.16</td><td>40.67</td><td>13.94</td><td>58.01</td><td>1.04</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>20595.00</td><td>35.93</td><td>74.00</td><td>-38.07</td><td>56.18</td><td>38.00</td><td>6.25</td><td>54.96</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13730.00	46.80	74.00	-27.20	49.16	40.67	13.94	58.01	1.04	--	Peak	2	20595.00	35.93	74.00	-38.07	56.18	38.00	6.25	54.96	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	13730.00	46.80	74.00	-27.20	49.16	40.67	13.94	58.01	1.04	--	Peak																																																									
2	20595.00	35.93	74.00	-38.07	56.18	38.00	6.25	54.96	-9.54	--	Peak																																																									







Mode	42	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	43																																																																	
	Harmonic																																																																	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal								Vertical																																																									
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13330.00</td><td>47.15</td><td>74.00</td><td>-26.85</td><td>50.36</td><td>40.20</td><td>13.60</td><td>57.94</td><td>0.93</td><td>-- Peak</td></tr><tr><td>2 19995.00</td><td>36.24</td><td>74.00</td><td>-37.76</td><td>56.47</td><td>38.20</td><td>6.11</td><td>55.00</td><td>-9.54</td><td>-- Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 13330.00	47.15	74.00	-26.85	50.36	40.20	13.60	57.94	0.93	-- Peak	2 19995.00	36.24	74.00	-37.76	56.47	38.20	6.11	55.00	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																									
1 13330.00	47.15	74.00	-26.85	50.36	40.20	13.60	57.94	0.93	-- Peak																																																									
2 19995.00	36.24	74.00	-37.76	56.47	38.20	6.11	55.00	-9.54	-- Peak																																																									







Mode	43	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	44																																																																																																					
	Harmonic																																																																																																					
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1 13650.00</td><td>48.32</td><td>74.00</td><td>-25.68</td><td>50.68</td><td>40.75</td><td>13.88</td><td>58.01</td><td>1.02</td><td>-- Peak</td></tr><tr><td>2 20475.00</td><td>38.24</td><td>74.00</td><td>-35.76</td><td>58.59</td><td>37.92</td><td>6.27</td><td>55.00</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg	1 13650.00	48.32	74.00	-25.68	50.68	40.75	13.88	58.01	1.02	-- Peak	2 20475.00	38.24	74.00	-35.76	58.59	37.92	6.27	55.00	-9.54	-- PEAK	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1 13650.00</td><td>47.21</td><td>74.00</td><td>-26.79</td><td>49.57</td><td>40.75</td><td>13.88</td><td>58.01</td><td>1.02</td><td>-- Peak</td></tr><tr><td>2 20475.00</td><td>39.16</td><td>74.00</td><td>-34.84</td><td>59.51</td><td>37.92</td><td>6.27</td><td>55.00</td><td>-9.54</td><td>-- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg	1 13650.00	47.21	74.00	-26.79	49.57	40.75	13.88	58.01	1.02	-- Peak	2 20475.00	39.16	74.00	-34.84	59.51	37.92	6.27	55.00	-9.54	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg																																																																																													
1 13650.00	48.32	74.00	-25.68	50.68	40.75	13.88	58.01	1.02	-- Peak																																																																																													
2 20475.00	38.24	74.00	-35.76	58.59	37.92	6.27	55.00	-9.54	-- PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	deg																																																																																													
1 13650.00	47.21	74.00	-26.79	49.57	40.75	13.88	58.01	1.02	-- Peak																																																																																													
2 20475.00	39.16	74.00	-34.84	59.51	37.92	6.27	55.00	-9.54	-- PEAK																																																																																													







Mode	44	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	45																																																																			
	Harmonic																																																																			
	U-NII-8_6.525-6.875_802.11a_CH189_6895MHz																																																																			
ANT	1+2																																																																			
Pol.	Horizontal								Vertical																																																											
Peak Avg																																																																				
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 HORIZONTAL																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13790.00</td><td>48.35</td><td>74.00</td><td>-25.65</td><td>50.71</td><td>40.61</td><td>13.99</td><td>58.01</td><td>1.05</td><td>--</td><td>Peak</td></tr><tr><td>2 20685.00</td><td>38.61</td><td>74.00</td><td>-35.39</td><td>58.77</td><td>38.09</td><td>6.22</td><td>54.93</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13790.00	48.35	74.00	-25.65	50.71	40.61	13.99	58.01	1.05	--	Peak	2 20685.00	38.61	74.00	-35.39	58.77	38.09	6.22	54.93	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1 13790.00	48.35	74.00	-25.65	50.71	40.61	13.99	58.01	1.05	--	Peak																																																										
2 20685.00	38.61	74.00	-35.39	58.77	38.09	6.22	54.93	-9.54	--	PEAK																																																										
Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBHA9170576 VERTICAL																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13790.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>49.81</td><td>40.61</td><td>13.99</td><td>58.01</td><td>1.05</td><td>--</td><td>Peak</td></tr><tr><td>2 20685.00</td><td>38.39</td><td>74.00</td><td>-35.61</td><td>58.55</td><td>38.09</td><td>6.22</td><td>54.93</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13790.00	47.45	74.00	-26.55	49.81	40.61	13.99	58.01	1.05	--	Peak	2 20685.00	38.39	74.00	-35.61	58.55	38.09	6.22	54.93	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1 13790.00	47.45	74.00	-26.55	49.81	40.61	13.99	58.01	1.05	--	Peak																																																										
2 20685.00	38.39	74.00	-35.61	58.55	38.09	6.22	54.93	-9.54	--	PEAK																																																										







Mode	45	
	Harmonic	
	U-NII-8_6.525-6.875_802.11a_CH189_6895MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



	46																																																																
Mode	Harmonic																																																																
	U-NII-8_6.525-6.875_802.11a_CH209_6995MHz																																																																
ANT	1+2																																																																
Pol.	Horizontal								Vertical																																																								
Peak Avg																																																																	
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13990.00</td><td>49.14</td><td>88.20</td><td>-39.06</td><td>50.79</td><td>41.08</td><td>14.16</td><td>58.00</td><td>1.11</td><td>-- -- Peak</td></tr><tr><td>2 20985.00</td><td>39.54</td><td>74.00</td><td>-34.46</td><td>59.38</td><td>38.39</td><td>6.12</td><td>54.81</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13990.00	49.14	88.20	-39.06	50.79	41.08	14.16	58.00	1.11	-- -- Peak	2 20985.00	39.54	74.00	-34.46	59.38	38.39	6.12	54.81	-9.54	-- -- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																								
1 13990.00	49.14	88.20	-39.06	50.79	41.08	14.16	58.00	1.11	-- -- Peak																																																								
2 20985.00	39.54	74.00	-34.46	59.38	38.39	6.12	54.81	-9.54	-- -- PEAK																																																								
Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13990.00</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>48.90</td><td>41.08</td><td>14.16</td><td>58.00</td><td>1.11</td><td>-- -- Peak</td></tr><tr><td>2 20985.00</td><td>38.97</td><td>74.00</td><td>-35.03</td><td>58.81</td><td>38.39</td><td>6.12</td><td>54.81</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13990.00	47.25	88.20	-40.95	48.90	41.08	14.16	58.00	1.11	-- -- Peak	2 20985.00	38.97	74.00	-35.03	58.81	38.39	6.12	54.81	-9.54	-- -- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																								
1 13990.00	47.25	88.20	-40.95	48.90	41.08	14.16	58.00	1.11	-- -- Peak																																																								
2 20985.00	38.97	74.00	-35.03	58.81	38.39	6.12	54.81	-9.54	-- -- PEAK																																																								







Mode	46	
	Harmonic	
	U-NII-8_6.525-6.875_802.11a_CH209_6995MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





		47											
Mode	Band Edge												
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz												
ANT	1+2												
Pol.	Horizontal												
Peak													







		47																																																																																																																									
Mode		Band Edge																																																																																																																									
		U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																																									
ANT		1+2																																																																																																																									
Pol.		Vertical						Fundamental																																																																																																																			
Peak		 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane : <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>72.15</td><td>88.20</td><td>-16.05</td><td>62.12</td><td>36.45</td><td>9.82</td><td>36.24</td><td>0.00</td><td>303</td><td>332</td><td>Peak</td><td></td></tr><tr><td>2</td><td>7126.00</td><td>72.93</td><td>88.20</td><td>-15.27</td><td>62.88</td><td>36.46</td><td>9.83</td><td>36.24</td><td>0.00</td><td>303</td><td>332</td><td>Peak</td><td></td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.00	72.15	88.20	-16.05	62.12	36.45	9.82	36.24	0.00	303	332	Peak		2	7126.00	72.93	88.20	-15.27	62.88	36.46	9.83	36.24	0.00	303	332	Peak		 Level (dBuV/m) Frequency (MHz) PEAK(UNII)_6E Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane : <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>106.62</td><td>-----</td><td>-----</td><td>96.70</td><td>36.34</td><td>9.81</td><td>36.23</td><td>0.00</td><td>303</td><td>332</td><td>Peak</td><td></td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	106.62	-----	-----	96.70	36.34	9.81	36.23	0.00	303	332	Peak	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	7125.00	72.15	88.20	-16.05	62.12	36.45	9.82	36.24	0.00	303	332	Peak																																																																																																															
2	7126.00	72.93	88.20	-15.27	62.88	36.46	9.83	36.24	0.00	303	332	Peak																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	7115.00	106.62	-----	-----	96.70	36.34	9.81	36.23	0.00	303	332	Peak																																																																																																															
Avg		 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane : <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>64.84</td><td>68.20</td><td>-3.36</td><td>54.81</td><td>36.45</td><td>9.82</td><td>36.24</td><td>0.00</td><td>303</td><td>332</td><td>AVERAGE</td><td></td></tr><tr><td>2</td><td>7126.00</td><td>61.23</td><td>68.20</td><td>-6.97</td><td>51.18</td><td>36.46</td><td>9.83</td><td>36.24</td><td>0.00</td><td>303</td><td>332</td><td>Average</td><td></td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.00	64.84	68.20	-3.36	54.81	36.45	9.82	36.24	0.00	303	332	AVERAGE		2	7126.00	61.23	68.20	-6.97	51.18	36.46	9.83	36.24	0.00	303	332	Average		 Level (dBuV/m) Frequency (MHz) AVG(UNII)_6E Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto Detector : PEAK Mode : 112 Setting : 12 Plane : <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>99.47</td><td>-----</td><td>-----</td><td>89.51</td><td>36.38</td><td>9.81</td><td>36.23</td><td>0.00</td><td>303</td><td>332</td><td>AVERAGE</td><td></td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	99.47	-----	-----	89.51	36.38	9.81	36.23	0.00	303	332	AVERAGE	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	7125.00	64.84	68.20	-3.36	54.81	36.45	9.82	36.24	0.00	303	332	AVERAGE																																																																																																															
2	7126.00	61.23	68.20	-6.97	51.18	36.46	9.83	36.24	0.00	303	332	Average																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	7115.00	99.47	-----	-----	89.51	36.38	9.81	36.23	0.00	303	332	AVERAGE																																																																																																															





	47																																																																				
Mode	Harmonic																																																																				
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																				
ANT	1+2																																																																				
Pol.	Horizontal								Vertical																																																												
Peak Avg																																																																					
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14230.00</td><td>46.77</td><td>88.20</td><td>-41.43</td><td>48.31</td><td>41.24</td><td>14.29</td><td>58.09</td><td>1.02</td><td>--</td><td>-- Peak</td></tr><tr><td>2 21345.00</td><td>38.57</td><td>74.00</td><td>-35.43</td><td>58.13</td><td>38.47</td><td>6.31</td><td>54.80</td><td>-9.54</td><td>--</td><td>-- PEAK</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 14230.00	46.77	88.20	-41.43	48.31	41.24	14.29	58.09	1.02	--	-- Peak	2 21345.00	38.57	74.00	-35.43	58.13	38.47	6.31	54.80	-9.54	--	-- PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 14230.00	46.77	88.20	-41.43	48.31	41.24	14.29	58.09	1.02	--	-- Peak																																																											
2 21345.00	38.57	74.00	-35.43	58.13	38.47	6.31	54.80	-9.54	--	-- PEAK																																																											







Mode	47	
	Harmonic	
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	48																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz																																																																																																																										
ANT	1+2																																																																																																																										
Pol.	Horizontal								Vertical																																																																																																																		
Peak Avg																																																																																																																											
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13790.00</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>49.61</td><td>40.61</td><td>13.99</td><td>58.01</td><td>1.05</td><td>-- Peak</td></tr><tr><td>2 20685.00</td><td>36.28</td><td>74.00</td><td>-37.72</td><td>56.45</td><td>38.08</td><td>6.22</td><td>54.93</td><td>-9.54</td><td>-- Peak</td></tr></tbody></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13790.00	47.25	88.20	-40.95	49.61	40.61	13.99	58.01	1.05	-- Peak	2 20685.00	36.28	74.00	-37.72	56.45	38.08	6.22	54.93	-9.54	-- Peak	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13790.00</td><td>46.91</td><td>88.20</td><td>-41.29</td><td>49.27</td><td>40.61</td><td>13.99</td><td>58.01</td><td>1.05</td><td>-- Peak</td></tr><tr><td>2 20685.00</td><td>36.69</td><td>74.00</td><td>-37.31</td><td>56.86</td><td>38.08</td><td>6.22</td><td>54.93</td><td>-9.54</td><td>-- Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13790.00	46.91	88.20	-41.29	49.27	40.61	13.99	58.01	1.05	-- Peak	2 20685.00	36.69	74.00	-37.31	56.86	38.08	6.22	54.93	-9.54
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1 13790.00	47.25	88.20	-40.95	49.61	40.61	13.99	58.01	1.05	-- Peak																																																																																																																		
2 20685.00	36.28	74.00	-37.72	56.45	38.08	6.22	54.93	-9.54	-- Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1 13790.00	46.91	88.20	-41.29	49.27	40.61	13.99	58.01	1.05	-- Peak																																																																																																																		
2 20685.00	36.69	74.00	-37.31	56.86	38.08	6.22	54.93	-9.54	-- Peak																																																																																																																		







Mode	48	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL







Mode	49																																																																				
	Harmonic																																																																				
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz																																																																				
ANT	1+2																																																																				
Pol.	Horizontal								Vertical																																																												
Peak Avg																																																																					
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13990.00</td><td>47.93</td><td>88.20</td><td>-40.27</td><td>49.58</td><td>41.08</td><td>14.16</td><td>58.00</td><td>1.11</td><td>--</td><td>-- Peak</td></tr><tr><td>2 20985.00</td><td>38.94</td><td>74.00</td><td>-35.06</td><td>58.77</td><td>38.39</td><td>6.12</td><td>54.80</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 13990.00	47.93	88.20	-40.27	49.58	41.08	14.16	58.00	1.11	--	-- Peak	2 20985.00	38.94	74.00	-35.06	58.77	38.39	6.12	54.80	-9.54	--	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1 13990.00	47.93	88.20	-40.27	49.58	41.08	14.16	58.00	1.11	--	-- Peak																																																											
2 20985.00	38.94	74.00	-35.06	58.77	38.39	6.12	54.80	-9.54	--	-- Peak																																																											



Mode	49	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



		50																																																																																																															
Mode	Band Edge																																																																																																																
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																																
ANT	1+2																																																																																																																
Pol.	Horizontal											Fundamental																																																																																																					
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane : <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.00</td><td>78.04</td><td>88.20</td><td>-10.16</td><td>68.01</td><td>36.45</td><td>9.82</td><td>36.24</td><td>0.00</td><td>243</td><td>344</td><td>344</td><td>PEAK</td></tr><tr><td>2</td><td>7126.00</td><td>77.43</td><td>88.20</td><td>-10.77</td><td>67.38</td><td>36.46</td><td>9.83</td><td>36.24</td><td>0.00</td><td>243</td><td>344</td><td>344</td><td>Peak</td></tr></table>														Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB/m	dB	dB	dB	cm	deg		1	7125.00	78.04	88.20	-10.16	68.01	36.45	9.82	36.24	0.00	243	344	344	PEAK	2	7126.00	77.43	88.20	-10.77	67.38	36.46	9.83	36.24	0.00	243	344	344	Peak	 Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane : <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>108.16</td><td>-----</td><td>-----</td><td>98.24</td><td>36.34</td><td>9.81</td><td>36.23</td><td>0.00</td><td>243</td><td>344</td><td>344</td><td>PEAK</td></tr></table>			Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB/m	dB	dB	dB	cm	deg		1	7115.00	108.16	-----	-----	98.24	36.34	9.81	36.23	0.00	243	344	344	PEAK
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	7125.00	78.04	88.20	-10.16	68.01	36.45	9.82	36.24	0.00	243	344	344	PEAK																																																																																																				
2	7126.00	77.43	88.20	-10.77	67.38	36.46	9.83	36.24	0.00	243	344	344	Peak																																																																																																				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	7115.00	108.16	-----	-----	98.24	36.34	9.81	36.23	0.00	243	344	344	PEAK																																																																																																				
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane : <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.00</td><td>67.14</td><td>68.20</td><td>-1.06</td><td>57.11</td><td>36.45</td><td>9.82</td><td>36.24</td><td>0.00</td><td>243</td><td>344</td><td>344</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.00</td><td>64.15</td><td>68.20</td><td>-4.05</td><td>54.10</td><td>36.46</td><td>9.83</td><td>36.24</td><td>0.00</td><td>243</td><td>344</td><td>344</td><td>Average</td></tr></table>														Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB/m	dB	dB	dB	cm	deg		1	7125.00	67.14	68.20	-1.06	57.11	36.45	9.82	36.24	0.00	243	344	344	AVERAGE	2	7126.00	64.15	68.20	-4.05	54.10	36.46	9.83	36.24	0.00	243	344	344	Average	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane : <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>98.54</td><td>-----</td><td>-----</td><td>88.58</td><td>36.38</td><td>9.81</td><td>36.23</td><td>0.00</td><td>243</td><td>344</td><td>344</td><td>AVERAGE</td></tr></table>			Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB/m	dB	dB	dB	cm	deg		1	7115.00	98.54	-----	-----	88.58	36.38	9.81	36.23	0.00	243	344	344	AVERAGE
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	7125.00	67.14	68.20	-1.06	57.11	36.45	9.82	36.24	0.00	243	344	344	AVERAGE																																																																																																				
2	7126.00	64.15	68.20	-4.05	54.10	36.46	9.83	36.24	0.00	243	344	344	Average																																																																																																				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	7115.00	98.54	-----	-----	88.58	36.38	9.81	36.23	0.00	243	344	344	AVERAGE																																																																																																				







		50																																																																																																																				
Mode		Band Edge																																																																																																																				
		U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																																				
ANT		1+2																																																																																																																				
Pol.		Vertical											Fundamental																																																																																																									
Peak		Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane : <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.00</td><td>75.42</td><td>88.20</td><td>-12.78</td><td>65.39</td><td>36.45</td><td>9.82</td><td>36.24</td><td>0.00</td><td>298</td><td>327</td><td>PEAK</td></tr><tr><td>2</td><td>7126.00</td><td>77.30</td><td>88.20</td><td>-10.90</td><td>67.25</td><td>36.46</td><td>9.83</td><td>36.24</td><td>0.00</td><td>298</td><td>327</td><td>PEAK</td></tr></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.00	75.42	88.20	-12.78	65.39	36.45	9.82	36.24	0.00	298	327	PEAK	2	7126.00	77.30	88.20	-10.90	67.25	36.46	9.83	36.24	0.00	298	327	PEAK	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane : <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>102.81</td><td>-----</td><td>-----</td><td>92.81</td><td>36.42</td><td>9.82</td><td>36.24</td><td>0.00</td><td>298</td><td>327</td><td>PEAK</td></tr></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	102.81	-----	-----	92.81	36.42	9.82	36.24	0.00	298	327	PEAK
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	7125.00	75.42	88.20	-12.78	65.39	36.45	9.82	36.24	0.00	298	327	PEAK																																																																																																										
2	7126.00	77.30	88.20	-10.90	67.25	36.46	9.83	36.24	0.00	298	327	PEAK																																																																																																										
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	7115.00	102.81	-----	-----	92.81	36.42	9.82	36.24	0.00	298	327	PEAK																																																																																																										
Avg		Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane : <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.00</td><td>64.26</td><td>68.20</td><td>-3.94</td><td>54.23</td><td>36.45</td><td>9.82</td><td>36.24</td><td>0.00</td><td>298</td><td>327</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.00</td><td>60.90</td><td>68.20</td><td>-7.30</td><td>50.85</td><td>36.46</td><td>9.83</td><td>36.24</td><td>0.00</td><td>298</td><td>327</td><td>AVERAGE</td></tr></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.00	64.26	68.20	-3.94	54.23	36.45	9.82	36.24	0.00	298	327	AVERAGE	2	7126.00	60.90	68.20	-7.30	50.85	36.46	9.83	36.24	0.00	298	327	AVERAGE	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto Detector : PEAK Mode : 115 Setting : 9 Plane : <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>95.00</td><td>-----</td><td>-----</td><td>85.04</td><td>36.38</td><td>9.81</td><td>36.23</td><td>0.00</td><td>298</td><td>327</td><td>AVERAGE</td></tr></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	95.00	-----	-----	85.04	36.38	9.81	36.23	0.00	298	327	AVERAGE
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	7125.00	64.26	68.20	-3.94	54.23	36.45	9.82	36.24	0.00	298	327	AVERAGE																																																																																																										
2	7126.00	60.90	68.20	-7.30	50.85	36.46	9.83	36.24	0.00	298	327	AVERAGE																																																																																																										
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	7115.00	95.00	-----	-----	85.04	36.38	9.81	36.23	0.00	298	327	AVERAGE																																																																																																										



Mode	50																																																																	
	Harmonic																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal								Vertical																																																									
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14230.00</td><td>46.56</td><td>88.20</td><td>-41.64</td><td>48.10</td><td>41.24</td><td>14.29</td><td>58.09</td><td>1.02</td><td>-- Peak</td></tr><tr><td>2 21345.00</td><td>38.56</td><td>74.00</td><td>-35.44</td><td>58.12</td><td>38.47</td><td>6.31</td><td>54.80</td><td>-9.54</td><td>-- Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 14230.00	46.56	88.20	-41.64	48.10	41.24	14.29	58.09	1.02	-- Peak	2 21345.00	38.56	74.00	-35.44	58.12	38.47	6.31	54.80	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																									
1 14230.00	46.56	88.20	-41.64	48.10	41.24	14.29	58.09	1.02	-- Peak																																																									
2 21345.00	38.56	74.00	-35.44	58.12	38.47	6.31	54.80	-9.54	-- Peak																																																									



Mode	50	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





		51																																																																																																																							
Mode		Band Edge																																																																																																																							
		U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_106/54RU_7115MHz																																																																																																																							
ANT		1+2																																																																																																																							
Pol.		Horizontal											Fundamental																																																																																																												
Peak		Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>78.03</td><td>88.20</td><td>-10.17</td><td></td><td>68.00</td><td>36.45</td><td>9.82</td><td>36.24</td><td>0.00</td><td>255</td><td>346</td><td>PEAK</td></tr><tr><td>2</td><td>7126.00</td><td>80.67</td><td>88.20</td><td>-7.53</td><td></td><td>70.62</td><td>36.46</td><td>9.83</td><td>36.24</td><td>0.00</td><td>255</td><td>346</td><td>Peak</td></tr></tbody></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.00	78.03	88.20	-10.17		68.00	36.45	9.82	36.24	0.00	255	346	PEAK	2	7126.00	80.67	88.20	-7.53		70.62	36.46	9.83	36.24	0.00	255	346	Peak	Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>101.86</td><td>-----</td><td>-----</td><td></td><td>91.82</td><td>36.45</td><td>9.83</td><td>36.24</td><td>0.00</td><td>255</td><td>346</td><td>PEAK</td></tr></tbody></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	101.86	-----	-----		91.82	36.45	9.83	36.24	0.00	255	346	PEAK
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	7125.00	78.03	88.20	-10.17		68.00	36.45	9.82	36.24	0.00	255	346	PEAK																																																																																																												
2	7126.00	80.67	88.20	-7.53		70.62	36.46	9.83	36.24	0.00	255	346	Peak																																																																																																												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	7115.00	101.86	-----	-----		91.82	36.45	9.83	36.24	0.00	255	346	PEAK																																																																																																												
Avg		Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>66.83</td><td>68.20</td><td>-1.37</td><td></td><td>56.80</td><td>36.45</td><td>9.82</td><td>36.24</td><td>0.00</td><td>255</td><td>346</td><td>AVERAGE</td></tr><tr><td>2</td><td>7126.00</td><td>64.18</td><td>68.20</td><td>-4.02</td><td></td><td>54.13</td><td>36.46</td><td>9.83</td><td>36.24</td><td>0.00</td><td>255</td><td>346</td><td>Average</td></tr></tbody></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.00	66.83	68.20	-1.37		56.80	36.45	9.82	36.24	0.00	255	346	AVERAGE	2	7126.00	64.18	68.20	-4.02		54.13	36.46	9.83	36.24	0.00	255	346	Average	Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>94.89</td><td>-----</td><td>-----</td><td></td><td>84.85</td><td>36.45</td><td>9.83</td><td>36.24</td><td>0.00</td><td>255</td><td>346</td><td>AVERAGE</td></tr></tbody></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	94.89	-----	-----		84.85	36.45	9.83	36.24	0.00	255	346	AVERAGE
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	7125.00	66.83	68.20	-1.37		56.80	36.45	9.82	36.24	0.00	255	346	AVERAGE																																																																																																												
2	7126.00	64.18	68.20	-4.02		54.13	36.46	9.83	36.24	0.00	255	346	Average																																																																																																												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	7115.00	94.89	-----	-----		84.85	36.45	9.83	36.24	0.00	255	346	AVERAGE																																																																																																												







		51																																																																																																																										
Mode	Band Edge																																																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial_106/54RU_7115MHz																																																																																																																											
ANT	1+2																																																																																																																											
Pol.	Vertical																																																																																																																											
Peak	Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.00</td><td>74.06</td><td>88.20</td><td>-14.14</td><td>64.03</td><td>36.45</td><td>9.82</td><td>36.24</td><td>0.00</td><td>247</td><td>314</td><td>PEAK</td><td></td></tr><tr><td>2</td><td>7126.00</td><td>76.77</td><td>88.20</td><td>-11.43</td><td>66.72</td><td>36.46</td><td>9.83</td><td>36.24</td><td>0.00</td><td>247</td><td>314</td><td>Peak</td><td></td></tr></table>														Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.00	74.06	88.20	-14.14	64.03	36.45	9.82	36.24	0.00	247	314	PEAK		2	7126.00	76.77	88.20	-11.43	66.72	36.46	9.83	36.24	0.00	247	314	Peak		Site : 03CH15-HY Condition: PEAK(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>97.28</td><td>87.28</td><td>10.00</td><td>87.24</td><td>36.45</td><td>9.83</td><td>36.24</td><td>0.00</td><td>247</td><td>314</td><td>PEAK</td><td></td></tr></table>														Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	97.28	87.28	10.00	87.24	36.45	9.83	36.24	0.00	247	314	PEAK	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	7125.00	74.06	88.20	-14.14	64.03	36.45	9.82	36.24	0.00	247	314	PEAK																																																																																																																
2	7126.00	76.77	88.20	-11.43	66.72	36.46	9.83	36.24	0.00	247	314	Peak																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	7115.00	97.28	87.28	10.00	87.24	36.45	9.83	36.24	0.00	247	314	PEAK																																																																																																																
Avg	Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.00</td><td>62.56</td><td>68.20</td><td>-5.64</td><td>52.53</td><td>36.45</td><td>9.82</td><td>36.24</td><td>0.00</td><td>247</td><td>314</td><td>AVERAGE</td><td></td></tr><tr><td>2</td><td>7126.00</td><td>59.68</td><td>68.20</td><td>-8.52</td><td>49.63</td><td>36.46</td><td>9.83</td><td>36.24</td><td>0.00</td><td>247</td><td>314</td><td>Average</td><td></td></tr></table>														Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.00	62.56	68.20	-5.64	52.53	36.45	9.82	36.24	0.00	247	314	AVERAGE		2	7126.00	59.68	68.20	-8.52	49.63	36.46	9.83	36.24	0.00	247	314	Average		Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto Detector : PEAK Mode : 116 Setting : 0 Plane : <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>90.16</td><td>87.28</td><td>2.88</td><td>80.12</td><td>36.45</td><td>9.83</td><td>36.24</td><td>0.00</td><td>247</td><td>314</td><td>AVERAGE</td><td></td></tr></table>														Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7115.00	90.16	87.28	2.88	80.12	36.45	9.83	36.24	0.00	247	314	AVERAGE	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	7125.00	62.56	68.20	-5.64	52.53	36.45	9.82	36.24	0.00	247	314	AVERAGE																																																																																																																
2	7126.00	59.68	68.20	-8.52	49.63	36.46	9.83	36.24	0.00	247	314	Average																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1	7115.00	90.16	87.28	2.88	80.12	36.45	9.83	36.24	0.00	247	314	AVERAGE																																																																																																																



Mode	52																																																																	
	Harmonic																																																																	
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal								Vertical																																																									
Peak Avg																																																																		
	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL								Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13850.00</td><td>47.58</td><td>88.20</td><td>-40.62</td><td>49.73</td><td>40.75</td><td>14.04</td><td>58.01</td><td>1.07</td><td>-- Peak</td></tr><tr><td>2 20775.00</td><td>38.13</td><td>74.00</td><td>-35.87</td><td>58.20</td><td>38.17</td><td>6.19</td><td>54.89</td><td>-9.54</td><td>-- Peak</td></tr></table>																		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg	1 13850.00	47.58	88.20	-40.62	49.73	40.75	14.04	58.01	1.07	-- Peak	2 20775.00	38.13	74.00	-35.87	58.20	38.17	6.19	54.89	-9.54	-- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	cm	deg																																																									
1 13850.00	47.58	88.20	-40.62	49.73	40.75	14.04	58.01	1.07	-- Peak																																																									
2 20775.00	38.13	74.00	-35.87	58.20	38.17	6.19	54.89	-9.54	-- Peak																																																									







Mode	52	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL





Mode	53																																																																																																					
	Harmonic																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full RU_7005MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 14010.00</td><td>47.38</td><td>88.20</td><td>-40.82</td><td>48.99</td><td>41.11</td><td>14.17</td><td>58.00</td><td>1.11</td><td>-- Peak</td></tr><tr><td>2 21015.00</td><td>37.54</td><td>74.00</td><td>-36.46</td><td>57.35</td><td>38.40</td><td>6.13</td><td>54.80</td><td>-9.54</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 14010.00	47.38	88.20	-40.82	48.99	41.11	14.17	58.00	1.11	-- Peak	2 21015.00	37.54	74.00	-36.46	57.35	38.40	6.13	54.80	-9.54	-- Peak	Site : 03CH15-HY Condition: PEAK(UNII)_6E 1m BBH49170576 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 14010.00</td><td>47.35</td><td>88.20</td><td>-40.85</td><td>48.96</td><td>41.11</td><td>14.17</td><td>58.00</td><td>1.11</td><td>-- Peak</td></tr><tr><td>2 21015.00</td><td>37.27</td><td>74.00</td><td>-36.73</td><td>57.08</td><td>38.40</td><td>6.13</td><td>54.80</td><td>-9.54</td><td>-- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1 14010.00	47.35	88.20	-40.85	48.96	41.11	14.17	58.00	1.11	-- Peak	2 21015.00	37.27	74.00	-36.73	57.08	38.40	6.13	54.80	-9.54	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																													
1 14010.00	47.38	88.20	-40.82	48.99	41.11	14.17	58.00	1.11	-- Peak																																																																																													
2 21015.00	37.54	74.00	-36.46	57.35	38.40	6.13	54.80	-9.54	-- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																																																																													
1 14010.00	47.35	88.20	-40.85	48.96	41.11	14.17	58.00	1.11	-- Peak																																																																																													
2 21015.00	37.27	74.00	-36.73	57.08	38.40	6.13	54.80	-9.54	-- Peak																																																																																													



Mode	53	
	Harmonic	
	U-NII-8_6.875-7.125_802.11ax HE40_CH211_Full RU_7005MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL
17.7G ~18G Avg	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL	 Site : 03CH15-HY Condition: AVG(UNII)_6E 3m BBHA 9120 D_91200-02038 VERTICAL



Mode	54																																																							
	Band Edge - L																																																							
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																							
ANT	1+2																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 Site : 03CH15-HY Condition: PEAK_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7126.28</td><td>75.86</td><td>88.20</td><td>-12.34</td><td>65.81</td><td>36.46</td><td>9.83</td><td>36.24</td><td>0.00</td><td>243</td><td>345 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7126.28	75.86	88.20	-12.34	65.81	36.46	9.83	36.24	0.00	243	345 PEAK	Blank					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	7126.28	75.86	88.20	-12.34	65.81	36.46	9.83	36.24	0.00	243	345 PEAK																																													
Avg	 Site : 03CH15-HY Condition: AVG_BE(UNII)_6E 3m BBHA 9120 D_91200-02038 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.16</td><td>65.36</td><td>68.20</td><td>-2.84</td><td>55.32</td><td>36.45</td><td>9.83</td><td>36.24</td><td>0.00</td><td>243</td><td>345 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7125.16	65.36	68.20	-2.84	55.32	36.45	9.83	36.24	0.00	243	345 AVERAGE	Blank					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	7125.16	65.36	68.20	-2.84	55.32	36.45	9.83	36.24	0.00	243	345 AVERAGE																																													