




FR1 n77 / 60MHz / CP OFDM / 64QAM

Lowest Channel


Full RB



FR1 n77 / 60MHz / CP OFDM / 64QAM

Middle Channel

Full RB






FR1 n77 / 60MHz / CP OFDM / 64QAM

Highest Channel


Full RB



FR1 n77 / 60MHz / CP OFDM / 256QAM

Lowest Channel

Full RB






FR1 n77 / 60MHz / CP OFDM / 256QAM

Middle Channel


Full RB



FR1 n77 / 60MHz / CP OFDM / 256QAM

Highest Channel

Full RB






FR1 n77 / 70MHz / CP OFDM / QPSK

Lowest Channel


Full RB



FR1 n77 / 70MHz / CP OFDM / QPSK

Middle Channel

Full RB






FR1 n77 / 70MHz / CP OFDM / QPSK

Highest Channel


Full RB



FR1 n77 / 70MHz / CP OFDM / 16QAM

Lowest Channel

Full RB






FR1 n77 / 70MHz / CP OFDM / 16QAM

Middle Channel


Full RB



FR1 n77 / 70MHz / CP OFDM / 16QAM

Highest Channel

Full RB






FR1 n77 / 70MHz / CP OFDM / 64QAM

Lowest Channel


Full RB



FR1 n77 / 70MHz / CP OFDM / 64QAM

Middle Channel

Full RB






FR1 n77 / 70MHz / CP OFDM / 64QAM

Highest Channel


Full RB



FR1 n77 / 70MHz / CP OFDM / 256QAM

Lowest Channel

Full RB






FR1 n77 / 70MHz / CP OFDM / 256QAM

Middle Channel


Full RB



FR1 n77 / 70MHz / CP OFDM / 256QAM

Highest Channel

Full RB






FR1 n77 / 80MHz / CP OFDM / QPSK

Lowest Channel


Full RB



FR1 n77 / 80MHz / CP OFDM / QPSK

Middle Channel

Full RB






FR1 n77 / 80MHz / CP OFDM / QPSK

Highest Channel


Full RB



FR1 n77 / 80MHz / CP OFDM / 16QAM

Lowest Channel

Full RB






FR1 n77 / 80MHz / CP OFDM / 16QAM

Middle Channel


Full RB



FR1 n77 / 80MHz / CP OFDM / 16QAM

Highest Channel

Full RB






FR1 n77 / 80MHz / CP OFDM / 64QAM

Lowest Channel


Full RB



FR1 n77 / 80MHz / CP OFDM / 64QAM

Middle Channel

Full RB






FR1 n77 / 80MHz / CP OFDM / 64QAM

Highest Channel


Full RB



FR1 n77 / 80MHz / CP OFDM / 256QAM

Lowest Channel

Full RB






FR1 n77 / 80MHz / CP OFDM / 256QAM

Middle Channel


Full RB



FR1 n77 / 80MHz / CP OFDM / 256QAM

Highest Channel

Full RB






FR1 n77 / 90MHz / CP OFDM / QPSK

Lowest Channel


Full RB



FR1 n77 / 90MHz / CP OFDM / QPSK

Middle Channel

Full RB






FR1 n77 / 90MHz / CP OFDM / QPSK

Highest Channel


Full RB



FR1 n77 / 90MHz / CP OFDM / 16QAM

Lowest Channel

Full RB






FR1 n77 / 90MHz / CP OFDM / 16QAM

Middle Channel


Full RB



FR1 n77 / 90MHz / CP OFDM / 16QAM

Highest Channel

Full RB






FR1 n77 / 90MHz / CP OFDM / 64QAM

Lowest Channel


Full RB



FR1 n77 / 90MHz / CP OFDM / 64QAM

Middle Channel

Full RB






FR1 n77 / 90MHz / CP OFDM / 64QAM

Highest Channel


Full RB



FR1 n77 / 90MHz / CP OFDM / 256QAM

Lowest Channel

Full RB






FR1 n77 / 90MHz / CP OFDM / 256QAM

Middle Channel


Full RB



FR1 n77 / 90MHz / CP OFDM / 256QAM

Highest Channel

Full RB





FR1 n77 / 100MHz / CP OFDM / QPSK

Lowest Channel


Full RB



FR1 n77 / 100MHz / CP OFDM / QPSK

Middle Channel

Full RB






FR1 n77 / 100MHz / CP OFDM / QPSK

Highest Channel

Full RB



FR1 n77 / 100MHz / CP OFDM / 16QAM

Lowest Channel

Full RB





FR1 n77 / 100MHz / CP OFDM / 16QAM

Middle Channel


Full RB



FR1 n77 / 100MHz / CP OFDM / 16QAM

Highest Channel

Full RB






FR1 n77 / 100MHz / CP OFDM / 64QAM

Lowest Channel


Full RB



FR1 n77 / 100MHz / CP OFDM / 64QAM

Middle Channel

Full RB





FR1 n77 / 100MHz / CP OFDM / 64QAM

Highest Channel


Full RB



FR1 n77 / 100MHz / CP OFDM / 256QAM

Lowest Channel

Full RB






FR1 n77 / 100MHz / CP OFDM / 256QAM

Middle Channel


Full RB



FR1 n77 / 100MHz / CP OFDM / 256QAM

Highest Channel

Full RB







Conducted Spurious Emission

FR1 n77 / 10MHz / CP OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n77 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0090	PASS
40	Normal Voltage	0.0164	
30	Normal Voltage	0.0015	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0033	
0	Normal Voltage	0.0010	
-10	Normal Voltage	0.0175	
-20	Normal Voltage	0.0043	
20	Maximum Voltage	0.0075	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0038	

Note:

1. Normal Voltage = 3.8 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.2 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

<Sample 1>

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
3	Part 96	NR SA n48	L	7105	-41.01	RMS	36.31	-20.87	1.00	-95.23	37.78	-40.00	-1.01	H	Ant.8
4	Part 96	NR SA n77	L	14205	-49.49	RMS	41.20	-21.96	0.65	-95.23	25.85	-40.00	-9.49	V	Ant.8
5	Part 96	NR SA n77	H	14405	-49.43	RMS	41.20	-22.42	0.68	-95.23	26.34	-40.00	-9.43	H	Ant.9
6	Part 96	NR SA n77	L	14205	-49.56	RMS	41.20	-21.96	0.65	-95.23	25.78	-40.00	-9.56	H	Ant.3
7	Part 96	NR SA n77	L	7103	-45.94	RMS	36.31	-20.88	1.00	-95.23	32.86	-40.00	-5.94	V	Ant.4
8	Part 96	NR SA n77	M	14305	-49.55	RMS	41.30	-22.19	0.67	-95.23	25.90	-40.00	-9.55	H	Ant.8+9




Ant.8

Part 96 Mode 3

NR SA n48 40M Ch638000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n48 40M Ch638000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7105.00	-41.01	RMS	36.31	-20.87	1.00	-95.23	37.78	-40.00	-1.01	Horizontal
2	10657.00	-54.64	RMS	37.50	-21.43	0.89	-95.23	23.63	-40.00	-14.64	Horizontal
3	14209.00	-49.64	RMS	41.20	-21.97	0.65	-95.23	25.71	-40.00	-9.64	Horizontal
4	24866.00	-57.77	RMS	39.44	-32.75	-9.54	-95.23	40.31	-40.00	-17.77	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n48 40M Ch638000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7105.00	-42.24	RMS	36.31	-20.87	1.00	-95.23	36.55	-40.00	-2.24	Vertical
2	10657.00	-54.51	RMS	37.50	-21.43	0.89	-95.23	23.76	-40.00	-14.51	Vertical
3	14209.00	-49.91	RMS	41.20	-21.97	0.65	-95.23	25.44	-40.00	-9.91	Vertical
4	24866.00	-63.05	RMS	39.44	-32.75	-9.54	-95.23	35.03	-40.00	-23.05	Vertical




Ant.8

Part 96 Mode 3

NR SA n48 40M Ch641666 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n48 40M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7215.00	-42.98	RMS	36.53	-20.82	1.00	-95.23	35.54	-40.00	-2.98	Horizontal
2	10822.00	-54.31	RMS	37.50	-21.42	0.90	-95.23	23.94	-40.00	-14.31	Horizontal
3	14429.00	-50.09	RMS	41.20	-22.47	0.69	-95.23	25.72	-40.00	-10.09	Horizontal
4	25251.00	-53.39	RMS	39.30	-32.26	-9.54	-95.23	44.34	-40.00	-13.39	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n48 40M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7215.00	-42.12	RMS	36.53	-20.82	1.00	-95.23	36.40	-40.00	-2.12	Vertical
2	10822.00	-54.38	RMS	37.50	-21.42	0.90	-95.23	23.87	-40.00	-14.38	Vertical
3	14429.00	-49.90	RMS	41.20	-22.47	0.69	-95.23	25.91	-40.00	-9.90	Vertical
4	25251.00	-60.94	RMS	39.30	-32.26	-9.54	-95.23	36.79	-40.00	-20.94	Vertical




Ant.8

Part 96 Mode 3

NR SA n48 40M Ch645332 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n48 40M Ch645332 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7325.00	-43.11	RMS		36.75	-20.76	1.05	-95.23	35.08	-40.00	-3.11	Horizontal
2	10987.00	-54.16	RMS		37.67	-21.40	0.90	-95.23	23.90	-40.00	-14.16	Horizontal
3	14649.00	-50.04	RMS		41.40	-22.57	0.73	-95.23	25.63	-40.00	-10.04	Horizontal
4	18311.00	-62.77	RMS		37.49	-39.83	-9.54	-95.23	44.34	-40.00	-22.77	Horizontal
5	25636.00	-50.25	RMS		39.37	-32.01	-9.54	-95.23	47.16	-40.00	-10.25	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n48 40M Ch645332 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7325.00	-43.18	RMS		36.75	-20.76	1.05	-95.23	35.01	-40.00	-3.18	Vertical
2	10987.00	-54.25	RMS		37.67	-21.40	0.90	-95.23	23.81	-40.00	-14.25	Vertical
3	14649.00	-50.06	RMS		41.40	-22.57	0.73	-95.23	25.61	-40.00	-10.06	Vertical
4	18311.00	-61.91	RMS		37.49	-39.83	-9.54	-95.23	45.20	-40.00	-21.91	Vertical
5	25636.00	-60.04	RMS		39.37	-32.01	-9.54	-95.23	37.37	-40.00	-20.04	Vertical




Ant.8

Part 96 Mode 4

NR SA n77 100M Ch640000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch640000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7103.00	-54.36	RMS	36.31	-20.88	1.00	-95.23	24.44	-40.00	-14.36	Horizontal
2	10654.00	-54.37	RMS	37.50	-21.43	0.89	-95.23	23.90	-40.00	-14.37	Horizontal
3	14205.00	-49.65	RMS	41.20	-21.96	0.65	-95.23	25.69	-40.00	-9.65	Horizontal
4	24859.00	-52.72	RMS	39.46	-32.75	-9.54	-95.23	45.34	-40.00	-12.72	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch640000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7103.00	-54.64	RMS	36.31	-20.88	1.00	-95.23	24.16	-40.00	-14.64	Vertical
2	10654.00	-54.39	RMS	37.50	-21.43	0.89	-95.23	23.88	-40.00	-14.39	Vertical
3	14205.00	-49.49	RMS	41.20	-21.96	0.65	-95.23	25.85	-40.00	-9.49	Vertical
4	24859.00	-57.84	RMS	39.46	-32.75	-9.54	-95.23	40.22	-40.00	-17.84	Vertical




Ant.8

Part 96 Mode 4

NR SA n77 100M Ch641666 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7153.00	-55.14	RMS	36.41	-20.85	1.00	-95.23	23.53	-40.00	-15.14	Horizontal
2	10729.00	-54.09	RMS	37.50	-21.42	0.90	-95.23	24.16	-40.00	-14.09	Horizontal
3	14305.00	-49.73	RMS	41.30	-22.19	0.67	-95.23	25.72	-40.00	-9.73	Horizontal
4	25034.00	-51.46	RMS	39.57	-32.61	-9.54	-95.23	46.35	-40.00	-11.46	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7153.00	-54.97	RMS	36.41	-20.85	1.00	-95.23	23.70	-40.00	-14.97	Vertical
2	10729.00	-54.13	RMS	37.50	-21.42	0.90	-95.23	24.12	-40.00	-14.13	Vertical
3	14305.00	-49.93	RMS	41.30	-22.19	0.67	-95.23	25.52	-40.00	-9.93	Vertical
4	25034.00	-58.73	RMS	39.57	-32.61	-9.54	-95.23	39.08	-40.00	-18.73	Vertical




Ant.8


Part 96 Mode 4

NR SA n77 100M Ch643332 1RB1 BPSK

H



	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7203.00	-53.77	RMS	36.51	-20.82	0.99	-95.23	24.78	-40.00	-13.77	Horizontal	
2	10804.00	-53.88	RMS	37.50	-21.42	0.90	-95.23	24.37	-40.00	-13.88	Horizontal	
3	14405.00	-49.99	RMS	41.20	-22.42	0.68	-95.23	25.78	-40.00	-9.99	Horizontal	
4	18006.00	-61.45	RMS	37.66	-39.60	-9.54	-95.23	45.26	-40.00	-21.45	Horizontal	
5	25209.00	-50.38	RMS	39.38	-32.33	-9.54	-95.23	47.34	-40.00	-10.38	Horizontal	



	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7203.00	-53.60	RMS	36.51	-20.82	0.99	-95.23	24.95	-40.00	-13.60	Vertical	
2	10804.00	-54.23	RMS	37.50	-21.42	0.90	-95.23	24.02	-40.00	-14.23	Vertical	
3	14405.00	-49.78	RMS	41.20	-22.42	0.68	-95.23	25.99	-40.00	-9.78	Vertical	
4	18006.00	-63.60	RMS	37.66	-39.60	-9.54	-95.23	43.11	-40.00	-23.60	Vertical	
5	25209.00	-57.12	RMS	39.38	-32.33	-9.54	-95.23	40.60	-40.00	-17.12	Vertical	




Ant.9

Part 96 Mode 5

NR SA n77 100M Ch640000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch640000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7103.00	-55.29	RMS	36.31	-20.88	1.00	-95.23	23.51	-40.00	-15.29	Horizontal
2	10654.00	-54.41	RMS	37.50	-21.43	0.89	-95.23	23.86	-40.00	-14.41	Horizontal
3	14205.00	-49.89	RMS	41.20	-21.96	0.65	-95.23	25.45	-40.00	-9.89	Horizontal
4	24859.00	-60.01	RMS	39.46	-32.75	-9.54	-95.23	38.05	-40.00	-20.01	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch640000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7103.00	-55.33	RMS	36.31	-20.88	1.00	-95.23	23.47	-40.00	-15.33	Vertical
2	10654.00	-54.69	RMS	37.50	-21.43	0.89	-95.23	23.58	-40.00	-14.69	Vertical
3	14205.00	-49.83	RMS	41.20	-21.96	0.65	-95.23	25.51	-40.00	-9.83	Vertical
4	24859.00	-63.04	RMS	39.46	-32.75	-9.54	-95.23	35.02	-40.00	-23.04	Vertical




Ant.9

Part 96 Mode 5

NR SA n77 100M Ch641666 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7153.00	-55.03	RMS	36.41	-20.85	1.00	-95.23	23.64	-40.00	-15.03	Horizontal
2	10729.00	-54.20	RMS	37.50	-21.42	0.90	-95.23	24.05	-40.00	-14.20	Horizontal
3	14305.00	-49.98	RMS	41.30	-22.19	0.67	-95.23	25.47	-40.00	-9.98	Horizontal
4	25034.00	-58.86	RMS	39.57	-32.61	-9.54	-95.23	38.95	-40.00	-18.86	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7153.00	-54.96	RMS	36.41	-20.85	1.00	-95.23	23.71	-40.00	-14.96	Vertical
2	10729.00	-54.36	RMS	37.50	-21.42	0.90	-95.23	23.89	-40.00	-14.36	Vertical
3	14305.00	-49.80	RMS	41.30	-22.19	0.67	-95.23	25.65	-40.00	-9.80	Vertical
4	25034.00	-62.30	RMS	39.57	-32.61	-9.54	-95.23	35.51	-40.00	-22.30	Vertical




Ant.9

Part 96 Mode 5

NR SA n77 100M Ch643332 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch643332 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7203.00	-54.92	RMS	36.51	-20.82	0.99	-95.23	23.63	-40.00	-14.92	Horizontal
2	10804.00	-54.09	RMS	37.50	-21.42	0.90	-95.23	24.16	-40.00	-14.09	Horizontal
3	14405.00	-49.43	RMS	41.20	-22.42	0.68	-95.23	26.34	-40.00	-9.43	Horizontal
4	25209.00	-58.05	RMS	39.38	-32.33	-9.54	-95.23	39.67	-40.00	-18.05	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch643332 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7203.00	-54.67	RMS	36.51	-20.82	0.99	-95.23	23.88	-40.00	-14.67	Vertical
2	10804.00	-54.28	RMS	37.50	-21.42	0.90	-95.23	23.97	-40.00	-14.28	Vertical
3	14405.00	-50.13	RMS	41.20	-22.42	0.68	-95.23	25.64	-40.00	-10.13	Vertical
4	25209.00	-63.58	RMS	39.38	-32.33	-9.54	-95.23	34.14	-40.00	-23.58	Vertical




Ant.3

Part 96 Mode 6

NR SA n77 100M Ch640000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch640000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7103.00	-54.55	RMS	36.31	-20.88	1.00	-95.23	0.00	-40.00	-14.55	Horizontal
2	10654.00	-54.14	RMS	37.50	-21.43	0.89	-95.23	24.13	-40.00	-14.14	Horizontal
3	14205.00	-49.56	RMS	41.20	-21.96	0.65	-95.23	25.78	-40.00	-9.56	Horizontal
4	24859.00	-61.09	RMS	39.46	-32.75	-9.54	-95.23	36.97	-40.00	-21.09	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch640000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7103.00	-55.18	RMS	36.31	-20.88	1.00	-95.23	23.62	-40.00	-15.18	Vertical
2	10654.00	-54.21	RMS	37.50	-21.43	0.89	-95.23	24.06	-40.00	-14.21	Vertical
3	14205.00	-50.12	RMS	41.20	-21.96	0.65	-95.23	25.22	-40.00	-10.12	Vertical
4	24859.00	-62.44	RMS	39.46	-32.75	-9.54	-95.23	35.62	-40.00	-22.44	Vertical




Ant.3

Part 96 Mode 6

NR SA n77 100M Ch641666 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm									
1	7153.00	-54.10	RMS	36.41	-20.85	1.00	-95.23	24.57	-40.00	-14.10	Horizontal
2	10729.00	-54.31	RMS	37.50	-21.42	0.90	-95.23	23.94	-40.00	-14.31	Horizontal
3	14305.00	-49.82	RMS	41.30	-22.19	0.67	-95.23	25.63	-40.00	-9.82	Horizontal
4	25034.00	-60.31	RMS	39.57	-32.61	-9.54	-95.23	37.50	-40.00	-20.31	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm									
1	7153.00	-54.93	RMS	36.41	-20.85	1.00	-95.23	23.74	-40.00	-14.93	Vertical
2	10729.00	-54.03	RMS	37.50	-21.42	0.90	-95.23	24.22	-40.00	-14.03	Vertical
3	14305.00	-49.94	RMS	41.30	-22.19	0.67	-95.23	25.51	-40.00	-9.94	Vertical
4	25034.00	-63.22	RMS	39.57	-32.61	-9.54	-95.23	34.59	-40.00	-23.22	Vertical




Ant.3

Part 96 Mode 6

NR SA n77 100M Ch643332 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch643332 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7203.00	-54.05	RMS	36.51	-20.82	0.99	-95.23	24.50	-40.00	-14.05	Horizontal
2	10804.00	-54.36	RMS	37.50	-21.42	0.90	-95.23	23.89	-40.00	-14.36	Horizontal
3	14405.00	-49.66	RMS	41.20	-22.42	0.68	-95.23	26.11	-40.00	-9.66	Horizontal
4	25209.00	-58.03	RMS	39.38	-32.33	-9.54	-95.23	39.69	-40.00	-18.03	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch643332 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7203.00	-54.76	RMS	36.51	-20.82	0.99	-95.23	23.79	-40.00	-14.76	Vertical
2	10804.00	-53.82	RMS	37.50	-21.42	0.90	-95.23	24.43	-40.00	-13.82	Vertical
3	14405.00	-49.85	RMS	41.20	-22.42	0.68	-95.23	25.92	-40.00	-9.85	Vertical
4	25209.00	-63.23	RMS	39.38	-32.33	-9.54	-95.23	34.49	-40.00	-23.23	Vertical




Ant.4

Part 96 Mode 7

NR SA n77 100M Ch640000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch640000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g	dBm	dB	
1	7103.00	-49.25	RMS	36.31	-20.88	1.00	-95.23	29.55	-40.00	-9.25	Horizontal
2	10654.00	-54.40	RMS	37.50	-21.43	0.89	-95.23	23.87	-40.00	-14.40	Horizontal
3	14205.00	-50.13	RMS	41.20	-21.96	0.65	-95.23	25.21	-40.00	-10.13	Horizontal
4	24859.00	-61.69	RMS	39.46	-32.75	-9.54	-95.23	36.37	-40.00	-21.69	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch640000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g	dBm	dB	
1	7103.00	-45.94	RMS	36.31	-20.88	1.00	-95.23	32.86	-40.00	-5.94	Vertical
2	10654.00	-54.70	RMS	37.50	-21.43	0.89	-95.23	23.57	-40.00	-14.70	Vertical
3	14205.00	-49.95	RMS	41.20	-21.96	0.65	-95.23	25.39	-40.00	-9.95	Vertical
4	24859.00	-63.42	RMS	39.46	-32.75	-9.54	-95.23	34.64	-40.00	-23.42	Vertical




Ant.4

Part 96 Mode 7

NR SA n77 100M Ch641666 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7153.00	-47.44	RMS	36.41	-20.85	1.00	-95.23	31.23	-40.00	-7.44	Horizontal
2	10729.00	-54.44	RMS	37.50	-21.42	0.90	-95.23	23.81	-40.00	-14.44	Horizontal
3	14305.00	-49.68	RMS	41.30	-22.19	0.67	-95.23	25.77	-40.00	-9.68	Horizontal
4	25034.00	-59.79	RMS	39.57	-32.61	-9.54	-95.23	38.02	-40.00	-19.79	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch641666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7153.00	-46.91	RMS	36.41	-20.85	1.00	-95.23	31.76	-40.00	-6.91	Vertical
2	10729.00	-54.16	RMS	37.50	-21.42	0.90	-95.23	24.09	-40.00	-14.16	Vertical
3	14305.00	-49.59	RMS	41.30	-22.19	0.67	-95.23	25.86	-40.00	-9.59	Vertical
4	25034.00	-62.65	RMS	39.57	-32.61	-9.54	-95.23	35.16	-40.00	-22.65	Vertical




Ant.4

Part 96 Mode 7

NR SA n77 100M Ch643332 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch643332 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g			
1	7203.00	-49.10	RMS	36.51	-20.82	0.99	-95.23	29.45	-40.00	-9.10	Horizontal
2	10804.00	-54.29	RMS	37.50	-21.42	0.90	-95.23	23.96	-40.00	-14.29	Horizontal
3	14405.00	-49.91	RMS	41.20	-22.42	0.68	-95.23	25.86	-40.00	-9.91	Horizontal
4	25209.00	-59.45	RMS	39.38	-32.33	-9.54	-95.23	38.27	-40.00	-19.45	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch643332 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm						g			
1	7203.00	-49.58	RMS	36.51	-20.82	0.99	-95.23	28.97	-40.00	-9.58	Vertical
2	10804.00	-54.08	RMS	37.50	-21.42	0.90	-95.23	24.17	-40.00	-14.08	Vertical
3	14405.00	-49.94	RMS	41.20	-22.42	0.68	-95.23	25.83	-40.00	-9.94	Vertical
4	25209.00	-62.29	RMS	39.38	-32.33	-9.54	-95.23	35.43	-40.00	-22.29	Vertical




Ant.8+9

Part 96 Mode 8

NR SA n77 100M Ch640000 1RB1 QPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch640000 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7103.00	-53.54	RMS	36.31	-20.88	1.00	-95.23	0.00	-40.00	-13.54	Horizontal
2	10654.00	-53.92	RMS	37.50	-21.43	0.89	-95.23	24.35	-40.00	-13.92	Horizontal
3	14205.00	-49.86	RMS	41.20	-21.96	0.65	-95.23	25.48	-40.00	-9.86	Horizontal
4	24859.00	-54.68	RMS	39.46	-32.75	-9.54	-95.23	43.38	-40.00	-14.68	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch640000 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7103.00	-53.97	RMS	36.31	-20.88	1.00	-95.23	24.83	-40.00	-13.97	Vertical
2	10654.00	-54.13	RMS	37.50	-21.43	0.89	-95.23	24.14	-40.00	-14.13	Vertical
3	14205.00	-49.80	RMS	41.20	-21.96	0.65	-95.23	25.54	-40.00	-9.80	Vertical
4	24859.00	-56.81	RMS	39.46	-32.75	-9.54	-95.23	41.25	-40.00	-16.81	Vertical




Ant.8+9

Part 96 Mode 8

NR SA n77 100M Ch641666 1RB1 QPSK

M




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch641666 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7153.00	-52.57	RMS	36.41	-20.85	1.00	-95.23	26.10	-40.00	-12.57	Horizontal
2	10729.00	-54.13	RMS	37.50	-21.42	0.90	-95.23	24.12	-40.00	-14.13	Horizontal
3	14305.00	-49.55	RMS	41.30	-22.19	0.67	-95.23	25.90	-40.00	-9.55	Horizontal
4	25034.00	-53.39	RMS	39.57	-32.61	-9.54	-95.23	44.42	-40.00	-13.39	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch641666 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7153.00	-50.42	RMS	36.41	-20.85	1.00	-95.23	28.25	-40.00	-10.42	Vertical
2	10729.00	-54.40	RMS	37.50	-21.42	0.90	-95.23	23.85	-40.00	-14.40	Vertical
3	14305.00	-49.90	RMS	41.30	-22.19	0.67	-95.23	25.55	-40.00	-9.90	Vertical
4	25034.00	-57.77	RMS	39.57	-32.61	-9.54	-95.23	40.04	-40.00	-17.77	Vertical




Ant.8+9

Part 96 Mode 8

NR SA n77 100M Ch643332 1RB1 QPSK

H




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n77 100M Ch643332 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7203.00	-54.71	RMS	36.51	-20.82	0.99	-95.23	23.84	-40.00	-14.71	Horizontal
2	10804.00	-54.11	RMS	37.50	-21.42	0.90	-95.23	24.14	-40.00	-14.11	Horizontal
3	14405.00	-49.99	RMS	41.20	-22.42	0.68	-95.23	25.78	-40.00	-9.99	Horizontal
4	25209.00	-50.30	RMS	39.38	-32.33	-9.54	-95.23	47.42	-40.00	-10.30	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n77 100M Ch643332 1RB1 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7203.00	-54.78	RMS	36.51	-20.82	0.99	-95.23	23.77	-40.00	-14.78	Vertical
2	10804.00	-54.37	RMS	37.50	-21.42	0.90	-95.23	23.88	-40.00	-14.37	Vertical
3	14405.00	-50.04	RMS	41.20	-22.42	0.68	-95.23	25.73	-40.00	-10.04	Vertical
4	25209.00	-56.83	RMS	39.38	-32.33	-9.54	-95.23	40.89	-40.00	-16.83	Vertical




Ant.8

Part 96 Mode 3

NR SA n48 40M Ch638000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -40 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n48 40M Ch638000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1					
1	3570.00	-59.74	RMS	29.16	-22.42	0.54	-95.23	28.21	-40.00	-19.74 Horizontal



Site : 03CH21-HY

Condition: -40 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n48 40M Ch638000 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
	MHz	dBm		Factor	1					
1	3570.00	-59.94	RMS	29.16	-22.42	0.54	-95.23	28.01	-40.00	-19.94 Vertical

Remark: #1 is fundamental signal which can be ignored.

**<Sample 2>**

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 96	NR SA n48	L	14209	-49.79	RMS	41.20	-21.97	0.65	-95.23	25.56	-40.00	-9.79	H	Ant.8




Ant.8

Part 96 Mode 1

NR SA n48 40M Ch638000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n48 40M Ch638000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB			dB	dBuV	dBm	dB	
1	7105.00	-55.25	RMS	36.31	-20.87	1.00	-95.23	0.00	-40.00	-15.25	Horizontal		
2	10657.00	-54.78	RMS	37.50	-21.43	0.89	-95.23	23.49	-40.00	-14.78	Horizontal		
3	14209.00	-49.79	RMS	41.20	-21.97	0.65	-95.23	25.56	-40.00	-9.79	Horizontal		



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n48 40M Ch638000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Reading	Limit	Margin		Pol
					dB/m	dB			dB	dBuV	dBm	dB	
1	7105.00	-50.68	RMS	36.31	-20.87	1.00	-95.23	28.11	-40.00	-10.68	Vertical		
2	10657.00	-54.51	RMS	37.50	-21.43	0.89	-95.23	23.76	-40.00	-14.51	Vertical		
3	14209.00	-50.07	RMS	41.20	-21.97	0.65	-95.23	25.28	-40.00	-10.07	Vertical		




Ant.8

Part 96 Mode 1


NR SA n48 40M Ch638000 1RB1 BPSK

L



Site : 03CH21-HY
Condition: -40 3m LF_55606&08_241127 Horizontal
: SA n48 40M Ch638000 1RB1 BPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3570.00	-38.16	RMS	29.16	-22.42	0.54	-95.23	49.79	-40.00	1.84	Horizontal



Site : 03CH21-HY
Condition: -40 3m LF_55606&08_241127 Vertical
: SA n48 40M Ch638000 1RB1 BPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	3570.00	-37.08	RMS	29.16	-22.42	0.54	-95.23	50.87	-40.00	2.92	Vertical	

Remark: #1 is fundamental signal which can be ignored.

**<Sample 3>**

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	Amp\Cbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 96	NR SA n48	L	14209	-49.83	RMS	41.20	-21.97	0.65	-95.23	25.52	-40.00	-9.83	H	Ant.8




Ant.8

Part 96 Mode 1

NR SA n48 40M Ch638000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Horizontal

: SA n48 40M Ch638000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7105.00	-55.28	RMS	36.31	-20.87	1.00	-95.23	0.00	-40.00	-15.28	Horizontal
2	10657.00	-54.59	RMS	37.50	-21.43	0.89	-95.23	23.68	-40.00	-14.59	Horizontal
3	14209.00	-49.83	RMS	41.20	-21.97	0.65	-95.23	25.52	-40.00	-9.83	Horizontal
4	24866.00	-63.75	RMS	39.44	-32.75	-9.54	-95.23	34.33	-40.00	-23.75	Horizontal



Site : 03CH21-HY

Condition: -40 1m BBHA9170_1224_240624 Vertical

: SA n48 40M Ch638000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7105.00	-53.88	RMS	36.31	-20.87	1.00	-95.23	24.91	-40.00	-13.88	Vertical
2	10657.00	-52.59	RMS	37.50	-21.43	0.89	-95.23	25.68	-40.00	-12.59	Vertical
3	14209.00	-49.89	RMS	41.20	-21.97	0.65	-95.23	25.46	-40.00	-9.89	Vertical
4	24866.00	-60.05	RMS	39.44	-32.75	-9.54	-95.23	38.03	-40.00	-20.05	Vertical




Ant.8

Part 96 Mode 1


NR SA n48 40M Ch638000 1RB1 BPSK

L



Site : 03CH21-HY
Condition: -40 3m LF_55606&08_241127 Horizontal
: SA n48 40M Ch638000 1RB1 BPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3570.00	-37.83	RMS	29.16	-22.42	0.54	-95.23	50.12	-40.00	2.17	Horizontal



Site : 03CH21-HY
Condition: -40 3m LF_55606&08_241127 Vertical
: SA n48 40M Ch638000 1RB1 BPSK
: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp	Cb	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dB	dBuV	dBm	dB	
1	3570.00	-38.39	RMS	29.16	-22.42	0.54	-95.23	49.56	-40.00	1.61	Vertical	

Remark: #1 is fundamental signal which can be ignored.