




EUT Mode


802.11ax HE160 996RU67

Plot on Channel 6025 MHz




Date: 26.NOV.2024 02:03:21

Plot on Channel 6185 MHz



Date: 26.NOV.2024 02:11:53

Plot on Channel 6665 MHz




Date: 14.DEC.2024 03:49:02



EUT Mode

802.11ax HE160 996RUS67

Plot on Channel 6345 MHz





Appendix B. AC Conducted Emission Test Results


Test Engineer :	Calvin Wang	Temperature :	23~26℃
		Relative Humidity :	45~55%

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

4O2228
Mode 1
120Vac/60Hz
Line

Full Spectrum



Final_Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.161250	---	32.67	55.40	22.73	L1	OFF	19.8
0.161250	44.39	---	65.40	21.01	L1	OFF	19.8
0.179250	---	30.06	54.52	24.46	L1	OFF	19.8
0.179250	39.25	---	64.52	25.27	L1	OFF	19.8
0.323250	---	34.31	49.62	15.31	L1	OFF	19.8
0.323250	38.94	---	59.62	20.68	L1	OFF	19.8
0.429000	---	32.71	47.27	14.56	L1	OFF	19.8
0.429000	34.40	---	57.27	22.87	L1	OFF	19.8
0.901500	---	23.68	46.00	22.32	L1	OFF	19.8
0.901500	25.69	---	56.00	30.31	L1	OFF	19.8
7.199250	---	25.86	50.00	24.14	L1	OFF	20.1
7.199250	27.28	---	60.00	32.72	L1	OFF	20.1

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

4O2228
Mode 1
120Vac/60Hz
Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.161250	---	37.65	55.40	17.75	N	OFF	19.8
0.161250	49.42	---	65.40	15.98	N	OFF	19.8
0.188250	---	34.49	54.11	19.62	N	OFF	19.8
0.188250	43.33	---	64.11	20.78	N	OFF	19.8
0.237750	---	25.50	52.17	26.67	N	OFF	19.8
0.237750	32.75	---	62.17	29.42	N	OFF	19.8
0.334500	---	29.91	49.34	19.43	N	OFF	19.8
0.334500	33.85	---	59.34	25.49	N	OFF	19.8
0.577500	---	24.35	46.00	21.65	N	OFF	19.8
0.577500	26.39	---	56.00	29.61	N	OFF	19.8
8.862000	---	26.21	50.00	23.79	N	OFF	20.3
8.862000	27.63	---	60.00	32.37	N	OFF	20.3



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Ken Kuo, Karl Hou and York Hung	Temperature :	21.5~24.9°C
		Relative Humidity :	50.1~60.9%

Note symbol

-L	Low channel location
-R	High channel location

C1. Radiated Spurious Emission Test Modes

<Sample 1>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	6+7	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	6+7	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	6+7	802.11ax HE20	1	5955	MCS0	Partial RU 106/53	-
Mode 6	U-NII-5	5.925-6.425	6+7	802.11ax HE20	49	6195	MCS0	-	-
Mode 7	U-NII-5	5.925-6.425	6+7	802.11ax HE20	93	6415	MCS0	-	-
Mode 8	U-NII-5	5.925-6.425	6+7	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 9	U-NII-5	5.925-6.425	6+7	802.11ax HE40	3	5965	MCS0	Partial RU 242/61	-
Mode 10	U-NII-5	5.925-6.425	6+7	802.11ax HE40	51	6205	MCS0	-	-
Mode 11	U-NII-5	5.925-6.425	6+7	802.11ax HE40	91	6405	MCS0	-	-
Mode 12	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	6+7	802.11ax HE80	7	5985	MCS0	Partial RU 484/65	-
Mode 14	U-NII-5	5.925-6.425	6+7	802.11ax HE80	55	6225	MCS0	-	-
Mode 15	U-NII-5	5.925-6.425	6+7	802.11ax HE80	87	6385	MCS0	-	-
Mode 16	U-NII-5	5.925-6.425	6+7	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 17	U-NII-5	5.925-6.425	6+7	802.11ax HE160	15	6025	MCS0	Partial RU 996/67	-
Mode 18	U-NII-5	5.925-6.425	6+7	802.11ax HE160	47	6185	MCS0	-	-
Mode 19	U-NII-5	5.925-6.425	6+7	802.11ax HE160	79	6345	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 31	U-NII-7	6.525-6.875	6+7	802.11a	117	6535	MCS0	-	-
Mode 32	U-NII-7	6.525-6.875	6+7	802.11a	149	6695	MCS0	-	-
Mode 33	U-NII-7	6.525-6.875	6+7	802.11a	181	6855	MCS0	-	-
Mode 35	U-NII-7	6.525-6.875	6+7	802.11ax HE20	117	6535	MCS0	-	-
Mode 36	U-NII-7	6.525-6.875	6+7	802.11ax HE20	149	6695	MCS0	-	-
Mode 37	U-NII-7	6.525-6.875	6+7	802.11ax HE20	181	6855	MCS0	-	-
Mode 39	U-NII-7	6.525-6.875	6+7	802.11ax HE40	123	6565	MCS0	-	-
Mode 40	U-NII-7	6.525-6.875	6+7	802.11ax HE40	147	6685	MCS0	-	-
Mode 41	U-NII-7	6.525-6.875	6+7	802.11ax HE40	179	6845	MCS0	-	-
Mode 43	U-NII-7	6.525-6.875	6+7	802.11ax HE80	135	6625	MCS0	-	-
Mode 44	U-NII-7	6.525-6.875	6+7	802.11ax HE80	151	6705	MCS0	-	-
Mode 45	U-NII-7	6.525-6.875	6+7	802.11ax HE80	167	6785	MCS0	-	-
Mode 47	U-NII-7	6.525-6.875	6+7	802.11ax HE160	143	6665	MCS0	-	-
Mode 67	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	LF

<Sample 2>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 65	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-

<Sample 3>

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 66	U-NII-5	5.925-6.425	6+7	802.11a	1	5955	6Mbps	-	-



C2. Summary of each worse mode

<Sample 1>

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5924.97	67.02	68.20	-1.18	V	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	45.98	54.00	-8.02	V	Avg.	Pass	-	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	-	Band Edge
	802.11a	49	12390.00	42.72	54.00	-11.28	H	Avg.	Pass	-	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	-	Band Edge
	802.11a	93	19245.00	39.52	74.00	-34.48	H	Peak	Pass	-	Harmonic
4	802.11ax HE20	1	5924.97	66.62	68.20	-1.58	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	1	17865.00	45.71	54.00	-8.29	V	Avg.	Pass	Full RU	Harmonic
5	802.11ax HE20	1	5923.41	86.67	88.20	-1.53	V	Peak	Pass	Partial RU 106/53	Band Edge
	802.11ax HE20	1	-	-	-	-	-	-	-	Partial RU 106/53	Harmonic
6	802.11ax HE20	49	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	49	12390.00	43.25	54.00	-10.75	V	Avg.	Pass	-	Harmonic
7	802.11ax HE20	93	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	93	12830.00	53.15	88.20	-35.05	H	Peak	Pass	-	Harmonic
8	802.11ax HE40	3	5924.96	65.80	68.20	-2.40	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	3	17895.00	46.32	54.00	-7.68	V	Avg.	Pass	Full RU	Harmonic
9	802.11ax HE40	3	5924.96	64.98	68.20	-3.22	V	Avg.	Pass	Partial RU 242/61	Band Edge
	802.11ax HE40	3	-	-	-	-	-	-	-	Partial RU 242/61	Harmonic
10	802.11ax HE40	51	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	51	12410.00	43.92	54.00	-10.08	V	Avg.	Pass	-	Harmonic
11	802.11ax HE40	91	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	91	12810.00	54.33	88.20	-33.87	H	Peak	Pass	-	Harmonic
12	802.11ax HE80	7	5924.52	66.38	68.20	-1.82	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	7	17955.00	46.67	54.00	-7.33	H	Avg.	Pass	Full RU	Harmonic
13	802.11ax HE80	7	5925.00	66.80	68.20	-1.40	V	Avg.	Pass	Partial RU 484/65	Band Edge
	802.11ax HE80	7	-	-	-	-	-	-	-	Partial RU 484/65	Harmonic
14	802.11ax HE80	55	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	55	12450.00	43.39	54.00	-10.61	H	Avg.	Pass	-	Harmonic
15	802.11ax HE80	87	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	87	12770.00	54.77	88.20	-33.43	V	Peak	Pass	-	Harmonic
16	802.11ax HE160	15	5913.20	66.14	68.20	-2.06	V	Avg.	Pass	Full RU	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
16	802.11ax HE160	15	12050.00	42.66	54.00	-11.34	V	Avg.	Pass	Full RU	Harmonic
17	802.11ax HE160	15	5918.00	63.99	68.20	-4.21	H	Avg.	Pass	Partial RU 996/67	Band Edge
	802.11ax HE160	15	-	-	-	-	-	-	-	Partial RU 996/67	Harmonic
18	802.11ax HE160	47	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE160	47	12370.00	43.96	54.00	-10.04	H	Avg.	Pass	-	Harmonic
19	802.11ax HE160	79	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE160	79	12690.00	44.75	54.00	-9.25	H	Avg.	Pass	-	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	-	Band Edge
	802.11a	117	19605.00	40.12	54.00	-13.88	H	Avg.	Pass	-	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	-	Band Edge
	802.11a	149	13390.00	43.15	54.00	-10.85	H	Avg.	Pass	-	Harmonic
33	802.11a	181	-	-	-	-	-	-	-	-	Band Edge
	802.11a	181	20565.00	39.70	54.00	-14.30	H	Avg.	Pass	-	Harmonic
35	802.11ax HE20	117	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	117	19605.00	41.67	74.00	-32.33	H	Peak	Pass	-	Harmonic
36	802.11ax HE20	149	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	149	13390.00	43.49	54.00	-10.51	H	Avg.	Pass	-	Harmonic
37	802.11ax HE20	181	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	181	20565.00	46.30	74.00	-27.70	H	Peak	Pass	-	Harmonic
39	802.11ax HE40	123	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	123	19695.00	42.66	74.00	-31.34	H	Peak	Pass	-	Harmonic
40	802.11ax HE40	147	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	147	13370.00	42.87	54.00	-11.13	H	Avg.	Pass	-	Harmonic
41	802.11ax HE40	179	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	179	20535.00	43.81	74.00	-30.19	H	Peak	Pass	-	Harmonic
43	802.11ax HE80	135	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	135	13250.00	42.40	54.00	-11.60	V	Avg.	Pass	-	Harmonic
44	802.11ax HE80	151	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	151	20115.00	40.29	74.00	-33.71	V	Peak	Pass	-	Harmonic
45	802.11ax HE80	167	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	167	7306.40	45.54	54.00	-8.46	V	Avg.	Pass	-	Harmonic
47	802.11ax HE160	143	-	-	-	-	-	-	-	-	Band Edge
	802.11ax HE160	143	7302.00	46.68	54.00	-7.32	V	Avg.	Pass	-	Harmonic
67	LF	1	34.85	31.44	40.00	-8.56	V	QP	Pass	-	LF

**<Sample 2>**





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
65	802.11a	1	5924.58	63.03	68.20	-5.17	H	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	45.69	54.00	-8.31	H	Avg.	Pass	-	Harmonic

<Sample 3>





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
66	802.11a	1	5924.97	64.96	68.20	-3.24	V	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	45.71	54.00	-8.29	V	Avg.	Pass	-	Harmonic





<Sample 1>

Mode	1																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5922.89</td><td>72.79</td><td>88.20</td><td>-15.41</td><td>60.33</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>188 316 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5922.89	72.79	88.20	-15.41	60.33	33.70	13.79	35.03	0.00	188 316 PEAK	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>114.81</td><td>-----</td><td>-----</td><td>102.31</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>188 316 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	114.81	-----	-----	102.31	33.71	13.83	35.04	0.00	188 316 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5922.89	72.79	88.20	-15.41	60.33	33.70	13.79	35.03	0.00	188 316 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5955.00	114.81	-----	-----	102.31	33.71	13.83	35.04	0.00	188 316 PEAK																																																																									
Avg.	 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5924.97</td><td>63.39</td><td>68.20</td><td>-4.81</td><td>50.93</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>188 316 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5924.97	63.39	68.20	-4.81	50.93	33.70	13.79	35.03	0.00	188 316 AVERAGE	 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>108.27</td><td>-----</td><td>-----</td><td>95.77</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>188 316 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	108.27	-----	-----	95.77	33.71	13.83	35.04	0.00	188 316 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5924.97	63.39	68.20	-4.81	50.93	33.70	13.79	35.03	0.00	188 316 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5955.00	108.27	-----	-----	95.77	33.71	13.83	35.04	0.00	188 316 AVERAGE																																																																									




Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.63</td><td>75.64</td><td>88.20</td><td>-12.56</td><td>63.18</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>163</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.63	75.64	88.20	-12.56	63.18	33.70	13.79	35.03	0.00	163	0	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>115.75</td><td>-----</td><td>-----</td><td>103.25</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>163</td><td>0</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	115.75	-----	-----	103.25	33.71	13.83	35.04	0.00	163	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.63	75.64	88.20	-12.56	63.18	33.70	13.79	35.03	0.00	163	0	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	115.75	-----	-----	103.25	33.71	13.83	35.04	0.00	163	0	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>67.02</td><td>68.20</td><td>-1.18</td><td>54.56</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>163</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	67.02	68.20	-1.18	54.56	33.70	13.79	35.03	0.00	163	0	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.40</td><td>-----</td><td>-----</td><td>95.90</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>163</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.40	-----	-----	95.90	33.71	13.83	35.04	0.00	163	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	67.02	68.20	-1.18	54.56	33.70	13.79	35.03	0.00	163	0	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	108.40	-----	-----	95.90	33.71	13.83	35.04	0.00	163	0	AVERAGE																																																																																							





Mode	1										
	Harmonic										
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz										
ANT	6+7										
Pol.	Horizontal						Vertical				
Peak Avg.											
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL				
	Freq	Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	11910.00	50.92	74.00 -23.08	32.44	39.02	19.83	40.82	0.45	--	--	PEAK
2	11910.00	41.91	54.00 -12.09	23.43	39.02	19.83	40.82	0.45	--	--	Average
3	17865.00	54.69	74.00 -19.31	33.90	41.46	24.63	45.76	0.46	--	--	Peak
4	17865.00	45.69	54.00 -8.31	24.90	41.46	24.63	45.76	0.46	--	--	Average
	Freq	Level	Limit Line Margin	Read Level	Ant Factor	Cable Loss Factor	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	11910.00	51.06	74.00 -22.94	32.58	39.02	19.83	40.82	0.45	--	--	PEAK
2	11910.00	42.16	54.00 -11.84	23.68	39.02	19.83	40.82	0.45	--	--	Average
3	17865.00	55.00	74.00 -19.00	34.21	41.46	24.63	45.76	0.46	--	--	Peak
4	17865.00	45.98	54.00 -8.02	25.19	41.46	24.63	45.76	0.46	--	--	Average







Mode	2																																																																							
	Harmonic																																																																							
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																							
ANT	6+7																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg.	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12390.00</td><td>51.74</td><td>74.00</td><td>-22.26</td><td>32.16</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>42.72</td><td>54.00</td><td>-11.28</td><td>23.14</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18505.00</td><td>39.27</td><td>74.00</td><td>-34.73</td><td>30.54</td><td>37.93</td><td>25.14</td><td>64.00</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	12390.00	51.74	74.00	-22.26	32.16	39.98	20.23	41.12	0.49	--	--	--	PEAK	2	12390.00	42.72	54.00	-11.28	23.14	39.98	20.23	41.12	0.49	--	--	--	Average	3	18505.00	39.27	74.00	-34.73	30.54	37.93	25.14	64.00	-9.54	--	--	--	PEAK	Blank
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	12390.00	51.74	74.00	-22.26	32.16	39.98	20.23	41.12	0.49	--	--	--	PEAK																																																											
2	12390.00	42.72	54.00	-11.28	23.14	39.98	20.23	41.12	0.49	--	--	--	Average																																																											
3	18505.00	39.27	74.00	-34.73	30.54	37.93	25.14	64.00	-9.54	--	--	--	PEAK																																																											



		3																																																																																																																																									
Mode		Harmonic																																																																																																																																									
		U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																																									
ANT		6+7																																																																																																																																									
Pol.		Horizontal												Vertical																																																																																																																													
Peak Avg.																																																																																																																																											
		Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL												Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.66</td><td>88.20</td><td>-34.54</td><td>32.64</td><td>41.10</td><td>20.60</td><td>41.21</td><td>0.53</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>39.52</td><td>74.00</td><td>-34.48</td><td>50.07</td><td>37.72</td><td>25.62</td><td>64.35</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.66	88.20	-34.54	32.64	41.10	20.60	41.21	0.53	--	--	PEAK	2	19245.00	39.52	74.00	-34.48	50.07	37.72	25.62	64.35	-9.54	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>53.03</td><td>88.20</td><td>-35.17</td><td>32.01</td><td>41.10</td><td>20.60</td><td>41.21</td><td>0.53</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>38.92</td><td>74.00</td><td>-35.08</td><td>49.47</td><td>37.72</td><td>25.62</td><td>64.35</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	53.03	88.20	-35.17	32.01	41.10	20.60	41.21	0.53	--	--	PEAK	2	19245.00	38.92	74.00	-35.08	49.47	37.72	25.62	64.35	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	12830.00	53.66	88.20	-34.54	32.64	41.10	20.60	41.21	0.53	--	--	PEAK																																																																																																																															
2	19245.00	39.52	74.00	-34.48	50.07	37.72	25.62	64.35	-9.54	--	--	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	12830.00	53.03	88.20	-35.17	32.01	41.10	20.60	41.21	0.53	--	--	PEAK																																																																																																																															
2	19245.00	38.92	74.00	-35.08	49.47	37.72	25.62	64.35	-9.54	--	--	PEAK																																																																																																																															





Mode	4																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.24</td><td>78.40</td><td>88.20</td><td>-9.80</td><td>65.94</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>185</td><td>332</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.24	78.40	88.20	-9.80	65.94	33.70	13.79	35.03	0.00	185	332	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>114.69</td><td>-----</td><td>-----</td><td>102.19</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>185</td><td>332</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	114.69	-----	-----	102.19	33.71	13.83	35.04	0.00	185	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5922.24	78.40	88.20	-9.80	65.94	33.70	13.79	35.03	0.00	185	332	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	114.69	-----	-----	102.19	33.71	13.83	35.04	0.00	185	332	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>62.46</td><td>68.20</td><td>-5.74</td><td>50.00</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>185</td><td>332</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	62.46	68.20	-5.74	50.00	33.70	13.79	35.03	0.00	185	332	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>107.00</td><td>-----</td><td>-----</td><td>94.50</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>185</td><td>332</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.00	-----	-----	94.50	33.71	13.83	35.04	0.00	185	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	62.46	68.20	-5.74	50.00	33.70	13.79	35.03	0.00	185	332	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	107.00	-----	-----	94.50	33.71	13.83	35.04	0.00	185	332	AVERAGE																																																																																							






		4																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>83.57</td><td>88.20</td><td>-4.63</td><td>71.11</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>147</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	83.57	88.20	-4.63	71.11	33.70	13.79	35.03	0.00	147	360	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>116.22</td><td>-----</td><td>-----</td><td>103.70</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>147</td><td>360</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	116.22	-----	-----	103.70	33.72	13.84	35.04	0.00	147	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.58	83.57	88.20	-4.63	71.11	33.70	13.79	35.03	0.00	147	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	116.22	-----	-----	103.70	33.72	13.84	35.04	0.00	147	360	PEAK																																																																																							
Avg.	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>66.62</td><td>68.20</td><td>-1.58</td><td>54.16</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>147</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	66.62	68.20	-1.58	54.16	33.70	13.79	35.03	0.00	147	360	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.74</td><td>-----</td><td>-----</td><td>96.22</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>147</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.74	-----	-----	96.22	33.72	13.84	35.04	0.00	147	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	66.62	68.20	-1.58	54.16	33.70	13.79	35.03	0.00	147	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	108.74	-----	-----	96.22	33.72	13.84	35.04	0.00	147	360	AVERAGE																																																																																							







Mode	4																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																																																													
ANT	6+7																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11910.00</td><td>51.83</td><td>74.00</td><td>-22.17</td><td>33.35</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>-- -- PEAK</td></tr><tr><td>2 11910.00</td><td>42.84</td><td>54.00</td><td>-11.16</td><td>24.36</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>-- -- Average</td></tr><tr><td>3 17865.00</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>33.77</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- PEAK</td></tr><tr><td>4 17865.00</td><td>45.55</td><td>54.00</td><td>-8.45</td><td>24.76</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	51.83	74.00	-22.17	33.35	39.02	19.83	40.82	0.45	-- -- PEAK	2 11910.00	42.84	54.00	-11.16	24.36	39.02	19.83	40.82	0.45	-- -- Average	3 17865.00	54.56	74.00	-19.44	33.77	41.46	24.63	45.76	0.46	-- -- PEAK	4 17865.00	45.55	54.00	-8.45	24.76	41.46	24.63	45.76	0.46	-- -- Average	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 11910.00</td><td>51.53</td><td>74.00</td><td>-22.47</td><td>33.05</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>-- -- PEAK</td></tr><tr><td>2 11910.00</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>24.03</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>-- -- Average</td></tr><tr><td>3 17865.00</td><td>54.76</td><td>74.00</td><td>-19.24</td><td>33.97</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- PEAK</td></tr><tr><td>4 17865.00</td><td>45.71</td><td>54.00</td><td>-8.29</td><td>24.92</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>-- -- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 11910.00	51.53	74.00	-22.47	33.05	39.02	19.83	40.82	0.45	-- -- PEAK	2 11910.00	42.51	54.00	-11.49	24.03	39.02	19.83	40.82	0.45	-- -- Average	3 17865.00	54.76	74.00	-19.24	33.97	41.46	24.63	45.76	0.46	-- -- PEAK	4 17865.00	45.71	54.00	-8.29	24.92	41.46	24.63	45.76	0.46	-- -- Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 11910.00	51.83	74.00	-22.17	33.35	39.02	19.83	40.82	0.45	-- -- PEAK																																																																																																																																					
2 11910.00	42.84	54.00	-11.16	24.36	39.02	19.83	40.82	0.45	-- -- Average																																																																																																																																					
3 17865.00	54.56	74.00	-19.44	33.77	41.46	24.63	45.76	0.46	-- -- PEAK																																																																																																																																					
4 17865.00	45.55	54.00	-8.45	24.76	41.46	24.63	45.76	0.46	-- -- Average																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 11910.00	51.53	74.00	-22.47	33.05	39.02	19.83	40.82	0.45	-- -- PEAK																																																																																																																																					
2 11910.00	42.51	54.00	-11.49	24.03	39.02	19.83	40.82	0.45	-- -- Average																																																																																																																																					
3 17865.00	54.76	74.00	-19.24	33.97	41.46	24.63	45.76	0.46	-- -- PEAK																																																																																																																																					
4 17865.00	45.71	54.00	-8.29	24.92	41.46	24.63	45.76	0.46	-- -- Average																																																																																																																																					



		5																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.77</td><td>82.72</td><td>88.20</td><td>-5.48</td><td>70.26</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>195</td><td>309</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.77	82.72	88.20	-5.48	70.26	33.70	13.79	35.03	0.00	195	309	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>116.05</td><td>-----</td><td>-----</td><td>103.57</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>195</td><td>309</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	116.05	-----	-----	103.57	33.70	13.82	35.04	0.00	195	309
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5919.77	82.72	88.20	-5.48	70.26	33.70	13.79	35.03	0.00	195	309	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	116.05	-----	-----	103.57	33.70	13.82	35.04	0.00	195	309	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.51</td><td>64.41</td><td>68.20</td><td>-3.79</td><td>51.95</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>195</td><td>309</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.51	64.41	68.20	-3.79	51.95	33.70	13.79	35.03	0.00	195	309	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.12</td><td>-----</td><td>-----</td><td>96.64</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>195</td><td>309</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.12	-----	-----	96.64	33.70	13.82	35.04	0.00	195	309
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5919.51	64.41	68.20	-3.79	51.95	33.70	13.79	35.03	0.00	195	309	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	109.12	-----	-----	96.64	33.70	13.82	35.04	0.00	195	309	AVERAGE																																																																																							





		5																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.41</td><td>86.67</td><td>88.20</td><td>-1.53</td><td>74.21</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.41	86.67	88.20	-1.53	74.21	33.70	13.79	35.03	0.00	130	360	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>117.22</td><td>-----</td><td>-----</td><td>104.74</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>130</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.22	-----	-----	104.74	33.70	13.82	35.04	0.00	130	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5923.41	86.67	88.20	-1.53	74.21	33.70	13.79	35.03	0.00	130	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	117.22	-----	-----	104.74	33.70	13.82	35.04	0.00	130	360	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>65.85</td><td>68.20</td><td>-2.35</td><td>53.39</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	65.85	68.20	-2.35	53.39	33.70	13.79	35.03	0.00	130	360	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.240kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.52</td><td>-----</td><td>-----</td><td>96.04</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>130</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.52	-----	-----	96.04	33.70	13.82	35.04	0.00	130	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	65.85	68.20	-2.35	53.39	33.70	13.79	35.03	0.00	130	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	108.52	-----	-----	96.04	33.70	13.82	35.04	0.00	130	360	AVERAGE																																																																																							







		6																																																																															
Mode		Harmonic																																																																															
		U-NII-5_5.925-6.425_802.11ax HE20_CH49_6195MHz																																																																															
ANT		6+7																																																																															
Pol.		Horizontal						Vertical																																																																									
Peak Avg.																																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>52.10</td><td>74.00</td><td>-21.90</td><td>32.52</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>43.07</td><td>54.00</td><td>-10.93</td><td>23.49</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18505.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>51.01</td><td>37.93</td><td>25.14</td><td>64.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	52.10	74.00	-21.90	32.52	39.98	20.23	41.12	0.49	--	PEAK	2	12390.00	43.07	54.00	-10.93	23.49	39.98	20.23	41.12	0.49	--	Average	3	18505.00	39.74	74.00	-34.26	51.01	37.93	25.14	64.00	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	12390.00	52.10	74.00	-21.90	32.52	39.98	20.23	41.12	0.49	--	PEAK																																																																						
2	12390.00	43.07	54.00	-10.93	23.49	39.98	20.23	41.12	0.49	--	Average																																																																						
3	18505.00	39.74	74.00	-34.26	51.01	37.93	25.14	64.00	-9.54	--	Peak																																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>52.10</td><td>74.00</td><td>-21.90</td><td>32.52</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>43.07</td><td>54.00</td><td>-10.93</td><td>23.49</td><td>39.98</td><td>20.23</td><td>41.12</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18505.00</td><td>39.74</td><td>74.00</td><td>-34.26</td><td>51.01</td><td>37.93</td><td>25.14</td><td>64.00</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	52.10	74.00	-21.90	32.52	39.98	20.23	41.12	0.49	--	PEAK	2	12390.00	43.07	54.00	-10.93	23.49	39.98	20.23	41.12	0.49	--	Average	3	18505.00	39.74	74.00	-34.26	51.01	37.93	25.14	64.00	-9.54	--	Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	12390.00	52.10	74.00	-21.90	32.52	39.98	20.23	41.12	0.49	--	PEAK																																																																						
2	12390.00	43.07	54.00	-10.93	23.49	39.98	20.23	41.12	0.49	--	Average																																																																						
3	18505.00	39.74	74.00	-34.26	51.01	37.93	25.14	64.00	-9.54	--	Peak																																																																						



Mode	7																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_6415MHz																																																																																																																														
ANT	6+7																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg.																																																																																																																															
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>53.15</td><td>88.20</td><td>-35.05</td><td>32.13</td><td>41.10</td><td>20.60</td><td>41.21</td><td>0.53</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>38.74</td><td>74.00</td><td>-35.26</td><td>49.29</td><td>37.72</td><td>25.62</td><td>64.35</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	53.15	88.20	-35.05	32.13	41.10	20.60	41.21	0.53	--	--	PEAK	2	19245.00	38.74	74.00	-35.26	49.29	37.72	25.62	64.35	-9.54	--	--	Peak	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12830.00</td><td>52.91</td><td>88.20</td><td>-35.29</td><td>31.89</td><td>41.10</td><td>20.60</td><td>41.21</td><td>0.53</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19245.00</td><td>38.86</td><td>74.00</td><td>-35.14</td><td>49.41</td><td>37.72</td><td>25.62</td><td>64.35</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	52.91	88.20	-35.29	31.89	41.10	20.60	41.21	0.53	--	--	PEAK	2	19245.00	38.86	74.00	-35.14	49.41	37.72	25.62	64.35	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	12830.00	53.15	88.20	-35.05	32.13	41.10	20.60	41.21	0.53	--	--	PEAK																																																																																																																			
2	19245.00	38.74	74.00	-35.26	49.29	37.72	25.62	64.35	-9.54	--	--	Peak																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	12830.00	52.91	88.20	-35.29	31.89	41.10	20.60	41.21	0.53	--	--	PEAK																																																																																																																			
2	19245.00	38.86	74.00	-35.14	49.41	37.72	25.62	64.35	-9.54	--	--	Peak																																																																																																																			





		8																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5917.40</td><td>72.86</td><td>88.20</td><td>-15.34</td><td>60.41</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>188</td><td>331</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.40	72.86	88.20	-15.34	60.41	33.70	13.78	35.03	0.00	188	331	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>113.09</td><td>-----</td><td>-----</td><td>100.59</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>188</td><td>331</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	113.09	-----	-----	100.59	33.71	13.83	35.04	0.00	188	331
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5917.40	72.86	88.20	-15.34	60.41	33.70	13.78	35.03	0.00	188	331	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	113.09	-----	-----	100.59	33.71	13.83	35.04	0.00	188	331	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>61.50</td><td>68.20</td><td>-6.70</td><td>49.04</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>188</td><td>331</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	61.50	68.20	-6.70	49.04	33.70	13.79	35.03	0.00	188	331	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>105.09</td><td>-----</td><td>-----</td><td>92.57</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>188</td><td>331</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	105.09	-----	-----	92.57	33.72	13.84	35.04	0.00	188	331
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.96	61.50	68.20	-6.70	49.04	33.70	13.79	35.03	0.00	188	331	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	105.09	-----	-----	92.57	33.72	13.84	35.04	0.00	188	331	AVERAGE																																																																																							



Mode	8																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																						
ANT	6+7																																																						
Pol.	Vertical																																																						
Peak	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.98</td><td>77.77</td><td>88.20</td><td>-10.43</td><td>65.31</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130 8 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.98	77.77	88.20	-10.43	65.31	33.70	13.79	35.03	0.00	130 8 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5923.98	77.77	88.20	-10.43	65.31	33.70	13.79	35.03	0.00	130 8 PEAK																																													
Fundamental	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>112.00</td><td>-----</td><td>-----</td><td>99.58</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>130 8 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	112.00	-----	-----	99.58	33.71	13.83	35.04	0.00	130 8 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5965.00	112.00	-----	-----	99.58	33.71	13.83	35.04	0.00	130 8 PEAK																																													
Avg.	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.96</td><td>65.80</td><td>68.20</td><td>-2.40</td><td>53.34</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130 8 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	65.80	68.20	-2.40	53.34	33.70	13.79	35.03	0.00	130 8 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5924.96	65.80	68.20	-2.40	53.34	33.70	13.79	35.03	0.00	130 8 AVERAGE																																													
AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>103.70</td><td>-----</td><td>-----</td><td>91.16</td><td>33.73</td><td>13.85</td><td>35.04</td><td>0.00</td><td>130 8 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	103.70	-----	-----	91.16	33.73	13.85	35.04	0.00	130 8 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5965.00	103.70	-----	-----	91.16	33.73	13.85	35.04	0.00	130 8 AVERAGE																																													







Mode	8												
	Harmonic												
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz												
ANT	6+7												
Pol.	Horizontal						Vertical						
Peak Avg.													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	11930.00	51.68	74.00	-22.32	33.16	39.06	19.85	40.84	0.45	--	--	--	PEAK
2	11930.00	42.64	54.00	-11.36	24.12	39.06	19.85	40.84	0.45	--	--	--	Average
3	17895.00	55.23	74.00	-18.77	34.23	41.58	24.66	45.70	0.46	--	--	--	PEAK
4	17895.00	46.18	54.00	-7.82	25.18	41.58	24.66	45.70	0.46	--	--	--	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	11930.00	50.87	74.00	-23.13	32.35	39.06	19.85	40.84	0.45	--	--	--	PEAK
2	11930.00	41.85	54.00	-12.15	23.33	39.06	19.85	40.84	0.45	--	--	--	Average
3	17895.00	55.34	74.00	-18.66	34.34	41.58	24.66	45.70	0.46	--	--	--	PEAK
4	17895.00	46.32	54.00	-7.68	25.32	41.58	24.66	45.70	0.46	--	--	--	Average





		9																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial RU 242/61_5965MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.42</td><td>83.23</td><td>88.20</td><td>-4.97</td><td>70.77</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>186</td><td>311</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.42	83.23	88.20	-4.97	70.77	33.70	13.79	35.03	0.00	186	311	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>116.78</td><td>-----</td><td>-----</td><td>104.26</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>186</td><td>311</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	116.78	-----	-----	104.26	33.72	13.84	35.04	0.00	186	311	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.42	83.23	88.20	-4.97	70.77	33.70	13.79	35.03	0.00	186	311	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	116.78	-----	-----	104.26	33.72	13.84	35.04	0.00	186	311	PEAK																																																																																								
Avg.	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.98</td><td>64.04</td><td>68.20</td><td>-4.16</td><td>51.59</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>186</td><td>311</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.98	64.04	68.20	-4.16	51.59	33.70	13.78	35.03	0.00	186	311	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>106.19</td><td>-----</td><td>-----</td><td>93.71</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>186</td><td>311</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	106.19	-----	-----	93.71	33.70	13.82	35.04	0.00	186	311	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5916.98	64.04	68.20	-4.16	51.59	33.70	13.78	35.03	0.00	186	311	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	106.19	-----	-----	93.71	33.70	13.82	35.04	0.00	186	311	AVERAGE																																																																																								





		9																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial RU 242/61_5965MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5919.92</td><td>84.26</td><td>88.20</td><td>-3.94</td><td>71.00</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>138</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.92	84.26	88.20	-3.94	71.00	33.70	13.79	35.03	0.00	138	360	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>112.07</td><td>-----</td><td>-----</td><td>99.59</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>138</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	112.07	-----	-----	99.59	33.70	13.82	35.04	0.00	138	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5919.92	84.26	88.20	-3.94	71.00	33.70	13.79	35.03	0.00	138	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	112.07	-----	-----	99.59	33.70	13.82	35.04	0.00	138	360	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.96</td><td>64.98</td><td>68.20</td><td>-3.22</td><td>52.52</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>138</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.96	64.98	68.20	-3.22	52.52	33.70	13.79	35.03	0.00	138	360	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>104.83</td><td>-----</td><td>-----</td><td>92.35</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>138</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.83	-----	-----	92.35	33.70	13.82	35.04	0.00	138	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.96	64.98	68.20	-3.22	52.52	33.70	13.79	35.03	0.00	138	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5965.00	104.83	-----	-----	92.35	33.70	13.82	35.04	0.00	138	360	AVERAGE																																																																																							







Mode	10												
	Harmonic												
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_6205MHz												
ANT	6+7												
Pol.	Horizontal						Vertical						
Peak Avg.													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL						
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	12410.00	52.44	74.00	-21.56	32.81	40.02	20.25	41.13	0.49	--	--	--	PEAK
2	12410.00	43.40	54.00	-10.60	23.77	40.02	20.25	41.13	0.49	--	--	--	Average
3	18615.00	39.83	74.00	-34.17	51.07	37.90	25.16	64.76	-9.54	--	--	--	PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	
1	12410.00	53.02	74.00	-20.98	33.39	40.02	20.25	41.13	0.49	--	--	--	PEAK
2	12410.00	43.92	54.00	-10.08	24.29	40.02	20.25	41.13	0.49	--	--	--	Average
3	18615.00	39.59	74.00	-34.41	50.83	37.90	25.16	64.76	-9.54	--	--	--	PEAK







Mode	11																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_6405MHz																																																																			
ANT	6+7																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg.																																																																				
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>54.33</td><td>88.20</td><td>-33.87</td><td>33.32</td><td>41.10</td><td>20.58</td><td>41.20</td><td>0.53</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19215.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>49.83</td><td>37.84</td><td>25.60</td><td>64.34</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	54.33	88.20	-33.87	33.32	41.10	20.58	41.20	0.53	--	--	PEAK	2	19215.00	39.39	74.00	-34.61	49.83	37.84	25.60	64.34	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	12810.00	54.33	88.20	-33.87	33.32	41.10	20.58	41.20	0.53	--	--	PEAK																																																								
2	19215.00	39.39	74.00	-34.61	49.83	37.84	25.60	64.34	-9.54	--	--	PEAK																																																								
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>53.89</td><td>88.20</td><td>-34.31</td><td>32.88</td><td>41.10</td><td>20.58</td><td>41.20</td><td>0.53</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19215.00</td><td>38.77</td><td>74.00</td><td>-35.23</td><td>49.21</td><td>37.84</td><td>25.60</td><td>64.34</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12810.00	53.89	88.20	-34.31	32.88	41.10	20.58	41.20	0.53	--	--	PEAK	2	19215.00	38.77	74.00	-35.23	49.21	37.84	25.60	64.34	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	12810.00	53.89	88.20	-34.31	32.88	41.10	20.58	41.20	0.53	--	--	PEAK																																																								
2	19215.00	38.77	74.00	-35.23	49.21	37.84	25.60	64.34	-9.54	--	--	PEAK																																																								



Mode	12																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5907.40</td><td>77.08</td><td>88.20</td><td>-11.12</td><td>64.64</td><td>33.70</td><td>13.77</td><td>35.03</td><td>0.00</td><td>188</td><td>329</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5907.40	77.08	88.20	-11.12	64.64	33.70	13.77	35.03	0.00	188	329	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>109.64</td><td>-----</td><td>-----</td><td>97.01</td><td>33.79</td><td>13.89</td><td>35.05</td><td>0.00</td><td>188</td><td>329</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	109.64	-----	-----	97.01	33.79	13.89	35.05	0.00	188	329
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5907.40	77.08	88.20	-11.12	64.64	33.70	13.77	35.03	0.00	188	329	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	109.64	-----	-----	97.01	33.79	13.89	35.05	0.00	188	329	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.52</td><td>65.78</td><td>68.20</td><td>-2.42</td><td>53.33</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>188</td><td>329</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.52	65.78	68.20	-2.42	53.33	33.70	13.78	35.03	0.00	188	329	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>101.91</td><td>-----</td><td>-----</td><td>89.32</td><td>33.77</td><td>13.87</td><td>35.05</td><td>0.00</td><td>188</td><td>329</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	101.91	-----	-----	89.32	33.77	13.87	35.05	0.00	188	329
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5916.52	65.78	68.20	-2.42	53.33	33.70	13.78	35.03	0.00	188	329	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5985.00	101.91	-----	-----	89.32	33.77	13.87	35.05	0.00	188	329	AVERAGE																																																																																							



		12																																																																																								
Mode	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5925.00</td><td>80.41</td><td>88.20</td><td>-7.79</td><td>67.95</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130 6 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5925.00	80.41	88.20	-7.79	67.95	33.70	13.79	35.03	0.00	130 6 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>100.90</td><td>-----</td><td>-----</td><td>96.24</td><td>33.82</td><td>13.89</td><td>35.05</td><td>0.00</td><td>130 6 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	100.90	-----	-----	96.24	33.82	13.89	35.05	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5925.00	80.41	88.20	-7.79	67.95	33.70	13.79	35.03	0.00	130 6 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	100.90	-----	-----	96.24	33.82	13.89	35.05	0.00	130 6 PEAK																																																																																	
Avg.																																																																																										
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5924.52</td><td>66.38</td><td>68.20</td><td>-1.82</td><td>53.92</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>130 6 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.52	66.38	68.20	-1.82	53.92	33.70	13.79	35.03	0.00	130 6 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5985.00</td><td>99.64</td><td>-----</td><td>-----</td><td>87.07</td><td>33.76</td><td>13.86</td><td>35.05</td><td>0.00</td><td>130 6 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5985.00	99.64	-----	-----	87.07	33.76	13.86	35.05	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5924.52	66.38	68.20	-1.82	53.92	33.70	13.79	35.03	0.00	130 6 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5985.00	99.64	-----	-----	87.07	33.76	13.86	35.05	0.00	130 6 AVERAGE																																																																																	







		12																																																																																																																																																																																					
Mode	Harmonic																																																																																																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																																																																																																						
ANT	6+7																																																																																																																																																																																						
Pol.	Horizontal											Vertical																																																																																																																																																																											
Peak Avg.	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11970.00</td><td>51.44</td><td>74.00</td><td>-22.56</td><td>32.80</td><td>39.18</td><td>19.88</td><td>40.87</td><td>0.45</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>11970.00</td><td>42.36</td><td>54.00</td><td>-11.64</td><td>23.72</td><td>39.18</td><td>19.88</td><td>40.87</td><td>0.45</td><td>--</td><td>-- Average</td></tr><tr><td>3</td><td>17955.00</td><td>55.73</td><td>74.00</td><td>-18.27</td><td>34.53</td><td>41.62</td><td>24.70</td><td>45.58</td><td>0.46</td><td>--</td><td>-- PEAK</td></tr><tr><td>4</td><td>17955.00</td><td>46.67</td><td>54.00</td><td>-7.33</td><td>25.47</td><td>41.62</td><td>24.70</td><td>45.58</td><td>0.46</td><td>--</td><td>-- Average</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11970.00	51.44	74.00	-22.56	32.80	39.18	19.88	40.87	0.45	--	-- PEAK	2	11970.00	42.36	54.00	-11.64	23.72	39.18	19.88	40.87	0.45	--	-- Average	3	17955.00	55.73	74.00	-18.27	34.53	41.62	24.70	45.58	0.46	--	-- PEAK	4	17955.00	46.67	54.00	-7.33	25.47	41.62	24.70	45.58	0.46	--	-- Average	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11970.00</td><td>51.04</td><td>74.00</td><td>-22.96</td><td>32.40</td><td>39.18</td><td>19.88</td><td>40.87</td><td>0.45</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>11970.00</td><td>42.03</td><td>54.00</td><td>-11.97</td><td>23.39</td><td>39.18</td><td>19.88</td><td>40.87</td><td>0.45</td><td>--</td><td>-- Average</td></tr><tr><td>3</td><td>17955.00</td><td>55.15</td><td>74.00</td><td>-18.85</td><td>33.95</td><td>41.62</td><td>24.70</td><td>45.58</td><td>0.46</td><td>--</td><td>-- PEAK</td></tr><tr><td>4</td><td>17955.00</td><td>46.10</td><td>54.00</td><td>-7.90</td><td>24.90</td><td>41.62</td><td>24.70</td><td>45.58</td><td>0.46</td><td>--</td><td>-- Average</td></tr></tbody></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11970.00	51.04	74.00	-22.96	32.40	39.18	19.88	40.87	0.45	--	-- PEAK	2	11970.00	42.03	54.00	-11.97	23.39	39.18	19.88	40.87	0.45	--	-- Average	3	17955.00	55.15	74.00	-18.85	33.95	41.62	24.70	45.58	0.46	--	-- PEAK	4	17955.00	46.10	54.00	-7.90	24.90	41.62	24.70	45.58	0.46	--	-- Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																												
1	11970.00	51.44	74.00	-22.56	32.80	39.18	19.88	40.87	0.45	--	-- PEAK																																																																																																																																																																												
2	11970.00	42.36	54.00	-11.64	23.72	39.18	19.88	40.87	0.45	--	-- Average																																																																																																																																																																												
3	17955.00	55.73	74.00	-18.27	34.53	41.62	24.70	45.58	0.46	--	-- PEAK																																																																																																																																																																												
4	17955.00	46.67	54.00	-7.33	25.47	41.62	24.70	45.58	0.46	--	-- Average																																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																												
1	11970.00	51.04	74.00	-22.96	32.40	39.18	19.88	40.87	0.45	--	-- PEAK																																																																																																																																																																												
2	11970.00	42.03	54.00	-11.97	23.39	39.18	19.88	40.87	0.45	--	-- Average																																																																																																																																																																												
3	17955.00	55.15	74.00	-18.85	33.95	41.62	24.70	45.58	0.46	--	-- PEAK																																																																																																																																																																												
4	17955.00	46.10	54.00	-7.90	24.90	41.62	24.70	45.58	0.46	--	-- Average																																																																																																																																																																												



		13									
Mode	Band Edge										
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial RU 484/65_5985MHz										
ANT	6+7										
Pol.	Horizontal										
Peak	</										





		13																																																																																																
Mode	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial RU 484/65_5985MHz																																																																																																	
ANT	6+7																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>81.63</td><td>88.20</td><td>-6.57</td><td>69.17</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>136</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	81.63	88.20	-6.57	69.17	33.70	13.79	35.03	0.00	136	360	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>109.58</td><td>-----</td><td>-----</td><td>97.01</td><td>33.76</td><td>13.86</td><td>35.05</td><td>0.00</td><td>136</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	109.58	-----	-----	97.01	33.76	13.86	35.05	0.00	136	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5925.00	81.63	88.20	-6.57	69.17	33.70	13.79	35.03	0.00	136	360	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	109.58	-----	-----	97.01	33.76	13.86	35.05	0.00	136	360	PEAK																																																																																						
Avg.																																																																																																		
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5925.00</td><td>66.80</td><td>68.20</td><td>-1.40</td><td>54.34</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>136</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	66.80	68.20	-1.40	54.34	33.70	13.79	35.03	0.00	136	360	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>101.44</td><td>-----</td><td>-----</td><td>88.96</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>136</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	101.44	-----	-----	88.96	33.70	13.82	35.04	0.00	136	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5925.00	66.80	68.20	-1.40	54.34	33.70	13.79	35.03	0.00	136	360	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	101.44	-----	-----	88.96	33.70	13.82	35.04	0.00	136	360	AVERAGE																																																																																						







		14																																																																														
Mode		Harmonic																																																																														
		U-NII-5_5.925-6.425_802.11ax HE80_CH55_6225MHz																																																																														
ANT		6+7																																																																														
Pol.		Horizontal						Vertical																																																																								
Peak Avg.																																																																																
		Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>52.41</td><td>74.00</td><td>-21.59</td><td>32.69</td><td>40.10</td><td>20.28</td><td>41.15</td><td>0.49</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12450.00</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>23.67</td><td>40.10</td><td>20.28</td><td>41.15</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18675.00</td><td>39.89</td><td>74.00</td><td>-34.11</td><td>51.07</td><td>37.85</td><td>25.20</td><td>64.69</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	52.41	74.00	-21.59	32.69	40.10	20.28	41.15	0.49	--	PEAK	2	12450.00	43.39	54.00	-10.61	23.67	40.10	20.28	41.15	0.49	--	Average	3	18675.00	39.89	74.00	-34.11	51.07	37.85	25.20	64.69	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	12450.00	52.41	74.00	-21.59	32.69	40.10	20.28	41.15	0.49	--	PEAK																																																																					
2	12450.00	43.39	54.00	-10.61	23.67	40.10	20.28	41.15	0.49	--	Average																																																																					
3	18675.00	39.89	74.00	-34.11	51.07	37.85	25.20	64.69	-9.54	--	PEAK																																																																					
		Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12450.00</td><td>52.37</td><td>74.00</td><td>-21.63</td><td>32.65</td><td>40.10</td><td>20.28</td><td>41.15</td><td>0.49</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12450.00</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>23.62</td><td>40.10</td><td>20.28</td><td>41.15</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18675.00</td><td>39.83</td><td>74.00</td><td>-34.17</td><td>51.01</td><td>37.85</td><td>25.20</td><td>64.69</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	52.37	74.00	-21.63	32.65	40.10	20.28	41.15	0.49	--	PEAK	2	12450.00	43.34	54.00	-10.66	23.62	40.10	20.28	41.15	0.49	--	Average	3	18675.00	39.83	74.00	-34.17	51.01	37.85	25.20	64.69	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	12450.00	52.37	74.00	-21.63	32.65	40.10	20.28	41.15	0.49	--	PEAK																																																																					
2	12450.00	43.34	54.00	-10.66	23.62	40.10	20.28	41.15	0.49	--	Average																																																																					
3	18675.00	39.83	74.00	-34.17	51.01	37.85	25.20	64.69	-9.54	--	PEAK																																																																					







Mode	15																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_6385MHz																																																																																																																												
ANT	6+7																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg.																																																																																																																													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>53.23</td><td>88.20</td><td>-34.97</td><td>32.32</td><td>41.04</td><td>20.55</td><td>41.20</td><td>0.52</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19155.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>49.63</td><td>38.00</td><td>25.55</td><td>64.33</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	53.23	88.20	-34.97	32.32	41.04	20.55	41.20	0.52	--	--	PEAK	2	19155.00	39.39	74.00	-34.61	49.63	38.00	25.55	64.33	-9.54	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12770.00</td><td>54.77</td><td>88.20</td><td>-33.43</td><td>33.86</td><td>41.04</td><td>20.55</td><td>41.20</td><td>0.52</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19155.00</td><td>40.56</td><td>74.00</td><td>-33.44</td><td>50.80</td><td>38.00</td><td>25.55</td><td>64.33</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	54.77	88.20	-33.43	33.86	41.04	20.55	41.20	0.52	--	--	PEAK	2	19155.00	40.56	74.00	-33.44	50.80	38.00	25.55	64.33	-9.54	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	12770.00	53.23	88.20	-34.97	32.32	41.04	20.55	41.20	0.52	--	--	PEAK																																																																																																																	
2	19155.00	39.39	74.00	-34.61	49.63	38.00	25.55	64.33	-9.54	--	--	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	12770.00	54.77	88.20	-33.43	33.86	41.04	20.55	41.20	0.52	--	--	PEAK																																																																																																																	
2	19155.00	40.56	74.00	-33.44	50.80	38.00	25.55	64.33	-9.54	--	--	PEAK																																																																																																																	




		16																																																																																																	
Mode	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5915.60</td><td>75.69</td><td>88.20</td><td>-12.51</td><td>63.24</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>190</td><td>331</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.60	75.69	88.20	-12.51	63.24	33.70	13.78	35.03	0.00	190	331	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>100.10</td><td>-----</td><td>-----</td><td>95.23</td><td>34.01</td><td>13.92</td><td>35.06</td><td>0.00</td><td>190</td><td>331</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	100.10	-----	-----	95.23	34.01	13.92	35.06	0.00	190	331
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5915.60	75.69	88.20	-12.51	63.24	33.70	13.78	35.03	0.00	190	331	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	100.10	-----	-----	95.23	34.01	13.92	35.06	0.00	190	331	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.80</td><td>65.91</td><td>68.20</td><td>-2.29</td><td>53.46</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>190</td><td>331</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.80	65.91	68.20	-2.29	53.46	33.70	13.78	35.03	0.00	190	331	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>98.88</td><td>-----</td><td>-----</td><td>86.01</td><td>34.01</td><td>13.92</td><td>35.06</td><td>0.00</td><td>190</td><td>331</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	98.88	-----	-----	86.01	34.01	13.92	35.06	0.00	190	331
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5916.80	65.91	68.20	-2.29	53.46	33.70	13.78	35.03	0.00	190	331	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	98.88	-----	-----	86.01	34.01	13.92	35.06	0.00	190	331	AVERAGE																																																																																							







		16																																																																																														
Mode	Band Edge																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																															
ANT	6+7																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5914.00</td><td>75.83</td><td>88.20</td><td>-12.37</td><td>63.38</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>120</td><td>6 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.00	75.83	88.20	-12.37	63.38	33.70	13.78	35.03	0.00	120	6 PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>105.62</td><td>-----</td><td>-----</td><td>92.62</td><td>34.13</td><td>13.94</td><td>35.07</td><td>0.00</td><td>120</td><td>6 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	105.62	-----	-----	92.62	34.13	13.94	35.07	0.00	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5914.00	75.83	88.20	-12.37	63.38	33.70	13.78	35.03	0.00	120	6 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6025.00	105.62	-----	-----	92.62	34.13	13.94	35.07	0.00	120	6 PEAK																																																																																					
Avg.																																																																																																
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5913.20</td><td>66.14</td><td>68.20</td><td>-2.06</td><td>53.69</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>120</td><td>6 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.20	66.14	68.20	-2.06	53.69	33.70	13.78	35.03	0.00	120	6 AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>95.98</td><td>-----</td><td>-----</td><td>83.25</td><td>33.89</td><td>13.90</td><td>35.06</td><td>0.00</td><td>120</td><td>6 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	95.98	-----	-----	83.25	33.89	13.90	35.06	0.00	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5913.20	66.14	68.20	-2.06	53.69	33.70	13.78	35.03	0.00	120	6 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6025.00	95.98	-----	-----	83.25	33.89	13.90	35.06	0.00	120	6 AVERAGE																																																																																					







		16																																																																															
Mode		Harmonic																																																																															
		U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																															
ANT		6+7																																																																															
Pol.		Horizontal						Vertical																																																																									
Peak Avg.																																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>51.36</td><td>74.00</td><td>-22.64</td><td>32.48</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.45</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12050.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>23.45</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.45</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18075.00</td><td>39.70</td><td>74.00</td><td>-34.30</td><td>51.26</td><td>37.50</td><td>24.79</td><td>64.31</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	51.36	74.00	-22.64	32.48	39.40	19.95	40.92	0.45	--	PEAK	2	12050.00	42.33	54.00	-11.67	23.45	39.40	19.95	40.92	0.45	--	Average	3	18075.00	39.70	74.00	-34.30	51.26	37.50	24.79	64.31	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	12050.00	51.36	74.00	-22.64	32.48	39.40	19.95	40.92	0.45	--	PEAK																																																																						
2	12050.00	42.33	54.00	-11.67	23.45	39.40	19.95	40.92	0.45	--	Average																																																																						
3	18075.00	39.70	74.00	-34.30	51.26	37.50	24.79	64.31	-9.54	--	PEAK																																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>51.69</td><td>74.00</td><td>-22.31</td><td>32.81</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.45</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12050.00</td><td>42.66</td><td>54.00</td><td>-11.34</td><td>23.78</td><td>39.40</td><td>19.95</td><td>40.92</td><td>0.45</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18075.00</td><td>39.55</td><td>74.00</td><td>-34.45</td><td>51.11</td><td>37.50</td><td>24.79</td><td>64.31</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	51.69	74.00	-22.31	32.81	39.40	19.95	40.92	0.45	--	PEAK	2	12050.00	42.66	54.00	-11.34	23.78	39.40	19.95	40.92	0.45	--	Average	3	18075.00	39.55	74.00	-34.45	51.11	37.50	24.79	64.31	-9.54	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	12050.00	51.69	74.00	-22.31	32.81	39.40	19.95	40.92	0.45	--	PEAK																																																																						
2	12050.00	42.66	54.00	-11.34	23.78	39.40	19.95	40.92	0.45	--	Average																																																																						
3	18075.00	39.55	74.00	-34.45	51.11	37.50	24.79	64.31	-9.54	--	PEAK																																																																						



Mode	17																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial RU 996/67_6025MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5907.40</td><td>82.42</td><td>88.20</td><td>-5.78</td><td>69.98</td><td>33.70</td><td>13.77</td><td>35.03</td><td>0.00</td><td>189</td><td>314</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5907.40	82.42	88.20	-5.78	69.98	33.70	13.77	35.03	0.00	189	314	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>107.22</td><td>-----</td><td>-----</td><td>94.70</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>189</td><td>314</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6025.00	107.22	-----	-----	94.70	33.72	13.84	35.04	0.00	189	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5907.40	82.42	88.20	-5.78	69.98	33.70	13.77	35.03	0.00	189	314	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	6025.00	107.22	-----	-----	94.70	33.72	13.84	35.04	0.00	189	314	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5918.00</td><td>63.99</td><td>68.20</td><td>-4.21</td><td>51.54</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>189</td><td>314</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5918.00	63.99	68.20	-4.21	51.54	33.70	13.78	35.03	0.00	189	314	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>99.27</td><td>-----</td><td>-----</td><td>86.75</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>189</td><td>314</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6025.00	99.27	-----	-----	86.75	33.72	13.84	35.04	0.00	189	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5918.00	63.99	68.20	-4.21	51.54	33.70	13.78	35.03	0.00	189	314	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	6025.00	99.27	-----	-----	86.75	33.72	13.84	35.04	0.00	189	314	AVERAGE																																																																																							





Mode	17																																																																																																		
	Band Edge																																																																																																		
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial RU 996/67_6025MHz																																																																																																		
ANT	6+7																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5897.60</td><td>81.27</td><td>88.20</td><td>-6.93</td><td>68.84</td><td>33.70</td><td>13.76</td><td>35.03</td><td>0.00</td><td>139</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5897.60	81.27	88.20	-6.93	68.84	33.70	13.76	35.03	0.00	139	360	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>105.17</td><td>-----</td><td>-----</td><td>92.69</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>139</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	105.17	-----	-----	92.69	33.70	13.82	35.04	0.00	139	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5897.60	81.27	88.20	-6.93	68.84	33.70	13.76	35.03	0.00	139	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	105.17	-----	-----	92.69	33.70	13.82	35.04	0.00	139	360	PEAK																																																																																							
Avg.																																																																																																			
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5917.80</td><td>63.70</td><td>68.20</td><td>-4.50</td><td>51.25</td><td>33.70</td><td>13.78</td><td>35.03</td><td>0.00</td><td>139</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.80	63.70	68.20	-4.50	51.25	33.70	13.78	35.03	0.00	139	360	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>96.97</td><td>-----</td><td>-----</td><td>84.31</td><td>33.82</td><td>13.89</td><td>35.05</td><td>0.00</td><td>139</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	96.97	-----	-----	84.31	33.82	13.89	35.05	0.00	139	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5917.80	63.70	68.20	-4.50	51.25	33.70	13.78	35.03	0.00	139	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	6025.00	96.97	-----	-----	84.31	33.82	13.89	35.05	0.00	139	360	AVERAGE																																																																																							





		18																																																																															
Mode		Harmonic																																																																															
		U-NII-5_5.925-6.425_802.11ax HE160_CH47_6185MHz																																																																															
ANT		6+7																																																																															
Pol.		Horizontal						Vertical																																																																									
Peak Avg.																																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>33.44</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.49</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12370.00</td><td>43.96</td><td>54.00</td><td>-10.04</td><td>24.41</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18555.00</td><td>39.86</td><td>74.00</td><td>-34.14</td><td>51.12</td><td>37.99</td><td>25.12</td><td>64.83</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	52.99	74.00	-21.01	33.44	39.94	20.22	41.10	0.49	--	PEAK	2	12370.00	43.96	54.00	-10.04	24.41	39.94	20.22	41.10	0.49	--	Average	3	18555.00	39.86	74.00	-34.14	51.12	37.99	25.12	64.83	-9.54	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	12370.00	52.99	74.00	-21.01	33.44	39.94	20.22	41.10	0.49	--	PEAK																																																																						
2	12370.00	43.96	54.00	-10.04	24.41	39.94	20.22	41.10	0.49	--	Average																																																																						
3	18555.00	39.86	74.00	-34.14	51.12	37.99	25.12	64.83	-9.54	--	PEAK																																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>33.16</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.49</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12370.00</td><td>43.69</td><td>54.00</td><td>-10.31</td><td>24.14</td><td>39.94</td><td>20.22</td><td>41.10</td><td>0.49</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>18555.00</td><td>40.34</td><td>74.00</td><td>-33.66</td><td>51.60</td><td>37.99</td><td>25.12</td><td>64.83</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	52.71	74.00	-21.29	33.16	39.94	20.22	41.10	0.49	--	PEAK	2	12370.00	43.69	54.00	-10.31	24.14	39.94	20.22	41.10	0.49	--	Average	3	18555.00	40.34	74.00	-33.66	51.60	37.99	25.12	64.83	-9.54	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	12370.00	52.71	74.00	-21.29	33.16	39.94	20.22	41.10	0.49	--	PEAK																																																																						
2	12370.00	43.69	54.00	-10.31	24.14	39.94	20.22	41.10	0.49	--	Average																																																																						
3	18555.00	40.34	74.00	-33.66	51.60	37.99	25.12	64.83	-9.54	--	PEAK																																																																						





		19																																																																												
Mode	Harmonic																																																																													
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_6345MHz																																																																													
ANT	6+7																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg.																																																																														
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>53.74</td><td>74.00</td><td>-20.26</td><td>33.04</td><td>40.90</td><td>20.48</td><td>41.20</td><td>0.52</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12690.00</td><td>44.75</td><td>54.00</td><td>-9.25</td><td>24.05</td><td>40.90</td><td>20.48</td><td>41.20</td><td>0.52</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19035.00</td><td>39.15</td><td>74.00</td><td>-34.85</td><td>49.71</td><td>37.84</td><td>25.45</td><td>64.31</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	53.74	74.00	-20.26	33.04	40.90	20.48	41.20	0.52	--	PEAK	2	12690.00	44.75	54.00	-9.25	24.05	40.90	20.48	41.20	0.52	--	Average	3	19035.00	39.15	74.00	-34.85	49.71	37.84	25.45	64.31	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	12690.00	53.74	74.00	-20.26	33.04	40.90	20.48	41.20	0.52	--	PEAK																																																																			
2	12690.00	44.75	54.00	-9.25	24.05	40.90	20.48	41.20	0.52	--	Average																																																																			
3	19035.00	39.15	74.00	-34.85	49.71	37.84	25.45	64.31	-9.54	--	PEAK																																																																			
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>53.43</td><td>74.00</td><td>-20.57</td><td>32.73</td><td>40.90</td><td>20.48</td><td>41.20</td><td>0.52</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>12690.00</td><td>44.41</td><td>54.00</td><td>-9.59</td><td>23.71</td><td>40.90</td><td>20.48</td><td>41.20</td><td>0.52</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19035.00</td><td>39.40</td><td>74.00</td><td>-34.60</td><td>49.96</td><td>37.84</td><td>25.45</td><td>64.31</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	53.43	74.00	-20.57	32.73	40.90	20.48	41.20	0.52	--	PEAK	2	12690.00	44.41	54.00	-9.59	23.71	40.90	20.48	41.20	0.52	--	Average	3	19035.00	39.40	74.00	-34.60	49.96	37.84	25.45	64.31	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	12690.00	53.43	74.00	-20.57	32.73	40.90	20.48	41.20	0.52	--	PEAK																																																																			
2	12690.00	44.41	54.00	-9.59	23.71	40.90	20.48	41.20	0.52	--	Average																																																																			
3	19035.00	39.40	74.00	-34.60	49.96	37.84	25.45	64.31	-9.54	--	PEAK																																																																			





Mode	31																																																																												
	Harmonic																																																																												
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																												
ANT	6+7																																																																												
Pol.	Horizontal																																																																												
Peak Avg.																																																																													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>51.12</td><td>88.20</td><td>-37.08</td><td>30.22</td><td>40.92</td><td>20.79</td><td>41.36</td><td>0.55</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>49.85</td><td>74.00</td><td>-24.15</td><td>59.95</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>244</td><td>353 PEAK</td></tr><tr><td>3</td><td>19605.00</td><td>40.12</td><td>54.00</td><td>-13.88</td><td>50.22</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>244</td><td>353 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	51.12	88.20	-37.08	30.22	40.92	20.79	41.36	0.55	--	PEAK	2	19605.00	49.85	74.00	-24.15	59.95	37.81	25.92	64.29	-9.54	244	353 PEAK	3	19605.00	40.12	54.00	-13.88	50.22	37.81	25.92	64.29	-9.54	244
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	13070.00	51.12	88.20	-37.08	30.22	40.92	20.79	41.36	0.55	--	PEAK																																																																		
2	19605.00	49.85	74.00	-24.15	59.95	37.81	25.92	64.29	-9.54	244	353 PEAK																																																																		
3	19605.00	40.12	54.00	-13.88	50.22	37.81	25.92	64.29	-9.54	244	353 Average																																																																		
Pol.	Vertical																																																																												
Peak Avg.																																																																													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>51.09</td><td>88.20</td><td>-37.11</td><td>30.19</td><td>40.92</td><td>20.79</td><td>41.36</td><td>0.55</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>47.66</td><td>74.00</td><td>-26.34</td><td>57.76</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>157</td><td>342 PEAK</td></tr><tr><td>3</td><td>19605.00</td><td>38.11</td><td>54.00</td><td>-15.89</td><td>48.21</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>157</td><td>342 Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	51.09	88.20	-37.11	30.19	40.92	20.79	41.36	0.55	--	PEAK	2	19605.00	47.66	74.00	-26.34	57.76	37.81	25.92	64.29	-9.54	157	342 PEAK	3	19605.00	38.11	54.00	-15.89	48.21	37.81	25.92	64.29	-9.54	157
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1	13070.00	51.09	88.20	-37.11	30.19	40.92	20.79	41.36	0.55	--	PEAK																																																																		
2	19605.00	47.66	74.00	-26.34	57.76	37.81	25.92	64.29	-9.54	157	342 PEAK																																																																		
3	19605.00	38.11	54.00	-15.89	48.21	37.81	25.92	64.29	-9.54	157	342 Average																																																																		





Mode	32																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																																													
ANT	6+7																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg.	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13390.00</td><td>52.16</td><td>74.00</td><td>-21.84</td><td>31.70</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>-- -- PEAK</td></tr><tr><td>2 13390.00</td><td>43.15</td><td>54.00</td><td>-10.85</td><td>22.69</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>-- -- Average</td></tr><tr><td>3 20885.00</td><td>48.91</td><td>74.00</td><td>-25.09</td><td>58.25</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>232 243 PEAK</td></tr><tr><td>4 20885.00</td><td>38.22</td><td>54.00</td><td>-15.78</td><td>47.56</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>232 243 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13390.00	52.16	74.00	-21.84	31.70	40.84	21.04	42.00	0.58	-- -- PEAK	2 13390.00	43.15	54.00	-10.85	22.69	40.84	21.04	42.00	0.58	-- -- Average	3 20885.00	48.91	74.00	-25.09	58.25	37.77	26.31	63.88	-9.54	232 243 PEAK	4 20885.00	38.22	54.00	-15.78	47.56	37.77	26.31	63.88	-9.54	232 243 Average	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13390.00</td><td>51.73</td><td>74.00</td><td>-22.27</td><td>31.27</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>-- -- PEAK</td></tr><tr><td>2 13390.00</td><td>42.70</td><td>54.00</td><td>-11.30</td><td>22.24</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>-- -- Average</td></tr><tr><td>3 20885.00</td><td>44.06</td><td>74.00</td><td>-29.94</td><td>53.40</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>204 321 PEAK</td></tr><tr><td>4 20885.00</td><td>35.86</td><td>54.00</td><td>-18.14</td><td>45.20</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>204 321 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13390.00	51.73	74.00	-22.27	31.27	40.84	21.04	42.00	0.58	-- -- PEAK	2 13390.00	42.70	54.00	-11.30	22.24	40.84	21.04	42.00	0.58	-- -- Average	3 20885.00	44.06	74.00	-29.94	53.40	37.77	26.31	63.88	-9.54	204 321 PEAK	4 20885.00	35.86	54.00	-18.14	45.20	37.77	26.31	63.88	-9.54	204 321 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 13390.00	52.16	74.00	-21.84	31.70	40.84	21.04	42.00	0.58	-- -- PEAK																																																																																																																																					
2 13390.00	43.15	54.00	-10.85	22.69	40.84	21.04	42.00	0.58	-- -- Average																																																																																																																																					
3 20885.00	48.91	74.00	-25.09	58.25	37.77	26.31	63.88	-9.54	232 243 PEAK																																																																																																																																					
4 20885.00	38.22	54.00	-15.78	47.56	37.77	26.31	63.88	-9.54	232 243 Average																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 13390.00	51.73	74.00	-22.27	31.27	40.84	21.04	42.00	0.58	-- -- PEAK																																																																																																																																					
2 13390.00	42.70	54.00	-11.30	22.24	40.84	21.04	42.00	0.58	-- -- Average																																																																																																																																					
3 20885.00	44.06	74.00	-29.94	53.40	37.77	26.31	63.88	-9.54	204 321 PEAK																																																																																																																																					
4 20885.00	35.86	54.00	-18.14	45.20	37.77	26.31	63.88	-9.54	204 321 Average																																																																																																																																					





Mode	33																																																																																
	Harmonic																																																																																
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																
ANT	6+7																																																																																
Pol.	Horizontal						Vertical																																																																										
Peak Avg.																																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>53.50</td><td>88.20</td><td>-34.70</td><td>32.85</td><td>41.20</td><td>21.29</td><td>42.45</td><td>0.61</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20565.00</td><td>48.62</td><td>74.00</td><td>-25.38</td><td>57.11</td><td>38.11</td><td>26.66</td><td>63.72</td><td>-9.54</td><td>305</td><td>238</td><td>Peak</td></tr><tr><td>3</td><td>20565.00</td><td>39.70</td><td>54.00</td><td>-14.30</td><td>48.19</td><td>38.11</td><td>26.66</td><td>63.72</td><td>-9.54</td><td>305</td><td>238</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	53.50	88.20	-34.70	32.85	41.20	21.29	42.45	0.61	--	--	PEAK	2	20565.00	48.62	74.00	-25.38	57.11	38.11	26.66	63.72	-9.54	305	238	Peak	3	20565.00	39.70	54.00	-14.30	48.19	38.11	26.66	63.72	-9.54	305	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	13710.00	53.50	88.20	-34.70	32.85	41.20	21.29	42.45	0.61	--	--	PEAK																																																																					
2	20565.00	48.62	74.00	-25.38	57.11	38.11	26.66	63.72	-9.54	305	238	Peak																																																																					
3	20565.00	39.70	54.00	-14.30	48.19	38.11	26.66	63.72	-9.54	305	238	Average																																																																					
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>54.44</td><td>88.20</td><td>-33.76</td><td>33.79</td><td>41.20</td><td>21.29</td><td>42.45</td><td>0.61</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20565.00</td><td>48.38</td><td>74.00</td><td>-25.62</td><td>56.87</td><td>38.11</td><td>26.66</td><td>63.72</td><td>-9.54</td><td>201</td><td>324</td><td>Peak</td></tr><tr><td>3</td><td>20565.00</td><td>38.03</td><td>54.00</td><td>-15.97</td><td>46.52</td><td>38.11</td><td>26.66</td><td>63.72</td><td>-9.54</td><td>201</td><td>324</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	54.44	88.20	-33.76	33.79	41.20	21.29	42.45	0.61	--	--	PEAK	2	20565.00	48.38	74.00	-25.62	56.87	38.11	26.66	63.72	-9.54	201	324	Peak	3	20565.00	38.03	54.00	-15.97	46.52	38.11	26.66	63.72	-9.54	201	324	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	13710.00	54.44	88.20	-33.76	33.79	41.20	21.29	42.45	0.61	--	--	PEAK																																																																					
2	20565.00	48.38	74.00	-25.62	56.87	38.11	26.66	63.72	-9.54	201	324	Peak																																																																					
3	20565.00	38.03	54.00	-15.97	46.52	38.11	26.66	63.72	-9.54	201	324	Average																																																																					





Mode	35																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_6535MHz																																																																																																																								
ANT	6+7																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg.																																																																																																																									
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>52.75</td><td>88.20</td><td>-35.45</td><td>31.85</td><td>40.92</td><td>20.79</td><td>41.36</td><td>0.55</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>41.67</td><td>74.00</td><td>-32.33</td><td>51.77</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	52.75	88.20	-35.45	31.85	40.92	20.79	41.36	0.55	--	PEAK	2	19605.00	41.67	74.00	-32.33	51.77	37.81	25.92	64.29	-9.54	--	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13070.00</td><td>51.93</td><td>88.20</td><td>-36.27</td><td>31.03</td><td>40.92</td><td>20.79</td><td>41.36</td><td>0.55</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19605.00</td><td>41.08</td><td>74.00</td><td>-32.92</td><td>51.18</td><td>37.81</td><td>25.92</td><td>64.29</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13070.00	51.93	88.20	-36.27	31.03	40.92	20.79	41.36	0.55	--	PEAK	2	19605.00	41.08	74.00	-32.92	51.18	37.81	25.92	64.29	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13070.00	52.75	88.20	-35.45	31.85	40.92	20.79	41.36	0.55	--	PEAK																																																																																																														
2	19605.00	41.67	74.00	-32.33	51.77	37.81	25.92	64.29	-9.54	--	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	13070.00	51.93	88.20	-36.27	31.03	40.92	20.79	41.36	0.55	--	PEAK																																																																																																														
2	19605.00	41.08	74.00	-32.92	51.18	37.81	25.92	64.29	-9.54	--	PEAK																																																																																																														





Mode	36																																																																													
	Harmonic																																																																													
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_6695MHz																																																																													
ANT	6+7																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg.																																																																														
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>52.49</td><td>74.00</td><td>-21.51</td><td>32.03</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13390.00</td><td>43.49</td><td>54.00</td><td>-10.51</td><td>23.03</td><td>40.84</td><td>21.04</td><td>42.00</td><td>0.58</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>20805.00</td><td>41.74</td><td>74.00</td><td>-32.26</td><td>51.08</td><td>37.77</td><td>26.31</td><td>63.88</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13390.00	52.49	74.00	-21.51	32.03	40.84	21.04	42.00	0.58	--	PEAK	2	13390.00	43.49	54.00	-10.51	23.03	40.84	21.04	42.00	0.58	--	Average	3	20805.00	41.74	74.00	-32.26	51.08	37.77	26.31	63.88	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	13390.00	52.49	74.00	-21.51	32.03	40.84	21.04	42.00	0.58	--	PEAK																																																																			
2	13390.00	43.49	54.00	-10.51	23.03	40.84	21.04	42.00	0.58	--	Average																																																																			
3	20805.00	41.74	74.00	-32.26	51.08	37.77	26.31	63.88	-9.54	--	PEAK																																																																			



Mode	37																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_6855MHz																																																																																																																												
ANT	6+7																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg.																																																																																																																													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>54.90</td><td>88.20</td><td>-33.30</td><td>34.25</td><td>41.20</td><td>21.29</td><td>42.45</td><td>0.61</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20565.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>54.89</td><td>38.01</td><td>26.66</td><td>63.72</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	54.90	88.20	-33.30	34.25	41.20	21.29	42.45	0.61	--	--	PEAK	2	20565.00	46.30	74.00	-27.70	54.89	38.01	26.66	63.72	-9.54	--	--	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13710.00</td><td>54.61</td><td>88.20</td><td>-33.59</td><td>33.96</td><td>41.20</td><td>21.29</td><td>42.45</td><td>0.61</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20565.00</td><td>42.94</td><td>74.00</td><td>-31.06</td><td>51.53</td><td>38.01</td><td>26.66</td><td>63.72</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	54.61	88.20	-33.59	33.96	41.20	21.29	42.45	0.61	--	--	PEAK	2	20565.00	42.94	74.00	-31.06	51.53	38.01	26.66	63.72	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	13710.00	54.90	88.20	-33.30	34.25	41.20	21.29	42.45	0.61	--	--	PEAK																																																																																																																	
2	20565.00	46.30	74.00	-27.70	54.89	38.01	26.66	63.72	-9.54	--	--	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	13710.00	54.61	88.20	-33.59	33.96	41.20	21.29	42.45	0.61	--	--	PEAK																																																																																																																	
2	20565.00	42.94	74.00	-31.06	51.53	38.01	26.66	63.72	-9.54	--	--	PEAK																																																																																																																	





Mode	39																																																																
	Harmonic																																																																
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_6565MHz																																																																
ANT	6+7																																																																
Pol.	Horizontal																																																																
Peak Avg.																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13130.00</td><td>52.56</td><td>88.20</td><td>-35.64</td><td>31.54</td><td>41.10</td><td>20.84</td><td>41.48</td><td>0.56</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19695.00</td><td>42.66</td><td>74.00</td><td>-31.34</td><td>52.51</td><td>37.90</td><td>26.00</td><td>64.21</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	52.56	88.20	-35.64	31.54	41.10	20.84	41.48	0.56	--	PEAK	2	19695.00	42.66	74.00	-31.34	52.51	37.90	26.00	64.21	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	13130.00	52.56	88.20	-35.64	31.54	41.10	20.84	41.48	0.56	--	PEAK																																																						
2	19695.00	42.66	74.00	-31.34	52.51	37.90	26.00	64.21	-9.54	--	PEAK																																																						
Pol.	Vertical																																																																
Peak Avg.																																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13130.00</td><td>52.45</td><td>88.20</td><td>-35.75</td><td>31.43</td><td>41.10</td><td>20.84</td><td>41.48</td><td>0.56</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>19695.00</td><td>41.62</td><td>74.00</td><td>-32.38</td><td>51.47</td><td>37.90</td><td>26.00</td><td>64.21</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	52.45	88.20	-35.75	31.43	41.10	20.84	41.48	0.56	--	PEAK	2	19695.00	41.62	74.00	-32.38	51.47	37.90	26.00	64.21	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	13130.00	52.45	88.20	-35.75	31.43	41.10	20.84	41.48	0.56	--	PEAK																																																						
2	19695.00	41.62	74.00	-32.38	51.47	37.90	26.00	64.21	-9.54	--	PEAK																																																						





		40																																																																										
Mode		Harmonic																																																																										
		U-NII-7_6.525-6.875_802.11ax HE40_CH147_6685MHz																																																																										
ANT		6+7																																																																										
Pol.		Horizontal												Vertical																																																														
Peak Avg.																																																																												
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13370.00</td><td>51.95</td><td>74.00</td><td>-22.05</td><td>31.38</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.58</td><td>-- -- PEAK</td></tr><tr><td>2 13370.00</td><td>42.87</td><td>54.00</td><td>-11.13</td><td>22.30</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.58</td><td>-- -- Average</td></tr><tr><td>3 20855.00</td><td>40.05</td><td>74.00</td><td>-33.95</td><td>49.48</td><td>37.71</td><td>26.29</td><td>63.89</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13370.00	51.95	74.00	-22.05	31.38	40.92	21.03	41.96	0.58	-- -- PEAK	2 13370.00	42.87	54.00	-11.13	22.30	40.92	21.03	41.96	0.58	-- -- Average	3 20855.00	40.05	74.00	-33.95	49.48	37.71	26.29	63.89	-9.54	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																			
1 13370.00	51.95	74.00	-22.05	31.38	40.92	21.03	41.96	0.58	-- -- PEAK																																																																			
2 13370.00	42.87	54.00	-11.13	22.30	40.92	21.03	41.96	0.58	-- -- Average																																																																			
3 20855.00	40.05	74.00	-33.95	49.48	37.71	26.29	63.89	-9.54	-- -- PEAK																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 13370.00</td><td>51.63</td><td>74.00</td><td>-22.37</td><td>31.06</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.58</td><td>-- -- PEAK</td></tr><tr><td>2 13370.00</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>21.94</td><td>40.92</td><td>21.03</td><td>41.96</td><td>0.58</td><td>-- -- Average</td></tr><tr><td>3 20855.00</td><td>40.75</td><td>74.00</td><td>-33.25</td><td>50.18</td><td>37.71</td><td>26.29</td><td>63.89</td><td>-9.54</td><td>-- -- PEAK</td></tr></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 13370.00	51.63	74.00	-22.37	31.06	40.92	21.03	41.96	0.58	-- -- PEAK	2 13370.00	42.51	54.00	-11.49	21.94	40.92	21.03	41.96	0.58	-- -- Average	3 20855.00	40.75	74.00	-33.25	50.18	37.71	26.29	63.89	-9.54	-- -- PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																			
1 13370.00	51.63	74.00	-22.37	31.06	40.92	21.03	41.96	0.58	-- -- PEAK																																																																			
2 13370.00	42.51	54.00	-11.49	21.94	40.92	21.03	41.96	0.58	-- -- Average																																																																			
3 20855.00	40.75	74.00	-33.25	50.18	37.71	26.29	63.89	-9.54	-- -- PEAK																																																																			





Mode	41																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_6845MHz																																																																																																																												
ANT	6+7																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg.																																																																																																																													
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13690.00</td><td>53.94</td><td>88.20</td><td>-34.26</td><td>33.32</td><td>41.16</td><td>21.28</td><td>42.43</td><td>0.61</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20535.00</td><td>43.81</td><td>74.00</td><td>-30.19</td><td>52.49</td><td>37.98</td><td>26.64</td><td>63.76</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	53.94	88.20	-34.26	33.32	41.16	21.28	42.43	0.61	--	--	PEAK	2	20535.00	43.81	74.00	-30.19	52.49	37.98	26.64	63.76	-9.54	--	--	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13690.00</td><td>54.20</td><td>88.20</td><td>-34.00</td><td>33.58</td><td>41.16</td><td>21.28</td><td>42.43</td><td>0.61</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20535.00</td><td>41.81</td><td>74.00</td><td>-32.19</td><td>50.49</td><td>37.98</td><td>26.64</td><td>63.76</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13690.00	54.20	88.20	-34.00	33.58	41.16	21.28	42.43	0.61	--	--	PEAK	2	20535.00	41.81	74.00	-32.19	50.49	37.98	26.64	63.76	-9.54	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	13690.00	53.94	88.20	-34.26	33.32	41.16	21.28	42.43	0.61	--	--	PEAK																																																																																																																	
2	20535.00	43.81	74.00	-30.19	52.49	37.98	26.64	63.76	-9.54	--	--	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	13690.00	54.20	88.20	-34.00	33.58	41.16	21.28	42.43	0.61	--	--	PEAK																																																																																																																	
2	20535.00	41.81	74.00	-32.19	50.49	37.98	26.64	63.76	-9.54	--	--	PEAK																																																																																																																	





Mode	43																																																																																		
	Harmonic																																																																																		
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_6625MHz																																																																																		
ANT	6+7																																																																																		
Pol.	Horizontal							Vertical																																																																											
Peak Avg.																																																																																			
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL																																																																																		
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13250.00</td><td>52.22</td><td>74.00</td><td>-21.78</td><td></td><td>31.54</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.57</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13250.00</td><td>42.30</td><td>54.00</td><td>-11.70</td><td></td><td>21.62</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.57</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19875.00</td><td>39.96</td><td>74.00</td><td>-34.04</td><td></td><td>49.68</td><td>37.70</td><td>26.15</td><td>64.03</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13250.00	52.22	74.00	-21.78		31.54	40.90	20.93	41.72	0.57	--	--	PEAK	2	13250.00	42.30	54.00	-11.70		21.62	40.90	20.93	41.72	0.57	--	--	Average	3	19875.00	39.96	74.00	-34.04		49.68	37.70	26.15	64.03	-9.54	--	--
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	13250.00	52.22	74.00	-21.78		31.54	40.90	20.93	41.72	0.57	--	--	PEAK																																																																						
2	13250.00	42.30	54.00	-11.70		21.62	40.90	20.93	41.72	0.57	--	--	Average																																																																						
3	19875.00	39.96	74.00	-34.04		49.68	37.70	26.15	64.03	-9.54	--	--	PEAK																																																																						
Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																			
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13250.00</td><td>52.41</td><td>74.00</td><td>-21.59</td><td></td><td>31.73</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.57</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>13250.00</td><td>42.40</td><td>54.00</td><td>-11.60</td><td></td><td>21.72</td><td>40.90</td><td>20.93</td><td>41.72</td><td>0.57</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>19875.00</td><td>39.63</td><td>74.00</td><td>-34.37</td><td></td><td>49.35</td><td>37.70</td><td>26.15</td><td>64.03</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	13250.00	52.41	74.00	-21.59		31.73	40.90	20.93	41.72	0.57	--	--	PEAK	2	13250.00	42.40	54.00	-11.60		21.72	40.90	20.93	41.72	0.57	--	--	Average	3	19875.00	39.63	74.00	-34.37		49.35	37.70	26.15	64.03	-9.54	--	--	PEAK
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	13250.00	52.41	74.00	-21.59		31.73	40.90	20.93	41.72	0.57	--	--	PEAK																																																																						
2	13250.00	42.40	54.00	-11.60		21.72	40.90	20.93	41.72	0.57	--	--	Average																																																																						
3	19875.00	39.63	74.00	-34.37		49.35	37.70	26.15	64.03	-9.54	--	--	PEAK																																																																						





Mode	44																																																																		
	Harmonic																																																																		
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_6705MHz																																																																		
ANT	6+7																																																																		
Pol.	Horizontal						Vertical																																																												
Peak																																																																			
Avg.	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>53.18</td><td>88.20</td><td>-35.02</td><td>32.74</td><td>40.84</td><td>21.06</td><td>42.04</td><td>0.58</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>20115.00</td><td>40.11</td><td>74.00</td><td>-33.89</td><td>49.43</td><td>37.77</td><td>26.33</td><td>63.88</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	53.18	88.20	-35.02	32.74	40.84	21.06	42.04	0.58	--	PEAK	2	20115.00	40.11	74.00	-33.89	49.43	37.77	26.33	63.88	-9.54	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	13410.00	53.18	88.20	-35.02	32.74	40.84	21.06	42.04	0.58	--	PEAK																																																								
2	20115.00	40.11	74.00	-33.89	49.43	37.77	26.33	63.88	-9.54	--	PEAK																																																								





		45																																																																																														
Mode	Harmonic																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_6785MHz																																																																																															
ANT	6+7																																																																																															
Pol.	Horizontal																																																																																															
Peak Avg.	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7295.00</td><td>54.20</td><td>74.00</td><td>-19.80</td><td>37.02</td><td>37.18</td><td>15.38</td><td>36.57</td><td>1.19</td><td>213</td><td>303</td><td>Peak</td></tr><tr><td>2</td><td>7295.00</td><td>43.94</td><td>54.00</td><td>-10.06</td><td>26.76</td><td>37.18</td><td>15.38</td><td>36.57</td><td>1.19</td><td>213</td><td>303</td><td>Average</td></tr><tr><td>3</td><td>13570.00</td><td>54.17</td><td>88.20</td><td>-34.03</td><td>33.61</td><td>41.00</td><td>21.18</td><td>42.30</td><td>0.60</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>20355.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>50.35</td><td>37.98</td><td>26.51</td><td>63.83</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7295.00	54.20	74.00	-19.80	37.02	37.18	15.38	36.57	1.19	213	303	Peak	2	7295.00	43.94	54.00	-10.06	26.76	37.18	15.38	36.57	1.19	213	303	Average	3	13570.00	54.17	88.20	-34.03	33.61	41.00	21.18	42.30	0.60	--	--	PEAK	4	20355.00	41.47	74.00	-32.53	50.35	37.98	26.51	63.83	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7295.00	54.20	74.00	-19.80	37.02	37.18	15.38	36.57	1.19	213	303	Peak																																																																																				
2	7295.00	43.94	54.00	-10.06	26.76	37.18	15.38	36.57	1.19	213	303	Average																																																																																				
3	13570.00	54.17	88.20	-34.03	33.61	41.00	21.18	42.30	0.60	--	--	PEAK																																																																																				
4	20355.00	41.47	74.00	-32.53	50.35	37.98	26.51	63.83	-9.54	--	--	PEAK																																																																																				
		Vertical																																																																																														
Peak Avg.	 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7306.40</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>37.37</td><td>37.20</td><td>15.39</td><td>36.59</td><td>1.19</td><td>155</td><td>243</td><td>Peak</td></tr><tr><td>2</td><td>7306.40</td><td>45.54</td><td>54.00</td><td>-8.46</td><td>28.35</td><td>37.20</td><td>15.39</td><td>36.59</td><td>1.19</td><td>155</td><td>243</td><td>Average</td></tr><tr><td>3</td><td>13570.00</td><td>54.47</td><td>88.20</td><td>-33.73</td><td>33.91</td><td>41.00</td><td>21.18</td><td>42.30</td><td>0.60</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>20355.00</td><td>41.01</td><td>74.00</td><td>-32.99</td><td>49.89</td><td>37.98</td><td>26.51</td><td>63.83</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7306.40	54.56	74.00	-19.44	37.37	37.20	15.39	36.59	1.19	155	243	Peak	2	7306.40	45.54	54.00	-8.46	28.35	37.20	15.39	36.59	1.19	155	243	Average	3	13570.00	54.47	88.20	-33.73	33.91	41.00	21.18	42.30	0.60	--	--	PEAK	4	20355.00	41.01	74.00	-32.99	49.89	37.98	26.51	63.83	-9.54	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7306.40	54.56	74.00	-19.44	37.37	37.20	15.39	36.59	1.19	155	243	Peak																																																																																				
2	7306.40	45.54	54.00	-8.46	28.35	37.20	15.39	36.59	1.19	155	243	Average																																																																																				
3	13570.00	54.47	88.20	-33.73	33.91	41.00	21.18	42.30	0.60	--	--	PEAK																																																																																				
4	20355.00	41.01	74.00	-32.99	49.89	37.98	26.51	63.83	-9.54	--	--	PEAK																																																																																				







		47																																																																																																																																																																												
Mode	Harmonic																																																																																																																																																																													
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_6665MHz																																																																																																																																																																													
ANT	6+7																																																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																																																							
Peak Avg.																																																																																																																																																																														
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																																																																																																							
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th colspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>7309.00</td><td>54.05</td><td>74.00</td><td>-19.95</td><td>36.85</td><td>37.20</td><td>15.40</td><td>36.59</td><td>1.19</td><td>390</td><td>360</td><td>Peak</td><td colspan="7"></td></tr><tr><td>2</td><td>7309.00</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>26.14</td><td>37.20</td><td>15.40</td><td>36.59</td><td>1.19</td><td>390</td><td>360</td><td>Average</td><td colspan="7"></td></tr><tr><td>3</td><td>13330.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>32.29</td><td>41.00</td><td>21.00</td><td>41.88</td><td>0.58</td><td>--</td><td>--</td><td>PEAK</td><td colspan="7"></td></tr><tr><td>4</td><td>13330.00</td><td>42.38</td><td>54.00</td><td>-11.62</td><td>21.68</td><td>41.00</td><td>21.00</td><td>41.88</td><td>0.58</td><td>--</td><td>--</td><td>Average</td><td colspan="7"></td></tr><tr><td>5</td><td>19995.00</td><td>40.42</td><td>74.00</td><td>-33.58</td><td>49.92</td><td>37.70</td><td>26.25</td><td>63.91</td><td>-9.54</td><td>--</td><td>--</td><td>PEAK</td><td colspan="7"></td></tr></table>															Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark		Freq		Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	1	7309.00	54.05	74.00	-19.95	36.85	37.20	15.40	36.59	1.19	390	360	Peak								2	7309.00	43.34	54.00	-10.66	26.14	37.20	15.40	36.59	1.19	390	360	Average								3	13330.00	52.99	74.00	-21.01	32.29	41.00	21.00	41.88	0.58	--	--	PEAK								4	13330.00	42.38	54.00	-11.62	21.68	41.00	21.00	41.88	0.58	--	--	Average								5	19995.00	40.42	74.00	-33.58	49.92	37.70	26.25	63.91	-9.54	--	--	PEAK							
		Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																												
Freq		Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Loss	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor	Factor																																																																																																																																																										
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB	dB																																																																																																																																																										
1	7309.00	54.05	74.00	-19.95	36.85	37.20	15.40	36.59	1.19	390	360	Peak																																																																																																																																																																		
2	7309.00	43.34	54.00	-10.66	26.14	37.20	15.40	36.59	1.19	390	360	Average																																																																																																																																																																		
3	13330.00	52.99	74.00	-21.01	32.29	41.00	21.00	41.88	0.58	--	--	PEAK																																																																																																																																																																		
4	13330.00	42.38	54.00	-11.62	21.68	41.00	21.00	41.88	0.58	--	--	Average																																																																																																																																																																		
5	19995.00	40.42	74.00	-33.58	49.92	37.70	26.25	63.91	-9.54	--	--	PEAK																																																																																																																																																																		



Mode	67																																																																																																			
	LF																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																			
ANT	6+7																																																																																																			
Pol.	Horizontal					Vertical																																																																																														
QPI Peak																																																																																																				
	Site : 03CH22-HY Condition: QP 3m Bilog_47020_241005 HORIZONTAL					Site : 03CH22-HY Condition: QP 3m Bilog_47020_241005 VERTICAL																																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>59.10</td><td>25.21</td><td>40.00</td><td>-14.79</td><td>44.49</td><td>12.02</td><td>1.37</td><td>32.70</td><td>0.03 -- -- Peak</td></tr><tr><td>2</td><td>92.00</td><td>26.97</td><td>43.50</td><td>-16.53</td><td>42.67</td><td>15.00</td><td>1.72</td><td>32.69</td><td>0.07 -- -- Peak</td></tr><tr><td>3</td><td>258.92</td><td>19.75</td><td>46.00</td><td>-26.25</td><td>29.43</td><td>20.03</td><td>2.86</td><td>32.62</td><td>0.05 -- -- Peak</td></tr><tr><td>4</td><td>503.36</td><td>24.75</td><td>46.00</td><td>-21.25</td><td>29.54</td><td>23.84</td><td>3.95</td><td>32.80</td><td>0.22 -- -- Peak</td></tr><tr><td>5</td><td>734.22</td><td>36.05</td><td>46.00</td><td>-9.95</td><td>35.76</td><td>28.09</td><td>4.78</td><td>32.70</td><td>0.12 -- -- Peak</td></tr><tr><td>6</td><td>953.44</td><td>33.55</td><td>46.00</td><td>-12.45</td><td>28.15</td><td>31.08</td><td>5.42</td><td>31.30</td><td>0.20 -- -- Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	59.10	25.21	40.00	-14.79	44.49	12.02	1.37	32.70	0.03 -- -- Peak	2	92.00	26.97	43.50	-16.53	42.67	15.00	1.72	32.69	0.07 -- -- Peak	3	258.92	19.75	46.00	-26.25	29.43	20.03	2.86	32.62	0.05 -- -- Peak	4	503.36	24.75	46.00	-21.25	29.54	23.84	3.95	32.80	0.22 -- -- Peak	5	734.22	36.05	46.00	-9.95	35.76	28.09	4.78	32.70	0.12 -- -- Peak	6	953.44	33.55	46.00	-12.45	28.15	31.08	5.42	31.30	0.20 -- -- Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																											
1	59.10	25.21	40.00	-14.79	44.49	12.02	1.37	32.70	0.03 -- -- Peak																																																																																											
2	92.00	26.97	43.50	-16.53	42.67	15.00	1.72	32.69	0.07 -- -- Peak																																																																																											
3	258.92	19.75	46.00	-26.25	29.43	20.03	2.86	32.62	0.05 -- -- Peak																																																																																											
4	503.36	24.75	46.00	-21.25	29.54	23.84	3.95	32.80	0.22 -- -- Peak																																																																																											
5	734.22	36.05	46.00	-9.95	35.76	28.09	4.78	32.70	0.12 -- -- Peak																																																																																											
6	953.44	33.55	46.00	-12.45	28.15	31.08	5.42	31.30	0.20 -- -- Peak																																																																																											





<Sample 2>

Mode	65																																																																								
	Band Edge																																																																								
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																								
ANT	6+7																																																																								
Pol.	Horizontal						Fundamental																																																																		
Peak																																																																									
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5924.45</td><td>72.73</td><td>88.20</td><td>-15.47</td><td>60.27</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>181</td><td>207</td><td>PEAK</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5924.45	72.73	88.20	-15.47	60.27	33.70	13.79	35.03	0.00	181	207	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>117.87</td><td>-----</td><td>-----</td><td>105.39</td><td>33.70</td><td>13.82</td><td>35.04</td><td>0.00</td><td>181</td><td>207</td><td>PEAK</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5955.00	117.87	-----	-----	105.39	33.70	13.82	35.04	0.00	181	207
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1 5924.45	72.73	88.20	-15.47	60.27	33.70	13.79	35.03	0.00	181	207	PEAK																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1 5955.00	117.87	-----	-----	105.39	33.70	13.82	35.04	0.00	181	207	PEAK																																																														
Avg.																																																																									
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5924.58</td><td>63.03</td><td>68.20</td><td>-5.17</td><td>50.57</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>181</td><td>207</td><td>AVERAGE</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5924.58	63.03	68.20	-5.17	50.57	33.70	13.79	35.03	0.00	181	207	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>111.41</td><td>-----</td><td>-----</td><td>98.91</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>181</td><td>207</td><td>AVERAGE</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 5955.00	111.41	-----	-----	98.91	33.71	13.83	35.04	0.00	181	207
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1 5924.58	63.03	68.20	-5.17	50.57	33.70	13.79	35.03	0.00	181	207	AVERAGE																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1 5955.00	111.41	-----	-----	98.91	33.71	13.83	35.04	0.00	181	207	AVERAGE																																																														







Mode	65																																																																						
	Band Edge																																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																						
ANT	6+7																																																																						
Pol.	Vertical						Fundamental																																																																
Peak	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5922.11</td><td>68.67</td><td>88.20</td><td>-19.53</td><td>56.21</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>321</td><td>218</td><td>PEAK</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5922.11	68.67	88.20	-19.53	56.21	33.70	13.79	35.03	0.00	321	218	PEAK	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>112.00</td><td>-----</td><td>-----</td><td>100.30</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>321</td><td>218</td><td>PEAK</td></tr></table>					Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	112.00	-----	-----	100.30	33.71	13.83	35.04	0.00	321	218	PEAK
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1 5922.11	68.67	88.20	-19.53	56.21	33.70	13.79	35.03	0.00	321	218	PEAK																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1 5955.00	112.00	-----	-----	100.30	33.71	13.83	35.04	0.00	321	218	PEAK																																																												
Avg.	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.97</td><td>57.58</td><td>68.20</td><td>-10.62</td><td>45.12</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>321</td><td>218</td><td>AVERAGE</td></tr></table>						Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.97	57.58	68.20	-10.62	45.12	33.70	13.79	35.03	0.00	321	218	AVERAGE	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>105.62</td><td>-----</td><td>-----</td><td>93.12</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>321</td><td>218</td><td>AVERAGE</td></tr></table>					Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	105.62	-----	-----	93.12	33.71	13.83	35.04	0.00	321	218	AVERAGE
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1 5924.97	57.58	68.20	-10.62	45.12	33.70	13.79	35.03	0.00	321	218	AVERAGE																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1 5955.00	105.62	-----	-----	93.12	33.71	13.83	35.04	0.00	321	218	AVERAGE																																																												



		65																																																																																								
Mode	Harmonic																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Horizontal						Vertical																																																																																			
Peak Avg.																																																																																										
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																			
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>50.80</td><td>74.00</td><td>-23.20</td><td>32.32</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>41.06</td><td>54.00</td><td>-12.94</td><td>22.58</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>55.79</td><td>74.00</td><td>-18.21</td><td>35.00</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>24.90</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>--</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	50.80	74.00	-23.20	32.32	39.02	19.83	40.82	0.45	--	PEAK	2	11910.00	41.06	54.00	-12.94	22.58	39.02	19.83	40.82	0.45	--	Average	3	17865.00	55.79	74.00	-18.21	35.00	41.46	24.63	45.76	0.46	--	Peak	4	17865.00	45.69	54.00	-8.31	24.90	41.46	24.63	45.76	0.46	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	11910.00	50.80	74.00	-23.20	32.32	39.02	19.83	40.82	0.45	--	PEAK																																																																															
2	11910.00	41.06	54.00	-12.94	22.58	39.02	19.83	40.82	0.45	--	Average																																																																															
3	17865.00	55.79	74.00	-18.21	35.00	41.46	24.63	45.76	0.46	--	Peak																																																																															
4	17865.00	45.69	54.00	-8.31	24.90	41.46	24.63	45.76	0.46	--	Average																																																																															





<Sample 3>

Mode	66																																																
	Band Edge																																																
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																
ANT	6+7																																																
Pol.	Horizontal																																																
Peak	Fundamental																																																
																																																	
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5923.00</td><td>70.81</td><td>88.20</td><td>-17.39</td><td>58.35</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>286</td><td>354</td><td>PEAK</td></tr></tbody></table>												Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5923.00	70.81	88.20	-17.39	58.35	33.70	13.79	35.03	0.00	286	354
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	5923.00	70.81	88.20	-17.39	58.35	33.70	13.79	35.03	0.00	286	354	PEAK																																					
Avg.	Fundamental																																																
																																																	
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>115.45</td><td>-----</td><td>-----</td><td>102.95</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>286</td><td>354</td><td>PEAK</td></tr></tbody></table>												Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5955.00	115.45	-----	-----	102.95	33.71	13.83	35.04	0.00	286	354
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	5955.00	115.45	-----	-----	102.95	33.71	13.83	35.04	0.00	286	354	PEAK																																					
Peak	Horizontal																																																
																																																	
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5923.54</td><td>61.83</td><td>68.20</td><td>-6.37</td><td>49.37</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>286</td><td>354</td><td>AVERAGE</td></tr></tbody></table>												Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5923.54	61.83	68.20	-6.37	49.37	33.70	13.79	35.03	0.00	286	354
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	5923.54	61.83	68.20	-6.37	49.37	33.70	13.79	35.03	0.00	286	354	AVERAGE																																					
Avg.	Fundamental																																																
																																																	
	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>108.16</td><td>-----</td><td>-----</td><td>95.64</td><td>33.72</td><td>13.84</td><td>35.04</td><td>0.00</td><td>286</td><td>354</td><td>AVERAGE</td></tr></tbody></table>												Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5955.00	108.16	-----	-----	95.64	33.72	13.84	35.04	0.00	286	354
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	5955.00	108.16	-----	-----	95.64	33.72	13.84	35.04	0.00	286	354	AVERAGE																																					



		66																																																					
Mode		Band Edge																																																					
		U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																					
ANT		6+7																																																					
Pol.		Vertical						Fundamental																																															
Peak																																																							
	Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.15</td><td>75.05</td><td>88.20</td><td>-13.15</td><td>62.59</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>134</td><td>26</td><td>PEAK</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.15	75.05	88.20	-13.15	62.59	33.70	13.79	35.03	0.00	134	26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5923.15	75.05	88.20	-13.15	62.59	33.70	13.79	35.03	0.00	134	26	PEAK																																											
Avg.																																																							
	Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>64.96</td><td>68.20</td><td>-3.24</td><td>52.50</td><td>33.70</td><td>13.79</td><td>35.03</td><td>0.00</td><td>134</td><td>26</td><td>AVERAGE</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	64.96	68.20	-3.24	52.50	33.70	13.79	35.03	0.00	134	26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.97	64.96	68.20	-3.24	52.50	33.70	13.79	35.03	0.00	134	26	AVERAGE																																											
Peak																																																							
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>116.69</td><td>-----</td><td>-----</td><td>104.19</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>134</td><td>26</td><td>PEAK</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	116.69	-----	-----	104.19	33.71	13.83	35.04	0.00	134	26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	116.69	-----	-----	104.19	33.71	13.83	35.04	0.00	134	26	PEAK																																											
Avg.																																																							
	Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL : RBW:1000.000kHz VBN:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>109.25</td><td>-----</td><td>-----</td><td>96.75</td><td>33.71</td><td>13.83</td><td>35.04</td><td>0.00</td><td>134</td><td>26</td><td>AVERAGE</td></tr></tbody></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.25	-----	-----	96.75	33.71	13.83	35.04	0.00	134	26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	109.25	-----	-----	96.75	33.71	13.83	35.04	0.00	134	26	AVERAGE																																											



Mode	66																																																																																													
	Harmonic																																																																																													
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																													
ANT	6+7																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg.																																																																																														
	Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_240711 VERTICAL																																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>50.99</td><td>74.00</td><td>-23.01</td><td>32.51</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>41.73</td><td>54.00</td><td>-12.27</td><td>23.25</td><td>39.02</td><td>19.83</td><td>40.82</td><td>0.45</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>3</td><td>17865.00</td><td>54.57</td><td>74.00</td><td>-19.43</td><td>33.78</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>17865.00</td><td>45.57</td><td>54.00</td><td>-8.43</td><td>24.78</td><td>41.46</td><td>24.63</td><td>45.76</td><td>0.46</td><td>--</td><td>--</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	50.99	74.00	-23.01	32.51	39.02	19.83	40.82	0.45	--	--	PEAK	2	11910.00	41.73	54.00	-12.27	23.25	39.02	19.83	40.82	0.45	--	--	Average	3	17865.00	54.57	74.00	-19.43	33.78	41.46	24.63	45.76	0.46	--	--	Peak	4	17865.00	45.57	54.00	-8.43	24.78	41.46	24.63	45.76	0.46	--	--	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	11910.00	50.99	74.00	-23.01	32.51	39.02	19.83	40.82	0.45	--	--	PEAK																																																																																		
2	11910.00	41.73	54.00	-12.27	23.25	39.02	19.83	40.82	0.45	--	--	Average																																																																																		
3	17865.00	54.57	74.00	-19.43	33.78	41.46	24.63	45.76	0.46	--	--	Peak																																																																																		
4	17865.00	45.57	54.00	-8.43	24.78	41.46	24.63	45.76	0.46	--	--	Average																																																																																		





Appendix D. Duty Cycle Plots



<Sample 1>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
6+7	802.11a	99.38	-	-	10Hz
6+7	6GHz 802.11ax HE20 Full RU	100.00	-	-	10Hz
6+7	6GHz 802.11ax HE20 106 RU	97.86	4580	0.22	240Hz
6+7	6GHz 802.11ax HE40 Full RU	100.00	-	-	10Hz
6+7	6GHz 802.11ax HE40 242 RU	100.00	-	-	10Hz
6+7	6GHz 802.11ax HE80 Full RU	100.00	-	-	10Hz
6+7	6GHz 802.11ax HE80 484 RU	99.20	-	-	10Hz
6+7	6GHz 802.11ax HE160 Full RU	99.33	-	-	10Hz
6+7	6GHz 802.11ax HE160 996 RU	98.07	-	-	10Hz

MIMO <Ant. 6+7>









<Sample 2>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
6+7	802.11a	99.05	-	-	10Hz

MIMO <Ant. 6+7>



<Sample 3>

Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
6+7	802.11a	99.05	-	-	10Hz

MIMO <Ant. 6+7>

