



MC345A/MC345B Antenna SPECIFICATION

Antenna Manufacturer Name	Universal Global Scientific Industrial Co., Ltd.
Address	No.141, Lane 351, Sec.1, Taiping Road, Tsaotuen, Nantou County 542007, Taiwan
ODM P/N:	46-500587-01
Test DATE	2024/10/31
DATASHEET REVISION	V1
Ant. Type (Monopole)	Ant-7
Ant. Type (PIFA)	Ant-6
Ant. Type (Loop)	NFC

Test Engineer: Star Chen



Description of Antenna

Antenna 6 Structure	
Frequency Range	1560-1610MHz, 2400-2500MHz, 5150-5850MHz and 5925-7125MHz
Impedance	50 ohm
Antenna type	PIFA
Manufacturing Process	LDS

Antenna Ant-6 Peak Gain

Brick SKU	
Frequency (MHz)	Peak gain (dBi)
2400	1.77
2450	1.81
2500	1.59
5150	0.99
5250	1.34
5350	1.06
5450	0.83
5550	0.89
5650	1.26
5750	1.31
5850	1.05
5925	1.02
6425	0.93
6525	0.81
6875	0.55
7125	0.57


Antenna Ant-6 UHIS

Brick SKU↵	
Frequency (MHz)↵	UHIS ↵
1560↵	-6.26↵
1570↵	-6.17↵
1580↵	-5.83↵
1590↵	-5.88↵
1600↵	-5.8↵
1610↵	-6.03↵




Antenna Radiation Patterns


DUT Axis Reference




- 2400 MHz




- 2450 MHz




- 2500 MHz




- 5150 MHz




- 5450 MHz



- 5850 MHz



- 5925 MHz









ZEBRA

Zebra Technologies Corporation

- 6525 MHz



- 7125 MHz



Antenna Ant-6 Peak Gain

Gun SKU	
Frequency (MHz)	Peak gain (dBi)
2400	1.68
2450	1.72
2500	1.43
5150	0.85
5250	1.19
5350	0.95
5450	0.74
5550	0.78
5650	1.09
5750	1.13
5850	0.88
5925	0.85
6425	0.81
6525	0.71
6875	0.48
7125	0.47

Antenna Ant-6 UHIS

Gun SKU	
Frequency (MHz)	UHIS
1560	-6.15
1570	-6.03
1580	-5.85
1590	-5.91
1600	-5.67
1610	-5.97




ZEBRA


Zebra Technologies Corporation

Antenna Radiation Patterns


DUT Axis Reference




- 2400 MHz




- 2450 MHz




- 2500 MHz



- 5150 MHz




- 5450 MHz



- 5850 MHz



- 5925 MHz









ZEBRA

Zebra Technologies Corporation

- 6525 MHz



- 7125 MHz





Antenna 7 Structure	
Frequency Range	1160-1190MHz, 2400-2500MHz, 5150-5850MHz and 5925-7125MHz
Impedance	50 ohm
Antenna type	Monopole
Manufacturing Process	LDS

Antenna Ant-7 Peak Gain

Brick SKU	
Frequency (MHz)	Peak gain (dBi)
2400	0.50
2450	0.47
2500	-0.17
5150	0.85
5250	1.02
5350	0.68
5450	0.74
5550	0.61
5650	0.64
5750	0.83
5850	0.98
5925	0.91
6425	1.23
6525	1.19
6875	0.64
7125	0.88

Antenna Ant-7 UHIS

Brick SKU	
Frequency (MHz)	UHIS
1160	-8.04
1170	-7.83
1180	-7.94
1190	-8.03





ZEBRA


Zebra Technologies Corporation

Antenna Radiation Patterns


DUT Axis Reference




- 2400 MHz




- 2450 MHz




- 2500 MHz




- 5150 MHz




- 5450 MHz



- 5850 MHz



- 5925 MHz









ZEBRA

Zebra Technologies Corporation

- 6525 MHz



- 7125 MHz



Antenna Ant-7 Peak Gain

Gun SKU	
Frequency (MHz)	Peak gain (dBi)
2400	0.46
2450	0.44
2500	-0.25
5150	0.77
5250	0.96
5350	0.60
5450	0.70
5550	0.59
5650	0.57
5750	0.74
5850	0.91
5925	0.86
6425	1.18
6525	1.15
6875	0.59
7125	0.85

Antenna Ant-7 UHIS

Gun SKU	
Frequency (MHz)	UHIS
1160	-7.96
1170	-7.85
1180	-7.98
1190	-8





ZEBRA

Zebra Technologies Corporation

Antenna Radiation Patterns


DUT Axis Reference




- 2400 MHz



- 2450 MHz




- 2500 MHz



- 5150 MHz




- 5450 MHz



- 5850 MHz



- 5925 MHz






ZEBRA

Zebra Technologies Corporation

- 6525 MHz



- 7125 MHz





NFC Antenna

FPCB Dimensions

