





FR1 n77 / 20MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 20MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







FR1 n77 / 30MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 30MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB


Highest Band Edge / Full RB






FR1 n77 / 30MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB





FR1 n77 / 30MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




**FR1 n77 / 40MHz / CP OFDM / QPSK****Lowest Band Edge / Full RB**


10:12:25 PM 11/20/2024

Highest Band Edge / Full RB

10:15:44 PM 11/20/2024

FR1 n77 / 40MHz / CP OFDM / 16QAM**Lowest Band Edge / Full RB**

10:13:14 PM 11/20/2024


Highest Band Edge / Full RB

10:16:33 PM 11/20/2024




FR1 n77 / 40MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 40MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 50MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



10:19:05 PM 11/20/2024


Highest Band Edge / Full RB



10:22:25 PM 11/20/2024


FR1 n77 / 50MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB



10:19:53 PM 11/20/2024

Highest Band Edge / Full RB




10:23:13 PM 11/20/2024




FR1 n77 / 50MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 50MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 60MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 60MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 60MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



10:27:34 PM 11/20/2024


Highest Band Edge / Full RB



10:31:02 PM 11/20/2024


FR1 n77 / 60MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



10:28:25 PM 11/20/2024

Highest Band Edge / Full RB




10:31:53 PM 11/20/2024




FR1 n77 / 70MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 70MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 70MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 70MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 80MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 80MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 80MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 80MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 90MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 90MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 90MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 90MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 100MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 100MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 100MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 100MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







Conducted Spurious Emission

FR1 n77 / 10MHz / CP OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n77 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0006	PASS
40	Normal Voltage	0.0006	
30	Normal Voltage	0.0007	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0012	
0	Normal Voltage	0.0016	
-10	Normal Voltage	0.0001	
-20	Normal Voltage	0.0015	
20	Maximum Voltage	0.0020	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0014	

Note:

1. Normal Voltage = 3.8 V. ; Minimum Voltage = 3.6 V. ; Maximum Voltage = 4.2 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
4	Part 22H	NR SA n26	L	2476	-35.49	RMS	26.56	-24.07	0.59	-95.23	56.66	-13.00	-22.49	V	Ant1
4	Part 24E	NR SA n2	M	5614	-33.51	RMS	32.98	-21.74	0.68	-95.23	49.80	-13.00	-20.51	V	Ant1
5	Part 27L	NR SA n66	M	5182	-40.02	RMS	32.64	-21.51	0.39	-95.23	43.69	-13.00	-27.02	H	Ant1
7	Part 27H	NR SA n12	M	1402	-45.40	RMS	24.60	-25.56	0.91	-95.23	49.88	-13.00	-32.40	V	Ant1
9	Part 27N	NR SA n71	L	1329	-46.90	RMS	24.30	-25.73	1.37	-95.23	48.39	-13.00	-33.90	H	Ant1
12	Part 27M	NR SA n7	M	15104	-44.47	RMS	41.19	-22.47	0.50	-95.23	31.54	-25.00	-19.47	H	Ant5
15	Part 27M	NR SA n41	H	5183	-38.27	RMS	32.63	-21.51	0.39	-95.23	45.45	-25.00	-13.27	V	Ant5
16	Part 27M	NR SA n41	M	10177	-55.10	RMS	37.30	-21.13	0.51	-95.23	23.45	-25.00	-30.10	H	Ant2
17	Part 27M	NR SA n41	L	4995	-43.89	RMS	32.79	-21.34	0.40	-95.23	39.49	-25.00	-18.89	V	Ant3
18	Part 27M	NR SA n41	H	10365	-55.06	RMS	37.34	-21.31	0.50	-95.23	23.64	-25.00	-30.06	H	Ant4
20	Part 27Q	NR SA n77	M	24195	-47.50	RMS	38.62	-33.00	-9.54	-95.23	51.65	-13.00	-34.50	V	Ant8
21	Part 27Q	NR SA n77	M	13826	-50.09	RMS	40.45	-21.38	0.64	-95.23	25.43	-13.00	-37.09	V	Ant9
22	Part 27Q	NR SA n77	H	13846	-49.94	RMS	40.49	-21.39	0.64	-95.23	25.55	-13.00	-36.94	H	Ant3
23	Part 27Q	NR SA n77	L	6903	-46.36	RMS	36.30	-20.93	1.08	-95.23	32.42	-13.00	-33.36	V	Ant4
24	Part 27Q	NR SA n77	L	6903	-44.08	RMS	36.30	-20.93	1.08	-95.23	34.70	-13.00	-31.08	H	Ant8+9
31	Part 27O	NR SA n77	H	7763	-47.85	RMS	36.53	-20.76	0.90	-95.23	30.71	-13.00	-34.85	H	Ant8
32	Part 27O	NR SA n77	M	15165	-49.78	RMS	41.04	-22.49	0.83	-95.23	26.07	-13.00	-36.78	V	Ant9
33	Part 27O	NR SA n77	L	14805	-49.89	RMS	41.28	-22.51	0.76	-95.23	25.81	-13.00	-36.89	V	Ant3
34	Part 27O	NR SA n77	M	7583	-43.02	RMS	36.60	-20.70	1.02	-95.23	35.29	-13.00	-30.02	H	Ant4
35	Part 27O	NR SA n77	M	7583	-39.66	RMS	36.60	-20.70	1.02	-95.23	38.65	-13.00	-26.66	V	Ant8+9
6	Part 90S	NR SA n26	H	2459	-38.01	RMS	26.52	-24.09	0.60	-95.23	54.19	-13.00	-25.01	H	Ant1
7	Part 90S	NR SA n26	M	2444	-36.73	RMS	26.70	-24.11	0.61	-95.23	55.30	-13.00	-23.73	H	Ant1
8	Part 90S	NR SA n26	M	2453	-39.65	RMS	26.64	-24.10	0.60	-95.23	52.44	-13.00	-26.65	H	Ant1




Ant1

Part 22H Mode 4

NR SA n26 20M Ch166800 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1651.00	-47.27	RMS		24.69	-25.14	0.63	-95.23	47.78	-13.00	-34.27		Horizontal
2	2476.00	-38.49	RMS		26.56	-24.07	0.59	-95.23	53.66	-13.00	-25.49		Horizontal
3	4128.00	-58.32	RMS		30.34	-21.87	0.38	-95.23	28.06	-13.00	-45.32		Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1651.00	-44.94	RMS		24.69	-25.14	0.63	-95.23	50.11	-13.00	-31.94		Vertical
2	2476.00	-35.49	RMS		26.56	-24.07	0.59	-95.23	56.66	-13.00	-22.49		Vertical
3	4128.00	-55.90	RMS		30.34	-21.87	0.38	-95.23	30.48	-13.00	-42.90		Vertical




Ant1

Part 22H Mode 4

NR SA n26 20M Ch167300 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1656.00	-47.42	RMS	24.64	-25.14	0.63	-95.23	47.68	-13.00	-34.42	Horizontal
2	2483.00	-37.89	RMS	26.63	-24.06	0.59	-95.23	54.18	-13.00	-24.89	Horizontal
3	4136.00	-58.58	RMS	30.33	-21.87	0.38	-95.23	27.81	-13.00	-45.58	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1656.00	-46.22	RMS	24.64	-25.14	0.63	-95.23	48.88	-13.00	-33.22	Vertical
2	2483.00	-39.17	RMS	26.63	-24.06	0.59	-95.23	52.90	-13.00	-26.17	Vertical
3	4136.00	-60.82	RMS	30.33	-21.87	0.38	-95.23	25.57	-13.00	-47.82	Vertical




Ant1

Part 22H Mode 4

NR SA n26 20M Ch167800 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

NR SA n26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1661.00	-49.13	RMS	24.60	-25.13	0.63	-95.23	46.00	-13.00	-36.13	Horizontal
2	2491.00	-38.46	RMS	26.70	-24.05	0.58	-95.23	53.54	-13.00	-25.46	Horizontal
3	4151.00	-61.46	RMS	30.30	-21.86	0.39	-95.23	24.94	-13.00	-48.46	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

NR SA n26 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin		Pol
				Factor	1		g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1661.00	-43.08	RMS	24.60	-25.13	0.63	-95.23	52.05	-13.00	-30.08	Vertical
2	2491.00	-41.92	RMS	26.70	-24.05	0.58	-95.23	50.08	-13.00	-28.92	Vertical
3	4151.00	-56.51	RMS	30.30	-21.86	0.39	-95.23	29.89	-13.00	-43.51	Vertical




Ant1

Part 24E Mode 4

NR SA n2 20M Ch372000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n2 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3703.00	-53.61	RMS	29.62	-22.25	0.26	-95.23	33.99	-13.00	-40.61	Horizontal
2	5554.00	-37.36	RMS	32.81	-21.78	0.66	-95.23	46.18	-13.00	-24.36	Horizontal
3	7405.00	-55.31	RMS	36.80	-20.72	0.74	-95.23	23.10	-13.00	-42.31	Horizontal
4	18511.00	-61.13	RMS	38.30	-39.94	-9.54	-95.23	45.28	-13.00	-48.13	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n2 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3703.00	-59.06	RMS	29.62	-22.25	0.26	-95.23	28.54	-13.00	-46.06	Vertical
2	5554.00	-33.63	RMS	32.81	-21.78	0.66	-95.23	49.91	-13.00	-20.63	Vertical
3	7405.00	-55.03	RMS	36.80	-20.72	0.74	-95.23	23.38	-13.00	-42.03	Vertical
4	18511.00	-63.71	RMS	38.30	-39.94	-9.54	-95.23	42.70	-13.00	-50.71	Vertical




Ant1

Part 24E Mode 4

NR SA n2 20M Ch376000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3743.00	-53.71	RMS	29.94	-22.20	0.27	-95.23	33.51	-13.00	-40.71	Horizontal
2	5614.00	-37.21	RMS	32.98	-21.74	0.68	-95.23	46.10	-13.00	-24.21	Horizontal
3	7485.00	-55.39	RMS	36.73	-20.69	0.71	-95.23	23.09	-13.00	-42.39	Horizontal
4	18711.00	-59.75	RMS	38.14	-39.57	-9.54	-95.23	46.45	-13.00	-46.75	Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3743.00	-58.59	RMS	29.94	-22.20	0.27	-95.23	28.63	-13.00	-45.59	Vertical
2	5614.00	-33.51	RMS	32.98	-21.74	0.68	-95.23	49.80	-13.00	-20.51	Vertical
3	7485.00	-55.26	RMS	36.73	-20.69	0.71	-95.23	23.22	-13.00	-42.26	Vertical
4	18711.00	-61.99	RMS	38.14	-39.57	-9.54	-95.23	44.21	-13.00	-48.99	Vertical




Ant1

Part 24E Mode 4

NR SA n2 20M Ch380000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Horizontal

: SA n2 20M Ch380000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3783.00	-50.85	RMS		30.07	-22.15	0.29	-95.23	36.17	-13.00	-37.85 Horizontal
2	5674.00	-37.17	RMS		33.34	-21.71	0.66	-95.23	45.77	-13.00	-24.17 Horizontal
3	7565.00	-55.39	RMS		36.60	-20.70	0.69	-95.23	23.25	-13.00	-42.39 Horizontal
4	18911.00	-54.91	RMS		38.16	-39.20	-9.54	-95.23	50.90	-13.00	-41.91 Horizontal



Site : 03CH21-HY

Condition: -13 1m BBHA9170_1223_240624 Vertical

: SA n2 20M Ch380000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3783.00	-56.46	RMS		30.07	-22.15	0.29	-95.23	30.56	-13.00	-43.46 Vertical
2	5674.00	-34.03	RMS		33.34	-21.71	0.66	-95.23	48.91	-13.00	-21.03 Vertical
3	7565.00	-55.20	RMS		36.60	-20.70	0.69	-95.23	23.44	-13.00	-42.20 Vertical
4	18911.00	-57.59	RMS		38.16	-39.20	-9.54	-95.23	48.22	-13.00	-44.59 Vertical




Ant1

Part 27L Mode 5

NR SA n66 40M Ch346000 1RB1 BPSK

L




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 40M Ch346000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm		
1	3425.00	-60.15	RMS		28.40	-22.60	0.63	-95.23	28.65	-13.00	-47.15	Horizontal
2	5137.00	-41.31	RMS		32.67	-21.47	0.39	-95.23	42.33	-13.00	-28.31	Horizontal
3	6849.00	-56.34	RMS		36.30	-20.94	0.33	-95.23	23.20	-13.00	-43.34	Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 40M Ch346000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm		
1	3425.00	-55.15	RMS		28.40	-22.60	0.63	-95.23	33.65	-13.00	-42.15	Vertical
2	5137.00	-41.79	RMS		32.67	-21.47	0.39	-95.23	41.85	-13.00	-28.79	Vertical
3	6849.00	-56.72	RMS		36.30	-20.94	0.33	-95.23	22.82	-13.00	-43.72	Vertical




Ant1

Part 27L Mode 5

NR SA n66 40M Ch349000 1RB1 BPSK

M




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 40M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3455.00	-59.26	RMS	28.53	-22.58	0.56	-95.23	29.46	-13.00	-46.26 Horizontal
2	5182.00	-40.02	RMS	32.64	-21.51	0.39	-95.23	43.69	-13.00	-27.02 Horizontal
3	6909.00	-56.37	RMS	36.30	-20.93	0.34	-95.23	23.15	-13.00	-43.37 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 40M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3455.00	-54.94	RMS	28.53	-22.58	0.56	-95.23	33.78	-13.00	-41.94 Vertical
2	5182.00	-41.67	RMS	32.64	-21.51	0.39	-95.23	42.04	-13.00	-28.67 Vertical
3	6909.00	-56.56	RMS	36.30	-20.93	0.34	-95.23	22.96	-13.00	-43.56 Vertical




Ant1

Part 27L Mode 5

NR SA n66 40M Ch352000 1RB1 BPSK

H




Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Horizontal

: SA n66 40M Ch352000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3485.00	-58.82	RMS	28.71	-22.56	0.49	-95.23	29.77	-13.00	-45.82 Horizontal
2	5227.00	-41.05	RMS	32.49	-21.56	0.41	-95.23	42.84	-13.00	-28.05 Horizontal
3	6969.00	-55.56	RMS	36.30	-20.93	0.35	-95.23	23.95	-13.00	-42.56 Horizontal



Site : 03CH21-HY

Condition: -13 3m DRH18-E_LE2C03A18EN_240711 Vertical

: SA n66 40M Ch352000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3485.00	-53.84	RMS	28.71	-22.56	0.49	-95.23	34.75	-13.00	-40.84 Vertical
2	5227.00	-41.76	RMS	32.49	-21.56	0.41	-95.23	42.13	-13.00	-28.76 Vertical
3	6969.00	-54.46	RMS	36.30	-20.93	0.35	-95.23	25.05	-13.00	-41.46 Vertical