











Mode	34																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																						
ANT	0+1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.92</td><td>66.58</td><td>68.20</td><td>-1.62</td><td>53.55</td><td>34.55</td><td>10.43</td><td>31.95</td><td>0.00</td><td>157</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.92	66.58	68.20	-1.62	53.55	34.55	10.43	31.95	0.00	157	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>116.67</td><td>-----</td><td>-----</td><td>103.78</td><td>34.50</td><td>10.40</td><td>32.01</td><td>0.00</td><td>157</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	116.67	-----	-----	103.78	34.50	10.40	32.01	0.00	157	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5726.92	66.58	68.20	-1.62	53.55	34.55	10.43	31.95	0.00	157	360	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	116.67	-----	-----	103.78	34.50	10.40	32.01	0.00	157	360	PEAK																																																																																											
Avg	Blank																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.91</td><td>-----</td><td>-----</td><td>94.01</td><td>34.51</td><td>10.41</td><td>32.02</td><td>0.00</td><td>157</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	106.91	-----	-----	94.01	34.51	10.41	32.02	0.00	157	360	AVERAGE																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	106.91	-----	-----	94.01	34.51	10.41	32.02	0.00	157	360	AVERAGE																																																																																											



Mode	34																																																																																																										
	Band Edge																																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																										
ANT	0+1																																																																																																										
Pol.	Vertical						Fundamental																																																																																																				
Peak																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5739.56</td><td>60.46</td><td>68.20</td><td>-7.74</td><td>47.36</td><td>34.58</td><td>10.44</td><td>31.92</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5739.56	60.46	68.20	-7.74	47.36	34.58	10.44	31.92	0.00	100	80 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>108.20</td><td>-----</td><td>-----</td><td>95.32</td><td>34.50</td><td>10.40</td><td>32.02</td><td>0.00</td><td>100</td><td>80 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	108.20	-----	-----	95.32	34.50	10.40	32.02	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	5739.56	60.46	68.20	-7.74	47.36	34.58	10.44	31.92	0.00	100	80 PEAK																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	5700.00	108.20	-----	-----	95.32	34.50	10.40	32.02	0.00	100	80 PEAK																																																																																																
Avg	Blank																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.42</td><td>-----</td><td>-----</td><td>85.54</td><td>34.50</td><td>10.40</td><td>32.02</td><td>0.00</td><td>100</td><td>80 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	98.42	-----	-----	85.54	34.50	10.40	32.02	0.00	100	80 AVERAGE																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	5700.00	98.42	-----	-----	85.54	34.50	10.40	32.02	0.00	100	80 AVERAGE																																																																																																






Mode	34																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																																													
ANT	0+1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>7618.93</td><td>44.34</td><td>74.00</td><td>-29.66</td><td>62.11</td><td>35.70</td><td>13.03</td><td>66.50</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11400.00</td><td>44.64</td><td>74.00</td><td>-29.36</td><td>56.77</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7618.93	44.34	74.00	-29.66	62.11	35.70	13.03	66.50	0.00	---	Peak	2	11400.00	44.64	74.00	-29.36	56.77	38.16	16.30	66.59	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>7623.33</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>62.87</td><td>35.70</td><td>13.04</td><td>66.51</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11400.00</td><td>44.32</td><td>74.00</td><td>-29.68</td><td>56.45</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7623.33	45.10	74.00	-28.90	62.87	35.70	13.04	66.51	0.00	---	Peak	2	11400.00	44.32	74.00	-29.68	56.45	38.16	16.30	66.59	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7618.93	44.34	74.00	-29.66	62.11	35.70	13.03	66.50	0.00	---	Peak																																																																																																																			
2	11400.00	44.64	74.00	-29.36	56.77	38.16	16.30	66.59	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	7623.33	45.10	74.00	-28.90	62.87	35.70	13.04	66.51	0.00	---	Peak																																																																																																																			
2	11400.00	44.32	74.00	-29.68	56.45	38.16	16.30	66.59	0.00	---	PEAK																																																																																																																			







Mode	35																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5739.96</td><td>62.19</td><td>68.20</td><td>-6.01</td><td>52.91</td><td>34.50</td><td>11.20</td><td>36.42</td><td>0.00</td><td>138</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.96	62.19	68.20	-6.01	52.91	34.50	11.20	36.42	0.00	138	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>114.84</td><td>-----</td><td>-----</td><td>105.75</td><td>34.30</td><td>11.14</td><td>36.35</td><td>0.00</td><td>138</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	114.84	-----	-----	105.75	34.30	11.14	36.35	0.00	138	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5739.96	62.19	68.20	-6.01	52.91	34.50	11.20	36.42	0.00	138	360	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	114.84	-----	-----	105.75	34.30	11.14	36.35	0.00	138	360	PEAK																																																																																								
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.50</td><td>-----</td><td>-----</td><td>98.41</td><td>34.30</td><td>11.14</td><td>36.35</td><td>0.00</td><td>138</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	107.50	-----	-----	98.41	34.30	11.14	36.35	0.00	138	360	AVERAGE																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	107.50	-----	-----	98.41	34.30	11.14	36.35	0.00	138	360	AVERAGE																																																																																								




Mode	35																																																																																													
	Band Edge																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																													
ANT	0+1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.96	58.49	68.20	-9.71	49.27	34.44	11.18	36.40	0.00	100	74 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.33</td><td>-----</td><td>-----</td><td>98.22</td><td>34.32</td><td>11.15</td><td>36.36</td><td>0.00</td><td>100</td><td>74 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	107.33	-----	-----	98.22	34.32	11.15	36.36	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5727.96	58.49	68.20	-9.71	49.27	34.44	11.18	36.40	0.00	100	74 PEAK																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5700.00	107.33	-----	-----	98.22	34.32	11.15	36.36	0.00	100	74 PEAK																																																																																			
Avg	Blank																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.12</td><td>-----</td><td>-----</td><td>89.98</td><td>34.35</td><td>11.16</td><td>36.37</td><td>0.00</td><td>100</td><td>74 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.12	-----	-----	89.98	34.35	11.16	36.37	0.00	100	74 AVERAGE																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5700.00	99.12	-----	-----	89.98	34.35	11.16	36.37	0.00	100	74 AVERAGE																																																																																			







Mode	36																																																																																																																															
	Band Edge - L																																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																															
ANT	0+1																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																									
Peak																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.64</td><td>62.65</td><td>74.00</td><td>-11.35</td><td>49.93</td><td>34.48</td><td>10.18</td><td>31.94</td><td>0.00</td><td>148</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5466.48</td><td>67.14</td><td>68.20</td><td>-1.06</td><td>54.43</td><td>34.47</td><td>10.19</td><td>31.95</td><td>0.00</td><td>148</td><td>360</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	62.65	74.00	-11.35	49.93	34.48	10.18	31.94	0.00	148	360	PEAK	2	5466.48	67.14	68.20	-1.06	54.43	34.47	10.19	31.95	0.00	148	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>113.91</td><td>-----</td><td>-----</td><td>101.20</td><td>34.40</td><td>10.24</td><td>31.93</td><td>0.00</td><td>148</td><td>360</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	113.91	-----	-----	101.20	34.40	10.24	31.93	0.00	148	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5458.64	62.65	74.00	-11.35	49.93	34.48	10.18	31.94	0.00	148	360	PEAK																																																																																																																				
2	5466.48	67.14	68.20	-1.06	54.43	34.47	10.19	31.95	0.00	148	360	PEAK																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5510.00	113.91	-----	-----	101.20	34.40	10.24	31.93	0.00	148	360	PEAK																																																																																																																				
Avg																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>50.05</td><td>54.00</td><td>-3.95</td><td>37.33</td><td>34.48</td><td>10.18</td><td>31.94</td><td>0.00</td><td>148</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	50.05	54.00	-3.95	37.33	34.48	10.18	31.94	0.00	148	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>105.45</td><td>-----</td><td>-----</td><td>92.78</td><td>34.40</td><td>10.23</td><td>31.96</td><td>0.00</td><td>148</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	105.45	-----	-----	92.78	34.40	10.23	31.96	0.00	148	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5459.92	50.05	54.00	-3.95	37.33	34.48	10.18	31.94	0.00	148	360	AVERAGE																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5510.00	105.45	-----	-----	92.78	34.40	10.23	31.96	0.00	148	360	AVERAGE																																																																																																																				



Mode	36																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																								
ANT	0+1																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.48</td><td>57.86</td><td>68.20</td><td>-10.34</td><td>44.73</td><td>34.59</td><td>10.45</td><td>31.91</td><td>0.00</td><td>148</td><td>360</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5743.48	57.86	68.20	-10.34	44.73	34.59	10.45	31.91	0.00	148	360	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5743.48	57.86	68.20	-10.34	44.73	34.59	10.45	31.91	0.00	148	360																																														



Mode	36																																																																					
	Band Edge - L																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																					
ANT	0+1																																																																					
Pol.	Vertical																																																																					
Peak																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.32</td><td>57.67</td><td>74.00</td><td>-16.33</td><td>44.95</td><td>34.48</td><td>10.18</td><td>31.94</td><td>0.00</td><td>100</td><td>318</td><td>PEAK</td></tr><tr><td>2</td><td>5463.44</td><td>58.92</td><td>68.20</td><td>-9.28</td><td>46.21</td><td>34.47</td><td>10.19</td><td>31.95</td><td>0.00</td><td>100</td><td>318</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	57.67	74.00	-16.33	44.95	34.48	10.18	31.94	0.00	100	318	PEAK	2	5463.44	58.92	68.20	-9.28	46.21	34.47	10.19	31.95	0.00	100	318	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5458.32	57.67	74.00	-16.33	44.95	34.48	10.18	31.94	0.00	100	318	PEAK																																																										
2	5463.44	58.92	68.20	-9.28	46.21	34.47	10.19	31.95	0.00	100	318	PEAK																																																										
Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>46.71</td><td>54.00</td><td>-7.29</td><td>33.99</td><td>34.48</td><td>10.18</td><td>31.94</td><td>0.00</td><td>100</td><td>318</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	46.71	54.00	-7.29	33.99	34.48	10.18	31.94	0.00	100	318	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5459.92	46.71	54.00	-7.29	33.99	34.48	10.18	31.94	0.00	100	318	AVERAGE																																																										
Fundamental																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>105.23</td><td>-----</td><td>-----</td><td>92.60</td><td>34.40</td><td>10.22</td><td>31.99</td><td>0.00</td><td>100</td><td>318</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	105.23	-----	-----	92.60	34.40	10.22	31.99	0.00	100	318	PEAK													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5510.00	105.23	-----	-----	92.60	34.40	10.22	31.99	0.00	100	318	PEAK																																																										
Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>96.28</td><td>-----</td><td>-----</td><td>83.61</td><td>34.40</td><td>10.23</td><td>31.96</td><td>0.00</td><td>100</td><td>318</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.28	-----	-----	83.61	34.40	10.23	31.96	0.00	100	318	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5510.00	96.28	-----	-----	83.61	34.40	10.23	31.96	0.00	100	318	AVERAGE																																																										







Mode	36																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																													
ANT	0+1																																													
Pol.	Vertical	Fundamental																																												
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.76</td><td>58.29</td><td>68.20</td><td>-9.91</td><td>45.21</td><td>34.57</td><td>10.44</td><td>31.93</td><td>0.00</td><td>100 318 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5736.76	58.29	68.20	-9.91	45.21	34.57	10.44	31.93	0.00	100 318 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5736.76	58.29	68.20	-9.91	45.21	34.57	10.44	31.93	0.00	100 318 PEAK																																				




		36																																																																														
Mode		Harmonic																																																																														
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																														
ANT		0+1																																																																														
Pol.		Horizontal					Vertical																																																																									
Peak Avg																																																																																
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7726.73</td><td>51.14</td><td>74.00</td><td>-22.86</td><td>68.90</td><td>35.70</td><td>13.13</td><td>66.59</td><td>0.00</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7726.73</td><td>45.74</td><td>54.00</td><td>-8.26</td><td>63.50</td><td>35.70</td><td>13.13</td><td>66.59</td><td>0.00</td><td>100</td><td>0 Average</td></tr><tr><td>3</td><td>11020.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>57.87</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7726.73	51.14	74.00	-22.86	68.90	35.70	13.13	66.59	0.00	100	0 Peak	2	7726.73	45.74	54.00	-8.26	63.50	35.70	13.13	66.59	0.00	100	0 Average	3	11020.00	45.12	74.00	-28.88	57.87	37.82	16.06	66.63	0.00	---	--- PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	7726.73	51.14	74.00	-22.86	68.90	35.70	13.13	66.59	0.00	100	0 Peak																																																																					
2	7726.73	45.74	54.00	-8.26	63.50	35.70	13.13	66.59	0.00	100	0 Average																																																																					
3	11020.00	45.12	74.00	-28.88	57.87	37.82	16.06	66.63	0.00	---	--- PEAK																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7715.73</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>66.89</td><td>35.70</td><td>13.12</td><td>66.59</td><td>0.00</td><td>100</td><td>297 Peak</td></tr><tr><td>2</td><td>7715.73</td><td>42.65</td><td>54.00</td><td>-11.35</td><td>60.42</td><td>35.70</td><td>13.12</td><td>66.59</td><td>0.00</td><td>100</td><td>297 Average</td></tr><tr><td>3</td><td>11020.00</td><td>44.87</td><td>74.00</td><td>-29.13</td><td>57.62</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7715.73	49.12	74.00	-24.88	66.89	35.70	13.12	66.59	0.00	100	297 Peak	2	7715.73	42.65	54.00	-11.35	60.42	35.70	13.12	66.59	0.00	100	297 Average	3	11020.00	44.87	74.00	-29.13	57.62	37.82	16.06	66.63	0.00	---	--- PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	7715.73	49.12	74.00	-24.88	66.89	35.70	13.12	66.59	0.00	100	297 Peak																																																																					
2	7715.73	42.65	54.00	-11.35	60.42	35.70	13.12	66.59	0.00	100	297 Average																																																																					
3	11020.00	44.87	74.00	-29.13	57.62	37.82	16.06	66.63	0.00	---	--- PEAK																																																																					







Mode	37																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																																																																																																			
ANT	0+1																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.80</td><td>72.29</td><td>74.00</td><td>-1.71</td><td>63.54</td><td>34.36</td><td>10.82</td><td>36.43</td><td>0.00</td><td>193</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5469.84</td><td>62.60</td><td>68.20</td><td>-5.60</td><td>53.87</td><td>34.33</td><td>10.85</td><td>36.45</td><td>0.00</td><td>193</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.80	72.29	74.00	-1.71	63.54	34.36	10.82	36.43	0.00	193	360	PEAK	2	5469.84	62.60	68.20	-5.60	53.87	34.33	10.85	36.45	0.00	193	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>116.29</td><td>-----</td><td>-----</td><td>107.57</td><td>34.31</td><td>10.88</td><td>36.47</td><td>0.00</td><td>193</td><td>360</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	116.29	-----	-----	107.57	34.31	10.88	36.47	0.00	193	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5442.80	72.29	74.00	-1.71	63.54	34.36	10.82	36.43	0.00	193	360	PEAK																																																																																																								
2	5469.84	62.60	68.20	-5.60	53.87	34.33	10.85	36.45	0.00	193	360	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5510.00	116.29	-----	-----	107.57	34.31	10.88	36.47	0.00	193	360	PEAK																																																																																																								
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>49.56</td><td>54.00</td><td>-4.44</td><td>40.82</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>193</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	49.56	54.00	-4.44	40.82	34.34	10.84	36.44	0.00	193	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>107.71</td><td>-----</td><td>-----</td><td>98.99</td><td>34.31</td><td>10.88</td><td>36.47</td><td>0.00</td><td>193</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.71	-----	-----	98.99	34.31	10.88	36.47	0.00	193	360	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5459.92	49.56	54.00	-4.44	40.82	34.34	10.84	36.44	0.00	193	360	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5510.00	107.71	-----	-----	98.99	34.31	10.88	36.47	0.00	193	360	AVERAGE																																																																																																								




Mode	37																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																																								
ANT	0+1																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5753.40</td><td>58.88</td><td>68.20</td><td>-9.32</td><td>49.54</td><td>34.57</td><td>11.22</td><td>36.45</td><td>0.00</td><td>193</td><td>360</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5753.40	58.88	68.20	-9.32	49.54	34.57	11.22	36.45	0.00	193	360	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5753.40	58.88	68.20	-9.32	49.54	34.57	11.22	36.45	0.00	193	360																																														





Mode	37																																																																		
	Band Edge - L																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																																																		
ANT	0+1																																																																		
Pol.	Vertical																																																																		
Peak	Fundamental																																																																		
																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.96</td><td>59.60</td><td>74.00</td><td>-14.40</td><td>50.85</td><td>34.35</td><td>10.83</td><td>36.43</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr><tr><td>2</td><td>5462.00</td><td>57.50</td><td>68.20</td><td>-10.70</td><td>48.76</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.96	59.60	74.00	-14.40	50.85	34.35	10.83	36.43	0.00	100	317 PEAK	2	5462.00	57.50	68.20	-10.70	48.76	34.34	10.84	36.44	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5446.96	59.60	74.00	-14.40	50.85	34.35	10.83	36.43	0.00	100	317 PEAK																																																								
2	5462.00	57.50	68.20	-10.70	48.76	34.34	10.84	36.44	0.00	100	317 PEAK																																																								
Avg																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>107.59</td><td>-----</td><td>98.87</td><td>34.31</td><td>10.88</td><td>36.47</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.59	-----	98.87	34.31	10.88	36.47	0.00	100	317 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5510.00	107.59	-----	98.87	34.31	10.88	36.47	0.00	100	317 PEAK																																																									
Peak																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>46.64</td><td>54.00</td><td>-7.36</td><td>37.90</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>317 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	46.64	54.00	-7.36	37.90	34.34	10.84	36.44	0.00	100	317 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5459.92	46.64	54.00	-7.36	37.90	34.34	10.84	36.44	0.00	100	317 AVERAGE																																																								
Avg																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>98.62</td><td>-----</td><td>89.90</td><td>34.31</td><td>10.88</td><td>36.47</td><td>0.00</td><td>100</td><td>317 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.62	-----	89.90	34.31	10.88	36.47	0.00	100	317 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	5510.00	98.62	-----	89.90	34.31	10.88	36.47	0.00	100	317 AVERAGE																																																									







Mode	37																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																																						
ANT	0+1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.72</td><td>59.07</td><td>68.20</td><td>-9.13</td><td>49.72</td><td>34.58</td><td>11.22</td><td>36.45</td><td>0.00</td><td>100</td><td>317</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.72	59.07	68.20	-9.13	49.72	34.58	11.22	36.45	0.00	100	317	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5755.72	59.07	68.20	-9.13	49.72	34.58	11.22	36.45	0.00	100	317	PEAK																																											




Mode	38																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																																									
ANT	0+1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7767.00</td><td>49.07</td><td>68.20</td><td>-19.13</td><td>66.83</td><td>35.70</td><td>13.17</td><td>66.63</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11100.00</td><td>45.69</td><td>74.00</td><td>-28.31</td><td>58.31</td><td>37.89</td><td>16.11</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7767.00	49.07	68.20	-19.13	66.83	35.70	13.17	66.63	0.00	---	Peak	2	11100.00	45.69	74.00	-28.31	58.31	37.89	16.11	66.62	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7765.60</td><td>48.41</td><td>68.20</td><td>-19.79</td><td>66.17</td><td>35.70</td><td>13.17</td><td>66.63</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11100.00</td><td>45.46</td><td>74.00</td><td>-28.54</td><td>58.08</td><td>37.89</td><td>16.11</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7765.60	48.41	68.20	-19.79	66.17	35.70	13.17	66.63	0.00	---	Peak	2	11100.00	45.46	74.00	-28.54	58.08	37.89	16.11	66.62	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7767.00	49.07	68.20	-19.13	66.83	35.70	13.17	66.63	0.00	---	Peak																																																																																																															
2	11100.00	45.69	74.00	-28.31	58.31	37.89	16.11	66.62	0.00	---	PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	7765.60	48.41	68.20	-19.79	66.17	35.70	13.17	66.63	0.00	---	Peak																																																																																																															
2	11100.00	45.46	74.00	-28.54	58.08	37.89	16.11	66.62	0.00	---	PEAK																																																																																																															







Mode	39																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																			
ANT	0+1																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5438.80</td><td>57.50</td><td>74.00</td><td>-16.50</td><td>44.76</td><td>34.50</td><td>10.16</td><td>31.92</td><td>0.00</td><td>164</td><td>0 PEAK</td></tr><tr><td>2</td><td>5463.28</td><td>56.15</td><td>68.20</td><td>-12.05</td><td>43.44</td><td>34.47</td><td>10.19</td><td>31.95</td><td>0.00</td><td>164</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.80	57.50	74.00	-16.50	44.76	34.50	10.16	31.92	0.00	164	0 PEAK	2	5463.28	56.15	68.20	-12.05	43.44	34.47	10.19	31.95	0.00	164	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5438.80	57.50	74.00	-16.50	44.76	34.50	10.16	31.92	0.00	164	0 PEAK																																																									
2	5463.28	56.15	68.20	-12.05	43.44	34.47	10.19	31.95	0.00	164	0 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>113.93</td><td>-----</td><td>-----</td><td>101.01</td><td>34.50</td><td>10.39</td><td>31.97</td><td>0.00</td><td>164</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	113.93	-----	-----	101.01	34.50	10.39	31.97	0.00	164	0 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5670.00	113.93	-----	-----	101.01	34.50	10.39	31.97	0.00	164	0 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.44</td><td>45.91</td><td>54.00</td><td>-8.09</td><td>33.19</td><td>34.48</td><td>10.18</td><td>31.94</td><td>0.00</td><td>164</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	45.91	54.00	-8.09	33.19	34.48	10.18	31.94	0.00	164	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.44	45.91	54.00	-8.09	33.19	34.48	10.18	31.94	0.00	164	0 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>104.65</td><td>-----</td><td>-----</td><td>91.72</td><td>34.50</td><td>10.38</td><td>31.95</td><td>0.00</td><td>164</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	104.65	-----	-----	91.72	34.50	10.38	31.95	0.00	164	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5670.00	104.65	-----	-----	91.72	34.50	10.38	31.95	0.00	164	0 AVERAGE																																																									



Mode	39																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																					
ANT	0+1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.08</td><td>67.10</td><td>68.20</td><td>-1.10</td><td>54.00</td><td>34.58</td><td>10.44</td><td>31.92</td><td>0.00</td><td>164</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.08	67.10	68.20	-1.10	54.00	34.58	10.44	31.92	0.00	164	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5739.08	67.10	68.20	-1.10	54.00	34.58	10.44	31.92	0.00	164	0 PEAK																																											





Mode	39																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																	
ANT	0+1																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5423.44</td><td>57.46</td><td>74.00</td><td>-16.54</td><td>44.71</td><td>34.50</td><td>10.15</td><td>31.90</td><td>0.00</td><td>101 82 PEAK</td></tr><tr><td>2</td><td>5467.60</td><td>56.12</td><td>68.20</td><td>-12.08</td><td>43.42</td><td>34.46</td><td>10.19</td><td>31.95</td><td>0.00</td><td>101 82 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.44	57.46	74.00	-16.54	44.71	34.50	10.15	31.90	0.00	101 82 PEAK	2	5467.60	56.12	68.20	-12.08	43.42	34.46	10.19	31.95	0.00	101 82 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5423.44	57.46	74.00	-16.54	44.71	34.50	10.15	31.90	0.00	101 82 PEAK																																																								
2	5467.60	56.12	68.20	-12.08	43.42	34.46	10.19	31.95	0.00	101 82 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.16</td><td>45.60</td><td>54.00</td><td>-8.40</td><td>32.88</td><td>34.48</td><td>10.18</td><td>31.94</td><td>0.00</td><td>101 82 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.16	45.60	54.00	-8.40	32.88	34.48	10.18	31.94	0.00	101 82 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5458.16	45.60	54.00	-8.40	32.88	34.48	10.18	31.94	0.00	101 82 AVERAGE																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>104.89</td><td>-----</td><td>-----</td><td>91.95</td><td>34.50</td><td>10.37</td><td>31.93</td><td>0.00</td><td>101 82 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	104.89	-----	-----	91.95	34.50	10.37	31.93	0.00	101 82 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5670.00	104.89	-----	-----	91.95	34.50	10.37	31.93	0.00	101 82 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>96.27</td><td>-----</td><td>-----</td><td>83.33</td><td>34.50</td><td>10.37</td><td>31.93</td><td>0.00</td><td>101 82 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.27	-----	-----	83.33	34.50	10.37	31.93	0.00	101 82 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5670.00	96.27	-----	-----	83.33	34.50	10.37	31.93	0.00	101 82 AVERAGE																																																								







Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																							
ANT	0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.24</td><td>58.98</td><td>68.20</td><td>-9.22</td><td>45.87</td><td>34.58</td><td>10.44</td><td>31.91</td><td>0.00</td><td>101</td><td>82</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5741.24	58.98	68.20	-9.22	45.87	34.58	10.44	31.91	0.00	101	82	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5741.24	58.98	68.20	-9.22	45.87	34.58	10.44	31.91	0.00	101	82	PEAK																																												




Mode	39																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																					
ANT	0+1																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>43.93</td><td>74.00</td><td>-30.07</td><td>56.16</td><td>38.11</td><td>16.26</td><td>66.60</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	43.93	74.00	-30.07	56.16	38.11	16.26	66.60	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>43.87</td><td>74.00</td><td>-30.13</td><td>56.10</td><td>38.11</td><td>16.26</td><td>66.60</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	43.87	74.00	-30.13	56.10	38.11	16.26	66.60	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11340.00	43.93	74.00	-30.07	56.16	38.11	16.26	66.60	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	11340.00	43.87	74.00	-30.13	56.10	38.11	16.26	66.60	0.00	---	PEAK																																																																																											



Mode	40																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																																																																																
ANT	0+1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5433.52</td><td>57.65</td><td>74.00</td><td>-16.35</td><td>48.89</td><td>34.37</td><td>10.81</td><td>36.42</td><td>0.00</td><td>196</td><td>0 PEAK</td></tr><tr><td>2</td><td>5466.80</td><td>57.11</td><td>68.20</td><td>-11.09</td><td>48.38</td><td>34.33</td><td>10.85</td><td>36.45</td><td>0.00</td><td>196</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.52	57.65	74.00	-16.35	48.89	34.37	10.81	36.42	0.00	196	0 PEAK	2	5466.80	57.11	68.20	-11.09	48.38	34.33	10.85	36.45	0.00	196	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>113.54</td><td>-----</td><td>-----</td><td>104.41</td><td>34.35</td><td>11.11</td><td>36.33</td><td>0.00</td><td>196</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	113.54	-----	-----	104.41	34.35	11.11	36.33	0.00	196
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5433.52	57.65	74.00	-16.35	48.89	34.37	10.81	36.42	0.00	196	0 PEAK																																																																																																						
2	5466.80	57.11	68.20	-11.09	48.38	34.33	10.85	36.45	0.00	196	0 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	113.54	-----	-----	104.41	34.35	11.11	36.33	0.00	196	0 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5378.00</td><td>46.07</td><td>54.00</td><td>-7.93</td><td>37.38</td><td>34.38</td><td>10.76</td><td>36.45</td><td>0.00</td><td>196</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.00	46.07	54.00	-7.93	37.38	34.38	10.76	36.45	0.00	196	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>105.33</td><td>-----</td><td>-----</td><td>96.21</td><td>34.34</td><td>11.11</td><td>36.33</td><td>0.00</td><td>196</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.33	-----	-----	96.21	34.34	11.11	36.33	0.00	196	0 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5378.00	46.07	54.00	-7.93	37.38	34.38	10.76	36.45	0.00	196	0 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	105.33	-----	-----	96.21	34.34	11.11	36.33	0.00	196	0 AVERAGE																																																																																																						




Mode	40																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																					
ANT	0+1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.76</td><td>61.60</td><td>68.20</td><td>-6.60</td><td>52.23</td><td>34.60</td><td>11.23</td><td>36.46</td><td>0.00</td><td>196</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.76	61.60	68.20	-6.60	52.23	34.60	11.23	36.46	0.00	196	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5760.76	61.60	68.20	-6.60	52.23	34.60	11.23	36.46	0.00	196	0 PEAK																																											







Mode	40																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																																																																																
ANT	0+1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5381.84</td><td>57.70</td><td>74.00</td><td>-16.30</td><td>49.00</td><td>34.38</td><td>10.76</td><td>36.44</td><td>0.00</td><td>104</td><td>318 PEAK</td></tr><tr><td>2</td><td>5461.20</td><td>57.68</td><td>68.20</td><td>-10.52</td><td>48.94</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>104</td><td>318 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.84	57.70	74.00	-16.30	49.00	34.38	10.76	36.44	0.00	104	318 PEAK	2	5461.20	57.68	68.20	-10.52	48.94	34.34	10.84	36.44	0.00	104	318 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>103.94</td><td>-----</td><td>-----</td><td>94.81</td><td>34.35</td><td>11.11</td><td>36.33</td><td>0.00</td><td>104</td><td>318 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.94	-----	-----	94.81	34.35	11.11	36.33	0.00	104
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5381.84	57.70	74.00	-16.30	49.00	34.38	10.76	36.44	0.00	104	318 PEAK																																																																																																						
2	5461.20	57.68	68.20	-10.52	48.94	34.34	10.84	36.44	0.00	104	318 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	103.94	-----	-----	94.81	34.35	11.11	36.33	0.00	104	318 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.16</td><td>46.01</td><td>54.00</td><td>-7.99</td><td>37.43</td><td>34.35</td><td>10.75</td><td>36.52</td><td>0.00</td><td>104</td><td>318 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.16	46.01	54.00	-7.99	37.43	34.35	10.75	36.52	0.00	104	318 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>96.32</td><td>-----</td><td>-----</td><td>87.19</td><td>34.35</td><td>11.11</td><td>36.33</td><td>0.00</td><td>104</td><td>318 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.32	-----	-----	87.19	34.35	11.11	36.33	0.00	104	318 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5350.16	46.01	54.00	-7.99	37.43	34.35	10.75	36.52	0.00	104	318 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	96.32	-----	-----	87.19	34.35	11.11	36.33	0.00	104	318 AVERAGE																																																																																																						




Mode	40																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																								
ANT	0+1																																																								
Pol.	Vertical						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5762.60</td><td>59.19</td><td>68.20</td><td>-9.01</td><td>49.81</td><td>34.61</td><td>11.23</td><td>36.46</td><td>0.00</td><td>104</td><td>318</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5762.60	59.19	68.20	-9.01	49.81	34.61	11.23	36.46	0.00	104	318	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5762.60	59.19	68.20	-9.01	49.81	34.61	11.23	36.46	0.00	104	318																																														







Mode	41																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																			
ANT	0+1																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.16</td><td>61.57</td><td>74.00</td><td>-12.43</td><td>48.82</td><td>34.50</td><td>10.17</td><td>31.92</td><td>0.00</td><td>225</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5461.52</td><td>64.12</td><td>68.20</td><td>-4.08</td><td>51.39</td><td>34.48</td><td>10.19</td><td>31.94</td><td>0.00</td><td>225</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.16	61.57	74.00	-12.43	48.82	34.50	10.17	31.92	0.00	225	360	PEAK	2	5461.52	64.12	68.20	-4.08	51.39	34.48	10.19	31.94	0.00	225	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>110.98</td><td>-----</td><td>-----</td><td>98.24</td><td>34.40</td><td>10.25</td><td>31.91</td><td>0.00</td><td>225</td><td>360</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	110.98	-----	-----	98.24	34.40	10.25	31.91	0.00	225	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5442.16	61.57	74.00	-12.43	48.82	34.50	10.17	31.92	0.00	225	360	PEAK																																																																																																								
2	5461.52	64.12	68.20	-4.08	51.39	34.48	10.19	31.94	0.00	225	360	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5530.00	110.98	-----	-----	98.24	34.40	10.25	31.91	0.00	225	360	PEAK																																																																																																								
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>51.96</td><td>54.00</td><td>-2.04</td><td>39.24</td><td>34.48</td><td>10.18</td><td>31.94</td><td>0.00</td><td>225</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	51.96	54.00	-2.04	39.24	34.48	10.18	31.94	0.00	225	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>100.85</td><td>-----</td><td>-----</td><td>88.14</td><td>34.40</td><td>10.24</td><td>31.93</td><td>0.00</td><td>225</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.85	-----	-----	88.14	34.40	10.24	31.93	0.00	225	360	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5459.92	51.96	54.00	-2.04	39.24	34.48	10.18	31.94	0.00	225	360	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5530.00	100.85	-----	-----	88.14	34.40	10.24	31.93	0.00	225	360	AVERAGE																																																																																																								




Mode	41																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.04</td><td>57.08</td><td>68.20</td><td>-11.12</td><td>44.06</td><td>34.55</td><td>10.43</td><td>31.96</td><td>0.00</td><td>225</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.04	57.08	68.20	-11.12	44.06	34.55	10.43	31.96	0.00	225	360	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5726.04	57.08	68.20	-11.12	44.06	34.55	10.43	31.96	0.00	225	360	PEAK																																												





Mode	41																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																			
ANT	0+1																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.84</td><td>56.41</td><td>74.00</td><td>-17.59</td><td>43.69</td><td>34.48</td><td>10.18</td><td>31.94</td><td>0.00</td><td>100</td><td>83 PEAK</td></tr><tr><td>2</td><td>5466.80</td><td>56.61</td><td>68.20</td><td>-11.59</td><td>43.90</td><td>34.47</td><td>10.19</td><td>31.95</td><td>0.00</td><td>100</td><td>83 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.84	56.41	74.00	-17.59	43.69	34.48	10.18	31.94	0.00	100	83 PEAK	2	5466.80	56.61	68.20	-11.59	43.90	34.47	10.19	31.95	0.00	100	83 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5457.84	56.41	74.00	-17.59	43.69	34.48	10.18	31.94	0.00	100	83 PEAK																																																									
2	5466.80	56.61	68.20	-11.59	43.90	34.47	10.19	31.95	0.00	100	83 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>101.92</td><td>-----</td><td>-----</td><td>89.21</td><td>34.40</td><td>10.24</td><td>31.93</td><td>0.00</td><td>100</td><td>83 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	101.92	-----	-----	89.21	34.40	10.24	31.93	0.00	100	83 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5530.00	101.92	-----	-----	89.21	34.40	10.24	31.93	0.00	100	83 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.28</td><td>46.37</td><td>54.00</td><td>-7.63</td><td>33.64</td><td>34.49</td><td>10.18</td><td>31.94</td><td>0.00</td><td>100</td><td>83 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.28	46.37	54.00	-7.63	33.64	34.49	10.18	31.94	0.00	100	83 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5455.28	46.37	54.00	-7.63	33.64	34.49	10.18	31.94	0.00	100	83 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>92.23</td><td>-----</td><td>-----</td><td>79.53</td><td>34.40</td><td>10.24</td><td>31.94</td><td>0.00</td><td>100</td><td>83 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	92.23	-----	-----	79.53	34.40	10.24	31.94	0.00	100	83 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5530.00	92.23	-----	-----	79.53	34.40	10.24	31.94	0.00	100	83 AVERAGE																																																									



Mode	41																																																										
	Band Edge - R																																																										
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																										
ANT	0+1																																																										
Pol.	Vertical						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.44</td><td>56.88</td><td>68.20</td><td>-11.32</td><td>43.72</td><td>34.60</td><td>10.45</td><td>31.89</td><td>0.00</td><td>100</td><td>83</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5750.44	56.88	68.20	-11.32	43.72	34.60	10.45	31.89	0.00	100	83	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5750.44	56.88	68.20	-11.32	43.72	34.60	10.45	31.89	0.00	100	83	PEAK																																															



Mode	41																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																																	
ANT	0+1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7748.00</td><td>46.91</td><td>74.00</td><td>-27.09</td><td>64.67</td><td>35.70</td><td>13.15</td><td>66.61</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11060.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>57.54</td><td>37.85</td><td>16.08</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7748.00	46.91	74.00	-27.09	64.67	35.70	13.15	66.61	0.00	---	Peak	2	11060.00	44.85	74.00	-29.15	57.54	37.85	16.08	66.62	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7723.00</td><td>47.00</td><td>74.00</td><td>-27.00</td><td>64.76</td><td>35.70</td><td>13.13</td><td>66.59</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11060.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>58.58</td><td>37.85</td><td>16.08</td><td>66.62</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7723.00	47.00	74.00	-27.00	64.76	35.70	13.13	66.59	0.00	---	Peak	2	11060.00	45.89	74.00	-28.11	58.58	37.85	16.08	66.62	0.00	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7748.00	46.91	74.00	-27.09	64.67	35.70	13.15	66.61	0.00	---	Peak																																																																																																																							
2	11060.00	44.85	74.00	-29.15	57.54	37.85	16.08	66.62	0.00	---	PEAK																																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	7723.00	47.00	74.00	-27.00	64.76	35.70	13.13	66.59	0.00	---	Peak																																																																																																																							
2	11060.00	45.89	74.00	-28.11	58.58	37.85	16.08	66.62	0.00	---	PEAK																																																																																																																							







Mode	42																																																																							
	Band Edge - L																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																																							
ANT	0+1																																																																							
Pol.	Horizontal						Fundamental																																																																	
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5447.60</td><td>66.37</td><td>74.00</td><td>-7.63</td><td>57.62</td><td>34.35</td><td>10.83</td><td>36.43</td><td>0.00</td><td>192</td><td>360 PEAK</td></tr><tr><td>2</td><td>5463.12</td><td>66.81</td><td>68.20</td><td>-1.39</td><td>58.07</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>192</td><td>360 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5447.60	66.37	74.00	-7.63	57.62	34.35	10.83	36.43	0.00	192	360 PEAK	2	5463.12	66.81	68.20	-1.39	58.07	34.34	10.84	36.44	0.00	192	360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5447.60	66.37	74.00	-7.63	57.62	34.35	10.83	36.43	0.00	192	360 PEAK																																																													
2	5463.12	66.81	68.20	-1.39	58.07	34.34	10.84	36.44	0.00	192	360 PEAK																																																													
Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5458.96</td><td>49.12</td><td>54.00</td><td>-4.88</td><td>40.38</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>192</td><td>360 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.96	49.12	54.00	-4.88	40.38	34.34	10.84	36.44	0.00	192	360 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5458.96	49.12	54.00	-4.88	40.38	34.34	10.84	36.44	0.00	192	360 AVERAGE																																																													
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5530.00</td><td>110.56</td><td>-----</td><td>-----</td><td>101.72</td><td>34.35</td><td>10.91</td><td>36.42</td><td>0.00</td><td>192</td><td>360 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	110.56	-----	-----	101.72	34.35	10.91	36.42	0.00	192	360 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5530.00	110.56	-----	-----	101.72	34.35	10.91	36.42	0.00	192	360 PEAK																																																													
Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5530.00</td><td>102.88</td><td>-----</td><td>-----</td><td>94.16</td><td>34.31</td><td>10.88</td><td>36.47</td><td>0.00</td><td>192</td><td>360 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5530.00	102.88	-----	-----	94.16	34.31	10.88	36.47	0.00	192	360 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	5530.00	102.88	-----	-----	94.16	34.31	10.88	36.47	0.00	192	360 AVERAGE																																																													




Mode	42																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																						
ANT	0+1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.36</td><td>59.79</td><td>68.20</td><td>-8.41</td><td>50.51</td><td>34.51</td><td>11.20</td><td>36.43</td><td>0.00</td><td>192</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.36	59.79	68.20	-8.41	50.51	34.51	11.20	36.43	0.00	192	360	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5742.36	59.79	68.20	-8.41	50.51	34.51	11.20	36.43	0.00	192	360	PEAK																																											







Mode	42																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5440.08</td><td>58.67</td><td>74.00</td><td>-15.33</td><td>49.92</td><td>34.36</td><td>10.82</td><td>36.43</td><td>0.00</td><td>100</td><td>316</td><td>PEAK</td></tr><tr><td>2</td><td>5462.16</td><td>59.49</td><td>68.20</td><td>-8.71</td><td>50.75</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>316</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5440.08	58.67	74.00	-15.33	49.92	34.36	10.82	36.43	0.00	100	316	PEAK	2	5462.16	59.49	68.20	-8.71	50.75	34.34	10.84	36.44	0.00	100	316	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>103.46</td><td>-----</td><td>-----</td><td>94.74</td><td>34.31</td><td>10.88</td><td>36.47</td><td>0.00</td><td>100</td><td>316</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	103.46	-----	-----	94.74	34.31	10.88	36.47	0.00	100	316	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5440.08	58.67	74.00	-15.33	49.92	34.36	10.82	36.43	0.00	100	316	PEAK																																																																																																				
2	5462.16	59.49	68.20	-8.71	50.75	34.34	10.84	36.44	0.00	100	316	PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	103.46	-----	-----	94.74	34.31	10.88	36.47	0.00	100	316	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.64</td><td>46.35</td><td>54.00</td><td>-7.65</td><td>37.61</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>316</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	46.35	54.00	-7.65	37.61	34.34	10.84	36.44	0.00	100	316	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>93.89</td><td>-----</td><td>-----</td><td>85.17</td><td>34.31</td><td>10.88</td><td>36.47</td><td>0.00</td><td>100</td><td>316</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	93.89	-----	-----	85.17	34.31	10.88	36.47	0.00	100	316	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.64	46.35	54.00	-7.65	37.61	34.34	10.84	36.44	0.00	100	316	AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	93.89	-----	-----	85.17	34.31	10.88	36.47	0.00	100	316	AVERAGE																																																																																																				




Mode	42																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																						
ANT	0+1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.08</td><td>59.23</td><td>68.20</td><td>-8.97</td><td>49.93</td><td>34.53</td><td>11.20</td><td>36.43</td><td>0.00</td><td>100</td><td>316</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.08	59.23	68.20	-8.97	49.93	34.53	11.20	36.43	0.00	100	316	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5745.08	59.23	68.20	-8.97	49.93	34.53	11.20	36.43	0.00	100	316	PEAK																																											







Mode	43																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																												
ANT	0+1																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																							
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.76</td><td>61.44</td><td>74.00</td><td>-12.56</td><td>48.71</td><td>34.49</td><td>10.18</td><td>31.94</td><td>0.00</td><td>229 360 PEAK</td></tr><tr><td>2</td><td>5461.84</td><td>65.31</td><td>68.20</td><td>-2.89</td><td>52.58</td><td>34.48</td><td>10.19</td><td>31.94</td><td>0.00</td><td>229 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.76	61.44	74.00	-12.56	48.71	34.49	10.18	31.94	0.00	229 360 PEAK	2	5461.84	65.31	68.20	-2.89	52.58	34.48	10.19	31.94	0.00	229 360 PEAK	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>113.33</td><td>-----</td><td>-----</td><td>100.39</td><td>34.40</td><td>10.30</td><td>31.76</td><td>0.00</td><td>229 360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	113.33	-----	-----	100.39	34.40	10.30	31.76	0.00	229 360 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5455.76	61.44	74.00	-12.56	48.71	34.49	10.18	31.94	0.00	229 360 PEAK																																																																																																			
2	5461.84	65.31	68.20	-2.89	52.58	34.48	10.19	31.94	0.00	229 360 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5610.00	113.33	-----	-----	100.39	34.40	10.30	31.76	0.00	229 360 PEAK																																																																																																			
Avg	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>51.54</td><td>54.00</td><td>-2.46</td><td>38.82</td><td>34.48</td><td>10.18</td><td>31.94</td><td>0.00</td><td>229 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	51.54	54.00	-2.46	38.82	34.48	10.18	31.94	0.00	229 360 AVERAGE	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>104.45</td><td>-----</td><td>-----</td><td>91.47</td><td>34.44</td><td>10.33</td><td>31.79</td><td>0.00</td><td>229 360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.45	-----	-----	91.47	34.44	10.33	31.79	0.00	229 360 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.92	51.54	54.00	-2.46	38.82	34.48	10.18	31.94	0.00	229 360 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5610.00	104.45	-----	-----	91.47	34.44	10.33	31.79	0.00	229 360 AVERAGE																																																																																																			




Mode	43																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																													
ANT	0+1																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.72</td><td>64.95</td><td>68.20</td><td>-3.25</td><td>51.89</td><td>34.56</td><td>10.44</td><td>31.94</td><td>0.00</td><td>229</td><td>360</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.72	64.95	68.20	-3.25	51.89	34.56	10.44	31.94	0.00	229	360	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5731.72	64.95	68.20	-3.25	51.89	34.56	10.44	31.94	0.00	229	360	PEAK																																		





		43																																																						
Mode		Band Edge - L																																																						
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																						
ANT		0+1																																																						
Pol.		Vertical					Fundamental																																																	
Peak																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.68	58.22	74.00	-15.78	45.50	34.48	10.18	31.94	0.00	106	79 PEAK	2	5466.16	57.80	68.20	-10.40	45.09	34.47	10.19	31.95	0.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5457.68	58.22	74.00	-15.78	45.50	34.48	10.18	31.94	0.00	106	79 PEAK																																													
2	5466.16	57.80	68.20	-10.40	45.09	34.47	10.19	31.95	0.00	106	79 PEAK																																													
Avg																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	46.95	54.00	-7.05	34.22	34.49	10.18	31.94	0.00	106	79 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5457.20	46.95	54.00	-7.05	34.22	34.49	10.18	31.94	0.00	106	79 AVERAGE																																													
Peak																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.99	-----	-----	92.01	34.44	10.33	31.79	0.00	106	79 PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5610.00	104.99	-----	-----	92.01	34.44	10.33	31.79	0.00	106	79 PEAK																																													
Avg																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	96.15	-----	-----	83.17	34.43	10.32	31.77	0.00	106	79 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5610.00	96.15	-----	-----	83.17	34.43	10.32	31.77	0.00	106	79 AVERAGE																																													



Mode	43																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																							
ANT	0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.56</td><td>60.45</td><td>68.20</td><td>-7.75</td><td>47.41</td><td>34.56</td><td>10.43</td><td>31.95</td><td>0.00</td><td>106</td><td>79</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.56	60.45	68.20	-7.75	47.41	34.56	10.43	31.95	0.00	106	79	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5729.56	60.45	68.20	-7.75	47.41	34.56	10.43	31.95	0.00	106	79	PEAK																																												




Mode	43																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>43.95</td><td>74.00</td><td>-30.05</td><td>56.38</td><td>38.00</td><td>16.18</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	43.95	74.00	-30.05	56.38	38.00	16.18	66.61	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>44.20</td><td>74.00</td><td>-29.80</td><td>56.63</td><td>38.00</td><td>16.18</td><td>66.61</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	44.20	74.00	-29.80	56.63	38.00	16.18	66.61	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11220.00	43.95	74.00	-30.05	56.38	38.00	16.18	66.61	0.00	---	---	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11220.00	44.20	74.00	-29.80	56.63	38.00	16.18	66.61	0.00	---	---	PEAK																																																																																							







Mode	44																																																							
	Band Edge - L																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal																																																							
Peak	Fundamental																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.96	62.11	74.00	-11.89	53.36	34.36	10.82	36.43	0.00	198	0 PEAK	2	5461.52	62.06	68.20	-6.14	53.32	34.34	10.84	36.44	0.00	198
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5442.96	62.11	74.00	-11.89	53.36	34.36	10.82	36.43	0.00	198	0 PEAK																																													
2	5461.52	62.06	68.20	-6.14	53.32	34.34	10.84	36.44	0.00	198	0 PEAK																																													
Avg																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	110.32	-----	-----	101.16	34.40	11.07	36.31	0.00	198	0 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5610.00	110.32	-----	-----	101.16	34.40	11.07	36.31	0.00	198	0 PEAK																																													
Peak																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.52	46.76	54.00	-7.24	38.02	34.35	10.83	36.44	0.00	198	0 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5453.52	46.76	54.00	-7.24	38.02	34.35	10.83	36.44	0.00	198	0 AVERAGE																																													
Avg																																																								
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.84	-----	-----	93.65	34.42	11.06	36.29	0.00	198	0 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5610.00	102.84	-----	-----	93.65	34.42	11.06	36.29	0.00	198	0 AVERAGE																																													




Mode	44																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																									
ANT	0+1																																																									
Pol.	Horizontal						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5763.80</td><td>60.97</td><td>68.20</td><td>-7.23</td><td>51.58</td><td>34.62</td><td>11.23</td><td>36.46</td><td>0.00</td><td>198</td><td>0</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5763.80	60.97	68.20	-7.23	51.58	34.62	11.23	36.46	0.00	198	0	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5763.80	60.97	68.20	-7.23	51.58	34.62	11.23	36.46	0.00	198	0	PEAK																																														







Mode	44																																																																					
	Band Edge - L																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																																					
ANT	0+1																																																																					
Pol.	Vertical																																																																					
Peak																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5438.96</td><td>57.14</td><td>74.00</td><td>-16.86</td><td>48.39</td><td>34.36</td><td>10.82</td><td>36.43</td><td>0.00</td><td>100</td><td>325</td><td>PEAK</td></tr><tr><td>2</td><td>5463.44</td><td>57.09</td><td>68.20</td><td>-11.11</td><td>48.35</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>325</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.96	57.14	74.00	-16.86	48.39	34.36	10.82	36.43	0.00	100	325	PEAK	2	5463.44	57.09	68.20	-11.11	48.35	34.34	10.84	36.44	0.00	100	325	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5438.96	57.14	74.00	-16.86	48.39	34.36	10.82	36.43	0.00	100	325	PEAK																																																										
2	5463.44	57.09	68.20	-11.11	48.35	34.34	10.84	36.44	0.00	100	325	PEAK																																																										
Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>45.99</td><td>54.00</td><td>-8.01</td><td>37.41</td><td>34.35</td><td>10.75</td><td>36.52</td><td>0.00</td><td>100</td><td>325</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	45.99	54.00	-8.01	37.41	34.35	10.75	36.52	0.00	100	325	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5350.00	45.99	54.00	-8.01	37.41	34.35	10.75	36.52	0.00	100	325	AVERAGE																																																										
Fundamental																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>102.42</td><td>-----</td><td>-----</td><td>93.23</td><td>34.42</td><td>11.06</td><td>36.29</td><td>0.00</td><td>100</td><td>325</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.42	-----	-----	93.23	34.42	11.06	36.29	0.00	100	325	PEAK													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5610.00	102.42	-----	-----	93.23	34.42	11.06	36.29	0.00	100	325	PEAK																																																										
Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>93.17</td><td>-----</td><td>-----</td><td>83.96</td><td>34.46</td><td>11.03</td><td>36.28</td><td>0.00</td><td>100</td><td>325</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.17	-----	-----	83.96	34.46	11.03	36.28	0.00	100	325	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	5610.00	93.17	-----	-----	83.96	34.46	11.03	36.28	0.00	100	325	AVERAGE																																																										



Mode	44																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																						
ANT	0+1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.32</td><td>58.91</td><td>68.20</td><td>-9.29</td><td>49.65</td><td>34.49</td><td>11.19</td><td>36.42</td><td>0.00</td><td>100</td><td>325</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.32	58.91	68.20	-9.29	49.65	34.49	11.19	36.42	0.00	100	325	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5737.32	58.91	68.20	-9.29	49.65	34.49	11.19	36.42	0.00	100	325	PEAK																																											







Mode	45																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_Full_5570MHz																																																																																																																			
ANT	0+1																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5422.38</td><td>62.25</td><td>74.00</td><td>-11.75</td><td>49.50</td><td>34.50</td><td>10.15</td><td>31.90</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5463.52</td><td>62.09</td><td>68.20</td><td>-6.11</td><td>49.38</td><td>34.47</td><td>10.19</td><td>31.95</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5422.38	62.25	74.00	-11.75	49.50	34.50	10.15	31.90	0.00	160	360	PEAK	2	5463.52	62.09	68.20	-6.11	49.38	34.47	10.19	31.95	0.00	160	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>106.55</td><td>-----</td><td>-----</td><td>93.71</td><td>34.40</td><td>10.27</td><td>31.83</td><td>0.00</td><td>160</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	106.55	-----	-----	93.71	34.40	10.27	31.83	0.00	160	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5422.38	62.25	74.00	-11.75	49.50	34.50	10.15	31.90	0.00	160	360	PEAK																																																																																																								
2	5463.52	62.09	68.20	-6.11	49.38	34.47	10.19	31.95	0.00	160	360	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5570.00	106.55	-----	-----	93.71	34.40	10.27	31.83	0.00	160	360	PEAK																																																																																																								
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.42</td><td>52.50</td><td>54.00</td><td>-1.50</td><td>39.75</td><td>34.50</td><td>10.18</td><td>31.93</td><td>0.00</td><td>160</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.42	52.50	54.00	-1.50	39.75	34.50	10.18	31.93	0.00	160	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>96.76</td><td>-----</td><td>-----</td><td>83.92</td><td>34.40</td><td>10.27</td><td>31.83</td><td>0.00</td><td>160</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	96.76	-----	-----	83.92	34.40	10.27	31.83	0.00	160	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5451.42	52.50	54.00	-1.50	39.75	34.50	10.18	31.93	0.00	160	360	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5570.00	96.76	-----	-----	83.92	34.40	10.27	31.83	0.00	160	360	AVERAGE																																																																																																								




Mode	45																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_Full_5570MHz																																													
ANT	0+1																																													
Pol.	Horizontal	Fundamental																																												
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.66</td><td>61.76</td><td>68.20</td><td>-6.44</td><td>48.70</td><td>34.56</td><td>10.44</td><td>31.94</td><td>0.00</td><td>160 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.66	61.76	68.20	-6.44	48.70	34.56	10.44	31.94	0.00	160 360 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5731.66	61.76	68.20	-6.44	48.70	34.56	10.44	31.94	0.00	160 360 PEAK																																				





		45																																																																																																														
Mode	Band Edge - L																																																																																																															
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_Full_5570MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Vertical					Fundamental																																																																																																										
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5447.24</td><td>56.14</td><td>74.00</td><td>-17.86</td><td>43.40</td><td>34.50</td><td>10.17</td><td>31.93</td><td>0.00</td><td>100</td><td>77 PEAK</td></tr><tr><td>2</td><td>5467.04</td><td>54.95</td><td>68.20</td><td>-13.25</td><td>42.24</td><td>34.47</td><td>10.19</td><td>31.95</td><td>0.00</td><td>100</td><td>77 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.24	56.14	74.00	-17.86	43.40	34.50	10.17	31.93	0.00	100	77 PEAK	2	5467.04	54.95	68.20	-13.25	42.24	34.47	10.19	31.95	0.00	100	77 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>99.76</td><td>-----</td><td>-----</td><td>87.06</td><td>34.40</td><td>10.24</td><td>31.94</td><td>0.00</td><td>100</td><td>77 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	99.76	-----	-----	87.06	34.40	10.24	31.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5447.24	56.14	74.00	-17.86	43.40	34.50	10.17	31.93	0.00	100	77 PEAK																																																																																																					
2	5467.04	54.95	68.20	-13.25	42.24	34.47	10.19	31.95	0.00	100	77 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	99.76	-----	-----	87.06	34.40	10.24	31.94	0.00	100	77 PEAK																																																																																																					
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.70</td><td>45.61</td><td>54.00</td><td>-8.39</td><td>32.86</td><td>34.50</td><td>10.17</td><td>31.92</td><td>0.00</td><td>100</td><td>77 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.70	45.61	54.00	-8.39	32.86	34.50	10.17	31.92	0.00	100	77 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>88.34</td><td>-----</td><td>-----</td><td>75.48</td><td>34.40</td><td>10.28</td><td>31.82</td><td>0.00</td><td>100</td><td>77 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	88.34	-----	-----	75.48	34.40	10.28	31.82	0.00	100	77 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5445.70	45.61	54.00	-8.39	32.86	34.50	10.17	31.92	0.00	100	77 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5570.00	88.34	-----	-----	75.48	34.40	10.28	31.82	0.00	100	77 AVERAGE																																																																																																					







Mode	45																																																
	Band Edge - R																																																
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_Full_5570MHz																																																
ANT	0+1																																																
Pol.	Vertical	Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.17</td><td>54.67</td><td>68.20</td><td>-13.53</td><td>41.64</td><td>34.55</td><td>10.43</td><td>31.95</td><td>0.00</td><td>100</td><td>77</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5727.17	54.67	68.20	-13.53	41.64	34.55	10.43	31.95	0.00	100	77	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	5727.17	54.67	68.20	-13.53	41.64	34.55	10.43	31.95	0.00	100	77	PEAK																																					




Mode	45																																																																																																			
	Harmonic																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_Full_5570MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>57.52</td><td>37.93</td><td>16.13</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	44.96	74.00	-29.04	57.52	37.93	16.13	66.62	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11140.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>58.00</td><td>37.93</td><td>16.13</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11140.00	45.44	74.00	-28.56	58.00	37.93	16.13	66.62	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11140.00	44.96	74.00	-29.04	57.52	37.93	16.13	66.62	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11140.00	45.44	74.00	-28.56	58.00	37.93	16.13	66.62	0.00	---	---	PEAK																																																																																								







Mode	46																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_RU996/67_5570MHz																																																																																																																
ANT	0+1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.70</td><td>68.87</td><td>74.00</td><td>-5.13</td><td>60.13</td><td>34.35</td><td>10.82</td><td>36.43</td><td>0.00</td><td>137</td><td>0 PEAK</td></tr><tr><td>2</td><td>5462.64</td><td>59.01</td><td>68.20</td><td>-9.19</td><td>50.27</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>137</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.70	68.87	74.00	-5.13	60.13	34.35	10.82	36.43	0.00	137	0 PEAK	2	5462.64	59.01	68.20	-9.19	50.27	34.34	10.84	36.44	0.00	137	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>104.69</td><td>-----</td><td>-----</td><td>95.95</td><td>34.31</td><td>10.89</td><td>36.46</td><td>0.00</td><td>137</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	104.69	-----	-----	95.95	34.31	10.89	36.46	0.00	137	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5445.70	68.87	74.00	-5.13	60.13	34.35	10.82	36.43	0.00	137	0 PEAK																																																																																																						
2	5462.64	59.01	68.20	-9.19	50.27	34.34	10.84	36.44	0.00	137	0 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	104.69	-----	-----	95.95	34.31	10.89	36.46	0.00	137	0 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>49.38</td><td>54.00</td><td>-4.62</td><td>40.64</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>137</td><td>0 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	49.38	54.00	-4.62	40.64	34.34	10.84	36.44	0.00	137	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>95.97</td><td>-----</td><td>-----</td><td>87.23</td><td>34.31</td><td>10.89</td><td>36.46</td><td>0.00</td><td>137</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	95.97	-----	-----	87.23	34.31	10.89	36.46	0.00	137	0 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5460.00	49.38	54.00	-4.62	40.64	34.34	10.84	36.44	0.00	137	0 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5570.00	95.97	-----	-----	87.23	34.31	10.89	36.46	0.00	137	0 AVERAGE																																																																																																						





Mode	46																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_RU996/67_5570MHz																																																					
ANT	0+1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.39</td><td>62.91</td><td>68.20</td><td>-5.29</td><td>53.70</td><td>34.43</td><td>11.18</td><td>36.40</td><td>0.00</td><td>137</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.39	62.91	68.20	-5.29	53.70	34.43	11.18	36.40	0.00	137	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5726.39	62.91	68.20	-5.29	53.70	34.43	11.18	36.40	0.00	137	0 PEAK																																											





Mode	46																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_RU996/67_5570MHz																																																																																																																			
ANT	0+1																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5385.20</td><td>57.51</td><td>74.00</td><td>-16.49</td><td>48.79</td><td>34.39</td><td>10.77</td><td>36.44</td><td>0.00</td><td>101</td><td>321</td><td>PEAK</td></tr><tr><td>2</td><td>5466.38</td><td>59.25</td><td>68.20</td><td>-8.95</td><td>50.52</td><td>34.33</td><td>10.85</td><td>36.45</td><td>0.00</td><td>101</td><td>321</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.20	57.51	74.00	-16.49	48.79	34.39	10.77	36.44	0.00	101	321	PEAK	2	5466.38	59.25	68.20	-8.95	50.52	34.33	10.85	36.45	0.00	101	321	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>96.16</td><td>-----</td><td>-----</td><td>87.16</td><td>34.41</td><td>10.95</td><td>36.36</td><td>0.00</td><td>101</td><td>321</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	96.16	-----	-----	87.16	34.41	10.95	36.36	0.00	101	321
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5385.20	57.51	74.00	-16.49	48.79	34.39	10.77	36.44	0.00	101	321	PEAK																																																																																																								
2	5466.38	59.25	68.20	-8.95	50.52	34.33	10.85	36.45	0.00	101	321	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5570.00	96.16	-----	-----	87.16	34.41	10.95	36.36	0.00	101	321	PEAK																																																																																																								
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.34</td><td>46.66</td><td>54.00</td><td>-7.34</td><td>37.92</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>101</td><td>321</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.34	46.66	54.00	-7.34	37.92	34.34	10.84	36.44	0.00	101	321	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>87.41</td><td>-----</td><td>-----</td><td>78.67</td><td>34.31</td><td>10.89</td><td>36.46</td><td>0.00</td><td>101</td><td>321</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	87.41	-----	-----	78.67	34.31	10.89	36.46	0.00	101	321	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5459.34	46.66	54.00	-7.34	37.92	34.34	10.84	36.44	0.00	101	321	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5570.00	87.41	-----	-----	78.67	34.31	10.89	36.46	0.00	101	321	AVERAGE																																																																																																								





Mode	46																																																								
	Band Edge - R																																																								
	U-NII-1_5.15-5.25_802.11ax HE160_CH114_RU996/67_5570MHz																																																								
ANT	0+1																																																								
Pol.	Vertical						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5752.52</td><td>59.00</td><td>68.20</td><td>-9.20</td><td>49.67</td><td>34.56</td><td>11.21</td><td>36.44</td><td>0.00</td><td>101</td><td>321</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5752.52	59.00	68.20	-9.20	49.67	34.56	11.21	36.44	0.00	101	321	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5752.52	59.00	68.20	-9.20	49.67	34.56	11.21	36.44	0.00	101	321																																														







Mode	36																																																																																																									
	30M-1G																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																									
ANT	0+1																																																																																																									
Pol.	Horizontal																																																																																																									
Peak																																																																																																										
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>153.68</td><td>26.86</td><td>43.50</td><td>-16.64</td><td>41.45</td><td>16.85</td><td>1.27</td><td>32.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>248.74</td><td>28.89</td><td>46.00</td><td>-17.11</td><td>41.81</td><td>18.32</td><td>1.65</td><td>32.89</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>442.98</td><td>22.57</td><td>46.00</td><td>-23.43</td><td>30.56</td><td>22.83</td><td>2.23</td><td>33.05</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>523.25</td><td>23.44</td><td>46.00</td><td>-22.56</td><td>29.85</td><td>24.37</td><td>2.40</td><td>33.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>679.17</td><td>26.90</td><td>46.00</td><td>-19.10</td><td>30.82</td><td>26.62</td><td>2.71</td><td>33.25</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>793.63</td><td>29.38</td><td>46.00</td><td>-16.62</td><td>31.02</td><td>28.45</td><td>2.95</td><td>33.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	153.68	26.86	43.50	-16.64	41.45	16.85	1.27	32.71	---	---	Peak	2	248.74	28.89	46.00	-17.11	41.81	18.32	1.65	32.89	---	---	Peak	3	442.98	22.57	46.00	-23.43	30.56	22.83	2.23	33.05	---	---	Peak	4	523.25	23.44	46.00	-22.56	29.85	24.37	2.40	33.18	---	---	Peak	5	679.17	26.90	46.00	-19.10	30.82	26.62	2.71	33.25	---	---	Peak	6	793.63	29.38	46.00	-16.62	31.02	28.45	2.95	33.04	---	---
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	153.68	26.86	43.50	-16.64	41.45	16.85	1.27	32.71	---	---	Peak																																																																																															
2	248.74	28.89	46.00	-17.11	41.81	18.32	1.65	32.89	---	---	Peak																																																																																															
3	442.98	22.57	46.00	-23.43	30.56	22.83	2.23	33.05	---	---	Peak																																																																																															
4	523.25	23.44	46.00	-22.56	29.85	24.37	2.40	33.18	---	---	Peak																																																																																															
5	679.17	26.90	46.00	-19.10	30.82	26.62	2.71	33.25	---	---	Peak																																																																																															
6	793.63	29.38	46.00	-16.62	31.02	28.45	2.95	33.04	---	---	Peak																																																																																															
Peak																																																																																																										
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>61.04</td><td>29.38</td><td>40.00</td><td>-10.62</td><td>49.52</td><td>11.78</td><td>0.80</td><td>32.72</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>154.16</td><td>32.16</td><td>43.50</td><td>-11.34</td><td>46.76</td><td>16.84</td><td>1.27</td><td>32.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>262.07</td><td>21.14</td><td>46.00</td><td>-24.86</td><td>32.05</td><td>20.26</td><td>1.71</td><td>32.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>487.11</td><td>22.87</td><td>46.00</td><td>-23.13</td><td>30.88</td><td>23.61</td><td>2.30</td><td>33.12</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>634.07</td><td>27.10</td><td>46.00</td><td>-18.90</td><td>31.39</td><td>26.37</td><td>2.63</td><td>33.29</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>734.95</td><td>28.31</td><td>46.00</td><td>-17.69</td><td>30.70</td><td>28.00</td><td>2.83</td><td>33.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	61.04	29.38	40.00	-10.62	49.52	11.78	0.80	32.72	---	---	Peak	2	154.16	32.16	43.50	-11.34	46.76	16.84	1.27	32.71	---	---	Peak	3	262.07	21.14	46.00	-24.86	32.05	20.26	1.71	32.88	---	---	Peak	4	487.11	22.87	46.00	-23.13	30.88	23.61	2.30	33.12	---	---	Peak	5	634.07	27.10	46.00	-18.90	31.39	26.37	2.63	33.29	---	---	Peak	6	734.95	28.31	46.00	-17.69	30.70	28.00	2.83	33.22	---	---
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	61.04	29.38	40.00	-10.62	49.52	11.78	0.80	32.72	---	---	Peak																																																																																															
2	154.16	32.16	43.50	-11.34	46.76	16.84	1.27	32.71	---	---	Peak																																																																																															
3	262.07	21.14	46.00	-24.86	32.05	20.26	1.71	32.88	---	---	Peak																																																																																															
4	487.11	22.87	46.00	-23.13	30.88	23.61	2.30	33.12	---	---	Peak																																																																																															
5	634.07	27.10	46.00	-18.90	31.39	26.37	2.63	33.29	---	---	Peak																																																																																															
6	734.95	28.31	46.00	-17.69	30.70	28.00	2.83	33.22	---	---	Peak																																																																																															





Mode	47																																																																																																								
	Harmonic																																																																																																								
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																								
ANT	0+1																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.66</td><td>74.00</td><td>-29.34</td><td>56.73</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	44.66	74.00	-29.34	56.73	38.20	16.32	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.66</td><td>74.00</td><td>-29.34</td><td>56.73</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	44.66	74.00	-29.34	56.73	38.20	16.32	66.59	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11440.00	44.66	74.00	-29.34	56.73	38.20	16.32	66.59	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11440.00	44.66	74.00	-29.34	56.73	38.20	16.32	66.59	0.00	---	---	PEAK																																																																																													





Mode	48																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>56.74</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.67	74.00	-29.33	56.74	38.20	16.32	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>56.99</td><td>38.20</td><td>16.32</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.92	74.00	-29.08	56.99	38.20	16.32	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11440.00	44.67	74.00	-29.33	56.74	38.20	16.32	66.59	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11440.00	44.92	74.00	-29.08	56.99	38.20	16.32	66.59	0.00	---	---	PEAK																																																																																								





		49																																																						
Mode		Harmonic																																																						
		U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																						
ANT		0+1																																																						
Pol.		Horizontal						Vertical																																																
Peak Avg																																																								
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11420.00</td><td>44.07</td><td>74.00</td><td>-29.93</td><td>56.17</td><td>38.18</td><td>16.31</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11420.00	44.07	74.00	-29.93	56.17	38.18	16.31	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 11420.00	44.07	74.00	-29.93	56.17	38.18	16.31	66.59	0.00	---	---	PEAK																																													
																																																								
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11420.00</td><td>44.10</td><td>74.00</td><td>-29.90</td><td>56.20</td><td>38.18</td><td>16.31</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11420.00	44.10	74.00	-29.90	56.20	38.18	16.31	66.59	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1 11420.00	44.10	74.00	-29.90	56.20	38.18	16.31	66.59	0.00	---	---	PEAK																																													






Mode	50																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>43.66</td><td>74.00</td><td>-30.34</td><td>55.82</td><td>38.14</td><td>16.29</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	43.66	74.00	-30.34	55.82	38.14	16.29	66.59	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>44.33</td><td>74.00</td><td>-29.67</td><td>56.49</td><td>38.14</td><td>16.29</td><td>66.59</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	44.33	74.00	-29.67	56.49	38.14	16.29	66.59	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11380.00	43.66	74.00	-30.34	55.82	38.14	16.29	66.59	0.00	---	---	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11380.00	44.33	74.00	-29.67	56.49	38.14	16.29	66.59	0.00	---	---	PEAK																																																																																								





Mode	51																																																																																										
	Band Edge																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																										
ANT	0+1																																																																																										
Pol.	Horizontal																																																																																										
Peak	Fundamental																																																																																										
																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5620.80</td><td>58.80</td><td>68.20</td><td>-9.40</td><td>49.59</td><td>34.46</td><td>11.03</td><td>36.28</td><td>0.00</td><td>197</td><td>0 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>57.31</td><td>68.50</td><td>-11.19</td><td>48.15</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>197</td><td>0 PEAK</td></tr><tr><td>3</td><td>5715.20</td><td>77.47</td><td>109.56</td><td>-32.09</td><td>68.31</td><td>34.38</td><td>11.16</td><td>36.38</td><td>0.00</td><td>197</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>79.10</td><td>112.72</td><td>-33.62</td><td>69.92</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>197</td><td>0 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5620.80	58.80	68.20	-9.40	49.59	34.46	11.03	36.28	0.00	197	0 PEAK	2	5650.40	57.31	68.50	-11.19	48.15	34.40	11.07	36.31	0.00	197	0 PEAK	3	5715.20	77.47	109.56	-32.09	68.31	34.38	11.16	36.38	0.00	197	0 PEAK	4	5720.80	79.10	112.72	-33.62	69.92	34.40	11.17	36.39	0.00	197
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5620.80	58.80	68.20	-9.40	49.59	34.46	11.03	36.28	0.00	197	0 PEAK																																																																																
2	5650.40	57.31	68.50	-11.19	48.15	34.40	11.07	36.31	0.00	197	0 PEAK																																																																																
3	5715.20	77.47	109.56	-32.09	68.31	34.38	11.16	36.38	0.00	197	0 PEAK																																																																																
4	5720.80	79.10	112.72	-33.62	69.92	34.40	11.17	36.39	0.00	197	0 PEAK																																																																																
Avg	Blank																																																																																										
																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.51</td><td>-----</td><td>-----</td><td>101.18</td><td>34.56</td><td>11.21</td><td>36.44</td><td>0.00</td><td>197</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.51	-----	-----	101.18	34.56	11.21	36.44	0.00	197	0 AVERAGE																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5745.00	110.51	-----	-----	101.18	34.56	11.21	36.44	0.00	197	0 AVERAGE																																																																																






		51																																																																														
Mode		Band Edge																																																																														
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																														
ANT		0+1																																																																														
Pol.		Vertical																																																																														
Peak																																																																																
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5636.40	58.25	68.20	-9.95	49.06	34.43	11.05	36.29	0.00	100	326 PEAK	2	5651.60	58.30	69.39	-11.09	49.14	34.40	11.07	36.31	0.00	100	326 PEAK	3	5717.20	65.11	110.12	-45.01	55.93	34.39	11.17	36.38	0.00	100	326 PEAK	4	5721.20	69.90	113.64	-43.74	60.71	34.41	11.17	36.39	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5636.40	58.25	68.20	-9.95	49.06	34.43	11.05	36.29	0.00	100	326 PEAK																																																																					
2	5651.60	58.30	69.39	-11.09	49.14	34.40	11.07	36.31	0.00	100	326 PEAK																																																																					
3	5717.20	65.11	110.12	-45.01	55.93	34.39	11.17	36.38	0.00	100	326 PEAK																																																																					
4	5721.20	69.90	113.64	-43.74	60.71	34.41	11.17	36.39	0.00	100	326 PEAK																																																																					
Fundamental																																																																																
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.22	-----	-----	97.94	34.50	11.20	36.42	0.00	100	326 PEAK																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5745.00	107.22	-----	-----	97.94	34.50	11.20	36.42	0.00	100	326 PEAK																																																																					
Avg	Blank																																																																															
																																																																																
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.98</td><td>-----</td><td>-----</td><td>91.70</td><td>34.50</td><td>11.20</td><td>36.42</td><td>0.00</td><td>100</td><td>326 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.98	-----	-----	91.70	34.50	11.20	36.42	0.00	100	326 AVERAGE																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5745.00	100.98	-----	-----	91.70	34.50	11.20	36.42	0.00	100	326 AVERAGE																																																																					




Mode	51																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																									
ANT	0+1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>56.49</td><td>38.24</td><td>16.36</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.51	74.00	-29.49	56.49	38.24	16.36	66.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>43.83</td><td>74.00</td><td>-30.17</td><td>55.81</td><td>38.24</td><td>16.36</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	43.83	74.00	-30.17	55.81	38.24	16.36	66.58	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	44.51	74.00	-29.49	56.49	38.24	16.36	66.58	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	43.83	74.00	-30.17	55.81	38.24	16.36	66.58	0.00	---	---	PEAK																																																																																														






Mode	52																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																													
ANT	0+1																																																																																																																													
Pol.	Horizontal					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5631.60</td><td>57.52</td><td>68.20</td><td>-10.68</td><td>48.32</td><td>34.44</td><td>11.05</td><td>36.29</td><td>0.00</td><td>131</td><td>0 PEAK</td></tr><tr><td>2 5650.80</td><td>58.21</td><td>68.00</td><td>-10.59</td><td>49.05</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>131</td><td>0 PEAK</td></tr><tr><td>3 5782.80</td><td>56.59</td><td>106.09</td><td>-49.50</td><td>47.49</td><td>34.31</td><td>11.15</td><td>36.36</td><td>0.00</td><td>131</td><td>0 PEAK</td></tr><tr><td>4 5720.40</td><td>56.68</td><td>111.81</td><td>-55.13</td><td>47.50</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>131</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5631.60	57.52	68.20	-10.68	48.32	34.44	11.05	36.29	0.00	131	0 PEAK	2 5650.80	58.21	68.00	-10.59	49.05	34.40	11.07	36.31	0.00	131	0 PEAK	3 5782.80	56.59	106.09	-49.50	47.49	34.31	11.15	36.36	0.00	131	0 PEAK	4 5720.40	56.68	111.81	-55.13	47.50	34.40	11.17	36.39	0.00	131	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>117.15</td><td>-----</td><td>-----</td><td>107.68</td><td>34.71</td><td>11.26</td><td>36.50</td><td>0.00</td><td>131</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	117.15	-----	-----	107.68	34.71	11.26	36.50	0.00	131
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5631.60	57.52	68.20	-10.68	48.32	34.44	11.05	36.29	0.00	131	0 PEAK																																																																																																																				
2 5650.80	58.21	68.00	-10.59	49.05	34.40	11.07	36.31	0.00	131	0 PEAK																																																																																																																				
3 5782.80	56.59	106.09	-49.50	47.49	34.31	11.15	36.36	0.00	131	0 PEAK																																																																																																																				
4 5720.40	56.68	111.81	-55.13	47.50	34.40	11.17	36.39	0.00	131	0 PEAK																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5785.00	117.15	-----	-----	107.68	34.71	11.26	36.50	0.00	131	0 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5785.00</td><td>110.22</td><td>-----</td><td>-----</td><td>100.73</td><td>34.74</td><td>11.26</td><td>36.51</td><td>0.00</td><td>131</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5785.00	110.22	-----	-----	100.73	34.74	11.26	36.51	0.00	131	0 AVERAGE																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5785.00	110.22	-----	-----	100.73	34.74	11.26	36.51	0.00	131	0 AVERAGE																																																																																																																				




Mode	52																																																																														
	Band Edge - R																																																																														
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																														
ANT	0+1																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.40</td><td>57.86</td><td>112.27</td><td>-54.41</td><td>48.31</td><td>34.85</td><td>11.33</td><td>36.63</td><td>0.00</td><td>131</td><td>0 PEAK</td></tr><tr><td>2 5872.40</td><td>59.26</td><td>106.03</td><td>-46.77</td><td>49.70</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>131</td><td>0 PEAK</td></tr><tr><td>3 5924.80</td><td>57.19</td><td>68.35</td><td>-11.16</td><td>47.64</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>131</td><td>0 PEAK</td></tr><tr><td>4 5927.60</td><td>59.88</td><td>68.20</td><td>-8.32</td><td>50.33</td><td>34.98</td><td>11.40</td><td>36.83</td><td>0.00</td><td>131</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	57.86	112.27	-54.41	48.31	34.85	11.33	36.63	0.00	131	0 PEAK	2 5872.40	59.26	106.03	-46.77	49.70	34.87	11.35	36.66	0.00	131	0 PEAK	3 5924.80	57.19	68.35	-11.16	47.64	34.97	11.40	36.82	0.00	131	0 PEAK	4 5927.60	59.88	68.20	-8.32	50.33	34.98	11.40	36.83	0.00	131	0 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																					
1 5854.40	57.86	112.27	-54.41	48.31	34.85	11.33	36.63	0.00	131	0 PEAK																																																																					
2 5872.40	59.26	106.03	-46.77	49.70	34.87	11.35	36.66	0.00	131	0 PEAK																																																																					
3 5924.80	57.19	68.35	-11.16	47.64	34.97	11.40	36.82	0.00	131	0 PEAK																																																																					
4 5927.60	59.88	68.20	-8.32	50.33	34.98	11.40	36.83	0.00	131	0 PEAK																																																																					





Mode	52																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																								
ANT	0+1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5628.00</td><td>58.31</td><td>68.20</td><td>-9.89</td><td>49.12</td><td>34.44</td><td>11.04</td><td>36.29</td><td>0.00</td><td>105</td><td>81 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.51</td><td>68.20</td><td>-12.69</td><td>46.35</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>105</td><td>81 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>56.88</td><td>105.30</td><td>-48.42</td><td>47.79</td><td>34.30</td><td>11.14</td><td>36.35</td><td>0.00</td><td>105</td><td>81 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>56.99</td><td>111.81</td><td>-54.82</td><td>47.81</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>105</td><td>81 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5628.00	58.31	68.20	-9.89	49.12	34.44	11.04	36.29	0.00	105	81 PEAK	2	5650.00	55.51	68.20	-12.69	46.35	34.40	11.07	36.31	0.00	105	81 PEAK	3	5700.00	56.88	105.30	-48.42	47.79	34.30	11.14	36.35	0.00	105	81 PEAK	4	5720.40	56.99	111.81	-54.82	47.81	34.40	11.17	36.39	0.00	105	81 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>108.27</td><td>-----</td><td>-----</td><td>98.78</td><td>34.74</td><td>11.26</td><td>36.51</td><td>0.00</td><td>105</td><td>81 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	108.27	-----	-----	98.78	34.74	11.26	36.51	0.00	105	81 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5628.00	58.31	68.20	-9.89	49.12	34.44	11.04	36.29	0.00	105	81 PEAK																																																																																																																														
2	5650.00	55.51	68.20	-12.69	46.35	34.40	11.07	36.31	0.00	105	81 PEAK																																																																																																																														
3	5700.00	56.88	105.30	-48.42	47.79	34.30	11.14	36.35	0.00	105	81 PEAK																																																																																																																														
4	5720.40	56.99	111.81	-54.82	47.81	34.40	11.17	36.39	0.00	105	81 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5785.00	108.27	-----	-----	98.78	34.74	11.26	36.51	0.00	105	81 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>101.16</td><td>-----</td><td>-----</td><td>91.67</td><td>34.74</td><td>11.26</td><td>36.51</td><td>0.00</td><td>105</td><td>81 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	101.16	-----	-----	91.67	34.74	11.26	36.51	0.00	105	81 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5785.00	101.16	-----	-----	91.67	34.74	11.26	36.51	0.00	105	81 AVERAGE																																																																																																																														






Mode	52																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>56.74</td><td>111.36</td><td>-54.62</td><td>47.18</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>105</td><td>81 PEAK</td></tr><tr><td>2</td><td>5866.00</td><td>59.42</td><td>107.82</td><td>-48.40</td><td>49.85</td><td>34.87</td><td>11.35</td><td>36.65</td><td>0.00</td><td>105</td><td>81 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>60.60</td><td>68.64</td><td>-8.04</td><td>51.05</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>105</td><td>81 PEAK</td></tr><tr><td>4</td><td>5959.60</td><td>58.95</td><td>68.20</td><td>-9.25</td><td>49.42</td><td>35.08</td><td>11.43</td><td>36.98</td><td>0.00</td><td>105</td><td>81 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	56.74	111.36	-54.62	47.18	34.85	11.34	36.63	0.00	105	81 PEAK	2	5866.00	59.42	107.82	-48.40	49.85	34.87	11.35	36.65	0.00	105	81 PEAK	3	5924.40	60.60	68.64	-8.04	51.05	34.97	11.40	36.82	0.00	105	81 PEAK	4	5959.60	58.95	68.20	-9.25	49.42	35.08	11.43	36.98	0.00	105	81 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.00	56.74	111.36	-54.62	47.18	34.85	11.34	36.63	0.00	105	81 PEAK																																																																																	
2	5866.00	59.42	107.82	-48.40	49.85	34.87	11.35	36.65	0.00	105	81 PEAK																																																																																	
3	5924.40	60.60	68.64	-8.04	51.05	34.97	11.40	36.82	0.00	105	81 PEAK																																																																																	
4	5959.60	58.95	68.20	-9.25	49.42	35.08	11.43	36.98	0.00	105	81 PEAK																																																																																	






Mode	52																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																									
ANT	0+1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.86</td><td>74.00</td><td>-29.14</td><td>56.67</td><td>38.31</td><td>16.41</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.86	74.00	-29.14	56.67	38.31	16.41	66.53	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>44.38</td><td>74.00</td><td>-29.62</td><td>56.19</td><td>38.31</td><td>16.41</td><td>66.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	44.38	74.00	-29.62	56.19	38.31	16.41	66.53	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11570.00	44.86	74.00	-29.14	56.67	38.31	16.41	66.53	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11570.00	44.38	74.00	-29.62	56.19	38.31	16.41	66.53	0.00	---	---	PEAK																																																																																														





Mode	53																																																																																																																																												
	Band Edge																																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																												
ANT	0+1																																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																																							
Peak																																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>73.37</td><td>111.36</td><td>-37.99</td><td>63.81</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>199</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5866.40</td><td>69.09</td><td>107.71</td><td>-38.62</td><td>59.52</td><td>34.87</td><td>11.35</td><td>36.65</td><td>0.00</td><td>199</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>58.02</td><td>68.35</td><td>-10.33</td><td>48.47</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>199</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5929.60</td><td>59.69</td><td>68.20</td><td>-8.51</td><td>50.13</td><td>34.99</td><td>11.41</td><td>36.84</td><td>0.00</td><td>199</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	73.37	111.36	-37.99	63.81	34.85	11.34	36.63	0.00	199	360	PEAK	2	5866.40	69.09	107.71	-38.62	59.52	34.87	11.35	36.65	0.00	199	360	PEAK	3	5924.00	58.02	68.35	-10.33	48.47	34.97	11.40	36.82	0.00	199	360	PEAK	4	5929.60	59.69	68.20	-8.51	50.13	34.99	11.41	36.84	0.00	199	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>117.43</td><td>-----</td><td>-----</td><td>107.87</td><td>34.83</td><td>11.31</td><td>36.58</td><td>0.00</td><td>199</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	117.43	-----	-----	107.87	34.83	11.31	36.58	0.00	199	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	5854.00	73.37	111.36	-37.99	63.81	34.85	11.34	36.63	0.00	199	360	PEAK																																																																																																																																	
2	5866.40	69.09	107.71	-38.62	59.52	34.87	11.35	36.65	0.00	199	360	PEAK																																																																																																																																	
3	5924.00	58.02	68.35	-10.33	48.47	34.97	11.40	36.82	0.00	199	360	PEAK																																																																																																																																	
4	5929.60	59.69	68.20	-8.51	50.13	34.99	11.41	36.84	0.00	199	360	PEAK																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																		
1	5825.00	117.43	-----	-----	107.87	34.83	11.31	36.58	0.00	199	360	PEAK																																																																																																																																	
Avg	Blank																																																																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.69</td><td>-----</td><td>-----</td><td>101.13</td><td>34.82</td><td>11.30</td><td>36.56</td><td>0.00</td><td>199</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5825.00	110.69	-----	-----	101.13	34.82	11.30	36.56	0.00	199	360	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																		
1	5825.00	110.69	-----	-----	101.13	34.82	11.30	36.56	0.00	199	360	AVERAGE																																																																																																																																	





Mode	53																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																	
ANT	0+1																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>59.83</td><td>111.36</td><td>-51.53</td><td>50.27</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>330</td><td>172 PEAK</td></tr><tr><td>2 5873.60</td><td>58.66</td><td>105.69</td><td>-47.03</td><td>49.10</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>330</td><td>172 PEAK</td></tr><tr><td>3 5924.40</td><td>57.24</td><td>68.64</td><td>-11.40</td><td>47.69</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>330</td><td>172 PEAK</td></tr><tr><td>4 5956.80</td><td>59.74</td><td>68.20</td><td>-8.46</td><td>50.21</td><td>35.07</td><td>11.43</td><td>36.97</td><td>0.00</td><td>330</td><td>172 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	59.83	111.36	-51.53	50.27	34.85	11.34	36.63	0.00	330	172 PEAK	2 5873.60	58.66	105.69	-47.03	49.10	34.87	11.35	36.66	0.00	330	172 PEAK	3 5924.40	57.24	68.64	-11.40	47.69	34.97	11.40	36.82	0.00	330	172 PEAK	4 5956.80	59.74	68.20	-8.46	50.21	35.07	11.43	36.97	0.00	330	172 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>108.92</td><td>-----</td><td>-----</td><td>99.36</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>330</td><td>172 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	108.92	-----	-----	99.36	34.82	11.31	36.57	0.00	330
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5854.00	59.83	111.36	-51.53	50.27	34.85	11.34	36.63	0.00	330	172 PEAK																																																																																																																								
2 5873.60	58.66	105.69	-47.03	49.10	34.87	11.35	36.66	0.00	330	172 PEAK																																																																																																																								
3 5924.40	57.24	68.64	-11.40	47.69	34.97	11.40	36.82	0.00	330	172 PEAK																																																																																																																								
4 5956.80	59.74	68.20	-8.46	50.21	35.07	11.43	36.97	0.00	330	172 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	108.92	-----	-----	99.36	34.82	11.31	36.57	0.00	330	172 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>101.42</td><td>-----</td><td>-----</td><td>91.86</td><td>34.82</td><td>11.31</td><td>36.57</td><td>0.00</td><td>330</td><td>172 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	101.42	-----	-----	91.86	34.82	11.31	36.57	0.00	330	172 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	101.42	-----	-----	91.86	34.82	11.31	36.57	0.00	330	172 AVERAGE																																																																																																																								






Mode	53																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																								
ANT	0+1																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.37</td><td>74.00</td><td>-27.63</td><td>58.00</td><td>38.38</td><td>16.46</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.37	74.00	-27.63	58.00	38.38	16.46	66.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>57.54</td><td>38.38</td><td>16.46</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.91	74.00	-28.09	57.54	38.38	16.46	66.47	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11650.00	46.37	74.00	-27.63	58.00	38.38	16.46	66.47	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11650.00	45.91	74.00	-28.09	57.54	38.38	16.46	66.47	0.00	---	---	PEAK																																																																																													





Mode	54																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																							
ANT	0+1																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5632.40</td><td>57.55</td><td>68.20</td><td>-10.65</td><td>48.35</td><td>34.44</td><td>11.05</td><td>36.29</td><td>0.00</td><td>192 360 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>58.40</td><td>68.00</td><td>-10.32</td><td>49.32</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>192 360 PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>83.40</td><td>110.56</td><td>-27.16</td><td>74.22</td><td>34.39</td><td>11.17</td><td>36.38</td><td>0.00</td><td>192 360 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>78.17</td><td>110.90</td><td>-32.73</td><td>68.99</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>192 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5632.40	57.55	68.20	-10.65	48.35	34.44	11.05	36.29	0.00	192 360 PEAK	2	5650.00	58.40	68.00	-10.32	49.32	34.40	11.07	36.31	0.00	192 360 PEAK	3	5718.00	83.40	110.56	-27.16	74.22	34.39	11.17	36.38	0.00	192 360 PEAK	4	5720.00	78.17	110.90	-32.73	68.99	34.40	11.17	36.39	0.00	192 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5632.40	57.55	68.20	-10.65	48.35	34.44	11.05	36.29	0.00	192 360 PEAK																																																																														
2	5650.00	58.40	68.00	-10.32	49.32	34.40	11.07	36.31	0.00	192 360 PEAK																																																																														
3	5718.00	83.40	110.56	-27.16	74.22	34.39	11.17	36.38	0.00	192 360 PEAK																																																																														
4	5720.00	78.17	110.90	-32.73	68.99	34.40	11.17	36.39	0.00	192 360 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>110.26</td><td>-----</td><td>-----</td><td>100.95</td><td>34.53</td><td>11.21</td><td>36.43</td><td>0.00</td><td>192 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.26	-----	-----	100.95	34.53	11.21	36.43	0.00	192 360 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5745.00	110.26	-----	-----	100.95	34.53	11.21	36.43	0.00	192 360 AVERAGE																																																																														






Mode	54																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																													
ANT	0+1																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5683.60</td><td>57.00</td><td>68.20</td><td>-11.20</td><td>47.76</td><td>34.49</td><td>11.01</td><td>36.26</td><td>0.00</td><td>100</td><td>78</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>55.73</td><td>69.39</td><td>-13.66</td><td>46.57</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>100</td><td>78</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>73.43</td><td>110.90</td><td>-37.47</td><td>64.25</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>100</td><td>78</td><td>PEAK</td></tr><tr><td>4</td><td>5722.80</td><td>81.80</td><td>117.28</td><td>-35.48</td><td>72.61</td><td>34.41</td><td>11.17</td><td>36.39</td><td>0.00</td><td>100</td><td>78</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark	1	5683.60	57.00	68.20	-11.20	47.76	34.49	11.01	36.26	0.00	100	78	PEAK	2	5651.60	55.73	69.39	-13.66	46.57	34.40	11.07	36.31	0.00	100	78	PEAK	3	5720.00	73.43	110.90	-37.47	64.25	34.40	11.17	36.39	0.00	100	78	PEAK	4	5722.80	81.80	117.28	-35.48	72.61	34.41	11.17	36.39	0.00	100	78	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.09</td><td>-----</td><td>-----</td><td>101.81</td><td>34.50</td><td>11.20</td><td>36.42</td><td>0.00</td><td>100</td><td>78</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark	1	5745.00	111.09	-----	-----	101.81	34.50	11.20	36.42	0.00	100	78
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																																																																																		
1	5683.60	57.00	68.20	-11.20	47.76	34.49	11.01	36.26	0.00	100	78	PEAK																																																																																																																		
2	5651.60	55.73	69.39	-13.66	46.57	34.40	11.07	36.31	0.00	100	78	PEAK																																																																																																																		
3	5720.00	73.43	110.90	-37.47	64.25	34.40	11.17	36.39	0.00	100	78	PEAK																																																																																																																		
4	5722.80	81.80	117.28	-35.48	72.61	34.41	11.17	36.39	0.00	100	78	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																																																																																		
1	5745.00	111.09	-----	-----	101.81	34.50	11.20	36.42	0.00	100	78	PEAK																																																																																																																		
Avg	Blank																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.00</td><td>-----</td><td>-----</td><td>91.80</td><td>34.50</td><td>11.20</td><td>36.42</td><td>0.00</td><td>100</td><td>78</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark	1	5745.00	101.00	-----	-----	91.80	34.50	11.20	36.42	0.00	100	78	AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	Remark																																																																																																																		
1	5745.00	101.00	-----	-----	91.80	34.50	11.20	36.42	0.00	100	78	AVERAGE																																																																																																																		






Mode	54																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																									
ANT	0+1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.57</td><td>74.00</td><td>-29.43</td><td>56.55</td><td>38.24</td><td>16.36</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.57	74.00	-29.43	56.55	38.24	16.36	66.58	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>56.76</td><td>38.24</td><td>16.36</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.78	74.00	-29.22	56.76	38.24	16.36	66.58	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	44.57	74.00	-29.43	56.55	38.24	16.36	66.58	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11490.00	44.78	74.00	-29.22	56.76	38.24	16.36	66.58	0.00	---	---	PEAK																																																																																														






Mode	55																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																							
ANT	0+1																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.60</td><td>58.08</td><td>68.20</td><td>-10.12</td><td>48.90</td><td>34.42</td><td>11.05</td><td>36.29</td><td>0.00</td><td>194</td><td>0 PEAK</td></tr><tr><td>2</td><td>5652.80</td><td>57.32</td><td>70.29</td><td>-12.97</td><td>48.16</td><td>34.39</td><td>11.08</td><td>36.31</td><td>0.00</td><td>194</td><td>0 PEAK</td></tr><tr><td>3</td><td>5715.20</td><td>68.34</td><td>109.56</td><td>-41.22</td><td>59.18</td><td>34.38</td><td>11.16</td><td>36.38</td><td>0.00</td><td>194</td><td>0 PEAK</td></tr><tr><td>4</td><td>5722.80</td><td>84.17</td><td>117.28</td><td>-33.11</td><td>74.98</td><td>34.41</td><td>11.17</td><td>36.39</td><td>0.00</td><td>194</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5637.60	58.08	68.20	-10.12	48.90	34.42	11.05	36.29	0.00	194	0 PEAK	2	5652.80	57.32	70.29	-12.97	48.16	34.39	11.08	36.31	0.00	194	0 PEAK	3	5715.20	68.34	109.56	-41.22	59.18	34.38	11.16	36.38	0.00	194	0 PEAK	4	5722.80	84.17	117.28	-33.11	74.98	34.41	11.17	36.39	0.00	194	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>116.56</td><td>-----</td><td>-----</td><td>107.31</td><td>34.47</td><td>11.19</td><td>36.41</td><td>0.00</td><td>194</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	116.56	-----	-----	107.31	34.47	11.19	36.41	0.00	194
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5637.60	58.08	68.20	-10.12	48.90	34.42	11.05	36.29	0.00	194	0 PEAK																																																																																																																													
2	5652.80	57.32	70.29	-12.97	48.16	34.39	11.08	36.31	0.00	194	0 PEAK																																																																																																																													
3	5715.20	68.34	109.56	-41.22	59.18	34.38	11.16	36.38	0.00	194	0 PEAK																																																																																																																													
4	5722.80	84.17	117.28	-33.11	74.98	34.41	11.17	36.39	0.00	194	0 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	116.56	-----	-----	107.31	34.47	11.19	36.41	0.00	194	0 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.03</td><td>-----</td><td>-----</td><td>100.78</td><td>34.47</td><td>11.19</td><td>36.41</td><td>0.00</td><td>194</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.03	-----	-----	100.78	34.47	11.19	36.41	0.00	194	0 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	110.03	-----	-----	100.78	34.47	11.19	36.41	0.00	194	0 AVERAGE																																																																																																																													




Mode	55																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																		
ANT	0+1																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5629.20</td><td>58.56</td><td>68.20</td><td>-9.64</td><td>49.37</td><td>34.44</td><td>11.04</td><td>36.29</td><td>0.00</td><td>101</td><td>319 PEAK</td></tr><tr><td>2 5650.00</td><td>55.84</td><td>68.20</td><td>-12.36</td><td>46.68</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>101</td><td>319 PEAK</td></tr><tr><td>3 5700.80</td><td>63.77</td><td>105.52</td><td>-41.75</td><td>54.68</td><td>34.30</td><td>11.14</td><td>36.35</td><td>0.00</td><td>101</td><td>319 PEAK</td></tr><tr><td>4 5720.40</td><td>66.04</td><td>111.81</td><td>-45.77</td><td>56.86</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>101</td><td>319 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5629.20	58.56	68.20	-9.64	49.37	34.44	11.04	36.29	0.00	101	319 PEAK	2 5650.00	55.84	68.20	-12.36	46.68	34.40	11.07	36.31	0.00	101	319 PEAK	3 5700.80	63.77	105.52	-41.75	54.68	34.30	11.14	36.35	0.00	101	319 PEAK	4 5720.40	66.04	111.81	-45.77	56.86	34.40	11.17	36.39	0.00	101	319 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>109.98</td><td>-----</td><td>-----</td><td>100.73</td><td>34.47</td><td>11.19</td><td>36.41</td><td>0.00</td><td>101</td><td>319 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	109.98	-----	-----	100.73	34.47	11.19	36.41	0.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5629.20	58.56	68.20	-9.64	49.37	34.44	11.04	36.29	0.00	101	319 PEAK																																																																																																																									
2 5650.00	55.84	68.20	-12.36	46.68	34.40	11.07	36.31	0.00	101	319 PEAK																																																																																																																									
3 5700.80	63.77	105.52	-41.75	54.68	34.30	11.14	36.35	0.00	101	319 PEAK																																																																																																																									
4 5720.40	66.04	111.81	-45.77	56.86	34.40	11.17	36.39	0.00	101	319 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	109.98	-----	-----	100.73	34.47	11.19	36.41	0.00	101	319 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>101.57</td><td>-----</td><td>-----</td><td>92.29</td><td>34.50</td><td>11.20</td><td>36.42</td><td>0.00</td><td>101</td><td>319 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	101.57	-----	-----	92.29	34.50	11.20	36.42	0.00	101	319 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	101.57	-----	-----	92.29	34.50	11.20	36.42	0.00	101	319 AVERAGE																																																																																																																									






Mode	56																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																							
ANT	0+1																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5635.60</td><td>57.62</td><td>68.20</td><td>-10.58</td><td>48.43</td><td>34.43</td><td>11.05</td><td>36.29</td><td>0.00</td><td>192 360 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.44</td><td>68.20</td><td>-12.76</td><td>46.28</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>192 360 PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>57.74</td><td>105.64</td><td>-47.90</td><td>48.64</td><td>34.31</td><td>11.14</td><td>36.35</td><td>0.00</td><td>192 360 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.92</td><td>110.90</td><td>-55.98</td><td>45.74</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>192 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.60	57.62	68.20	-10.58	48.43	34.43	11.05	36.29	0.00	192 360 PEAK	2	5650.00	55.44	68.20	-12.76	46.28	34.40	11.07	36.31	0.00	192 360 PEAK	3	5701.20	57.74	105.64	-47.90	48.64	34.31	11.14	36.35	0.00	192 360 PEAK	4	5720.00	54.92	110.90	-55.98	45.74	34.40	11.17	36.39	0.00	192 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5635.60	57.62	68.20	-10.58	48.43	34.43	11.05	36.29	0.00	192 360 PEAK																																																																														
2	5650.00	55.44	68.20	-12.76	46.28	34.40	11.07	36.31	0.00	192 360 PEAK																																																																														
3	5701.20	57.74	105.64	-47.90	48.64	34.31	11.14	36.35	0.00	192 360 PEAK																																																																														
4	5720.00	54.92	110.90	-55.98	45.74	34.40	11.17	36.39	0.00	192 360 PEAK																																																																														
Fundamental																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>117.29</td><td>-----</td><td>-----</td><td>107.80</td><td>34.74</td><td>11.26</td><td>36.51</td><td>0.00</td><td>192 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	117.29	-----	-----	107.80	34.74	11.26	36.51	0.00	192 360 PEAK																																
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5785.00	117.29	-----	-----	107.80	34.74	11.26	36.51	0.00	192 360 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>110.26</td><td>-----</td><td>-----</td><td>100.77</td><td>34.74</td><td>11.26</td><td>36.51</td><td>0.00</td><td>192 360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	110.26	-----	-----	100.77	34.74	11.26	36.51	0.00	192 360 AVERAGE																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1	5785.00	110.26	-----	-----	100.77	34.74	11.26	36.51	0.00	192 360 AVERAGE																																																																														




Mode	56																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																							
ANT	0+1																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.00</td><td>59.14</td><td>111.36</td><td>-52.22</td><td>49.58</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>192</td><td>360 PEAK</td></tr><tr><td>2 5874.00</td><td>58.77</td><td>105.58</td><td>-46.81</td><td>49.21</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>192</td><td>360 PEAK</td></tr><tr><td>3 5923.20</td><td>58.61</td><td>69.53</td><td>-10.92</td><td>49.05</td><td>34.97</td><td>11.40</td><td>36.81</td><td>0.00</td><td>192</td><td>360 PEAK</td></tr><tr><td>4 5985.20</td><td>59.81</td><td>68.20</td><td>-8.39</td><td>50.28</td><td>35.16</td><td>11.46</td><td>37.09</td><td>0.00</td><td>192</td><td>360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	59.14	111.36	-52.22	49.58	34.85	11.34	36.63	0.00	192	360 PEAK	2 5874.00	58.77	105.58	-46.81	49.21	34.87	11.35	36.66	0.00	192	360 PEAK	3 5923.20	58.61	69.53	-10.92	49.05	34.97	11.40	36.81	0.00	192	360 PEAK	4 5985.20	59.81	68.20	-8.39	50.28	35.16	11.46	37.09	0.00	192	360 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.00	59.14	111.36	-52.22	49.58	34.85	11.34	36.63	0.00	192	360 PEAK																																																																														
2 5874.00	58.77	105.58	-46.81	49.21	34.87	11.35	36.66	0.00	192	360 PEAK																																																																														
3 5923.20	58.61	69.53	-10.92	49.05	34.97	11.40	36.81	0.00	192	360 PEAK																																																																														
4 5985.20	59.81	68.20	-8.39	50.28	35.16	11.46	37.09	0.00	192	360 PEAK																																																																														







Mode	56																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																						
ANT	0+1																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5641.60</td><td>58.36</td><td>68.20</td><td>-9.84</td><td>49.18</td><td>34.42</td><td>11.06</td><td>36.30</td><td>0.00</td><td>103</td><td>78 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>54.91</td><td>68.50</td><td>-13.59</td><td>45.75</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>103</td><td>78 PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>60.72</td><td>105.97</td><td>-45.25</td><td>51.62</td><td>34.31</td><td>11.14</td><td>36.35</td><td>0.00</td><td>103</td><td>78 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>57.64</td><td>110.90</td><td>-53.26</td><td>48.46</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>103</td><td>78 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5641.60	58.36	68.20	-9.84	49.18	34.42	11.06	36.30	0.00	103	78 PEAK	2	5650.40	54.91	68.50	-13.59	45.75	34.40	11.07	36.31	0.00	103	78 PEAK	3	5702.40	60.72	105.97	-45.25	51.62	34.31	11.14	36.35	0.00	103	78 PEAK	4	5720.00	57.64	110.90	-53.26	48.46	34.40	11.17	36.39	0.00	103	78 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>108.71</td><td>-----</td><td>-----</td><td>99.19</td><td>34.77</td><td>11.27</td><td>36.52</td><td>0.00</td><td>103</td><td>78 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5785.00	108.71	-----	-----	99.19	34.77	11.27	36.52	0.00	103
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5641.60	58.36	68.20	-9.84	49.18	34.42	11.06	36.30	0.00	103	78 PEAK																																																																																																												
2	5650.40	54.91	68.50	-13.59	45.75	34.40	11.07	36.31	0.00	103	78 PEAK																																																																																																												
3	5702.40	60.72	105.97	-45.25	51.62	34.31	11.14	36.35	0.00	103	78 PEAK																																																																																																												
4	5720.00	57.64	110.90	-53.26	48.46	34.40	11.17	36.39	0.00	103	78 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5785.00	108.71	-----	-----	99.19	34.77	11.27	36.52	0.00	103	78 PEAK																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>101.36</td><td>-----</td><td>-----</td><td>91.89</td><td>34.71</td><td>11.26</td><td>36.50</td><td>0.00</td><td>103</td><td>78 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5785.00	101.36	-----	-----	91.89	34.71	11.26	36.50	0.00	103	78 AVERAGE																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5785.00	101.36	-----	-----	91.89	34.71	11.26	36.50	0.00	103	78 AVERAGE																																																																																																												






Mode	56																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>56.25</td><td>111.36</td><td>-55.11</td><td>46.69</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>103</td><td>78 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>59.59</td><td>105.36</td><td>-45.77</td><td>50.03</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>103</td><td>78 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>57.01</td><td>68.35</td><td>-11.34</td><td>47.46</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>103</td><td>78 PEAK</td></tr><tr><td>4</td><td>5962.00</td><td>59.31</td><td>68.20</td><td>-8.89</td><td>49.77</td><td>35.09</td><td>11.44</td><td>36.99</td><td>0.00</td><td>103</td><td>78 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	56.25	111.36	-55.11	46.69	34.85	11.34	36.63	0.00	103	78 PEAK	2	5874.00	59.59	105.36	-45.77	50.03	34.87	11.35	36.66	0.00	103	78 PEAK	3	5924.00	57.01	68.35	-11.34	47.46	34.97	11.40	36.82	0.00	103	78 PEAK	4	5962.00	59.31	68.20	-8.89	49.77	35.09	11.44	36.99	0.00	103	78 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	56.25	111.36	-55.11	46.69	34.85	11.34	36.63	0.00	103	78 PEAK																																																																																	
2	5874.00	59.59	105.36	-45.77	50.03	34.87	11.35	36.66	0.00	103	78 PEAK																																																																																	
3	5924.00	57.01	68.35	-11.34	47.46	34.97	11.40	36.82	0.00	103	78 PEAK																																																																																	
4	5962.00	59.31	68.20	-8.89	49.77	35.09	11.44	36.99	0.00	103	78 PEAK																																																																																	



Mode	56	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak		
Avg		





Mode	57																																																																																			
	Band Edge																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																			
ANT	0+1																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5850.40</td><td>83.73</td><td>121.39</td><td>-37.66</td><td>74.17</td><td>34.85</td><td>11.33</td><td>36.62</td><td>0.00</td><td>133</td><td>360 PEAK</td></tr><tr><td>2</td><td>5858.00</td><td>74.53</td><td>110.06</td><td>-35.53</td><td>64.96</td><td>34.06</td><td>11.34</td><td>36.63</td><td>0.00</td><td>133</td><td>360 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>57.62</td><td>68.35</td><td>-10.73</td><td>48.07</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>133</td><td>360 PEAK</td></tr><tr><td>4</td><td>5960.00</td><td>60.95</td><td>68.20</td><td>-7.25</td><td>51.41</td><td>35.08</td><td>11.44</td><td>36.98</td><td>0.00</td><td>133</td><td>360 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5850.40	83.73	121.39	-37.66	74.17	34.85	11.33	36.62	0.00	133	360 PEAK	2	5858.00	74.53	110.06	-35.53	64.96	34.06	11.34	36.63	0.00	133	360 PEAK	3	5924.00	57.62	68.35	-10.73	48.07	34.97	11.40	36.82	0.00	133	360 PEAK	4	5960.00	60.95	68.20	-7.25	51.41	35.08	11.44	36.98	0.00	133	360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																									
1	5850.40	83.73	121.39	-37.66	74.17	34.85	11.33	36.62	0.00	133	360 PEAK																																																																									
2	5858.00	74.53	110.06	-35.53	64.96	34.06	11.34	36.63	0.00	133	360 PEAK																																																																									
3	5924.00	57.62	68.35	-10.73	48.07	34.97	11.40	36.82	0.00	133	360 PEAK																																																																									
4	5960.00	60.95	68.20	-7.25	51.41	35.08	11.44	36.98	0.00	133	360 PEAK																																																																									
Avg	Blank																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>117.96</td><td>-----</td><td>-----</td><td>100.40</td><td>34.83</td><td>11.31</td><td>36.58</td><td>0.00</td><td>133</td><td>360 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	117.96	-----	-----	100.40	34.83	11.31	36.58	0.00	133	360 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																									
1	5825.00	117.96	-----	-----	100.40	34.83	11.31	36.58	0.00	133	360 PEAK																																																																									
Avg	Blank																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.37</td><td>-----</td><td>-----</td><td>100.81</td><td>34.83</td><td>11.31</td><td>36.58</td><td>0.00</td><td>133</td><td>360 AVERAGE</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	110.37	-----	-----	100.81	34.83	11.31	36.58	0.00	133	360 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																									
1	5825.00	110.37	-----	-----	100.81	34.83	11.31	36.58	0.00	133	360 AVERAGE																																																																									






Mode	57																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																	
ANT	0+1																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5850.00</td><td>74.85</td><td>122.30</td><td>-47.45</td><td>65.29</td><td>34.85</td><td>11.33</td><td>36.62</td><td>0.00</td><td>284</td><td>171 PEAK</td></tr><tr><td>2 5858.00</td><td>66.01</td><td>110.06</td><td>-44.05</td><td>56.44</td><td>34.86</td><td>11.34</td><td>36.63</td><td>0.00</td><td>284</td><td>171 PEAK</td></tr><tr><td>3 5924.00</td><td>58.33</td><td>68.94</td><td>-10.61</td><td>48.78</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>284</td><td>171 PEAK</td></tr><tr><td>4 5956.00</td><td>59.13</td><td>68.20</td><td>-9.07</td><td>49.59</td><td>35.07</td><td>11.43</td><td>36.96</td><td>0.00</td><td>284</td><td>171 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5850.00	74.85	122.30	-47.45	65.29	34.85	11.33	36.62	0.00	284	171 PEAK	2 5858.00	66.01	110.06	-44.05	56.44	34.86	11.34	36.63	0.00	284	171 PEAK	3 5924.00	58.33	68.94	-10.61	48.78	34.97	11.40	36.82	0.00	284	171 PEAK	4 5956.00	59.13	68.20	-9.07	49.59	35.07	11.43	36.96	0.00	284	171 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>110.05</td><td>-----</td><td>-----</td><td>100.49</td><td>34.83</td><td>11.31</td><td>36.58</td><td>0.00</td><td>284</td><td>171 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	110.05	-----	-----	100.49	34.83	11.31	36.58	0.00	284
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5850.00	74.85	122.30	-47.45	65.29	34.85	11.33	36.62	0.00	284	171 PEAK																																																																																																																								
2 5858.00	66.01	110.06	-44.05	56.44	34.86	11.34	36.63	0.00	284	171 PEAK																																																																																																																								
3 5924.00	58.33	68.94	-10.61	48.78	34.97	11.40	36.82	0.00	284	171 PEAK																																																																																																																								
4 5956.00	59.13	68.20	-9.07	49.59	35.07	11.43	36.96	0.00	284	171 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	110.05	-----	-----	100.49	34.83	11.31	36.58	0.00	284	171 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>101.53</td><td>-----</td><td>-----</td><td>91.97</td><td>34.83</td><td>11.31</td><td>36.58</td><td>0.00</td><td>284</td><td>171 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	101.53	-----	-----	91.97	34.83	11.31	36.58	0.00	284	171 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	101.53	-----	-----	91.97	34.83	11.31	36.58	0.00	284	171 AVERAGE																																																																																																																								






Mode	57																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																									
ANT	0+1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.96</td><td>74.00</td><td>-28.04</td><td>57.59</td><td>38.38</td><td>16.46</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.96	74.00	-28.04	57.59	38.38	16.46	66.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.76</td><td>74.00</td><td>-28.24</td><td>57.39</td><td>38.38</td><td>16.46</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.76	74.00	-28.24	57.39	38.38	16.46	66.47	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11650.00	45.96	74.00	-28.04	57.59	38.38	16.46	66.47	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11650.00	45.76	74.00	-28.24	57.39	38.38	16.46	66.47	0.00	---	---	PEAK																																																																																														



Mode	58																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																							
ANT	0+1																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>72.46</td><td>111.36</td><td>-38.90</td><td>62.90</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>122</td><td>0 PEAK</td></tr><tr><td>2 5858.00</td><td>89.30</td><td>110.06</td><td>-20.76</td><td>79.73</td><td>34.86</td><td>11.34</td><td>36.63</td><td>0.00</td><td>122</td><td>0 PEAK</td></tr><tr><td>3 5922.00</td><td>60.01</td><td>69.83</td><td>-9.82</td><td>50.45</td><td>34.97</td><td>11.40</td><td>36.81</td><td>0.00</td><td>122</td><td>0 PEAK</td></tr><tr><td>4 5998.40</td><td>60.23</td><td>68.20</td><td>-7.97</td><td>50.71</td><td>35.20</td><td>11.47</td><td>37.15</td><td>0.00</td><td>122</td><td>0 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	72.46	111.36	-38.90	62.90	34.85	11.34	36.63	0.00	122	0 PEAK	2 5858.00	89.30	110.06	-20.76	79.73	34.86	11.34	36.63	0.00	122	0 PEAK	3 5922.00	60.01	69.83	-9.82	50.45	34.97	11.40	36.81	0.00	122	0 PEAK	4 5998.40	60.23	68.20	-7.97	50.71	35.20	11.47	37.15	0.00	122	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.00	72.46	111.36	-38.90	62.90	34.85	11.34	36.63	0.00	122	0 PEAK																																																																														
2 5858.00	89.30	110.06	-20.76	79.73	34.86	11.34	36.63	0.00	122	0 PEAK																																																																														
3 5922.00	60.01	69.83	-9.82	50.45	34.97	11.40	36.81	0.00	122	0 PEAK																																																																														
4 5998.40	60.23	68.20	-7.97	50.71	35.20	11.47	37.15	0.00	122	0 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>118.58</td><td>-----</td><td>-----</td><td>109.02</td><td>34.83</td><td>11.31</td><td>36.58</td><td>0.00</td><td>122</td><td>0 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	118.58	-----	-----	109.02	34.83	11.31	36.58	0.00	122	0 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	118.58	-----	-----	109.02	34.83	11.31	36.58	0.00	122	0 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>118.68</td><td>-----</td><td>-----</td><td>101.12</td><td>34.83</td><td>11.31</td><td>36.58</td><td>0.00</td><td>122</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	118.68	-----	-----	101.12	34.83	11.31	36.58	0.00	122	0 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5825.00	118.68	-----	-----	101.12	34.83	11.31	36.58	0.00	122	0 AVERAGE																																																																														




Mode	58																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																	
ANT	0+1																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5852.40</td><td>80.52</td><td>116.83</td><td>-36.31</td><td>70.96</td><td>34.85</td><td>11.33</td><td>36.62</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr><tr><td>2 5856.40</td><td>71.50</td><td>110.51</td><td>-39.01</td><td>61.93</td><td>34.86</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr><tr><td>3 5923.60</td><td>56.95</td><td>69.23</td><td>-12.28</td><td>47.40</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr><tr><td>4 5925.20</td><td>59.47</td><td>68.20</td><td>-8.73</td><td>49.91</td><td>34.98</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5852.40	80.52	116.83	-36.31	70.96	34.85	11.33	36.62	0.00	100	79 PEAK	2 5856.40	71.50	110.51	-39.01	61.93	34.86	11.34	36.63	0.00	100	79 PEAK	3 5923.60	56.95	69.23	-12.28	47.40	34.97	11.40	36.82	0.00	100	79 PEAK	4 5925.20	59.47	68.20	-8.73	49.91	34.98	11.40	36.82	0.00	100	79 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>111.26</td><td>-----</td><td>-----</td><td>101.70</td><td>34.83</td><td>11.31</td><td>36.58</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	111.26	-----	-----	101.70	34.83	11.31	36.58	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5852.40	80.52	116.83	-36.31	70.96	34.85	11.33	36.62	0.00	100	79 PEAK																																																																																																																								
2 5856.40	71.50	110.51	-39.01	61.93	34.86	11.34	36.63	0.00	100	79 PEAK																																																																																																																								
3 5923.60	56.95	69.23	-12.28	47.40	34.97	11.40	36.82	0.00	100	79 PEAK																																																																																																																								
4 5925.20	59.47	68.20	-8.73	49.91	34.98	11.40	36.82	0.00	100	79 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	111.26	-----	-----	101.70	34.83	11.31	36.58	0.00	100	79 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>101.27</td><td>-----</td><td>-----</td><td>91.71</td><td>34.83</td><td>11.31</td><td>36.58</td><td>0.00</td><td>100</td><td>79 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	101.27	-----	-----	91.71	34.83	11.31	36.58	0.00	100	79 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	101.27	-----	-----	91.71	34.83	11.31	36.58	0.00	100	79 AVERAGE																																																																																																																								



Mode	59																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																							
ANT	0+1																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.73</td><td>60.63</td><td>68.20</td><td>-7.57</td><td>51.45</td><td>34.41</td><td>11.07</td><td>36.30</td><td>0.00</td><td>195 360 PEAK</td></tr><tr><td>2</td><td>5650.84</td><td>58.77</td><td>68.83</td><td>-10.06</td><td>49.61</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>195 360 PEAK</td></tr><tr><td>3</td><td>5715.17</td><td>85.78</td><td>109.55</td><td>-23.77</td><td>76.62</td><td>34.38</td><td>11.16</td><td>36.38</td><td>0.00</td><td>195 360 PEAK</td></tr><tr><td>4</td><td>5721.37</td><td>89.52</td><td>114.01</td><td>-24.49</td><td>80.33</td><td>34.41</td><td>11.17</td><td>36.39</td><td>0.00</td><td>195 360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5645.73	60.63	68.20	-7.57	51.45	34.41	11.07	36.30	0.00	195 360 PEAK	2	5650.84	58.77	68.83	-10.06	49.61	34.40	11.07	36.31	0.00	195 360 PEAK	3	5715.17	85.78	109.55	-23.77	76.62	34.38	11.16	36.38	0.00	195 360 PEAK	4	5721.37	89.52	114.01	-24.49	80.33	34.41	11.17	36.39	0.00	195 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5645.73	60.63	68.20	-7.57	51.45	34.41	11.07	36.30	0.00	195 360 PEAK																																																																														
2	5650.84	58.77	68.83	-10.06	49.61	34.40	11.07	36.31	0.00	195 360 PEAK																																																																														
3	5715.17	85.78	109.55	-23.77	76.62	34.38	11.16	36.38	0.00	195 360 PEAK																																																																														
4	5721.37	89.52	114.01	-24.49	80.33	34.41	11.17	36.39	0.00	195 360 PEAK																																																																														
Avg	Blank																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>115.55</td><td>-----</td><td>106.24</td><td>34.53</td><td>11.21</td><td>36.43</td><td>0.00</td><td>195</td><td>360 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	115.55	-----	106.24	34.53	11.21	36.43	0.00	195	360 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5755.00	115.55	-----	106.24	34.53	11.21	36.43	0.00	195	360 PEAK																																																																														
Avg	Blank																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>106.41</td><td>-----</td><td>97.05</td><td>34.59</td><td>11.22</td><td>36.45</td><td>0.00</td><td>195</td><td>360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	106.41	-----	97.05	34.59	11.22	36.45	0.00	195	360 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5755.00	106.41	-----	97.05	34.59	11.22	36.45	0.00	195	360 AVERAGE																																																																														




Mode	59																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																						
ANT	0+1																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>59.43</td><td>111.26</td><td>-51.83</td><td>49.87</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>195</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5873.17</td><td>61.10</td><td>105.81</td><td>-44.71</td><td>51.54</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>195</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5923.29</td><td>59.36</td><td>69.47</td><td>-10.11</td><td>49.80</td><td>34.97</td><td>11.40</td><td>36.81</td><td>0.00</td><td>195</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5949.22</td><td>59.83</td><td>68.20</td><td>-8.37</td><td>50.29</td><td>35.05</td><td>11.42</td><td>36.93</td><td>0.00</td><td>195</td><td>360</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	59.43	111.26	-51.83	49.87	34.85	11.34	36.63	0.00	195	360	PEAK	2	5873.17	61.10	105.81	-44.71	51.54	34.87	11.35	36.66	0.00	195	360	PEAK	3	5923.29	59.36	69.47	-10.11	49.80	34.97	11.40	36.81	0.00	195	360	PEAK	4	5949.22	59.83	68.20	-8.37	50.29	35.05	11.42	36.93	0.00	195	360	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.84	59.43	111.26	-51.83	49.87	34.85	11.34	36.63	0.00	195	360	PEAK																																																																											
2	5873.17	61.10	105.81	-44.71	51.54	34.87	11.35	36.66	0.00	195	360	PEAK																																																																											
3	5923.29	59.36	69.47	-10.11	49.80	34.97	11.40	36.81	0.00	195	360	PEAK																																																																											
4	5949.22	59.83	68.20	-8.37	50.29	35.05	11.42	36.93	0.00	195	360	PEAK																																																																											





Mode	59																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																		
ANT	0+1																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5639.99</td><td>58.81</td><td>68.20</td><td>-9.39</td><td>49.63</td><td>34.42</td><td>11.06</td><td>36.30</td><td>0.00</td><td>300</td><td>97 PEAK</td></tr><tr><td>2 5650.07</td><td>58.34</td><td>68.25</td><td>-9.91</td><td>49.18</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>300</td><td>97 PEAK</td></tr><tr><td>3 5719.51</td><td>77.45</td><td>110.76</td><td>-33.31</td><td>68.27</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>300</td><td>97 PEAK</td></tr><tr><td>4 5720.13</td><td>74.26</td><td>111.19</td><td>-36.93</td><td>65.08</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>300</td><td>97 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5639.99	58.81	68.20	-9.39	49.63	34.42	11.06	36.30	0.00	300	97 PEAK	2 5650.07	58.34	68.25	-9.91	49.18	34.40	11.07	36.31	0.00	300	97 PEAK	3 5719.51	77.45	110.76	-33.31	68.27	34.40	11.17	36.39	0.00	300	97 PEAK	4 5720.13	74.26	111.19	-36.93	65.08	34.40	11.17	36.39	0.00	300	97 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>104.57</td><td>-----</td><td>-----</td><td>95.29</td><td>34.50</td><td>11.20</td><td>36.42</td><td>0.00</td><td>300</td><td>97 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	104.57	-----	-----	95.29	34.50	11.20	36.42	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5639.99	58.81	68.20	-9.39	49.63	34.42	11.06	36.30	0.00	300	97 PEAK																																																																																																																									
2 5650.07	58.34	68.25	-9.91	49.18	34.40	11.07	36.31	0.00	300	97 PEAK																																																																																																																									
3 5719.51	77.45	110.76	-33.31	68.27	34.40	11.17	36.39	0.00	300	97 PEAK																																																																																																																									
4 5720.13	74.26	111.19	-36.93	65.08	34.40	11.17	36.39	0.00	300	97 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5755.00	104.57	-----	-----	95.29	34.50	11.20	36.42	0.00	300	97 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>96.52</td><td>-----</td><td>-----</td><td>87.19</td><td>34.56</td><td>11.21</td><td>36.44</td><td>0.00</td><td>300</td><td>97 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	96.52	-----	-----	87.19	34.56	11.21	36.44	0.00	300	97 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5755.00	96.52	-----	-----	87.19	34.56	11.21	36.44	0.00	300	97 AVERAGE																																																																																																																									






Mode	59																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.65</td><td>58.04</td><td>111.71</td><td>-53.67</td><td>48.48</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>300</td><td>97 PEAK</td></tr><tr><td>2</td><td>5872.78</td><td>60.04</td><td>105.92</td><td>-45.88</td><td>50.48</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>300</td><td>97 PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>57.65</td><td>68.46</td><td>-10.81</td><td>48.10</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>300</td><td>97 PEAK</td></tr><tr><td>4</td><td>5936.16</td><td>60.01</td><td>68.20</td><td>-8.19</td><td>50.46</td><td>35.01</td><td>11.41</td><td>36.87</td><td>0.00</td><td>300</td><td>97 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.65	58.04	111.71	-53.67	48.48	34.85	11.34	36.63	0.00	300	97 PEAK	2	5872.78	60.04	105.92	-45.88	50.48	34.87	11.35	36.66	0.00	300	97 PEAK	3	5924.65	57.65	68.46	-10.81	48.10	34.97	11.40	36.82	0.00	300	97 PEAK	4	5936.16	60.01	68.20	-8.19	50.46	35.01	11.41	36.87	0.00	300	97 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.65	58.04	111.71	-53.67	48.48	34.85	11.34	36.63	0.00	300	97 PEAK																																																																																	
2	5872.78	60.04	105.92	-45.88	50.48	34.87	11.35	36.66	0.00	300	97 PEAK																																																																																	
3	5924.65	57.65	68.46	-10.81	48.10	34.97	11.40	36.82	0.00	300	97 PEAK																																																																																	
4	5936.16	60.01	68.20	-8.19	50.46	35.01	11.41	36.87	0.00	300	97 PEAK																																																																																	




Mode	59																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																									
ANT	0+1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.39</td><td>74.00</td><td>-29.61</td><td>56.33</td><td>38.26</td><td>16.37</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	44.39	74.00	-29.61	56.33	38.26	16.37	66.57	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.24</td><td>74.00</td><td>-29.76</td><td>56.18</td><td>38.26</td><td>16.37</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	44.24	74.00	-29.76	56.18	38.26	16.37	66.57	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11510.00	44.39	74.00	-29.61	56.33	38.26	16.37	66.57	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11510.00	44.24	74.00	-29.76	56.18	38.26	16.37	66.57	0.00	---	---	PEAK																																																																																														






Mode	60																																																																																							
	Band Edge - L																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																							
ANT	0+1																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.28</td><td>60.23</td><td>68.20</td><td>-7.97</td><td>51.05</td><td>34.41</td><td>11.07</td><td>36.30</td><td>0.00</td><td>194 360 PEAK</td></tr><tr><td>2</td><td>5651.62</td><td>63.54</td><td>69.40</td><td>-5.86</td><td>54.38</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>194 360 PEAK</td></tr><tr><td>3</td><td>5707.88</td><td>75.95</td><td>107.51</td><td>-31.56</td><td>66.82</td><td>34.34</td><td>11.15</td><td>36.36</td><td>0.00</td><td>194 360 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>70.11</td><td>111.19</td><td>-41.08</td><td>68.93</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>194 360 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.28	60.23	68.20	-7.97	51.05	34.41	11.07	36.30	0.00	194 360 PEAK	2	5651.62	63.54	69.40	-5.86	54.38	34.40	11.07	36.31	0.00	194 360 PEAK	3	5707.88	75.95	107.51	-31.56	66.82	34.34	11.15	36.36	0.00	194 360 PEAK	4	5720.13	70.11	111.19	-41.08	68.93	34.40	11.17	36.39	0.00	194 360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5647.28	60.23	68.20	-7.97	51.05	34.41	11.07	36.30	0.00	194 360 PEAK																																																																														
2	5651.62	63.54	69.40	-5.86	54.38	34.40	11.07	36.31	0.00	194 360 PEAK																																																																														
3	5707.88	75.95	107.51	-31.56	66.82	34.34	11.15	36.36	0.00	194 360 PEAK																																																																														
4	5720.13	70.11	111.19	-41.08	68.93	34.40	11.17	36.39	0.00	194 360 PEAK																																																																														
Fundamental																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>113.42</td><td>-----</td><td>-----</td><td>104.11</td><td>34.53</td><td>11.21</td><td>36.43</td><td>0.00</td><td>194 360 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	113.42	-----	-----	104.11	34.53	11.21	36.43	0.00	194 360 PEAK																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5755.00	113.42	-----	-----	104.11	34.53	11.21	36.43	0.00	194 360 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.03</td><td>-----</td><td>-----</td><td>95.72</td><td>34.53</td><td>11.21</td><td>36.43</td><td>0.00</td><td>194 360 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	105.03	-----	-----	95.72	34.53	11.21	36.43	0.00	194 360 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5755.00	105.03	-----	-----	95.72	34.53	11.21	36.43	0.00	194 360 AVERAGE																																																																														




Mode	60																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																							
ANT	0+1																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>58.60</td><td>111.26</td><td>-52.66</td><td>49.04</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>194 360 PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>59.14</td><td>105.32</td><td>-46.18</td><td>49.58</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>194 360 PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>57.01</td><td>68.60</td><td>-11.59</td><td>47.46</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>194 360 PEAK</td></tr><tr><td>4</td><td>5933.62</td><td>59.34</td><td>68.20</td><td>-8.86</td><td>49.79</td><td>35.00</td><td>11.41</td><td>36.86</td><td>0.00</td><td>194 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	58.60	111.26	-52.66	49.04	34.85	11.34	36.63	0.00	194 360 PEAK	2	5874.93	59.14	105.32	-46.18	49.58	34.87	11.35	36.66	0.00	194 360 PEAK	3	5924.46	57.01	68.60	-11.59	47.46	34.97	11.40	36.82	0.00	194 360 PEAK	4	5933.62	59.34	68.20	-8.86	49.79	35.00	11.41	36.86	0.00	194 360 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.84	58.60	111.26	-52.66	49.04	34.85	11.34	36.63	0.00	194 360 PEAK																																																																														
2	5874.93	59.14	105.32	-46.18	49.58	34.87	11.35	36.66	0.00	194 360 PEAK																																																																														
3	5924.46	57.01	68.60	-11.59	47.46	34.97	11.40	36.82	0.00	194 360 PEAK																																																																														
4	5933.62	59.34	68.20	-8.86	49.79	35.00	11.41	36.86	0.00	194 360 PEAK																																																																														






Mode	60																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																																																																							
ANT	0+1																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.52</td><td>58.08</td><td>68.20</td><td>-10.12</td><td>48.91</td><td>34.40</td><td>11.07</td><td>36.30</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr><tr><td>2</td><td>5650.07</td><td>56.60</td><td>68.25</td><td>-11.65</td><td>47.44</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr><tr><td>3</td><td>5706.18</td><td>66.72</td><td>107.03</td><td>-40.31</td><td>57.60</td><td>34.33</td><td>11.15</td><td>36.36</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr><tr><td>4</td><td>5720.44</td><td>62.04</td><td>111.89</td><td>-49.85</td><td>52.86</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.52	58.08	68.20	-10.12	48.91	34.40	11.07	36.30	0.00	100	317 PEAK	2	5650.07	56.60	68.25	-11.65	47.44	34.40	11.07	36.31	0.00	100	317 PEAK	3	5706.18	66.72	107.03	-40.31	57.60	34.33	11.15	36.36	0.00	100	317 PEAK	4	5720.44	62.04	111.89	-49.85	52.86	34.40	11.17	36.39	0.00	100	317 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>104.28</td><td>-----</td><td>-----</td><td>95.00</td><td>34.50</td><td>11.20</td><td>36.42</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	104.28	-----	-----	95.00	34.50	11.20	36.42	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5648.52	58.08	68.20	-10.12	48.91	34.40	11.07	36.30	0.00	100	317 PEAK																																																																																																																													
2	5650.07	56.60	68.25	-11.65	47.44	34.40	11.07	36.31	0.00	100	317 PEAK																																																																																																																													
3	5706.18	66.72	107.03	-40.31	57.60	34.33	11.15	36.36	0.00	100	317 PEAK																																																																																																																													
4	5720.44	62.04	111.89	-49.85	52.86	34.40	11.17	36.39	0.00	100	317 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	104.28	-----	-----	95.00	34.50	11.20	36.42	0.00	100	317 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>96.22</td><td>-----</td><td>-----</td><td>86.94</td><td>34.50</td><td>11.20</td><td>36.42</td><td>0.00</td><td>100</td><td>317 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	96.22	-----	-----	86.94	34.50	11.20	36.42	0.00	100	317 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5755.00	96.22	-----	-----	86.94	34.50	11.20	36.42	0.00	100	317 AVERAGE																																																																																																																													




Mode	60																																																																															
	Band Edge - R																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																															
ANT	0+1																																																																															
Pol.	Vertical						Fundamental																																																																									
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5854.84</td><td>57.93</td><td>111.26</td><td>-53.33</td><td>48.37</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr><tr><td>2</td><td>5874.73</td><td>58.28</td><td>105.38</td><td>-47.10</td><td>48.72</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>57.75</td><td>68.31</td><td>-10.56</td><td>48.20</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr><tr><td>4</td><td>5934.79</td><td>58.83</td><td>68.20</td><td>-9.37</td><td>49.29</td><td>35.00</td><td>11.41</td><td>36.87</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	5854.84	57.93	111.26	-53.33	48.37	34.85	11.34	36.63	0.00	100	317 PEAK	2	5874.73	58.28	105.38	-47.10	48.72	34.87	11.35	36.66	0.00	100	317 PEAK	3	5924.85	57.75	68.31	-10.56	48.20	34.97	11.40	36.82	0.00	100	317 PEAK	4	5934.79	58.83	68.20	-9.37	49.29	35.00	11.41	36.87	0.00	100	317 PEAK	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																					
1	5854.84	57.93	111.26	-53.33	48.37	34.85	11.34	36.63	0.00	100	317 PEAK																																																																					
2	5874.73	58.28	105.38	-47.10	48.72	34.87	11.35	36.66	0.00	100	317 PEAK																																																																					
3	5924.85	57.75	68.31	-10.56	48.20	34.97	11.40	36.82	0.00	100	317 PEAK																																																																					
4	5934.79	58.83	68.20	-9.37	49.29	35.00	11.41	36.87	0.00	100	317 PEAK																																																																					






Mode	61																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																								
ANT	0+1																																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																																			
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5634.40</td><td>59.59</td><td>68.20</td><td>-8.61</td><td>50.40</td><td>34.43</td><td>11.05</td><td>36.29</td><td>0.00</td><td>188</td><td>360 PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>57.78</td><td>69.69</td><td>-11.91</td><td>48.62</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>188</td><td>360 PEAK</td></tr><tr><td>3</td><td>5717.20</td><td>64.55</td><td>110.12</td><td>-45.57</td><td>55.37</td><td>34.39</td><td>11.17</td><td>36.38</td><td>0.00</td><td>188</td><td>360 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>60.93</td><td>110.90</td><td>-49.97</td><td>51.75</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>188</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5634.40	59.59	68.20	-8.61	50.40	34.43	11.05	36.29	0.00	188	360 PEAK	2	5652.00	57.78	69.69	-11.91	48.62	34.40	11.07	36.31	0.00	188	360 PEAK	3	5717.20	64.55	110.12	-45.57	55.37	34.39	11.17	36.38	0.00	188	360 PEAK	4	5720.00	60.93	110.90	-49.97	51.75	34.40	11.17	36.39	0.00	188	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>115.58</td><td>-----</td><td>-----</td><td>106.02</td><td>34.81</td><td>11.29</td><td>36.54</td><td>0.00</td><td>188</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	115.58	-----	-----	106.02	34.81	11.29	36.54	0.00	188	360 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5634.40	59.59	68.20	-8.61	50.40	34.43	11.05	36.29	0.00	188	360 PEAK																																																																																																																														
2	5652.00	57.78	69.69	-11.91	48.62	34.40	11.07	36.31	0.00	188	360 PEAK																																																																																																																														
3	5717.20	64.55	110.12	-45.57	55.37	34.39	11.17	36.38	0.00	188	360 PEAK																																																																																																																														
4	5720.00	60.93	110.90	-49.97	51.75	34.40	11.17	36.39	0.00	188	360 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																														
1	5795.00	115.58	-----	-----	106.02	34.81	11.29	36.54	0.00	188	360 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>107.10</td><td>-----</td><td>-----</td><td>97.58</td><td>34.77</td><td>11.27</td><td>36.52</td><td>0.00</td><td>188</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	107.10	-----	-----	97.58	34.77	11.27	36.52	0.00	188	360 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																														
1	5795.00	107.10	-----	-----	97.58	34.77	11.27	36.52	0.00	188	360 AVERAGE																																																																																																																														




Mode	61																																																																																															
	Band Edge - R																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																															
ANT	0+1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>69.51</td><td>113.18</td><td>-43.67</td><td>59.96</td><td>34.85</td><td>11.33</td><td>36.63</td><td>0.00</td><td>188</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5867.60</td><td>68.09</td><td>107.37</td><td>-39.28</td><td>58.52</td><td>34.87</td><td>11.35</td><td>36.65</td><td>0.00</td><td>188</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>57.48</td><td>68.35</td><td>-10.87</td><td>47.93</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>188</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5925.60</td><td>59.32</td><td>68.20</td><td>-8.88</td><td>49.77</td><td>34.98</td><td>11.40</td><td>36.83</td><td>0.00</td><td>188</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	69.51	113.18	-43.67	59.96	34.85	11.33	36.63	0.00	188	360	PEAK	2	5867.60	68.09	107.37	-39.28	58.52	34.87	11.35	36.65	0.00	188	360	PEAK	3	5924.80	57.48	68.35	-10.87	47.93	34.97	11.40	36.82	0.00	188	360	PEAK	4	5925.60	59.32	68.20	-8.88	49.77	34.98	11.40	36.83	0.00	188	360	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5854.00	69.51	113.18	-43.67	59.96	34.85	11.33	36.63	0.00	188	360	PEAK																																																																																				
2	5867.60	68.09	107.37	-39.28	58.52	34.87	11.35	36.65	0.00	188	360	PEAK																																																																																				
3	5924.80	57.48	68.35	-10.87	47.93	34.97	11.40	36.82	0.00	188	360	PEAK																																																																																				
4	5925.60	59.32	68.20	-8.88	49.77	34.98	11.40	36.83	0.00	188	360	PEAK																																																																																				





Mode	61																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5641.20</td><td>58.72</td><td>68.20</td><td>-9.48</td><td>49.54</td><td>34.42</td><td>11.06</td><td>36.30</td><td>0.00</td><td>106</td><td>76 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>56.34</td><td>69.09</td><td>-12.75</td><td>47.18</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>106</td><td>76 PEAK</td></tr><tr><td>3</td><td>5783.60</td><td>58.62</td><td>106.31</td><td>-47.69</td><td>49.51</td><td>34.32</td><td>11.15</td><td>36.36</td><td>0.00</td><td>106</td><td>76 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>58.97</td><td>110.90</td><td>-51.93</td><td>49.79</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>106</td><td>76 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5641.20	58.72	68.20	-9.48	49.54	34.42	11.06	36.30	0.00	106	76 PEAK	2	5651.20	56.34	69.09	-12.75	47.18	34.40	11.07	36.31	0.00	106	76 PEAK	3	5783.60	58.62	106.31	-47.69	49.51	34.32	11.15	36.36	0.00	106	76 PEAK	4	5720.00	58.97	110.90	-51.93	49.79	34.40	11.17	36.39	0.00	106	76 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>106.32</td><td>-----</td><td>-----</td><td>96.83</td><td>34.74</td><td>11.26</td><td>36.51</td><td>0.00</td><td>106</td><td>76 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	106.32	-----	-----	96.83	34.74	11.26	36.51	0.00	106
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5641.20	58.72	68.20	-9.48	49.54	34.42	11.06	36.30	0.00	106	76 PEAK																																																																																																																															
2	5651.20	56.34	69.09	-12.75	47.18	34.40	11.07	36.31	0.00	106	76 PEAK																																																																																																																															
3	5783.60	58.62	106.31	-47.69	49.51	34.32	11.15	36.36	0.00	106	76 PEAK																																																																																																																															
4	5720.00	58.97	110.90	-51.93	49.79	34.40	11.17	36.39	0.00	106	76 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	106.32	-----	-----	96.83	34.74	11.26	36.51	0.00	106	76 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.71</td><td>-----</td><td>-----</td><td>88.19</td><td>34.77</td><td>11.27</td><td>36.52</td><td>0.00</td><td>106</td><td>76 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	97.71	-----	-----	88.19	34.77	11.27	36.52	0.00	106	76 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	97.71	-----	-----	88.19	34.77	11.27	36.52	0.00	106	76 AVERAGE																																																																																																																															






Mode	61																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																		
ANT	0+1																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>63.13</td><td>114.09</td><td>-50.96</td><td>53.58</td><td>34.85</td><td>11.33</td><td>36.63</td><td>0.00</td><td>106</td><td>76 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>61.85</td><td>105.58</td><td>-43.73</td><td>52.29</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>106</td><td>76 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>57.68</td><td>69.23</td><td>-11.55</td><td>48.13</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>106</td><td>76 PEAK</td></tr><tr><td>4</td><td>5939.60</td><td>60.37</td><td>68.20</td><td>-7.83</td><td>50.82</td><td>35.02</td><td>11.42</td><td>36.89</td><td>0.00</td><td>106</td><td>76 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.60	63.13	114.09	-50.96	53.58	34.85	11.33	36.63	0.00	106	76 PEAK	2	5874.00	61.85	105.58	-43.73	52.29	34.87	11.35	36.66	0.00	106	76 PEAK	3	5923.60	57.68	69.23	-11.55	48.13	34.97	11.40	36.82	0.00	106	76 PEAK	4	5939.60	60.37	68.20	-7.83	50.82	35.02	11.42	36.89	0.00	106	76 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5853.60	63.13	114.09	-50.96	53.58	34.85	11.33	36.63	0.00	106	76 PEAK																																																																								
2	5874.00	61.85	105.58	-43.73	52.29	34.87	11.35	36.66	0.00	106	76 PEAK																																																																								
3	5923.60	57.68	69.23	-11.55	48.13	34.97	11.40	36.82	0.00	106	76 PEAK																																																																								
4	5939.60	60.37	68.20	-7.83	50.82	35.02	11.42	36.89	0.00	106	76 PEAK																																																																								




Mode	61																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																									
ANT	0+1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.36</td><td>74.00</td><td>-28.64</td><td>57.13</td><td>38.33</td><td>16.42</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	45.36	74.00	-28.64	57.13	38.33	16.42	66.52	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>44.93</td><td>74.00</td><td>-29.07</td><td>56.70</td><td>38.33</td><td>16.42</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	44.93	74.00	-29.07	56.70	38.33	16.42	66.52	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11590.00	45.36	74.00	-28.64	57.13	38.33	16.42	66.52	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11590.00	44.93	74.00	-29.07	56.70	38.33	16.42	66.52	0.00	---	---	PEAK																																																																																														






Mode	62																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																																																
ANT	0+1																																																																																																																
Pol.	Horizontal					Fundamental																																																																																																											
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5640.00</td><td>58.86</td><td>68.20</td><td>-9.34</td><td>49.68</td><td>34.42</td><td>11.06</td><td>36.30</td><td>0.00</td><td>189</td><td>0 PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>58.02</td><td>69.99</td><td>-11.97</td><td>48.85</td><td>34.40</td><td>11.08</td><td>36.31</td><td>0.00</td><td>189</td><td>0 PEAK</td></tr><tr><td>3</td><td>5784.00</td><td>67.16</td><td>106.65</td><td>-39.49</td><td>58.05</td><td>34.32</td><td>11.15</td><td>36.36</td><td>0.00</td><td>189</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>64.29</td><td>111.81</td><td>-47.52</td><td>55.11</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>189</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5640.00	58.86	68.20	-9.34	49.68	34.42	11.06	36.30	0.00	189	0 PEAK	2	5652.40	58.02	69.99	-11.97	48.85	34.40	11.08	36.31	0.00	189	0 PEAK	3	5784.00	67.16	106.65	-39.49	58.05	34.32	11.15	36.36	0.00	189	0 PEAK	4	5720.40	64.29	111.81	-47.52	55.11	34.40	11.17	36.39	0.00	189	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>116.57</td><td>-----</td><td>-----</td><td>107.05</td><td>34.77</td><td>11.27</td><td>36.52</td><td>0.00</td><td>189</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	116.57	-----	-----	107.05	34.77	11.27	36.52	0.00	189
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
1	5640.00	58.86	68.20	-9.34	49.68	34.42	11.06	36.30	0.00	189	0 PEAK																																																																																																						
2	5652.40	58.02	69.99	-11.97	48.85	34.40	11.08	36.31	0.00	189	0 PEAK																																																																																																						
3	5784.00	67.16	106.65	-39.49	58.05	34.32	11.15	36.36	0.00	189	0 PEAK																																																																																																						
4	5720.40	64.29	111.81	-47.52	55.11	34.40	11.17	36.39	0.00	189	0 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
1	5795.00	116.57	-----	-----	107.05	34.77	11.27	36.52	0.00	189	0 PEAK																																																																																																						
Avg	Blank																																																																																																																
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>106.20</td><td>-----</td><td>-----</td><td>96.68</td><td>34.77</td><td>11.27</td><td>36.52</td><td>0.00</td><td>189</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	106.20	-----	-----	96.68	34.77	11.27	36.52	0.00	189	0 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
1	5795.00	106.20	-----	-----	96.68	34.77	11.27	36.52	0.00	189	0 AVERAGE																																																																																																						




Mode	62																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5850.80</td><td>76.96</td><td>120.48</td><td>-43.52</td><td>67.40</td><td>34.85</td><td>11.33</td><td>36.62</td><td>0.00</td><td>189</td><td>0 PEAK</td></tr><tr><td>2</td><td>5863.20</td><td>75.50</td><td>108.60</td><td>-33.10</td><td>65.94</td><td>34.86</td><td>11.34</td><td>36.64</td><td>0.00</td><td>189</td><td>0 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>60.64</td><td>68.94</td><td>-8.30</td><td>51.09</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>189</td><td>0 PEAK</td></tr><tr><td>4</td><td>5926.80</td><td>60.27</td><td>68.20</td><td>-7.93</td><td>50.72</td><td>34.98</td><td>11.40</td><td>36.83</td><td>0.00</td><td>189</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5850.80	76.96	120.48	-43.52	67.40	34.85	11.33	36.62	0.00	189	0 PEAK	2	5863.20	75.50	108.60	-33.10	65.94	34.86	11.34	36.64	0.00	189	0 PEAK	3	5924.00	60.64	68.94	-8.30	51.09	34.97	11.40	36.82	0.00	189	0 PEAK	4	5926.80	60.27	68.20	-7.93	50.72	34.98	11.40	36.83	0.00	189	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5850.80	76.96	120.48	-43.52	67.40	34.85	11.33	36.62	0.00	189	0 PEAK																																																																																	
2	5863.20	75.50	108.60	-33.10	65.94	34.86	11.34	36.64	0.00	189	0 PEAK																																																																																	
3	5924.00	60.64	68.94	-8.30	51.09	34.97	11.40	36.82	0.00	189	0 PEAK																																																																																	
4	5926.80	60.27	68.20	-7.93	50.72	34.98	11.40	36.83	0.00	189	0 PEAK																																																																																	






Mode	62																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																																																	
ANT	0+1																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5612.40</td><td>57.07</td><td>68.20</td><td>-11.13</td><td>47.84</td><td>34.48</td><td>11.02</td><td>36.27</td><td>0.00</td><td>100</td><td>322 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.54</td><td>68.20</td><td>-11.66</td><td>47.38</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>100</td><td>322 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>57.95</td><td>106.09</td><td>-48.14</td><td>48.85</td><td>34.31</td><td>11.15</td><td>36.36</td><td>0.00</td><td>100</td><td>322 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>56.31</td><td>110.90</td><td>-54.59</td><td>47.13</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>100</td><td>322 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5612.40	57.07	68.20	-11.13	47.84	34.48	11.02	36.27	0.00	100	322 PEAK	2	5650.00	56.54	68.20	-11.66	47.38	34.40	11.07	36.31	0.00	100	322 PEAK	3	5702.00	57.95	106.09	-48.14	48.85	34.31	11.15	36.36	0.00	100	322 PEAK	4	5720.00	56.31	110.90	-54.59	47.13	34.40	11.17	36.39	0.00	100	322 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.86</td><td>-----</td><td>-----</td><td>96.30</td><td>34.81</td><td>11.29</td><td>36.54</td><td>0.00</td><td>100</td><td>322 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	105.86	-----	-----	96.30	34.81	11.29	36.54	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5612.40	57.07	68.20	-11.13	47.84	34.48	11.02	36.27	0.00	100	322 PEAK																																																																																																							
2	5650.00	56.54	68.20	-11.66	47.38	34.40	11.07	36.31	0.00	100	322 PEAK																																																																																																							
3	5702.00	57.95	106.09	-48.14	48.85	34.31	11.15	36.36	0.00	100	322 PEAK																																																																																																							
4	5720.00	56.31	110.90	-54.59	47.13	34.40	11.17	36.39	0.00	100	322 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5795.00	105.86	-----	-----	96.30	34.81	11.29	36.54	0.00	100	322 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.39</td><td>-----</td><td>-----</td><td>87.83</td><td>34.81</td><td>11.29</td><td>36.54</td><td>0.00</td><td>100</td><td>322 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5795.00	97.39	-----	-----	87.83	34.81	11.29	36.54	0.00	100	322 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5795.00	97.39	-----	-----	87.83	34.81	11.29	36.54	0.00	100	322 AVERAGE																																																																																																							




Mode	62																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>67.17</td><td>111.36</td><td>-44.19</td><td>57.61</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>322 PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>65.61</td><td>110.62</td><td>-45.01</td><td>56.04</td><td>34.86</td><td>11.34</td><td>36.63</td><td>0.00</td><td>100</td><td>322 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>57.48</td><td>68.35</td><td>-10.87</td><td>47.93</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>322 PEAK</td></tr><tr><td>4</td><td>5950.40</td><td>58.80</td><td>68.20</td><td>-9.40</td><td>49.26</td><td>35.05</td><td>11.43</td><td>36.94</td><td>0.00</td><td>100</td><td>322 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	67.17	111.36	-44.19	57.61	34.85	11.34	36.63	0.00	100	322 PEAK	2	5856.00	65.61	110.62	-45.01	56.04	34.86	11.34	36.63	0.00	100	322 PEAK	3	5924.00	57.48	68.35	-10.87	47.93	34.97	11.40	36.82	0.00	100	322 PEAK	4	5950.40	58.80	68.20	-9.40	49.26	35.05	11.43	36.94	0.00	100	322 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	67.17	111.36	-44.19	57.61	34.85	11.34	36.63	0.00	100	322 PEAK																																																																																	
2	5856.00	65.61	110.62	-45.01	56.04	34.86	11.34	36.63	0.00	100	322 PEAK																																																																																	
3	5924.00	57.48	68.35	-10.87	47.93	34.97	11.40	36.82	0.00	100	322 PEAK																																																																																	
4	5950.40	58.80	68.20	-9.40	49.26	35.05	11.43	36.94	0.00	100	322 PEAK																																																																																	






Mode	63																																																																																																																																	
	Band Edge - L																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																	
ANT	0+1																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5644.00</td><td>66.22</td><td>68.20</td><td>-1.98</td><td>57.05</td><td>34.41</td><td>11.06</td><td>36.30</td><td>0.00</td><td>194</td><td>360 PEAK</td></tr><tr><td>2 5655.20</td><td>67.09</td><td>72.07</td><td>-4.98</td><td>57.93</td><td>34.39</td><td>11.08</td><td>36.31</td><td>0.00</td><td>194</td><td>360 PEAK</td></tr><tr><td>3 5788.00</td><td>78.33</td><td>107.54</td><td>-29.21</td><td>69.20</td><td>34.34</td><td>11.15</td><td>36.36</td><td>0.00</td><td>194</td><td>360 PEAK</td></tr><tr><td>4 5720.00</td><td>74.57</td><td>110.90</td><td>-36.33</td><td>65.39</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>194</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5644.00	66.22	68.20	-1.98	57.05	34.41	11.06	36.30	0.00	194	360 PEAK	2 5655.20	67.09	72.07	-4.98	57.93	34.39	11.08	36.31	0.00	194	360 PEAK	3 5788.00	78.33	107.54	-29.21	69.20	34.34	11.15	36.36	0.00	194	360 PEAK	4 5720.00	74.57	110.90	-36.33	65.39	34.40	11.17	36.39	0.00	194	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>113.79</td><td>-----</td><td>-----</td><td>104.41</td><td>34.62</td><td>11.23</td><td>36.47</td><td>0.00</td><td>194</td><td>360 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	113.79	-----	-----	104.41	34.62	11.23	36.47	0.00	194
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5644.00	66.22	68.20	-1.98	57.05	34.41	11.06	36.30	0.00	194	360 PEAK																																																																																																																								
2 5655.20	67.09	72.07	-4.98	57.93	34.39	11.08	36.31	0.00	194	360 PEAK																																																																																																																								
3 5788.00	78.33	107.54	-29.21	69.20	34.34	11.15	36.36	0.00	194	360 PEAK																																																																																																																								
4 5720.00	74.57	110.90	-36.33	65.39	34.40	11.17	36.39	0.00	194	360 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5775.00	113.79	-----	-----	104.41	34.62	11.23	36.47	0.00	194	360 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>102.51</td><td>-----</td><td>-----</td><td>93.02</td><td>34.74</td><td>11.26</td><td>36.51</td><td>0.00</td><td>194</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	102.51	-----	-----	93.02	34.74	11.26	36.51	0.00	194	360 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5775.00	102.51	-----	-----	93.02	34.74	11.26	36.51	0.00	194	360 AVERAGE																																																																																																																								




Mode	63																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																							
ANT	0+1																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>69.89</td><td>111.36</td><td>-41.47</td><td>60.33</td><td>34.85</td><td>11.34</td><td>36.63</td><td>0.00</td><td>194 360 PEAK</td></tr><tr><td>2</td><td>5864.80</td><td>71.52</td><td>108.15</td><td>-36.63</td><td>61.97</td><td>34.86</td><td>11.34</td><td>36.65</td><td>0.00</td><td>194 360 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>61.27</td><td>68.64</td><td>-7.37</td><td>51.72</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>194 360 PEAK</td></tr><tr><td>4</td><td>5934.80</td><td>61.12</td><td>68.20</td><td>-7.08</td><td>51.58</td><td>35.00</td><td>11.41</td><td>36.87</td><td>0.00</td><td>194 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	69.89	111.36	-41.47	60.33	34.85	11.34	36.63	0.00	194 360 PEAK	2	5864.80	71.52	108.15	-36.63	61.97	34.86	11.34	36.65	0.00	194 360 PEAK	3	5924.40	61.27	68.64	-7.37	51.72	34.97	11.40	36.82	0.00	194 360 PEAK	4	5934.80	61.12	68.20	-7.08	51.58	35.00	11.41	36.87	0.00	194 360 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.80	69.89	111.36	-41.47	60.33	34.85	11.34	36.63	0.00	194 360 PEAK																																																																														
2	5864.80	71.52	108.15	-36.63	61.97	34.86	11.34	36.65	0.00	194 360 PEAK																																																																														
3	5924.40	61.27	68.64	-7.37	51.72	34.97	11.40	36.82	0.00	194 360 PEAK																																																																														
4	5934.80	61.12	68.20	-7.08	51.58	35.00	11.41	36.87	0.00	194 360 PEAK																																																																														





Mode	63																																																																																																																																											
	Band Edge - L																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																											
ANT	0+1																																																																																																																																											
Pol.	Vertical					Fundamental																																																																																																																																						
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5621.60</td><td>59.81</td><td>68.20</td><td>-8.39</td><td>50.60</td><td>34.46</td><td>11.03</td><td>36.28</td><td>0.00</td><td>100</td><td>322</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>57.40</td><td>69.39</td><td>-11.99</td><td>48.24</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>100</td><td>322</td><td>PEAK</td></tr><tr><td>3</td><td>5706.40</td><td>70.68</td><td>107.09</td><td>-36.41</td><td>61.56</td><td>34.33</td><td>11.15</td><td>36.36</td><td>0.00</td><td>100</td><td>322</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>67.78</td><td>110.90</td><td>-43.12</td><td>58.60</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>100</td><td>322</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5621.60	59.81	68.20	-8.39	50.60	34.46	11.03	36.28	0.00	100	322	PEAK	2	5651.60	57.40	69.39	-11.99	48.24	34.40	11.07	36.31	0.00	100	322	PEAK	3	5706.40	70.68	107.09	-36.41	61.56	34.33	11.15	36.36	0.00	100	322	PEAK	4	5720.00	67.78	110.90	-43.12	58.60	34.40	11.17	36.39	0.00	100	322	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.06</td><td>-----</td><td>-----</td><td>93.62</td><td>34.68</td><td>11.25</td><td>36.49</td><td>0.00</td><td>100</td><td>322</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	103.06	-----	-----	93.62	34.68	11.25	36.49	0.00	100	322
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5621.60	59.81	68.20	-8.39	50.60	34.46	11.03	36.28	0.00	100	322	PEAK																																																																																																																																
2	5651.60	57.40	69.39	-11.99	48.24	34.40	11.07	36.31	0.00	100	322	PEAK																																																																																																																																
3	5706.40	70.68	107.09	-36.41	61.56	34.33	11.15	36.36	0.00	100	322	PEAK																																																																																																																																
4	5720.00	67.78	110.90	-43.12	58.60	34.40	11.17	36.39	0.00	100	322	PEAK																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5775.00	103.06	-----	-----	93.62	34.68	11.25	36.49	0.00	100	322	PEAK																																																																																																																																
Avg	Blank																																																																																																																																											
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>94.05</td><td>-----</td><td>-----</td><td>84.64</td><td>34.65</td><td>11.24</td><td>36.48</td><td>0.00</td><td>100</td><td>322</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	94.05	-----	-----	84.64	34.65	11.24	36.48	0.00	100	322	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	5775.00	94.05	-----	-----	84.64	34.65	11.24	36.48	0.00	100	322	AVERAGE																																																																																																																																






Mode	63																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>59.90</td><td>112.27</td><td>-52.37</td><td>50.35</td><td>34.85</td><td>11.33</td><td>36.63</td><td>0.00</td><td>100</td><td>322 PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>60.67</td><td>105.36</td><td>-44.69</td><td>51.11</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>100</td><td>322 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>58.28</td><td>68.64</td><td>-10.36</td><td>48.73</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>322 PEAK</td></tr><tr><td>4</td><td>5942.00</td><td>59.05</td><td>68.20</td><td>-9.15</td><td>49.50</td><td>35.03</td><td>11.42</td><td>36.90</td><td>0.00</td><td>100</td><td>322 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	59.90	112.27	-52.37	50.35	34.85	11.33	36.63	0.00	100	322 PEAK	2	5874.80	60.67	105.36	-44.69	51.11	34.87	11.35	36.66	0.00	100	322 PEAK	3	5924.40	58.28	68.64	-10.36	48.73	34.97	11.40	36.82	0.00	100	322 PEAK	4	5942.00	59.05	68.20	-9.15	49.50	35.03	11.42	36.90	0.00	100	322 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.40	59.90	112.27	-52.37	50.35	34.85	11.33	36.63	0.00	100	322 PEAK																																																																																	
2	5874.80	60.67	105.36	-44.69	51.11	34.87	11.35	36.66	0.00	100	322 PEAK																																																																																	
3	5924.40	58.28	68.64	-10.36	48.73	34.97	11.40	36.82	0.00	100	322 PEAK																																																																																	
4	5942.00	59.05	68.20	-9.15	49.50	35.03	11.42	36.90	0.00	100	322 PEAK																																																																																	




Mode	63																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																									
ANT	0+1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>56.37</td><td>38.29</td><td>16.39</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	44.51	74.00	-29.49	56.37	38.29	16.39	66.54	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>56.83</td><td>38.29</td><td>16.39</td><td>66.54</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	44.97	74.00	-29.03	56.83	38.29	16.39	66.54	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11550.00	44.51	74.00	-29.49	56.37	38.29	16.39	66.54	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11550.00	44.97	74.00	-29.03	56.83	38.29	16.39	66.54	0.00	---	---	PEAK																																																																																														






Mode	64																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/65_5775MHz																																																																																																																																								
ANT	0+1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.00</td><td>67.06</td><td>68.20</td><td>-1.14</td><td>57.89</td><td>34.40</td><td>11.07</td><td>36.30</td><td>0.00</td><td>193</td><td>0 Peak</td></tr><tr><td>2</td><td>5650.00</td><td>62.00</td><td>68.20</td><td>-5.40</td><td>53.64</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>193</td><td>0 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>68.32</td><td>105.86</td><td>-37.54</td><td>59.22</td><td>34.31</td><td>11.14</td><td>36.35</td><td>0.00</td><td>193</td><td>0 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>67.43</td><td>111.81</td><td>-44.38</td><td>58.25</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>193</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.00	67.06	68.20	-1.14	57.89	34.40	11.07	36.30	0.00	193	0 Peak	2	5650.00	62.00	68.20	-5.40	53.64	34.40	11.07	36.31	0.00	193	0 PEAK	3	5702.00	68.32	105.86	-37.54	59.22	34.31	11.14	36.35	0.00	193	0 PEAK	4	5720.40	67.43	111.81	-44.38	58.25	34.40	11.17	36.39	0.00	193	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>110.14</td><td>-----</td><td>-----</td><td>100.76</td><td>34.62</td><td>11.23</td><td>36.47</td><td>0.00</td><td>193</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	110.14	-----	-----	100.76	34.62	11.23	36.47	0.00	193
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5648.00	67.06	68.20	-1.14	57.89	34.40	11.07	36.30	0.00	193	0 Peak																																																																																																																														
2	5650.00	62.00	68.20	-5.40	53.64	34.40	11.07	36.31	0.00	193	0 PEAK																																																																																																																														
3	5702.00	68.32	105.86	-37.54	59.22	34.31	11.14	36.35	0.00	193	0 PEAK																																																																																																																														
4	5720.40	67.43	111.81	-44.38	58.25	34.40	11.17	36.39	0.00	193	0 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5775.00	110.14	-----	-----	100.76	34.62	11.23	36.47	0.00	193	0 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.53</td><td>-----</td><td>-----</td><td>92.25</td><td>34.50</td><td>11.20</td><td>36.42</td><td>0.00</td><td>193</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	101.53	-----	-----	92.25	34.50	11.20	36.42	0.00	193	0 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5775.00	101.53	-----	-----	92.25	34.50	11.20	36.42	0.00	193	0 AVERAGE																																																																																																																														




Mode	64																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/65_5775MHz																																																																																							
ANT	0+1																																																																																							
Pol.	Horizontal						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5854.40</td><td>72.91</td><td>112.27</td><td>-39.36</td><td>63.36</td><td>34.85</td><td>11.33</td><td>36.63</td><td>0.00</td><td>193</td><td>0 PEAK</td></tr><tr><td>2 5873.60</td><td>72.11</td><td>105.69</td><td>-33.58</td><td>62.55</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>193</td><td>0 PEAK</td></tr><tr><td>3 5923.20</td><td>57.61</td><td>69.53</td><td>-11.92</td><td>48.05</td><td>34.97</td><td>11.40</td><td>36.81</td><td>0.00</td><td>193</td><td>0 PEAK</td></tr><tr><td>4 5949.20</td><td>61.05</td><td>68.20</td><td>-7.15</td><td>51.51</td><td>35.05</td><td>11.42</td><td>36.93</td><td>0.00</td><td>193</td><td>0 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	72.91	112.27	-39.36	63.36	34.85	11.33	36.63	0.00	193	0 PEAK	2 5873.60	72.11	105.69	-33.58	62.55	34.87	11.35	36.66	0.00	193	0 PEAK	3 5923.20	57.61	69.53	-11.92	48.05	34.97	11.40	36.81	0.00	193	0 PEAK	4 5949.20	61.05	68.20	-7.15	51.51	35.05	11.42	36.93	0.00	193	0 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5854.40	72.91	112.27	-39.36	63.36	34.85	11.33	36.63	0.00	193	0 PEAK																																																																														
2 5873.60	72.11	105.69	-33.58	62.55	34.87	11.35	36.66	0.00	193	0 PEAK																																																																														
3 5923.20	57.61	69.53	-11.92	48.05	34.97	11.40	36.81	0.00	193	0 PEAK																																																																														
4 5949.20	61.05	68.20	-7.15	51.51	35.05	11.42	36.93	0.00	193	0 PEAK																																																																														






Mode	64																																																																																																																																	
	Band Edge - L																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/65_5775MHz																																																																																																																																	
ANT	0+1																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5627.20</td><td>57.93</td><td>68.20</td><td>-10.27</td><td>48.72</td><td>34.45</td><td>11.04</td><td>36.28</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr><tr><td>2 5652.00</td><td>57.07</td><td>69.69</td><td>-12.62</td><td>47.91</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr><tr><td>3 5785.20</td><td>59.90</td><td>106.76</td><td>-46.86</td><td>50.78</td><td>34.33</td><td>11.15</td><td>36.36</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr><tr><td>4 5722.80</td><td>71.25</td><td>117.28</td><td>-46.03</td><td>62.06</td><td>34.41</td><td>11.17</td><td>36.39</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5627.20	57.93	68.20	-10.27	48.72	34.45	11.04	36.28	0.00	100	321 PEAK	2 5652.00	57.07	69.69	-12.62	47.91	34.40	11.07	36.31	0.00	100	321 PEAK	3 5785.20	59.90	106.76	-46.86	50.78	34.33	11.15	36.36	0.00	100	321 PEAK	4 5722.80	71.25	117.28	-46.03	62.06	34.41	11.17	36.39	0.00	100	321 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>102.17</td><td>-----</td><td>-----</td><td>92.76</td><td>34.65</td><td>11.24</td><td>36.48</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	102.17	-----	-----	92.76	34.65	11.24	36.48	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5627.20	57.93	68.20	-10.27	48.72	34.45	11.04	36.28	0.00	100	321 PEAK																																																																																																																								
2 5652.00	57.07	69.69	-12.62	47.91	34.40	11.07	36.31	0.00	100	321 PEAK																																																																																																																								
3 5785.20	59.90	106.76	-46.86	50.78	34.33	11.15	36.36	0.00	100	321 PEAK																																																																																																																								
4 5722.80	71.25	117.28	-46.03	62.06	34.41	11.17	36.39	0.00	100	321 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5775.00	102.17	-----	-----	92.76	34.65	11.24	36.48	0.00	100	321 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>93.07</td><td>-----</td><td>-----</td><td>83.66</td><td>34.65</td><td>11.24</td><td>36.48</td><td>0.00</td><td>100</td><td>321 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	93.07	-----	-----	83.66	34.65	11.24	36.48	0.00	100	321 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5775.00	93.07	-----	-----	83.66	34.65	11.24	36.48	0.00	100	321 AVERAGE																																																																																																																								




Mode	64																																																																																											
	Band Edge - R																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/65_5775MHz																																																																																											
ANT	0+1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>58.87</td><td>113.18</td><td>-54.31</td><td>49.32</td><td>34.85</td><td>11.33</td><td>36.63</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr><tr><td>2</td><td>5874.40</td><td>58.42</td><td>105.47</td><td>-47.05</td><td>48.86</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>57.50</td><td>68.35</td><td>-10.85</td><td>47.95</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr><tr><td>4</td><td>5934.00</td><td>58.73</td><td>68.20</td><td>-9.47</td><td>49.18</td><td>35.00</td><td>11.41</td><td>36.86</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	58.87	113.18	-54.31	49.32	34.85	11.33	36.63	0.00	100	321 PEAK	2	5874.40	58.42	105.47	-47.05	48.86	34.87	11.35	36.66	0.00	100	321 PEAK	3	5924.80	57.50	68.35	-10.85	47.95	34.97	11.40	36.82	0.00	100	321 PEAK	4	5934.00	58.73	68.20	-9.47	49.18	35.00	11.41	36.86	0.00	100	321 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	58.87	113.18	-54.31	49.32	34.85	11.33	36.63	0.00	100	321 PEAK																																																																																	
2	5874.40	58.42	105.47	-47.05	48.86	34.87	11.35	36.66	0.00	100	321 PEAK																																																																																	
3	5924.80	57.50	68.35	-10.85	47.95	34.97	11.40	36.82	0.00	100	321 PEAK																																																																																	
4	5934.00	58.73	68.20	-9.47	49.18	35.00	11.41	36.86	0.00	100	321 PEAK																																																																																	






Mode	65																																																																																																																																	
	Band Edge - L																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																																																																																	
ANT	0+1																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5610.00</td><td>65.94</td><td>68.20</td><td>-2.26</td><td>56.71</td><td>34.48</td><td>11.02</td><td>36.27</td><td>0.00</td><td>189</td><td>0 PEAK</td></tr><tr><td>2 5650.00</td><td>60.29</td><td>68.00</td><td>-8.51</td><td>51.13</td><td>34.40</td><td>11.07</td><td>36.31</td><td>0.00</td><td>189</td><td>0 PEAK</td></tr><tr><td>3 5700.00</td><td>75.12</td><td>105.52</td><td>-30.40</td><td>66.03</td><td>34.30</td><td>11.14</td><td>36.35</td><td>0.00</td><td>189</td><td>0 PEAK</td></tr><tr><td>4 5720.00</td><td>71.90</td><td>112.72</td><td>-40.82</td><td>62.72</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>189</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5610.00	65.94	68.20	-2.26	56.71	34.48	11.02	36.27	0.00	189	0 PEAK	2 5650.00	60.29	68.00	-8.51	51.13	34.40	11.07	36.31	0.00	189	0 PEAK	3 5700.00	75.12	105.52	-30.40	66.03	34.30	11.14	36.35	0.00	189	0 PEAK	4 5720.00	71.90	112.72	-40.82	62.72	34.40	11.17	36.39	0.00	189	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>113.04</td><td>-----</td><td>-----</td><td>103.49</td><td>34.81</td><td>11.29</td><td>36.55</td><td>0.00</td><td>189</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	113.04	-----	-----	103.49	34.81	11.29	36.55	0.00	189
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5610.00	65.94	68.20	-2.26	56.71	34.48	11.02	36.27	0.00	189	0 PEAK																																																																																																																								
2 5650.00	60.29	68.00	-8.51	51.13	34.40	11.07	36.31	0.00	189	0 PEAK																																																																																																																								
3 5700.00	75.12	105.52	-30.40	66.03	34.30	11.14	36.35	0.00	189	0 PEAK																																																																																																																								
4 5720.00	71.90	112.72	-40.82	62.72	34.40	11.17	36.39	0.00	189	0 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5775.00	113.04	-----	-----	103.49	34.81	11.29	36.55	0.00	189	0 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>103.00</td><td>-----</td><td>-----</td><td>93.48</td><td>34.77</td><td>11.27</td><td>36.52</td><td>0.00</td><td>189</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	103.00	-----	-----	93.48	34.77	11.27	36.52	0.00	189	0 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5775.00	103.00	-----	-----	93.48	34.77	11.27	36.52	0.00	189	0 AVERAGE																																																																																																																								




Mode	65																																																																										
	Band Edge - R																																																																										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																										
ANT	0+1																																																																										
Pol.	Horizontal						Fundamental																																																																				
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5854.00</td><td>70.16</td><td>111.36</td><td>-41.20</td><td>60.60</td><td>34.85</td><td>11.34</td><td>36.63</td></tr><tr><td>2</td><td>5866.00</td><td>81.11</td><td>107.82</td><td>-26.71</td><td>71.54</td><td>34.87</td><td>11.35</td><td>36.65</td></tr><tr><td>3</td><td>5922.40</td><td>63.15</td><td>70.12</td><td>-6.97</td><td>53.59</td><td>34.97</td><td>11.40</td><td>36.81</td></tr><tr><td>4</td><td>5948.40</td><td>65.60</td><td>68.20</td><td>-2.60</td><td>56.06</td><td>35.05</td><td>11.42</td><td>36.93</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.00	70.16	111.36	-41.20	60.60	34.85	11.34	36.63	2	5866.00	81.11	107.82	-26.71	71.54	34.87	11.35	36.65	3	5922.40	63.15	70.12	-6.97	53.59	34.97	11.40	36.81	4	5948.40	65.60	68.20	-2.60	56.06	35.05	11.42	36.93	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																			
1	5854.00	70.16	111.36	-41.20	60.60	34.85	11.34	36.63																																																																			
2	5866.00	81.11	107.82	-26.71	71.54	34.87	11.35	36.65																																																																			
3	5922.40	63.15	70.12	-6.97	53.59	34.97	11.40	36.81																																																																			
4	5948.40	65.60	68.20	-2.60	56.06	35.05	11.42	36.93																																																																			





Mode	65																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																																																																																							
ANT	0+1																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5626.80</td><td>61.10</td><td>68.20</td><td>-7.10</td><td>51.89</td><td>34.45</td><td>11.04</td><td>36.28</td><td>0.00</td><td>122</td><td>321 PEAK</td></tr><tr><td>2</td><td>5661.20</td><td>65.74</td><td>76.54</td><td>-10.80</td><td>56.59</td><td>34.38</td><td>11.09</td><td>36.32</td><td>0.00</td><td>122</td><td>321 PEAK</td></tr><tr><td>3</td><td>5783.60</td><td>63.45</td><td>106.31</td><td>-42.86</td><td>54.34</td><td>34.32</td><td>11.15</td><td>36.36</td><td>0.00</td><td>122</td><td>321 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>58.07</td><td>111.81</td><td>-53.74</td><td>48.89</td><td>34.40</td><td>11.17</td><td>36.39</td><td>0.00</td><td>122</td><td>321 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5626.80	61.10	68.20	-7.10	51.89	34.45	11.04	36.28	0.00	122	321 PEAK	2	5661.20	65.74	76.54	-10.80	56.59	34.38	11.09	36.32	0.00	122	321 PEAK	3	5783.60	63.45	106.31	-42.86	54.34	34.32	11.15	36.36	0.00	122	321 PEAK	4	5720.40	58.07	111.81	-53.74	48.89	34.40	11.17	36.39	0.00	122	321 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>102.43</td><td>-----</td><td>-----</td><td>92.94</td><td>34.74</td><td>11.26</td><td>36.51</td><td>0.00</td><td>122</td><td>321 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	102.43	-----	-----	92.94	34.74	11.26	36.51	0.00	122
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5626.80	61.10	68.20	-7.10	51.89	34.45	11.04	36.28	0.00	122	321 PEAK																																																																																																																													
2	5661.20	65.74	76.54	-10.80	56.59	34.38	11.09	36.32	0.00	122	321 PEAK																																																																																																																													
3	5783.60	63.45	106.31	-42.86	54.34	34.32	11.15	36.36	0.00	122	321 PEAK																																																																																																																													
4	5720.40	58.07	111.81	-53.74	48.89	34.40	11.17	36.39	0.00	122	321 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5775.00	102.43	-----	-----	92.94	34.74	11.26	36.51	0.00	122	321 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>94.39</td><td>-----</td><td>-----</td><td>84.90</td><td>34.74</td><td>11.26</td><td>36.51</td><td>0.00</td><td>122</td><td>321 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	94.39	-----	-----	84.90	34.74	11.26	36.51	0.00	122	321 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5775.00	94.39	-----	-----	84.90	34.74	11.26	36.51	0.00	122	321 AVERAGE																																																																																																																													





Mode	65																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																																							
ANT	0+1																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>58.83</td><td>113.18</td><td>-54.35</td><td>49.28</td><td>34.85</td><td>11.33</td><td>36.63</td><td>0.00</td><td>122 321 PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>60.27</td><td>106.25</td><td>-45.98</td><td>50.71</td><td>34.87</td><td>11.35</td><td>36.66</td><td>0.00</td><td>122 321 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>58.34</td><td>68.64</td><td>-10.30</td><td>48.79</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>122 321 PEAK</td></tr><tr><td>4</td><td>5938.00</td><td>59.45</td><td>68.20</td><td>-8.75</td><td>49.91</td><td>35.01</td><td>11.41</td><td>36.88</td><td>0.00</td><td>122 321 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	58.83	113.18	-54.35	49.28	34.85	11.33	36.63	0.00	122 321 PEAK	2	5871.60	60.27	106.25	-45.98	50.71	34.87	11.35	36.66	0.00	122 321 PEAK	3	5924.40	58.34	68.64	-10.30	48.79	34.97	11.40	36.82	0.00	122 321 PEAK	4	5938.00	59.45	68.20	-8.75	49.91	35.01	11.41	36.88	0.00	122 321 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor			Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.00	58.83	113.18	-54.35	49.28	34.85	11.33	36.63	0.00	122 321 PEAK																																																																														
2	5871.60	60.27	106.25	-45.98	50.71	34.87	11.35	36.66	0.00	122 321 PEAK																																																																														
3	5924.40	58.34	68.64	-10.30	48.79	34.97	11.40	36.82	0.00	122 321 PEAK																																																																														
4	5938.00	59.45	68.20	-8.75	49.91	35.01	11.41	36.88	0.00	122 321 PEAK																																																																														







Mode	64	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/65_5775MHz	
ANT	0+1	
Pol.	Horizontal	Vertical
Peak Avg		



Mode	64																																																																																																										
	30M-1G																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/65_5775MHz																																																																																																										
ANT	0+1																																																																																																										
Pol.	Horizontal																																																																																																										
Peak																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>153.68</td><td>25.44</td><td>43.50</td><td>-18.06</td><td>40.03</td><td>16.85</td><td>1.27</td><td>32.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>248.74</td><td>28.94</td><td>46.00</td><td>-17.06</td><td>41.06</td><td>18.32</td><td>1.65</td><td>32.89</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>384.54</td><td>23.27</td><td>46.00</td><td>-22.73</td><td>32.93</td><td>21.22</td><td>2.09</td><td>32.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>640.13</td><td>26.40</td><td>46.00</td><td>-19.60</td><td>30.58</td><td>26.47</td><td>2.63</td><td>33.28</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>794.12</td><td>29.06</td><td>46.00</td><td>-16.94</td><td>30.69</td><td>28.45</td><td>2.95</td><td>33.03</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>849.41</td><td>29.89</td><td>46.00</td><td>-16.11</td><td>30.36</td><td>29.07</td><td>3.04</td><td>32.58</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	153.68	25.44	43.50	-18.06	40.03	16.85	1.27	32.71	---	---	Peak	2	248.74	28.94	46.00	-17.06	41.06	18.32	1.65	32.89	---	---	Peak	3	384.54	23.27	46.00	-22.73	32.93	21.22	2.09	32.97	---	---	Peak	4	640.13	26.40	46.00	-19.60	30.58	26.47	2.63	33.28	---	---	Peak	5	794.12	29.06	46.00	-16.94	30.69	28.45	2.95	33.03	---	---	Peak	6	849.41	29.89	46.00	-16.11	30.36	29.07	3.04	32.58	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
	1	153.68	25.44	43.50	-18.06	40.03	16.85	1.27	32.71	---	---	Peak																																																																																															
	2	248.74	28.94	46.00	-17.06	41.06	18.32	1.65	32.89	---	---	Peak																																																																																															
	3	384.54	23.27	46.00	-22.73	32.93	21.22	2.09	32.97	---	---	Peak																																																																																															
	4	640.13	26.40	46.00	-19.60	30.58	26.47	2.63	33.28	---	---	Peak																																																																																															
	5	794.12	29.06	46.00	-16.94	30.69	28.45	2.95	33.03	---	---	Peak																																																																																															
	6	849.41	29.89	46.00	-16.11	30.36	29.07	3.04	32.58	---	---	Peak																																																																																															
Vertical																																																																																																											
																																																																																																											
<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>60.56</td><td>28.97</td><td>40.00</td><td>-11.03</td><td>49.08</td><td>11.81</td><td>0.80</td><td>32.72</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>153.43</td><td>31.58</td><td>43.50</td><td>-11.92</td><td>46.16</td><td>16.86</td><td>1.27</td><td>32.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>246.55</td><td>20.30</td><td>46.00</td><td>-25.70</td><td>33.49</td><td>18.04</td><td>1.65</td><td>32.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>408.30</td><td>22.11</td><td>46.00</td><td>-23.89</td><td>30.83</td><td>22.15</td><td>2.17</td><td>33.04</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>615.88</td><td>26.33</td><td>46.00</td><td>-19.67</td><td>31.08</td><td>25.95</td><td>2.59</td><td>33.29</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>712.88</td><td>26.91</td><td>46.00</td><td>-19.09</td><td>30.65</td><td>26.72</td><td>2.77</td><td>33.23</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	60.56	28.97	40.00	-11.03	49.08	11.81	0.80	32.72	---	---	Peak	2	153.43	31.58	43.50	-11.92	46.16	16.86	1.27	32.71	---	---	Peak	3	246.55	20.30	46.00	-25.70	33.49	18.04	1.65	32.88	---	---	Peak	4	408.30	22.11	46.00	-23.89	30.83	22.15	2.17	33.04	---	---	Peak	5	615.88	26.33	46.00	-19.67	31.08	25.95	2.59	33.29	---	---	Peak	6	712.88	26.91	46.00	-19.09	30.65	26.72	2.77	33.23	---	---	Peak	
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	60.56	28.97	40.00	-11.03	49.08	11.81	0.80	32.72	---	---	Peak																																																																																																
2	153.43	31.58	43.50	-11.92	46.16	16.86	1.27	32.71	---	---	Peak																																																																																																
3	246.55	20.30	46.00	-25.70	33.49	18.04	1.65	32.88	---	---	Peak																																																																																																
4	408.30	22.11	46.00	-23.89	30.83	22.15	2.17	33.04	---	---	Peak																																																																																																
5	615.88	26.33	46.00	-19.67	31.08	25.95	2.59	33.29	---	---	Peak																																																																																																
6	712.88	26.91	46.00	-19.09	30.65	26.72	2.77	33.23	---	---	Peak																																																																																																





Co-location mode:

		66																																																						
Mode	Band Edge																																																							
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_Full_2412MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>66.55</td><td>74.00</td><td>-7.45</td><td>58.56</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>296</td><td>56 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	66.55	74.00	-7.45	58.56	31.87	7.11	36.99	6.00	296	56 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2389.95	66.55	74.00	-7.45	58.56	31.87	7.11	36.99	6.00	296	56 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>115.31</td><td>-----</td><td>-----</td><td>107.23</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>296</td><td>56 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	115.31	-----	-----	107.23	31.94	7.14	37.00	6.00	296	56 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2412.00	115.31	-----	-----	107.23	31.94	7.14	37.00	6.00	296	56 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>52.45</td><td>54.00</td><td>-1.55</td><td>44.46</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>296</td><td>56 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	52.45	54.00	-1.55	44.46	31.87	7.11	36.99	6.00	296	56 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2389.95	52.45	54.00	-1.55	44.46	31.87	7.11	36.99	6.00	296	56 AVERAGE																																													
AVERAGE																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.98</td><td>-----</td><td>-----</td><td>96.87</td><td>31.96</td><td>7.15</td><td>37.00</td><td>6.00</td><td>296</td><td>56 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.98	-----	-----	96.87	31.96	7.15	37.00	6.00	296	56 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2412.00	104.98	-----	-----	96.87	31.96	7.15	37.00	6.00	296	56 AVERAGE																																													







Mode	66																																																						
	Band Edge																																																						
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_Full_2412MHz																																																						
ANT	0+1																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2388.00</td><td>62.42</td><td>74.00</td><td>-11.58</td><td>54.45</td><td>31.86</td><td>7.10</td><td>36.99</td><td>6.00</td><td>300</td><td>127 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2388.00	62.42	74.00	-11.58	54.45	31.86	7.10	36.99	6.00	300	127 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2388.00	62.42	74.00	-11.58	54.45	31.86	7.10	36.99	6.00	300	127 PEAK																																													
Fundamental																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>117.69</td><td>-----</td><td>-----</td><td>109.61</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>300</td><td>127 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2412.00	117.69	-----	-----	109.61	31.94	7.14	37.00	6.00	300	127 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2412.00	117.69	-----	-----	109.61	31.94	7.14	37.00	6.00	300	127 PEAK																																													
Avg																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.95</td><td>48.30</td><td>54.00</td><td>-5.70</td><td>40.31</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>300</td><td>127 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2389.95	48.30	54.00	-5.70	40.31	31.87	7.11	36.99	6.00	300	127 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2389.95	48.30	54.00	-5.70	40.31	31.87	7.11	36.99	6.00	300	127 AVERAGE																																													
Fundamental																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>106.98</td><td>-----</td><td>-----</td><td>98.88</td><td>31.95</td><td>7.15</td><td>37.00</td><td>6.00</td><td>300</td><td>127 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2412.00	106.98	-----	-----	98.88	31.95	7.15	37.00	6.00	300	127 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 2412.00	106.98	-----	-----	98.88	31.95	7.15	37.00	6.00	300	127 AVERAGE																																													




Mode	66																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_Full_2412MHz																																																																																																																																													
ANT	0+1																																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																																							
Peak Avg																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>56.27</td><td>74.00</td><td>-17.73</td><td>77.53</td><td>33.90</td><td>10.23</td><td>65.39</td><td>0.00</td><td>247</td><td>357 PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>45.52</td><td>54.00</td><td>-8.48</td><td>66.78</td><td>33.90</td><td>10.23</td><td>65.39</td><td>0.00</td><td>247</td><td>357 AVERAGE</td></tr><tr><td>3</td><td>5504.33</td><td>61.44</td><td>74.00</td><td>-12.56</td><td>81.62</td><td>34.31</td><td>10.89</td><td>65.38</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	56.27	74.00	-17.73	77.53	33.90	10.23	65.39	0.00	247	357 PEAK	2	4824.00	45.52	54.00	-8.48	66.78	33.90	10.23	65.39	0.00	247	357 AVERAGE	3	5504.33	61.44	74.00	-12.56	81.62	34.31	10.89	65.38	0.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>45.90</td><td>74.00</td><td>-28.10</td><td>67.16</td><td>33.90</td><td>10.23</td><td>65.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5506.00</td><td>52.94</td><td>74.00</td><td>-21.06</td><td>73.12</td><td>34.31</td><td>10.89</td><td>65.38</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	45.90	74.00	-28.10	67.16	33.90	10.23	65.39	0.00	---	---	PEAK	2	5506.00	52.94	74.00	-21.06	73.12	34.31	10.89	65.38	0.00	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	4824.00	56.27	74.00	-17.73	77.53	33.90	10.23	65.39	0.00	247	357 PEAK																																																																																																																																			
2	4824.00	45.52	54.00	-8.48	66.78	33.90	10.23	65.39	0.00	247	357 AVERAGE																																																																																																																																			
3	5504.33	61.44	74.00	-12.56	81.62	34.31	10.89	65.38	0.00	---	---	Peak																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	4824.00	45.90	74.00	-28.10	67.16	33.90	10.23	65.39	0.00	---	---	PEAK																																																																																																																																		
2	5506.00	52.94	74.00	-21.06	73.12	34.31	10.89	65.38	0.00	---	---	Peak																																																																																																																																		

Note: #3(Horizontal) & #2(Vertical) are co-location of WLAN 5G CH102 fundamental signal.







		66																																																																			
Mode	Band Edge - L																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																				
ANT	0+1																																																																				
Pol.	Horizontal																																																																				
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.96</td><td>60.59</td><td>74.00</td><td>-13.41</td><td>51.85</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>208</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5469.36</td><td>66.90</td><td>68.20</td><td>-1.30</td><td>58.17</td><td>34.33</td><td>10.85</td><td>36.45</td><td>0.00</td><td>208</td><td>360</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	60.59	74.00	-13.41	51.85	34.34	10.84	36.44	0.00	208	360	PEAK	2	5469.36	66.90	68.20	-1.30	58.17	34.33	10.85	36.45	0.00	208	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5458.96	60.59	74.00	-13.41	51.85	34.34	10.84	36.44	0.00	208	360	PEAK																																																									
2	5469.36	66.90	68.20	-1.30	58.17	34.33	10.85	36.45	0.00	208	360	PEAK																																																									
Fundamental																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.87</td><td>-----</td><td>-----</td><td>103.79</td><td>31.94</td><td>7.14</td><td>37.00</td><td>0.00</td><td>208</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>5510.00</td><td>113.90</td><td>-----</td><td>-----</td><td>105.18</td><td>34.30</td><td>10.89</td><td>36.47</td><td>0.00</td><td>208</td><td>360</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.87	-----	-----	103.79	31.94	7.14	37.00	0.00	208	360	Peak	2	5510.00	113.90	-----	-----	105.18	34.30	10.89	36.47	0.00	208	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2412.00	105.87	-----	-----	103.79	31.94	7.14	37.00	0.00	208	360	Peak																																																									
2	5510.00	113.90	-----	-----	105.18	34.30	10.89	36.47	0.00	208	360	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>51.12</td><td>54.00</td><td>-2.88</td><td>42.38</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>208</td><td>360</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	51.12	54.00	-2.88	42.38	34.34	10.84	36.44	0.00	208	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5459.92	51.12	54.00	-2.88	42.38	34.34	10.84	36.44	0.00	208	360	AVERAGE																																																									
AVERAGE																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>96.72</td><td>-----</td><td>-----</td><td>94.64</td><td>31.94</td><td>7.14</td><td>37.00</td><td>0.00</td><td>208</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>5510.00</td><td>104.69</td><td>-----</td><td>-----</td><td>95.91</td><td>34.32</td><td>10.90</td><td>36.44</td><td>0.00</td><td>208</td><td>360</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	96.72	-----	-----	94.64	31.94	7.14	37.00	0.00	208	360	Average	2	5510.00	104.69	-----	-----	95.91	34.32	10.90	36.44	0.00	208	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2412.00	96.72	-----	-----	94.64	31.94	7.14	37.00	0.00	208	360	Average																																																									
2	5510.00	104.69	-----	-----	95.91	34.32	10.90	36.44	0.00	208	360	AVERAGE																																																									




Mode	66																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																						
ANT	0+1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5763.32</td><td>52.74</td><td>68.20</td><td>-15.46</td><td>43.35</td><td>34.62</td><td>11.23</td><td>36.46</td><td>0.00</td><td>208 360 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5763.32	52.74	68.20	-15.46	43.35	34.62	11.23	36.46	0.00	208 360 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5763.32	52.74	68.20	-15.46	43.35	34.62	11.23	36.46	0.00	208 360 PEAK																																													



Mode	66																																																																			
	Band Edge - L																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																			
ANT	0+1																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.00</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>44.62</td><td>34.35</td><td>10.83</td><td>36.44</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr><tr><td>2</td><td>5467.76</td><td>60.80</td><td>68.20</td><td>-7.40</td><td>52.07</td><td>34.33</td><td>10.85</td><td>36.45</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.00	53.36	74.00	-20.64	44.62	34.35	10.83	36.44	0.00	100	81 PEAK	2	5467.76	60.80	68.20	-7.40	52.07	34.33	10.85	36.45	0.00	100	81 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5454.00	53.36	74.00	-20.64	44.62	34.35	10.83	36.44	0.00	100	81 PEAK																																																									
2	5467.76	60.80	68.20	-7.40	52.07	34.33	10.85	36.45	0.00	100	81 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>110.71</td><td>-----</td><td>-----</td><td>100.63</td><td>31.94</td><td>7.14</td><td>37.00</td><td>0.00</td><td>100</td><td>81 Peak</td></tr><tr><td>2</td><td>5510.00</td><td>104.92</td><td>-----</td><td>-----</td><td>96.15</td><td>34.32</td><td>10.90</td><td>36.45</td><td>0.00</td><td>100</td><td>81 Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	110.71	-----	-----	100.63	31.94	7.14	37.00	0.00	100	81 Peak	2	5510.00	104.92	-----	-----	96.15	34.32	10.90	36.45	0.00	100	81 Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2412.00	110.71	-----	-----	100.63	31.94	7.14	37.00	0.00	100	81 Peak																																																									
2	5510.00	104.92	-----	-----	96.15	34.32	10.90	36.45	0.00	100	81 Peak																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.20</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>34.39</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>81 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	43.13	54.00	-10.87	34.39	34.34	10.84	36.44	0.00	100	81 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5457.20	43.13	54.00	-10.87	34.39	34.34	10.84	36.44	0.00	100	81 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>102.66</td><td>-----</td><td>-----</td><td>100.58</td><td>31.94</td><td>7.14</td><td>37.00</td><td>0.00</td><td>100</td><td>81 Average</td></tr><tr><td>2</td><td>5510.00</td><td>96.30</td><td>-----</td><td>-----</td><td>87.53</td><td>34.32</td><td>10.90</td><td>36.45</td><td>0.00</td><td>100</td><td>81 Average</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	102.66	-----	-----	100.58	31.94	7.14	37.00	0.00	100	81 Average	2	5510.00	96.30	-----	-----	87.53	34.32	10.90	36.45	0.00	100	81 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2412.00	102.66	-----	-----	100.58	31.94	7.14	37.00	0.00	100	81 Average																																																									
2	5510.00	96.30	-----	-----	87.53	34.32	10.90	36.45	0.00	100	81 Average																																																									







Mode	66																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																					
ANT	0+1																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.28</td><td>51.97</td><td>68.20</td><td>-16.23</td><td>42.60</td><td>34.60</td><td>11.23</td><td>36.46</td><td>0.00</td><td>100</td><td>81 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5760.28	51.97	68.20	-16.23	42.60	34.60	11.23	36.46	0.00	100	81 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5760.28	51.97	68.20	-16.23	42.60	34.60	11.23	36.46	0.00	100	81 PEAK																																											



Mode	66																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																					
ANT	0+1																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11020.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>57.53</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11020.00	44.78	74.00	-29.22	57.53	37.82	16.06	66.63	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11020.00</td><td>45.30</td><td>74.00</td><td>-28.70</td><td>58.05</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11020.00	45.30	74.00	-28.70	58.05	37.82	16.06	66.63	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11020.00	44.78	74.00	-29.22	57.53	37.82	16.06	66.63	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11020.00	45.30	74.00	-28.70	58.05	37.82	16.06	66.63	0.00	---	---	PEAK																																																																																											



Mode	67																																																																																																																						
	Band Edge - L																																																																																																																						
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_Full_2412MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2389.30</td><td>63.56</td><td>74.00</td><td>-10.44</td><td>55.58</td><td>31.87</td><td>7.10</td><td>36.99</td><td>6.00</td><td>340</td><td>64 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2389.30	63.56	74.00	-10.44	55.58	31.87	7.10	36.99	6.00	340	64 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>111.79</td><td>-----</td><td>-----</td><td>103.72</td><td>31.93</td><td>7.14</td><td>37.00</td><td>6.00</td><td>340</td><td>64 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>95.27</td><td>-----</td><td>-----</td><td>86.93</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>340</td><td>64 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2412.00	111.79	-----	-----	103.72	31.93	7.14	37.00	6.00	340	64 PEAK	2	2480.00	95.27	-----	-----	86.93	32.14	7.25	37.05	6.00	340
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2389.30	63.56	74.00	-10.44	55.58	31.87	7.10	36.99	6.00	340	64 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2412.00	111.79	-----	-----	103.72	31.93	7.14	37.00	6.00	340	64 PEAK																																																																																																												
2	2480.00	95.27	-----	-----	86.93	32.14	7.25	37.05	6.00	340	64 Peak																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>50.35</td><td>54.00</td><td>-3.65</td><td>42.36</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>340</td><td>64 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2389.95	50.35	54.00	-3.65	42.36	31.87	7.11	36.99	6.00	340	64 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>100.38</td><td>-----</td><td>-----</td><td>92.31</td><td>31.93</td><td>7.14</td><td>37.00</td><td>6.00</td><td>340</td><td>64 AVERAGE</td></tr><tr><td>2</td><td>2480.00</td><td>90.97</td><td>-----</td><td>-----</td><td>82.63</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>340</td><td>64 Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2412.00	100.38	-----	-----	92.31	31.93	7.14	37.00	6.00	340	64 AVERAGE	2	2480.00	90.97	-----	-----	82.63	32.14	7.25	37.05	6.00	340
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2389.95	50.35	54.00	-3.65	42.36	31.87	7.11	36.99	6.00	340	64 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2412.00	100.38	-----	-----	92.31	31.93	7.14	37.00	6.00	340	64 AVERAGE																																																																																																												
2	2480.00	90.97	-----	-----	82.63	32.14	7.25	37.05	6.00	340	64 Average																																																																																																												