













Mode	67																																																																																																												
	Band Edge - L																																																																																																												
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_Full_2412MHz																																																																																																												
ANT	1																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.95</td><td>64.60</td><td>74.00</td><td>-9.40</td><td>56.61</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>300</td><td>85 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2389.95	64.60	74.00	-9.40	56.61	31.87	7.11	36.99	6.00	300	85 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>112.61</td><td>-----</td><td>-----</td><td>104.56</td><td>31.92</td><td>7.13</td><td>37.00</td><td>6.00</td><td>300</td><td>85 PEAK</td></tr><tr><td>2 2480.00</td><td>94.41</td><td>-----</td><td>-----</td><td>86.07</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>300</td><td>85 Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2412.00	112.61	-----	-----	104.56	31.92	7.13	37.00	6.00	300	85 PEAK	2 2480.00	94.41	-----	-----	86.07	32.14	7.25	37.05	6.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 2389.95	64.60	74.00	-9.40	56.61	31.87	7.11	36.99	6.00	300	85 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 2412.00	112.61	-----	-----	104.56	31.92	7.13	37.00	6.00	300	85 PEAK																																																																																																			
2 2480.00	94.41	-----	-----	86.07	32.14	7.25	37.05	6.00	300	85 Peak																																																																																																			
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.95</td><td>51.37</td><td>54.00</td><td>-2.63</td><td>43.38</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>300</td><td>85 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2389.95	51.37	54.00	-2.63	43.38	31.87	7.11	36.99	6.00	300	85 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>100.97</td><td>-----</td><td>-----</td><td>92.92</td><td>31.92</td><td>7.13</td><td>37.00</td><td>6.00</td><td>300</td><td>85 AVERAGE</td></tr><tr><td>2 2480.00</td><td>90.04</td><td>-----</td><td>-----</td><td>81.70</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>300</td><td>85 Average</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2412.00	100.97	-----	-----	92.92	31.92	7.13	37.00	6.00	300	85 AVERAGE	2 2480.00	90.04	-----	-----	81.70	32.14	7.25	37.05	6.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 2389.95	51.37	54.00	-2.63	43.38	31.87	7.11	36.99	6.00	300	85 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 2412.00	100.97	-----	-----	92.92	31.92	7.13	37.00	6.00	300	85 AVERAGE																																																																																																			
2 2480.00	90.04	-----	-----	81.70	32.14	7.25	37.05	6.00	300	85 Average																																																																																																			







Mode	67																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																									
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_Full_2412MHz																																																																																																																																																																																									
ANT	1																																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																																			
Peak Avg																																																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>48.21</td><td>74.00</td><td>-25.79</td><td>69.47</td><td>33.90</td><td>10.23</td><td>65.39</td><td>0.00</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>37.09</td><td>54.00</td><td>-16.91</td><td>58.36</td><td>33.90</td><td>10.24</td><td>65.41</td><td>0.00</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>4960.00</td><td>38.75</td><td>74.00</td><td>-35.25</td><td>59.87</td><td>33.90</td><td>10.40</td><td>65.42</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>5506.00</td><td>61.01</td><td>74.00</td><td>-12.99</td><td>81.19</td><td>34.31</td><td>10.89</td><td>65.38</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>7440.00</td><td>40.37</td><td>74.00</td><td>-33.63</td><td>58.32</td><td>35.54</td><td>12.78</td><td>66.27</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	48.21	74.00	-25.79	69.47	33.90	10.23	65.39	0.00	360	PEAK	2	4824.00	37.09	54.00	-16.91	58.36	33.90	10.24	65.41	0.00	360	AVERAGE	3	4960.00	38.75	74.00	-35.25	59.87	33.90	10.40	65.42	0.00	---	Peak	4	5506.00	61.01	74.00	-12.99	81.19	34.31	10.89	65.38	0.00	---	Peak	5	7440.00	40.37	74.00	-33.63	58.32	35.54	12.78	66.27	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>41.08</td><td>74.00</td><td>-32.92</td><td>62.34</td><td>33.90</td><td>10.23</td><td>65.39</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>4960.00</td><td>38.05</td><td>74.00</td><td>-35.95</td><td>59.17</td><td>33.90</td><td>10.40</td><td>65.42</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>5505.00</td><td>51.54</td><td>74.00</td><td>-22.46</td><td>71.72</td><td>34.31</td><td>10.89</td><td>65.38</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>39.29</td><td>74.00</td><td>-34.71</td><td>57.24</td><td>35.54</td><td>12.78</td><td>66.27</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	41.08	74.00	-32.92	62.34	33.90	10.23	65.39	0.00	---	PEAK	2	4960.00	38.05	74.00	-35.95	59.17	33.90	10.40	65.42	0.00	---	Peak	3	5505.00	51.54	74.00	-22.46	71.72	34.31	10.89	65.38	0.00	---	Peak	4	7440.00	39.29	74.00	-34.71	57.24	35.54	12.78	66.27	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																															
1	4824.00	48.21	74.00	-25.79	69.47	33.90	10.23	65.39	0.00	360	PEAK																																																																																																																																																																															
2	4824.00	37.09	54.00	-16.91	58.36	33.90	10.24	65.41	0.00	360	AVERAGE																																																																																																																																																																															
3	4960.00	38.75	74.00	-35.25	59.87	33.90	10.40	65.42	0.00	---	Peak																																																																																																																																																																															
4	5506.00	61.01	74.00	-12.99	81.19	34.31	10.89	65.38	0.00	---	Peak																																																																																																																																																																															
5	7440.00	40.37	74.00	-33.63	58.32	35.54	12.78	66.27	0.00	---	Peak																																																																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																															
1	4824.00	41.08	74.00	-32.92	62.34	33.90	10.23	65.39	0.00	---	PEAK																																																																																																																																																																															
2	4960.00	38.05	74.00	-35.95	59.17	33.90	10.40	65.42	0.00	---	Peak																																																																																																																																																																															
3	5505.00	51.54	74.00	-22.46	71.72	34.31	10.89	65.38	0.00	---	Peak																																																																																																																																																																															
4	7440.00	39.29	74.00	-34.71	57.24	35.54	12.78	66.27	0.00	---	Peak																																																																																																																																																																															

Note: #4(Horizontal) & #3(Vertical) are co-location of WLAN 5G CH102 fundamental signal.







Mode	67																																																																																																																						
	Band Edge - L																																																																																																																						
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_Full_2480MHz																																																																																																																						
ANT	0																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.92</td><td>52.92</td><td>74.00</td><td>-21.08</td><td>44.56</td><td>32.15</td><td>7.26</td><td>37.05</td><td>6.00</td><td>118</td><td>254 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2483.92	52.92	74.00	-21.08	44.56	32.15	7.26	37.05	6.00	118	254 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>101.71</td><td>-----</td><td>-----</td><td>93.63</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>118</td><td>254 Peak</td></tr><tr><td>2</td><td>2480.00</td><td>98.39</td><td>-----</td><td>-----</td><td>90.05</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>118</td><td>254 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2412.00	101.71	-----	-----	93.63	31.94	7.14	37.00	6.00	118	254 Peak	2	2480.00	98.39	-----	-----	90.05	32.14	7.25	37.05	6.00	118
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2483.92	52.92	74.00	-21.08	44.56	32.15	7.26	37.05	6.00	118	254 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2412.00	101.71	-----	-----	93.63	31.94	7.14	37.00	6.00	118	254 Peak																																																																																																												
2	2480.00	98.39	-----	-----	90.05	32.14	7.25	37.05	6.00	118	254 Peak																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>43.25</td><td>54.00</td><td>-10.75</td><td>34.89</td><td>32.15</td><td>7.26</td><td>37.05</td><td>6.00</td><td>118</td><td>254 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2483.50	43.25	54.00	-10.75	34.89	32.15	7.26	37.05	6.00	118	254 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>92.07</td><td>-----</td><td>-----</td><td>83.99</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>118</td><td>254 Average</td></tr><tr><td>2</td><td>2480.00</td><td>96.28</td><td>-----</td><td>-----</td><td>87.94</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>118</td><td>254 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2412.00	92.07	-----	-----	83.99	31.94	7.14	37.00	6.00	118	254 Average	2	2480.00	96.28	-----	-----	87.94	32.14	7.25	37.05	6.00	118
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2483.50	43.25	54.00	-10.75	34.89	32.15	7.26	37.05	6.00	118	254 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2412.00	92.07	-----	-----	83.99	31.94	7.14	37.00	6.00	118	254 Average																																																																																																												
2	2480.00	96.28	-----	-----	87.94	32.14	7.25	37.05	6.00	118	254 AVERAGE																																																																																																												




Mode	67																																																																																																																			
	Band Edge - L																																																																																																																			
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_Full_2480MHz																																																																																																																			
ANT	0																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.10</td><td>56.64</td><td>74.00</td><td>-17.36</td><td>48.28</td><td>32.15</td><td>7.26</td><td>37.05</td><td>6.00</td><td>100</td><td>110</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.10	56.64	74.00	-17.36	48.28	32.15	7.26	37.05	6.00	100	110	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.86</td><td>-----</td><td>-----</td><td>99.78</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>100</td><td>110</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>100.27</td><td>-----</td><td>-----</td><td>91.93</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>100</td><td>110</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.86	-----	-----	99.78	31.94	7.14	37.00	6.00	100	110	Peak	2	2480.00	100.27	-----	-----	91.93	32.14	7.25	37.05	6.00	100	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2484.10	56.64	74.00	-17.36	48.28	32.15	7.26	37.05	6.00	100	110	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2412.00	107.86	-----	-----	99.78	31.94	7.14	37.00	6.00	100	110	Peak																																																																																																								
2	2480.00	100.27	-----	-----	91.93	32.14	7.25	37.05	6.00	100	110	Peak																																																																																																								
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>34.11</td><td>32.15</td><td>7.26</td><td>37.05</td><td>6.00</td><td>100</td><td>110</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	42.47	54.00	-11.53	34.11	32.15	7.26	37.05	6.00	100	110	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>98.76</td><td>-----</td><td>-----</td><td>90.68</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>100</td><td>110</td><td>Average</td></tr><tr><td>2</td><td>2480.00</td><td>97.92</td><td>-----</td><td>-----</td><td>89.58</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>100</td><td>110</td><td>Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	98.76	-----	-----	90.68	31.94	7.14	37.00	6.00	100	110	Average	2	2480.00	97.92	-----	-----	89.58	32.14	7.25	37.05	6.00	100	110
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2483.68	42.47	54.00	-11.53	34.11	32.15	7.26	37.05	6.00	100	110	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2412.00	98.76	-----	-----	90.68	31.94	7.14	37.00	6.00	100	110	Average																																																																																																								
2	2480.00	97.92	-----	-----	89.58	32.14	7.25	37.05	6.00	100	110	Average																																																																																																								







		67																																																																																																																																																			
Mode		Band Edge - L																																																																																																																																																			
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																																																			
ANT		0+1																																																																																																																																																			
Pol.	Horizontal											Fundamental																																																																																																																																									
Peak																																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5451.12</td><td>59.62</td><td>74.00</td><td>-14.38</td><td>50.88</td><td>34.35</td><td>10.83</td><td>36.44</td><td>0.00</td><td>140</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>65.07</td><td>68.20</td><td>-3.13</td><td>56.34</td><td>34.33</td><td>10.85</td><td>36.45</td><td>0.00</td><td>140</td><td>360</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5451.12	59.62	74.00	-14.38	50.88	34.35	10.83	36.44	0.00	140	360	PEAK	2	5469.52	65.07	68.20	-3.13	56.34	34.33	10.85	36.45	0.00	140	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>101.57</td><td>-----</td><td>99.49</td><td>31.94</td><td>7.14</td><td>37.00</td><td>0.00</td><td>140</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>2480.00</td><td>83.90</td><td>-----</td><td>81.56</td><td>32.14</td><td>7.25</td><td>37.05</td><td>0.00</td><td>140</td><td>360</td><td>Peak</td></tr><tr><td>3</td><td>5510.00</td><td>112.52</td><td>-----</td><td>103.80</td><td>34.30</td><td>10.89</td><td>36.47</td><td>0.00</td><td>140</td><td>360</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	101.57	-----	99.49	31.94	7.14	37.00	0.00	140	360	Peak	2	2480.00	83.90	-----	81.56	32.14	7.25	37.05	0.00	140	360	Peak	3	5510.00	112.52	-----	103.80	34.30	10.89	36.47	0.00	140	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5451.12	59.62	74.00	-14.38	50.88	34.35	10.83	36.44	0.00	140	360	PEAK																																																																																																																																									
2	5469.52	65.07	68.20	-3.13	56.34	34.33	10.85	36.45	0.00	140	360	PEAK																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	2412.00	101.57	-----	99.49	31.94	7.14	37.00	0.00	140	360	Peak																																																																																																																																										
2	2480.00	83.90	-----	81.56	32.14	7.25	37.05	0.00	140	360	Peak																																																																																																																																										
3	5510.00	112.52	-----	103.80	34.30	10.89	36.47	0.00	140	360	PEAK																																																																																																																																										
Avg																																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>48.57</td><td>54.00</td><td>-5.43</td><td>39.83</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>140</td><td>360</td><td>AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.92	48.57	54.00	-5.43	39.83	34.34	10.84	36.44	0.00	140	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>92.10</td><td>-----</td><td>90.02</td><td>31.94</td><td>7.14</td><td>37.00</td><td>0.00</td><td>140</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>2480.00</td><td>80.03</td><td>-----</td><td>77.69</td><td>32.14</td><td>7.25</td><td>37.05</td><td>0.00</td><td>140</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>5510.00</td><td>104.22</td><td>-----</td><td>95.44</td><td>34.32</td><td>10.90</td><td>36.44</td><td>0.00</td><td>140</td><td>360</td><td>AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	92.10	-----	90.02	31.94	7.14	37.00	0.00	140	360	Average	2	2480.00	80.03	-----	77.69	32.14	7.25	37.05	0.00	140	360	Average	3	5510.00	104.22	-----	95.44	34.32	10.90	36.44	0.00	140	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	5459.92	48.57	54.00	-5.43	39.83	34.34	10.84	36.44	0.00	140	360	AVERAGE																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																											
1	2412.00	92.10	-----	90.02	31.94	7.14	37.00	0.00	140	360	Average																																																																																																																																										
2	2480.00	80.03	-----	77.69	32.14	7.25	37.05	0.00	140	360	Average																																																																																																																																										
3	5510.00	104.22	-----	95.44	34.32	10.90	36.44	0.00	140	360	AVERAGE																																																																																																																																										




Mode	67																																																										
	Band Edge - R																																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																										
ANT	0+1																																																										
Pol.	Horizontal						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.20</td><td>53.68</td><td>68.20</td><td>-14.52</td><td>44.31</td><td>34.60</td><td>11.23</td><td>36.46</td><td>0.00</td><td>140</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5760.20	53.68	68.20	-14.52	44.31	34.60	11.23	36.46	0.00	140	360	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5760.20	53.68	68.20	-14.52	44.31	34.60	11.23	36.46	0.00	140	360	PEAK																																															





Mode	67																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																																				
ANT	0+1																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.96</td><td>55.59</td><td>74.00</td><td>-18.41</td><td>46.85</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr><tr><td>2</td><td>5466.80</td><td>59.46</td><td>68.20</td><td>-8.74</td><td>50.73</td><td>34.33</td><td>10.85</td><td>36.45</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	55.59	74.00	-18.41	46.85	34.34	10.84	36.44	0.00	100	79 PEAK	2	5466.80	59.46	68.20	-8.74	50.73	34.33	10.85	36.45	0.00	100	79 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>106.29</td><td>-----</td><td>104.21</td><td>31.94</td><td>7.14</td><td>37.00</td><td>0.00</td><td>100</td><td>79 Peak</td></tr><tr><td>2</td><td>2480.00</td><td>96.74</td><td>-----</td><td>94.40</td><td>32.14</td><td>7.25</td><td>37.05</td><td>0.00</td><td>100</td><td>79 Peak</td></tr><tr><td>3</td><td>5510.00</td><td>106.29</td><td>-----</td><td>104.19</td><td>31.95</td><td>7.15</td><td>37.00</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.29	-----	104.21	31.94	7.14	37.00	0.00	100	79 Peak	2	2480.00	96.74	-----	94.40	32.14	7.25	37.05	0.00	100	79 Peak	3	5510.00	106.29	-----	104.19	31.95	7.15	37.00	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5458.96	55.59	74.00	-18.41	46.85	34.34	10.84	36.44	0.00	100	79 PEAK																																																																																																																										
2	5466.80	59.46	68.20	-8.74	50.73	34.33	10.85	36.45	0.00	100	79 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	2412.00	106.29	-----	104.21	31.94	7.14	37.00	0.00	100	79 Peak																																																																																																																											
2	2480.00	96.74	-----	94.40	32.14	7.25	37.05	0.00	100	79 Peak																																																																																																																											
3	5510.00	106.29	-----	104.19	31.95	7.15	37.00	0.00	100	79 PEAK																																																																																																																											
Avg																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.84</td><td>42.67</td><td>54.00</td><td>-11.33</td><td>33.93</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>79 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.84	42.67	54.00	-11.33	33.93	34.34	10.84	36.44	0.00	100	79 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>96.70</td><td>-----</td><td>94.62</td><td>31.94</td><td>7.14</td><td>37.00</td><td>0.00</td><td>100</td><td>79 Average</td></tr><tr><td>2</td><td>2480.00</td><td>92.79</td><td>-----</td><td>90.45</td><td>32.14</td><td>7.25</td><td>37.05</td><td>0.00</td><td>100</td><td>79 Average</td></tr><tr><td>3</td><td>5510.00</td><td>96.70</td><td>-----</td><td>94.60</td><td>31.95</td><td>7.15</td><td>37.00</td><td>0.00</td><td>100</td><td>79 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	96.70	-----	94.62	31.94	7.14	37.00	0.00	100	79 Average	2	2480.00	92.79	-----	90.45	32.14	7.25	37.05	0.00	100	79 Average	3	5510.00	96.70	-----	94.60	31.95	7.15	37.00	0.00	100	79 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5457.84	42.67	54.00	-11.33	33.93	34.34	10.84	36.44	0.00	100	79 AVERAGE																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	2412.00	96.70	-----	94.62	31.94	7.14	37.00	0.00	100	79 Average																																																																																																																											
2	2480.00	92.79	-----	90.45	32.14	7.25	37.05	0.00	100	79 Average																																																																																																																											
3	5510.00	96.70	-----	94.60	31.95	7.15	37.00	0.00	100	79 AVERAGE																																																																																																																											







Mode	67																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.00</td><td>51.62</td><td>68.20</td><td>-16.58</td><td>42.36</td><td>34.49</td><td>11.19</td><td>36.42</td><td>0.00</td><td>100</td><td>79</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.00	51.62	68.20	-16.58	42.36	34.49	11.19	36.42	0.00	100	79	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5737.00	51.62	68.20	-16.58	42.36	34.49	11.19	36.42	0.00	100	79	PEAK																																												







Mode	67																																																																																																				
	Harmonic																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																				
ANT	0+1																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11020.00</td><td>45.04</td><td>74.00</td><td>-28.96</td><td>57.79</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11020.00	45.04	74.00	-28.96	57.79	37.82	16.06	66.63	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11020.00</td><td>44.24</td><td>74.00</td><td>-29.76</td><td>56.99</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11020.00	44.24	74.00	-29.76	56.99	37.82	16.06	66.63	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 11020.00	45.04	74.00	-28.96	57.79	37.82	16.06	66.63	0.00	---	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 11020.00	44.24	74.00	-29.76	56.99	37.82	16.06	66.63	0.00	---	---	PEAK																																																																																										







Mode	68																																																						
	Band Edge																																																						
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_Full_2412MHz																																																						
ANT	0+1																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>61.63</td><td>74.00</td><td>-12.37</td><td>53.64</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>100 25 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	61.63	74.00	-12.37	53.64	31.87	7.11	36.99	6.00	100 25 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	61.63	74.00	-12.37	53.64	31.87	7.11	36.99	6.00	100 25 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>111.12</td><td>-----</td><td>103.04</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>100</td><td>25 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	111.12	-----	103.04	31.94	7.14	37.00	6.00	100	25 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	111.12	-----	103.04	31.94	7.14	37.00	6.00	100	25 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>49.54</td><td>54.00</td><td>-4.46</td><td>41.55</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>100 25 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	49.54	54.00	-4.46	41.55	31.87	7.11	36.99	6.00	100 25 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	49.54	54.00	-4.46	41.55	31.87	7.11	36.99	6.00	100 25 AVERAGE																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.56</td><td>54.00</td><td>47.56</td><td>93.48</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>100 25 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.56	54.00	47.56	93.48	31.94	7.14	37.00	6.00	100 25 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	101.56	54.00	47.56	93.48	31.94	7.14	37.00	6.00	100 25 AVERAGE																																													







		68																																																				
Mode	Band Edge																																																					
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_Full_2412MHz																																																					
ANT	0+1																																																					
Pol.	Vertical																																																					
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.26</td><td>64.16</td><td>74.00</td><td>-9.84</td><td>56.19</td><td>31.86</td><td>7.10</td><td>36.99</td><td>6.00</td><td>100 99 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.26	64.16	74.00	-9.84	56.19	31.86	7.10	36.99	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2388.26	64.16	74.00	-9.84	56.19	31.86	7.10	36.99	6.00	100 99 PEAK																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>115.02</td><td>74.00</td><td>41.02</td><td>106.94</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>100 99 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	115.02	74.00	41.02	106.94	31.94	7.14	37.00	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2412.00	115.02	74.00	41.02	106.94	31.94	7.14	37.00	6.00	100 99 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>49.63</td><td>54.00</td><td>-4.37</td><td>41.65</td><td>31.87</td><td>7.10</td><td>36.99</td><td>6.00</td><td>100 99 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	49.63	54.00	-4.37	41.65	31.87	7.10	36.99	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2389.56	49.63	54.00	-4.37	41.65	31.87	7.10	36.99	6.00	100 99 AVERAGE																																												
																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.05</td><td>54.00</td><td>51.05</td><td>96.97</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>100 99 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.05	54.00	51.05	96.97	31.94	7.14	37.00	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2412.00	105.05	54.00	51.05	96.97	31.94	7.14	37.00	6.00	100 99 AVERAGE																																												




Mode	68																																																																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																																																																								
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_Full_2412MHz																																																																																																																																																																																																																																								
ANT	0+1																																																																																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																		
Peak Avg																																																																																																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3611.00</td><td>52.23</td><td>74.00</td><td>-21.77</td><td>75.62</td><td>33.10</td><td>8.77</td><td>65.26</td><td>0.00</td><td>100</td><td>99 Peak</td></tr><tr><td>2</td><td>3611.00</td><td>46.07</td><td>54.00</td><td>-7.93</td><td>69.46</td><td>33.10</td><td>8.77</td><td>65.26</td><td>0.00</td><td>100</td><td>99 Average</td></tr><tr><td>3</td><td>4514.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>67.41</td><td>33.81</td><td>9.90</td><td>65.26</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>4824.00</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>68.91</td><td>33.90</td><td>10.23</td><td>65.39</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>5</td><td>4824.00</td><td>37.42</td><td>54.00</td><td>-16.58</td><td>58.69</td><td>33.90</td><td>10.23</td><td>65.40</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr><tr><td>6</td><td>5504.00</td><td>62.00</td><td>74.00</td><td>-12.00</td><td>82.18</td><td>34.31</td><td>10.89</td><td>65.38</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>7</td><td>6319.33</td><td>53.07</td><td>103.88</td><td>-50.81</td><td>71.84</td><td>35.42</td><td>11.78</td><td>65.97</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3611.00	52.23	74.00	-21.77	75.62	33.10	8.77	65.26	0.00	100	99 Peak	2	3611.00	46.07	54.00	-7.93	69.46	33.10	8.77	65.26	0.00	100	99 Average	3	4514.00	45.86	74.00	-28.14	67.41	33.81	9.90	65.26	0.00	---	--- Peak	4	4824.00	47.65	74.00	-26.35	68.91	33.90	10.23	65.39	0.00	300	0 PEAK	5	4824.00	37.42	54.00	-16.58	58.69	33.90	10.23	65.40	0.00	300	0 AVERAGE	6	5504.00	62.00	74.00	-12.00	82.18	34.31	10.89	65.38	0.00	---	--- Peak	7	6319.33	53.07	103.88	-50.81	71.84	35.42	11.78	65.97	0.00	---	--- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3611.00</td><td>55.15</td><td>74.00</td><td>-18.85</td><td>78.54</td><td>33.10</td><td>8.77</td><td>65.26</td><td>0.00</td><td>300</td><td>103 Peak</td></tr><tr><td>2</td><td>3611.00</td><td>50.69</td><td>54.00</td><td>-3.31</td><td>74.00</td><td>33.10</td><td>8.77</td><td>65.26</td><td>0.00</td><td>300</td><td>103 Average</td></tr><tr><td>3</td><td>4514.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>69.37</td><td>33.81</td><td>9.90</td><td>65.26</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>4824.00</td><td>39.94</td><td>74.00</td><td>-34.06</td><td>61.20</td><td>33.90</td><td>10.23</td><td>65.39</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>5</td><td>5505.33</td><td>53.81</td><td>74.00</td><td>-20.19</td><td>73.99</td><td>34.31</td><td>10.89</td><td>65.38</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>6319.33</td><td>53.53</td><td>101.31</td><td>-47.78</td><td>72.30</td><td>35.42</td><td>11.78</td><td>65.97</td><td>0.00</td><td>---</td><td>--- Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3611.00	55.15	74.00	-18.85	78.54	33.10	8.77	65.26	0.00	300	103 Peak	2	3611.00	50.69	54.00	-3.31	74.00	33.10	8.77	65.26	0.00	300	103 Average	3	4514.00	47.82	74.00	-26.18	69.37	33.81	9.90	65.26	0.00	---	--- Peak	4	4824.00	39.94	74.00	-34.06	61.20	33.90	10.23	65.39	0.00	---	--- PEAK	5	5505.33	53.81	74.00	-20.19	73.99	34.31	10.89	65.38	0.00	---	--- Peak	6	6319.33	53.53	101.31	-47.78	72.30	35.42	11.78	65.97	0.00	---	--- Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																															
1	3611.00	52.23	74.00	-21.77	75.62	33.10	8.77	65.26	0.00	100	99 Peak																																																																																																																																																																																																																														
2	3611.00	46.07	54.00	-7.93	69.46	33.10	8.77	65.26	0.00	100	99 Average																																																																																																																																																																																																																														
3	4514.00	45.86	74.00	-28.14	67.41	33.81	9.90	65.26	0.00	---	--- Peak																																																																																																																																																																																																																														
4	4824.00	47.65	74.00	-26.35	68.91	33.90	10.23	65.39	0.00	300	0 PEAK																																																																																																																																																																																																																														
5	4824.00	37.42	54.00	-16.58	58.69	33.90	10.23	65.40	0.00	300	0 AVERAGE																																																																																																																																																																																																																														
6	5504.00	62.00	74.00	-12.00	82.18	34.31	10.89	65.38	0.00	---	--- Peak																																																																																																																																																																																																																														
7	6319.33	53.07	103.88	-50.81	71.84	35.42	11.78	65.97	0.00	---	--- Peak																																																																																																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																															
1	3611.00	55.15	74.00	-18.85	78.54	33.10	8.77	65.26	0.00	300	103 Peak																																																																																																																																																																																																																														
2	3611.00	50.69	54.00	-3.31	74.00	33.10	8.77	65.26	0.00	300	103 Average																																																																																																																																																																																																																														
3	4514.00	47.82	74.00	-26.18	69.37	33.81	9.90	65.26	0.00	---	--- Peak																																																																																																																																																																																																																														
4	4824.00	39.94	74.00	-34.06	61.20	33.90	10.23	65.39	0.00	---	--- PEAK																																																																																																																																																																																																																														
5	5505.33	53.81	74.00	-20.19	73.99	34.31	10.89	65.38	0.00	---	--- Peak																																																																																																																																																																																																																														
6	6319.33	53.53	101.31	-47.78	72.30	35.42	11.78	65.97	0.00	---	--- Peak																																																																																																																																																																																																																														
Avg																																																																																																																																																																																																																																									

Note: #6 is co-location of WLAN 5G CH102 fundamental signal.







Mode	68																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																																
ANT	0+1																																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																																										
Peak																																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.52</td><td>60.05</td><td>74.00</td><td>-13.95</td><td>51.31</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>208</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>66.96</td><td>68.20</td><td>-1.24</td><td>58.23</td><td>34.33</td><td>10.85</td><td>36.45</td><td>0.00</td><td>208</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.52	60.05	74.00	-13.95	51.31	34.34	10.84	36.44	0.00	208	360	PEAK	2	5469.68	66.96	68.20	-1.24	58.23	34.33	10.85	36.45	0.00	208	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>105.22</td><td>-----</td><td>-----</td><td>103.17</td><td>31.91</td><td>7.13</td><td>36.99</td><td>0.00</td><td>208</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>5510.00</td><td>111.60</td><td>-----</td><td>-----</td><td>102.88</td><td>34.30</td><td>10.89</td><td>36.47</td><td>0.00</td><td>208</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	105.22	-----	-----	103.17	31.91	7.13	36.99	0.00	208	360	Peak	2	5510.00	111.60	-----	-----	102.88	34.30	10.89	36.47	0.00	208	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5457.52	60.05	74.00	-13.95	51.31	34.34	10.84	36.44	0.00	208	360	PEAK																																																																																																																					
2	5469.68	66.96	68.20	-1.24	58.23	34.33	10.85	36.45	0.00	208	360	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	2404.00	105.22	-----	-----	103.17	31.91	7.13	36.99	0.00	208	360	Peak																																																																																																																					
2	5510.00	111.60	-----	-----	102.88	34.30	10.89	36.47	0.00	208	360	PEAK																																																																																																																					
Avg																																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>51.89</td><td>54.00</td><td>-2.11</td><td>43.15</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>208</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	51.89	54.00	-2.11	43.15	34.34	10.84	36.44	0.00	208	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2410.00</td><td>96.73</td><td>-----</td><td>-----</td><td>94.66</td><td>31.93</td><td>7.14</td><td>37.00</td><td>0.00</td><td>208</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>5510.00</td><td>103.09</td><td>-----</td><td>-----</td><td>94.31</td><td>34.32</td><td>10.90</td><td>36.44</td><td>0.00</td><td>208</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2410.00	96.73	-----	-----	94.66	31.93	7.14	37.00	0.00	208	360	Average	2	5510.00	103.09	-----	-----	94.31	34.32	10.90	36.44	0.00	208	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5459.92	51.89	54.00	-2.11	43.15	34.34	10.84	36.44	0.00	208	360	AVERAGE																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	2410.00	96.73	-----	-----	94.66	31.93	7.14	37.00	0.00	208	360	Average																																																																																																																					
2	5510.00	103.09	-----	-----	94.31	34.32	10.90	36.44	0.00	208	360	AVERAGE																																																																																																																					




Mode	68																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																													
ANT	0+1																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.96</td><td>52.99</td><td>68.20</td><td>-15.21</td><td>43.74</td><td>34.47</td><td>11.19</td><td>36.41</td><td>0.00</td><td>208 360 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.96	52.99	68.20	-15.21	43.74	34.47	11.19	36.41	0.00	208 360 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5733.96	52.99	68.20	-15.21	43.74	34.47	11.19	36.41	0.00	208 360 PEAK																																				





Mode	68																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																												
ANT	0+1																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.72</td><td>51.07</td><td>74.00</td><td>-22.93</td><td>42.33</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr><tr><td>2</td><td>5467.28</td><td>53.46</td><td>68.20</td><td>-14.74</td><td>44.73</td><td>34.33</td><td>10.85</td><td>36.45</td><td>0.00</td><td>100</td><td>82 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.72	51.07	74.00	-22.93	42.33	34.34	10.84	36.44	0.00	100	82 PEAK	2	5467.28	53.46	68.20	-14.74	44.73	34.33	10.85	36.45	0.00	100	82 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>105.22</td><td>-----</td><td>-----</td><td>103.14</td><td>31.94</td><td>7.14</td><td>37.00</td><td>0.00</td><td>100</td><td>82 Peak</td></tr><tr><td>2</td><td>5506.00</td><td>103.33</td><td>-----</td><td>-----</td><td>94.59</td><td>34.31</td><td>10.89</td><td>36.46</td><td>0.00</td><td>100</td><td>82 Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.22	-----	-----	103.14	31.94	7.14	37.00	0.00	100	82 Peak	2	5506.00	103.33	-----	-----	94.59	34.31	10.89	36.46	0.00	100	82 Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5456.72	51.07	74.00	-22.93	42.33	34.34	10.84	36.44	0.00	100	82 PEAK																																																																																																																		
2	5467.28	53.46	68.20	-14.74	44.73	34.33	10.85	36.45	0.00	100	82 PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2412.00	105.22	-----	-----	103.14	31.94	7.14	37.00	0.00	100	82 Peak																																																																																																																		
2	5506.00	103.33	-----	-----	94.59	34.31	10.89	36.46	0.00	100	82 Peak																																																																																																																		
Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5416.56</td><td>41.53</td><td>54.00</td><td>-12.47</td><td>32.77</td><td>34.38</td><td>10.79</td><td>36.41</td><td>0.00</td><td>100</td><td>82 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.56	41.53	54.00	-12.47	32.77	34.38	10.79	36.41	0.00	100	82 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2416.00</td><td>96.52</td><td>-----</td><td>-----</td><td>94.42</td><td>31.95</td><td>7.15</td><td>37.00</td><td>0.00</td><td>100</td><td>82 Average</td></tr><tr><td>2</td><td>5506.00</td><td>93.87</td><td>-----</td><td>-----</td><td>85.13</td><td>34.31</td><td>10.89</td><td>36.46</td><td>0.00</td><td>100</td><td>82 Average</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2416.00	96.52	-----	-----	94.42	31.95	7.15	37.00	0.00	100	82 Average	2	5506.00	93.87	-----	-----	85.13	34.31	10.89	36.46	0.00	100	82 Average												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5416.56	41.53	54.00	-12.47	32.77	34.38	10.79	36.41	0.00	100	82 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	2416.00	96.52	-----	-----	94.42	31.95	7.15	37.00	0.00	100	82 Average																																																																																																																		
2	5506.00	93.87	-----	-----	85.13	34.31	10.89	36.46	0.00	100	82 Average																																																																																																																		







Mode	68																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5763.32</td><td>52.04</td><td>68.20</td><td>-16.16</td><td>42.65</td><td>34.62</td><td>11.23</td><td>36.46</td><td>0.00</td><td>100</td><td>82</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5763.32	52.04	68.20	-16.16	42.65	34.62	11.23	36.46	0.00	100	82	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5763.32	52.04	68.20	-16.16	42.65	34.62	11.23	36.46	0.00	100	82	PEAK																																												







		68																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT		0+1																																																							
Pol.		Horizontal																																																							
Peak Avg																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11020.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>58.66</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11020.00	45.91	74.00	-28.09	58.66	37.82	16.06	66.63	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1 11020.00	45.91	74.00	-28.09	58.66	37.82	16.06	66.63	0.00	---	---	PEAK																																														
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11020.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>58.66</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11020.00	45.91	74.00	-28.09	58.66	37.82	16.06	66.63	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1 11020.00	45.91	74.00	-28.09	58.66	37.82	16.06	66.63	0.00	---	---	PEAK																																														
		Vertical																																																							
Peak Avg																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11020.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>58.15</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11020.00	45.40	74.00	-28.60	58.15	37.82	16.06	66.63	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1 11020.00	45.40	74.00	-28.60	58.15	37.82	16.06	66.63	0.00	---	---	PEAK																																														
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11020.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td>58.15</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11020.00	45.40	74.00	-28.60	58.15	37.82	16.06	66.63	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1 11020.00	45.40	74.00	-28.60	58.15	37.82	16.06	66.63	0.00	---	---	PEAK																																														





Mode	69																																																																																																																						
	Band Edge - L																																																																																																																						
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_Full_2412MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>64.76</td><td>74.00</td><td>-9.24</td><td>56.77</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>103</td><td>328 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2389.82	64.76	74.00	-9.24	56.77	31.87	7.11	36.99	6.00	103	328 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>108.61</td><td>-----</td><td>-----</td><td>100.51</td><td>31.95</td><td>7.15</td><td>37.00</td><td>6.00</td><td>103</td><td>328 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>89.95</td><td>-----</td><td>-----</td><td>81.61</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>103</td><td>328 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2412.00	108.61	-----	-----	100.51	31.95	7.15	37.00	6.00	103	328 PEAK	2	2480.00	89.95	-----	-----	81.61	32.14	7.25	37.05	6.00	103
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2389.82	64.76	74.00	-9.24	56.77	31.87	7.11	36.99	6.00	103	328 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2412.00	108.61	-----	-----	100.51	31.95	7.15	37.00	6.00	103	328 PEAK																																																																																																												
2	2480.00	89.95	-----	-----	81.61	32.14	7.25	37.05	6.00	103	328 Peak																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>51.20</td><td>54.00</td><td>-2.80</td><td>43.21</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>103</td><td>328 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2389.95	51.20	54.00	-2.80	43.21	31.87	7.11	36.99	6.00	103	328 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>98.52</td><td>-----</td><td>-----</td><td>90.44</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>103</td><td>328 AVERAGE</td></tr><tr><td>2</td><td>2480.00</td><td>85.40</td><td>-----</td><td>-----</td><td>77.06</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>103</td><td>328 Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2412.00	98.52	-----	-----	90.44	31.94	7.14	37.00	6.00	103	328 AVERAGE	2	2480.00	85.40	-----	-----	77.06	32.14	7.25	37.05	6.00	103
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2389.95	51.20	54.00	-2.80	43.21	31.87	7.11	36.99	6.00	103	328 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	2412.00	98.52	-----	-----	90.44	31.94	7.14	37.00	6.00	103	328 AVERAGE																																																																																																												
2	2480.00	85.40	-----	-----	77.06	32.14	7.25	37.05	6.00	103	328 Average																																																																																																												







Mode	69																																																																																																																	
	Band Edge - L																																																																																																																	
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_Full_2412MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>61.60</td><td>74.00</td><td>-12.40</td><td>53.61</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>300</td><td>37 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.82	61.60	74.00	-12.40	53.61	31.87	7.11	36.99	6.00	300	37 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>111.27</td><td>-----</td><td>-----</td><td>103.17</td><td>31.95</td><td>7.15</td><td>37.00</td><td>6.00</td><td>300</td><td>37 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>92.51</td><td>-----</td><td>-----</td><td>84.17</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>300</td><td>37 Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	111.27	-----	-----	103.17	31.95	7.15	37.00	6.00	300	37 PEAK	2	2480.00	92.51	-----	-----	84.17	32.14	7.25	37.05	6.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	2389.82	61.60	74.00	-12.40	53.61	31.87	7.11	36.99	6.00	300	37 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	2412.00	111.27	-----	-----	103.17	31.95	7.15	37.00	6.00	300	37 PEAK																																																																																																							
2	2480.00	92.51	-----	-----	84.17	32.14	7.25	37.05	6.00	300	37 Peak																																																																																																							
Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>48.14</td><td>54.00</td><td>-5.86</td><td>40.15</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>300</td><td>37 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	48.14	54.00	-5.86	40.15	31.87	7.11	36.99	6.00	300	37 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>100.32</td><td>-----</td><td>-----</td><td>92.24</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>300</td><td>37 AVERAGE</td></tr><tr><td>2</td><td>2480.00</td><td>88.05</td><td>-----</td><td>-----</td><td>79.71</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>300</td><td>37 Average</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	100.32	-----	-----	92.24	31.94	7.14	37.00	6.00	300	37 AVERAGE	2	2480.00	88.05	-----	-----	79.71	32.14	7.25	37.05	6.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	2389.95	48.14	54.00	-5.86	40.15	31.87	7.11	36.99	6.00	300	37 AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	2412.00	100.32	-----	-----	92.24	31.94	7.14	37.00	6.00	300	37 AVERAGE																																																																																																							
2	2480.00	88.05	-----	-----	79.71	32.14	7.25	37.05	6.00	300	37 Average																																																																																																							







Mode	69																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_2400-2483.5_802.11ax HE20_CH1_Full_2412MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal																																																																																																																																											
Peak Avg																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3611.00</td><td>41.75</td><td>74.00</td><td>-32.25</td><td>65.14</td><td>33.10</td><td>8.77</td><td>65.26</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4514.00</td><td>43.77</td><td>74.00</td><td>-30.23</td><td>65.32</td><td>33.81</td><td>9.90</td><td>65.26</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>4823.00</td><td>51.89</td><td>74.00</td><td>-22.11</td><td>73.15</td><td>33.90</td><td>10.23</td><td>65.39</td><td>0.00</td><td>260</td><td>360 Peak</td></tr><tr><td>4</td><td>4824.00</td><td>40.73</td><td>54.00</td><td>-13.27</td><td>61.99</td><td>33.90</td><td>10.23</td><td>65.39</td><td>0.00</td><td>260</td><td>360 Average</td></tr><tr><td>5</td><td>4960.00</td><td>37.34</td><td>74.00</td><td>-36.66</td><td>58.46</td><td>33.90</td><td>10.40</td><td>65.42</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>5510.00</td><td>57.47</td><td>74.00</td><td>-16.53</td><td>77.64</td><td>34.32</td><td>10.90</td><td>65.39</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>7</td><td>6319.33</td><td>53.11</td><td>103.88</td><td>-50.77</td><td>71.88</td><td>35.42</td><td>11.78</td><td>65.97</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>8</td><td>7440.00</td><td>38.50</td><td>74.00</td><td>-35.50</td><td>56.45</td><td>35.54</td><td>12.78</td><td>66.27</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3611.00	41.75	74.00	-32.25	65.14	33.10	8.77	65.26	0.00	---	Peak	2	4514.00	43.77	74.00	-30.23	65.32	33.81	9.90	65.26	0.00	---	Peak	3	4823.00	51.89	74.00	-22.11	73.15	33.90	10.23	65.39	0.00	260	360 Peak	4	4824.00	40.73	54.00	-13.27	61.99	33.90	10.23	65.39	0.00	260	360 Average	5	4960.00	37.34	74.00	-36.66	58.46	33.90	10.40	65.42	0.00	---	Peak	6	5510.00	57.47	74.00	-16.53	77.64	34.32	10.90	65.39	0.00	---	Peak	7	6319.33	53.11	103.88	-50.77	71.88	35.42	11.78	65.97	0.00	---	Peak	8	7440.00	38.50	74.00	-35.50	56.45	35.54	12.78	66.27	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	3611.00	41.75	74.00	-32.25	65.14	33.10	8.77	65.26	0.00	---	Peak																																																																																																																																	
2	4514.00	43.77	74.00	-30.23	65.32	33.81	9.90	65.26	0.00	---	Peak																																																																																																																																	
3	4823.00	51.89	74.00	-22.11	73.15	33.90	10.23	65.39	0.00	260	360 Peak																																																																																																																																	
4	4824.00	40.73	54.00	-13.27	61.99	33.90	10.23	65.39	0.00	260	360 Average																																																																																																																																	
5	4960.00	37.34	74.00	-36.66	58.46	33.90	10.40	65.42	0.00	---	Peak																																																																																																																																	
6	5510.00	57.47	74.00	-16.53	77.64	34.32	10.90	65.39	0.00	---	Peak																																																																																																																																	
7	6319.33	53.11	103.88	-50.77	71.88	35.42	11.78	65.97	0.00	---	Peak																																																																																																																																	
8	7440.00	38.50	74.00	-35.50	56.45	35.54	12.78	66.27	0.00	---	Peak																																																																																																																																	
Peak Avg																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3611.00</td><td>56.64</td><td>74.00</td><td>-17.36</td><td>80.03</td><td>33.10</td><td>8.77</td><td>65.26</td><td>0.00</td><td>193</td><td>75 Peak</td></tr><tr><td>2</td><td>3611.00</td><td>50.48</td><td>54.00</td><td>-3.52</td><td>73.87</td><td>33.10</td><td>8.77</td><td>65.26</td><td>0.00</td><td>193</td><td>75 Average</td></tr><tr><td>3</td><td>4514.00</td><td>48.03</td><td>74.00</td><td>-25.97</td><td>69.58</td><td>33.81</td><td>9.90</td><td>65.26</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>4824.00</td><td>41.87</td><td>74.00</td><td>-32.13</td><td>63.13</td><td>33.90</td><td>10.23</td><td>65.39</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>5</td><td>4960.00</td><td>36.89</td><td>74.00</td><td>-37.11</td><td>58.01</td><td>33.90</td><td>10.40</td><td>65.42</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>5510.00</td><td>48.74</td><td>74.00</td><td>-25.26</td><td>68.91</td><td>34.32</td><td>10.90</td><td>65.39</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>7</td><td>6319.33</td><td>54.69</td><td>101.31</td><td>-46.62</td><td>73.46</td><td>35.42</td><td>11.78</td><td>65.97</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>8</td><td>7440.00</td><td>38.86</td><td>74.00</td><td>-35.14</td><td>56.81</td><td>35.54</td><td>12.78</td><td>66.27</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3611.00	56.64	74.00	-17.36	80.03	33.10	8.77	65.26	0.00	193	75 Peak	2	3611.00	50.48	54.00	-3.52	73.87	33.10	8.77	65.26	0.00	193	75 Average	3	4514.00	48.03	74.00	-25.97	69.58	33.81	9.90	65.26	0.00	---	Peak	4	4824.00	41.87	74.00	-32.13	63.13	33.90	10.23	65.39	0.00	---	PEAK	5	4960.00	36.89	74.00	-37.11	58.01	33.90	10.40	65.42	0.00	---	Peak	6	5510.00	48.74	74.00	-25.26	68.91	34.32	10.90	65.39	0.00	---	Peak	7	6319.33	54.69	101.31	-46.62	73.46	35.42	11.78	65.97	0.00	---	Peak	8	7440.00	38.86	74.00	-35.14	56.81	35.54	12.78	66.27	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	3611.00	56.64	74.00	-17.36	80.03	33.10	8.77	65.26	0.00	193	75 Peak																																																																																																																																	
2	3611.00	50.48	54.00	-3.52	73.87	33.10	8.77	65.26	0.00	193	75 Average																																																																																																																																	
3	4514.00	48.03	74.00	-25.97	69.58	33.81	9.90	65.26	0.00	---	Peak																																																																																																																																	
4	4824.00	41.87	74.00	-32.13	63.13	33.90	10.23	65.39	0.00	---	PEAK																																																																																																																																	
5	4960.00	36.89	74.00	-37.11	58.01	33.90	10.40	65.42	0.00	---	Peak																																																																																																																																	
6	5510.00	48.74	74.00	-25.26	68.91	34.32	10.90	65.39	0.00	---	Peak																																																																																																																																	
7	6319.33	54.69	101.31	-46.62	73.46	35.42	11.78	65.97	0.00	---	Peak																																																																																																																																	
8	7440.00	38.86	74.00	-35.14	56.81	35.54	12.78	66.27	0.00	---	Peak																																																																																																																																	

Note: #6 is co-location of WLAN 5G CH102 fundamental signal.







Mode	69																																																																																																																	
	Band Edge - L																																																																																																																	
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_Full_2480MHz																																																																																																																	
ANT	0																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.78</td><td>57.37</td><td>74.00</td><td>-16.63</td><td>49.00</td><td>32.16</td><td>7.26</td><td>37.05</td><td>6.00</td><td>100</td><td>143 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.78	57.37	74.00	-16.63	49.00	32.16	7.26	37.05	6.00	100	143 PEAK	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>108.05</td><td>-----</td><td>-----</td><td>99.97</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>100</td><td>143 Peak</td></tr><tr><td>2</td><td>2480.00</td><td>97.98</td><td>-----</td><td>-----</td><td>89.64</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>100</td><td>143 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	108.05	-----	-----	99.97	31.94	7.14	37.00	6.00	100	143 Peak	2	2480.00	97.98	-----	-----	89.64	32.14	7.25	37.05	6.00	100	143 Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2485.78	57.37	74.00	-16.63	49.00	32.16	7.26	37.05	6.00	100	143 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2412.00	108.05	-----	-----	99.97	31.94	7.14	37.00	6.00	100	143 Peak																																																																																																							
2	2480.00	97.98	-----	-----	89.64	32.14	7.25	37.05	6.00	100	143 Peak																																																																																																							
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>44.82</td><td>54.00</td><td>-9.18</td><td>36.46</td><td>32.15</td><td>7.26</td><td>37.05</td><td>6.00</td><td>100</td><td>143 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	44.82	54.00	-9.18	36.46	32.15	7.26	37.05	6.00	100	143 AVERAGE	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>97.06</td><td>-----</td><td>-----</td><td>88.98</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>100</td><td>143 Average</td></tr><tr><td>2</td><td>2480.00</td><td>93.78</td><td>-----</td><td>-----</td><td>85.44</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>100</td><td>143 Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.06	-----	-----	88.98	31.94	7.14	37.00	6.00	100	143 Average	2	2480.00	93.78	-----	-----	85.44	32.14	7.25	37.05	6.00	100	143 Average
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2483.50	44.82	54.00	-9.18	36.46	32.15	7.26	37.05	6.00	100	143 AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	2412.00	97.06	-----	-----	88.98	31.94	7.14	37.00	6.00	100	143 Average																																																																																																							
2	2480.00	93.78	-----	-----	85.44	32.14	7.25	37.05	6.00	100	143 Average																																																																																																							




Mode	69																																																																																																																
	Band Edge - L																																																																																																																
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_Full_2480MHz																																																																																																																
ANT	0																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2489.08</td><td>57.02</td><td>74.00</td><td>-16.98</td><td>48.63</td><td>32.17</td><td>7.27</td><td>37.05</td><td>6.00</td><td>100</td><td>99 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.08	57.02	74.00	-16.98	48.63	32.17	7.27	37.05	6.00	100	99 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>109.58</td><td>-----</td><td>-----</td><td>101.50</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>100</td><td>99 Peak</td></tr><tr><td>2</td><td>2480.00</td><td>100.34</td><td>-----</td><td>-----</td><td>92.00</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>100</td><td>99 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.58	-----	-----	101.50	31.94	7.14	37.00	6.00	100	99 Peak	2	2480.00	100.34	-----	-----	92.00	32.14	7.25	37.05	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2489.08	57.02	74.00	-16.98	48.63	32.17	7.27	37.05	6.00	100	99 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2412.00	109.58	-----	-----	101.50	31.94	7.14	37.00	6.00	100	99 Peak																																																																																																						
2	2480.00	100.34	-----	-----	92.00	32.14	7.25	37.05	6.00	100	99 Peak																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>44.81</td><td>54.00</td><td>-9.19</td><td>36.45</td><td>32.15</td><td>7.26</td><td>37.05</td><td>6.00</td><td>100</td><td>99 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	44.81	54.00	-9.19	36.45	32.15	7.26	37.05	6.00	100	99 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>98.58</td><td>-----</td><td>-----</td><td>90.50</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>100</td><td>99 Average</td></tr><tr><td>2</td><td>2480.00</td><td>96.08</td><td>-----</td><td>-----</td><td>87.74</td><td>32.14</td><td>7.25</td><td>37.05</td><td>6.00</td><td>100</td><td>99 Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	98.58	-----	-----	90.50	31.94	7.14	37.00	6.00	100	99 Average	2	2480.00	96.08	-----	-----	87.74	32.14	7.25	37.05	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2483.56	44.81	54.00	-9.19	36.45	32.15	7.26	37.05	6.00	100	99 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	2412.00	98.58	-----	-----	90.50	31.94	7.14	37.00	6.00	100	99 Average																																																																																																						
2	2480.00	96.08	-----	-----	87.74	32.14	7.25	37.05	6.00	100	99 Average																																																																																																						







		69																																																																																																																																																				
Mode		Band Edge - L																																																																																																																																																				
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																																																				
ANT		0+1																																																																																																																																																				
Pol.	Horizontal										Fundamental																																																																																																																																											
Peak																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.32</td><td>59.86</td><td>74.00</td><td>-14.14</td><td>51.12</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>208</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>65.21</td><td>68.20</td><td>-2.99</td><td>56.48</td><td>34.33</td><td>10.85</td><td>36.45</td><td>0.00</td><td>208</td><td>360</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	59.86	74.00	-14.14	51.12	34.34	10.84	36.44	0.00	208	360	PEAK	2	5469.52	65.21	68.20	-2.99	56.48	34.33	10.85	36.45	0.00	208	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2416.00</td><td>99.64</td><td>-----</td><td>-----</td><td>97.54</td><td>31.95</td><td>7.15</td><td>37.00</td><td>0.00</td><td>208</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>2482.00</td><td>86.16</td><td>-----</td><td>-----</td><td>83.81</td><td>32.15</td><td>7.25</td><td>37.05</td><td>0.00</td><td>208</td><td>360</td><td>Peak</td></tr><tr><td>3</td><td>5510.00</td><td>113.33</td><td>-----</td><td>-----</td><td>104.61</td><td>34.30</td><td>10.89</td><td>36.47</td><td>0.00</td><td>208</td><td>360</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2416.00	99.64	-----	-----	97.54	31.95	7.15	37.00	0.00	208	360	Peak	2	2482.00	86.16	-----	-----	83.81	32.15	7.25	37.05	0.00	208	360	Peak	3	5510.00	113.33	-----	-----	104.61	34.30	10.89	36.47	0.00	208	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	5458.32	59.86	74.00	-14.14	51.12	34.34	10.84	36.44	0.00	208	360	PEAK																																																																																																																																										
2	5469.52	65.21	68.20	-2.99	56.48	34.33	10.85	36.45	0.00	208	360	PEAK																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	2416.00	99.64	-----	-----	97.54	31.95	7.15	37.00	0.00	208	360	Peak																																																																																																																																										
2	2482.00	86.16	-----	-----	83.81	32.15	7.25	37.05	0.00	208	360	Peak																																																																																																																																										
3	5510.00	113.33	-----	-----	104.61	34.30	10.89	36.47	0.00	208	360	PEAK																																																																																																																																										
Avg																																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>49.38</td><td>54.00</td><td>-4.62</td><td>40.64</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>208</td><td>360</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	49.38	54.00	-4.62	40.64	34.34	10.84	36.44	0.00	208	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>91.43</td><td>-----</td><td>-----</td><td>89.31</td><td>31.97</td><td>7.16</td><td>37.01</td><td>0.00</td><td>208</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>2482.00</td><td>82.18</td><td>-----</td><td>-----</td><td>79.83</td><td>32.15</td><td>7.25</td><td>37.05</td><td>0.00</td><td>208</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>5510.00</td><td>103.49</td><td>-----</td><td>-----</td><td>94.71</td><td>34.32</td><td>10.90</td><td>36.44</td><td>0.00</td><td>208</td><td>360</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	91.43	-----	-----	89.31	31.97	7.16	37.01	0.00	208	360	Average	2	2482.00	82.18	-----	-----	79.83	32.15	7.25	37.05	0.00	208	360	Average	3	5510.00	103.49	-----	-----	94.71	34.32	10.90	36.44	0.00	208	360	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	5459.92	49.38	54.00	-4.62	40.64	34.34	10.84	36.44	0.00	208	360	AVERAGE																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																												
1	2422.00	91.43	-----	-----	89.31	31.97	7.16	37.01	0.00	208	360	Average																																																																																																																																										
2	2482.00	82.18	-----	-----	79.83	32.15	7.25	37.05	0.00	208	360	Average																																																																																																																																										
3	5510.00	103.49	-----	-----	94.71	34.32	10.90	36.44	0.00	208	360	AVERAGE																																																																																																																																										




Mode	69																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																									
ANT	0+1																																																									
Pol.	Horizontal						Fundamental																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.48</td><td>52.83</td><td>68.20</td><td>-15.37</td><td>43.54</td><td>34.51</td><td>11.20</td><td>36.42</td><td>0.00</td><td>208</td><td>360</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5741.48	52.83	68.20	-15.37	43.54	34.51	11.20	36.42	0.00	208	360	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																															
1	5741.48	52.83	68.20	-15.37	43.54	34.51	11.20	36.42	0.00	208	360																																															





		69																																																																																																																																										
Mode		Band Edge - L																																																																																																																																										
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																																																										
ANT		0+1																																																																																																																																										
Pol.		Vertical					Fundamental																																																																																																																																					
Peak																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.44</td><td>51.72</td><td>74.00</td><td>-22.28</td><td>42.98</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>83</td><td>PEAK</td></tr><tr><td>2</td><td>5467.28</td><td>58.07</td><td>68.20</td><td>-10.13</td><td>49.34</td><td>34.33</td><td>10.85</td><td>36.45</td><td>0.00</td><td>100</td><td>83</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	51.72	74.00	-22.28	42.98	34.34	10.84	36.44	0.00	100	83	PEAK	2	5467.28	58.07	68.20	-10.13	49.34	34.33	10.85	36.45	0.00	100	83	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2410.00</td><td>103.98</td><td>-----</td><td>-----</td><td>101.91</td><td>31.93</td><td>7.14</td><td>37.00</td><td>0.00</td><td>100</td><td>83</td><td>Peak</td></tr><tr><td>2</td><td>2482.00</td><td>97.89</td><td>-----</td><td>-----</td><td>95.54</td><td>32.15</td><td>7.25</td><td>37.05</td><td>0.00</td><td>100</td><td>83</td><td>Peak</td></tr><tr><td>3</td><td>5510.00</td><td>103.98</td><td>-----</td><td>-----</td><td>101.91</td><td>31.93</td><td>7.14</td><td>37.00</td><td>0.00</td><td>100</td><td>83</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2410.00	103.98	-----	-----	101.91	31.93	7.14	37.00	0.00	100	83	Peak	2	2482.00	97.89	-----	-----	95.54	32.15	7.25	37.05	0.00	100	83	Peak	3	5510.00	103.98	-----	-----	101.91	31.93	7.14	37.00	0.00	100	83
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5459.44	51.72	74.00	-22.28	42.98	34.34	10.84	36.44	0.00	100	83	PEAK																																																																																																																																
2	5467.28	58.07	68.20	-10.13	49.34	34.33	10.85	36.45	0.00	100	83	PEAK																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	2410.00	103.98	-----	-----	101.91	31.93	7.14	37.00	0.00	100	83	Peak																																																																																																																																
2	2482.00	97.89	-----	-----	95.54	32.15	7.25	37.05	0.00	100	83	Peak																																																																																																																																
3	5510.00	103.98	-----	-----	101.91	31.93	7.14	37.00	0.00	100	83	PEAK																																																																																																																																
Avg																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.20</td><td>41.68</td><td>54.00</td><td>-12.32</td><td>32.94</td><td>34.34</td><td>10.84</td><td>36.44</td><td>0.00</td><td>100</td><td>83</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	41.68	54.00	-12.32	32.94	34.34	10.84	36.44	0.00	100	83	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2410.00</td><td>94.25</td><td>-----</td><td>-----</td><td>92.18</td><td>31.93</td><td>7.14</td><td>37.00</td><td>0.00</td><td>100</td><td>83</td><td>Average</td></tr><tr><td>2</td><td>2482.00</td><td>93.99</td><td>-----</td><td>-----</td><td>91.64</td><td>32.15</td><td>7.25</td><td>37.05</td><td>0.00</td><td>100</td><td>83</td><td>Average</td></tr><tr><td>3</td><td>5510.00</td><td>94.99</td><td>-----</td><td>-----</td><td>86.25</td><td>34.31</td><td>10.89</td><td>36.46</td><td>0.00</td><td>100</td><td>83</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2410.00	94.25	-----	-----	92.18	31.93	7.14	37.00	0.00	100	83	Average	2	2482.00	93.99	-----	-----	91.64	32.15	7.25	37.05	0.00	100	83	Average	3	5510.00	94.99	-----	-----	86.25	34.31	10.89	36.46	0.00	100	83	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	5457.20	41.68	54.00	-12.32	32.94	34.34	10.84	36.44	0.00	100	83	AVERAGE																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	2410.00	94.25	-----	-----	92.18	31.93	7.14	37.00	0.00	100	83	Average																																																																																																																																
2	2482.00	93.99	-----	-----	91.64	32.15	7.25	37.05	0.00	100	83	Average																																																																																																																																
3	5510.00	94.99	-----	-----	86.25	34.31	10.89	36.46	0.00	100	83	AVERAGE																																																																																																																																



Mode	69																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.08</td><td>51.39</td><td>68.20</td><td>-16.81</td><td>42.10</td><td>34.51</td><td>11.20</td><td>36.42</td><td>0.00</td><td>100</td><td>83</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5741.08	51.39	68.20	-16.81	42.10	34.51	11.20	36.42	0.00	100	83	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5741.08	51.39	68.20	-16.81	42.10	34.51	11.20	36.42	0.00	100	83	PEAK																																												




		69																																																						
Mode		Harmonic																																																						
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																						
ANT		0+1																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>58.41</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	45.66	74.00	-28.34	58.41	37.82	16.06	66.63	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11020.00	45.66	74.00	-28.34	58.41	37.82	16.06	66.63	0.00	---	PEAK																																													
		Vertical																																																						
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>57.12</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	44.37	74.00	-29.63	57.12	37.82	16.06	66.63	0.00	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11020.00	44.37	74.00	-29.63	57.12	37.82	16.06	66.63	0.00	---	PEAK																																													

Note: For above frequencies which fall in the non-restricted frequency band, the limit is 100kHz-PSD down 20dB.

Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
0/1	802.11a	99.05	-	-	10Hz
0/1	802.11ax HE20	100	-	-	10Hz
0/1	802.11ax HE40	100	-	-	10Hz
0/1	802.11ax HE80	99.34	-	-	10Hz
0/1	802.11ax HE160	99.28	-	-	10Hz
0/1	802.11ax HE20 RU106	100	-	-	10Hz
0/1	802.11ax HE40 RU242	99.27	-	-	10Hz
0/1	802.11ax HE80 RU484	98.59	-	-	10Hz
0/1	802.11ax HE160 RU996	97.80	0.710	1.408	1.6kHz

802.11a






802.11ax HE20




802.11ax HE40






802.11ax HE80




802.11ax HE160






802.11ax HE20 RU106




802.11ax HE40 RU242





802.11ax HE80 RU484



802.11ax HE160 RU996

