





Plot on Channel 6685 MHz



Plot on Channel 6925 MHz






EUT Mode


802.11ax HE40 242RU62

Plot on Channel 6405 MHz




Date: 15. JAN. 2024 15:45:46

Plot on Channel 6485 MHz




Date: 15. JAN. 2024 15:46:43

Plot on Channel 6525 MHz



Date: 15. JAN. 2024 15:48:54


Plot on Channel 6885 MHz




Date: 15. JAN. 2024 15:49:53



Plot on Channel 7005 MHz



Plot on Channel 7085 MHz






EUT Mode


802.11ax HE80 Full RU

Plot on Channel 5985 MHz




Date: 13.JAN.2024 14:26:54

Plot on Channel 6225 MHz




Date: 13.JAN.2024 14:33:40

Plot on Channel 6385 MHz



Date: 13.JAN.2024 14:37:10


Plot on Channel 6465 MHz



Date: 13.JAN.2024 14:39:24




Plot on Channel 6625 MHz




Date: 13.JAN.2024 14:41:59

Plot on Channel 6705 MHz




Date: 13.JAN.2024 14:44:22

Plot on Channel 6865 MHz



Date: 13.JAN.2024 14:47:11


Plot on Channel 6945 MHz



Date: 13.JAN.2024 14:50:07



Plot on Channel 7025 MHz






EUT Mode


802.11ax HE80 484RU65

Plot on Channel 5985 MHz




Date: 15.JAN.2024 16:14:20

Plot on Channel 6225 MHz




Date: 15.JAN.2024 16:15:23

Plot on Channel 6465 MHz



Date: 15.JAN.2024 16:18:05


Plot on Channel 6625 MHz




Date: 15.JAN.2024 16:21:18



Plot on Channel 6705 MHz



Plot on Channel 6945 MHz






EUT Mode


802.11ax HE80 484RU66

Plot on Channel 6385 MHz




Date: 15. JAN. 2024 16:27:20

Plot on Channel 6865 MHz



Date: 15. JAN. 2024 16:28:33

Plot on Channel 7025 MHz




Date: 15. JAN. 2024 16:31:39



EUT Mode


802.11ax HE160 Full RU

Plot on Channel 6025 MHz




Date: 13.JAN.2024 14:57:23

Plot on Channel 6185 MHz




Date: 13.JAN.2024 15:00:03

Plot on Channel 6345 MHz



Date: 13.JAN.2024 15:03:07


Plot on Channel 6505 MHz




Date: 13.JAN.2024 15:05:33




Plot on Channel 6665 MHz



Plot on Channel 6825 MHz



Plot on Channel 6985 MHz






EUT Mode


802.11ax HE160 996RU67

Plot on Channel 6025 MHz




Date: 15. JAN. 2024 16:35:53

Plot on Channel 6185 MHz




Date: 15. JAN. 2024 16:36:45

Plot on Channel 6505 MHz



Date: 15. JAN. 2024 16:39:20


Plot on Channel 6665 MHz




Date: 15. JAN. 2024 16:40:26



Plot on Channel 6825 MHz



Plot on Channel 6985 MHz






EUT Mode


802.11ax HE160 996RUS67

Plot on Channel 6345 MHz




Date: 15. JAN. 2024 16:48:43

Plot on Channel 6505 MHz




Date: 15. JAN. 2024 16:50:09

Plot on Channel 6825 MHz



Date: 15. JAN. 2024 16:52:42

Plot on Channel 6985 MHz



Date: 15. JAN. 2024 16:53:47




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Calvin Wang	Temperature :	23~26°C
		Relative Humidity :	45~55%

EUT Information

Report NO : 3D0601
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.177000	---	36.59	54.63	18.04	L1	OFF	19.9
0.177000	47.27	---	64.63	17.36	L1	OFF	19.9
0.294000	---	34.63	50.41	15.78	L1	OFF	19.9
0.294000	41.25	---	60.41	19.16	L1	OFF	19.9
0.413250	---	31.34	47.58	16.24	L1	OFF	19.9
0.413250	36.70	---	57.58	20.88	L1	OFF	19.9
1.063500	---	25.34	46.00	20.66	L1	OFF	19.9
1.063500	29.15	---	56.00	26.85	L1	OFF	19.9
3.826500	---	25.42	46.00	20.58	L1	OFF	20.0
3.826500	27.57	---	56.00	28.43	L1	OFF	20.0
9.534750	---	26.21	50.00	23.79	L1	OFF	20.2
9.534750	28.23	---	60.00	31.77	L1	OFF	20.2

EUT Information

Report NO : 3D0601
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.177000	---	38.52	54.63	16.11	N	OFF	19.9
0.177000	47.40	---	64.63	17.23	N	OFF	19.9
0.289500	---	32.81	50.54	17.73	N	OFF	19.9
0.289500	38.49	---	60.54	22.05	N	OFF	19.9
0.469500	---	29.71	46.52	16.81	N	OFF	19.9
0.469500	34.83	---	56.52	21.69	N	OFF	19.9
0.696750	---	26.62	46.00	19.38	N	OFF	19.9
0.696750	32.02	---	56.00	23.98	N	OFF	19.9
2.940000	---	25.38	46.00	20.62	N	OFF	20.0
2.940000	29.39	---	56.00	26.61	N	OFF	20.0
9.672000	---	26.24	50.00	23.76	N	OFF	20.2
9.672000	28.13	---	60.00	31.87	N	OFF	20.2



Appendix C. Radiated Spurious Emission

Test Engineer :	Bank Lin, LU WEN-KAI and Karl Hou	Temperature :	21.5~25.6°C
		Relative Humidity :	45.1~66.9%

Band 5 - 5925~6425MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
6+7		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 01 5955MHz		5914.46	54.87	-33.33	88.2	41.67	34	13.75	34.55	223	4	P	H
		5923.28	46.33	-21.87	68.2	33.13	34	13.76	34.56	223	4	A	H
	*	5955	117.36	-	-	104.15	34.02	13.78	34.59	223	4	P	H
	*	5955	110.23	-	-	97.02	34.02	13.78	34.59	223	4	A	H
													H
													H
		5913.9	54.36	-33.84	88.2	41.16	34	13.75	34.55	100	320	P	V
		5923.28	44.22	-23.98	68.2	31.02	34	13.76	34.56	100	320	A	V
	*	5955	112.29	-	-	99.08	34.02	13.78	34.59	100	320	P	V
	*	5955	105.46	-	-	92.25	34.02	13.78	34.59	100	320	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**Band 5 5925~6425MHz****WIFI 802.11a (Harmonic @ 3m)**

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 01 5955MHz		11910	52.55	-21.45	74	33.19	39.22	20.55	40.41	-	-	P	H
		11910	41.68	-12.32	54	22.32	39.22	20.55	40.41	-	-	A	H
		17865	55.69	-18.31	74	35.18	41.33	25.18	46	-	-	P	H
		17865	44.38	-9.62	54	23.87	41.33	25.18	46	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		11910	52.64	-21.36	74	33.28	39.22	20.55	40.41	-	-	P	V
		11910	41.51	-12.49	54	22.15	39.22	20.55	40.41	-	-	A	V
		17865	55.43	-18.57	74	34.92	41.33	25.18	46	-	-	P	V
		17865	44.58	-9.42	54	24.07	41.33	25.18	46	-	-	A	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 49 6195MHz		12390	54.42	-19.58	74	33.81	40.16	20.98	40.53	-	-	P	H
		12390	42.98	-11.02	54	22.37	40.16	20.98	40.53	-	-	A	H
		18585	43.42	-30.58	74	54.31	38	15.51	64.4	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12390	53.95	-20.05	74	33.34	40.16	20.98	40.53	-	-	P	V
		12390	43.04	-10.96	54	22.43	40.16	20.98	40.53	-	-	A	V
		18585	39.1	-34.9	74	49.99	38	15.51	64.4	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 5955MHz		5924.12	56.93	-31.27	88.2	43.73	34	13.76	34.56	225	5	P	H
		5924.82	48.66	-19.54	68.2	35.46	34	13.76	34.56	225	5	A	H
	*	5955	116.2	-	-	102.99	34.02	13.78	34.59	225	5	P	H
	*	5955	108.32	-	-	95.11	34.02	13.78	34.59	225	5	A	H
													H
													H
		5923.7	54.61	-33.59	88.2	41.41	34	13.76	34.56	100	311	P	V
		5924.68	46.84	-21.36	68.2	33.64	34	13.76	34.56	100	311	A	V
	*	5955	111.84	-	-	98.63	34.02	13.78	34.59	100	311	P	V
	*	5955	104.3	-	-	91.09	34.02	13.78	34.59	100	311	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 5955MHz		11910	52.66	-21.34	74	33.3	39.22	20.55	40.41	-	-	P	H
		11910	42.22	-11.78	54	22.86	39.22	20.55	40.41	-	-	A	H
		17865	55.79	-18.21	74	35.28	41.33	25.18	46	-	-	P	H
		17865	44.92	-9.08	54	24.41	41.33	25.18	46	-	-	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		11910	52.61	-21.39	74	33.25	39.22	20.55	40.41	-	-	P	V
		11910	42.06	-11.94	54	22.7	39.22	20.55	40.41	-	-	A	V
		17865	56.4	-17.6	74	35.89	41.33	25.18	46	-	-	P	V
		17865	45.02	-8.98	54	24.51	41.33	25.18	46	-	-	A	V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 49 6195MHz		12390	53.73	-20.27	74	33.12	40.16	20.98	40.53	-	-	P	H
		12390	42.86	-11.14	54	22.25	40.16	20.98	40.53	-	-	A	H
		18585	39.05	-34.95	74	49.94	38	15.51	64.4	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12390	53.42	-20.58	74	32.81	40.16	20.98	40.53	-	-	P	V
		12390	43.08	-10.92	54	22.47	40.16	20.98	40.53	-	-	A	V
		18585	39.49	-34.51	74	50.38	38	15.51	64.4	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/53 CH 01 5955MHz		5910.96	56	-32.2	88.2	42.8	34	13.75	34.55	189	2	P	H
		5911.52	47.15	-21.05	68.2	33.95	34	13.75	34.55	189	2	A	H
	*	5955	119.96	-	-	106.75	34.02	13.78	34.59	189	2	P	H
	*	5955	112.38	-	-	99.17	34.02	13.78	34.59	189	2	A	H
													H
													H
		5910.96	53.15	-35.05	88.2	39.95	34	13.75	34.55	100	92	P	V
		5910.26	44.52	-23.68	68.2	31.32	34	13.75	34.55	100	92	A	V
	*	5955	115.54	-	-	102.33	34.02	13.78	34.59	100	92	P	V
	*	5955	108.54	-	-	95.33	34.02	13.78	34.59	100	92	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 5965MHz		5924.04	74.89	-13.31	88.2	61.69	34	13.76	34.56	225	4	P	H
		5924.92	64.22	-3.98	68.2	51.02	34	13.76	34.56	225	4	A	H
	*	5965	117.36	-	-	104.1	34.06	13.79	34.59	225	4	P	H
	*	5965	108.9	-	-	95.64	34.06	13.79	34.59	225	4	A	H
													H
													H
		5923.4	73.6	-14.6	88.2	60.4	34	13.76	34.56	100	302	P	V
		5924.44	62.41	-5.79	68.2	49.21	34	13.76	34.56	100	302	A	V
	*	5965	112.35	-	-	99.09	34.06	13.79	34.59	100	302	P	V
	*	5965	104.87	-	-	91.61	34.06	13.79	34.59	100	302	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 5 5925~6425MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 51 6205MHz		12410	53.14	-20.86	74	32.47	40.2	21	40.53	-	-	P	H
		12410	43.6	-10.4	54	22.93	40.2	21	40.53	-	-	A	H
		18615	43.4	-30.6	74	54.23	38	15.53	64.36	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12410	53.22	-20.78	74	32.55	40.2	21	40.53	-	-	P	V
		12410	43.35	-10.65	54	22.68	40.2	21	40.53	-	-	A	V
		18615	42.56	-31.44	74	53.39	38	15.53	64.36	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial 242/61 CH 03 5965MHz		5918.52	69.53	-18.67	88.2	56.34	34	13.75	34.56	218	0	P	H
		5923.16	56.34	-11.86	68.2	43.14	34	13.76	34.56	218	0	A	H
	*	5965	116.43	-	-	103.17	34.06	13.79	34.59	218	0	P	H
	*	5965	108.5	-	-	95.24	34.06	13.79	34.59	218	0	A	H
													H
													H
		5922.92	70.37	-17.83	88.2	57.17	34	13.76	34.56	100	301	P	V
		5923.32	53.66	-14.54	68.2	40.46	34	13.76	34.56	100	301	A	V
	*	5965	113.07	-	-	99.81	34.06	13.79	34.59	100	301	P	V
	*	5965	104.86	-	-	91.6	34.06	13.79	34.59	100	301	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 07 5985MHz		5920.68	67.93	-20.27	88.2	54.74	34	13.75	34.56	239	3	P	H
		5924.84	59.47	-8.73	68.2	46.27	34	13.76	34.56	239	3	A	H
	*	5985	112.15	-	-	98.82	34.14	13.8	34.61	239	3	P	H
	*	5985	104.07	-	-	90.74	34.14	13.8	34.61	239	3	A	H
													H
													H
		5923.24	64.24	-23.96	88.2	51.04	34	13.76	34.56	100	310	P	V
		5924.84	55.76	-12.44	68.2	42.56	34	13.76	34.56	100	310	A	V
	*	5985	107.15	-	-	93.82	34.14	13.8	34.61	100	310	P	V
	*	5985	98.94	-	-	85.61	34.14	13.8	34.61	100	310	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 5 5925~6425MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 55 6225MHz		12450	53.49	-20.51	74	32.79	40.2	21.04	40.54	-	-	P	H
		12450	43.34	-10.66	54	22.64	40.2	21.04	40.54	-	-	A	H
		18675	39.49	-34.51	74	50.35	37.85	15.58	64.29	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12450	53.35	-20.65	74	32.65	40.2	21.04	40.54	-	-	P	V
		12450	43.27	-10.73	54	22.57	40.2	21.04	40.54	-	-	A	V
		18675	39.7	-34.3	74	50.56	37.85	15.58	64.29	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 87 6385MHz		12770	53.48	-34.72	88.2	31.77	40.98	21.35	40.62	-	-	P	H
		19155	40.04	-33.96	74	49.83	38.16	15.92	63.87	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	



Band 5 5925~6425MHz

WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Partial 484/65 CH 07 5985MHz		5923.08	76.42	-11.78	88.2	63.22	34	13.76	34.56	223	0	P	H
		5920.52	62.19	-6.01	68.2	49	34	13.75	34.56	223	0	A	H
	*	5985	114.29	-	-	100.96	34.14	13.8	34.61	223	0	P	H
	*	5985	106.03	-	-	92.7	34.14	13.8	34.61	223	0	A	H
													H
													H
		5923.08	76.21	-11.99	88.2	63.01	34	13.76	34.56	100	96	P	V
		5920.36	59.43	-8.77	68.2	46.24	34	13.75	34.56	100	96	A	V
	*	5985	111.22	-	-	97.89	34.14	13.8	34.61	100	96	P	V
	*	5985	102.84	-	-	89.51	34.14	13.8	34.61	100	96	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 15 6025MHz		5924.52	69.01	-19.19	88.2	55.81	34	13.76	34.56	233	7	P	H
		5922.28	59.82	-8.38	68.2	46.62	34	13.76	34.56	233	7	A	H
	*	6025	111.08	-	-	97.67	34.2	13.85	34.64	233	7	P	H
	*	6025	101.86	-	-	88.45	34.2	13.85	34.64	233	7	A	H
													H
													H
		5917.8	65.37	-22.83	88.2	52.18	34	13.75	34.56	100	90	P	V
		5922.6	57.61	-10.59	68.2	44.41	34	13.76	34.56	100	90	A	V
	*	6025	107.98	-	-	94.57	34.2	13.85	34.64	100	90	P	V
	*	6025	98.54	-	-	85.13	34.2	13.85	34.64	100	90	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 5 5925~6425MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 47 6185MHz		12370	54.29	-19.71	74	33.77	40.08	20.97	40.53	-	-	P	H
		12370	43.26	-10.74	54	22.74	40.08	20.97	40.53	-	-	A	H
		18555	39.8	-34.2	74	50.74	38	15.49	64.43	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12370	53.08	-20.92	74	32.56	40.08	20.97	40.53	-	-	P	V
		12370	42.86	-11.14	54	22.34	40.08	20.97	40.53	-	-	A	V
		18555	39.79	-34.21	74	50.73	38	15.49	64.43	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Partial 996/67 CH 15 6025MHz		5898.28	76.82	-11.38	88.2	63.62	34	13.74	34.54	217	0	P	H
		5920.36	64.44	-3.76	68.2	51.25	34	13.75	34.56	217	0	A	H
	*	6025	110.84	-	-	97.43	34.2	13.85	34.64	217	0	P	H
	*	6025	102.67	-	-	89.26	34.2	13.85	34.64	217	0	A	H
													H
													H
		5898.92	73.49	-14.71	88.2	60.29	34	13.74	34.54	100	94	P	V
		5920.36	62.01	-6.19	68.2	48.82	34	13.75	34.56	100	94	A	V
	*	6025	109.14	-	-	95.73	34.2	13.85	34.64	100	94	P	V
	*	6025	99.95	-	-	86.54	34.2	13.85	34.64	100	94	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**Band 6 6425~6525MHz****WIFI 802.11a (Harmonic @ 3m)**

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 97 6435MHz		12870	53.94	-34.26	88.2	31.94	41.2	21.44	40.64	-	-	P	H
		19305	39.7	-34.3	74	49.31	38.19	16.04	63.84	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		12870	54.05	-34.15	88.2	32.05	41.2	21.44	40.64	-	-	P	V
		19305	40.38	-33.62	74	49.99	38.19	16.04	63.84	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]

[illegible]

Band 6 6425~6525MHz

WIFI 802.11ax HE20 Full (Harmonic @ 3m)

[illegible]

[illegible]

[illegible]

Band 6 6425~6525MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

[illegible]

[illegible]

[illegible]

Band 6 6425~6525MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

[illegible]

Band 6 6425~6525MHz

WIFI 802.11ax HE160 Full (Harmonic @ 3m)

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 117 6535MHz		13040	53.86	-34.34	88.2	31.97	41.04	21.6	40.75	-	-	P	H
		19605	40.69	-33.31	74	50.1	38	16.28	63.69	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13040	53.12	-35.08	88.2	31.23	41.04	21.6	40.75	-	-	P	V
		19605	39.8	-34.2	74	49.21	38	16.28	63.69	-	-	P	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 149 6695MHz		13390	53.87	-20.13	74	32.06	41.22	21.91	41.32	-	-	P	H
		13390	44.65	-9.35	54	22.84	41.22	21.91	41.32	-	-	A	H
		20085	39.27	-34.73	74	47.74	38.1	16.65	63.22	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13390	53.69	-20.31	74	31.88	41.22	21.91	41.32	-	-	P	V
		13390	44.76	-9.24	54	22.95	41.22	21.91	41.32	-	-	A	V
		20085	39.76	-34.24	74	48.23	38.1	16.65	63.22	-	-	P	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 185 6875MHz		13750	55.11	-33.09	88.2	33.07	41.6	22.23	41.79	-	-	P	H
		20625	38.99	-35.01	74	46.64	38	17.05	62.7	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13750	55.9	-32.3	88.2	33.86	41.6	22.23	41.79	-	-	P	V
		20625	40.78	-33.22	74	48.43	38	17.05	62.7	-	-	P	V
													V
													V
													V
													V
													V
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	
												V	

Band 7 - 6525~6875MHz

WIFI 802.11ax HE20 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 149 6695MHz		13390	53.74	-20.26	74	31.93	41.22	21.91	41.32	-	-	P	H
		13390	44.7	-9.3	54	22.89	41.22	21.91	41.32	-	-	A	H
		20085	40.32	-33.68	74	48.79	38.1	16.65	63.22	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13390	53.61	-20.39	74	31.8	41.22	21.91	41.32	-	-	P	V
		13390	45.03	-8.97	54	23.22	41.22	21.91	41.32	-	-	A	V
		20085	40.87	-33.13	74	49.34	38.1	16.65	63.22	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]

Band 7 - 6525~6875MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 147 6685MHz		13370	53.4	-20.6	74	31.54	41.26	21.89	41.29	-	-	P	H
		13370	44.87	-9.13	54	23.01	41.26	21.89	41.29	-	-	A	H
		20055	39.56	-34.44	74	48.07	38.1	16.63	63.24	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13370	53.78	-20.22	74	31.92	41.26	21.89	41.29	-	-	P	V
		13370	44.86	-9.14	54	23	41.26	21.89	41.29	-	-	A	V
		20055	39.82	-34.18	74	48.33	38.1	16.63	63.24	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 187 6885MHz		13770	54.35	-33.85	88.2	32.39	41.52	22.25	41.81	-	-	P	H
		20655	39.15	-34.85	74	46.75	38.01	17.07	62.68	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
												H	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 7 - 6525~6875MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 135 6625MHz		13250	53.87	-20.13	74	32.08	41.1	21.78	41.09	-	-	P	H
		13250	44.43	-9.57	54	22.64	41.1	21.78	41.09	-	-	A	H
		19875	38.46	-35.54	74	47.44	37.95	16.49	63.42	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13250	53.67	-20.33	74	31.88	41.1	21.78	41.09	-	-	P	V
		13250	44.41	-9.59	54	22.62	41.1	21.78	41.09	-	-	A	V
		19875	39.2	-34.8	74	48.18	37.95	16.49	63.42	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 183 6865MHz		13730	56	-32.2	88.2	34.08	41.48	22.21	41.77	-	-	P	H
		20595	39.24	-34.76	74	46.94	38	17.02	62.72	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	
												H	



Band 7 - 6525~6875MHz

WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 143 6665MHz		13330	53.44	-20.56	74	31.51	41.3	21.85	41.22	-	-	P	H
		13330	45.1	-8.9	54	23.17	41.3	21.85	41.22	-	-	A	H
		19995	38.99	-35.01	74	48.1	37.61	16.59	63.31	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13330	53.96	-20.04	74	32.03	41.3	21.85	41.22	-	-	P	V
		13330	45.01	-8.99	54	23.08	41.3	21.85	41.22	-	-	A	V
		19995	38.34	-35.66	74	47.45	37.61	16.59	63.31	-	-	P	V
													V
													V
													V
													V
													V
													V

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 175 6825MHz		13650	54.75	-33.45	88.2	33.08	41.2	22.14	41.67	-	-	P	H
		20475	38.77	-35.23	74	46.81	37.85	16.94	62.83	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
802.11ax HE160 Full CH 175 6825MHz		13650	55.42	-32.78	88.2	33.75	41.2	22.14	41.67	-	-	P	V
		20475	40.63	-33.37	74	48.67	37.85	16.94	62.83	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 8 - 6875~7125MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 233 7115MHz	*	7115	97.2	-	-	80.94	36.83	15.14	35.71	107	269	P	H
	*	7115	91.35	-	-	75.09	36.83	15.14	35.71	107	269	A	H
		7125.02	69.68	-18.52	88.2	53.39	36.85	15.16	35.72	107	269	P	H
		7125.02	59.43	-8.77	68.2	43.14	36.85	15.16	35.72	107	269	A	H
													H
													H
	*	7115	101.58	-	-	85.32	36.83	15.14	35.71	100	264	P	V
	*	7115	94.41	-	-	78.15	36.83	15.14	35.71	100	264	A	V
		7125.16	69.48	-18.72	88.2	53.19	36.85	15.16	35.72	100	264	P	V
		7125.02	61.66	-6.54	68.2	45.37	36.85	15.16	35.72	100	264	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**Band 8 - 6875~7125MHz**
WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 189 6895MHz		13790	54.41	-33.79	88.2	32.55	41.44	22.26	41.84	-	-	P	H
		20685	39.46	-34.54	74	46.95	38.07	17.09	62.65	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13790	55.08	-33.12	88.2	33.22	41.44	22.26	41.84	-	-	P	V
		20685	39.09	-34.91	74	46.58	38.07	17.09	62.65	-	-	P	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 209 6995MHz		13990	55.42	-32.78	88.2	33.05	42	22.44	42.07	-	-	P	H
		20985	39.33	-34.67	74	46.78	37.65	17.31	62.41	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13990	55.44	-32.76	88.2	33.07	42	22.44	42.07	-	-	P	V
		20985	39.39	-34.61	74	46.84	37.65	17.31	62.41	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 233 7115MHz		14230	56.21	-31.99	88.2	33.94	42.14	22.61	42.48	-	-	P	H
		21345	39.39	-34.61	74	45.76	37.73	17.54	61.64	-	-	P	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
													H
												H	
		14230	54.69	-33.51	88.2	32.42	42.14	22.61	42.48	-	-	P	V
		21345	39.54	-34.46	74	45.91	37.73	17.54	61.64	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



Band 8 - 6875~7125MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 233 7115MHz	*	7115	100.54	-	-	84.28	36.83	15.14	35.71	100	303	P	H
	*	7115	93.18	-	-	76.92	36.83	15.14	35.71	100	303	A	H
		7125.02	71.1	-17.1	88.2	54.81	36.85	15.16	35.72	100	303	P	H
		7125.02	62.09	-6.11	68.2	45.8	36.85	15.16	35.72	100	303	A	H
													H
													H
	*	7115	105.02	-	-	88.76	36.83	15.14	35.71	100	256	P	V
	*	7115	97.2	-	-	80.94	36.83	15.14	35.71	100	256	A	V
		7125.16	74.45	-13.75	88.2	58.16	36.85	15.16	35.72	100	256	P	V
		7125.02	65.42	-2.78	68.2	49.13	36.85	15.16	35.72	100	256	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 8 - 6875~7125MHz
WIFI 802.11ax HE20 (Harmonic @ 3m)

[illegible]

[illegible]

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/54 CH 233 7115MHz	*	7115	98.12	-	-	81.86	36.83	15.14	35.71	100	272	P	H
	*	7115	90.21	-	-	73.95	36.83	15.14	35.71	100	272	A	H
		7125.02	73.28	-14.92	88.2	56.99	36.85	15.16	35.72	100	272	P	H
		7125.02	62.17	-6.03	68.2	45.88	36.85	15.16	35.72	100	272	A	H
													H
													H
	*	7115	101.3	-	-	85.04	36.83	15.14	35.71	100	256	P	V
	*	7115	94.75	-	-	78.49	36.83	15.14	35.71	100	256	A	V
		7125.44	77.33	-10.87	88.2	61.04	36.85	15.16	35.72	100	256	P	V
		7125.02	66.83	-1.37	68.2	50.54	36.85	15.16	35.72	100	256	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 227 7085MHz	*	7085	103.04	-	-	86.79	36.83	15.11	35.69	111	249	P	H
	*	7085	94.82	-	-	78.57	36.83	15.11	35.69	111	249	A	H
		7227.36	55.81	-32.39	88.2	39.01	37.32	15.26	35.78	111	249	P	H
		7125	47.04	-21.16	68.2	30.76	36.85	15.15	35.72	111	249	A	H
													H
													H
	*	7085	105.5	-	-	89.25	36.83	15.11	35.69	119	250	P	V
	*	7085	97.99	-	-	81.74	36.83	15.11	35.69	119	250	A	V
		7128.72	56.71	-31.49	88.2	40.41	36.86	15.16	35.72	119	250	P	V
		7125.66	48.3	-19.9	68.2	32.01	36.85	15.16	35.72	119	250	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 8 - 6875~7125MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

[illegible]

[illegible]

[illegible]

**Band 8 - 6875~7125MHz****WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)**

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial 242/62 CH 227 7085MHz	*	7085	103.47	-	-	87.22	36.83	15.11	35.69	100	180	P	H
	*	7085	96.04	-	-	79.79	36.83	15.11	35.69	100	180	A	H
		7238.16	54.49	-33.71	88.2	37.59	37.41	15.28	35.79	100	180	P	H
		7244.28	45.65	-22.55	68.2	28.72	37.45	15.28	35.8	100	180	A	H
													H
													H
	*	7085	109.03	-	-	92.78	36.83	15.11	35.69	100	247	P	V
	*	7085	100.54	-	-	84.29	36.83	15.11	35.69	100	247	A	V
		7238.7	55.55	-32.65	88.2	38.65	37.41	15.28	35.79	100	247	P	V
		7239.42	45.72	-22.48	68.2	28.81	37.42	15.28	35.79	100	247	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 215 7025MHz	*	7025	102.07	-	-	85.82	36.85	15.05	35.65	100	248	P	H
	*	7025	94.48	-	-	78.23	36.85	15.05	35.65	100	248	A	H
		7129.48	54.73	-33.47	88.2	38.43	36.86	15.16	35.72	100	248	P	H
		7130.6	45.98	-22.22	68.2	29.68	36.86	15.16	35.72	100	248	A	H
													H
													H
	*	7025	104.99	-	-	88.74	36.85	15.05	35.65	123	247	P	V
	*	7025	96.5	-	-	80.25	36.85	15.05	35.65	123	247	A	V
		7127.08	54.8	-33.4	88.2	38.51	36.85	15.16	35.72	123	247	P	V
		7127.24	46.8	-21.4	68.2	30.51	36.85	15.16	35.72	123	247	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 8 - 6875~7125MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

[illegible]

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Partial 484/66 CH 215 7025MHz	*	7025	104.07	-	-	87.82	36.85	15.05	35.65	100	245	P	H
	*	7025	96.84	-	-	80.59	36.85	15.05	35.65	100	245	A	H
		7128.36	54.38	-33.82	88.2	38.08	36.86	15.16	35.72	100	245	P	H
		7127.56	45.34	-22.86	68.2	29.04	36.86	15.16	35.72	100	245	A	H
													H
													H
	*	7025	106.71	-	-	90.46	36.85	15.05	35.65	100	254	P	V
	*	7025	98.96	-	-	82.71	36.85	15.05	35.65	100	254	A	V
		7125.48	57.83	-30.37	88.2	41.54	36.85	15.16	35.72	100	254	P	V
		7125.96	46.18	-22.02	68.2	29.89	36.85	15.16	35.72	100	254	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 207 6985MHz	*	6985	102.19	-	-	85.99	36.8	15.01	35.61	105	348	P	H
	*	6985	94.46	-	-	78.26	36.8	15.01	35.61	105	348	A	H
		7133.8	57.03	-31.17	88.2	40.72	36.87	15.16	35.72	105	348	P	H
		7133.16	47.41	-20.79	68.2	31.1	36.87	15.16	35.72	105	348	A	H
													H
													H
	*	6985	105	-	-	88.8	36.8	15.01	35.61	107	227	P	V
	*	6985	96.6	-	-	80.4	36.8	15.01	35.61	107	227	A	V
		7129.96	57	-31.2	88.2	40.7	36.86	15.16	35.72	107	227	P	V
		7126.76	48.45	-19.75	68.2	32.16	36.85	15.16	35.72	107	227	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 8 - 6875~7125MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Partial 996/68 CH 207 6985MHz	*	6985	104.13	-	-	87.93	36.8	15.01	35.61	100	245	P	H
	*	6985	96.21	-	-	80.01	36.8	15.01	35.61	100	245	A	H
		7136.68	66.42	-21.78	88.2	50.1	36.87	15.17	35.72	100	245	P	H
		7127.08	54.09	-14.11	68.2	37.8	36.85	15.16	35.72	100	245	A	H
													H
													H
	*	6985	106.19	-	-	89.99	36.8	15.01	35.61	100	251	P	V
	*	6985	98.37	-	-	82.17	36.8	15.01	35.61	100	251	A	V
		7125.16	70.04	-18.16	88.2	53.75	36.85	15.16	35.72	100	251	P	V
		7129.64	57.11	-11.09	68.2	40.81	36.86	15.16	35.72	100	251	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Emission below 1GHz

WIFI 802.11ax HE20 Partial 106 (LF @ 3m)

[illegible]



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
6+7		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a		5925	55.45	-32.75	88.2	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
5955MHz		5925	43.54	-24.66	68.2	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 5925MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
 = 55.45 (dBμV/m)
2. Margin (dB)
 = Level(dBμV/m) – Limit Line(dBμV/m)
 = 55.45(dBμV/m) – 88.2(dBμV/m)
 = -32.75(dB)

For Average Limit @ 5925MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
 = 43.54(dBμV/m)
2. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)
 = 43.54 (dBμV/m) – 68.2(dBμV/m)
 = -24.66(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.







Appendix D. Radiated Spurious Emission Plots





Test Engineer :	Bank Lin, LU WEN-KAI and Karl Hou	Temperature :	21.5~25.6°C
		Relative Humidity :	45.1~66.9%



Band 5 - 5925~6425MHz
WIFI 802.11a (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH22-HY Condition : PEAK_BE(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH22-HY Condition : AVG_BE(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SWT:Auto	 Site : 03CH22-HY Condition : AVG(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH22-HY Condition : PEAK_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH22-HY Condition : AVG_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:0.620KHz SWT:Auto	 Site : 03CH22-HY Condition : AVG(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH22-HY Condition : PEAK_BE(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH22-HY Condition : AVG_BE(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:1500KHz SWT:Auto	 Site : 03CH22-HY Condition : AVG(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:1500KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH22-HY Condition : PEAK_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH22-HY Condition : AVG_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1500kHz SWT:Auto	 Site : 03CH22-HY Condition : AVG(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1500kHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz	
6+7	Horizontal	Fundamental
Peak	Site : 03CH22-HY Condition : PEAK_BE(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	Site : 03CH22-HY Condition : AVG_BE(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:0.270KHz SWT:Auto	Site : 03CH22-HY Condition : AVG(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz	
6+7	Vertical	Fundamental
Peak	Site : 03CH22-HY Condition : PEAK_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	Site : 03CH22-HY Condition : AVG_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.270kHz SWT:Auto	Site : 03CH22-HY Condition : AVG(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH22-HY Condition : PEAK_BE(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH22-HY Condition : PEAK(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH22-HY Condition : AVG_BE(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:2.000KHz SWT:Auto	 Site : 03CH22-HY Condition : AVG(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:2.000KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH22-HY Condition : PEAK_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH22-HY Condition : AVG_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:2.000KHz SWT:Auto	 Site : 03CH22-HY Condition : AVG(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:2.000KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/61 CH03 5965MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH22-HY Condition : PEAK_BE(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH22-HY Condition : PEAK(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH22-HY Condition : AVG_BE(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:0.620KHz SWT:Auto	 Site : 03CH22-HY Condition : AVG(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:0.620KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/61 CH03 5965MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH22-HY Condition : PEAK_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH22-HY Condition : AVG_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:0.620KHz SWT:Auto	 Site : 03CH22-HY Condition : AVG(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:0.620KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH22-HY Condition : PEAK_BE(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH22-HY Condition : AVG_BE(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto	 Site : 03CH22-HY Condition : AVG(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH22-HY Condition : PEAK_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH22-HY Condition : AVG_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1800kHz SWT:Auto	 Site : 03CH22-HY Condition : AVG(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1800kHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH22-HY Condition : PEAK_BE(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH22-HY Condition : PEAK(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH22-HY Condition : AVG_BE(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:1100KHz SWT:Auto	 Site : 03CH22-HY Condition : AVG(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:1100KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz	
6+7	Vertical	Fundamental
Peak	Site : 03CH22-HY Condition : PEAK_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	Site : 03CH22-HY Condition : AVG_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1100kHz SWT:Auto	Site : 03CH22-HY Condition : AVG(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:1100kHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH22-HY Condition : PEAK_BE(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH22-HY Condition : AVG_BE(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto	 Site : 03CH22-HY Condition : AVG(UNIT)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH22-HY Condition : PEAK_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto
Avg.	 Site : 03CH22-HY Condition : AVG_BE(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto	 Site : 03CH22-HY Condition : AVG(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000KHz VBW:1800KHz SWT:Auto



Band 5 5925~6425MHz
WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)



WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Partial 996/67 CH15 6025MHz	
6+7	Horizontal	Fundamental
Peak	Site : 03CH22-HY Condition : PEAK_BE(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	Site : 03CH22-HY Condition : PEAK(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	Site : 03CH22-HY Condition : AVG_BE(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.910kHz SWT:Auto	Site : 03CH22-HY Condition : AVG(UNIT1)_6E 3m LEZC04A18EN_230712 HORIZONTAL : RBW:1000.000kHz VBW:0.910kHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Partial 996/67 CH15 6025MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH22-HY Condition : PEAK_BE(UNIT)_AE 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH22-HY Condition : PEAK(UNIT)_AE 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH22-HY Condition : AVG_BE(UNIT)_AE 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH22-HY Condition : AVG(UNIT)_AE 3m LE2C04A18EN_230712 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto



Band 5 - 5925~6425MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH01 5955MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH22-HY Condition : PEAK(UNIT)_SE 3m LE2C04A18EN_230712 HORIZONTAL :	 Site : 03CH22-HY Condition : PEAK(UNIT)_SE 3m LE2C04A18EN_230712 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH01 5955MHz	
6+7	Horizontal	Vertical
7.2G ~18G Avg.	 Site : 03CH22-HY Condition : AVG(UNIT)_SE 3m LE2C04A18EN_230712 HORIZONTAL :	 Site : 03CH22-HY Condition : AVG(UNIT)_SE 3m LE2C04A18EN_230712 VERTICAL :
	 Site : 03CH22-HY Condition : AVG(UNIT)_SE 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH22-HY Condition : AVG(UNIT)_SE 1m SHF_1224_230710 VERTICAL :
36.4G ~40G Avg		



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH49 6195MHz	
6+7	Horizontal	Vertical
Peak Avg.	Level (dBu/Vm) Date: 2024-01-07 Frequency (MHz) Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL :	Level (dBu/Vm) Date: 2024-01-07 Frequency (MHz) Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH49 6195MHz	
6+7	Horizontal	Vertical
7.2G ~18G Avg.	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL :	Level (dBuV/m) Date: 2023-12-30 Frequency (MHz) Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL :
	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH93 6415MHz	
6+7	Horizontal	Vertical
Peak Avg.		



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH93 6415MHz	
6+7	Horizontal	Vertical
7.2G ~18G Avg.	Level (dBuV/m) Date: 2023-12-30 Frequency (MHz) Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL :	Level (dBuV/m) Date: 2023-12-30 Frequency (MHz) Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL :
	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 VERTICAL :





Band 5 5925~6425MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LEZC04A1BEN_230712 HORIZONTAL :	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LEZC04A1BEN_230712 VERTICAL :







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
6+7	Horizontal	Vertical
7.2G ~18G Avg.	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL :	Level (dBuV/m) Date: 2023-12-30 Frequency (MHz) Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL :
	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	Level (dBuV/m) Date: 2024-01-07 Frequency (MHz) Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH49 6195MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL :	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL :







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH49 6195MHz	
6+7	Horizontal	Vertical
7.2G ~18G Avg.	 Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL :	 Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL :
	 Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH93 6415MHz	
6+7	Horizontal	Vertical
Peak Avg.		







WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH93 6415MHz	
6+7	Horizontal	Vertical
7.2G ~18G Avg.	 Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL :	 Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL :
	 Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 VERTICAL :
36.4G ~40G Avg		





Band 5 5925~6425MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LEZC04A1BEN_230712 HORIZONTAL	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LEZC04A1BEN_230712 VERTICAL



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
6+7	Horizontal	Vertical
7.2G ~18G Avg.	 Site : 03CH22-HY Condition : AVG(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL :	 Site : 03CH22-HY Condition : AVG(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL :
	 Site : 03CH22-HY Condition : AVG(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	 Site : 03CH22-HY Condition : AVG(UNIT)_6E 1m SHF_1224_230710 VERTICAL :
36.4G ~40G Avg		





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH51 6205MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH51 6205MHz	
6+7	Horizontal	Vertical
7.2G ~18G Avg.	Level (dBuV/m) vs Frequency (MHz) for 7.2G Horizontal. The plot shows a red line with multiple peaks and a blue line representing the average. The x-axis ranges from 7200 to 18000 MHz, and the y-axis ranges from 10 to 140 dBuV/m. The date is 2024-01-07. Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) for 7.2G Vertical. The plot shows a red line with multiple peaks and a blue line representing the average. The x-axis ranges from 7200 to 18000 MHz, and the y-axis ranges from 10 to 140 dBuV/m. The date is 2024-01-07. Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL :
	Level (dBuV/m) vs Frequency (MHz) for 36.4G Horizontal. The plot shows a red line with multiple peaks and a blue line representing the average. The x-axis ranges from 36400 to 40000 MHz, and the y-axis ranges from 10 to 140 dBuV/m. The date is 2024-01-07. Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) for 36.4G Vertical. The plot shows a red line with multiple peaks and a blue line representing the average. The x-axis ranges from 36400 to 40000 MHz, and the y-axis ranges from 10 to 140 dBuV/m. The date is 2024-01-07. Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 VERTICAL :





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH91 6405MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL :	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH91 6405MHz	
6+7	Horizontal	Vertical
7.2G ~18G Avg.	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a red line for the signal level and a blue line for the noise floor. The signal level is approximately 70 dBuV/m, and the noise floor is approximately 40 dBuV/m. The frequency range is from 7200 to 18000 MHz. Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a red line for the signal level and a blue line for the noise floor. The signal level is approximately 70 dBuV/m, and the noise floor is approximately 40 dBuV/m. The frequency range is from 7200 to 18000 MHz. Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL :
36.4G ~40G Avg	Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a red line for the signal level and a blue line for the noise floor. The signal level is approximately 70 dBuV/m, and the noise floor is approximately 40 dBuV/m. The frequency range is from 36400 to 40000 MHz. Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a red line for the signal level and a blue line for the noise floor. The signal level is approximately 70 dBuV/m, and the noise floor is approximately 40 dBuV/m. The frequency range is from 36400 to 40000 MHz. Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 VERTICAL :





Band 5 5925~6425MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LEZC04A1BEN_230712 HORIZONTAL :	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LEZC04A1BEN_230712 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
6+7	Horizontal	Vertical
7.2G ~18G Avg.	Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL :	Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL :
	Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH55 6225MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL :	 Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH55 6225MHz	
6+7	Horizontal	Vertical
7.2G ~18G Avg.	Level (dBuV/m) vs Frequency (MHz) for 7.2G Horizontal. The plot shows a red line with multiple peaks and a blue line representing the average. The x-axis ranges from 7200 to 18000 MHz, and the y-axis ranges from 10 to 140 dBuV/m. The date is 2024-01-07. Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) for 7.2G Vertical. The plot shows a red line with multiple peaks and a blue line representing the average. The x-axis ranges from 7200 to 18000 MHz, and the y-axis ranges from 10 to 140 dBuV/m. The date is 2024-01-07. Site : 03CH22-HY Condition : AV6(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL :
	Level (dBuV/m) vs Frequency (MHz) for 36.4G Horizontal. The plot shows a red line with multiple peaks and a blue line representing the average. The x-axis ranges from 36400 to 40000 MHz, and the y-axis ranges from 10 to 140 dBuV/m. The date is 2024-01-07. Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 HORIZONTAL :	Level (dBuV/m) vs Frequency (MHz) for 36.4G Vertical. The plot shows a red line with multiple peaks and a blue line representing the average. The x-axis ranges from 36400 to 40000 MHz, and the y-axis ranges from 10 to 140 dBuV/m. The date is 2024-01-07. Site : 03CH22-HY Condition : AV6(UNIT)_6E 1m SHF_1224_230710 VERTICAL :



WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH87 6385MHz	
6+7	Horizontal	Vertical
Peak Avg.	Level (dBu/Vm) Date: 2024-01-07 Frequency (MHz) Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 HORIZONTAL :	Level (dBu/Vm) Date: 2024-01-07 Frequency (MHz) Site : 03CH22-HY Condition : PEAK(UNIT)_6E 3m LE2C04A18EN_230712 VERTICAL :