




MIMO Ant.

Part 270 Mode 5

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 1m SHF_00993_231124 Horizontal

: NR Band 77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	7762.00	-43.28	RMS	36.85	-20.95	0.56	-95.23	35.49	-13.00	-30.28	Horizontal		
2	11643.00	-37.05	RMS	38.73	-16.51	0.30	-95.23	35.66	-13.00	-24.05	Horizontal		
3	15525.00	-33.59	RMS	38.50	-13.71	0.38	-95.23	36.47	-13.00	-20.59	Horizontal		



Site : 03CH12-HY

Condition: -13 1m SHF_00993_231124 Vertical

: NR Band 77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	7762.00	-43.45	RMS	36.85	-20.95	0.56	-95.23	35.32	-13.00	-30.45	Vertical		
2	11643.00	-37.48	RMS	38.73	-16.51	0.30	-95.23	35.23	-13.00	-24.48	Vertical		
3	15525.00	-33.87	RMS	38.50	-13.71	0.38	-95.23	36.19	-13.00	-20.87	Vertical		




MIMO Ant.


Part 270 Mode 6

NR SA n78 90M Ch649668 1RB1 BPSK

L



	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	7404.00	-42.80	RMS	36.70	-20.78	0.81	-95.23	0.00	-13.00	-29.80	Horizontal	
2	11105.00	-38.28	RMS	39.01	-17.35	0.28	-95.23	35.01	-13.00	-25.28	Horizontal	
3	14807.00	-32.21	RMS	40.59	-13.59	0.42	-95.23	35.60	-13.00	-19.21	Horizontal	



	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	7404.00	-43.02	RMS	36.70	-20.78	0.81	-95.23	35.48	-13.00	-30.02	Vertical	
2	11105.00	-38.53	RMS	39.01	-17.35	0.28	-95.23	34.76	-13.00	-25.53	Vertical	
3	14807.00	-32.17	RMS	40.59	-13.59	0.42	-95.23	35.64	-13.00	-19.17	Vertical	




MIMO Ant.

Part 270 Mode 6


NR SA n78 90M Ch650000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR Band 78 90M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7414.00	-43.19	RMS	36.70	-20.79	0.80	-95.23	35.33	-13.00	-30.19	Horizontal
2	11120.00	-38.89	RMS	39.04	-17.33	0.28	-95.23	34.35	-13.00	-25.89	Horizontal
3	14827.00	-32.06	RMS	40.55	-13.62	0.42	-95.23	35.82	-13.00	-19.06	Horizontal



Site : 03CH12-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR Band 78 90M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7414.00	-42.91	RMS	36.70	-20.79	0.80	-95.23	35.61	-13.00	-29.91	Vertical
2	11120.00	-38.61	RMS	39.04	-17.33	0.28	-95.23	34.63	-13.00	-25.61	Vertical
3	14827.00	-32.35	RMS	40.55	-13.62	0.42	-95.23	35.53	-13.00	-19.35	Vertical




MIMO Ant.

Part 270 Mode 6

NR SA n78 90M Ch650332 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 1m SHF_00993_231124 Horizontal

: NR Band 78 90M Ch650332 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	7424.00	-43.14	RMS	36.70	-20.80	0.79 -95.23	35.40	-13.00	-30.14	Horizontal
2	11135.00	-38.42	RMS	39.07	-17.31	0.28 -95.23	34.77	-13.00	-25.42	Horizontal
3	14847.00	-32.66	RMS	40.51	-13.65	0.42 -95.23	35.29	-13.00	-19.66	Horizontal



Site : 03CH12-HY

Condition: -13 1m SHF_00993_231124 Vertical

: NR Band 78 90M Ch650332 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	7424.00	-42.68	RMS	36.70	-20.80	0.79 -95.23	35.86	-13.00	-29.68	Vertical
2	11135.00	-38.54	RMS	39.07	-17.31	0.28 -95.23	34.65	-13.00	-25.54	Vertical
3	14847.00	-32.39	RMS	40.51	-13.65	0.42 -95.23	35.56	-13.00	-19.39	Vertical




Ant. 1+5

Part 27L Mode 3


EN-DC B5+n66 10M + 20M Ch20525 1RB0 QPSK + Ch344000 1RB1 BPSK

L



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-230731 Horizontal
: LTE Band 5 10M Ch20525 1RB0 QPSK
: NR SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3423.00	-52.89	RMS	29.75	-24.00	1.05	-95.23	35.54	-13.00	-39.89
2	5134.00	-48.89	RMS	33.30	-23.05	0.47	-95.23	35.62	-13.00	-35.89
3	6845.00	-44.97	RMS	36.19	-21.34	0.34	-95.23	35.07	-13.00	-31.97



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-230731 Vertical
: LTE Band 5 10M Ch20525 1RB0 QPSK
: NR SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3423.00	-52.56	RMS	29.75	-24.00	1.05	-95.23	35.87	-13.00	-39.56
2	5134.00	-48.22	RMS	33.30	-23.05	0.47	-95.23	36.29	-13.00	-35.22
3	6845.00	-45.04	RMS	36.19	-21.34	0.34	-95.23	35.00	-13.00	-32.04




Ant. 1+5

Part 27L Mode 3


EN-DC B5+n66 10M + 20M Ch20525 1RB0 QPSK + Ch349000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-230731 Horizontal
: LTE Band 5 10M Ch20525 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3472.00	-52.20	RMS	29.71	-23.68	0.99	-95.23	36.01	-13.00	-39.20	Horizontal
2	5208.00	-48.46	RMS	33.12	-22.84	0.47	-95.23	36.02	-13.00	-35.46	Horizontal
3	6945.00	-44.80	RMS	36.00	-21.29	0.34	-95.23	35.38	-13.00	-31.80	Horizontal



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-230731 Vertical
: LTE Band 5 10M Ch20525 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3472.00	-50.26	RMS	29.71	-23.68	0.99	-95.23	37.95	-13.00	-37.26	Vertical
2	5208.00	-47.53	RMS	33.12	-22.84	0.47	-95.23	36.95	-13.00	-34.53	Vertical
3	6945.00	-45.54	RMS	36.00	-21.29	0.34	-95.23	34.64	-13.00	-32.54	Vertical




Ant. 1+5

Part 27L Mode 3


EN-DC B5+n66 10M + 20M Ch20525 1RB0 QPSK + Ch354000 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-230731 Horizontal
: LTE Band 5 10M Ch20525 1RB0 QPSK
: NR SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3523.00	-51.92	RMS	29.60	-23.43	0.94	-95.23	36.20	-13.00	-38.92	Horizontal	
2	5284.00	-47.79	RMS	33.20	-22.40	0.45	-95.23	36.19	-13.00	-34.79	Horizontal	
3	7045.00	-44.62	RMS	36.28	-21.27	0.34	-95.23	35.26	-13.00	-31.62	Horizontal	



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-230731 Vertical
: LTE Band 5 10M Ch20525 1RB0 QPSK
: NR SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3523.00	-50.95	RMS	29.60	-23.43	0.94	-95.23	37.17	-13.00	-37.95	Vertical	
2	5284.00	-45.87	RMS	33.20	-22.40	0.45	-95.23	38.11	-13.00	-32.87	Vertical	
3	7045.00	-44.67	RMS	36.28	-21.27	0.34	-95.23	35.21	-13.00	-31.67	Vertical	




Ant. 1

Part 27L Mode 17

NR SA n66 20M Ch344000 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: NR SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3422.00	-51.40	RMS	29.74	-24.01	1.05	-95.23	37.05	-13.00	-38.40	Horizontal
2	5133.00	-41.67	RMS	33.30	-23.05	0.47	-95.23	42.84	-13.00	-28.67	Horizontal
3	6845.00	-45.71	RMS	36.19	-21.34	0.34	-95.23	34.33	-13.00	-32.71	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: NR SA n66 20M Ch344000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3422.00	-52.54	RMS	29.74	-24.01	1.05	-95.23	35.91	-13.00	-39.54	Vertical
2	5133.00	-40.31	RMS	33.30	-23.05	0.47	-95.23	44.20	-13.00	-27.31	Vertical
3	6845.00	-45.97	RMS	36.19	-21.34	0.34	-95.23	34.07	-13.00	-32.97	Vertical




Ant. 1

Part 27L Mode 17

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	3472.00	-49.96	RMS	29.71	-23.68	0.99	-95.23	38.25	-13.00	-36.96 Horizontal
2	5208.00	-37.52	RMS	33.12	-22.84	0.47	-95.23	46.96	-13.00	-24.52 Horizontal
3	6945.00	-45.81	RMS	36.00	-21.29	0.34	-95.23	34.37	-13.00	-32.81 Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	3472.00	-51.17	RMS	29.71	-23.68	0.99	-95.23	37.04	-13.00	-38.17 Vertical
2	5208.00	-39.21	RMS	33.12	-22.84	0.47	-95.23	45.27	-13.00	-26.21 Vertical
3	6945.00	-45.98	RMS	36.00	-21.29	0.34	-95.23	34.20	-13.00	-32.98 Vertical




Ant. 1

Part 27L Mode 17

NR SA n66 20M Ch354000 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: NR SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3522.00	-53.03	RMS	29.60	-23.43	0.94	-95.23	35.09	-13.00	-40.03 Horizontal
2	5283.00	-39.15	RMS	33.20	-22.40	0.45	-95.23	44.83	-13.00	-26.15 Horizontal
3	7045.00	-45.62	RMS	36.28	-21.27	0.34	-95.23	34.26	-13.00	-32.62 Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: NR SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3522.00	-52.94	RMS	29.60	-23.43	0.94	-95.23	35.18	-13.00	-39.94 Vertical
2	5283.00	-40.02	RMS	33.20	-22.40	0.45	-95.23	43.96	-13.00	-27.02 Vertical
3	7045.00	-45.47	RMS	36.28	-21.27	0.34	-95.23	34.41	-13.00	-32.47 Vertical




Ant. 5

Part 27M Mode 14

NR SA n7 40M Ch504000 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -25 1m SHF_00993_231124 Horizontal

: NR SA n7 40M Ch504000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5004.00	-49.23	RMS	33.22	-23.36	0.47	-95.23	35.67	-25.00	-24.23 Horizontal
2	7506.00	-43.82	RMS	36.49	-20.86	0.35	-95.23	35.43	-25.00	-18.82 Horizontal
3	10009.00	-38.88	RMS	38.62	-18.42	0.47	-95.23	35.68	-25.00	-13.88 Horizontal



Site : 03CH12-HY

Condition: -25 1m SHF_00993_231124 Vertical

: NR SA n7 40M Ch504000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5004.00	-48.91	RMS	33.22	-23.36	0.47	-95.23	35.99	-25.00	-23.91 Vertical
2	7506.00	-43.97	RMS	36.49	-20.86	0.35	-95.23	35.28	-25.00	-18.97 Vertical
3	10009.00	-38.78	RMS	38.62	-18.42	0.47	-95.23	35.78	-25.00	-13.78 Vertical




Ant. 5

Part 27M Mode 14

NR SA n7 40M Ch507000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 1m SHF_00993_231124 Horizontal

: NR SA n7 40M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5035.00	-49.05	RMS	33.34	-23.29	0.47	-95.23	35.66	-25.00	-24.05 Horizontal
2	7552.00	-44.09	RMS	36.40	-20.89	0.35	-95.23	35.28	-25.00	-19.09 Horizontal
3	10069.00	-38.96	RMS	38.70	-18.40	0.47	-95.23	35.50	-25.00	-13.96 Horizontal



Site : 03CH12-HY

Condition: -25 1m SHF_00993_231124 Vertical

: NR SA n7 40M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5035.00	-48.86	RMS	33.34	-23.29	0.47	-95.23	35.85	-25.00	-23.86 Vertical
2	7552.00	-43.56	RMS	36.40	-20.89	0.35	-95.23	35.81	-25.00	-18.56 Vertical
3	10069.00	-38.97	RMS	38.70	-18.40	0.47	-95.23	35.49	-25.00	-13.97 Vertical




Ant. 5


Part 27M Mode 14

NR SA n7 40M Ch510000 1RB1 BPSK

H



	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5064.00	-49.01	RMS	33.43	-23.22	0.47	-95.23	35.54	-25.00	-24.01	Horizontal
2	7596.00	-44.28	RMS	36.40	-20.91	0.36	-95.23	35.10	-25.00	-19.28	Horizontal
3	10129.00	-38.71	RMS	38.76	-18.38	0.47	-95.23	35.67	-25.00	-13.71	Horizontal



	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5064.00	-48.75	RMS	33.43	-23.22	0.47	-95.23	35.80	-25.00	-23.75	Vertical
2	7596.00	-43.77	RMS	36.40	-20.91	0.36	-95.23	35.61	-25.00	-18.77	Vertical
3	10129.00	-38.44	RMS	38.76	-18.38	0.47	-95.23	35.94	-25.00	-13.44	Vertical




Ant. 5


Part 27M Mode 15

NR SA n38 40M Ch518000 1RB1 BPSK

L



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5145.00	-48.23	RMS	33.23	-23.02	0.47	-95.23	36.32	-25.00	-23.23
2	7717.00	-43.15	RMS	36.73	-20.94	0.39	-95.23	35.90	-25.00	-18.15
3	10289.00	-38.39	RMS	38.82	-18.33	0.46	-95.23	35.89	-25.00	-13.39



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5145.00	-48.57	RMS	33.23	-23.02	0.47	-95.23	35.98	-25.00	-23.57
2	7717.00	-43.18	RMS	36.73	-20.94	0.39	-95.23	35.87	-25.00	-18.18
3	10289.00	-38.75	RMS	38.82	-18.33	0.46	-95.23	35.53	-25.00	-13.75




Ant. 5


Part 27M Mode 15

NR SA n38 40M Ch519000 1RB1 BPSK

M



	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5155.00	-48.52	RMS	33.19	-23.00	0.47	-95.23	36.05	-25.00	-23.52	Horizontal
2	7732.00	-42.89	RMS	36.76	-20.94	0.39	-95.23	36.13	-25.00	-17.89	Horizontal
3	10309.00	-38.71	RMS	38.85	-18.33	0.46	-95.23	35.54	-25.00	-13.71	Horizontal



	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5155.00	-48.79	RMS	33.19	-23.00	0.47	-95.23	35.78	-25.00	-23.79	Vertical
2	7732.00	-43.04	RMS	36.76	-20.94	0.39	-95.23	35.98	-25.00	-18.04	Vertical
3	10309.00	-38.23	RMS	38.85	-18.33	0.46	-95.23	36.02	-25.00	-13.23	Vertical




Ant. 5


Part 27M Mode 15

NR SA n38 40M Ch520000 1RB1 BPSK

H



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5165.00	-48.55	RMS	33.17	-22.97	0.47	-95.23	36.01	-25.00	-23.55
2	7747.00	-42.99	RMS	36.79	-20.95	0.40	-95.23	36.00	-25.00	-17.99
3	10329.00	-38.25	RMS	38.97	-18.32	0.46	-95.23	35.87	-25.00	-13.25



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5165.00	-48.33	RMS	33.17	-22.97	0.47	-95.23	36.23	-25.00	-23.33
2	7747.00	-43.07	RMS	36.79	-20.95	0.40	-95.23	35.92	-25.00	-18.07
3	10329.00	-38.45	RMS	38.97	-18.32	0.46	-95.23	35.67	-25.00	-13.45




Ant. 5


Part 27M Mode 16

NR SA n41 100M Ch509202 1RB1 BPSK

L



	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm						g			
1	4995.00	-48.86	RMS	33.17	-23.32	0.47	-95.23	36.05	-25.00	-23.86	Horizontal
2	7492.00	-43.22	RMS	36.53	-20.85	0.34	-95.23	35.99	-25.00	-18.22	Horizontal
3	9989.00	-38.43	RMS	38.56	-18.45	0.47	-95.23	36.22	-25.00	-13.43	Horizontal



	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm						g			
1	4995.00	-48.67	RMS	33.17	-23.32	0.47	-95.23	36.24	-25.00	-23.67	Vertical
2	7492.00	-43.64	RMS	36.53	-20.85	0.34	-95.23	35.57	-25.00	-18.64	Vertical
3	9989.00	-38.60	RMS	38.56	-18.45	0.47	-95.23	36.05	-25.00	-13.60	Vertical




Ant. 5


Part 27M Mode 16

NR SA n41 100M Ch518598 1RB1 BPSK

M



	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5088.00	-48.13	RMS	33.48	-23.16	0.47	-95.23	36.31	-25.00	-23.13 Horizontal
2	7632.00	-43.21	RMS	36.46	-20.92	0.37	-95.23	36.11	-25.00	-18.21 Horizontal
3	10177.00	-38.42	RMS	38.91	-18.37	0.46	-95.23	35.81	-25.00	-13.42 Horizontal



	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5088.00	-48.30	RMS	33.48	-23.16	0.47	-95.23	36.14	-25.00	-23.30 Vertical
2	7632.00	-43.53	RMS	36.46	-20.92	0.37	-95.23	35.79	-25.00	-18.53 Vertical
3	10177.00	-37.90	RMS	38.91	-18.37	0.46	-95.23	36.33	-25.00	-12.90 Vertical




Ant. 5


Part 27M Mode 16

NR SA n41 100M Ch528000 1RB1 BPSK

H



	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-48.29	RMS	33.14	-22.93	0.47	-95.23	36.26	-25.00	-23.29	Horizontal
2	7773.00	-43.03	RMS	36.89	-20.95	0.40	-95.23	35.86	-25.00	-18.03	Horizontal
3	10365.00	-37.86	RMS	39.07	-18.31	0.46	-95.23	36.15	-25.00	-12.86	Horizontal



	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-48.43	RMS	33.14	-22.93	0.47	-95.23	36.12	-25.00	-23.43	Vertical
2	7773.00	-42.88	RMS	36.89	-20.95	0.40	-95.23	36.01	-25.00	-17.88	Vertical
3	10365.00	-38.18	RMS	39.07	-18.31	0.46	-95.23	35.83	-25.00	-13.18	Vertical




Ant. 1

Part 27N Mode 18

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: NR SA n71 20M Ch134600 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
				dB/m	dB	dB	dB	dBuV	dBm	dB
1	1328.00	-47.78	RMS	25.92	-28.37	1.12	-95.23	48.78	-13.00	-34.78
2	1992.00	-33.64	RMS	26.74	-26.78	0.63	-95.23	61.00	-13.00	-20.64
3	2657.00	-54.05	RMS	28.50	-25.93	0.45	-95.23	38.16	-13.00	-41.05



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: NR SA n71 20M Ch134600 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
				dB/m	dB	dB	dB	dBuV	dBm	dB
1	1328.00	-53.64	RMS	25.92	-28.37	1.12	-95.23	42.92	-13.00	-40.64
2	1992.00	-36.50	RMS	26.74	-26.78	0.63	-95.23	58.14	-13.00	-23.50
3	2657.00	-55.63	RMS	28.50	-25.93	0.45	-95.23	36.58	-13.00	-42.63




Ant. 1

Part 27N Mode 18

NR SA n71 20M Ch136100 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-58.04	RMS	25.90	-28.32	1.12	-95.23	38.49	-13.00	-45.04	Horizontal
2	2015.00	-52.69	RMS	27.10	-26.75	0.63	-95.23	41.56	-13.00	-39.69	Horizontal
3	2687.00	-56.06	RMS	28.43	-25.83	0.44	-95.23	36.13	-13.00	-43.06	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-57.97	RMS	25.90	-28.32	1.12	-95.23	38.56	-13.00	-44.97	Vertical
2	2015.00	-55.45	RMS	27.10	-26.75	0.63	-95.23	38.80	-13.00	-42.45	Vertical
3	2687.00	-55.68	RMS	28.43	-25.83	0.44	-95.23	36.51	-13.00	-42.68	Vertical




Ant. 1

Part 27N Mode 18

NR SA n71 20M Ch137600 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1359.00	-57.34	RMS	25.72	-28.27	1.12	-95.23	39.32	-13.00	-44.34
2	2038.00	-53.83	RMS	27.28	-26.71	0.64	-95.23	40.19	-13.00	-40.83
3	2717.00	-56.14	RMS	28.50	-25.73	0.43	-95.23	35.89	-13.00	-43.14



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

NR SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1359.00	-58.27	RMS	25.72	-28.27	1.12	-95.23	38.39	-13.00	-45.27
2	2038.00	-44.62	RMS	27.28	-26.71	0.64	-95.23	49.40	-13.00	-31.62
3	2717.00	-56.18	RMS	28.50	-25.73	0.43	-95.23	35.85	-13.00	-43.18




Ant. 1

Part 27H Mode 19

NR SA n12 15M Ch141300 1RB1 BPSK

L




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal

NR SA n12 15M Ch141300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g		dB	
1	1400.00	-52.30	RMS	25.90	-28.15	1.11	-95.23	44.07	-13.00	-39.30	Horizontal
2	2100.00	-44.83	RMS	27.50	-26.62	0.65	-95.23	48.87	-13.00	-31.83	Horizontal
3	2800.00	-53.46	RMS	28.50	-25.45	0.41	-95.23	38.31	-13.00	-40.46	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical

NR SA n12 15M Ch141300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g		dB	
1	1400.00	-52.70	RMS	25.90	-28.15	1.11	-95.23	43.67	-13.00	-39.70	Vertical
2	2100.00	-48.19	RMS	27.50	-26.62	0.65	-95.23	45.51	-13.00	-35.19	Vertical
3	2800.00	-55.49	RMS	28.50	-25.45	0.41	-95.23	36.28	-13.00	-42.49	Vertical




Ant. 1

Part 27H Mode 19

NR SA n12 15M Ch141500 1RB1 BPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal

NR SA n12 15M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1402.00	-47.85	RMS	25.90	-28.14	1.11 -95.23	48.51	-13.00	-34.85	Horizontal
2	2103.00	-38.93	RMS	27.50	-26.62	0.65 -95.23	54.77	-13.00	-25.93	Horizontal
3	2804.00	-55.67	RMS	28.50	-25.45	0.41 -95.23	36.10	-13.00	-42.67	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical

NR SA n12 15M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1402.00	-51.38	RMS	25.90	-28.14	1.11 -95.23	44.98	-13.00	-38.38	Vertical
2	2103.00	-32.40	RMS	27.50	-26.62	0.65 -95.23	61.30	-13.00	-19.40	Vertical
3	2804.00	-55.23	RMS	28.50	-25.45	0.41 -95.23	36.54	-13.00	-42.23	Vertical




Ant. 1

Part 27H Mode 19

NR SA n12 15M Ch141700 1RB1 BPSK

H




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal

: NR SA n12 15M Ch141700 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g		dB	
1	1404.00	-55.87	RMS	25.90	-28.13	1.10	-95.23	40.49	-13.00	-42.87	Horizontal
2	2106.00	-44.87	RMS	27.50	-26.61	0.65	-95.23	48.82	-13.00	-31.87	Horizontal
3	2808.00	-55.79	RMS	28.50	-25.44	0.41	-95.23	35.97	-13.00	-42.79	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical

: NR SA n12 15M Ch141700 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g		dB	
1	1404.00	-59.54	RMS	25.90	-28.13	1.10	-95.23	36.82	-13.00	-46.54	Vertical
2	2106.00	-43.06	RMS	27.50	-26.61	0.65	-95.23	50.63	-13.00	-30.06	Vertical
3	2808.00	-55.46	RMS	28.50	-25.44	0.41	-95.23	36.30	-13.00	-42.46	Vertical




Ant. 1

Part 27F Mode 20

NR SA n13 10M Ch156400 1RB1 BPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal

: NR SA n13 10M Ch156400 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1555.00	-47.07	RMS	25.60	-27.51	0.85	-95.23	49.22	-13.00	-34.07
2	2333.00	-35.10	RMS	27.23	-26.44	0.58	-95.23	58.76	-13.00	-22.10
3	3111.00	-54.74	RMS	29.78	-25.05	0.39	-95.23	35.37	-13.00	-41.74



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical

: NR SA n13 10M Ch156400 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1555.00	-49.58	RMS	25.60	-27.51	0.85	-95.23	46.71	-13.00	-36.58
2	2333.00	-34.67	RMS	27.23	-26.44	0.58	-95.23	59.19	-13.00	-21.67
3	3111.00	-54.66	RMS	29.78	-25.05	0.39	-95.23	35.45	-13.00	-41.66




Ant. 1

Part 27F Mode 21

NR SA n13 5M Ch155900 1RB1 BPSK

L




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal

NR SA n13 5M Ch155900 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1555.00	-49.83	RMS	25.60	-27.51	0.85	-95.23	46.46	-13.00	-36.83	Horizontal
2	2332.00	-48.19	RMS	27.22	-26.44	0.58	-95.23	45.68	-13.00	-35.19	Horizontal
3	3110.00	-54.48	RMS	29.78	-25.05	0.39	-95.23	35.63	-13.00	-41.48	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical

NR SA n13 5M Ch155900 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1555.00	-50.31	RMS	25.60	-27.51	0.85	-95.23	45.98	-13.00	-37.31	Vertical
2	2332.00	-34.53	RMS	27.22	-26.44	0.58	-95.23	59.34	-13.00	-21.53	Vertical
3	3110.00	-54.43	RMS	29.78	-25.05	0.39	-95.23	35.68	-13.00	-41.43	Vertical




Ant. 1

Part 27F Mode 21

NR SA n13 5M Ch156400 1RB1 BPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal

: NR SA n13 5M Ch156400 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1560.00	-49.59	RMS	25.60	-27.50	0.85	-95.23	46.69	-42.15	-7.44 Horizontal
2	2340.00	-40.98	RMS	27.30	-26.44	0.58	-95.23	52.81	-13.00	-27.98 Horizontal
3	3120.00	-54.19	RMS	29.76	-25.03	0.39	-95.23	35.92	-13.00	-41.19 Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical

: NR SA n13 5M Ch156400 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1560.00	-49.41	RMS	25.60	-27.50	0.85	-95.23	46.87	-42.15	-7.26 Vertical
2	2340.00	-41.29	RMS	27.30	-26.44	0.58	-95.23	52.50	-13.00	-28.29 Vertical
3	3120.00	-54.17	RMS	29.76	-25.03	0.39	-95.23	35.94	-13.00	-41.17 Vertical




Ant. 1

Part 27F Mode 21

NR SA n13 5M Ch156900 1RB1 BPSK

H




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal

: NR SA n13 5M Ch156900 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1565.00	-50.05	RMS	25.60	-27.48	0.84	-95.23	46.22	-42.15	-7.90 Horizontal
2	2347.00	-40.83	RMS	27.30	-26.44	0.57	-95.23	52.97	-13.00	-27.83 Horizontal
3	3130.00	-54.29	RMS	29.74	-25.02	0.39	-95.23	35.83	-13.00	-41.29 Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical

: NR SA n13 5M Ch156900 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1565.00	-49.25	RMS	25.60	-27.48	0.84	-95.23	47.02	-42.15	-7.10 Vertical
2	2347.00	-41.16	RMS	27.30	-26.44	0.57	-95.23	52.64	-13.00	-28.16 Vertical
3	3130.00	-54.17	RMS	29.74	-25.02	0.39	-95.23	35.95	-13.00	-41.17 Vertical




Ant. 5

Part 27D Mode 32

NR SA n30 10M Ch462000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -40 1m SHF_00993_231124 Horizontal

NR SA n30 10M Ch462000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter				Readin g	Limit	Margin	Pol
				Factor	1	EIRPCF					
1	4611.00	-52.54	RMS	31.78	-56.30	0.49	-95.23	66.72	-40.00	-12.54	Horizontal
2	6916.00	-45.12	RMS	36.00	-51.86	0.34	-95.23	65.63	-40.00	-5.12	Horizontal
3	9222.00	-47.88	RMS	38.40	-51.45	0.34	-95.23	60.06	-40.00	-7.88	Horizontal



Site : 03CH12-HY

Condition: -40 1m SHF_00993_231124 Vertical

NR SA n30 10M Ch462000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter				Readin g	Limit	Margin	Pol
				Factor	1	EIRPCF					
1	4611.00	-51.63	RMS	31.78	-56.30	0.49	-95.23	67.63	-40.00	-11.63	Vertical
2	6916.00	-46.87	RMS	36.00	-51.86	0.34	-95.23	63.88	-40.00	-6.87	Vertical
3	9222.00	-46.93	RMS	38.40	-51.45	0.34	-95.23	61.01	-40.00	-6.93	Vertical




Ant. 5


Part 27D Mode 33

NR SA n30 5M Ch461500 1RB1 BPSK

L



	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-52.07	RMS	31.78	-56.30	0.49	-95.23	67.19	-40.00	-12.07	Horizontal
2	6917.00	-50.56	RMS	36.00	-51.85	0.34	-95.23	60.18	-40.00	-10.56	Horizontal
3	9222.00	-52.80	RMS	38.40	-51.45	0.34	-95.23	55.14	-40.00	-12.80	Horizontal



	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-52.64	RMS	31.78	-56.30	0.49	-95.23	66.62	-40.00	-12.64	Vertical
2	6917.00	-48.76	RMS	36.00	-51.85	0.34	-95.23	61.98	-40.00	-8.76	Vertical
3	9222.00	-51.68	RMS	38.40	-51.45	0.34	-95.23	56.26	-40.00	-11.68	Vertical




Ant. 5

Part 27D Mode 33

NR SA n30 5M Ch462000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -40 1m SHF_00993_231124 Horizontal

NR SA n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4616.00	-50.47	RMS	31.77	-56.26	0.48	-95.23	68.77	-40.00	-10.47	Horizontal
2	6924.00	-46.58	RMS	36.00	-51.85	0.34	-95.23	64.16	-40.00	-6.58	Horizontal
3	9232.00	-52.92	RMS	38.40	-51.41	0.34	-95.23	54.98	-40.00	-12.92	Horizontal



Site : 03CH12-HY

Condition: -40 1m SHF_00993_231124 Vertical

NR SA n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4616.00	-52.28	RMS	31.77	-56.26	0.48	-95.23	66.96	-40.00	-12.28	Vertical
2	6924.00	-46.23	RMS	36.00	-51.85	0.34	-95.23	64.51	-40.00	-6.23	Vertical
3	9232.00	-51.13	RMS	38.40	-51.41	0.34	-95.23	56.77	-40.00	-11.13	Vertical




Ant. 5

Part 27D Mode 33

NR SA n30 5M Ch462500 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -40 1m SHF_00993_231124 Horizontal

NR SA n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4621.00	-49.38	RMS	31.76	-56.23	0.48	-95.23	69.84	-40.00	-9.38	Horizontal
2	6932.00	-47.04	RMS	36.00	-51.85	0.34	-95.23	63.70	-40.00	-7.04	Horizontal
3	9242.00	-53.47	RMS	38.40	-51.38	0.34	-95.23	54.40	-40.00	-13.47	Horizontal



Site : 03CH12-HY

Condition: -40 1m SHF_00993_231124 Vertical

NR SA n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4621.00	-50.73	RMS	31.76	-56.23	0.48	-95.23	68.49	-40.00	-10.73	Vertical
2	6932.00	-46.92	RMS	36.00	-51.85	0.34	-95.23	63.82	-40.00	-6.92	Vertical
3	9242.00	-51.94	RMS	38.40	-51.38	0.34	-95.23	55.93	-40.00	-11.94	Vertical




Ant. 1

Part 90S Mode 3

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-54.04	RMS	25.59	-27.31	0.76	-95.23	42.15	-13.00	-41.04	Horizontal
2	2444.00	-33.66	RMS	27.64	-26.31	0.52	-95.23	59.72	-13.00	-20.66	Horizontal
3	3258.00	-53.35	RMS	29.88	-24.68	0.39	-95.23	36.29	-13.00	-40.35	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

NR SA n26 5M Ch163300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-55.63	RMS	25.59	-27.31	0.76	-95.23	40.56	-13.00	-42.63	Vertical
2	2444.00	-33.10	RMS	27.64	-26.31	0.52	-95.23	60.28	-13.00	-20.10	Vertical
3	3258.00	-52.91	RMS	29.88	-24.68	0.39	-95.23	36.73	-13.00	-39.91	Vertical




Ant. 1

Part 90S Mode 3

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1634.00	-52.59	RMS	25.56	-27.30	0.76	-95.23	43.62	-13.00	-39.59	Horizontal
2	2451.00	-43.02	RMS	27.71	-26.30	0.52	-95.23	50.28	-13.00	-30.02	Horizontal
3	3268.00	-53.20	RMS	29.86	-24.64	0.39	-95.23	36.42	-13.00	-40.20	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: NR SA n26 5M Ch163800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1634.00	-54.41	RMS	25.56	-27.30	0.76	-95.23	41.80	-13.00	-41.41	Vertical
2	2451.00	-42.77	RMS	27.71	-26.30	0.52	-95.23	50.53	-13.00	-29.77	Vertical
3	3268.00	-53.42	RMS	29.86	-24.64	0.39	-95.23	36.20	-13.00	-40.42	Vertical




Ant. 1

Part 90S Mode 3

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Horizontal

: NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-53.57	RMS	25.51	-27.29	0.76	-95.23	42.68	-13.00	-40.57	Horizontal
2	2459.00	-40.40	RMS	27.79	-26.28	0.52	-95.23	52.80	-13.00	-27.40	Horizontal
3	3278.00	-53.28	RMS	29.84	-24.61	0.39	-95.23	36.33	-13.00	-40.28	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-230731 Vertical

: NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1639.00	-55.45	RMS	25.51	-27.29	0.76	-95.23	40.80	-13.00	-42.45	Vertical
2	2459.00	-46.08	RMS	27.79	-26.28	0.52	-95.23	47.12	-13.00	-33.08	Vertical
3	3278.00	-53.03	RMS	29.84	-24.61	0.39	-95.23	36.58	-13.00	-40.03	Vertical




Ant. 1

Part 90R Mode 22

NR SA n14 10M Ch158600 1RB1 BPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal

NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1578.00	-59.07	RMS	25.60	-27.44	0.82	-95.23	37.18	-42.15	-16.92	Horizontal
2	2366.00	-56.95	RMS	27.40	-26.44	0.56	-95.23	36.76	-13.00	-43.95	Horizontal
3	3155.00	-53.44	RMS	29.72	-24.97	0.38	-95.23	36.66	-13.00	-40.44	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical

NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1578.00	-58.80	RMS	25.60	-27.44	0.82	-95.23	37.45	-42.15	-16.65	Vertical
2	2366.00	-57.58	RMS	27.40	-26.44	0.56	-95.23	36.13	-13.00	-44.58	Vertical
3	3155.00	-53.97	RMS	29.72	-24.97	0.38	-95.23	36.13	-13.00	-40.97	Vertical




Ant. 1

Part 90R Mode 23

NR SA n14 5M Ch158100 1RB1 BPSK

L




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal

NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1577.00	-58.42	RMS	25.60	-27.45	0.82	-95.23	37.84	-42.15	-16.27	Horizontal
2	2366.00	-56.74	RMS	27.40	-26.44	0.56	-95.23	36.97	-13.00	-43.74	Horizontal
3	3154.00	-54.11	RMS	29.72	-24.97	0.38	-95.23	35.99	-13.00	-41.11	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical

NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1577.00	-58.74	RMS	25.60	-27.45	0.82	-95.23	37.52	-42.15	-16.59	Vertical
2	2366.00	-57.24	RMS	27.40	-26.44	0.56	-95.23	36.47	-13.00	-44.24	Vertical
3	3154.00	-53.93	RMS	29.72	-24.97	0.38	-95.23	36.17	-13.00	-40.93	Vertical




Ant. 1

Part 90R Mode 23

NR SA n14 5M Ch158600 1RB1 BPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal

NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1582.00	-59.37	RMS	25.62	-27.43	0.81	-95.23	36.86	-42.15	-17.22	Horizontal
2	2373.00	-57.01	RMS	27.40	-26.43	0.56	-95.23	36.69	-13.00	-44.01	Horizontal
3	3164.00	-53.56	RMS	29.76	-24.96	0.38	-95.23	36.49	-13.00	-40.56	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical

NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1582.00	-59.18	RMS	25.62	-27.43	0.81	-95.23	37.05	-42.15	-17.03	Vertical
2	2373.00	-57.12	RMS	27.40	-26.43	0.56	-95.23	36.58	-13.00	-44.12	Vertical
3	3164.00	-53.84	RMS	29.76	-24.96	0.38	-95.23	36.21	-13.00	-40.84	Vertical




Ant. 1

Part 90R Mode 23

NR SA n14 5M Ch159100 1RB1 BPSK

H




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Horizontal

NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dB	dB	
1	1587.00	-58.78	RMS	25.67	-27.42	0.80	-95.23	37.40	-42.15	-16.63	Horizontal
2	2380.00	-56.19	RMS	27.40	-26.43	0.55	-95.23	37.52	-13.00	-43.19	Horizontal
3	3174.00	-53.60	RMS	29.80	-24.94	0.38	-95.23	36.39	-13.00	-40.60	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-230731 Vertical

NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dB	dB	
1	1587.00	-58.77	RMS	25.67	-27.42	0.80	-95.23	37.41	-42.15	-16.62	Vertical
2	2380.00	-53.78	RMS	27.40	-26.43	0.55	-95.23	39.93	-13.00	-40.78	Vertical
3	3174.00	-53.46	RMS	29.80	-24.94	0.38	-95.23	36.53	-13.00	-40.46	Vertical




Ant. 5

Part 27D Mode 32


NR SA n30 10M Ch462000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Horizontal
: NR SA n30 10M Ch462000 1RB1 BPSK
: #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	2309.19	-22.04	RMS	27.29	-59.81	0.33	-95.23	105.38	-40.00	17.96	Horizontal



Site : 03CH12-HY
Condition: -40 3m 9120D-02114-230731 Vertical
: NR SA n30 10M Ch462000 1RB1 BPSK
: #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	2309.19	-25.07	RMS	27.29	-59.81	0.33	-95.23	102.35	-40.00	14.93	Vertical

Remark: #1 is fundamental signal which can be ignored.