






















































































































Single RU


DTS Bandwidth

Test Result

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	DTS BW [MHz]	FL [MHz]	FH [MHz]	Limit [MHz]	Verdict
11AX20MIMO	Ant0	2412	26Tone	RU0	1.96	2402.52	2404.48	0.5	PASS
	Ant1	2412	26Tone	RU0	2.24	2402.44	2404.68	0.5	PASS



Test Graphs






Maximum power spectral density



Test Result



TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant0	2412	26Tone	RU0	-11.89	≤8.00	PASS
			52Tone	RU37	-12.13	≤8.00	PASS
			106Tone	RU53	-11.73	≤8.00	PASS
	Ant1	2412	26Tone	RU0	-14.60	≤8.00	PASS
			52Tone	RU37	-13.49	≤8.00	PASS
			106Tone	RU53	-12.30	≤8.00	PASS
	total	2412	26Tone	RU0	-10.03	≤8.00	PASS
			52Tone	RU37	-9.75	≤8.00	PASS
			106Tone	RU53	-9.00	≤8.00	PASS
	Ant0	2437	26Tone	RU0	-7.63	≤8.00	PASS
			52Tone	RU37	-8.76	≤8.00	PASS
			106Tone	RU53	-7.43	≤8.00	PASS
	Ant1	2437	26Tone	RU0	-7.35	≤8.00	PASS
			52Tone	RU37	-7.42	≤8.00	PASS
			106Tone	RU53	-7.13	≤8.00	PASS
	total	2437	26Tone	RU0	-4.48	≤8.00	PASS
			52Tone	RU37	-5.03	≤8.00	PASS
			106Tone	RU53	-4.27	≤8.00	PASS
	Ant0	2462	26Tone	RU8	-13.09	≤8.00	PASS
			52Tone	RU40	-13.19	≤8.00	PASS
			106Tone	RU54	-12.74	≤8.00	PASS
	Ant1	2462	26Tone	RU8	-14.28	≤8.00	PASS
			52Tone	RU40	-14.13	≤8.00	PASS
			106Tone	RU54	-13.41	≤8.00	PASS
	total	2462	26Tone	RU8	-10.63	≤8.00	PASS
			52Tone	RU40	-10.62	≤8.00	PASS
			106Tone	RU54	-10.05	≤8.00	PASS







Test Graphs



























11AX20MIMO_Ant1_2462_52Tone_RU40



Date: 29.JUN.2025 05:49:39


11AX20MIMO_Ant1_2462_106Tone_RU54



Date: 29.JUN.2025 05:47:47




Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos Zhang	Temperature :	25.3 ~ 26.2°C
		Relative Humidity :	38 ~ 40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.166	43.00	-22.16	65.16	32.30	0.25	10.45	QP
2	0.166	29.20	-25.96	55.16	18.50	0.25	10.45	Average
3	0.180	44.10	-20.40	64.50	33.39	0.25	10.46	QP
4	0.180	31.00	-23.50	54.50	20.29	0.25	10.46	Average
5	0.307	36.67	-23.39	60.06	25.90	0.29	10.48	QP
6	0.307	27.17	-22.89	50.06	16.40	0.29	10.48	Average
7	0.348	40.99	-18.01	59.00	30.20	0.31	10.48	QP
8	0.348	31.19	-17.81	49.00	20.40	0.31	10.48	Average
9	0.363	40.41	-18.24	58.65	29.60	0.32	10.49	QP
10 *	0.363	32.37	-16.28	48.65	21.56	0.32	10.49	Average
11	0.393	37.03	-20.96	57.99	26.19	0.35	10.49	QP
12	0.393	30.63	-17.36	47.99	19.79	0.35	10.49	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41~42%
		Temperature :	22~23℃

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 10	2400-2483.5	0+1	802.11b	01	2412	1Mbps	-	-
Mode 11	2400-2483.5	0+1	802.11b	06	2437	1Mbps	-	-
Mode 12	2400-2483.5	0+1	802.11b	11	2462	1Mbps	-	-
Mode 13	2400-2483.5	0+1	802.11g	01	2412	6Mbps	-	-
Mode 14	2400-2483.5	0+1	802.11g	06	2437	6Mbps	-	-
Mode 15	2400-2483.5	0+1	802.11g	11	2462	6Mbps	-	-
Mode 16	2400-2483.5	0+1	802.11ax HE20	01	2412	MCS0	Full RU	-
Mode 17	2400-2483.5	0+1	802.11ax HE20	06	2437	MCS0	Full RU	-
Mode 18	2400-2483.5	0+1	802.11ax HE20	11	2462	MCS0	Full RU	-
Mode 19	2400-2483.5	0+1	802.11ax HE20	01	2412	MCS0	RU106/53	-
Mode 20	2400-2483.5	0+1	802.11ax HE20	11	2462	MCS0	RU106/54	-
Mode 21	2400-2483.5	0+1	802.11g	2	2417	6Mbps	-	-
Mode 22	2400-2483.5	0+1	802.11g	10	2457	6Mbps	-	-
Mode 23	2400-2483.5	0+1	802.11ax HE20	2	2417	MCS0	Full RU	-
Mode 24	2400-2483.5	0+1	802.11ax HE20	10	2457	MCS0	Full RU	-
Mode 25	2400-2483.5	0+1	802.11g	9	2452	6Mbps	-	-
Mode 26	2400-2483.5	0+1	802.11ax HE20	9	2452	MCS0	Full RU	-
Mode 27	2400-2483.5	0+1	802.11n HT20	01	2412	MCS0	-	-
Mode 28	2400-2483.5	0+1	802.11n HT20	06	2437	MCS0	-	-
Mode 29	2400-2483.5	0+1	802.11n HT20	11	2462	MCS0	-	-
Mode 30	2400-2483.5	0+1	802.11n HT20	2	2417	MCS0	-	-
Mode 31	2400-2483.5	0+1	802.11n HT20	9	2452	MCS0	-	-
Mode 32	2400-2483.5	0+1	802.11n HT20	10	2457	MCS0	-	-
Mode 33	2400-2483.5	0+1	802.11n HT20	8	2447	MCS0	-	-
Mode 34	2400-2483.5	0	802.11g	01	2412	6Mbps	-	-
Mode 35	2400-2483.5	1	802.11g	01	2412	6Mbps	-	-
Mode 36	2400-2483.5	0	802.11g	11	2462	6Mbps	-	-
Mode 37	2400-2483.5	1	802.11g	11	2462	6Mbps	-	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
10	802.11b	01	2389.69	49.24	54.00	-4.76	H	AVERAGE	Pass	Band Edge
10	802.11b	01	4824.00	48.82	54.00	-5.18	H	AVERAGE	Pass	Harmonic
11	802.11b	06	2388.39	51.33	54.00	-2.67	H	AVERAGE	Pass	Band Edge
11	802.11b	06	4874.00	49.59	54.00	-4.41	H	AVERAGE	Pass	Harmonic
12	802.11b	11	2483.50	52.99	54.00	-1.01	H	AVERAGE	Pass	Band Edge
12	802.11b	11	4924.00	47.97	54.00	-6.03	H	AVERAGE	Pass	Harmonic
13	802.11g	01	2389.95	51.62	54.00	-2.38	H	AVERAGE	Pass	Band Edge
13	802.11g	01	4824.00	45.37	74.00	-28.63	V	PEAK	Pass	Harmonic
14	802.11g	06	2485.00	51.67	54.00	-2.33	H	AVERAGE	Pass	Band Edge
14	802.11g	06	4874.00	37.31	54.00	-16.69	V	AVERAGE	Pass	Harmonic
15	802.11g	11	2483.56	51.62	54.00	-2.38	H	AVERAGE	Pass	Band Edge
15	802.11g	11	4924.00	40.97	74.00	-33.03	V	PEAK	Pass	Harmonic
16	802.11ax HE20	01	2389.95	52.21	54.00	-1.79	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	01	4824.00	42.89	74.00	-31.11	V	PEAK	Pass	Harmonic
17	802.11ax HE20	06	2389.56	49.03	54.00	-4.97	H	AVERAGE	Pass	Band Edge
17	802.11ax HE20	06	4874.00	43.01	74.00	-30.99	V	PEAK	Pass	Harmonic
18	802.11ax HE20	11	2483.50	51.25	54.00	-2.75	H	AVERAGE	Pass	Band Edge
18	802.11ax HE20	11	4924.00	40.51	74.00	-33.49	H	PEAK	Pass	Harmonic
19	802.11ax HE20	01	2389.95	50.27	54.00	-3.73	H	AVERAGE	Pass	Band Edge
19	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE20	11	2483.50	46.10	54.00	-7.90	H	AVERAGE	Pass	Band Edge
20	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
21	802.11g	2	2389.95	51.53	54.00	-2.47	H	AVERAGE	Pass	Band Edge
21	802.11g	2	4834.00	43.84	74.00	-30.16	V	PEAK	Pass	Harmonic
22	802.11g	10	2484.04	52.75	54.00	-1.25	H	AVERAGE	Pass	Band Edge
22	802.11g	10	7371.00	42.80	74.00	-31.20	V	PEAK	Pass	Harmonic
23	802.11ax HE20	2	2389.43	51.92	54.00	-2.08	H	AVERAGE	Pass	Band Edge
23	802.11ax HE20	2	4834.00	40.12	74.00	-33.88	H	PEAK	Pass	Harmonic
24	802.11ax HE20	10	2483.50	52.02	54.00	-1.98	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	10	7371.00	42.40	74.00	-31.60	V	PEAK	Pass	Harmonic
25	802.11g	9	2483.62	52.57	54.00	-1.43	H	AVERAGE	Pass	Band Edge
25	802.11g	9	7356.00	44.85	74.00	-29.15	V	PEAK	Pass	Harmonic
26	802.11ax HE20	9	2483.56	52.33	54.00	-1.67	H	AVERAGE	Pass	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
26	802.11ax HE20	9	7356.00	43.01	74.00	-30.99	V	PEAK	Pass	Harmonic
27	802.11n HT20	01	2389.82	52.20	54.00	-1.80	H	AVERAGE	Pass	Band Edge
27	802.11n HT20	01	4824.00	40.16	74.00	-33.84	V	PEAK	Pass	Harmonic
28	802.11n HT20	06	2483.50	48.93	54.00	-5.07	H	AVERAGE	Pass	Band Edge
28	802.11n HT20	06	4870.00	49.90	74.00	-24.10	V	Peak	Pass	Harmonic
29	802.11n HT20	11	2484.10	52.64	54.00	-1.36	H	AVERAGE	Pass	Band Edge
29	802.11n HT20	11	7386.00	42.33	74.00	-31.67	H	PEAK	Pass	Harmonic
30	802.11n HT20	2	2389.95	51.65	54.00	-2.35	H	AVERAGE	Pass	Band Edge
30	802.11n HT20	2	4834.00	46.01	74.00	-27.99	V	Peak	Pass	Harmonic
31	802.11n HT20	9	2484.10	50.47	54.00	-3.53	H	AVERAGE	Pass	Band Edge
31	802.11n HT20	9	7356.00	42.85	74.00	-31.15	V	PEAK	Pass	Harmonic
32	802.11n HT20	10	2483.50	52.34	54.00	-1.66	H	AVERAGE	Pass	Band Edge
32	802.11n HT20	10	4912.00	44.51	74.00	-29.49	V	Peak	Pass	Harmonic
33	802.11n HT20	8	2483.50	52.59	54.00	-1.41	H	AVERAGE	Pass	Band Edge
33	802.11n HT20	8	4894.00	46.04	74.00	-27.96	V	Peak	Pass	Harmonic
34	802.11g	01	2389.95	51.87	54.00	-2.13	H	AVERAGE	Pass	Band Edge
34	802.11g	01	4824.00	41.02	74.00	-32.98	V	PEAK	Pass	Harmonic
35	802.11g	01	2389.95	52.45	54.00	-1.55	H	AVERAGE	Pass	Band Edge
35	802.11g	01	4824.00	40.32	74.00	-33.68	H	PEAK	Pass	Harmonic
36	802.11g	11	2483.74	50.97	54.00	-3.03	H	AVERAGE	Pass	Band Edge
36	802.11g	11	7386.00	43.39	74.00	-30.61	H	PEAK	Pass	Harmonic
37	802.11g	11	2483.50	71.73	74.00	-2.27	H	PEAK	Pass	Band Edge
37	802.11g	11	7386.00	43.01	74.00	-30.99	V	PEAK	Pass	Harmonic





Mode	10																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																	
ANT	0+1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>57.86</td><td>74.00</td><td>-16.14</td><td>49.87</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>162 220 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	57.86	74.00	-16.14	49.87	31.87	7.11	36.99	6.00	162 220 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>116.56</td><td>-----</td><td>108.48</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>162 220 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	116.56	-----	108.48	31.94	7.14	37.00	6.00	162 220 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.95	57.86	74.00	-16.14	49.87	31.87	7.11	36.99	6.00	162 220 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	116.56	-----	108.48	31.94	7.14	37.00	6.00	162 220 PEAK																																																																																									
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>49.24</td><td>54.00</td><td>-4.76</td><td>41.25</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>162 220 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	49.24	54.00	-4.76	41.25	31.87	7.11	36.99	6.00	162 220 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.00</td><td>-----</td><td>100.92</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>162 220 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.00	-----	100.92	31.94	7.14	37.00	6.00	162 220 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2389.69	49.24	54.00	-4.76	41.25	31.87	7.11	36.99	6.00	162 220 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2412.00	109.00	-----	100.92	31.94	7.14	37.00	6.00	162 220 AVERAGE																																																																																									







Mode	10																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>46.02</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>100</td><td>132 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	54.01	74.00	-19.99	46.02	31.87	7.11	36.99	6.00	100	132 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>111.06</td><td>-----</td><td>-----</td><td>102.98</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>100</td><td>132 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	111.06	-----	-----	102.98	31.94	7.14	37.00	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	54.01	74.00	-19.99	46.02	31.87	7.11	36.99	6.00	100	132 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	111.06	-----	-----	102.98	31.94	7.14	37.00	6.00	100	132 PEAK																																																																																								
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>44.88</td><td>54.00</td><td>-9.12</td><td>36.89</td><td>31.87</td><td>7.11</td><td>36.99</td><td>6.00</td><td>100</td><td>132 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	44.88	54.00	-9.12	36.89	31.87	7.11	36.99	6.00	100	132 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.54</td><td>-----</td><td>-----</td><td>95.46</td><td>31.94</td><td>7.14</td><td>37.00</td><td>6.00</td><td>100</td><td>132 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.54	-----	-----	95.46	31.94	7.14	37.00	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.69	44.88	54.00	-9.12	36.89	31.87	7.11	36.99	6.00	100	132 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	103.54	-----	-----	95.46	31.94	7.14	37.00	6.00	100	132 AVERAGE																																																																																								





Mode	10																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																								
ANT	0+1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>51.00</td><td>74.00</td><td>-23.00</td><td>72.26</td><td>33.90</td><td>10.23</td><td>65.39</td><td>0.00</td><td>277</td><td>87</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>48.82</td><td>54.00</td><td>-5.18</td><td>70.08</td><td>33.90</td><td>10.23</td><td>65.39</td><td>0.00</td><td>277</td><td>87</td><td>AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	51.00	74.00	-23.00	72.26	33.90	10.23	65.39	0.00	277	87	PEAK	2	4824.00	48.82	54.00	-5.18	70.08	33.90	10.23	65.39	0.00	277	87	AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>44.93</td><td>74.00</td><td>-29.07</td><td>66.19</td><td>33.90</td><td>10.23</td><td>65.39</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	44.93	74.00	-29.07	66.19	33.90	10.23	65.39	0.00	---	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4824.00	51.00	74.00	-23.00	72.26	33.90	10.23	65.39	0.00	277	87	PEAK																																																																																																													
2	4824.00	48.82	54.00	-5.18	70.08	33.90	10.23	65.39	0.00	277	87	AVERAGE																																																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	4824.00	44.93	74.00	-29.07	66.19	33.90	10.23	65.39	0.00	---	---	PEAK																																																																																																													







Mode	11																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.52</td><td>58.50</td><td>74.00</td><td>-15.50</td><td>50.52</td><td>31.87</td><td>7.10</td><td>36.99</td><td>6.00</td><td>100</td><td>241 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.52	58.50	74.00	-15.50	50.52	31.87	7.10	36.99	6.00	100	241 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>116.91</td><td>-----</td><td>-----</td><td>108.74</td><td>32.01</td><td>7.18</td><td>37.02</td><td>6.00</td><td>100</td><td>241 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	116.91	-----	-----	108.74	32.01	7.18	37.02	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.52	58.50	74.00	-15.50	50.52	31.87	7.10	36.99	6.00	100	241 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2437.00	116.91	-----	-----	108.74	32.01	7.18	37.02	6.00	100	241 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.39</td><td>51.33</td><td>54.00</td><td>-2.67</td><td>43.35</td><td>31.87</td><td>7.10</td><td>36.99</td><td>6.00</td><td>100</td><td>241 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.39	51.33	54.00	-2.67	43.35	31.87	7.10	36.99	6.00	100	241 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>112.55</td><td>-----</td><td>-----</td><td>104.38</td><td>32.01</td><td>7.18</td><td>37.02</td><td>6.00</td><td>100</td><td>241 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	112.55	-----	-----	104.38	32.01	7.18	37.02	6.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.39	51.33	54.00	-2.67	43.35	31.87	7.10	36.99	6.00	100	241 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2437.00	112.55	-----	-----	104.38	32.01	7.18	37.02	6.00	100	241 AVERAGE																																																																																									



Mode	11																																																													
	Band Edge - R																																																													
	2400-2483.5_802.11b_CH06_2437MHz																																																													
ANT	0+1																																																													
Pol.	Horizontal						Fundamental																																																							
Peak							Blank																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.40</td><td>53.73</td><td>74.00</td><td>-20.27</td><td>45.37</td><td>32.15</td><td>7.26</td><td>37.05</td><td>6.00</td><td>100</td><td>241 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.40	53.73	74.00	-20.27	45.37	32.15	7.26	37.05	6.00	100	241 PEAK					
		Limit	Over	Read	Ant	Cable						Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	2484.40	53.73	74.00	-20.27	45.37	32.15	7.26	37.05	6.00	100	241 PEAK																																																			
Avg							Blank																																																							
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.28</td><td>43.78</td><td>54.00</td><td>-10.22</td><td>35.42</td><td>32.15</td><td>7.26</td><td>37.05</td><td>6.00</td><td>100</td><td>241 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.28	43.78	54.00	-10.22	35.42	32.15	7.26	37.05	6.00	100	241 AVERAGE					
	Limit	Over	Read	Ant	Cable	Preamp						Aux	APos	TPos	Remark																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																			
1	2484.28	43.78	54.00	-10.22	35.42	32.15	7.26	37.05	6.00	100	241 AVERAGE																																																			





Mode	11																																																																																																				
	Band Edge - L																																																																																																				
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																				
ANT	0+1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.91</td><td>53.23</td><td>74.00</td><td>-20.77</td><td>45.25</td><td>31.87</td><td>7.10</td><td>36.99</td><td>6.00</td><td>100</td><td>97 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.91	53.23	74.00	-20.77	45.25	31.87	7.10	36.99	6.00	100	97 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>111.86</td><td>-----</td><td>-----</td><td>103.69</td><td>32.01</td><td>7.18</td><td>37.02</td><td>6.00</td><td>100</td><td>97 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	111.86	-----	-----	103.69	32.01	7.18	37.02	6.00	100	97 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2388.91	53.23	74.00	-20.77	45.25	31.87	7.10	36.99	6.00	100	97 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2437.00	111.86	-----	-----	103.69	32.01	7.18	37.02	6.00	100	97 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.39</td><td>44.28</td><td>54.00</td><td>-9.72</td><td>36.30</td><td>31.87</td><td>7.10</td><td>36.99</td><td>6.00</td><td>100</td><td>97 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.39	44.28	54.00	-9.72	36.30	31.87	7.10	36.99	6.00	100	97 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>107.57</td><td>-----</td><td>-----</td><td>99.40</td><td>32.01</td><td>7.18</td><td>37.02</td><td>6.00</td><td>100</td><td>97 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	107.57	-----	-----	99.40	32.01	7.18	37.02	6.00	100	97 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2388.39	44.28	54.00	-9.72	36.30	31.87	7.10	36.99	6.00	100	97 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2437.00	107.57	-----	-----	99.40	32.01	7.18	37.02	6.00	100	97 AVERAGE																																																																																										



Mode	11										
	Band Edge - R										
	2400-2483.5_802.11b_CH06_2437MHz										
ANT	0+1										
Pol.	Vertical										
Peak	Level (dBuV/m)										



Mode	11																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																	
ANT	0+1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>51.88</td><td>74.00</td><td>-22.12</td><td>73.24</td><td>33.90</td><td>10.29</td><td>65.55</td><td>0.00</td><td>164</td><td>54 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>49.59</td><td>54.00</td><td>-4.41</td><td>70.95</td><td>33.90</td><td>10.29</td><td>65.55</td><td>0.00</td><td>164</td><td>54 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	51.88	74.00	-22.12	73.24	33.90	10.29	65.55	0.00	164	54 PEAK	2	4874.00	49.59	54.00	-4.41	70.95	33.90	10.29	65.55	0.00	164	54 AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>49.76</td><td>74.00</td><td>-24.24</td><td>71.12</td><td>33.90</td><td>10.29</td><td>65.55</td><td>0.00</td><td>126</td><td>103 PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>46.98</td><td>54.00</td><td>-7.02</td><td>68.34</td><td>33.90</td><td>10.29</td><td>65.55</td><td>0.00</td><td>126</td><td>103 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	49.76	74.00	-24.24	71.12	33.90	10.29	65.55	0.00	126	103 PEAK	2	4874.00	46.98	54.00	-7.02	68.34	33.90	10.29	65.55	0.00	126	103 AVERAGE
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	4874.00	51.88	74.00	-22.12	73.24	33.90	10.29	65.55	0.00	164	54 PEAK																																																																																																																							
2	4874.00	49.59	54.00	-4.41	70.95	33.90	10.29	65.55	0.00	164	54 AVERAGE																																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	4874.00	49.76	74.00	-24.24	71.12	33.90	10.29	65.55	0.00	126	103 PEAK																																																																																																																							
2	4874.00	46.98	54.00	-7.02	68.34	33.90	10.29	65.55	0.00	126	103 AVERAGE																																																																																																																							