11AX20MIMO_Ant1_5220_52Tone_RU37


11AX20MIMO_Ant1_5220_106Tone_RU53


11AX20MIMO_Ant0_5240_26Tone_RU8


11AX20MIMO_Ant0_5240_52Tone_RU40


11AX20MIMO_Ant0_5240_106Tone_RU54


11AX20MIMO_Ant1_5240_26Tone_RU8


11AX20MIMO_Ant1_5240_52Tone_RU40


11AX20MIMO_Ant1_5240_106Tone_RU54


11AX20MIMO_Ant0_5260_26Tone_RU0


11AX20MIMO_Ant0_5260_52Tone_RU37


11AX20MIMO_Ant0_5260_106Tone_RU53


11AX20MIMO_Ant1_5260_26Tone_RU0


11AX20MIMO_Ant1_5260_52Tone_RU37


11AX20MIMO_Ant1_5260_106Tone_RU53


11AX20MIMO_Ant0_5300_26Tone_RU0


11AX20MIMO_Ant0_5300_52Tone_RU37


11AX20MIMO_Ant0_5300_106Tone_RU53


11AX20MIMO_Ant1_5300_26Tone_RU0


11AX20MIMO_Ant1_5300_52Tone_RU37


11AX20MIMO_Ant1_5300_106Tone_RU53


11AX20MIMO_Ant0_5320_26Tone_RU8


11AX20MIMO_Ant0_5320_52Tone_RU40


11AX20MIMO_Ant0_5320_106Tone_RU54


11AX20MIMO_Ant1_5320_26Tone_RU8


11AX20MIMO_Ant1_5320_52Tone_RU40


11AX20MIMO_Ant1_5320_106Tone_RU54


11AX20MIMO_Ant0_5500_26Tone_RU0


11AX20MIMO_Ant0_5500_52Tone_RU37


11AX20MIMO_Ant0_5500_106Tone_RU53


11AX20MIMO_Ant1_5500_26Tone_RU0


11AX20MIMO_Ant1_5500_52Tone_RU37


11AX20MIMO_Ant1_5500_106Tone_RU53


11AX20MIMO_Ant0_5580_26Tone_RU0


11AX20MIMO_Ant0_5580_52Tone_RU37


11AX20MIMO_Ant0_5580_106Tone_RU53


11AX20MIMO_Ant1_5580_26Tone_RU0


11AX20MIMO_Ant1_5580_52Tone_RU37


11AX20MIMO_Ant1_5580_106Tone_RU53


11AX20MIMO_Ant0_5700_26Tone_RU8


11AX20MIMO_Ant0_5700_52Tone_RU40


11AX20MIMO_Ant0_5700_106Tone_RU54


11AX20MIMO_Ant1_5700_26Tone_RU8


11AX20MIMO_Ant1_5700_52Tone_RU40


11AX20MIMO_Ant1_5700_106Tone_RU54


11AX20MIMO_Ant0_5720_26Tone_RU8


11AX20MIMO_Ant0_5720_52Tone_RU40


11AX20MIMO_Ant0_5720_106Tone_RU54


11AX20MIMO_Ant1_5720_26Tone_RU8


11AX20MIMO_Ant1_5720_52Tone_RU40


11AX20MIMO_Ant1_5720_106Tone_RU54


11AX20MIMO_Ant0_5745_26Tone_RU0


11AX20MIMO_Ant0_5745_52Tone_RU37


11AX20MIMO_Ant0_5745_106Tone_RU53


11AX20MIMO_Ant1_5745_26Tone_RU0


11AX20MIMO_Ant1_5745_52Tone_RU37


11AX20MIMO_Ant1_5745_106Tone_RU53


11AX20MIMO_Ant0_5785_26Tone_RU0


11AX20MIMO_Ant0_5785_52Tone_RU37


11AX20MIMO_Ant0_5785_106Tone_RU53


11AX20MIMO_Ant1_5785_26Tone_RU0


11AX20MIMO_Ant1_5785_52Tone_RU37


11AX20MIMO_Ant1_5785_106Tone_RU53


11AX20MIMO_Ant0_5825_26Tone_RU8


11AX20MIMO_Ant0_5825_52Tone_RU40


11AX20MIMO_Ant0_5825_106Tone_RU54


11AX20MIMO_Ant1_5825_26Tone_RU8


11AX20MIMO_Ant1_5825_52Tone_RU40


11AX20MIMO_Ant1_5825_106Tone_RU54


11AX40MIMO_Ant0_5190_242Tone_RU61


11AX40MIMO_Ant1_5190_242Tone_RU61


11AX40MIMO_Ant0_5230_242Tone_RU62


11AX40MIMO_Ant1_5230_242Tone_RU62


11AX40MIMO_Ant0_5270_242Tone_RU61


11AX40MIMO_Ant1_5270_242Tone_RU61


11AX40MIMO_Ant0_5310_242Tone_RU62


11AX40MIMO_Ant1_5310_242Tone_RU62


11AX40MIMO_Ant0_5510_242Tone_RU61


11AX40MIMO_Ant1_5510_242Tone_RU61


11AX40MIMO_Ant0_5550_242Tone_RU61


11AX40MIMO_Ant1_5550_242Tone_RU61


11AX40MIMO_Ant0_5670_242Tone_RU62


11AX40MIMO_Ant1_5670_242Tone_RU62


11AX40MIMO_Ant0_5710_242Tone_RU62


11AX40MIMO_Ant1_5710_242Tone_RU62


11AX40MIMO_Ant0_5755_242Tone_RU61


11AX40MIMO_Ant1_5755_242Tone_RU61


11AX40MIMO_Ant0_5795_242Tone_RU62


11AX40MIMO_Ant1_5795_242Tone_RU62


11AX80MIMO_Ant0_5210_484Tone_RU65


11AX80MIMO_Ant1_5210_484Tone_RU65


11AX80MIMO_Ant0_5290_484Tone_RU66


11AX80MIMO_Ant1_5290_484Tone_RU66


11AX80MIMO_Ant0_5530_484Tone_RU65


11AX80MIMO_Ant1_5530_484Tone_RU65


11AX80MIMO_Ant0_5610_484Tone_RU65


11AX80MIMO_Ant1_5610_484Tone_RU65


11AX80MIMO_Ant0_5690_484Tone_RU66


11AX80MIMO_Ant1_5690_484Tone_RU66


11AX80MIMO_Ant0_5775_484Tone_RU65


11AX80MIMO_Ant0_5775_484Tone_RU66


11AX80MIMO_Ant1_5775_484Tone_RU65


11AX80MIMO_Ant1_5775_484Tone_RU66


Appendix B. AC Conducted Emission Test Results

Test Engineer :	Yuki	**Temperature :**	22~24℃
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	**Phase :**	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15E QP LISN 2025-L LINE

		Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
		MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1		0.15	36.95	-18.96	55.91	17.10	9.66	10.19	Average
2	*	0.15	48.65	-17.26	65.91	28.80	9.66	10.19	QP
3		0.16	36.16	-19.27	55.43	16.30	9.67	10.19	Average
4		0.16	47.66	-17.77	65.43	27.80	9.67	10.19	QP
5		0.18	30.77	-23.78	54.55	10.90	9.69	10.18	Average
6		0.18	42.07	-22.48	64.55	22.20	9.69	10.18	QP
7		0.24	27.21	-24.96	52.17	7.30	9.72	10.19	Average
8		0.24	35.91	-26.26	62.17	16.00	9.72	10.19	QP
9		0.38	34.64	-13.57	48.21	14.70	9.72	10.22	Average
10		0.38	38.04	-20.17	58.21	18.10	9.72	10.22	QP
11		0.60	25.30	-20.70	46.00	5.40	9.66	10.24	Average
12		0.60	35.40	-20.60	56.00	15.50	9.66	10.24	QP

Test Engineer :	Yuki	**Temperature :**	22~24℃
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	**Phase :**	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15E QP LISN 2025-N NEUTRAL

		Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
		MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1		0.15	36.04	-19.96	56.00	16.30	9.55	10.19	Average
2	*	0.15	48.54	-17.46	66.00	28.80	9.55	10.19	QP
3		0.18	31.06	-23.58	54.64	11.10	9.78	10.18	Average
4		0.18	43.26	-21.38	64.64	23.30	9.78	10.18	QP
5		0.21	28.38	-24.89	53.27	8.40	9.80	10.18	Average
6		0.21	40.28	-22.99	63.27	20.30	9.80	10.18	QP
7		0.29	21.74	-28.80	50.54	1.71	9.83	10.20	Average
8		0.29	32.54	-28.00	60.54	12.51	9.83	10.20	QP
9		0.54	26.26	-19.74	46.00	6.40	9.62	10.24	Average
10		0.54	33.06	-22.94	56.00	13.20	9.62	10.24	QP
11		0.61	24.58	-21.42	46.00	4.69	9.65	10.24	Average
12		0.61	35.48	-20.52	56.00	15.59	9.65	10.24	QP

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)

Appendix C. Radiated Spurious Emission

Test Engineer :	Koi Ji	Relative Humidity :	41 ~ 43 %
		Temperature :	20.2 ~ 21.5 ℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	0+1	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	0+1	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	0+1	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-1	5.15-5.25	0+1	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 5	U-NII-1	5.15-5.25	0+1	802.11ax HE20	36	5180	MCS0	RU106/53	-
Mode 6	U-NII-1	5.15-5.25	0+1	802.11ax HE20	44	5220	MCS0	Full RU	-
Mode 7	U-NII-1	5.15-5.25	0+1	802.11ax HE20	48	5240	MCS0	Full RU	-
Mode 8	U-NII-1	5.15-5.25	0+1	802.11ax HE40	38	5190	MCS0	Full	-
Mode 9	U-NII-1	5.15-5.25	0+1	802.11ax HE40	38	5190	MCS0	RU242/61	-
Mode 10	U-NII-1	5.15-5.25	0+1	802.11ax HE40	46	5230	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	0+1	802.11ax HE80	42	5210	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	0+1	802.11ax HE80	42	5210	MCS0	RU484/65	-
Mode 13	U-NII-2A	5.25-5.35	0+1	802.11a	52	5260	6Mbps	-	-
Mode 14	U-NII-2A	5.25-5.35	0+1	802.11a	60	5300	6Mbps	-	-
Mode 15	U-NII-2A	5.25-5.35	0+1	802.11a	64	5320	6Mbps	-	-
Mode 16	U-NII-2A	5.25-5.35	0+1	802.11ax HE20	52	5260	MCS0	Full	-
Mode 17	U-NII-2A	5.25-5.35	0+1	802.11ax HE20	60	5300	MCS0	Full	-
Mode 18	U-NII-2A	5.25-5.35	0+1	802.11ax HE20	64	5320	MCS0	Full	-
Mode 19	U-NII-2A	5.25-5.35	0+1	802.11ax HE20	60	5300	MCS0	RU106/54	-
Mode 20	U-NII-2A	5.25-5.35	0+1	802.11ax HE40	54	5270	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	0+1	802.11ax HE40	62	5310	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	0+1	802.11ax HE40	62	5310	MCS0	RU242/62	-
Mode 23	U-NII-2A	5.25-5.35	0+1	802.11ax HE80	58	5290	MCS0	Full	-
Mode 24	U-NII-2A	5.25-5.35	0+1	802.11ax HE80	58	5290	MCS0	RU484/66	-
Mode 25	U-NII-2C	5.47-5.725	0+1	802.11a	100	5500	6Mbps	-	-
Mode 26	U-NII-2C	5.47-5.725	0+1	802.11a	116	5580	6Mbps	-	-
Mode 27	U-NII-2C	5.47-5.725	0+1	802.11a	140	5700	6Mbps	-	-
Mode 28	U-NII-2C	5.47-5.725	0+1	802.11ax HE20	100	5500	MCS0	-	-
Mode 29	U-NII-2C	5.47-5.725	0+1	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 30	U-NII-2C	5.47-5.725	0+1	802.11ax HE20	116	5580	MCS0	-	-
Mode 31	U-NII-2C	5.47-5.725	0+1	802.11ax HE20	140	5700	MCS0	-	-
Mode 32	U-NII-2C	5.47-5.725	0+1	802.11ax HE20	140	5700	MCS0	RU106/54	-

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 33	U-NII-2C	5.47-5.725	0+1	802.11ax HE40	102	5510	MCS0	Full	-
Mode 34	U-NII-2C	5.47-5.725	0+1	802.11ax HE40	102	5510	MCS0	RU242/61	-
Mode 35	U-NII-2C	5.47-5.725	0+1	802.11ax HE40	110	5550	MCS0	Full	-
Mode 36	U-NII-2C	5.47-5.725	0+1	802.11ax HE40	134	5670	MCS0	Full	-
Mode 37	U-NII-2C	5.47-5.725	0+1	802.11ax HE40	134	5670	MCS0	RU242/62	-
Mode 38	U-NII-2C	5.47-5.725	0+1	802.11ax HE80	106	5530	MCS0	Full	-
Mode 39	U-NII-2C	5.47-5.725	0+1	802.11ax HE80	106	5530	MCS0	RU484/65	-
Mode 40	U-NII-2C	5.47-5.725	0+1	802.11ax HE80	122	5610	MCS0	Full	-
Mode 41	U-NII-2C	5.47-5.725	0+1	802.11ax HE80	122	5610	MCS0	RU484/66	-
Mode 42	U-NII-2C	5.47-5.725	0+1	802.11a	144	5720	6Mbps	-	-
Mode 43	U-NII-2C	5.47-5.725	0+1	802.11ax HE20	144	5720	MCS0	-	-
Mode 44	U-NII-2C	5.47-5.725	0+1	802.11ax HE40	142	5710	MCS0	-	-
Mode 45	U-NII-2C	5.47-5.725	0+1	802.11ax HE80	138	5690	MCS0	-	-
Mode 46	U-NII-3	5.725-5.85	0+1	802.11a	149	5745	6Mbps	-	-
Mode 47	U-NII-3	5.725-5.85	0+1	802.11a	157	5785	6Mbps	-	-
Mode 48	U-NII-3	5.725-5.85	0+1	802.11a	165	5825	6Mbps	-	-
Mode 49	U-NII-3	5.725-5.85	0+1	802.11ax HE20	149	5745	MCS0	Full	-
Mode 50	U-NII-3	5.725-5.85	0+1	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 51	U-NII-3	5.725-5.85	0+1	802.11ax HE20	157	5785	MCS0	Full	-
Mode 52	U-NII-3	5.725-5.85	0+1	802.11ax HE20	165	5825	MCS0	Full	-
Mode 53	U-NII-3	5.725-5.85	0+1	802.11ax HE20	165	5825	MCS0	RU106/54	-
Mode 54	U-NII-3	5.725-5.85	0+1	802.11ax HE40	151	5755	MCS0	Full	-
Mode 55	U-NII-3	5.725-5.85	0+1	802.11ax HE40	151	5755	MCS0	RU242/61	-
Mode 56	U-NII-3	5.725-5.85	0+1	802.11ax HE40	159	5795	MCS0	Full	-
Mode 57	U-NII-3	5.725-5.85	0+1	802.11ax HE40	159	5795	MCS0	RU242/62	-
Mode 58	U-NII-3	5.725-5.85	0+1	802.11ax HE80	155	5775	MCS0	Full	-
Mode 59	U-NII-3	5.725-5.85	0+1	802.11ax HE80	155	5775	MCS0	RU484/65	-
Mode 60	U-NII-3	5.725-5.85	0+1	802.11ax HE80	155	5775	MCS0	RU484/66	-

Note: For 802.11n/11ac/11ax mode, the whole testing have assessed only 802.11 ax HE20/HE40/HE80 by referring to the higher output power for RSE testing.

Co-location mode

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 61	U-NII-2A	5.25-5.35	0+1	802.11ax HE20	64	5320	MCS0	Full	-
	2400-2483.5	2400-2483.5	0	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-
	NFC On								

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5150.00	52.40	54.00	-1.60	V	AVERAGE	Pass	Band Edge
	802.11a	36	10360.00	44.55	68.20	-23.65	H	PEAK	Pass	Harmonic
2	802.11a	44	5149.82	51.70	54.00	-2.30	H	AVERAGE	Pass	Band Edge
	802.11a	44	10440.00	44.96	68.20	-23.24	V	PEAK	Pass	Harmonic
3	802.11a	48	5141.36	50.39	54.00	-3.61	H	AVERAGE	Pass	Band Edge
	802.11a	48	10480.00	44.87	68.20	-23.33	V	PEAK	Pass	Harmonic
4	802.11ax HE20	36	5150.00	52.37	54.00	-1.63	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	10360.00	45.91	68.20	-22.29	V	PEAK	Pass	Harmonic
5	802.11ax HE20	36	5149.15	49.97	54.00	-4.03	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
6	802.11ax HE20	44	5149.82	51.63	54.00	-2.37	H	AVERAGE	Pass	Band Edge
6	802.11ax HE20	44	10440.00	45.77	68.20	-22.43	H	PEAK	Pass	Harmonic
7	802.11ax HE20	48	5146.16	51.13	54.00	-2.87	H	AVERAGE	Pass	Band Edge
7	802.11ax HE20	48	10480.00	45.53	68.20	-22.67	V	PEAK	Pass	Harmonic
8	802.11ax HE40	38	5149.69	51.87	54.00	-2.13	H	AVERAGE	Pass	Band Edge
8	802.11ax HE40	38	10380.00	45.36	68.20	-22.84	V	PEAK	Pass	Harmonic
9	802.11ax HE40	38	5150.00	50.72	54.00	-3.28	H	AVERAGE	Pass	Band Edge
9	802.11ax HE40	38	-	-	-	-	-	-	-	Harmonic
10	802.11ax HE40	46	5148.57	51.94	54.00	-2.06	H	AVERAGE	Pass	Band Edge
10	802.11ax HE40	46	10460.00	45.62	68.20	-22.58	H	PEAK	Pass	Harmonic
11	802.11ax HE80	42	5147.93	52.26	54.00	-1.74	H	AVERAGE	Pass	Band Edge
11	802.11ax HE80	42	10420.00	45.08	68.20	-23.12	H	PEAK	Pass	Harmonic
12	802.11ax HE80	42	5149.85	52.74	54.00	-1.26	H	AVERAGE	Pass	Band Edge
12	802.11ax HE80	42	-	-	-	-	-	-	-	Harmonic
13	802.11a	52	5149.76	49.96	54.00	-4.04	H	AVERAGE	Pass	Band Edge
13	802.11a	52	10520.00	45.40	68.20	-22.80	H	PEAK	Pass	Harmonic
14	802.11a	60	5350.70	52.58	54.00	-1.42	H	AVERAGE	Pass	Band Edge
14	802.11a	60	10600.00	46.01	74.00	-27.99	V	PEAK	Pass	Harmonic
15	802.11a	64	5350.00	52.55	54.00	-1.45	H	AVERAGE	Pass	Band Edge
15	802.11a	64	10640.00	45.74	74.00	-28.26	H	PEAK	Pass	Harmonic
16	802.11ax HE20	52	5148.80	50.54	54.00	-3.46	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	52	10520.00	45.62	68.20	-22.58	V	PEAK	Pass	Harmonic
17	802.11ax HE20	60	5357.65	49.83	54.00	-4.17	H	AVERAGE	Pass	Band Edge
17	802.11ax HE20	60	10600.00	46.14	74.00	-27.86	V	PEAK	Pass	Harmonic
18	802.11ax HE20	64	5350.00	53.00	54.00	-1.00	H	AVERAGE	Pass	Band Edge
18	802.11ax HE20	64	10640.00	45.83	74.00	-28.17	H	PEAK	Pass	Harmonic
19	802.11ax HE20	60	5362.75	47.57	54.00	-6.43	H	AVERAGE	Pass	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
19	802.11ax HE20	60	-	-	-	-	-	-	-	Harmonic
20	802.11ax HE40	54	5350.00	52.18	54.00	-1.82	H	AVERAGE	Pass	Band Edge
20	802.11ax HE40	54	10540.00	45.82	68.20	-22.38	V	PEAK	Pass	Harmonic
21	802.11ax HE40	62	5350.00	51.63	54.00	-2.37	H	AVERAGE	Pass	Band Edge
21	802.11ax HE40	62	10620.00	45.46	74.00	-28.54	H	PEAK	Pass	Harmonic
22	802.11ax HE40	62	5356.25	47.68	54.00	-6.32	H	AVERAGE	Pass	Band Edge
22	802.11ax HE40	62	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE80	58	5351.85	52.04	54.00	-1.96	H	AVERAGE	Pass	Band Edge
23	802.11ax HE80	58	10580.00	45.77	68.20	-22.43	H	PEAK	Pass	Harmonic
24	802.11ax HE80	58	5350.35	51.99	54.00	-2.01	H	AVERAGE	Pass	Band Edge
24	802.11ax HE80	58	-	-	-	-	-	-	-	Harmonic
25	802.11a	100	5455.05	49.19	54.00	-4.81	H	AVERAGE	Pass	Band Edge
25	802.11a	100	11000.00	46.36	74.00	-27.64	H	PEAK	Pass	Harmonic
26	802.11a	116	5457.87	47.79	54.00	-6.21	H	AVERAGE	Pass	Band Edge
26	802.11a	116	11160.00	46.37	74.00	-27.63	V	PEAK	Pass	Harmonic
27	802.11a	140	5725.08	66.81	68.20	-1.39	V	Peak	Pass	Band Edge
27	802.11a	140	11400.00	37.26	54.00	-16.74	V	AVERAGE	Pass	Harmonic
28	802.11ax HE20	100	5459.92	51.30	54.00	-2.70	H	AVERAGE	Pass	Band Edge
28	802.11ax HE20	100	11000.00	46.17	74.00	-27.83	V	PEAK	Pass	Harmonic
29	802.11ax HE20	100	5460.00	49.00	54.00	-5.00	H	AVERAGE	Pass	Band Edge
29	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	116	5457.73	47.49	54.00	-6.51	H	AVERAGE	Pass	Band Edge
30	802.11ax HE20	116	11160.00	46.19	74.00	-27.81	V	PEAK	Pass	Harmonic
31	802.11ax HE20	140	5725.32	66.88	68.2	-1.32	V	PEAK	Pass	Band Edge
31	802.11ax HE20	140	11400.00	46.87	74.00	-27.13	V	PEAK	Pass	Harmonic
32	802.11ax HE20	140	5727.52	59.60	68.20	-8.60	H	PEAK	Pass	Band Edge
32	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
33	802.11ax HE40	102	5457.77	51.27	54.00	-2.73	H	AVERAGE	Pass	Band Edge
33	802.11ax HE40	102	11020.00	46.02	74.00	-27.98	V	PEAK	Pass	Harmonic
34	802.11ax HE40	102	5457.29	49.67	54.00	-4.33	H	AVERAGE	Pass	Band Edge
34	802.11ax HE40	102	-	-	-	-	-	-	-	Harmonic
35	802.11ax HE40	110	5459.80	50.99	54.00	-3.01	H	AVERAGE	Pass	Band Edge
35	802.11ax HE40	110	11100.00	45.96	74.00	-28.04	V	PEAK	Pass	Harmonic
36	802.11ax HE40	134	5726.48	64.26	68.20	-3.94	H	PEAK	Pass	Band Edge
36	802.11ax HE40	134	11340.00	46.68	74.00	-27.32	H	PEAK	Pass	Harmonic
37	802.11ax HE40	134	5459.21	46.88	54.00	-7.12	H	AVERAGE	Pass	Band Edge
37	802.11ax HE40	134	-	-	-	-	-	-	-	Harmonic
38	802.11ax HE80	106	5457.93	52.70	54.00	-1.30	H	AVERAGE	Pass	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
38	802.11ax HE80	106	11060.00	45.60	74.00	-28.40	H	PEAK	Pass	Harmonic
39	802.11ax HE80	106	5362.36	50.06	54.00	-3.94	H	AVERAGE	Pass	Band Edge
39	802.11ax HE80	106	-	-	-	-	-	-	-	Harmonic
40	802.11ax HE80	122	5440.49	51.62	54.00	-2.38	H	AVERAGE	Pass	Band Edge
40	802.11ax HE80	122	11220.00	46.77	74.00	-27.23	V	PEAK	Pass	Harmonic
41	802.11ax HE80	122	5439.68	48.83	54.00	-5.17	H	AVERAGE	Pass	Band Edge
41	802.11ax HE80	122	-	-	-	-	-	-	-	Harmonic
42	802.11a	144	-	-	-	-	-	-	-	Band Edge
42	802.11a	144	11440.00	37.34	54.00	-16.66	V	AVERAGE	Pass	Harmonic
43	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE20	144	11440.00	37.54	54.00	-16.46	H	AVERAGE	Pass	Harmonic
44	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE40	142	11420.00	37.77	54.00	-16.23	V	AVERAGE	Pass	Harmonic
45	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE80	138	11380.00	37.69	54.00	-16.31	H	AVERAGE	Pass	Harmonic
46	802.11a	149	5646.40	61.76	68.20	-6.44	H	PEAK	Pass	Band Edge
46	802.11a	149	11490.00	37.90	54.00	-16.10	V	AVERAGE	Pass	Harmonic
47	802.11a	157	5945.20	58.90	68.20	-9.30	H	PEAK	Pass	Band Edge
47	802.11a	157	11570.00	37.80	54.00	-16.20	V	AVERAGE	Pass	Harmonic
48	802.11a	165	5988.00	58.79	68.20	-9.41	V	PEAK	Pass	Band Edge
48	802.11a	165	11650.00	46.64	74.00	-27.36	V	PEAK	Pass	Harmonic
49	802.11ax HE20	149	5638.40	56.00	68.20	-12.20	H	PEAK	Pass	Band Edge
49	802.11ax HE20	149	11490.00	37.89	54.00	-16.11	V	AVERAGE	Pass	Harmonic
50	802.11ax HE20	149	5641.20	60.39	68.20	-7.81	H	PEAK	Pass	Band Edge
50	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
51	802.11ax HE20	157	5627.20	58.87	68.20	-9.33	H	PEAK	Pass	Band Edge
51	802.11ax HE20	157	11570.00	46.94	74.00	-27.06	H	PEAK	Pass	Harmonic
52	802.11ax HE20	165	5938.00	53.67	68.20	-14.53	H	PEAK	Pass	Band Edge
52	802.11ax HE20	165	11650.00	46.73	74.00	-27.27	H	PEAK	Pass	Harmonic
53	802.11ax HE20	165	5975.60	58.39	68.20	-9.81	V	PEAK	Pass	Band Edge
53	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE40	151	5619.38	57.92	68.20	-10.28	H	PEAK	Pass	Band Edge
54	802.11ax HE40	151	11510.00	37.91	54.00	-16.09	H	AVERAGE	Pass	Harmonic
55	802.11ax HE40	151	5646.35	63.20	68.20	-5.00	H	PEAK	Pass	Band Edge
55	802.11ax HE40	151	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE40	159	5627.20	58.34	68.20	-9.86	H	PEAK	Pass	Band Edge
56	802.11ax HE40	159	11590.00	37.94	54.00	-16.06	H	AVERAGE	Pass	Harmonic
57	802.11ax HE40	159	5648.80	60.73	68.20	-7.47	H	PEAK	Pass	Band Edge

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
57	802.11ax HE40	159	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE80	155	5647.60	64.95	68.20	-3.25	H	PEAK	Pass	Band Edge
58	802.11ax HE80	155	11550.00	37.73	54.00	-16.27	V	AVERAGE	Pass	Harmonic
59	802.11ax HE80	155	5647.20	64.58	68.20	-3.62	V	PEAK	Pass	Band Edge
59	802.11ax HE80	155	-	-	-	-	-	-	-	Harmonic
60	802.11ax HE80	155	5614.40	64.95	68.20	-3.25	H	PEAK	Pass	Band Edge
60	802.11ax HE80	155	-	-	-	-	-	-	-	Harmonic

Co-location

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
61	802.11ax HE20	64	2484.10	43.83	54.00	-10.17	H	AVERAGE	Pass	Band Edge
	802.11ax HE20	64	5320.00	69.33	74.00	-4.67	H	PEAK	Pass	Harmonic
61	Bluetooth-LE_GSFK	39	5350.05	52.55	54.00	-1.45	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSFK	39	10640.00	45.89	74.00	-28.11	V	PEAK	Pass	Harmonic

Mode	1	
	Band Edge	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5148.70	63.40	74.00	-10.60	51.30	34.20	9.79	31.89	0.00	300	305	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	108.02	------	------	95.89	34.20	9.81	31.88	0.00	300	305	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5148.60	48.60	54.00	-5.40	36.50	34.20	9.79	31.89	0.00	300	305	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	101.08	------	------	88.95	34.20	9.81	31.88	0.00	300	305	AVERAGE

Mode	1	
	Band Edge	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5148.80	63.66	74.00	-10.34	51.56	34.20	9.79	31.89	0.00	211	247	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	113.62	------	------	101.48	34.20	9.81	31.87	0.00	211	247	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5150.00	52.40	54.00	-1.60	40.30	34.20	9.79	31.89	0.00	211	247	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	105.51	------	------	93.37	34.20	9.81	31.87	0.00	211	247	AVERAGE

Mode	1
	Harmonic
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz
ANT	0+1

Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10360.00 44.55 68.20 -23.65 54.05 37.35 15.30 62.15 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10360.00 44.29 68.20 -23.91 53.78 37.36 15.30 62.15 0.00 --- --- PEAK

Mode	2	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5137.50	61.83	74.00	-12.17	54.62	34.01	10.64	37.44	0.00	267	210	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5220.00	114.11	------	------	106.57	34.22	10.72	37.40	0.00	267	210	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5149.82	51.70	54.00	-2.30	44.43	34.05	10.65	37.43	0.00	267	210	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5220.00	108.16	------	------	100.62	34.22	10.72	37.40	0.00	267	210	AVERAGE

Mode	2	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5434.80 57.79 74.00 -16.21 49.79 34.37 10.94 37.31 0.00 267 210 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5380.32 48.71 54.00 -5.29 40.79 34.38 10.87 37.33 0.00 267 210 AVERAGE	Blank

Mode	2	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5054.34	58.20	74.00	-15.80	51.23	33.90	10.55	37.48	0.00	300	212	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5220.00	104.16	------	------	96.62	34.22	10.72	37.40	0.00	300	212	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5142.34	48.23	54.00	-5.77	40.99	34.03	10.65	37.44	0.00	300	212	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5220.00	97.02	------	------	89.47	34.22	10.73	37.40	0.00	300	212	AVERAGE

Mode	2	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5373.60 57.38 74.00 -16.62 49.49 34.37 10.86 37.34 0.00 300 212 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5457.12 46.29 54.00 -7.71 38.29 34.34 10.96 37.30 0.00 300 212 AVERAGE	Blank

Mode	2
	Harmonic
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz
ANT	0+1

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	10440.00	44.86	68.20	-23.34	54.20	37.41	15.36	62.11	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	10440.00	44.96	68.20	-23.24	54.30	37.41	15.36	62.11	0.00	---	---	PEAK

Mode	3	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5148.80	60.72	74.00	-13.28	53.45	34.05	10.65	37.43	0.00	300	198	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5240.00	114.68	------	------	107.07	34.25	10.75	37.39	0.00	300	198	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5141.36	50.39	54.00	-3.61	43.16	34.02	10.65	37.44	0.00	300	198	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5240.00	108.01	------	------	100.42	34.24	10.74	37.39	0.00	300	198	AVERAGE

Mode	3	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz	
ANT	0+1	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5401.26 58.04 74.00 -15.96 50.07 34.40 10.89 37.32 0.00 300 198 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5353.96 49.58 54.00 -4.42 41.74 34.35 10.84 37.35 0.00 300 198 AVERAGE	Blank

Mode	3	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz	
ANT	0+1	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5131.76	58.77	74.00	-15.23	51.58	34.00	10.63	37.44	0.00	300	200	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5240.00	108.12	------	------	100.53	34.24	10.74	37.39	0.00	300	200	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5146.88	48.25	54.00	-5.75	41.00	34.04	10.65	37.44	0.00	300	200	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5240.00	101.14	------	------	93.55	34.24	10.74	37.39	0.00	300	200	AVERAGE

Mode	3	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz	
ANT	0+1	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5446.14 56.73 74.00 -17.27 48.73 34.35 10.95 37.30 0.00 300 200 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5353.30 46.52 54.00 -7.48 38.68 34.35 10.84 37.35 0.00 300 200 AVERAGE	Blank

Mode	3
	Harmonic
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz
ANT	0+1

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	10480.00	44.27	68.20	-23.93	53.54	37.44	15.39	62.10	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	10480.00	44.87	68.20	-23.33	54.16	37.43	15.38	62.10	0.00	---	---	PEAK