












Mode	30																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																									
ANT	0+1																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																			
Peak																																																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.26	58.82	74.00	-15.18	41.78	34.59	12.32	29.87	0.00	286	195	PEAK	2	5463.85	56.24	68.20	-11.96	39.21	34.57	12.34	29.88	0.00	286	195	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	113.52	-----	-----	96.31	34.50	12.49	29.78	0.00	286	195	PEAK					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5453.26	58.82	74.00	-15.18	41.78	34.59	12.32	29.87	0.00	286	195	PEAK																																																																																														
2	5463.85	56.24	68.20	-11.96	39.21	34.57	12.34	29.88	0.00	286	195	PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5580.00	113.52	-----	-----	96.31	34.50	12.49	29.78	0.00	286	195	PEAK																																																																																														
Avg																																																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.73	47.49	54.00	-6.51	30.45	34.58	12.33	29.87	0.00	286	195	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	105.57	-----	-----	88.36	34.50	12.49	29.78	0.00	286	195	AVERAGE																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5457.73	47.49	54.00	-6.51	30.45	34.58	12.33	29.87	0.00	286	195	AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5580.00	105.57	-----	-----	88.36	34.50	12.49	29.78	0.00	286	195	AVERAGE																																																																																														




Mode	30																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.28</td><td>57.30</td><td>68.20</td><td>-10.90</td><td>39.85</td><td>34.67</td><td>12.69</td><td>29.91</td><td>0.00</td><td>286</td><td>195</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.28	57.30	68.20	-10.90	39.85	34.67	12.69	29.91	0.00	286	195	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5735.28	57.30	68.20	-10.90	39.85	34.67	12.69	29.91	0.00	286	195	PEAK																																												





Mode	30																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																													
ANT	0+1																																																																																																													
Pol.	Vertical						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.85</td><td>56.36</td><td>74.00</td><td>-17.64</td><td>39.31</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>300</td><td>317 PEAK</td></tr><tr><td>2</td><td>5464.97</td><td>56.79</td><td>68.20</td><td>-11.41</td><td>39.76</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>300</td><td>317 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.85	56.36	74.00	-17.64	39.31	34.59	12.33	29.87	0.00	300	317 PEAK	2	5464.97	56.79	68.20	-11.41	39.76	34.57	12.34	29.88	0.00	300	317 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>110.66</td><td>-----</td><td>-----</td><td>93.45</td><td>34.50</td><td>12.49</td><td>29.78</td><td>0.00</td><td>300</td><td>317 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	110.66	-----	-----	93.45	34.50	12.49	29.78	0.00	300	317 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5455.85	56.36	74.00	-17.64	39.31	34.59	12.33	29.87	0.00	300	317 PEAK																																																																																																			
2	5464.97	56.79	68.20	-11.41	39.76	34.57	12.34	29.88	0.00	300	317 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5580.00	110.66	-----	-----	93.45	34.50	12.49	29.78	0.00	300	317 PEAK																																																																																																			
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.05</td><td>46.00</td><td>54.00</td><td>-7.20</td><td>29.76</td><td>34.59</td><td>12.32</td><td>29.87</td><td>0.00</td><td>300</td><td>317 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.05	46.00	54.00	-7.20	29.76	34.59	12.32	29.87	0.00	300	317 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>103.19</td><td>-----</td><td>-----</td><td>85.98</td><td>34.50</td><td>12.49</td><td>29.78</td><td>0.00</td><td>300</td><td>317 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	103.19	-----	-----	85.98	34.50	12.49	29.78	0.00	300	317 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5455.05	46.00	54.00	-7.20	29.76	34.59	12.32	29.87	0.00	300	317 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5580.00	103.19	-----	-----	85.98	34.50	12.49	29.78	0.00	300	317 AVERAGE																																																																																																			






Mode	30																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																							
ANT	0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.12</td><td>58.28</td><td>68.20</td><td>-9.92</td><td>40.88</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>300</td><td>317</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.12	58.28	68.20	-9.92	40.88	34.65	12.68	29.93	0.00	300	317	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5727.12	58.28	68.20	-9.92	40.88	34.65	12.68	29.93	0.00	300	317	PEAK																																												






Mode	30																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>54.91</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	45.79	74.00	-28.21	54.91	37.96	18.29	65.37	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>55.31</td><td>37.96</td><td>18.29</td><td>65.37</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	46.19	74.00	-27.81	55.31	37.96	18.29	65.37	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11160.00	45.79	74.00	-28.21	54.91	37.96	18.29	65.37	0.00	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11160.00	46.19	74.00	-27.81	55.31	37.96	18.29	65.37	0.00	--	--	PEAK																																																																																							



Mode	31																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																				
ANT	0+1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5731.80</td><td>61.23</td><td>68.20</td><td>-6.97</td><td>48.14</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>100</td><td>124 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.80	61.23	68.20	-6.97	48.14	34.60	10.35	31.86	0.00	100	124 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>106.11</td><td>-----</td><td>-----</td><td>92.97</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>124 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	106.11	-----	-----	92.97	34.60	10.33	31.79	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5731.80	61.23	68.20	-6.97	48.14	34.60	10.35	31.86	0.00	100	124 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	106.11	-----	-----	92.97	34.60	10.33	31.79	0.00	100	124 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>99.21</td><td>-----</td><td>-----</td><td>86.06</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>100</td><td>124 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	99.21	-----	-----	86.06	34.60	10.32	31.77	0.00	100	124 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	99.21	-----	-----	86.06	34.60	10.32	31.77	0.00	100	124 AVERAGE																																																																																										






Mode	31																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.32</td><td>66.88</td><td>68.20</td><td>-1.32</td><td>53.78</td><td>34.60</td><td>10.34</td><td>31.84</td><td>0.00</td><td>214</td><td>244 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.32	66.88	68.20	-1.32	53.78	34.60	10.34	31.84	0.00	214	244 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>110.41</td><td>-----</td><td>-----</td><td>97.26</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>214</td><td>244 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	110.41	-----	-----	97.26	34.60	10.32	31.77	0.00	214
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5725.32	66.88	68.20	-1.32	53.78	34.60	10.34	31.84	0.00	214	244 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	110.41	-----	-----	97.26	34.60	10.32	31.77	0.00	214	244 PEAK																																																																																									
Avg	Blank																																																																																																			
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>101.79</td><td>-----</td><td>-----</td><td>88.64</td><td>34.60</td><td>10.32</td><td>31.77</td><td>0.00</td><td>214</td><td>244 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.79	-----	-----	88.64	34.60	10.32	31.77	0.00	214	244 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	101.79	-----	-----	88.64	34.60	10.32	31.77	0.00	214	244 AVERAGE																																																																																									






Mode	31																																																							
	Harmonic																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.85</td><td>74.00</td><td>-27.15</td><td>54.80</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	46.85	74.00	-27.15	54.80	38.00	18.50	64.45	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11400.00	46.85	74.00	-27.15	54.80	38.00	18.50	64.45	0.00	--	--	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>54.82</td><td>38.00</td><td>18.50</td><td>64.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	46.87	74.00	-27.13	54.82	38.00	18.50	64.45	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11400.00	46.87	74.00	-27.13	54.82	38.00	18.50	64.45	0.00	--	--	PEAK																																												







Mode	32																																																					
	Band Edge																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																					
ANT	0+1																																																					
Pol.	Horizontal																																																					
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.52</td><td>59.60</td><td>68.20</td><td>-8.60</td><td>42.19</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>240</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.52	59.60	68.20	-8.60	42.19	34.66	12.68	29.93	0.00	240	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5727.52	59.60	68.20	-8.60	42.19	34.66	12.68	29.93	0.00	240	0 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>112.60</td><td>-----</td><td>-----</td><td>95.35</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>240</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	112.60	-----	-----	95.35	34.60	12.65	30.00	0.00	240	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5700.00	112.60	-----	-----	95.35	34.60	12.65	30.00	0.00	240	0 PEAK																																											
Avg	Blank																																																					
																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>102.82</td><td>-----</td><td>-----</td><td>85.57</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>240</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.82	-----	-----	85.57	34.60	12.65	30.00	0.00	240	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5700.00	102.82	-----	-----	85.57	34.60	12.65	30.00	0.00	240	0 AVERAGE																																											



Mode	32																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_RU106/54_5700MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.76</td><td>58.15</td><td>68.20</td><td>-10.05</td><td>40.74</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>259</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.76	58.15	68.20	-10.05	40.74	34.66	12.68	29.93	0.00	259	305	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>109.27</td><td>-----</td><td>-----</td><td>92.02</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>259</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	109.27	-----	-----	92.02	34.60	12.65	30.00	0.00	259	305	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5729.76	58.15	68.20	-10.05	40.74	34.66	12.68	29.93	0.00	259	305	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	109.27	-----	-----	92.02	34.60	12.65	30.00	0.00	259	305	PEAK																																																																																								
Avg	Blank																																																																																																			
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>100.35</td><td>-----</td><td>-----</td><td>83.10</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>259</td><td>305</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	100.35	-----	-----	83.10	34.60	12.65	30.00	0.00	259	305	AVERAGE																																												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5700.00	100.35	-----	-----	83.10	34.60	12.65	30.00	0.00	259	305	AVERAGE																																																																																								







Mode	33																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																				
ANT	0+1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.33	63.13	74.00	-10.87	46.08	34.59	12.33	29.87	0.00	100	115	PEAK	2	5467.05	65.32	68.20	-2.88	48.30	34.57	12.34	29.89	0.00	100	115	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>107.87</td><td>-----</td><td>-----</td><td>90.87</td><td>34.50</td><td>12.41</td><td>29.91</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.87	-----	-----	90.87	34.50	12.41	29.91	0.00	100	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5456.33	63.13	74.00	-10.87	46.08	34.59	12.33	29.87	0.00	100	115	PEAK																																																																																									
2	5467.05	65.32	68.20	-2.88	48.30	34.57	12.34	29.89	0.00	100	115	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5510.00	107.87	-----	-----	90.87	34.50	12.41	29.91	0.00	100	115	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.77	51.27	54.00	-2.73	34.23	34.58	12.33	29.87	0.00	100	115	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>98.08</td><td>-----</td><td>-----</td><td>81.08</td><td>34.50</td><td>12.41</td><td>29.91</td><td>0.00</td><td>100</td><td>115</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.08	-----	-----	81.08	34.50	12.41	29.91	0.00	100	115	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5457.77	51.27	54.00	-2.73	34.23	34.58	12.33	29.87	0.00	100	115	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5510.00	98.08	-----	-----	81.08	34.50	12.41	29.91	0.00	100	115	AVERAGE																																																																																									




Mode	33																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.72</td><td>57.16</td><td>68.20</td><td>-11.04</td><td>39.75</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.72	57.16	68.20	-11.04	39.75	34.66	12.68	29.93	0.00	100	115	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5728.72	57.16	68.20	-11.04	39.75	34.66	12.68	29.93	0.00	100	115	PEAK																																												





Mode	33																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.69</td><td>59.72</td><td>74.00</td><td>-14.28</td><td>42.67</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>293</td><td>339</td><td>PEAK</td></tr><tr><td>2</td><td>5467.05</td><td>63.17</td><td>68.20</td><td>-5.03</td><td>46.15</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>293</td><td>339</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.69	59.72	74.00	-14.28	42.67	34.59	12.33	29.87	0.00	293	339	PEAK	2	5467.05	63.17	68.20	-5.03	46.15	34.57	12.34	29.89	0.00	293	339	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>105.21</td><td>-----</td><td>-----</td><td>88.26</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>293</td><td>339</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	105.21	-----	-----	88.26	34.51	12.38	29.94	0.00	293	339
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5455.69	59.72	74.00	-14.28	42.67	34.59	12.33	29.87	0.00	293	339	PEAK																																																																																																				
2	5467.05	63.17	68.20	-5.03	46.15	34.57	12.34	29.89	0.00	293	339	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	105.21	-----	-----	88.26	34.51	12.38	29.94	0.00	293	339	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.61</td><td>49.40</td><td>54.00</td><td>-4.60</td><td>32.36</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>293</td><td>339</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.61	49.40	54.00	-4.60	32.36	34.58	12.33	29.87	0.00	293	339	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>96.47</td><td>-----</td><td>-----</td><td>79.48</td><td>34.50</td><td>12.40</td><td>29.91</td><td>0.00</td><td>293</td><td>339</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.47	-----	-----	79.48	34.50	12.40	29.91	0.00	293	339	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.61	49.40	54.00	-4.60	32.36	34.58	12.33	29.87	0.00	293	339	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	96.47	-----	-----	79.48	34.50	12.40	29.91	0.00	293	339	AVERAGE																																																																																																				







Mode	33																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.36</td><td>58.27</td><td>68.20</td><td>-9.93</td><td>40.87</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>293</td><td>339</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5727.36	58.27	68.20	-9.93	40.87	34.65	12.68	29.93	0.00	293	339	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5727.36	58.27	68.20	-9.93	40.87	34.65	12.68	29.93	0.00	293	339	PEAK																																												




Mode	33																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																									
ANT	0+1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11020.00</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>54.86</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11020.00	44.94	74.00	-29.06	54.86	37.82	18.17	65.91	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11020.00</td><td>46.02</td><td>74.00</td><td>-27.98</td><td>55.94</td><td>37.82</td><td>18.17</td><td>65.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11020.00	46.02	74.00	-27.98	55.94	37.82	18.17	65.91	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 11020.00	44.94	74.00	-29.06	54.86	37.82	18.17	65.91	0.00	--	--	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 11020.00	46.02	74.00	-27.98	55.94	37.82	18.17	65.91	0.00	--	--	PEAK																																																																																															







Mode	34																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.01</td><td>59.80</td><td>74.00</td><td>-14.20</td><td>42.74</td><td>34.60</td><td>12.31</td><td>29.85</td><td>0.00</td><td>325</td><td>198</td><td>PEAK</td></tr><tr><td>2</td><td>5469.93</td><td>61.73</td><td>68.20</td><td>-6.47</td><td>44.72</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>325</td><td>198</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.01	59.80	74.00	-14.20	42.74	34.60	12.31	29.85	0.00	325	198	PEAK	2	5469.93	61.73	68.20	-6.47	44.72	34.56	12.34	29.89	0.00	325	198	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>108.90</td><td>-----</td><td>-----</td><td>91.94</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>325</td><td>198</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	108.90	-----	-----	91.94	34.52	12.37	29.93	0.00	325	198
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5444.01	59.80	74.00	-14.20	42.74	34.60	12.31	29.85	0.00	325	198	PEAK																																																																																																				
2	5469.93	61.73	68.20	-6.47	44.72	34.56	12.34	29.89	0.00	325	198	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	108.90	-----	-----	91.94	34.52	12.37	29.93	0.00	325	198	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.29</td><td>49.67</td><td>54.00</td><td>-4.33</td><td>32.62</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>325</td><td>198</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.29	49.67	54.00	-4.33	32.62	34.59	12.33	29.87	0.00	325	198	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>99.12</td><td>-----</td><td>-----</td><td>82.16</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>325</td><td>198</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	99.12	-----	-----	82.16	34.52	12.37	29.93	0.00	325	198	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.29	49.67	54.00	-4.33	32.62	34.59	12.33	29.87	0.00	325	198	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	99.12	-----	-----	82.16	34.52	12.37	29.93	0.00	325	198	AVERAGE																																																																																																				




Mode	34																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																																						
ANT	0+1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5742.07</td><td>57.28</td><td>68.20</td><td>-10.92</td><td>39.79</td><td>34.68</td><td>12.70</td><td>29.89</td><td>0.00</td><td>325</td><td>198 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5742.07	57.28	68.20	-10.92	39.79	34.68	12.70	29.89	0.00	325	198 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5742.07	57.28	68.20	-10.92	39.79	34.68	12.70	29.89	0.00	325	198 PEAK																																												







Mode	34																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.97</td><td>59.61</td><td>74.00</td><td>-14.39</td><td>42.55</td><td>34.60</td><td>12.31</td><td>29.85</td><td>0.00</td><td>300</td><td>301</td><td>PEAK</td></tr><tr><td>2</td><td>5467.53</td><td>58.04</td><td>68.20</td><td>-10.16</td><td>41.03</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>300</td><td>301</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.97	59.61	74.00	-14.39	42.55	34.60	12.31	29.85	0.00	300	301	PEAK	2	5467.53	58.04	68.20	-10.16	41.03	34.56	12.34	29.89	0.00	300	301	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>107.31</td><td>-----</td><td>-----</td><td>90.35</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>300</td><td>301</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.31	-----	-----	90.35	34.52	12.37	29.93	0.00	300	301
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5444.97	59.61	74.00	-14.39	42.55	34.60	12.31	29.85	0.00	300	301	PEAK																																																																																																				
2	5467.53	58.04	68.20	-10.16	41.03	34.56	12.34	29.89	0.00	300	301	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	107.31	-----	-----	90.35	34.52	12.37	29.93	0.00	300	301	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.57</td><td>48.02</td><td>54.00</td><td>-5.98</td><td>30.96</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>300</td><td>301</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.57	48.02	54.00	-5.98	30.96	34.60	12.32	29.86	0.00	300	301	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>96.97</td><td>-----</td><td>-----</td><td>80.01</td><td>34.50</td><td>12.39</td><td>29.93</td><td>0.00</td><td>300</td><td>301</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	96.97	-----	-----	80.01	34.50	12.39	29.93	0.00	300	301	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5450.57	48.02	54.00	-5.98	30.96	34.60	12.32	29.86	0.00	300	301	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	96.97	-----	-----	80.01	34.50	12.39	29.93	0.00	300	301	AVERAGE																																																																																																				




Mode	34																																																																						
	Band Edge - R																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_RU242/61_5510MHz																																																																						
ANT	0+1																																																																						
Pol.	Vertical						Fundamental																																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.48</td><td>58.20</td><td>68.20</td><td>-10.00</td><td>40.71</td><td>34.68</td><td>12.70</td><td>29.89</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>300</td><td>301</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5742.48	58.20	68.20	-10.00	40.71	34.68	12.70	29.89	0.00									300	301										PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																														
1	5742.48	58.20	68.20	-10.00	40.71	34.68	12.70	29.89	0.00																																																														
								300	301																																																														
									PEAK																																																														







Mode	35																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																					
ANT	0+1																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.60	61.11	74.00	-12.89	53.10	34.34	10.97	37.30	0.00	100	191 PEAK	2	5469.80	61.07	68.20	-7.13	53.05	34.33	10.98	37.29	0.00	100	191 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>112.21</td><td>-----</td><td>-----</td><td>103.99</td><td>34.40</td><td>11.08</td><td>37.26</td><td>0.00</td><td>100</td><td>191 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	112.21	-----	-----	103.99	34.40	11.08	37.26	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5458.60	61.11	74.00	-12.89	53.10	34.34	10.97	37.30	0.00	100	191 PEAK																																																																																											
2	5469.80	61.07	68.20	-7.13	53.05	34.33	10.98	37.29	0.00	100	191 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5550.00	112.21	-----	-----	103.99	34.40	11.08	37.26	0.00	100	191 PEAK																																																																																											
Avg																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.00	50.99	54.00	-3.01	42.98	34.34	10.97	37.30	0.00	100	191 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>101.80</td><td>-----</td><td>-----</td><td>93.56</td><td>34.41</td><td>11.09</td><td>37.26</td><td>0.00</td><td>100</td><td>191 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	101.80	-----	-----	93.56	34.41	11.09	37.26	0.00	100	191 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.00	50.99	54.00	-3.01	42.98	34.34	10.97	37.30	0.00	100	191 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5550.00	101.80	-----	-----	93.56	34.41	11.09	37.26	0.00	100	191 AVERAGE																																																																																											




Mode	35																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																	
ANT	0+1																																																																	
Pol.	Horizontal						Fundamental																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5750.38</td><td>60.40</td><td>68.20</td><td>-7.80</td><td>52.13</td><td>34.55</td><td>11.37</td><td>37.65</td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>191 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5750.38	60.40	68.20	-7.80	52.13	34.55	11.37	37.65	0.00	100											191 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5750.38	60.40	68.20	-7.80	52.13	34.55	11.37	37.65	0.00	100																																																								
										191 PEAK																																																								





Mode	35																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																																				
ANT	0+1																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.00</td><td>59.10</td><td>74.00</td><td>-14.90</td><td>51.09</td><td>34.34</td><td>10.97</td><td>37.30</td><td>0.00</td><td>100</td><td>185</td><td>PEAK</td></tr><tr><td>2</td><td>5461.80</td><td>59.36</td><td>68.20</td><td>-8.84</td><td>51.35</td><td>34.34</td><td>10.97</td><td>37.30</td><td>0.00</td><td>100</td><td>185</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.00	59.10	74.00	-14.90	51.09	34.34	10.97	37.30	0.00	100	185	PEAK	2	5461.80	59.36	68.20	-8.84	51.35	34.34	10.97	37.30	0.00	100	185	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>108.49</td><td>-----</td><td>-----</td><td>100.25</td><td>34.41</td><td>11.09</td><td>37.26</td><td>0.00</td><td>100</td><td>185</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	108.49	-----	-----	100.25	34.41	11.09	37.26	0.00	100	185	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5459.00	59.10	74.00	-14.90	51.09	34.34	10.97	37.30	0.00	100	185	PEAK																																																																																																									
2	5461.80	59.36	68.20	-8.84	51.35	34.34	10.97	37.30	0.00	100	185	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5550.00	108.49	-----	-----	100.25	34.41	11.09	37.26	0.00	100	185	PEAK																																																																																																									
Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.00</td><td>49.29</td><td>54.00</td><td>-4.71</td><td>41.28</td><td>34.35</td><td>10.96</td><td>37.30</td><td>0.00</td><td>100</td><td>185</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5454.00	49.29	54.00	-4.71	41.28	34.35	10.96	37.30	0.00	100	185	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>98.14</td><td>-----</td><td>-----</td><td>89.90</td><td>34.41</td><td>11.09</td><td>37.26</td><td>0.00</td><td>100</td><td>185</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	98.14	-----	-----	89.90	34.41	11.09	37.26	0.00	100	185	AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5454.00	49.29	54.00	-4.71	41.28	34.35	10.96	37.30	0.00	100	185	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5550.00	98.14	-----	-----	89.90	34.41	11.09	37.26	0.00	100	185	AVERAGE																																																																																																									







Mode	35																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																	
ANT	0+1																																																																	
Pol.	Vertical						Fundamental																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.67</td><td>58.74</td><td>68.20</td><td>-9.46</td><td>50.52</td><td>34.44</td><td>11.34</td><td>37.56</td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>185 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5728.67	58.74	68.20	-9.46	50.52	34.44	11.34	37.56	0.00	100											185 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5728.67	58.74	68.20	-9.46	50.52	34.44	11.34	37.56	0.00	100																																																								
										185 PEAK																																																								



Mode	35																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																			
ANT	0+1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>55.12</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	45.66	74.00	-28.34	55.12	37.90	18.24	65.60	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11100.00</td><td>45.96</td><td>74.00</td><td>-28.04</td><td>55.42</td><td>37.90</td><td>18.24</td><td>65.60</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	45.96	74.00	-28.04	55.42	37.90	18.24	65.60	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11100.00	45.66	74.00	-28.34	55.12	37.90	18.24	65.60	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11100.00	45.96	74.00	-28.04	55.42	37.90	18.24	65.60	0.00	--	--	PEAK																																																																																								







Mode	36																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.09</td><td>58.20</td><td>74.00</td><td>-15.80</td><td>41.16</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr><tr><td>2</td><td>5462.89</td><td>57.79</td><td>68.20</td><td>-10.41</td><td>40.77</td><td>34.57</td><td>12.33</td><td>29.88</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.09	58.20	74.00	-15.80	41.16	34.58	12.33	29.87	0.00	100	123	PEAK	2	5462.89	57.79	68.20	-10.41	40.77	34.57	12.33	29.88	0.00	100	123	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>107.87</td><td>-----</td><td>-----</td><td>90.58</td><td>34.60</td><td>12.61</td><td>29.92</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.87	-----	-----	90.58	34.60	12.61	29.92	0.00	100	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.09	58.20	74.00	-15.80	41.16	34.58	12.33	29.87	0.00	100	123	PEAK																																																																																																				
2	5462.89	57.79	68.20	-10.41	40.77	34.57	12.33	29.88	0.00	100	123	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	107.87	-----	-----	90.58	34.60	12.61	29.92	0.00	100	123	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.96</td><td>48.39</td><td>54.00</td><td>-5.61</td><td>31.34</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.96	48.39	54.00	-5.61	31.34	34.59	12.33	29.87	0.00	100	123	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>99.17</td><td>-----</td><td>-----</td><td>81.85</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>100</td><td>123</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.17	-----	-----	81.85	34.60	12.59	29.87	0.00	100	123	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.96	48.39	54.00	-5.61	31.34	34.59	12.33	29.87	0.00	100	123	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	99.17	-----	-----	81.85	34.60	12.59	29.87	0.00	100	123	AVERAGE																																																																																																				




Mode	36																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.48</td><td>64.26</td><td>68.20</td><td>-3.94</td><td>46.86</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>100</td><td>123</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.48	64.26	68.20	-3.94	46.86	34.65	12.68	29.93	0.00	100	123	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5726.48	64.26	68.20	-3.94	46.86	34.65	12.68	29.93	0.00	100	123	PEAK																																												





Mode	36																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5422.09</td><td>57.50</td><td>74.00</td><td>-16.50</td><td>40.44</td><td>34.60</td><td>12.28</td><td>29.82</td><td>0.00</td><td>283</td><td>339</td><td>PEAK</td></tr><tr><td>2</td><td>5468.81</td><td>57.73</td><td>68.20</td><td>-10.47</td><td>40.72</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>283</td><td>339</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5422.09	57.50	74.00	-16.50	40.44	34.60	12.28	29.82	0.00	283	339	PEAK	2	5468.81	57.73	68.20	-10.47	40.72	34.56	12.34	29.89	0.00	283	339	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>107.55</td><td>-----</td><td>-----</td><td>90.25</td><td>34.60</td><td>12.59</td><td>29.89</td><td>0.00</td><td>283</td><td>339</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.55	-----	-----	90.25	34.60	12.59	29.89	0.00	283	339
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5422.09	57.50	74.00	-16.50	40.44	34.60	12.28	29.82	0.00	283	339	PEAK																																																																																																				
2	5468.81	57.73	68.20	-10.47	40.72	34.56	12.34	29.89	0.00	283	339	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	107.55	-----	-----	90.25	34.60	12.59	29.89	0.00	283	339	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.49</td><td>47.68</td><td>54.00</td><td>-6.32</td><td>30.65</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>283</td><td>339</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.49	47.68	54.00	-6.32	30.65	34.58	12.33	29.88	0.00	283	339	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>99.38</td><td>-----</td><td>-----</td><td>82.06</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>283</td><td>339</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.38	-----	-----	82.06	34.60	12.59	29.87	0.00	283	339	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.49	47.68	54.00	-6.32	30.65	34.58	12.33	29.88	0.00	283	339	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	99.38	-----	-----	82.06	34.60	12.59	29.87	0.00	283	339	AVERAGE																																																																																																				







Mode	36																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																													
ANT	0+1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.04</td><td>64.07</td><td>68.20</td><td>-4.13</td><td>46.68</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>283</td><td>339</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.04	64.07	68.20	-4.13	46.68	34.65	12.68	29.94	0.00	283	339	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5725.04	64.07	68.20	-4.13	46.68	34.65	12.68	29.94	0.00	283	339	PEAK																																		




Mode	36																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>54.97</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>46.09</td><td>74.00</td><td>-27.91</td><td>54.38</td><td>37.94</td><td>18.45</td><td>64.68</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	46.68	74.00	-27.32	54.97	37.94	18.45	64.68	0.00	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	46.09	74.00	-27.91	54.38	37.94	18.45	64.68	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11340.00	46.68	74.00	-27.32	54.97	37.94	18.45	64.68	0.00	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11340.00	46.09	74.00	-27.91	54.38	37.94	18.45	64.68	0.00	--	--	PEAK																																																																																							







Mode	37																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5445.93</td><td>56.97</td><td>74.00</td><td>-17.03</td><td>39.91</td><td>34.60</td><td>12.31</td><td>29.85</td><td>0.00</td><td>293</td><td>197</td><td>PEAK</td></tr><tr><td>2</td><td>5466.41</td><td>57.42</td><td>68.20</td><td>-10.78</td><td>40.40</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>293</td><td>197</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.93	56.97	74.00	-17.03	39.91	34.60	12.31	29.85	0.00	293	197	PEAK	2	5466.41	57.42	68.20	-10.78	40.40	34.57	12.34	29.89	0.00	293	197	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>105.40</td><td>-----</td><td>-----</td><td>88.11</td><td>34.60</td><td>12.61</td><td>29.92</td><td>0.00</td><td>293</td><td>197</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.40	-----	-----	88.11	34.60	12.61	29.92	0.00	293	197
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5445.93	56.97	74.00	-17.03	39.91	34.60	12.31	29.85	0.00	293	197	PEAK																																																																																																				
2	5466.41	57.42	68.20	-10.78	40.40	34.57	12.34	29.89	0.00	293	197	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	105.40	-----	-----	88.11	34.60	12.61	29.92	0.00	293	197	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.21</td><td>46.88</td><td>54.00</td><td>-7.12</td><td>29.84</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>293</td><td>197</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.21	46.88	54.00	-7.12	29.84	34.58	12.33	29.87	0.00	293	197	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>96.07</td><td>-----</td><td>-----</td><td>78.78</td><td>34.60</td><td>12.61</td><td>29.92</td><td>0.00</td><td>293</td><td>197</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.07	-----	-----	78.78	34.60	12.61	29.92	0.00	293	197	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.21	46.88	54.00	-7.12	29.84	34.58	12.33	29.87	0.00	293	197	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	96.07	-----	-----	78.78	34.60	12.61	29.92	0.00	293	197	AVERAGE																																																																																																				




Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.12</td><td>58.12</td><td>68.20</td><td>-10.08</td><td>40.67</td><td>34.67</td><td>12.69</td><td>29.91</td><td>0.00</td><td>293</td><td>197</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.12	58.12	68.20	-10.08	40.67	34.67	12.69	29.91	0.00	293	197	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5737.12	58.12	68.20	-10.08	40.67	34.67	12.69	29.91	0.00	293	197	PEAK																																												







Mode	37																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5420.01</td><td>56.58</td><td>74.00</td><td>-17.42</td><td>39.51</td><td>34.60</td><td>12.28</td><td>29.81</td><td>0.00</td><td>300</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>5462.89</td><td>56.57</td><td>68.20</td><td>-11.63</td><td>39.55</td><td>34.57</td><td>12.33</td><td>29.88</td><td>0.00</td><td>300</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5420.01	56.58	74.00	-17.42	39.51	34.60	12.28	29.81	0.00	300	305	PEAK	2	5462.89	56.57	68.20	-11.63	39.55	34.57	12.33	29.88	0.00	300	305	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>103.38</td><td>-----</td><td>-----</td><td>86.11</td><td>34.60</td><td>12.62</td><td>29.95</td><td>0.00</td><td>300</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.38	-----	-----	86.11	34.60	12.62	29.95	0.00	300	305
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5420.01	56.58	74.00	-17.42	39.51	34.60	12.28	29.81	0.00	300	305	PEAK																																																																																																				
2	5462.89	56.57	68.20	-11.63	39.55	34.57	12.33	29.88	0.00	300	305	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	103.38	-----	-----	86.11	34.60	12.62	29.95	0.00	300	305	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.94</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>29.33</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>300</td><td>305</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.94	46.38	54.00	-7.62	29.33	34.59	12.33	29.87	0.00	300	305	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>93.92</td><td>-----</td><td>-----</td><td>76.63</td><td>34.60</td><td>12.61</td><td>29.92</td><td>0.00</td><td>300</td><td>305</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	93.92	-----	-----	76.63	34.60	12.61	29.92	0.00	300	305	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.94	46.38	54.00	-7.62	29.33	34.59	12.33	29.87	0.00	300	305	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5670.00	93.92	-----	-----	76.63	34.60	12.61	29.92	0.00	300	305	AVERAGE																																																																																																				



Mode	37																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_RU242/62_5670MHz																																																							
ANT	0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.64</td><td>57.56</td><td>68.20</td><td>-10.64</td><td>40.11</td><td>34.67</td><td>12.69</td><td>29.91</td><td>0.00</td><td>300</td><td>305</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.64	57.56	68.20	-10.64	40.11	34.67	12.69	29.91	0.00	300	305	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.64	57.56	68.20	-10.64	40.11	34.67	12.69	29.91	0.00	300	305	PEAK																																												







Mode	38																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5445.13</td><td>61.77</td><td>74.00</td><td>-12.23</td><td>44.71</td><td>34.60</td><td>12.31</td><td>29.85</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr><tr><td>2</td><td>5468.17</td><td>63.75</td><td>68.20</td><td>-4.45</td><td>46.74</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.13	61.77	74.00	-12.23	44.71	34.60	12.31	29.85	0.00	100	105	PEAK	2	5468.17	63.75	68.20	-4.45	46.74	34.56	12.34	29.89	0.00	100	105	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>104.79</td><td>-----</td><td>-----</td><td>87.78</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	104.79	-----	-----	87.78	34.50	12.41	29.90	0.00	100	105
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5445.13	61.77	74.00	-12.23	44.71	34.60	12.31	29.85	0.00	100	105	PEAK																																																																																																				
2	5468.17	63.75	68.20	-4.45	46.74	34.56	12.34	29.89	0.00	100	105	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	104.79	-----	-----	87.78	34.50	12.41	29.90	0.00	100	105	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.93</td><td>52.70</td><td>54.00</td><td>-1.30</td><td>35.66</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>100</td><td>105</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.93	52.70	54.00	-1.30	35.66	34.58	12.33	29.87	0.00	100	105	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>94.89</td><td>-----</td><td>-----</td><td>77.89</td><td>34.50</td><td>12.41</td><td>29.91</td><td>0.00</td><td>100</td><td>105</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.89	-----	-----	77.89	34.50	12.41	29.91	0.00	100	105	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.93	52.70	54.00	-1.30	35.66	34.58	12.33	29.87	0.00	100	105	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	94.89	-----	-----	77.89	34.50	12.41	29.91	0.00	100	105	AVERAGE																																																																																																				



Mode	38																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.52</td><td>59.39</td><td>68.20</td><td>-8.81</td><td>42.00</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg	1	5725.52	59.39	68.20	-8.81	42.00	34.65	12.68	29.94	0.00	100	105	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	cm	deg																																														
1	5725.52	59.39	68.20	-8.81	42.00	34.65	12.68	29.94	0.00	100	105	PEAK																																												





Mode	38																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																				
ANT	0+1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.33	60.25	74.00	-13.75	43.19	34.60	12.32	29.86	0.00	300	293	PEAK	2	5467.37	60.74	68.20	-7.46	43.72	34.57	12.34	29.89	0.00	300	293	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>100.74</td><td>-----</td><td>-----</td><td>83.74</td><td>34.50</td><td>12.41</td><td>29.91</td><td>0.00</td><td>300</td><td>293</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	100.74	-----	-----	83.74	34.50	12.41	29.91	0.00	300	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5448.33	60.25	74.00	-13.75	43.19	34.60	12.32	29.86	0.00	300	293	PEAK																																																																																									
2	5467.37	60.74	68.20	-7.46	43.72	34.57	12.34	29.89	0.00	300	293	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5530.00	100.74	-----	-----	83.74	34.50	12.41	29.91	0.00	300	293	PEAK																																																																																									
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.85</td><td>50.24</td><td>54.00</td><td>-3.76</td><td>33.21</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>300</td><td>293</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.85	50.24	54.00	-3.76	33.21	34.58	12.33	29.88	0.00	300	293	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>91.55</td><td>-----</td><td>-----</td><td>74.55</td><td>34.50</td><td>12.41</td><td>29.91</td><td>0.00</td><td>300</td><td>293</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.55	-----	-----	74.55	34.50	12.41	29.91	0.00	300	293	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.85	50.24	54.00	-3.76	33.21	34.58	12.33	29.88	0.00	300	293	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5530.00	91.55	-----	-----	74.55	34.50	12.41	29.91	0.00	300	293	AVERAGE																																																																																									







Mode	38																																																																						
	Band Edge - R																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																						
ANT	0+1																																																																						
Pol.	Vertical						Fundamental																																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.76</td><td>58.69</td><td>68.20</td><td>-9.51</td><td>41.30</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>300</td><td>293</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	1	5725.76	58.69	68.20	-9.51	41.30	34.65	12.68	29.94	0.00									300	293										PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg																																																														
1	5725.76	58.69	68.20	-9.51	41.30	34.65	12.68	29.94	0.00																																																														
								300	293																																																														
									PEAK																																																														



Mode	38																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.60</td><td>74.00</td><td>-28.40</td><td>55.30</td><td>37.86</td><td>18.20</td><td>65.76</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>55.07</td><td>37.86</td><td>18.20</td><td>65.76</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.60	74.00	-28.40	55.30	37.86	18.20	65.76	0.00	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	45.37	74.00	-28.63	55.07	37.86	18.20	65.76	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11060.00	45.60	74.00	-28.40	55.30	37.86	18.20	65.76	0.00	--	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11060.00	45.37	74.00	-28.63	55.07	37.86	18.20	65.76	0.00	--	--	PEAK																																																																																							







Mode	39																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																																																																																	
ANT	0+1																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>63.73</td><td>74.00</td><td>-10.27</td><td>46.70</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>303</td><td>198</td><td>PEAK</td></tr><tr><td>2</td><td>5460.01</td><td>63.96</td><td>68.20</td><td>-4.24</td><td>46.93</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>303</td><td>198</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	63.73	74.00	-10.27	46.70	34.58	12.33	29.88	0.00	303	198	PEAK	2	5460.01	63.96	68.20	-4.24	46.93	34.58	12.33	29.88	0.00	303	198	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>104.97</td><td>-----</td><td>-----</td><td>87.99</td><td>34.50</td><td>12.40</td><td>29.92</td><td>0.00</td><td>303</td><td>198</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	104.97	-----	-----	87.99	34.50	12.40	29.92	0.00	303	198
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5460.00	63.73	74.00	-10.27	46.70	34.58	12.33	29.88	0.00	303	198	PEAK																																																																																																						
2	5460.01	63.96	68.20	-4.24	46.93	34.58	12.33	29.88	0.00	303	198	PEAK																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5530.00	104.97	-----	-----	87.99	34.50	12.40	29.92	0.00	303	198	PEAK																																																																																																						
Avg																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5362.36</td><td>50.06</td><td>54.00</td><td>-3.94</td><td>33.22</td><td>34.45</td><td>12.22</td><td>29.83</td><td>0.00</td><td>303</td><td>198</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.36	50.06	54.00	-3.94	33.22	34.45	12.22	29.83	0.00	303	198	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>95.77</td><td>-----</td><td>-----</td><td>78.77</td><td>34.50</td><td>12.41</td><td>29.91</td><td>0.00</td><td>303</td><td>198</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	95.77	-----	-----	78.77	34.50	12.41	29.91	0.00	303	198	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5362.36	50.06	54.00	-3.94	33.22	34.45	12.22	29.83	0.00	303	198	AVERAGE																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5530.00	95.77	-----	-----	78.77	34.50	12.41	29.91	0.00	303	198	AVERAGE																																																																																																						




Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.36</td><td>58.74</td><td>68.20</td><td>-9.46</td><td>41.35</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>303</td><td>198</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.36	58.74	68.20	-9.46	41.35	34.65	12.68	29.94	0.00	303	198	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.36	58.74	68.20	-9.46	41.35	34.65	12.68	29.94	0.00	303	198	PEAK																																												



Mode	39																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5373.45</td><td>59.65</td><td>74.00</td><td>-14.35</td><td>42.74</td><td>34.49</td><td>12.23</td><td>29.81</td><td>0.00</td><td>394</td><td>314</td><td>PEAK</td></tr><tr><td>2</td><td>5467.53</td><td>60.82</td><td>68.20</td><td>-7.38</td><td>43.81</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>394</td><td>314</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.45	59.65	74.00	-14.35	42.74	34.49	12.23	29.81	0.00	394	314	PEAK	2	5467.53	60.82	68.20	-7.38	43.81	34.56	12.34	29.89	0.00	394	314	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>103.00</td><td>-----</td><td>-----</td><td>86.08</td><td>34.50</td><td>12.41</td><td>29.91</td><td>0.00</td><td>394</td><td>314</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	103.00	-----	-----	86.08	34.50	12.41	29.91	0.00	394	314
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5373.45	59.65	74.00	-14.35	42.74	34.49	12.23	29.81	0.00	394	314	PEAK																																																																																																				
2	5467.53	60.82	68.20	-7.38	43.81	34.56	12.34	29.89	0.00	394	314	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	103.00	-----	-----	86.08	34.50	12.41	29.91	0.00	394	314	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.61</td><td>48.95</td><td>54.00</td><td>-5.05</td><td>31.91</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>394</td><td>314</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.61	48.95	54.00	-5.05	31.91	34.58	12.33	29.87	0.00	394	314	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>94.06</td><td>-----</td><td>-----</td><td>77.05</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>394</td><td>314</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	94.06	-----	-----	77.05	34.50	12.41	29.90	0.00	394	314	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.61	48.95	54.00	-5.05	31.91	34.58	12.33	29.87	0.00	394	314	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	94.06	-----	-----	77.05	34.50	12.41	29.90	0.00	394	314	AVERAGE																																																																																																				




Mode	39																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_RU484/65_5530MHz																																																							
ANT	0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.36</td><td>58.01</td><td>68.20</td><td>-10.19</td><td>40.51</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>394</td><td>314</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5743.36	58.01	68.20	-10.19	40.51	34.69	12.70	29.89	0.00	394	314	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5743.36	58.01	68.20	-10.19	40.51	34.69	12.70	29.89	0.00	394	314	PEAK																																												







Mode	40																																																																						
	Band Edge - L																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																						
ANT	0+1																																																																						
Pol.	Horizontal						Fundamental																																																																
Peak																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5456.01</td><td>61.82</td><td>74.00</td><td>-12.18</td><td>44.77</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>300</td><td>99 PEAK</td></tr><tr><td>2</td><td>5468.01</td><td>62.00</td><td>68.20</td><td>-6.20</td><td>44.99</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>300</td><td>99 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5456.01	61.82	74.00	-12.18	44.77	34.59	12.33	29.87	0.00	300	99 PEAK	2	5468.01	62.00	68.20	-6.20	44.99	34.56	12.34	29.89	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5456.01	61.82	74.00	-12.18	44.77	34.59	12.33	29.87	0.00	300	99 PEAK																																																												
2	5468.01	62.00	68.20	-6.20	44.99	34.56	12.34	29.89	0.00	300	99 PEAK																																																												
Avg																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5440.49</td><td>51.62</td><td>54.00</td><td>-2.38</td><td>34.56</td><td>34.60</td><td>12.30</td><td>29.84</td><td>0.00</td><td>300</td><td>99 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5440.49	51.62	54.00	-2.38	34.56	34.60	12.30	29.84	0.00	300	99 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5440.49	51.62	54.00	-2.38	34.56	34.60	12.30	29.84	0.00	300	99 AVERAGE																																																												
Peak																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>106.04</td><td>-----</td><td>-----</td><td>88.75</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>300</td><td>99 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	106.04	-----	-----	88.75	34.52	12.53	29.76	0.00	300	99 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5610.00	106.04	-----	-----	88.75	34.52	12.53	29.76	0.00	300	99 PEAK																																																												
Avg																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="3">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>97.69</td><td>-----</td><td>-----</td><td>88.42</td><td>34.50</td><td>12.51</td><td>29.74</td><td>0.00</td><td>300</td><td>99 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	97.69	-----	-----	88.42	34.50	12.51	29.74	0.00	300	99 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	5610.00	97.69	-----	-----	88.42	34.50	12.51	29.74	0.00	300	99 AVERAGE																																																												




Mode	40																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																							
ANT	0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.20</td><td>63.48</td><td>68.20</td><td>-4.72</td><td>46.09</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>300</td><td>99</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.20	63.48	68.20	-4.72	46.09	34.65	12.68	29.94	0.00	300	99	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.20	63.48	68.20	-4.72	46.09	34.65	12.68	29.94	0.00	300	99	PEAK																																												





Mode	40																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.45</td><td>59.77</td><td>74.00</td><td>-14.23</td><td>42.71</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>302</td><td>333</td><td>PEAK</td></tr><tr><td>2</td><td>5462.57</td><td>60.33</td><td>68.20</td><td>-7.87</td><td>43.31</td><td>34.57</td><td>12.33</td><td>29.88</td><td>0.00</td><td>302</td><td>333</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.45	59.77	74.00	-14.23	42.71	34.60	12.32	29.86	0.00	302	333	PEAK	2	5462.57	60.33	68.20	-7.87	43.31	34.57	12.33	29.88	0.00	302	333	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>104.80</td><td>-----</td><td>-----</td><td>87.51</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>302</td><td>333</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.80	-----	-----	87.51	34.52	12.53	29.76	0.00	302	333
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5449.45	59.77	74.00	-14.23	42.71	34.60	12.32	29.86	0.00	302	333	PEAK																																																																																																				
2	5462.57	60.33	68.20	-7.87	43.31	34.57	12.33	29.88	0.00	302	333	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	104.80	-----	-----	87.51	34.52	12.53	29.76	0.00	302	333	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.57</td><td>50.27</td><td>54.00</td><td>-3.73</td><td>33.23</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>302</td><td>333</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.57	50.27	54.00	-3.73	33.23	34.58	12.33	29.87	0.00	302	333	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>96.46</td><td>-----</td><td>-----</td><td>79.17</td><td>34.53</td><td>12.54</td><td>29.78</td><td>0.00</td><td>302</td><td>333</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	96.46	-----	-----	79.17	34.53	12.54	29.78	0.00	302	333	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.57	50.27	54.00	-3.73	33.23	34.58	12.33	29.87	0.00	302	333	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	96.46	-----	-----	79.17	34.53	12.54	29.78	0.00	302	333	AVERAGE																																																																																																				







Mode	40																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																							
ANT	0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.00</td><td>62.36</td><td>68.20</td><td>-5.84</td><td>44.91</td><td>34.67</td><td>12.69</td><td>29.91</td><td>0.00</td><td>302</td><td>333</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.00	62.36	68.20	-5.84	44.91	34.67	12.69	29.91	0.00	302	333	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.00	62.36	68.20	-5.84	44.91	34.67	12.69	29.91	0.00	302	333	PEAK																																												



Mode	40																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																
ANT	0+1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>45.78</td><td>74.00</td><td>-28.22</td><td>54.60</td><td>37.98</td><td>18.34</td><td>65.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	45.78	74.00	-28.22	54.60	37.98	18.34	65.14	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>55.59</td><td>37.98</td><td>18.34</td><td>65.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11220.00	46.77	74.00	-27.23	55.59	37.98	18.34	65.14	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11220.00	45.78	74.00	-28.22	54.60	37.98	18.34	65.14	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11220.00	46.77	74.00	-27.23	55.59	37.98	18.34	65.14	0.00	--	PEAK																																																																																						







Mode	41																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																																																																															
ANT	0+1																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.33</td><td>59.62</td><td>74.00</td><td>-14.38</td><td>42.57</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>280</td><td>197</td><td>PEAK</td></tr><tr><td>2</td><td>5461.45</td><td>58.43</td><td>68.20</td><td>-9.77</td><td>41.40</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>280</td><td>197</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.33	59.62	74.00	-14.38	42.57	34.59	12.33	29.87	0.00	280	197	PEAK	2	5461.45	58.43	68.20	-9.77	41.40	34.58	12.33	29.88	0.00	280	197	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>104.85</td><td>-----</td><td>-----</td><td>87.56</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>280</td><td>197</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	104.85	-----	-----	87.56	34.52	12.53	29.76	0.00	280	197
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5456.33	59.62	74.00	-14.38	42.57	34.59	12.33	29.87	0.00	280	197	PEAK																																																																																																				
2	5461.45	58.43	68.20	-9.77	41.40	34.58	12.33	29.88	0.00	280	197	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	104.85	-----	-----	87.56	34.52	12.53	29.76	0.00	280	197	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.68</td><td>48.83</td><td>54.00</td><td>-5.17</td><td>31.77</td><td>34.60</td><td>12.30</td><td>29.84</td><td>0.00</td><td>280</td><td>197</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.68	48.83	54.00	-5.17	31.77	34.60	12.30	29.84	0.00	280	197	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>95.08</td><td>-----</td><td>-----</td><td>77.79</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>280</td><td>197</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	95.08	-----	-----	77.79	34.52	12.53	29.76	0.00	280	197	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5439.68	48.83	54.00	-5.17	31.77	34.60	12.30	29.84	0.00	280	197	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5610.00	95.08	-----	-----	77.79	34.52	12.53	29.76	0.00	280	197	AVERAGE																																																																																																				





Mode	41																																																					
	Band Edge - R																																																					
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																					
ANT	0+1																																																					
Pol.	Horizontal						Fundamental																																															
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5756.16</td><td>57.75</td><td>68.20</td><td>-10.45</td><td>40.18</td><td>34.71</td><td>12.72</td><td>29.86</td><td>0.00</td><td>280 197 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5756.16	57.75	68.20	-10.45	40.18	34.71	12.72	29.86	0.00	280 197 PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5756.16	57.75	68.20	-10.45	40.18	34.71	12.72	29.86	0.00	280 197 PEAK																																												





Mode	41																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																																																																				
ANT	0+1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5430.09	59.30	74.00	-14.70	42.24	34.60	12.29	29.83	0.00	300	302	PEAK	2	5467.69	59.10	68.20	-9.10	42.09	34.56	12.34	29.89	0.00	300	302	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>102.56</td><td>-----</td><td>-----</td><td>85.27</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>300</td><td>302</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.56	-----	-----	85.27	34.52	12.53	29.76	0.00	300	302
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5430.09	59.30	74.00	-14.70	42.24	34.60	12.29	29.83	0.00	300	302	PEAK																																																																																									
2	5467.69	59.10	68.20	-9.10	42.09	34.56	12.34	29.89	0.00	300	302	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5610.00	102.56	-----	-----	85.27	34.52	12.53	29.76	0.00	300	302	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5404.65	48.00	54.00	-5.20	31.73	34.60	12.26	29.79	0.00	300	302	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>93.73</td><td>-----</td><td>-----</td><td>76.44</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>300</td><td>302</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.73	-----	-----	76.44	34.52	12.53	29.76	0.00	300	302	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5404.65	48.00	54.00	-5.20	31.73	34.60	12.26	29.79	0.00	300	302	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5610.00	93.73	-----	-----	76.44	34.52	12.53	29.76	0.00	300	302	AVERAGE																																																																																									





Mode	41																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_RU484/66_5610MHz																																																							
ANT	0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5740.32</td><td>58.83</td><td>68.20</td><td>-9.37</td><td>41.35</td><td>34.68</td><td>12.70</td><td>29.90</td><td>0.00</td><td>300</td><td>302</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5740.32	58.83	68.20	-9.37	41.35	34.68	12.70	29.90	0.00	300	302	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5740.32	58.83	68.20	-9.37	41.35	34.68	12.70	29.90	0.00	300	302	PEAK																																												







Mode	42																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																																																		
ANT	0+1																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.65</td><td>74.00</td><td>-27.35</td><td>54.40</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.65	74.00	-27.35	54.40	38.00	18.54	64.29	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>55.15</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>37.34</td><td>54.00</td><td>-16.66</td><td>45.14</td><td>38.00</td><td>18.53</td><td>64.33</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	47.40	74.00	-26.60	55.15	38.00	18.54	64.29	0.00	100	0	PEAK	2	11440.00	37.34	54.00	-16.66	45.14	38.00	18.53	64.33	0.00	100	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	11440.00	46.65	74.00	-27.35	54.40	38.00	18.54	64.29	0.00	--	--	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	11440.00	47.40	74.00	-26.60	55.15	38.00	18.54	64.29	0.00	100	0	PEAK																																																																																																							
2	11440.00	37.34	54.00	-16.66	45.14	38.00	18.53	64.33	0.00	100	0	AVERAGE																																																																																																							





Mode	43																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_5720MHz																																																																																																																									
ANT	0+1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>55.21</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>37.54</td><td>54.00</td><td>-16.46</td><td>45.34</td><td>38.00</td><td>18.53</td><td>64.33</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.46	74.00	-26.54	55.21	38.00	18.54	64.29	0.00	300	0 PEAK	2	11440.00	37.54	54.00	-16.46	45.34	38.00	18.53	64.33	0.00	300	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.94</td><td>74.00</td><td>-26.06</td><td>55.69</td><td>38.00</td><td>18.54</td><td>64.29</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>37.41</td><td>54.00</td><td>-16.59</td><td>45.20</td><td>38.00</td><td>18.53</td><td>64.32</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.94	74.00	-26.06	55.69	38.00	18.54	64.29	0.00	100	0 PEAK	2	11440.00	37.41	54.00	-16.59	45.20	38.00	18.53	64.32	0.00	100	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11440.00	47.46	74.00	-26.54	55.21	38.00	18.54	64.29	0.00	300	0 PEAK																																																																																																															
2	11440.00	37.54	54.00	-16.46	45.34	38.00	18.53	64.33	0.00	300	0 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11440.00	47.94	74.00	-26.06	55.69	38.00	18.54	64.29	0.00	100	0 PEAK																																																																																																															
2	11440.00	37.41	54.00	-16.59	45.20	38.00	18.53	64.32	0.00	100	0 AVERAGE																																																																																																															






Mode	44																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_5710MHz																																																																																																																													
ANT	0+1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>55.11</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>37.76</td><td>54.00</td><td>-16.24</td><td>45.60</td><td>38.00</td><td>18.52</td><td>64.36</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	47.26	74.00	-26.74	55.11	38.00	18.52	64.37	0.00	100	360	PEAK	2	11420.00	37.76	54.00	-16.24	45.60	38.00	18.52	64.36	0.00	100	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>47.54</td><td>74.00</td><td>-26.46</td><td>55.39</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>297</td><td>189</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>37.77</td><td>54.00</td><td>-16.23</td><td>45.60</td><td>38.00</td><td>18.52</td><td>64.35</td><td>0.00</td><td>297</td><td>189</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	47.54	74.00	-26.46	55.39	38.00	18.52	64.37	0.00	297	189	PEAK	2	11420.00	37.77	54.00	-16.23	45.60	38.00	18.52	64.35	0.00	297	189	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11420.00	47.26	74.00	-26.74	55.11	38.00	18.52	64.37	0.00	100	360	PEAK																																																																																																																		
2	11420.00	37.76	54.00	-16.24	45.60	38.00	18.52	64.36	0.00	100	360	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11420.00	47.54	74.00	-26.46	55.39	38.00	18.52	64.37	0.00	297	189	PEAK																																																																																																																		
2	11420.00	37.77	54.00	-16.23	45.60	38.00	18.52	64.35	0.00	297	189	AVERAGE																																																																																																																		






Mode	45																																																																				
	Harmonic																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_5690MHz																																																																				
ANT	0+1																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>47.34</td><td>74.00</td><td>-26.66</td><td>55.40</td><td>37.98</td><td>18.48</td><td>64.52</td><td>0.00</td><td>288</td><td>42</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>37.69</td><td>54.00</td><td>-16.31</td><td>45.54</td><td>38.00</td><td>18.52</td><td>64.37</td><td>0.00</td><td>288</td><td>42</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	47.34	74.00	-26.66	55.40	37.98	18.48	64.52	0.00	288	42	PEAK	2	11380.00	37.69	54.00	-16.31	45.54	38.00	18.52	64.37	0.00	288	42	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11380.00	47.34	74.00	-26.66	55.40	37.98	18.48	64.52	0.00	288	42	PEAK																																																									
2	11380.00	37.69	54.00	-16.31	45.54	38.00	18.52	64.37	0.00	288	42	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>46.72</td><td>74.00</td><td>-27.28</td><td>54.78</td><td>37.98</td><td>18.48</td><td>64.52</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11380.00	46.72	74.00	-27.28	54.78	37.98	18.48	64.52	0.00	--	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	11380.00	46.72	74.00	-27.28	54.78	37.98	18.48	64.52	0.00	--	--	PEAK																																																									





Mode	46																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																								
ANT	0+1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.40</td><td>61.76</td><td>68.20</td><td>-6.44</td><td>53.38</td><td>34.41</td><td>11.21</td><td>37.24</td><td>0.00</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>60.82</td><td>69.69</td><td>-8.87</td><td>52.47</td><td>34.40</td><td>11.22</td><td>37.27</td><td>0.00</td><td>181</td><td>PEAK</td></tr><tr><td>3</td><td>5715.60</td><td>69.14</td><td>109.67</td><td>-40.53</td><td>60.96</td><td>34.38</td><td>11.31</td><td>37.51</td><td>0.00</td><td>181</td><td>PEAK</td></tr><tr><td>4</td><td>5723.60</td><td>78.89</td><td>119.11</td><td>-40.22</td><td>70.68</td><td>34.42</td><td>11.33</td><td>37.54</td><td>0.00</td><td>181</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.40	61.76	68.20	-6.44	53.38	34.41	11.21	37.24	0.00	181	PEAK	2	5652.00	60.82	69.69	-8.87	52.47	34.40	11.22	37.27	0.00	181	PEAK	3	5715.60	69.14	109.67	-40.53	60.96	34.38	11.31	37.51	0.00	181	PEAK	4	5723.60	78.89	119.11	-40.22	70.68	34.42	11.33	37.54	0.00	181	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.61</td><td>-----</td><td>-----</td><td>106.35</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>181</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.61	-----	-----	106.35	34.53	11.36	37.63	0.00	181
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5646.40	61.76	68.20	-6.44	53.38	34.41	11.21	37.24	0.00	181	PEAK																																																																																																																														
2	5652.00	60.82	69.69	-8.87	52.47	34.40	11.22	37.27	0.00	181	PEAK																																																																																																																														
3	5715.60	69.14	109.67	-40.53	60.96	34.38	11.31	37.51	0.00	181	PEAK																																																																																																																														
4	5723.60	78.89	119.11	-40.22	70.68	34.42	11.33	37.54	0.00	181	PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	114.61	-----	-----	106.35	34.53	11.36	37.63	0.00	181	PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.82</td><td>-----</td><td>-----</td><td>98.56</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>181</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.82	-----	-----	98.56	34.53	11.36	37.63	0.00	181	AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5745.00	106.82	-----	-----	98.56	34.53	11.36	37.63	0.00	181	AVERAGE																																																																																																																														






Mode	46																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																	
ANT	0+1																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5632.40</td><td>58.42</td><td>68.20</td><td>-9.78</td><td>50.00</td><td>34.44</td><td>11.20</td><td>37.22</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>57.94</td><td>68.20</td><td>-10.26</td><td>49.58</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr><tr><td>3</td><td>5716.00</td><td>67.29</td><td>110.01</td><td>-42.72</td><td>59.11</td><td>34.38</td><td>11.32</td><td>37.52</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>72.12</td><td>115.46</td><td>-43.34</td><td>63.92</td><td>34.41</td><td>11.33</td><td>37.54</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5632.40	58.42	68.20	-9.78	50.00	34.44	11.20	37.22	0.00	100	182 PEAK	2	5650.00	57.94	68.20	-10.26	49.58	34.40	11.22	37.26	0.00	100	182 PEAK	3	5716.00	67.29	110.01	-42.72	59.11	34.38	11.32	37.52	0.00	100	182 PEAK	4	5722.00	72.12	115.46	-43.34	63.92	34.41	11.33	37.54	0.00	100	182 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.89</td><td>-----</td><td>-----</td><td>102.65</td><td>34.50</td><td>11.35</td><td>37.61</td><td>0.00</td><td>100</td><td>182 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	110.89	-----	-----	102.65	34.50	11.35	37.61	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5632.40	58.42	68.20	-9.78	50.00	34.44	11.20	37.22	0.00	100	182 PEAK																																																																																																							
2	5650.00	57.94	68.20	-10.26	49.58	34.40	11.22	37.26	0.00	100	182 PEAK																																																																																																							
3	5716.00	67.29	110.01	-42.72	59.11	34.38	11.32	37.52	0.00	100	182 PEAK																																																																																																							
4	5722.00	72.12	115.46	-43.34	63.92	34.41	11.33	37.54	0.00	100	182 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5745.00	110.89	-----	-----	102.65	34.50	11.35	37.61	0.00	100	182 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.60</td><td>-----</td><td>-----</td><td>95.34</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>100</td><td>182 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	103.60	-----	-----	95.34	34.53	11.36	37.63	0.00	100	182 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
1	5745.00	103.60	-----	-----	95.34	34.53	11.36	37.63	0.00	100	182 AVERAGE																																																																																																							




Mode	46																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																							
ANT	0+1																																																																																																																							
Pol.	Horizontal							Vertical																																																																																																																
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>55.28</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2 11490.00</td><td>37.79</td><td>54.00</td><td>-16.21</td><td>45.26</td><td>38.00</td><td>18.59</td><td>64.06</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	47.76	74.00	-26.24	55.28	38.00	18.58	64.10	0.00	100	0 PEAK	2 11490.00	37.79	54.00	-16.21	45.26	38.00	18.59	64.06	0.00	100	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>54.90</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2 11490.00</td><td>37.90</td><td>54.00</td><td>-16.10</td><td>45.38</td><td>38.00</td><td>18.59</td><td>64.07</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	47.38	74.00	-26.62	54.90	38.00	18.58	64.10	0.00	300	0 PEAK	2 11490.00	37.90	54.00	-16.10	45.38	38.00	18.59	64.07	0.00	300	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1 11490.00	47.76	74.00	-26.24	55.28	38.00	18.58	64.10	0.00	100	0 PEAK																																																																																																														
2 11490.00	37.79	54.00	-16.21	45.26	38.00	18.59	64.06	0.00	100	0 AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																														
1 11490.00	47.38	74.00	-26.62	54.90	38.00	18.58	64.10	0.00	300	0 PEAK																																																																																																														
2 11490.00	37.90	54.00	-16.10	45.38	38.00	18.59	64.07	0.00	300	0 AVERAGE																																																																																																														






Mode	47																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5645.00</td><td>57.77</td><td>68.20</td><td>-10.43</td><td>40.45</td><td>34.59</td><td>12.58</td><td>29.85</td><td>0.00</td><td>304</td><td>201</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.98</td><td>68.80</td><td>-11.82</td><td>39.67</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>304</td><td>201</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>56.94</td><td>105.30</td><td>-48.36</td><td>39.69</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>304</td><td>201</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>59.13</td><td>110.90</td><td>-51.77</td><td>41.77</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>304</td><td>201</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.00	57.77	68.20	-10.43	40.45	34.59	12.58	29.85	0.00	304	201	PEAK	2	5650.00	56.98	68.80	-11.82	39.67	34.60	12.58	29.87	0.00	304	201	PEAK	3	5700.00	56.94	105.30	-48.36	39.69	34.60	12.65	30.00	0.00	304	201	PEAK	4	5720.00	59.13	110.90	-51.77	41.77	34.64	12.67	29.95	0.00	304	201	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>113.90</td><td>-----</td><td>-----</td><td>96.19</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>304</td><td>201</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	113.90	-----	-----	96.19	34.76	12.75	29.80	0.00	304	201	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5645.00	57.77	68.20	-10.43	40.45	34.59	12.58	29.85	0.00	304	201	PEAK																																																																																																																															
2	5650.00	56.98	68.80	-11.82	39.67	34.60	12.58	29.87	0.00	304	201	PEAK																																																																																																																															
3	5700.00	56.94	105.30	-48.36	39.69	34.60	12.65	30.00	0.00	304	201	PEAK																																																																																																																															
4	5720.00	59.13	110.90	-51.77	41.77	34.64	12.67	29.95	0.00	304	201	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	113.90	-----	-----	96.19	34.76	12.75	29.80	0.00	304	201	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5785.00</td><td>107.32</td><td>-----</td><td>-----</td><td>89.61</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>304</td><td>201</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	107.32	-----	-----	89.61	34.76	12.75	29.80	0.00	304	201	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	107.32	-----	-----	89.61	34.76	12.75	29.80	0.00	304	201	AVERAGE																																																																																																																															




Mode	47																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																				
ANT	0+1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>56.78</td><td>111.36</td><td>-54.58</td><td>38.91</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>304</td><td>201</td><td>PEAK</td></tr><tr><td>2</td><td>5861.60</td><td>61.05</td><td>109.05</td><td>-48.00</td><td>43.13</td><td>34.87</td><td>12.87</td><td>29.82</td><td>0.00</td><td>304</td><td>201</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>58.18</td><td>68.35</td><td>-10.17</td><td>39.95</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>304</td><td>201</td><td>PEAK</td></tr><tr><td>4</td><td>5945.20</td><td>58.90</td><td>68.20</td><td>-9.30</td><td>40.61</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>304</td><td>201</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	56.78	111.36	-54.58	38.91	34.83	12.86	29.82	0.00	304	201	PEAK	2	5861.60	61.05	109.05	-48.00	43.13	34.87	12.87	29.82	0.00	304	201	PEAK	3	5924.80	58.18	68.35	-10.17	39.95	35.10	12.98	29.85	0.00	304	201	PEAK	4	5945.20	58.90	68.20	-9.30	40.61	35.10	13.02	29.83	0.00	304	201	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	56.78	111.36	-54.58	38.91	34.83	12.86	29.82	0.00	304	201	PEAK																																																																									
2	5861.60	61.05	109.05	-48.00	43.13	34.87	12.87	29.82	0.00	304	201	PEAK																																																																									
3	5924.80	58.18	68.35	-10.17	39.95	35.10	12.98	29.85	0.00	304	201	PEAK																																																																									
4	5945.20	58.90	68.20	-9.30	40.61	35.10	13.02	29.83	0.00	304	201	PEAK																																																																									





Mode	47																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5602.40</td><td>57.51</td><td>68.20</td><td>-10.69</td><td>40.23</td><td>34.50</td><td>12.52</td><td>29.74</td><td>0.00</td><td>300</td><td>14</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>55.17</td><td>68.50</td><td>-13.33</td><td>37.86</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>300</td><td>14</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>57.82</td><td>105.86</td><td>-48.04</td><td>40.57</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>300</td><td>14</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.69</td><td>110.90</td><td>-56.21</td><td>37.33</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>14</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5602.40	57.51	68.20	-10.69	40.23	34.50	12.52	29.74	0.00	300	14	PEAK	2	5650.40	55.17	68.50	-13.33	37.86	34.60	12.58	29.87	0.00	300	14	PEAK	3	5702.00	57.82	105.86	-48.04	40.57	34.60	12.65	30.00	0.00	300	14	PEAK	4	5720.00	54.69	110.90	-56.21	37.33	34.64	12.67	29.95	0.00	300	14	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>111.44</td><td>-----</td><td>-----</td><td>93.73</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>300</td><td>14</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	111.44	-----	-----	93.73	34.76	12.75	29.80	0.00	300	14
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5602.40	57.51	68.20	-10.69	40.23	34.50	12.52	29.74	0.00	300	14	PEAK																																																																																																																														
2	5650.40	55.17	68.50	-13.33	37.86	34.60	12.58	29.87	0.00	300	14	PEAK																																																																																																																														
3	5702.00	57.82	105.86	-48.04	40.57	34.60	12.65	30.00	0.00	300	14	PEAK																																																																																																																														
4	5720.00	54.69	110.90	-56.21	37.33	34.64	12.67	29.95	0.00	300	14	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	111.44	-----	-----	93.73	34.76	12.75	29.80	0.00	300	14	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>103.29</td><td>-----</td><td>-----</td><td>85.58</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>300</td><td>14</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	103.29	-----	-----	85.58	34.76	12.75	29.80	0.00	300	14	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5785.00	103.29	-----	-----	85.58	34.76	12.75	29.80	0.00	300	14	AVERAGE																																																																																																																														



Mode	47																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																													
ANT	0+1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>54.36</td><td>111.36</td><td>-57.00</td><td>36.49</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>14</td><td>PEAK</td></tr><tr><td>2</td><td>5870.40</td><td>57.63</td><td>106.59</td><td>-48.96</td><td>39.65</td><td>34.92</td><td>12.89</td><td>29.83</td><td>0.00</td><td>300</td><td>14</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.10</td><td>68.35</td><td>-13.25</td><td>36.87</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>14</td><td>PEAK</td></tr><tr><td>4</td><td>5967.60</td><td>57.22</td><td>68.20</td><td>-10.98</td><td>38.89</td><td>35.10</td><td>13.05</td><td>29.82</td><td>0.00</td><td>300</td><td>14</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	54.36	111.36	-57.00	36.49	34.83	12.86	29.82	0.00	300	14	PEAK	2	5870.40	57.63	106.59	-48.96	39.65	34.92	12.89	29.83	0.00	300	14	PEAK	3	5924.80	55.10	68.35	-13.25	36.87	35.10	12.98	29.85	0.00	300	14	PEAK	4	5967.60	57.22	68.20	-10.98	38.89	35.10	13.05	29.82	0.00	300	14	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.80	54.36	111.36	-57.00	36.49	34.83	12.86	29.82	0.00	300	14	PEAK																																																																																		
2	5870.40	57.63	106.59	-48.96	39.65	34.92	12.89	29.83	0.00	300	14	PEAK																																																																																		
3	5924.80	55.10	68.35	-13.25	36.87	35.10	12.98	29.85	0.00	300	14	PEAK																																																																																		
4	5967.60	57.22	68.20	-10.98	38.89	35.10	13.05	29.82	0.00	300	14	PEAK																																																																																		






Mode	47																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																								
ANT	0+1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.19</td><td>74.00</td><td>-26.81</td><td>54.57</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>37.52</td><td>54.00</td><td>-16.48</td><td>44.88</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.19	74.00	-26.81	54.57	38.07	18.65	64.10	0.00	300	0 PEAK	2	11570.00	37.52	54.00	-16.48	44.88	38.08	18.66	64.10	0.00	300	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.11</td><td>74.00</td><td>-26.89</td><td>54.49</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>37.80</td><td>54.00</td><td>-16.20</td><td>45.16</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.11	74.00	-26.89	54.49	38.07	18.65	64.10	0.00	100	0 PEAK	2	11570.00	37.80	54.00	-16.20	45.16	38.08	18.66	64.10	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11570.00	47.19	74.00	-26.81	54.57	38.07	18.65	64.10	0.00	300	0 PEAK																																																																																																														
2	11570.00	37.52	54.00	-16.48	44.88	38.08	18.66	64.10	0.00	300	0 AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	11570.00	47.11	74.00	-26.89	54.49	38.07	18.65	64.10	0.00	100	0 PEAK																																																																																																														
2	11570.00	37.80	54.00	-16.20	45.16	38.08	18.66	64.10	0.00	100	0 AVERAGE																																																																																																														





Mode	48																																																																																																																																															
	Band Edge																																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																															
ANT	0+1																																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																																									
Peak																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>70.58</td><td>111.36</td><td>-40.78</td><td>62.00</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>256</td><td>184</td><td>PEAK</td></tr><tr><td>2</td><td>5855.20</td><td>68.92</td><td>110.84</td><td>-41.92</td><td>60.33</td><td>34.86</td><td>11.49</td><td>37.76</td><td>0.00</td><td>256</td><td>184</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>57.46</td><td>68.64</td><td>-11.18</td><td>48.60</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>256</td><td>184</td><td>PEAK</td></tr><tr><td>4</td><td>5948.00</td><td>58.58</td><td>68.20</td><td>-9.62</td><td>49.60</td><td>35.04</td><td>11.57</td><td>37.63</td><td>0.00</td><td>256</td><td>184</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	70.58	111.36	-40.78	62.00	34.85	11.49	37.76	0.00	256	184	PEAK	2	5855.20	68.92	110.84	-41.92	60.33	34.86	11.49	37.76	0.00	256	184	PEAK	3	5924.40	57.46	68.64	-11.18	48.60	34.97	11.55	37.66	0.00	256	184	PEAK	4	5948.00	58.58	68.20	-9.62	49.60	35.04	11.57	37.63	0.00	256	184	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>113.66</td><td>-----</td><td>-----</td><td>105.18</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>256</td><td>184</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	113.66	-----	-----	105.18	34.82	11.47	37.81	0.00	256	184	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	5854.00	70.58	111.36	-40.78	62.00	34.85	11.49	37.76	0.00	256	184	PEAK																																																																																																																																				
2	5855.20	68.92	110.84	-41.92	60.33	34.86	11.49	37.76	0.00	256	184	PEAK																																																																																																																																				
3	5924.40	57.46	68.64	-11.18	48.60	34.97	11.55	37.66	0.00	256	184	PEAK																																																																																																																																				
4	5948.00	58.58	68.20	-9.62	49.60	35.04	11.57	37.63	0.00	256	184	PEAK																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5825.00	113.66	-----	-----	105.18	34.82	11.47	37.81	0.00	256	184	PEAK																																																																																																																																				
Avg	Blank																																																																																																																																															
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.04</td><td>-----</td><td>-----</td><td>97.56</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>256</td><td>184</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.04	-----	-----	97.56	34.82	11.47	37.81	0.00	256	184	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5825.00	106.04	-----	-----	97.56	34.82	11.47	37.81	0.00	256	184	AVERAGE																																																																																																																																				






Mode	48																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																														
ANT	0+1																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>64.67</td><td>113.18</td><td>-48.51</td><td>56.09</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>300</td><td>181</td><td>PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>59.19</td><td>106.36</td><td>-47.17</td><td>50.55</td><td>34.87</td><td>11.51</td><td>37.74</td><td>0.00</td><td>300</td><td>181</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>57.55</td><td>69.83</td><td>-12.28</td><td>48.69</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>300</td><td>181</td><td>PEAK</td></tr><tr><td>4</td><td>5988.00</td><td>58.79</td><td>68.20</td><td>-9.41</td><td>49.60</td><td>35.16</td><td>11.60</td><td>37.57</td><td>0.00</td><td>300</td><td>181</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	64.67	113.18	-48.51	56.09	34.85	11.49	37.76	0.00	300	181	PEAK	2	5871.20	59.19	106.36	-47.17	50.55	34.87	11.51	37.74	0.00	300	181	PEAK	3	5922.80	57.55	69.83	-12.28	48.69	34.97	11.55	37.66	0.00	300	181	PEAK	4	5988.00	58.79	68.20	-9.41	49.60	35.16	11.60	37.57	0.00	300	181	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.41</td><td>-----</td><td>-----</td><td>100.93</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>300</td><td>181</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.41	-----	-----	100.93	34.82	11.47	37.81	0.00	300	181
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5854.00	64.67	113.18	-48.51	56.09	34.85	11.49	37.76	0.00	300	181	PEAK																																																																																																																																			
2	5871.20	59.19	106.36	-47.17	50.55	34.87	11.51	37.74	0.00	300	181	PEAK																																																																																																																																			
3	5922.80	57.55	69.83	-12.28	48.69	34.97	11.55	37.66	0.00	300	181	PEAK																																																																																																																																			
4	5988.00	58.79	68.20	-9.41	49.60	35.16	11.60	37.57	0.00	300	181	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	109.41	-----	-----	100.93	34.82	11.47	37.81	0.00	300	181	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.40</td><td>-----</td><td>-----</td><td>92.92</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>300</td><td>181</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.40	-----	-----	92.92	34.82	11.47	37.81	0.00	300	181	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	101.40	-----	-----	92.92	34.82	11.47	37.81	0.00	300	181	AVERAGE																																																																																																																																			






Mode	48																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																									
ANT	0+1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>53.75</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	46.53	74.00	-27.47	53.75	38.20	18.72	64.14	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>53.86</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	46.64	74.00	-27.36	53.86	38.20	18.72	64.14	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 11650.00	46.53	74.00	-27.47	53.75	38.20	18.72	64.14	0.00	--	--	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 11650.00	46.64	74.00	-27.36	53.86	38.20	18.72	64.14	0.00	--	--	PEAK																																																																																															





	49																																																																																																																		
Mode	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																		
ANT	0+1																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5638.40</td><td>56.00</td><td>68.20</td><td>-12.20</td><td>47.60</td><td>34.42</td><td>11.20</td><td>37.22</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>56.21</td><td>68.80</td><td>-12.59</td><td>47.85</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr><tr><td>3</td><td>5716.00</td><td>70.57</td><td>109.78</td><td>-39.21</td><td>62.38</td><td>34.38</td><td>11.32</td><td>37.51</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>74.24</td><td>113.64</td><td>-39.40</td><td>66.04</td><td>34.41</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5638.40	56.00	68.20	-12.20	47.60	34.42	11.20	37.22	0.00	100	239 PEAK	2	5650.80	56.21	68.80	-12.59	47.85	34.40	11.22	37.26	0.00	100	239 PEAK	3	5716.00	70.57	109.78	-39.21	62.38	34.38	11.32	37.51	0.00	100	239 PEAK	4	5721.20	74.24	113.64	-39.40	66.04	34.41	11.32	37.53	0.00	100	239 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.98</td><td>-----</td><td>-----</td><td>104.74</td><td>34.50</td><td>11.35</td><td>37.61</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	112.98	-----	-----	104.74	34.50	11.35	37.61	0.00	100	239 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5638.40	56.00	68.20	-12.20	47.60	34.42	11.20	37.22	0.00	100	239 PEAK																																																																																																								
2	5650.80	56.21	68.80	-12.59	47.85	34.40	11.22	37.26	0.00	100	239 PEAK																																																																																																								
3	5716.00	70.57	109.78	-39.21	62.38	34.38	11.32	37.51	0.00	100	239 PEAK																																																																																																								
4	5721.20	74.24	113.64	-39.40	66.04	34.41	11.32	37.53	0.00	100	239 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	112.98	-----	-----	104.74	34.50	11.35	37.61	0.00	100	239 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.35</td><td>-----</td><td>-----</td><td>97.09</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>100</td><td>239 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	105.35	-----	-----	97.09	34.53	11.36	37.63	0.00	100	239 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5745.00	105.35	-----	-----	97.09	34.53	11.36	37.63	0.00	100	239 AVERAGE																																																																																																								






Mode	49																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																								
ANT	0+1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.40</td><td>50.96</td><td>68.20</td><td>-17.24</td><td>42.55</td><td>34.43</td><td>11.20</td><td>37.22</td><td>0.00</td><td>100</td><td>235 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>51.56</td><td>69.39</td><td>-17.83</td><td>43.20</td><td>34.40</td><td>11.22</td><td>37.26</td><td>0.00</td><td>100</td><td>235 PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>68.11</td><td>110.90</td><td>-42.79</td><td>59.92</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>235 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>68.11</td><td>110.90</td><td>-42.79</td><td>59.92</td><td>34.40</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>235 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5636.40	50.96	68.20	-17.24	42.55	34.43	11.20	37.22	0.00	100	235 PEAK	2	5651.60	51.56	69.39	-17.83	43.20	34.40	11.22	37.26	0.00	100	235 PEAK	3	5720.00	68.11	110.90	-42.79	59.92	34.40	11.32	37.53	0.00	100	235 PEAK	4	5720.00	68.11	110.90	-42.79	59.92	34.40	11.32	37.53	0.00	100	235 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.81</td><td>-----</td><td>-----</td><td>98.57</td><td>34.50</td><td>11.35</td><td>37.61</td><td>0.00</td><td>100</td><td>235 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	106.81	-----	-----	98.57	34.50	11.35	37.61	0.00	100	235 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5636.40	50.96	68.20	-17.24	42.55	34.43	11.20	37.22	0.00	100	235 PEAK																																																																																																																														
2	5651.60	51.56	69.39	-17.83	43.20	34.40	11.22	37.26	0.00	100	235 PEAK																																																																																																																														
3	5720.00	68.11	110.90	-42.79	59.92	34.40	11.32	37.53	0.00	100	235 PEAK																																																																																																																														
4	5720.00	68.11	110.90	-42.79	59.92	34.40	11.32	37.53	0.00	100	235 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	106.81	-----	-----	98.57	34.50	11.35	37.61	0.00	100	235 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.63</td><td>-----</td><td>-----</td><td>90.37</td><td>34.53</td><td>11.36</td><td>37.63</td><td>0.00</td><td>100</td><td>235 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.63	-----	-----	90.37	34.53	11.36	37.63	0.00	100	235 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	98.63	-----	-----	90.37	34.53	11.36	37.63	0.00	100	235 AVERAGE																																																																																																																														







Mode	49																																																																				
	Harmonic																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																				
ANT	0+1																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>55.37</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>37.82</td><td>54.00</td><td>-16.18</td><td>45.30</td><td>38.00</td><td>18.59</td><td>64.07</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.85	74.00	-26.15	55.37	38.00	18.58	64.10	0.00	100	360	PEAK	2	11490.00	37.82	54.00	-16.18	45.30	38.00	18.59	64.07	0.00	100	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11490.00	47.85	74.00	-26.15	55.37	38.00	18.58	64.10	0.00	100	360	PEAK																																																									
2	11490.00	37.82	54.00	-16.18	45.30	38.00	18.59	64.07	0.00	100	360	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>47.11</td><td>74.00</td><td>-26.89</td><td>54.63</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>300</td><td>240</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>37.89</td><td>54.00</td><td>-16.11</td><td>45.38</td><td>38.00</td><td>18.59</td><td>64.08</td><td>0.00</td><td>300</td><td>240</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.11	74.00	-26.89	54.63	38.00	18.58	64.10	0.00	300	240	PEAK	2	11490.00	37.89	54.00	-16.11	45.38	38.00	18.59	64.08	0.00	300	240	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11490.00	47.11	74.00	-26.89	54.63	38.00	18.58	64.10	0.00	300	240	PEAK																																																									
2	11490.00	37.89	54.00	-16.11	45.38	38.00	18.59	64.08	0.00	300	240	AVERAGE																																																									






Mode	50																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5641.20</td><td>60.39</td><td>68.20</td><td>-7.81</td><td>43.08</td><td>34.58</td><td>12.57</td><td>29.84</td><td>0.00</td><td>300</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>58.70</td><td>69.69</td><td>-10.99</td><td>41.38</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>300</td><td>183</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>67.35</td><td>110.68</td><td>-43.33</td><td>49.99</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>183</td><td>PEAK</td></tr><tr><td>4</td><td>5723.60</td><td>73.13</td><td>119.11</td><td>-45.98</td><td>55.75</td><td>34.65</td><td>12.67</td><td>29.94</td><td>0.00</td><td>300</td><td>183</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5641.20	60.39	68.20	-7.81	43.08	34.58	12.57	29.84	0.00	300	183	PEAK	2	5652.00	58.70	69.69	-10.99	41.38	34.60	12.59	29.87	0.00	300	183	PEAK	3	5719.20	67.35	110.68	-43.33	49.99	34.64	12.67	29.95	0.00	300	183	PEAK	4	5723.60	73.13	119.11	-45.98	55.75	34.65	12.67	29.94	0.00	300	183	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>117.03</td><td>-----</td><td>-----</td><td>99.56</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>300</td><td>183</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	117.03	-----	-----	99.56	34.68	12.69	29.90	0.00	300	183	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5641.20	60.39	68.20	-7.81	43.08	34.58	12.57	29.84	0.00	300	183	PEAK																																																																																																																															
2	5652.00	58.70	69.69	-10.99	41.38	34.60	12.59	29.87	0.00	300	183	PEAK																																																																																																																															
3	5719.20	67.35	110.68	-43.33	49.99	34.64	12.67	29.95	0.00	300	183	PEAK																																																																																																																															
4	5723.60	73.13	119.11	-45.98	55.75	34.65	12.67	29.94	0.00	300	183	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	117.03	-----	-----	99.56	34.68	12.69	29.90	0.00	300	183	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>108.16</td><td>-----</td><td>-----</td><td>90.69</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>300</td><td>183</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.16	-----	-----	90.69	34.68	12.69	29.90	0.00	300	183	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	108.16	-----	-----	90.69	34.68	12.69	29.90	0.00	300	183	AVERAGE																																																																																																																															




Mode	50																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.60</td><td>58.58</td><td>68.20</td><td>-9.62</td><td>41.27</td><td>34.58</td><td>12.57</td><td>29.84</td><td>0.00</td><td>223</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>56.32</td><td>68.20</td><td>-11.88</td><td>39.00</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>223</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>66.27</td><td>110.56</td><td>-44.29</td><td>48.91</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>223</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5723.60</td><td>75.82</td><td>119.11</td><td>-43.29</td><td>58.44</td><td>34.65</td><td>12.67</td><td>29.94</td><td>0.00</td><td>223</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5639.60	58.58	68.20	-9.62	41.27	34.58	12.57	29.84	0.00	223	0	PEAK	2	5650.00	56.32	68.20	-11.88	39.00	34.60	12.58	29.86	0.00	223	0	PEAK	3	5718.00	66.27	110.56	-44.29	48.91	34.64	12.67	29.95	0.00	223	0	PEAK	4	5723.60	75.82	119.11	-43.29	58.44	34.65	12.67	29.94	0.00	223	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>113.42</td><td>-----</td><td>-----</td><td>95.95</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>223</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	113.42	-----	-----	95.95	34.68	12.69	29.90	0.00	223	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5639.60	58.58	68.20	-9.62	41.27	34.58	12.57	29.84	0.00	223	0	PEAK																																																																																																																														
2	5650.00	56.32	68.20	-11.88	39.00	34.60	12.58	29.86	0.00	223	0	PEAK																																																																																																																														
3	5718.00	66.27	110.56	-44.29	48.91	34.64	12.67	29.95	0.00	223	0	PEAK																																																																																																																														
4	5723.60	75.82	119.11	-43.29	58.44	34.65	12.67	29.94	0.00	223	0	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	113.42	-----	-----	95.95	34.68	12.69	29.90	0.00	223	0	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.01</td><td>-----</td><td>-----</td><td>87.54</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>223</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.01	-----	-----	87.54	34.68	12.69	29.90	0.00	223	0	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>113.42</td><td>-----</td><td>-----</td><td>95.95</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>223</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	113.42	-----	-----	95.95	34.68	12.69	29.90	0.00	223	0	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	105.01	-----	-----	87.54	34.68	12.69	29.90	0.00	223	0	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	113.42	-----	-----	95.95	34.68	12.69	29.90	0.00	223	0	PEAK																																																																																																																														






Mode	51																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5627.20</td><td>58.87</td><td>68.20</td><td>-9.33</td><td>41.57</td><td>34.55</td><td>12.55</td><td>29.80</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5652.40</td><td>56.82</td><td>69.99</td><td>-13.17</td><td>39.50</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5782.00</td><td>57.73</td><td>105.86</td><td>-48.13</td><td>40.48</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>60.93</td><td>116.37</td><td>-55.44</td><td>43.56</td><td>34.64</td><td>12.67</td><td>29.94</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5627.20	58.87	68.20	-9.33	41.57	34.55	12.55	29.80	0.00	100	172	PEAK	2	5652.40	56.82	69.99	-13.17	39.50	34.60	12.59	29.87	0.00	100	172	PEAK	3	5782.00	57.73	105.86	-48.13	40.48	34.60	12.65	30.00	0.00	100	172	PEAK	4	5722.40	60.93	116.37	-55.44	43.56	34.64	12.67	29.94	0.00	100	172	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>113.45</td><td>-----</td><td>-----</td><td>95.69</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	113.45	-----	-----	95.69	34.78	12.76	29.78	0.00	100	172	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5627.20	58.87	68.20	-9.33	41.57	34.55	12.55	29.80	0.00	100	172	PEAK																																																																																																																															
2	5652.40	56.82	69.99	-13.17	39.50	34.60	12.59	29.87	0.00	100	172	PEAK																																																																																																																															
3	5782.00	57.73	105.86	-48.13	40.48	34.60	12.65	30.00	0.00	100	172	PEAK																																																																																																																															
4	5722.40	60.93	116.37	-55.44	43.56	34.64	12.67	29.94	0.00	100	172	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	113.45	-----	-----	95.69	34.78	12.76	29.78	0.00	100	172	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>105.97</td><td>-----</td><td>-----</td><td>88.21</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>100</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	105.97	-----	-----	88.21	34.78	12.76	29.78	0.00	100	172	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	105.97	-----	-----	88.21	34.78	12.76	29.78	0.00	100	172	AVERAGE																																																																																																																															




Mode	51																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																														
ANT	0+1																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>54.53</td><td>111.36</td><td>-56.83</td><td>36.66</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5870.00</td><td>58.97</td><td>106.70</td><td>-47.73</td><td>40.99</td><td>34.92</td><td>12.89</td><td>29.83</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>57.78</td><td>68.94</td><td>-11.16</td><td>39.55</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5955.60</td><td>58.39</td><td>68.20</td><td>-9.81</td><td>40.09</td><td>35.10</td><td>13.03</td><td>29.83</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	54.53	111.36	-56.83	36.66	34.83	12.86	29.82	0.00	100	172	PEAK	2	5870.00	58.97	106.70	-47.73	40.99	34.92	12.89	29.83	0.00	100	172	PEAK	3	5924.00	57.78	68.94	-11.16	39.55	35.10	12.98	29.85	0.00	100	172	PEAK	4	5955.60	58.39	68.20	-9.81	40.09	35.10	13.03	29.83	0.00	100	172	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.00	54.53	111.36	-56.83	36.66	34.83	12.86	29.82	0.00	100	172	PEAK																																																																																			
2	5870.00	58.97	106.70	-47.73	40.99	34.92	12.89	29.83	0.00	100	172	PEAK																																																																																			
3	5924.00	57.78	68.94	-11.16	39.55	35.10	12.98	29.85	0.00	100	172	PEAK																																																																																			
4	5955.60	58.39	68.20	-9.81	40.09	35.10	13.03	29.83	0.00	100	172	PEAK																																																																																			





Mode	51																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5611.20</td><td>58.00</td><td>68.20</td><td>-10.20</td><td>40.71</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>233</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.29</td><td>68.80</td><td>-14.51</td><td>36.98</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>233</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>55.40</td><td>105.64</td><td>-50.24</td><td>38.15</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>233</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>54.27</td><td>110.90</td><td>-56.63</td><td>36.91</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>233</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5611.20	58.00	68.20	-10.20	40.71	34.52	12.53	29.76	0.00	233	360	PEAK	2	5650.00	54.29	68.80	-14.51	36.98	34.60	12.58	29.87	0.00	233	360	PEAK	3	5701.20	55.40	105.64	-50.24	38.15	34.60	12.65	30.00	0.00	233	360	PEAK	4	5720.00	54.27	110.90	-56.63	36.91	34.64	12.67	29.95	0.00	233	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>113.75</td><td>-----</td><td>-----</td><td>95.99</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>233</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	113.75	-----	-----	95.99	34.78	12.76	29.78	0.00	233	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5611.20	58.00	68.20	-10.20	40.71	34.52	12.53	29.76	0.00	233	360	PEAK																																																																																																																															
2	5650.00	54.29	68.80	-14.51	36.98	34.60	12.58	29.87	0.00	233	360	PEAK																																																																																																																															
3	5701.20	55.40	105.64	-50.24	38.15	34.60	12.65	30.00	0.00	233	360	PEAK																																																																																																																															
4	5720.00	54.27	110.90	-56.63	36.91	34.64	12.67	29.95	0.00	233	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	113.75	-----	-----	95.99	34.78	12.76	29.78	0.00	233	360	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5785.00</td><td>103.54</td><td>-----</td><td>-----</td><td>85.83</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>233</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5785.00	103.54	-----	-----	85.83	34.76	12.75	29.80	0.00	233	360	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5785.00	103.54	-----	-----	85.83	34.76	12.75	29.80	0.00	233	360	AVERAGE																																																																																																																															






Mode	51																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																				
ANT	0+1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>55.92</td><td>111.36</td><td>-55.44</td><td>38.05</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>233</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5871.20</td><td>57.83</td><td>106.36</td><td>-48.53</td><td>39.85</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>233</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.33</td><td>69.23</td><td>-13.90</td><td>37.10</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>233</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5991.20</td><td>57.40</td><td>68.20</td><td>-10.80</td><td>39.00</td><td>35.10</td><td>13.10</td><td>29.80</td><td>0.00</td><td>233</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	55.92	111.36	-55.44	38.05	34.83	12.86	29.82	0.00	233	360	PEAK	2	5871.20	57.83	106.36	-48.53	39.85	34.93	12.89	29.84	0.00	233	360	PEAK	3	5923.60	55.33	69.23	-13.90	37.10	35.10	12.98	29.85	0.00	233	360	PEAK	4	5991.20	57.40	68.20	-10.80	39.00	35.10	13.10	29.80	0.00	233	360	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.80	55.92	111.36	-55.44	38.05	34.83	12.86	29.82	0.00	233	360	PEAK																																																																									
2	5871.20	57.83	106.36	-48.53	39.85	34.93	12.89	29.84	0.00	233	360	PEAK																																																																									
3	5923.60	55.33	69.23	-13.90	37.10	35.10	12.98	29.85	0.00	233	360	PEAK																																																																									
4	5991.20	57.40	68.20	-10.80	39.00	35.10	13.10	29.80	0.00	233	360	PEAK																																																																									






Mode	51																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																									
ANT	0+1																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>54.32</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11570.00	46.94	74.00	-27.06	54.32	38.07	18.65	64.10	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11570.00</td><td>46.82</td><td>74.00</td><td>-27.18</td><td>54.20</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11570.00	46.82	74.00	-27.18	54.20	38.07	18.65	64.10	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 11570.00	46.94	74.00	-27.06	54.32	38.07	18.65	64.10	0.00	--	--	PEAK																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1 11570.00	46.82	74.00	-27.18	54.20	38.07	18.65	64.10	0.00	--	--	PEAK																																																																																															





Mode	52																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																		
ANT	0+1																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>66.97</td><td>111.36</td><td>-44.39</td><td>58.39</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>300</td><td>205 PEAK</td></tr><tr><td>2</td><td>5855.60</td><td>68.10</td><td>110.73</td><td>-42.63</td><td>59.51</td><td>34.86</td><td>11.49</td><td>37.76</td><td>0.00</td><td>300</td><td>205 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>50.36</td><td>68.35</td><td>-17.99</td><td>41.50</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>300</td><td>205 PEAK</td></tr><tr><td>4</td><td>5938.00</td><td>53.67</td><td>68.20</td><td>-14.53</td><td>44.74</td><td>35.01</td><td>11.56</td><td>37.64</td><td>0.00</td><td>300</td><td>205 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5854.00	66.97	111.36	-44.39	58.39	34.85	11.49	37.76	0.00	300	205 PEAK	2	5855.60	68.10	110.73	-42.63	59.51	34.86	11.49	37.76	0.00	300	205 PEAK	3	5924.00	50.36	68.35	-17.99	41.50	34.97	11.55	37.66	0.00	300	205 PEAK	4	5938.00	53.67	68.20	-14.53	44.74	35.01	11.56	37.64	0.00	300	205 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.43</td><td>-----</td><td>-----</td><td>103.95</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>300</td><td>205 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5825.00	112.43	-----	-----	103.95	34.82	11.47	37.81	0.00	300	205 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5854.00	66.97	111.36	-44.39	58.39	34.85	11.49	37.76	0.00	300	205 PEAK																																																																																																								
2	5855.60	68.10	110.73	-42.63	59.51	34.86	11.49	37.76	0.00	300	205 PEAK																																																																																																								
3	5924.00	50.36	68.35	-17.99	41.50	34.97	11.55	37.66	0.00	300	205 PEAK																																																																																																								
4	5938.00	53.67	68.20	-14.53	44.74	35.01	11.56	37.64	0.00	300	205 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5825.00	112.43	-----	-----	103.95	34.82	11.47	37.81	0.00	300	205 PEAK																																																																																																								
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.36</td><td>-----</td><td>-----</td><td>95.88</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>300</td><td>205 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5825.00	104.36	-----	-----	95.88	34.82	11.47	37.81	0.00	300	205 AVERAGE																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																											
1	5825.00	104.36	-----	-----	95.88	34.82	11.47	37.81	0.00	300	205 AVERAGE																																																																																																								






Mode	52																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>62.20</td><td>112.27</td><td>-50.07</td><td>53.62</td><td>34.85</td><td>11.49</td><td>37.76</td><td>0.00</td><td>300</td><td>190 PEAK</td></tr><tr><td>2</td><td>5858.80</td><td>60.86</td><td>109.83</td><td>-48.97</td><td>52.25</td><td>34.86</td><td>11.50</td><td>37.75</td><td>0.00</td><td>300</td><td>190 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>50.62</td><td>68.64</td><td>-18.02</td><td>41.76</td><td>34.97</td><td>11.55</td><td>37.66</td><td>0.00</td><td>300</td><td>190 PEAK</td></tr><tr><td>4</td><td>5934.00</td><td>50.37</td><td>68.20</td><td>-17.83</td><td>41.46</td><td>35.00</td><td>11.56</td><td>37.65</td><td>0.00</td><td>300</td><td>190 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	62.20	112.27	-50.07	53.62	34.85	11.49	37.76	0.00	300	190 PEAK	2	5858.80	60.86	109.83	-48.97	52.25	34.86	11.50	37.75	0.00	300	190 PEAK	3	5924.40	50.62	68.64	-18.02	41.76	34.97	11.55	37.66	0.00	300	190 PEAK	4	5934.00	50.37	68.20	-17.83	41.46	35.00	11.56	37.65	0.00	300	190 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>109.75</td><td>-----</td><td>-----</td><td>101.27</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>300</td><td>190 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.75	-----	-----	101.27	34.82	11.47	37.81	0.00	300	190 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.40	62.20	112.27	-50.07	53.62	34.85	11.49	37.76	0.00	300	190 PEAK																																																																																																																															
2	5858.80	60.86	109.83	-48.97	52.25	34.86	11.50	37.75	0.00	300	190 PEAK																																																																																																																															
3	5924.40	50.62	68.64	-18.02	41.76	34.97	11.55	37.66	0.00	300	190 PEAK																																																																																																																															
4	5934.00	50.37	68.20	-17.83	41.46	35.00	11.56	37.65	0.00	300	190 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	109.75	-----	-----	101.27	34.82	11.47	37.81	0.00	300	190 PEAK																																																																																																																															
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.96</td><td>-----</td><td>-----</td><td>91.48</td><td>34.82</td><td>11.47</td><td>37.81</td><td>0.00</td><td>300</td><td>190 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	99.96	-----	-----	91.48	34.82	11.47	37.81	0.00	300	190 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	99.96	-----	-----	91.48	34.82	11.47	37.81	0.00	300	190 AVERAGE																																																																																																																															







Mode	52																																																																																																								
	Harmonic																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																								
ANT	0+1																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>53.95</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	46.73	74.00	-27.27	53.95	38.20	18.72	64.14	0.00	--	--	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11650.00</td><td>46.54</td><td>74.00</td><td>-27.46</td><td>53.76</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11650.00	46.54	74.00	-27.46	53.76	38.20	18.72	64.14	0.00	--	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11650.00	46.73	74.00	-27.27	53.95	38.20	18.72	64.14	0.00	--	--	PEAK																																																																																														
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 11650.00	46.54	74.00	-27.46	53.76	38.20	18.72	64.14	0.00	--	--	PEAK																																																																																														






Mode	53																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.20</td><td>60.63</td><td>115.00</td><td>-54.37</td><td>42.76</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>300</td><td>331</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>57.50</td><td>106.25</td><td>-48.75</td><td>39.52</td><td>34.93</td><td>12.89</td><td>29.84</td><td>0.00</td><td>300</td><td>331</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.81</td><td>68.35</td><td>-13.54</td><td>36.58</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>331</td><td>PEAK</td></tr><tr><td>4</td><td>5954.40</td><td>57.13</td><td>68.20</td><td>-11.07</td><td>38.83</td><td>35.10</td><td>13.03</td><td>29.83</td><td>0.00</td><td>300</td><td>331</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.20	60.63	115.00	-54.37	42.76	34.82	12.86	29.81	0.00	300	331	PEAK	2	5871.60	57.50	106.25	-48.75	39.52	34.93	12.89	29.84	0.00	300	331	PEAK	3	5924.80	54.81	68.35	-13.54	36.58	35.10	12.98	29.85	0.00	300	331	PEAK	4	5954.40	57.13	68.20	-11.07	38.83	35.10	13.03	29.83	0.00	300	331	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>112.45</td><td>-----</td><td>-----</td><td>94.62</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>300</td><td>331</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	112.45	-----	-----	94.62	34.80	12.82	29.79	0.00	300	331	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5853.20	60.63	115.00	-54.37	42.76	34.82	12.86	29.81	0.00	300	331	PEAK																																																																																																																															
2	5871.60	57.50	106.25	-48.75	39.52	34.93	12.89	29.84	0.00	300	331	PEAK																																																																																																																															
3	5924.80	54.81	68.35	-13.54	36.58	35.10	12.98	29.85	0.00	300	331	PEAK																																																																																																																															
4	5954.40	57.13	68.20	-11.07	38.83	35.10	13.03	29.83	0.00	300	331	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	112.45	-----	-----	94.62	34.80	12.82	29.79	0.00	300	331	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>103.99</td><td>-----</td><td>-----</td><td>86.16</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>300</td><td>331</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.99	-----	-----	86.16	34.80	12.82	29.79	0.00	300	331	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	103.99	-----	-----	86.16	34.80	12.82	29.79	0.00	300	331	AVERAGE																																																																																																																															




Mode	53																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>56.52</td><td>112.27</td><td>-55.75</td><td>38.65</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>317</td><td>347</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>57.01</td><td>105.69</td><td>-48.68</td><td>39.01</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>317</td><td>347</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.36</td><td>68.35</td><td>-12.99</td><td>37.13</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>317</td><td>347</td><td>PEAK</td></tr><tr><td>4</td><td>5975.60</td><td>58.39</td><td>68.20</td><td>-9.81</td><td>40.03</td><td>35.10</td><td>13.07</td><td>29.81</td><td>0.00</td><td>317</td><td>347</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.40	56.52	112.27	-55.75	38.65	34.83	12.86	29.82	0.00	317	347	PEAK	2	5873.60	57.01	105.69	-48.68	39.01	34.94	12.90	29.84	0.00	317	347	PEAK	3	5924.80	55.36	68.35	-12.99	37.13	35.10	12.98	29.85	0.00	317	347	PEAK	4	5975.60	58.39	68.20	-9.81	40.03	35.10	13.07	29.81	0.00	317	347	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>109.66</td><td>-----</td><td>-----</td><td>91.83</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>317</td><td>347</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.66	-----	-----	91.83	34.80	12.82	29.79	0.00	317	347
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5854.40	56.52	112.27	-55.75	38.65	34.83	12.86	29.82	0.00	317	347	PEAK																																																																																																																														
2	5873.60	57.01	105.69	-48.68	39.01	34.94	12.90	29.84	0.00	317	347	PEAK																																																																																																																														
3	5924.80	55.36	68.35	-12.99	37.13	35.10	12.98	29.85	0.00	317	347	PEAK																																																																																																																														
4	5975.60	58.39	68.20	-9.81	40.03	35.10	13.07	29.81	0.00	317	347	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	109.66	-----	-----	91.83	34.80	12.82	29.79	0.00	317	347	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.03</td><td>-----</td><td>-----</td><td>84.20</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>317</td><td>347</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.03	-----	-----	84.20	34.80	12.82	29.79	0.00	317	347	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.03</td><td>-----</td><td>-----</td><td>84.20</td><td>34.80</td><td>12.82</td><td>29.79</td><td>0.00</td><td>317</td><td>347</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	102.03	-----	-----	84.20	34.80	12.82	29.79	0.00	317	347	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	102.03	-----	-----	84.20	34.80	12.82	29.79	0.00	317	347	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	102.03	-----	-----	84.20	34.80	12.82	29.79	0.00	317	347	AVERAGE																																																																																																																														



Mode	54																																																																																																																									
	Band Edge - L																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																									
ANT	0+1																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5619.38</td><td>57.92</td><td>68.20</td><td>-10.28</td><td>40.62</td><td>34.54</td><td>12.54</td><td>29.78</td><td>0.00</td><td>100 177 PEAK</td></tr><tr><td>2 5651.31</td><td>57.34</td><td>69.17</td><td>-11.83</td><td>40.03</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100 177 PEAK</td></tr><tr><td>3 5700.75</td><td>56.75</td><td>105.51</td><td>-48.76</td><td>39.50</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>100 177 PEAK</td></tr><tr><td>4 5720.13</td><td>58.31</td><td>111.19</td><td>-52.88</td><td>40.95</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100 177 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5619.38	57.92	68.20	-10.28	40.62	34.54	12.54	29.78	0.00	100 177 PEAK	2 5651.31	57.34	69.17	-11.83	40.03	34.60	12.58	29.87	0.00	100 177 PEAK	3 5700.75	56.75	105.51	-48.76	39.50	34.60	12.65	30.00	0.00	100 177 PEAK	4 5720.13	58.31	111.19	-52.88	40.95	34.64	12.67	29.95	0.00	100 177 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>102.89</td><td>-----</td><td>-----</td><td>85.39</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100 177 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	102.89	-----	-----	85.39	34.69	12.70	29.89	0.00	100 177 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 5619.38	57.92	68.20	-10.28	40.62	34.54	12.54	29.78	0.00	100 177 PEAK																																																																																																																	
2 5651.31	57.34	69.17	-11.83	40.03	34.60	12.58	29.87	0.00	100 177 PEAK																																																																																																																	
3 5700.75	56.75	105.51	-48.76	39.50	34.60	12.65	30.00	0.00	100 177 PEAK																																																																																																																	
4 5720.13	58.31	111.19	-52.88	40.95	34.64	12.67	29.95	0.00	100 177 PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 5755.00	102.89	-----	-----	85.39	34.69	12.70	29.89	0.00	100 177 PEAK																																																																																																																	
Avg	Blank																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>94.11</td><td>-----</td><td>-----</td><td>76.52</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>100 177 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	94.11	-----	-----	76.52	34.72	12.72	29.85	0.00	100 177 AVERAGE																																																																						
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																
1 5755.00	94.11	-----	-----	76.52	34.72	12.72	29.85	0.00	100 177 AVERAGE																																																																																																																	




Mode	54																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																				
ANT	0+1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>54.28</td><td>111.26</td><td>-56.98</td><td>36.41</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>56.20</td><td>105.32</td><td>-49.12</td><td>38.19</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>3</td><td>5923.68</td><td>55.78</td><td>69.18</td><td>-13.40</td><td>37.55</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr><tr><td>4</td><td>5948.83</td><td>57.61</td><td>68.20</td><td>-10.59</td><td>39.32</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>100</td><td>177</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	54.28	111.26	-56.98	36.41	34.83	12.86	29.82	0.00	100	177	PEAK	2	5874.93	56.20	105.32	-49.12	38.19	34.95	12.90	29.84	0.00	100	177	PEAK	3	5923.68	55.78	69.18	-13.40	37.55	35.10	12.98	29.85	0.00	100	177	PEAK	4	5948.83	57.61	68.20	-10.59	39.32	35.10	13.02	29.83	0.00	100	177	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	54.28	111.26	-56.98	36.41	34.83	12.86	29.82	0.00	100	177	PEAK																																																																									
2	5874.93	56.20	105.32	-49.12	38.19	34.95	12.90	29.84	0.00	100	177	PEAK																																																																									
3	5923.68	55.78	69.18	-13.40	37.55	35.10	12.98	29.85	0.00	100	177	PEAK																																																																									
4	5948.83	57.61	68.20	-10.59	39.32	35.10	13.02	29.83	0.00	100	177	PEAK																																																																									





Mode	54																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5609.61</td><td>57.82</td><td>68.20</td><td>-10.38</td><td>40.53</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>300</td><td>64</td><td>PEAK</td></tr><tr><td>2</td><td>5650.69</td><td>56.01</td><td>68.71</td><td>-12.70</td><td>38.70</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>300</td><td>64</td><td>PEAK</td></tr><tr><td>3</td><td>5702.30</td><td>56.32</td><td>105.94</td><td>-49.62</td><td>39.06</td><td>34.60</td><td>12.65</td><td>29.99</td><td>0.00</td><td>300</td><td>64</td><td>PEAK</td></tr><tr><td>4</td><td>5720.59</td><td>56.42</td><td>112.25</td><td>-55.83</td><td>39.06</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>64</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5609.61	57.82	68.20	-10.38	40.53	34.52	12.53	29.76	0.00	300	64	PEAK	2	5650.69	56.01	68.71	-12.70	38.70	34.60	12.58	29.87	0.00	300	64	PEAK	3	5702.30	56.32	105.94	-49.62	39.06	34.60	12.65	29.99	0.00	300	64	PEAK	4	5720.59	56.42	112.25	-55.83	39.06	34.64	12.67	29.95	0.00	300	64	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>90.73</td><td>-----</td><td>-----</td><td>81.23</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>300</td><td>64</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	90.73	-----	-----	81.23	34.69	12.70	29.89	0.00	300	64	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5609.61	57.82	68.20	-10.38	40.53	34.52	12.53	29.76	0.00	300	64	PEAK																																																																																																																															
2	5650.69	56.01	68.71	-12.70	38.70	34.60	12.58	29.87	0.00	300	64	PEAK																																																																																																																															
3	5702.30	56.32	105.94	-49.62	39.06	34.60	12.65	29.99	0.00	300	64	PEAK																																																																																																																															
4	5720.59	56.42	112.25	-55.83	39.06	34.64	12.67	29.95	0.00	300	64	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	90.73	-----	-----	81.23	34.69	12.70	29.89	0.00	300	64	PEAK																																																																																																																															
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>90.96</td><td>-----</td><td>-----</td><td>73.42</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>300</td><td>64</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	90.96	-----	-----	73.42	34.70	12.71	29.87	0.00	300	64	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	90.96	-----	-----	73.42	34.70	12.71	29.87	0.00	300	64	AVERAGE																																																																																																																															






Mode	54																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																														
ANT	0+1																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>56.86</td><td>112.60</td><td>-55.74</td><td>38.99</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>64</td><td>PEAK</td></tr><tr><td>2</td><td>5872.78</td><td>56.46</td><td>105.92</td><td>-49.46</td><td>38.47</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>300</td><td>64</td><td>PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>54.64</td><td>68.89</td><td>-14.25</td><td>36.41</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>64</td><td>PEAK</td></tr><tr><td>4</td><td>5934.01</td><td>57.54</td><td>68.20</td><td>-10.66</td><td>39.28</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>300</td><td>64</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.26	56.86	112.60	-55.74	38.99	34.83	12.86	29.82	0.00	300	64	PEAK	2	5872.78	56.46	105.92	-49.46	38.47	34.94	12.89	29.84	0.00	300	64	PEAK	3	5924.07	54.64	68.89	-14.25	36.41	35.10	12.98	29.85	0.00	300	64	PEAK	4	5934.01	57.54	68.20	-10.66	39.28	35.10	13.00	29.84	0.00	300	64	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.26	56.86	112.60	-55.74	38.99	34.83	12.86	29.82	0.00	300	64	PEAK																																																																																			
2	5872.78	56.46	105.92	-49.46	38.47	34.94	12.89	29.84	0.00	300	64	PEAK																																																																																			
3	5924.07	54.64	68.89	-14.25	36.41	35.10	12.98	29.85	0.00	300	64	PEAK																																																																																			
4	5934.01	57.54	68.20	-10.66	39.28	35.10	13.00	29.84	0.00	300	64	PEAK																																																																																			




Mode	54																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																											
ANT	0+1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11510.00</td><td>48.05</td><td>74.00</td><td>-25.95</td><td>55.51</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>37.91</td><td>54.00</td><td>-16.09</td><td>45.38</td><td>38.00</td><td>18.59</td><td>64.06</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11510.00	48.05	74.00	-25.95	55.51	38.01	18.60	64.07	0.00	100	360	PEAK	2	11510.00	37.91	54.00	-16.09	45.38	38.00	18.59	64.06	0.00	100	360	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11510.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>54.73</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>37.79</td><td>54.00</td><td>-16.21</td><td>45.27</td><td>38.00</td><td>18.59</td><td>64.07</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1	11510.00	47.27	74.00	-26.73	54.73	38.01	18.60	64.07	0.00	300	360	PEAK	2	11510.00	37.79	54.00	-16.21	45.27	38.00	18.59	64.07	0.00	300	360	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	11510.00	48.05	74.00	-25.95	55.51	38.01	18.60	64.07	0.00	100	360	PEAK																																																																																																																																
2	11510.00	37.91	54.00	-16.09	45.38	38.00	18.59	64.06	0.00	100	360	AVERAGE																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1	11510.00	47.27	74.00	-26.73	54.73	38.01	18.60	64.07	0.00	300	360	PEAK																																																																																																																																
2	11510.00	37.79	54.00	-16.21	45.27	38.00	18.59	64.07	0.00	300	360	AVERAGE																																																																																																																																






Mode	55																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.35</td><td>63.20</td><td>68.20</td><td>-5.00</td><td>45.89</td><td>34.59</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>60.83</td><td>68.48</td><td>-7.65</td><td>43.52</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr><tr><td>3</td><td>5719.82</td><td>87.81</td><td>110.85</td><td>-23.04</td><td>70.45</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr><tr><td>4</td><td>5720.90</td><td>92.57</td><td>112.95</td><td>-20.38</td><td>75.21</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.35	63.20	68.20	-5.00	45.89	34.59	12.58	29.86	0.00	100	193	PEAK	2	5650.38	60.83	68.48	-7.65	43.52	34.60	12.58	29.87	0.00	100	193	PEAK	3	5719.82	87.81	110.85	-23.04	70.45	34.64	12.67	29.95	0.00	100	193	PEAK	4	5720.90	92.57	112.95	-20.38	75.21	34.64	12.67	29.95	0.00	100	193	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>113.14</td><td>-----</td><td>-----</td><td>95.67</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	113.14	-----	-----	95.67	34.68	12.69	29.90	0.00	100	193	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5646.35	63.20	68.20	-5.00	45.89	34.59	12.58	29.86	0.00	100	193	PEAK																																																																																																																														
2	5650.38	60.83	68.48	-7.65	43.52	34.60	12.58	29.87	0.00	100	193	PEAK																																																																																																																														
3	5719.82	87.81	110.85	-23.04	70.45	34.64	12.67	29.95	0.00	100	193	PEAK																																																																																																																														
4	5720.90	92.57	112.95	-20.38	75.21	34.64	12.67	29.95	0.00	100	193	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	113.14	-----	-----	95.67	34.68	12.69	29.90	0.00	100	193	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>104.41</td><td>-----</td><td>-----</td><td>86.87</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>100</td><td>193</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	104.41	-----	-----	86.87	34.70	12.71	29.87	0.00	100	193	AVERAGE																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	104.41	-----	-----	86.87	34.70	12.71	29.87	0.00	100	193	AVERAGE																																																																																																																														




Mode	55																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																				
ANT	0+1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>57.89</td><td>112.15</td><td>-54.26</td><td>40.02</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr><tr><td>2</td><td>5874.73</td><td>58.51</td><td>105.38</td><td>-46.87</td><td>40.50</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>56.77</td><td>68.31</td><td>-11.54</td><td>38.54</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr><tr><td>4</td><td>5932.84</td><td>58.89</td><td>68.20</td><td>-9.31</td><td>40.63</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>100</td><td>193</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.45	57.89	112.15	-54.26	40.02	34.83	12.86	29.82	0.00	100	193	PEAK	2	5874.73	58.51	105.38	-46.87	40.50	34.95	12.90	29.84	0.00	100	193	PEAK	3	5924.85	56.77	68.31	-11.54	38.54	35.10	12.98	29.85	0.00	100	193	PEAK	4	5932.84	58.89	68.20	-9.31	40.63	35.10	13.00	29.84	0.00	100	193	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.45	57.89	112.15	-54.26	40.02	34.83	12.86	29.82	0.00	100	193	PEAK																																																																									
2	5874.73	58.51	105.38	-46.87	40.50	34.95	12.90	29.84	0.00	100	193	PEAK																																																																									
3	5924.85	56.77	68.31	-11.54	38.54	35.10	12.98	29.85	0.00	100	193	PEAK																																																																									
4	5932.84	58.89	68.20	-9.31	40.63	35.10	13.00	29.84	0.00	100	193	PEAK																																																																									






Mode	55																																																																																																																																						
	Band Edge - L																																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																																																																						
ANT	0+1																																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																																
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5606.51</td><td>60.79</td><td>68.20</td><td>-7.41</td><td>43.50</td><td>34.51</td><td>12.53</td><td>29.75</td><td>0.00</td><td>100</td><td>64 PEAK</td></tr><tr><td>2</td><td>5650.69</td><td>61.90</td><td>68.71</td><td>-6.81</td><td>44.59</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>100</td><td>64 PEAK</td></tr><tr><td>3</td><td>5719.66</td><td>85.47</td><td>110.81</td><td>-25.34</td><td>68.11</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>64 PEAK</td></tr><tr><td>4</td><td>5720.90</td><td>86.97</td><td>112.95</td><td>-25.98</td><td>69.61</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>64 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5606.51	60.79	68.20	-7.41	43.50	34.51	12.53	29.75	0.00	100	64 PEAK	2	5650.69	61.90	68.71	-6.81	44.59	34.60	12.58	29.87	0.00	100	64 PEAK	3	5719.66	85.47	110.81	-25.34	68.11	34.64	12.67	29.95	0.00	100	64 PEAK	4	5720.90	86.97	112.95	-25.98	69.61	34.64	12.67	29.95	0.00	100	64 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.91</td><td>-----</td><td>-----</td><td>92.37</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>100</td><td>64 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5755.00	109.91	-----	-----	92.37	34.70	12.71	29.87	0.00	100	64 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																													
1	5606.51	60.79	68.20	-7.41	43.50	34.51	12.53	29.75	0.00	100	64 PEAK																																																																																																																												
2	5650.69	61.90	68.71	-6.81	44.59	34.60	12.58	29.87	0.00	100	64 PEAK																																																																																																																												
3	5719.66	85.47	110.81	-25.34	68.11	34.64	12.67	29.95	0.00	100	64 PEAK																																																																																																																												
4	5720.90	86.97	112.95	-25.98	69.61	34.64	12.67	29.95	0.00	100	64 PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																												
1	5755.00	109.91	-----	-----	92.37	34.70	12.71	29.87	0.00	100	64 PEAK																																																																																																																												
Avg	Blank																																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>100.65</td><td>-----</td><td>-----</td><td>83.11</td><td>34.70</td><td>12.71</td><td>29.87</td><td>0.00</td><td>100</td><td>64 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5755.00	100.65	-----	-----	83.11	34.70	12.71	29.87	0.00	100	64 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																												
1	5755.00	100.65	-----	-----	83.11	34.70	12.71	29.87	0.00	100	64 AVERAGE																																																																																																																												




Mode	55																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_RU242/61_5755MHz																																																																																				
ANT	0+1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>57.53</td><td>111.26</td><td>-53.73</td><td>39.66</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr><tr><td>2</td><td>5872.78</td><td>58.97</td><td>105.92</td><td>-46.95</td><td>40.98</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>57.45</td><td>68.89</td><td>-11.44</td><td>39.22</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr><tr><td>4</td><td>5934.01</td><td>58.96</td><td>68.20</td><td>-9.24</td><td>40.70</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	57.53	111.26	-53.73	39.66	34.83	12.86	29.82	0.00	100	64	PEAK	2	5872.78	58.97	105.92	-46.95	40.98	34.94	12.89	29.84	0.00	100	64	PEAK	3	5924.07	57.45	68.89	-11.44	39.22	35.10	12.98	29.85	0.00	100	64	PEAK	4	5934.01	58.96	68.20	-9.24	40.70	35.10	13.00	29.84	0.00	100	64	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	57.53	111.26	-53.73	39.66	34.83	12.86	29.82	0.00	100	64	PEAK																																																																									
2	5872.78	58.97	105.92	-46.95	40.98	34.94	12.89	29.84	0.00	100	64	PEAK																																																																									
3	5924.07	57.45	68.89	-11.44	39.22	35.10	12.98	29.85	0.00	100	64	PEAK																																																																									
4	5934.01	58.96	68.20	-9.24	40.70	35.10	13.00	29.84	0.00	100	64	PEAK																																																																									






Mode	56																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5627.20</td><td>58.34</td><td>68.20</td><td>-9.86</td><td>41.04</td><td>34.55</td><td>12.55</td><td>29.80</td><td>0.00</td><td>102</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>56.75</td><td>68.80</td><td>-12.05</td><td>39.44</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>102</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5704.80</td><td>61.83</td><td>106.65</td><td>-44.82</td><td>44.56</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>102</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>63.71</td><td>110.90</td><td>-47.19</td><td>46.35</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>102</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5627.20	58.34	68.20	-9.86	41.04	34.55	12.55	29.80	0.00	102	172	PEAK	2	5650.80	56.75	68.80	-12.05	39.44	34.60	12.58	29.87	0.00	102	172	PEAK	3	5704.80	61.83	106.65	-44.82	44.56	34.61	12.65	29.99	0.00	102	172	PEAK	4	5720.00	63.71	110.90	-47.19	46.35	34.64	12.67	29.95	0.00	102	172	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>110.83</td><td>-----</td><td>-----</td><td>93.04</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>102</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	110.83	-----	-----	93.04	34.79	12.76	29.76	0.00	102	172
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5627.20	58.34	68.20	-9.86	41.04	34.55	12.55	29.80	0.00	102	172	PEAK																																																																																																																														
2	5650.80	56.75	68.80	-12.05	39.44	34.60	12.58	29.87	0.00	102	172	PEAK																																																																																																																														
3	5704.80	61.83	106.65	-44.82	44.56	34.61	12.65	29.99	0.00	102	172	PEAK																																																																																																																														
4	5720.00	63.71	110.90	-47.19	46.35	34.64	12.67	29.95	0.00	102	172	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	110.83	-----	-----	93.04	34.79	12.76	29.76	0.00	102	172	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>102.68</td><td>-----</td><td>-----</td><td>84.92</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>102</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	102.68	-----	-----	84.92	34.78	12.76	29.78	0.00	102	172	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	102.68	-----	-----	84.92	34.78	12.76	29.78	0.00	102	172	AVERAGE																																																																																																																														




Mode	56																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																													
ANT	0+1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>67.83</td><td>113.18</td><td>-45.35</td><td>49.96</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>102</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5863.60</td><td>66.65</td><td>108.49</td><td>-41.84</td><td>48.72</td><td>34.88</td><td>12.88</td><td>29.83</td><td>0.00</td><td>102</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>57.61</td><td>68.64</td><td>-11.03</td><td>39.38</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>102</td><td>172</td><td>PEAK</td></tr><tr><td>4</td><td>5964.80</td><td>57.04</td><td>68.20</td><td>-11.16</td><td>38.71</td><td>35.10</td><td>13.05</td><td>29.82</td><td>0.00</td><td>102</td><td>172</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	67.83	113.18	-45.35	49.96	34.82	12.86	29.81	0.00	102	172	PEAK	2	5863.60	66.65	108.49	-41.84	48.72	34.88	12.88	29.83	0.00	102	172	PEAK	3	5924.40	57.61	68.64	-11.03	39.38	35.10	12.98	29.85	0.00	102	172	PEAK	4	5964.80	57.04	68.20	-11.16	38.71	35.10	13.05	29.82	0.00	102	172	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.00	67.83	113.18	-45.35	49.96	34.82	12.86	29.81	0.00	102	172	PEAK																																																																																		
2	5863.60	66.65	108.49	-41.84	48.72	34.88	12.88	29.83	0.00	102	172	PEAK																																																																																		
3	5924.40	57.61	68.64	-11.03	39.38	35.10	12.98	29.85	0.00	102	172	PEAK																																																																																		
4	5964.80	57.04	68.20	-11.16	38.71	35.10	13.05	29.82	0.00	102	172	PEAK																																																																																		





Mode	56																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.00</td><td>57.57</td><td>68.20</td><td>-10.63</td><td>40.26</td><td>34.59</td><td>12.57</td><td>29.85</td><td>0.00</td><td>234</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>54.06</td><td>68.20</td><td>-13.34</td><td>37.54</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>234</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>55.98</td><td>105.30</td><td>-49.32</td><td>38.73</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>234</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>57.38</td><td>110.90</td><td>-53.52</td><td>40.02</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>234</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.00	57.57	68.20	-10.63	40.26	34.59	12.57	29.85	0.00	234	360	PEAK	2	5650.00	54.06	68.20	-13.34	37.54	34.60	12.58	29.86	0.00	234	360	PEAK	3	5700.00	55.98	105.30	-49.32	38.73	34.60	12.65	30.00	0.00	234	360	PEAK	4	5720.00	57.38	110.90	-53.52	40.02	34.64	12.67	29.95	0.00	234	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>108.45</td><td>-----</td><td>-----</td><td>90.66</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>234</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	108.45	-----	-----	90.66	34.79	12.76	29.76	0.00	234	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5644.00	57.57	68.20	-10.63	40.26	34.59	12.57	29.85	0.00	234	360	PEAK																																																																																																																														
2	5650.00	54.06	68.20	-13.34	37.54	34.60	12.58	29.86	0.00	234	360	PEAK																																																																																																																														
3	5700.00	55.98	105.30	-49.32	38.73	34.60	12.65	30.00	0.00	234	360	PEAK																																																																																																																														
4	5720.00	57.38	110.90	-53.52	40.02	34.64	12.67	29.95	0.00	234	360	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	108.45	-----	-----	90.66	34.79	12.76	29.76	0.00	234	360	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.82</td><td>-----</td><td>-----</td><td>82.06</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>234</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	99.82	-----	-----	82.06	34.78	12.76	29.78	0.00	234	360	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	99.82	-----	-----	82.06	34.78	12.76	29.78	0.00	234	360	AVERAGE																																																																																																																														






Mode	56																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																													
ANT	0+1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>61.09</td><td>111.36</td><td>-50.27</td><td>43.22</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>234</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5864.80</td><td>62.77</td><td>108.15</td><td>-45.38</td><td>44.83</td><td>34.89</td><td>12.88</td><td>29.83</td><td>0.00</td><td>234</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>56.17</td><td>68.64</td><td>-12.47</td><td>37.94</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>234</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5988.40</td><td>58.11</td><td>68.20</td><td>-10.09</td><td>39.74</td><td>35.10</td><td>13.08</td><td>29.81</td><td>0.00</td><td>234</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	61.09	111.36	-50.27	43.22	34.83	12.86	29.82	0.00	234	360	PEAK	2	5864.80	62.77	108.15	-45.38	44.83	34.89	12.88	29.83	0.00	234	360	PEAK	3	5924.40	56.17	68.64	-12.47	37.94	35.10	12.98	29.85	0.00	234	360	PEAK	4	5988.40	58.11	68.20	-10.09	39.74	35.10	13.08	29.81	0.00	234	360	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.80	61.09	111.36	-50.27	43.22	34.83	12.86	29.82	0.00	234	360	PEAK																																																																																		
2	5864.80	62.77	108.15	-45.38	44.83	34.89	12.88	29.83	0.00	234	360	PEAK																																																																																		
3	5924.40	56.17	68.64	-12.47	37.94	35.10	12.98	29.85	0.00	234	360	PEAK																																																																																		
4	5988.40	58.11	68.20	-10.09	39.74	35.10	13.08	29.81	0.00	234	360	PEAK																																																																																		




Mode	56																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																											
ANT	0+1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11590.00</td><td>47.61</td><td>74.00</td><td>-26.39</td><td>54.96</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td><td></td></tr><tr><td>2 11590.00</td><td>37.94</td><td>54.00</td><td>-16.06</td><td>45.29</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 11590.00	47.61	74.00	-26.39	54.96	38.09	18.67	64.11	0.00	100	360	PEAK		2 11590.00	37.94	54.00	-16.06	45.29	38.09	18.67	64.11	0.00	100	360	AVERAGE		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11590.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>55.25</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td><td></td></tr><tr><td>2 11590.00</td><td>37.71</td><td>54.00</td><td>-16.29</td><td>45.06</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg			1 11590.00	47.90	74.00	-26.10	55.25	38.09	18.67	64.11	0.00	300	360	PEAK		2 11590.00	37.71	54.00	-16.29	45.06	38.09	18.67	64.11	0.00	300	360	AVERAGE	
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1 11590.00	47.61	74.00	-26.39	54.96	38.09	18.67	64.11	0.00	100	360	PEAK																																																																																																																																	
2 11590.00	37.94	54.00	-16.06	45.29	38.09	18.67	64.11	0.00	100	360	AVERAGE																																																																																																																																	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																		
1 11590.00	47.90	74.00	-26.10	55.25	38.09	18.67	64.11	0.00	300	360	PEAK																																																																																																																																	
2 11590.00	37.71	54.00	-16.29	45.06	38.09	18.67	64.11	0.00	300	360	AVERAGE																																																																																																																																	






Mode	57																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.80</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>43.41</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>59.29</td><td>69.39</td><td>-10.10</td><td>41.98</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5701.60</td><td>60.30</td><td>105.75</td><td>-45.45</td><td>43.05</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5728.80</td><td>60.74</td><td>112.72</td><td>-51.98</td><td>43.38</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.80	60.73	68.20	-7.47	43.41	34.60	12.58	29.86	0.00	300	360	PEAK	2	5651.60	59.29	69.39	-10.10	41.98	34.60	12.58	29.87	0.00	300	360	PEAK	3	5701.60	60.30	105.75	-45.45	43.05	34.60	12.65	30.00	0.00	300	360	PEAK	4	5728.80	60.74	112.72	-51.98	43.38	34.64	12.67	29.95	0.00	300	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>114.82</td><td>-----</td><td>-----</td><td>97.00</td><td>34.80</td><td>12.77</td><td>29.75</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	114.82	-----	-----	97.00	34.80	12.77	29.75	0.00	300	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5648.80	60.73	68.20	-7.47	43.41	34.60	12.58	29.86	0.00	300	360	PEAK																																																																																																																															
2	5651.60	59.29	69.39	-10.10	41.98	34.60	12.58	29.87	0.00	300	360	PEAK																																																																																																																															
3	5701.60	60.30	105.75	-45.45	43.05	34.60	12.65	30.00	0.00	300	360	PEAK																																																																																																																															
4	5728.80	60.74	112.72	-51.98	43.38	34.64	12.67	29.95	0.00	300	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	114.82	-----	-----	97.00	34.80	12.77	29.75	0.00	300	360	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>106.30</td><td>-----</td><td>-----</td><td>88.48</td><td>34.80</td><td>12.77</td><td>29.75</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	106.30	-----	-----	88.48	34.80	12.77	29.75	0.00	300	360	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	106.30	-----	-----	88.48	34.80	12.77	29.75	0.00	300	360	AVERAGE																																																																																																																															




Mode	57																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																														
ANT	0+1																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>69.24</td><td>111.36</td><td>-42.12</td><td>51.37</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5855.20</td><td>70.30</td><td>110.84</td><td>-40.54</td><td>52.43</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>58.24</td><td>69.53</td><td>-11.29</td><td>40.01</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5938.00</td><td>58.82</td><td>68.20</td><td>-9.38</td><td>40.58</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	69.24	111.36	-42.12	51.37	34.83	12.86	29.82	0.00	300	360	PEAK	2	5855.20	70.30	110.84	-40.54	52.43	34.83	12.86	29.82	0.00	300	360	PEAK	3	5923.20	58.24	69.53	-11.29	40.01	35.10	12.98	29.85	0.00	300	360	PEAK	4	5938.00	58.82	68.20	-9.38	40.58	35.10	12.99	29.85	0.00	300	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.80	69.24	111.36	-42.12	51.37	34.83	12.86	29.82	0.00	300	360	PEAK																																																																																			
2	5855.20	70.30	110.84	-40.54	52.43	34.83	12.86	29.82	0.00	300	360	PEAK																																																																																			
3	5923.20	58.24	69.53	-11.29	40.01	35.10	12.98	29.85	0.00	300	360	PEAK																																																																																			
4	5938.00	58.82	68.20	-9.38	40.58	35.10	12.99	29.85	0.00	300	360	PEAK																																																																																			






Mode	57																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5638.00</td><td>57.28</td><td>68.20</td><td>-10.92</td><td>39.96</td><td>34.58</td><td>12.57</td><td>29.83</td><td>0.00</td><td>399</td><td>228</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>56.17</td><td>68.50</td><td>-12.33</td><td>38.86</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>399</td><td>228</td><td>PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>58.46</td><td>106.42</td><td>-47.96</td><td>41.19</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>399</td><td>228</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>58.66</td><td>111.81</td><td>-53.15</td><td>41.30</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>399</td><td>228</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5638.00	57.28	68.20	-10.92	39.96	34.58	12.57	29.83	0.00	399	228	PEAK	2	5650.40	56.17	68.50	-12.33	38.86	34.60	12.58	29.87	0.00	399	228	PEAK	3	5704.00	58.46	106.42	-47.96	41.19	34.61	12.65	29.99	0.00	399	228	PEAK	4	5720.40	58.66	111.81	-53.15	41.30	34.64	12.67	29.95	0.00	399	228	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>112.36</td><td>-----</td><td>-----</td><td>94.53</td><td>34.80</td><td>12.79</td><td>29.76</td><td>0.00</td><td>399</td><td>228</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	112.36	-----	-----	94.53	34.80	12.79	29.76	0.00	399	228	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5638.00	57.28	68.20	-10.92	39.96	34.58	12.57	29.83	0.00	399	228	PEAK																																																																																																																															
2	5650.40	56.17	68.50	-12.33	38.86	34.60	12.58	29.87	0.00	399	228	PEAK																																																																																																																															
3	5704.00	58.46	106.42	-47.96	41.19	34.61	12.65	29.99	0.00	399	228	PEAK																																																																																																																															
4	5720.40	58.66	111.81	-53.15	41.30	34.64	12.67	29.95	0.00	399	228	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	112.36	-----	-----	94.53	34.80	12.79	29.76	0.00	399	228	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>103.66</td><td>-----</td><td>-----</td><td>85.84</td><td>34.80</td><td>12.77</td><td>29.75</td><td>0.00</td><td>399</td><td>228</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	103.66	-----	-----	85.84	34.80	12.77	29.75	0.00	399	228	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	103.66	-----	-----	85.84	34.80	12.77	29.75	0.00	399	228	AVERAGE																																																																																																																															




Mode	57																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_RU242/62_5795MHz																																																																																				
ANT	0+1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>67.41</td><td>113.18</td><td>-45.77</td><td>49.54</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>399</td><td>228</td><td>PEAK</td></tr><tr><td>2</td><td>5858.40</td><td>65.11</td><td>109.95</td><td>-44.84</td><td>47.21</td><td>34.85</td><td>12.87</td><td>29.82</td><td>0.00</td><td>399</td><td>228</td><td>PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>57.47</td><td>69.23</td><td>-11.76</td><td>39.24</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>399</td><td>228</td><td>PEAK</td></tr><tr><td>4</td><td>5931.60</td><td>57.62</td><td>68.20</td><td>-10.58</td><td>39.37</td><td>35.10</td><td>12.99</td><td>29.84</td><td>0.00</td><td>399</td><td>228</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	67.41	113.18	-45.77	49.54	34.82	12.86	29.81	0.00	399	228	PEAK	2	5858.40	65.11	109.95	-44.84	47.21	34.85	12.87	29.82	0.00	399	228	PEAK	3	5923.60	57.47	69.23	-11.76	39.24	35.10	12.98	29.85	0.00	399	228	PEAK	4	5931.60	57.62	68.20	-10.58	39.37	35.10	12.99	29.84	0.00	399	228	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.00	67.41	113.18	-45.77	49.54	34.82	12.86	29.81	0.00	399	228	PEAK																																																																									
2	5858.40	65.11	109.95	-44.84	47.21	34.85	12.87	29.82	0.00	399	228	PEAK																																																																									
3	5923.60	57.47	69.23	-11.76	39.24	35.10	12.98	29.85	0.00	399	228	PEAK																																																																									
4	5931.60	57.62	68.20	-10.58	39.37	35.10	12.99	29.84	0.00	399	228	PEAK																																																																									






Mode	58																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																										
ANT	0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are identified and numbered 1 through 4. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.60</td><td>64.95</td><td>68.20</td><td>-3.25</td><td>47.63</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>62.06</td><td>68.20</td><td>-5.34</td><td>45.54</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>3</td><td>5705.20</td><td>76.48</td><td>106.76</td><td>-30.28</td><td>59.21</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>78.80</td><td>111.81</td><td>-33.01</td><td>61.44</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.60	64.95	68.20	-3.25	47.63	34.60	12.58	29.86	0.00	100	178	PEAK	2	5650.00	62.06	68.20	-5.34	45.54	34.60	12.58	29.86	0.00	100	178	PEAK	3	5705.20	76.48	106.76	-30.28	59.21	34.61	12.65	29.99	0.00	100	178	PEAK	4	5720.40	78.80	111.81	-33.01	61.44	34.64	12.67	29.95	0.00	100	178	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>105.32</td><td>-----</td><td>-----</td><td>87.68</td><td>34.74</td><td>12.73</td><td>29.83</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	105.32	-----	-----	87.68	34.74	12.73	29.83	0.00	100	178	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5647.60	64.95	68.20	-3.25	47.63	34.60	12.58	29.86	0.00	100	178	PEAK																																																																																																																															
2	5650.00	62.06	68.20	-5.34	45.54	34.60	12.58	29.86	0.00	100	178	PEAK																																																																																																																															
3	5705.20	76.48	106.76	-30.28	59.21	34.61	12.65	29.99	0.00	100	178	PEAK																																																																																																																															
4	5720.40	78.80	111.81	-33.01	61.44	34.64	12.67	29.95	0.00	100	178	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	105.32	-----	-----	87.68	34.74	12.73	29.83	0.00	100	178	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and numbered 1. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>98.38</td><td>-----</td><td>-----</td><td>80.67</td><td>34.76</td><td>12.75</td><td>29.80</td><td>0.00</td><td>100</td><td>178</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	98.38	-----	-----	80.67	34.76	12.75	29.80	0.00	100	178	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	98.38	-----	-----	80.67	34.76	12.75	29.80	0.00	100	178	AVERAGE																																																																																																																															




Mode	58																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																														
ANT	0+1																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>73.08</td><td>111.36</td><td>-38.28</td><td>55.21</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>2</td><td>5869.20</td><td>72.16</td><td>106.92</td><td>-34.76</td><td>54.18</td><td>34.92</td><td>12.89</td><td>29.83</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>59.47</td><td>68.94</td><td>-9.47</td><td>41.24</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr><tr><td>4</td><td>5948.80</td><td>61.35</td><td>68.20</td><td>-6.85</td><td>43.08</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>100</td><td>178</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	73.08	111.36	-38.28	55.21	34.83	12.86	29.82	0.00	100	178	PEAK	2	5869.20	72.16	106.92	-34.76	54.18	34.92	12.89	29.83	0.00	100	178	PEAK	3	5924.00	59.47	68.94	-9.47	41.24	35.10	12.98	29.85	0.00	100	178	PEAK	4	5948.80	61.35	68.20	-6.85	43.08	35.10	13.01	29.84	0.00	100	178	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5854.80	73.08	111.36	-38.28	55.21	34.83	12.86	29.82	0.00	100	178	PEAK																																																																																			
2	5869.20	72.16	106.92	-34.76	54.18	34.92	12.89	29.83	0.00	100	178	PEAK																																																																																			
3	5924.00	59.47	68.94	-9.47	41.24	35.10	12.98	29.85	0.00	100	178	PEAK																																																																																			
4	5948.80	61.35	68.20	-6.85	43.08	35.10	13.01	29.84	0.00	100	178	PEAK																																																																																			





Mode	58																																																																																																																																																			
	Band Edge - L																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																																			
ANT	0+1																																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																																													
Peak																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5619.20</td><td>61.02</td><td>68.20</td><td>-7.18</td><td>43.72</td><td>34.54</td><td>12.54</td><td>29.78</td><td>0.00</td><td>235</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>59.69</td><td>69.39</td><td>-9.70</td><td>42.38</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>235</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>72.44</td><td>105.97</td><td>-33.53</td><td>55.18</td><td>34.60</td><td>12.65</td><td>29.99</td><td>0.00</td><td>235</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5722.40</td><td>77.29</td><td>116.37</td><td>-39.08</td><td>59.92</td><td>34.64</td><td>12.67</td><td>29.94</td><td>0.00</td><td>235</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5619.20	61.02	68.20	-7.18	43.72	34.54	12.54	29.78	0.00	235	360	PEAK	2	5651.60	59.69	69.39	-9.70	42.38	34.60	12.58	29.87	0.00	235	360	PEAK	3	5702.40	72.44	105.97	-33.53	55.18	34.60	12.65	29.99	0.00	235	360	PEAK	4	5722.40	77.29	116.37	-39.08	59.92	34.64	12.67	29.94	0.00	235	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>102.69</td><td>-----</td><td>-----</td><td>84.87</td><td>34.80</td><td>12.78</td><td>29.76</td><td>0.00</td><td>235</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	102.69	-----	-----	84.87	34.80	12.78	29.76	0.00	235	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	5619.20	61.02	68.20	-7.18	43.72	34.54	12.54	29.78	0.00	235	360	PEAK																																																																																																																																								
2	5651.60	59.69	69.39	-9.70	42.38	34.60	12.58	29.87	0.00	235	360	PEAK																																																																																																																																								
3	5702.40	72.44	105.97	-33.53	55.18	34.60	12.65	29.99	0.00	235	360	PEAK																																																																																																																																								
4	5722.40	77.29	116.37	-39.08	59.92	34.64	12.67	29.94	0.00	235	360	PEAK																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	5775.00	102.69	-----	-----	84.87	34.80	12.78	29.76	0.00	235	360	PEAK																																																																																																																																								
Avg	Blank																																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>95.50</td><td>-----</td><td>-----</td><td>77.74</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>235</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	95.50	-----	-----	77.74	34.78	12.76	29.78	0.00	235	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	5775.00	95.50	-----	-----	77.74	34.78	12.76	29.78	0.00	235	360	AVERAGE																																																																																																																																								






Mode	58																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																													
ANT	0+1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>68.28</td><td>111.36</td><td>-43.08</td><td>50.41</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>235</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5869.60</td><td>71.58</td><td>106.81</td><td>-35.23</td><td>53.60</td><td>34.92</td><td>12.89</td><td>29.83</td><td>0.00</td><td>235</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>59.39</td><td>68.64</td><td>-9.25</td><td>41.16</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>235</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5925.20</td><td>61.31</td><td>68.20</td><td>-6.89</td><td>43.08</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>235</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	68.28	111.36	-43.08	50.41	34.83	12.86	29.82	0.00	235	360	PEAK	2	5869.60	71.58	106.81	-35.23	53.60	34.92	12.89	29.83	0.00	235	360	PEAK	3	5924.40	59.39	68.64	-9.25	41.16	35.10	12.98	29.85	0.00	235	360	PEAK	4	5925.20	61.31	68.20	-6.89	43.08	35.10	12.98	29.85	0.00	235	360	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.80	68.28	111.36	-43.08	50.41	34.83	12.86	29.82	0.00	235	360	PEAK																																																																																		
2	5869.60	71.58	106.81	-35.23	53.60	34.92	12.89	29.83	0.00	235	360	PEAK																																																																																		
3	5924.40	59.39	68.64	-9.25	41.16	35.10	12.98	29.85	0.00	235	360	PEAK																																																																																		
4	5925.20	61.31	68.20	-6.89	43.08	35.10	12.98	29.85	0.00	235	360	PEAK																																																																																		



Mode	58																																																																																																												
	Harmonic																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																												
ANT	0+1																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11550.00</td><td>46.53</td><td>74.00</td><td>-27.47</td><td>53.94</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11550.00	46.53	74.00	-27.47	53.94	38.05	18.63	64.09	0.00	--	-- PEAK	<table><thead><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11550.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>54.54</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>100</td><td>67 PEAK</td></tr><tr><td>2 11550.00</td><td>37.73</td><td>54.00</td><td>-16.27</td><td>45.09</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>100</td><td>67 AVERAGE</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11550.00	47.13	74.00	-26.87	54.54	38.05	18.63	64.09	0.00	100	67 PEAK	2 11550.00	37.73	54.00	-16.27	45.09	38.08	18.66	64.10	0.00	100	67 AVERAGE
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 11550.00	46.53	74.00	-27.47	53.94	38.05	18.63	64.09	0.00	--	-- PEAK																																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1 11550.00	47.13	74.00	-26.87	54.54	38.05	18.63	64.09	0.00	100	67 PEAK																																																																																																			
2 11550.00	37.73	54.00	-16.27	45.09	38.08	18.66	64.10	0.00	100	67 AVERAGE																																																																																																			







Mode	59																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/65_5775MHz																																																																																																																																								
ANT	0+1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5616.00</td><td>63.70</td><td>68.20</td><td>-4.50</td><td>46.40</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>63.88</td><td>69.69</td><td>-5.81</td><td>46.56</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>3</td><td>5717.60</td><td>88.96</td><td>110.23</td><td>-21.27</td><td>71.61</td><td>34.64</td><td>12.67</td><td>29.96</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>4</td><td>5728.00</td><td>79.77</td><td>110.90</td><td>-31.13</td><td>62.41</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5616.00	63.70	68.20	-4.50	46.40	34.53	12.54	29.77	0.00	100	116	PEAK	2	5652.00	63.88	69.69	-5.81	46.56	34.60	12.59	29.87	0.00	100	116	PEAK	3	5717.60	88.96	110.23	-21.27	71.61	34.64	12.67	29.96	0.00	100	116	PEAK	4	5728.00	79.77	110.90	-31.13	62.41	34.64	12.67	29.95	0.00	100	116	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>110.21</td><td>-----</td><td>-----</td><td>92.74</td><td>34.68</td><td>12.69</td><td>29.90</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	110.21	-----	-----	92.74	34.68	12.69	29.90	0.00	100	116
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5616.00	63.70	68.20	-4.50	46.40	34.53	12.54	29.77	0.00	100	116	PEAK																																																																																																																													
2	5652.00	63.88	69.69	-5.81	46.56	34.60	12.59	29.87	0.00	100	116	PEAK																																																																																																																													
3	5717.60	88.96	110.23	-21.27	71.61	34.64	12.67	29.96	0.00	100	116	PEAK																																																																																																																													
4	5728.00	79.77	110.90	-31.13	62.41	34.64	12.67	29.95	0.00	100	116	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	110.21	-----	-----	92.74	34.68	12.69	29.90	0.00	100	116	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>101.96</td><td>-----</td><td>-----</td><td>84.46</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	101.96	-----	-----	84.46	34.69	12.70	29.89	0.00	100	116	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5775.00	101.96	-----	-----	84.46	34.69	12.70	29.89	0.00	100	116	AVERAGE																																																																																																																													




Mode	59																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/65_5775MHz																																																																																													
ANT	0+1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>59.95</td><td>111.36</td><td>-51.41</td><td>42.08</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>62.03</td><td>105.36</td><td>-43.33</td><td>44.02</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>59.31</td><td>68.35</td><td>-9.04</td><td>41.08</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>4</td><td>5928.40</td><td>61.41</td><td>68.20</td><td>-6.79</td><td>43.17</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	59.95	111.36	-51.41	42.08	34.83	12.86	29.82	0.00	100	116	PEAK	2	5874.80	62.03	105.36	-43.33	44.02	34.95	12.90	29.84	0.00	100	116	PEAK	3	5924.80	59.31	68.35	-9.04	41.08	35.10	12.98	29.85	0.00	100	116	PEAK	4	5928.40	61.41	68.20	-6.79	43.17	35.10	12.99	29.85	0.00	100	116	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.80	59.95	111.36	-51.41	42.08	34.83	12.86	29.82	0.00	100	116	PEAK																																																																																		
2	5874.80	62.03	105.36	-43.33	44.02	34.95	12.90	29.84	0.00	100	116	PEAK																																																																																		
3	5924.80	59.31	68.35	-9.04	41.08	35.10	12.98	29.85	0.00	100	116	PEAK																																																																																		
4	5928.40	61.41	68.20	-6.79	43.17	35.10	12.99	29.85	0.00	100	116	PEAK																																																																																		






Mode	59																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/65_5775MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5647.20</td><td>64.58</td><td>68.20</td><td>-3.62</td><td>47.27</td><td>34.59</td><td>12.58</td><td>29.86</td><td>0.00</td><td>285</td><td>348</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>63.05</td><td>68.50</td><td>-5.45</td><td>45.74</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>285</td><td>348</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>90.56</td><td>110.68</td><td>-20.12</td><td>73.20</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>285</td><td>348</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>88.44</td><td>110.90</td><td>-22.46</td><td>71.08</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>285</td><td>348</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.20	64.58	68.20	-3.62	47.27	34.59	12.58	29.86	0.00	285	348	PEAK	2	5650.40	63.05	68.50	-5.45	45.74	34.60	12.58	29.87	0.00	285	348	PEAK	3	5719.20	90.56	110.68	-20.12	73.20	34.64	12.67	29.95	0.00	285	348	PEAK	4	5720.00	88.44	110.90	-22.46	71.08	34.64	12.67	29.95	0.00	285	348	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>109.31</td><td>-----</td><td>-----</td><td>91.69</td><td>34.73</td><td>12.73</td><td>29.84</td><td>0.00</td><td>285</td><td>348</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	109.31	-----	-----	91.69	34.73	12.73	29.84	0.00	285	348
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5647.20	64.58	68.20	-3.62	47.27	34.59	12.58	29.86	0.00	285	348	PEAK																																																																																																																														
2	5650.40	63.05	68.50	-5.45	45.74	34.60	12.58	29.87	0.00	285	348	PEAK																																																																																																																														
3	5719.20	90.56	110.68	-20.12	73.20	34.64	12.67	29.95	0.00	285	348	PEAK																																																																																																																														
4	5720.00	88.44	110.90	-22.46	71.08	34.64	12.67	29.95	0.00	285	348	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	109.31	-----	-----	91.69	34.73	12.73	29.84	0.00	285	348	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>100.32</td><td>-----</td><td>-----</td><td>82.82</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>285</td><td>348</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	100.32	-----	-----	82.82	34.69	12.70	29.89	0.00	285	348	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	100.32	-----	-----	82.82	34.69	12.70	29.89	0.00	285	348	AVERAGE																																																																																																																														




Mode	59																																																																																	
	Band Edge - R																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/65_5775MHz																																																																																	
ANT	0+1																																																																																	
Pol.	Vertical						Fundamental																																																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5852.00</td><td>63.81</td><td>115.92</td><td>-52.11</td><td>45.94</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00 285 348 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>62.82</td><td>105.36</td><td>-42.54</td><td>44.81</td><td>34.95</td><td>12.90</td><td>29.84</td><td>0.00 285 348 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>59.36</td><td>68.94</td><td>-9.58</td><td>41.13</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00 285 348 PEAK</td></tr><tr><td>4</td><td>5931.20</td><td>61.02</td><td>68.20</td><td>-7.18</td><td>42.78</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00 285 348 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5852.00	63.81	115.92	-52.11	45.94	34.82	12.86	29.81	0.00 285 348 PEAK	2	5874.00	62.82	105.36	-42.54	44.81	34.95	12.90	29.84	0.00 285 348 PEAK	3	5924.00	59.36	68.94	-9.58	41.13	35.10	12.98	29.85	0.00 285 348 PEAK	4	5931.20	61.02	68.20	-7.18	42.78	35.10	12.99	29.85	0.00 285 348 PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1	5852.00	63.81	115.92	-52.11	45.94	34.82	12.86	29.81	0.00 285 348 PEAK																																																																									
2	5874.00	62.82	105.36	-42.54	44.81	34.95	12.90	29.84	0.00 285 348 PEAK																																																																									
3	5924.00	59.36	68.94	-9.58	41.13	35.10	12.98	29.85	0.00 285 348 PEAK																																																																									
4	5931.20	61.02	68.20	-7.18	42.78	35.10	12.99	29.85	0.00 285 348 PEAK																																																																									





Mode	60																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																																																																																									
ANT	0+1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5614.40</td><td>64.95</td><td>68.20</td><td>-3.25</td><td>47.65</td><td>34.53</td><td>12.54</td><td>29.77</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>63.43</td><td>69.69</td><td>-6.26</td><td>46.11</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>77.95</td><td>110.68</td><td>-32.73</td><td>60.59</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>77.90</td><td>114.55</td><td>-36.65</td><td>60.54</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5614.40	64.95	68.20	-3.25	47.65	34.53	12.54	29.77	0.00	100	171	PEAK	2	5652.00	63.43	69.69	-6.26	46.11	34.60	12.59	29.87	0.00	100	171	PEAK	3	5719.20	77.95	110.68	-32.73	60.59	34.64	12.67	29.95	0.00	100	171	PEAK	4	5721.60	77.90	114.55	-36.65	60.54	34.64	12.67	29.95	0.00	100	171	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>112.73</td><td>-----</td><td>-----</td><td>94.91</td><td>34.80</td><td>12.78</td><td>29.76</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	112.73	-----	-----	94.91	34.80	12.78	29.76	0.00	100	171
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5614.40	64.95	68.20	-3.25	47.65	34.53	12.54	29.77	0.00	100	171	PEAK																																																																																																																														
2	5652.00	63.43	69.69	-6.26	46.11	34.60	12.59	29.87	0.00	100	171	PEAK																																																																																																																														
3	5719.20	77.95	110.68	-32.73	60.59	34.64	12.67	29.95	0.00	100	171	PEAK																																																																																																																														
4	5721.60	77.90	114.55	-36.65	60.54	34.64	12.67	29.95	0.00	100	171	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	112.73	-----	-----	94.91	34.80	12.78	29.76	0.00	100	171	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>104.03</td><td>-----</td><td>-----</td><td>86.27</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>100</td><td>171</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	104.03	-----	-----	86.27	34.78	12.76	29.78	0.00	100	171	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	104.03	-----	-----	86.27	34.78	12.76	29.78	0.00	100	171	AVERAGE																																																																																																																														




Mode	60																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																																													
ANT	0+1																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>78.22</td><td>111.36</td><td>-33.14</td><td>60.35</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr><tr><td>2</td><td>5865.60</td><td>78.19</td><td>107.93</td><td>-29.74</td><td>60.25</td><td>34.89</td><td>12.88</td><td>29.83</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>60.67</td><td>68.35</td><td>-7.68</td><td>42.44</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr><tr><td>4</td><td>5948.80</td><td>63.52</td><td>68.20</td><td>-4.68</td><td>45.25</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>100</td><td>171</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.80	78.22	111.36	-33.14	60.35	34.83	12.86	29.82	0.00	100	171	PEAK	2	5865.60	78.19	107.93	-29.74	60.25	34.89	12.88	29.83	0.00	100	171	PEAK	3	5924.80	60.67	68.35	-7.68	42.44	35.10	12.98	29.85	0.00	100	171	PEAK	4	5948.80	63.52	68.20	-4.68	45.25	35.10	13.01	29.84	0.00	100	171	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.80	78.22	111.36	-33.14	60.35	34.83	12.86	29.82	0.00	100	171	PEAK																																																																																		
2	5865.60	78.19	107.93	-29.74	60.25	34.89	12.88	29.83	0.00	100	171	PEAK																																																																																		
3	5924.80	60.67	68.35	-7.68	42.44	35.10	12.98	29.85	0.00	100	171	PEAK																																																																																		
4	5948.80	63.52	68.20	-4.68	45.25	35.10	13.01	29.84	0.00	100	171	PEAK																																																																																		



Mode	60																																																																																								
	Band Edge - L																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																																								
ANT	0+1																																																																																								
Pol.	Vertical						Fundamental																																																																																		
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5640.00</td><td>63.76</td><td>68.20</td><td>-4.44</td><td>46.45</td><td>34.58</td><td>12.57</td><td>29.84</td><td>0.00</td><td>347</td><td>59 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>60.23</td><td>68.50</td><td>-8.27</td><td>42.92</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>347</td><td>59 PEAK</td></tr><tr><td>3</td><td>5711.60</td><td>66.65</td><td>108.55</td><td>-41.90</td><td>49.34</td><td>34.62</td><td>12.66</td><td>29.97</td><td>0.00</td><td>347</td><td>59 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>67.04</td><td>110.90</td><td>-43.86</td><td>49.68</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>347</td><td>59 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5640.00	63.76	68.20	-4.44	46.45	34.58	12.57	29.84	0.00	347	59 PEAK	2	5650.40	60.23	68.50	-8.27	42.92	34.60	12.58	29.87	0.00	347	59 PEAK	3	5711.60	66.65	108.55	-41.90	49.34	34.62	12.66	29.97	0.00	347	59 PEAK	4	5720.00	67.04	110.90	-43.86	49.68	34.64	12.67	29.95	0.00	347
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5640.00	63.76	68.20	-4.44	46.45	34.58	12.57	29.84	0.00	347	59 PEAK																																																																														
2	5650.40	60.23	68.50	-8.27	42.92	34.60	12.58	29.87	0.00	347	59 PEAK																																																																														
3	5711.60	66.65	108.55	-41.90	49.34	34.62	12.66	29.97	0.00	347	59 PEAK																																																																														
4	5720.00	67.04	110.90	-43.86	49.68	34.64	12.67	29.95	0.00	347	59 PEAK																																																																														
Avg	Blank																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>99.78</td><td>-----</td><td>-----</td><td>82.02</td><td>34.78</td><td>12.76</td><td>29.78</td><td>0.00</td><td>347</td><td>59 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	99.78	-----	-----	82.02	34.78	12.76	29.78	0.00	347	59 AVERAGE																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	5775.00	99.78	-----	-----	82.02	34.78	12.76	29.78	0.00	347	59 AVERAGE																																																																														







Mode	60																																																																																									
	Band Edge - R																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_RU484/66_5775MHz																																																																																									
ANT	0+1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5868.80</td><td>77.59</td><td>109.27</td><td>-31.68</td><td>59.68</td><td>34.86</td><td>12.87</td><td>29.82</td><td>0.00</td><td>347</td><td>59 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>73.07</td><td>105.58</td><td>-32.51</td><td>55.07</td><td>34.94</td><td>12.90</td><td>29.84</td><td>0.00</td><td>347</td><td>59 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>59.67</td><td>68.35</td><td>-8.68</td><td>41.44</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>347</td><td>59 PEAK</td></tr><tr><td>4</td><td>5948.80</td><td>62.22</td><td>68.20</td><td>-5.98</td><td>43.95</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>347</td><td>59 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5868.80	77.59	109.27	-31.68	59.68	34.86	12.87	29.82	0.00	347	59 PEAK	2	5874.00	73.07	105.58	-32.51	55.07	34.94	12.90	29.84	0.00	347	59 PEAK	3	5924.00	59.67	68.35	-8.68	41.44	35.10	12.98	29.85	0.00	347	59 PEAK	4	5948.80	62.22	68.20	-5.98	43.95	35.10	13.01	29.84	0.00	347	59 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5868.80	77.59	109.27	-31.68	59.68	34.86	12.87	29.82	0.00	347	59 PEAK																																																																															
2	5874.00	73.07	105.58	-32.51	55.07	34.94	12.90	29.84	0.00	347	59 PEAK																																																																															
3	5924.00	59.67	68.35	-8.68	41.44	35.10	12.98	29.85	0.00	347	59 PEAK																																																																															
4	5948.80	62.22	68.20	-5.98	43.95	35.10	13.01	29.84	0.00	347	59 PEAK																																																																															





Mode	61																																																					
	Band Edge																																																					
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																					
ANT	0+1																																																					
Pol.	Horizontal						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.42</td><td>54.99</td><td>74.00</td><td>-19.01</td><td>39.01</td><td>32.38</td><td>8.25</td><td>30.65</td><td>6.00</td><td>326</td><td>20 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.42	54.99	74.00	-19.01	39.01	32.38	8.25	30.65	6.00	326
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2491.42	54.99	74.00	-19.01	39.01	32.38	8.25	30.65	6.00	326	20 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.04</td><td>-----</td><td>-----</td><td>86.11</td><td>32.36</td><td>8.23</td><td>30.66</td><td>6.00</td><td>326</td><td>20 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.04	-----	-----	86.11	32.36	8.23	30.66	6.00	326
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2480.00	102.04	-----	-----	86.11	32.36	8.23	30.66	6.00	326	20 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.10</td><td>43.83</td><td>54.00</td><td>-10.17</td><td>27.88</td><td>32.37</td><td>8.23</td><td>30.65</td><td>6.00</td><td>326</td><td>20 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.10	43.83	54.00	-10.17	27.88	32.37	8.23	30.65	6.00	326
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2484.10	43.83	54.00	-10.17	27.88	32.37	8.23	30.65	6.00	326	20 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.17</td><td>-----</td><td>-----</td><td>81.24</td><td>32.36</td><td>8.23</td><td>30.66</td><td>6.00</td><td>326</td><td>20 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.17	-----	-----	81.24	32.36	8.23	30.66	6.00	326
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2480.00	97.17	-----	-----	81.24	32.36	8.23	30.66	6.00	326	20 AVERAGE																																											







Mode	61																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																																																		
ANT	0+1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.22</td><td>54.99</td><td>74.00</td><td>-19.01</td><td>39.03</td><td>32.37</td><td>8.24</td><td>30.65</td><td>6.00</td><td>195</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.22	54.99	74.00	-19.01	39.03	32.37	8.24	30.65	6.00	195	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>92.64</td><td>-----</td><td>-----</td><td>76.71</td><td>32.36</td><td>8.23</td><td>30.66</td><td>6.00</td><td>100</td><td>115</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	92.64	-----	-----	76.71	32.36	8.23	30.66	6.00	100	115
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2487.22	54.99	74.00	-19.01	39.03	32.37	8.24	30.65	6.00	195	360	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	92.64	-----	-----	76.71	32.36	8.23	30.66	6.00	100	115	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.88</td><td>43.70</td><td>54.00</td><td>-10.30</td><td>27.72</td><td>32.38</td><td>8.25</td><td>30.65</td><td>6.00</td><td>195</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.88	43.70	54.00	-10.30	27.72	32.38	8.25	30.65	6.00	195	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>88.31</td><td>-----</td><td>-----</td><td>72.38</td><td>32.36</td><td>8.23</td><td>30.66</td><td>6.00</td><td>195</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	88.31	-----	-----	72.38	32.36	8.23	30.66	6.00	195	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2490.88	43.70	54.00	-10.30	27.72	32.38	8.25	30.65	6.00	195	360	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	88.31	-----	-----	72.38	32.36	8.23	30.66	6.00	195	360	AVERAGE																																																																																							







Mode	61																																																																		
	Harmonic																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Full_5320MHz																																																																		
ANT	0+1																																																																		
Pol.	Horizontal						Vertical																																																												
Peak Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.96</td><td>74.00</td><td>-32.04</td><td>61.82</td><td>33.94</td><td>11.85</td><td>65.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>5320.00</td><td>69.33</td><td>74.00</td><td>-4.67</td><td>88.58</td><td>34.40</td><td>12.18</td><td>65.83</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.96	74.00	-32.04	61.82	33.94	11.85	65.65	0.00	--	PEAK	2	5320.00	69.33	74.00	-4.67	88.58	34.40	12.18	65.83	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	4960.00	41.96	74.00	-32.04	61.82	33.94	11.85	65.65	0.00	--	PEAK																																																								
2	5320.00	69.33	74.00	-4.67	88.58	34.40	12.18	65.83	0.00	--	PEAK																																																								
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>38.85</td><td>74.00</td><td>-35.15</td><td>58.71</td><td>33.94</td><td>11.85</td><td>65.65</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>5320.00</td><td>63.75</td><td>74.00</td><td>-10.25</td><td>83.00</td><td>34.40</td><td>12.18</td><td>65.83</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	38.85	74.00	-35.15	58.71	33.94	11.85	65.65	0.00	--	PEAK	2	5320.00	63.75	74.00	-10.25	83.00	34.40	12.18	65.83	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																									
1	4960.00	38.85	74.00	-35.15	58.71	33.94	11.85	65.65	0.00	--	PEAK																																																								
2	5320.00	63.75	74.00	-10.25	83.00	34.40	12.18	65.83	0.00	--	PEAK																																																								





Mode	61																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																			
ANT	0																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.05</td><td>65.55</td><td>74.00</td><td>-8.45</td><td>48.78</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>104</td><td>99 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.05	65.55	74.00	-8.45	48.78	34.40	12.21	29.84	0.00	104	99 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>113.21</td><td>-----</td><td>-----</td><td>96.51</td><td>34.40</td><td>12.18</td><td>29.88</td><td>0.00</td><td>104</td><td>99 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	113.21	-----	-----	96.51	34.40	12.18	29.88	0.00	104	99 PEAK	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5350.05	65.55	74.00	-8.45	48.78	34.40	12.21	29.84	0.00	104	99 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5320.00	113.21	-----	-----	96.51	34.40	12.18	29.88	0.00	104	99 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.05</td><td>52.55</td><td>54.00</td><td>-1.45</td><td>35.78</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>104</td><td>99 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.05	52.55	54.00	-1.45	35.78	34.40	12.21	29.84	0.00	104	99 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.14</td><td>-----</td><td>-----</td><td>87.45</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>104</td><td>99 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	104.14	-----	-----	87.45	34.40	12.18	29.89	0.00	104	99 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5350.05	52.55	54.00	-1.45	35.78	34.40	12.21	29.84	0.00	104	99 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5320.00	104.14	-----	-----	87.45	34.40	12.18	29.89	0.00	104	99 AVERAGE																																																																																									



Mode	61																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																		
ANT	0																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.75</td><td>60.11</td><td>74.00</td><td>-13.89</td><td>43.34</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>354</td><td>196</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.75	60.11	74.00	-13.89	43.34	34.40	12.21	29.84	0.00	354	196	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>109.72</td><td>-----</td><td>-----</td><td>93.03</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>354</td><td>196</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.72	-----	-----	93.03	34.40	12.18	29.89	0.00	354	196
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.75	60.11	74.00	-13.89	43.34	34.40	12.21	29.84	0.00	354	196	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	109.72	-----	-----	93.03	34.40	12.18	29.89	0.00	354	196	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.75</td><td>49.79</td><td>54.00</td><td>-4.21</td><td>33.02</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>354</td><td>196</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.75	49.79	54.00	-4.21	33.02	34.40	12.21	29.84	0.00	354	196	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.99</td><td>-----</td><td>-----</td><td>85.30</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>354</td><td>196</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.99	-----	-----	85.30	34.40	12.18	29.89	0.00	354	196
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.75	49.79	54.00	-4.21	33.02	34.40	12.21	29.84	0.00	354	196	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	101.99	-----	-----	85.30	34.40	12.18	29.89	0.00	354	196	AVERAGE																																																																																							




Mode	61																																																																																																
	Harmonic																																																																																																
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																
ANT	0																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>45.67</td><td>74.00</td><td>-28.33</td><td>56.63</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	45.67	74.00	-28.33	56.63	37.64	17.80	66.40	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>56.85</td><td>37.64</td><td>17.80</td><td>66.40</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	45.89	74.00	-28.11	56.85	37.64	17.80	66.40	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10640.00	45.67	74.00	-28.33	56.63	37.64	17.80	66.40	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	10640.00	45.89	74.00	-28.11	56.85	37.64	17.80	66.40	0.00	--	PEAK																																																																																						

Note: For all the above plots, the frequency points over limit line are fundamental signals, which can be ignored.

Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
0/1	802.11a	93.53	1.425	0.702	0.75kHz
0/1	802.11ax HE20	97.28	3.893	0.257	0.27kHz
0/1	802.11ax HE40	94.92	1.979	0.505	0.51kHz
0/1	802.11ax HE80	90.58	0.975	1.025	1.1kHz

802.11a






802.11ax HE20



802.11ax HE40





802.11ax HE80

