




MIMO <Ant. 1+2(2)>


EUT Mode

802.11ax HE160 FullIRU


Plot on 6025 MHz




Plot on 6185 MHz



Plot on 6345 MHz




Plot on 6505 MHz







Plot on 6665 MHz



Plot on 6825 MHz



Plot on 6985 MHz






EUT Mode


802.11ax HE160 996RU67

Plot on 6025 MHz




10:45:10 AM 05/20/2025

Plot on 6185 MHz




10:50:14 AM 05/20/2025

Plot on 6505 MHz



11:43:06 AM 05/20/2025


Plot on 6665 MHz




12:11:19 PM 05/20/2025



Plot on 6825 MHz



Plot on 6985 MHz






EUT Mode


802.11ax HE160 996RUS67

Plot on 6345 MHz




11:32:46 AM 05/20/2025

Plot on 6505 MHz




12:02:25 PM 05/20/2025

Plot on 6825 MHz



12:28:03 PM 05/20/2025

Plot on 6985 MHz



02:28:46 PM 05/20/2025



Appendix B. AC Conducted Emission Test Results


Test Engineer :	Louis Chung	Temperature :	23.5~26.1℃
		Relative Humidity :	52.3~62.7%

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

522804
Mode 1
120Vac/60Hz
Line

Full Spectrum



Final_Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	PE	Corr. (dB)
0.151553	---	26.16	55.91	29.75	L1	FLO	20.0
0.151553	45.53	---	65.91	20.38	L1	FLO	20.0
0.170250	---	22.60	54.95	32.35	L1	FLO	20.0
0.170250	41.51	---	64.95	23.44	L1	FLO	20.0
0.192750	---	18.68	53.92	35.24	L1	FLO	20.0
0.192750	39.06	---	63.92	24.86	L1	FLO	20.0
0.375810	---	31.07	48.37	17.30	L1	FLO	20.0
0.375810	32.66	---	58.37	25.71	L1	FLO	20.0
2.303430	---	16.41	46.00	29.59	L1	FLO	20.1
2.303430	22.73	---	56.00	33.27	L1	FLO	20.1
7.926540	---	27.74	50.00	22.26	L1	FLO	20.3
7.926540	33.14	---	60.00	26.86	L1	FLO	20.3
11.467590	---	34.43	50.00	15.57	L1	FLO	20.4
11.467590	40.01	---	60.00	19.99	L1	FLO	20.4
13.058160	---	40.89	50.00	9.11	L1	FLO	20.5
13.058160	47.18	---	60.00	12.82	L1	FLO	20.5
13.559460	---	42.13	50.00	7.87	L1	FLO	20.5
13.559460	46.69	---	60.00	13.31	L1	FLO	20.5
14.170830	---	36.83	50.00	13.17	L1	FLO	20.6

14.170830	42.88	---	60.00	17.12	L1	FLO	20.6
21.048450	---	31.53	50.00	18.47	L1	FLO	20.8
21.048450	37.15	---	60.00	22.85	L1	FLO	20.8

EUT Information

Report NO : 522804
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	PE	Corr. (dB)
0.153105	---	25.82	55.83	30.01	N	FLO	20.0
0.153105	44.10	---	65.83	21.73	N	FLO	20.0
0.165750	---	28.31	55.17	26.86	N	FLO	20.0
0.165750	41.68	---	65.17	23.49	N	FLO	20.0
0.192750	---	18.75	53.92	35.17	N	FLO	20.0
0.192750	38.96	---	63.92	24.96	N	FLO	20.0
0.311190	---	17.92	49.94	32.02	N	FLO	20.0
0.311190	25.96	---	59.94	33.98	N	FLO	20.0
0.379230	---	34.38	48.30	13.92	N	FLO	20.0
0.379230	37.74	---	58.30	20.56	N	FLO	20.0
0.625380	---	25.39	46.00	20.61	N	FLO	20.0
0.625380	26.87	---	56.00	29.13	N	FLO	20.0
8.241000	---	28.90	50.00	21.10	N	FLO	20.3
8.241000	34.20	---	60.00	25.80	N	FLO	20.3
11.464350	---	32.90	50.00	17.10	N	FLO	20.4
11.464350	39.92	---	60.00	20.08	N	FLO	20.4
12.383250	---	29.02	50.00	20.98	N	FLO	20.5
12.383250	38.78	---	60.00	21.22	N	FLO	20.5
13.067340	---	43.89	50.00	6.11	N	FLO	20.5

13.067340	49.33	---	60.00	10.67	N	FLO	20.5
13.732080	---	32.16	50.00	17.84	N	FLO	20.6
13.732080	40.21	---	60.00	19.79	N	FLO	20.6
14.275500	---	40.04	50.00	9.96	N	FLO	20.6
14.275500	45.47	---	60.00	14.53	N	FLO	20.6
14.741250	---	39.00	50.00	11.00	N	FLO	20.6
14.741250	43.60	---	60.00	16.40	N	FLO	20.6
20.734710	---	30.39	50.00	19.61	N	FLO	20.9
20.734710	36.41	---	60.00	23.59	N	FLO	20.9



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Ken Kuo, York Huang and White Hou	Temperature :	20.8~23.4°C
		Relative Humidity :	54.5~62.8%

Note symbol

-L	Low channel location
-R	High channel location

**C1. Radiated Spurious Emission Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII- 5	5.925- 6.425	1+2	802.11a	1	5955	MCS0	-	-
Mode 2	U-NII- 5	5.925- 6.425	1+2	802.11a	49	6195	MCS0	-	-
Mode 3	U-NII- 5	5.925- 6.425	1+2	802.11a	93	6415	MCS0	-	-
Mode 4	U-NII- 5	5.925- 6.425	1+2	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	U-NII- 5	5.925- 6.425	1+2	802.11ax HE20	1	5955	MCS0	Partial RU 106/53	-
Mode 6	U-NII- 5	5.925- 6.425	1+2	802.11ax HE20	49	6195	MCS0	Full RU	-
Mode 7	U-NII- 5	5.925- 6.425	1+2	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 8	U-NII- 5	5.925- 6.425	1+2	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 9	U-NII- 5	5.925- 6.425	1+2	802.11ax HE40	3	5965	MCS0	Partial RU 242/61	-
Mode 10	U-NII- 5	5.925- 6.425	1+2	802.11ax HE40	51	6205	MCS0	Full RU	-
Mode 11	U-NII- 5	5.925- 6.425	1+2	802.11ax HE40	91	6405	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII- 5	5.925- 6.425	1+2	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 13	U-NII- 5	5.925- 6.425	1+2	802.11ax HE80	7	5985	MCS0	Partial RU 484/65	-
Mode 14	U-NII- 5	5.925- 6.425	1+2	802.11ax HE80	55	6225	MCS0	Full RU	-
Mode 15	U-NII- 5	5.925- 6.425	1+2	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 16	U-NII- 5	5.925- 6.425	1+2	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 17	U-NII- 5	5.925- 6.425	1+2	802.11ax HE160	15	6025	MCS0	Partial RU 996/67	-
Mode 18	U-NII- 5	5.925- 6.425	1+2	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 19	U-NII- 5	5.925- 6.425	1+2	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 20	U-NII- 6	6.425- 6.525	1+2	802.11a	97	6435	MCS0	-	-
Mode 21	U-NII- 6	6.425- 6.525	1+2	802.11a	105	6475	MCS0	-	-
Mode 22	U-NII- 6	6.425- 6.525	1+2	802.11a	113	6515	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	U-NII-6	6.425-6.525	1+2	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 24	U-NII-6	6.425-6.525	1+2	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 25	U-NII-6	6.425-6.525	1+2	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 26	U-NII-6	6.425-6.525	1+2	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 27	U-NII-6	6.425-6.525	1+2	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 28	U-NII-6	6.425-6.525	1+2	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 29	U-NII-6	6.425-6.525	1+2	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 30	U-NII-6	6.425-6.525	1+2	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 31	U-NII-7	6.525-6.875	1+2	802.11a	117	6535	MCS0	-	-
Mode 32	U-NII-7	6.525-6.875	1+2	802.11a	149	6695	MCS0	-	-
Mode 33	U-NII-7	6.525-6.875	1+2	802.11a	185	6875	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-7	6.525-6.875	1+2	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 35	U-NII-7	6.525-6.875	1+2	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 36	U-NII-7	6.525-6.875	1+2	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 37	U-NII-7	6.525-6.875	1+2	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 38	U-NII-7	6.525-6.875	1+2	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 39	U-NII-7	6.525-6.875	1+2	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	1+2	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	1+2	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	1+2	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	1+2	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	1+2	802.11ax HE160	175	6825	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 45	U-NII- 8	6.875- 7.125	1+2	802.11a	189	6895	MCS0	-	-
Mode 46	U-NII- 8	6.875- 7.125	1+2	802.11a	209	6995	MCS0	-	-
Mode 47	U-NII- 8	6.875- 7.125	1+2	802.11a	233	7115	MCS0	-	-
Mode 48	U-NII- 8	6.875- 7.125	1+2	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 49	U-NII- 8	6.875- 7.125	1+2	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 50	U-NII- 8	6.875- 7.125	1+2	802.11ax HE20	233	7115	MCS0	Full RU	-
Mode 51	U-NII- 8	6.875- 7.125	1+2	802.11ax HE20	233	7115	MCS0	Partial RU 106/54	-
Mode 52	U-NII- 8	6.875- 7.125	1+2	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 53	U-NII- 8	6.875- 7.125	1+2	802.11ax HE40	211	7005	MCS0	Full RU	-
Mode 54	U-NII- 8	6.875- 7.125	1+2	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 55	U-NII- 8	6.875- 7.125	1+2	802.11ax HE40	227	7085	MCS0	Partial RU 242/62	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 56	U-NII- 8	6.875- 7.125	1+2	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 57	U-NII- 8	6.875- 7.125	1+2	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 58	U-NII- 8	6.875- 7.125	1+2	802.11ax HE80	215	7025	MCS0	Partial RU 484/66	-
Mode 59	U-NII- 8	6.875- 7.125	1+2	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 60	U-NII- 8	6.875- 7.125	1+2	802.11ax HE160	207	6985	MCS0	Partial RU 996/68	-
Mode 61	U-NII- 8	6.875- 7.125	1+2	802.11ax HE20	233	7115	MCS0	Full RU	LF

**C2. Summary of each worse mode**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5887.40	48.90	68.20	-19.30	H	Avg.	Pass	-	Band Edge
1	802.11a	1	17865.00	44.18	54.00	-9.82	V	Avg.	Pass	-	Harmonic
2	802.11a	49	12390.00	41.52	54.00	-12.48	V	Avg.	Pass	-	Harmonic
3	802.11a	93	19245.00	45.07	54.00	-8.93	V	Avg.	Pass	-	Harmonic
4	802.11ax HE20	1	5924.97	53.44	68.20	-14.76	H	Avg.	Pass	Full RU	Band Edge
4	802.11ax HE20	1	17865.00	44.66	54.00	-9.34	H	Avg.	Pass	Full RU	Harmonic
5	802.11ax HE20	1	5924.71	72.93	88.20	-15.27	V	Peak	Pass	Partial RU 106/53	Band Edge
6	802.11ax HE20	49	12390.00	41.35	54.00	-12.65	V	Avg.	Pass	Full RU	Harmonic
7	802.11ax HE20	93	19245.00	39.79	54.00	-14.21	V	Avg.	Pass	Full RU	Harmonic
8	802.11ax HE40	3	5924.82	54.88	68.20	-13.32	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	3	17895.00	44.83	54.00	-9.17	H	Avg.	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
9	802.11ax HE40	3	5919.08	81.71	88.20	-6.49	H	Peak	Pass	Partial RU 242/61	Band Edge
10	802.11ax HE40	51	12410.00	41.29	54.00	-12.71	V	Avg.	Pass	Full RU	Harmonic
11	802.11ax HE40	91	19215.00	38.61	54.00	-15.39	V	Avg.	Pass	Full RU	Harmonic
12	802.11ax HE80	7	5916.84	59.84	68.20	-8.36	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	7	17955.00	46.44	54.00	-7.56	H	Avg.	Pass	Full RU	Harmonic
13	802.11ax HE80	7	5918.28	79.43	88.20	-8.77	V	Peak	Pass	Partial RU 484/65	Band Edge
14	802.11ax HE80	55	12450.00	41.55	54.00	-12.45	V	Avg.	Pass	Full RU	Harmonic
15	802.11ax HE80	87	5968.00	51.98	68.20	-16.22	H	Avg.	Pass	Full RU	Harmonic
16	802.11ax HE160	15	5923.00	63.61	68.20	-4.59	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	15	12050.00	42.14	54.00	-11.86	H	Avg.	Pass	Full RU	Harmonic
17	802.11ax HE160	15	5896.60	67.01	68.20	-1.19	H	Avg.	Pass	Partial RU 996/67	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
18	802.11ax HE160	47	12370.00	41.98	54.00	-12.02	V	Avg.	Pass	Full RU	Harmonic
19	802.11ax HE160	79	12690.00	42.49	54.00	-11.51	V	Avg.	Pass	Full RU	Harmonic
20	802.11a	97	19305.00	45.76	54.00	-8.24	V	Avg.	Pass	-	Harmonic
21	802.11a	105	19425.00	46.47	54.00	-7.53	V	Avg.	Pass	-	Harmonic
22	802.11a	113	19545.00	47.48	54.00	-6.52	V	Avg.	Pass	-	Harmonic
23	802.11ax HE20	97	19305.00	43.00	54.00	-11.00	V	Avg.	Pass	Full RU	Harmonic
24	802.11ax HE20	105	19425.00	43.50	54.00	-10.50	V	Avg.	Pass	Full RU	Harmonic
25	802.11ax HE20	113	19545.00	44.74	54.00	-9.26	V	Avg.	Pass	Full RU	Harmonic
26	802.11ax HE40	99	19335.00	41.35	54.00	-12.65	V	Avg.	Pass	Full RU	Harmonic
27	802.11ax HE40	107	19455.00	41.79	54.00	-12.21	V	Avg.	Pass	Full RU	Harmonic
28	802.11ax HE40	115	19575.00	43.39	54.00	-10.61	V	Avg.	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
29	802.11ax HE80	103	19395.00	37.37	54.00	-16.63	V	Avg.	Pass	Full RU	Harmonic
30	802.11ax HE160	111	6160.00	51.83	68.20	-16.37	H	Avg.	Pass	Full RU	Harmonic
31	802.11a	117	19605.00	48.58	54.00	-5.42	V	Avg.	Pass	-	Harmonic
32	802.11a	149	20085.00	50.59	54.00	-3.41	V	Avg.	Pass	-	Harmonic
33	802.11a	185	20625.00	50.39	54.00	-3.61	V	Avg.	Pass	-	Harmonic
34	802.11ax HE20	117	19605.00	43.39	54.00	-10.61	V	Avg.	Pass	Full RU	Harmonic
35	802.11ax HE20	149	20085.00	48.84	54.00	-5.16	V	Avg.	Pass	Full RU	Harmonic
36	802.11ax HE20	185	20625.00	50.68	54.00	-3.32	V	Avg.	Pass	Full RU	Harmonic
37	802.11ax HE40	123	19695.00	42.09	54.00	-11.91	V	Avg.	Pass	Full RU	Harmonic
38	802.11ax HE40	147	20055.00	47.99	54.00	-6.01	V	Avg.	Pass	Full RU	Harmonic
39	802.11ax HE40	187	7280.00	46.56	54.00	-7.44	H	Avg.	Pass	Full RU	Harmonic



Mod e	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Resu lt	RU	Remark
40	802.11ax HE80	135	13250.00	42.47	54.00	-11.53	V	Avg.	Pass	Full RU	Harmonic
41	802.11ax HE80	151	20115.00	45.76	54.00	-8.24	V	Avg.	Pass	Full RU	Harmonic
42	802.11ax HE80	183	7272.00	48.18	54.00	-5.82	H	Avg.	Pass	Full RU	Harmonic
43	802.11ax HE160	143	13330.00	44.49	54.00	-9.51	V	Avg.	Pass	Full RU	Harmonic
44	802.11ax HE160	175	20475.00	46.50	54.00	-7.50	V	Avg.	Pass	Full RU	Harmonic
45	802.11a	189	1112.00	50.83	74.00	-23.17	H	Peak	Pass	-	Harmonic
46	802.11a	209	1104.00	50.65	74.00	-23.35	H	Peak	Pass	-	Harmonic
47	802.11a	233	1112.00	50.35	74.00	-23.65	H	Peak	Pass	-	Harmonic
48	802.11ax HE20	189	1104.00	50.28	74.00	-23.72	H	Peak	Pass	Full RU	Harmonic
49	802.11ax HE20	209	1128.00	50.72	74.00	-23.28	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
50	802.11ax HE20	233	7125.01	66.87	68.20	-1.33	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	233	1128.00	50.61	74.00	-23.39	H	Peak	Pass	Full RU	Harmonic
51	802.11ax HE20	233	7125.01	64.97	68.20	-3.23	H	Avg.	Pass	Partial RU 106/54	Band Edge
52	802.11ax HE40	195	20775.00	35.59	54.00	-18.41	V	Avg.	Pass	Full RU	Harmonic
53	802.11ax HE40	211	1112.00	50.75	74.00	-23.25	H	Peak	Pass	Full RU	Harmonic
54	802.11ax HE40	227	7125.48	50.08	68.20	-18.12	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	227	7528.00	40.38	54.00	-13.62	H	Avg.	Pass	Full RU	Harmonic
55	802.11ax HE40	227	7164.04	43.74	68.20	-24.46	H	Avg.	Pass	Partial RU 242/62	Band Edge
56	802.11ax HE80	199	7336.00	40.28	54.00	-13.72	H	Avg.	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
57	802.11ax HE80	215	7125.32	45.49	68.20	-22.71	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	215	21075.00	35.99	54.00	-18.01	V	Avg.	Pass	Full RU	Harmonic
58	802.11ax HE80	215	7125.98	43.72	68.20	-24.48	H	Avg.	Pass	Partial RU 484/66	Band Edge
59	802.11ax HE160	207	7127.08	47.76	68.20	-20.44	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	207	7328.00	41.82	54.00	-12.18	V	Avg.	Pass	Full RU	Harmonic
60	802.11ax HE160	207	7130.92	50.86	68.20	-17.34	H	Avg.	Pass	Partial RU 996/68	Band Edge
61	802.11ax HE20	15	35.82	36.67	40.00	-3.33	V	QP	Pass	Full RU	LF



Mode	1																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5876.35</td><td>58.71</td><td>88.20</td><td>-29.49</td><td>46.45</td><td>33.65</td><td>12.66</td><td>35.02</td><td>0.97</td><td>100</td><td>122</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>112.40</td><td>-----</td><td>-----</td><td>100.13</td><td>33.62</td><td>12.86</td><td>35.04</td><td>0.83</td><td>100</td><td>122</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5876.35	58.71	88.20	-29.49	46.45	33.65	12.66	35.02	0.97	100	122	Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.40	-----	-----	100.13	33.62	12.86	35.04	0.83	100	122	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5876.35	58.71	88.20	-29.49	46.45	33.65	12.66	35.02	0.97	100	122	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	112.40	-----	-----	100.13	33.62	12.86	35.04	0.83	100	122	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5887.40</td><td>48.90</td><td>68.20</td><td>-19.30</td><td>36.62</td><td>33.67</td><td>12.69</td><td>35.03</td><td>0.95</td><td>100</td><td>122</td><td>Average</td></tr></table> Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>105.68</td><td>-----</td><td>-----</td><td>93.41</td><td>33.62</td><td>12.86</td><td>35.04</td><td>0.83</td><td>100</td><td>122</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5887.40	48.90	68.20	-19.30	36.62	33.67	12.69	35.03	0.95	100	122	Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.68	-----	-----	93.41	33.62	12.86	35.04	0.83	100	122	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5887.40	48.90	68.20	-19.30	36.62	33.67	12.69	35.03	0.95	100	122	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	105.68	-----	-----	93.41	33.62	12.86	35.04	0.83	100	122	Average																																																																																								



Mode	1																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5893.77</td><td>55.72</td><td>88.20</td><td>-32.48</td><td>43.42</td><td>33.69</td><td>12.70</td><td>35.03</td><td>0.94</td><td>398</td><td>122</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5893.77	55.72	88.20	-32.48	43.42	33.69	12.70	35.03	0.94	398	122	Peak	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.77</td><td>-----</td><td>-----</td><td>96.51</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>398</td><td>122</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5955.00	100.77	-----	-----	96.51	33.62	12.85	35.04	0.83	398	122	Peak	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5893.77	55.72	88.20	-32.48	43.42	33.69	12.70	35.03	0.94	398	122	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	5955.00	100.77	-----	-----	96.51	33.62	12.85	35.04	0.83	398	122	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.67</td><td>46.05</td><td>68.20</td><td>-22.15</td><td>33.76</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>398</td><td>122</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5923.67	46.05	68.20	-22.15	33.76	33.65	12.78	35.03	0.89	398	122	Average	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.13</td><td>-----</td><td>-----</td><td>89.87</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>398</td><td>122</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5955.00	102.13	-----	-----	89.87	33.62	12.85	35.04	0.83	398	122	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	5923.67	46.05	68.20	-22.15	33.76	33.65	12.78	35.03	0.89	398	122	Average																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	5955.00	102.13	-----	-----	89.87	33.62	12.85	35.04	0.83	398	122	Average																																																																														



Mode	1																																																																																																																																																																																																																																																																																																																																							
	Harmonic																																																																																																																																																																																																																																																																																																																																							
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																																																																																																																																																																																																																							
ANT	1+2																																																																																																																																																																																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 1144.00</td><td>49.66</td><td>74.00</td><td>-24.34</td><td>51.67</td><td>24.06</td><td>5.58</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 5576.00</td><td>63.87</td><td>88.20</td><td>-24.33</td><td>52.91</td><td>32.75</td><td>12.42</td><td>34.96</td><td>0.75</td><td>100</td><td>121</td><td>Peak</td></tr><tr><td>3 5576.00</td><td>51.92</td><td>68.20</td><td>-16.28</td><td>40.96</td><td>32.75</td><td>12.42</td><td>34.96</td><td>0.75</td><td>100</td><td>121</td><td>Average</td></tr><tr><td>4 6384.00</td><td>64.96</td><td>88.20</td><td>-23.24</td><td>50.42</td><td>35.54</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>128</td><td>Peak</td></tr><tr><td>5 6384.00</td><td>52.09</td><td>68.20</td><td>-16.11</td><td>37.55</td><td>35.54</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>128</td><td>Average</td></tr><tr><td>6 11910.00</td><td>49.75</td><td>74.00</td><td>-24.25</td><td>33.33</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7 11910.00</td><td>40.20</td><td>54.00</td><td>-13.80</td><td>23.70</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8 17865.00</td><td>54.03</td><td>74.00</td><td>-19.97</td><td>36.32</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9 17865.00</td><td>44.06</td><td>54.00</td><td>-9.94</td><td>26.35</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>10 23830.00</td><td>44.17</td><td>74.00</td><td>-29.83</td><td>49.23</td><td>38.70</td><td>25.98</td><td>60.20</td><td>-9.54</td><td>173</td><td>24</td><td>Peak</td></tr><tr><td>11 23830.00</td><td>34.89</td><td>54.00</td><td>-19.11</td><td>39.95</td><td>38.70</td><td>25.98</td><td>60.20</td><td>-9.54</td><td>173</td><td>24</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 1144.00	49.66	74.00	-24.34	51.67	24.06	5.58	31.94	0.29	--	--	--	Peak	2 5576.00	63.87	88.20	-24.33	52.91	32.75	12.42	34.96	0.75	100	121	Peak	3 5576.00	51.92	68.20	-16.28	40.96	32.75	12.42	34.96	0.75	100	121	Average	4 6384.00	64.96	88.20	-23.24	50.42	35.54	13.34	35.19	0.85	100	128	Peak	5 6384.00	52.09	68.20	-16.11	37.55	35.54	13.34	35.19	0.85	100	128	Average	6 11910.00	49.75	74.00	-24.25	33.33	39.12	18.12	40.82	0.00	--	--	--	Peak	7 11910.00	40.20	54.00	-13.80	23.70	39.12	18.12	40.82	0.00	--	--	--	Average	8 17865.00	54.03	74.00	-19.97	36.32	41.26	22.21	45.76	0.00	--	--	--	Peak	9 17865.00	44.06	54.00	-9.94	26.35	41.26	22.21	45.76	0.00	--	--	--	Average	10 23830.00	44.17	74.00	-29.83	49.23	38.70	25.98	60.20	-9.54	173	24	Peak	11 23830.00	34.89	54.00	-19.11	39.95	38.70	25.98	60.20	-9.54	173	24	Average	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 1000.00</td><td>48.38</td><td>74.00</td><td>-25.62</td><td>51.53</td><td>23.30</td><td>5.19</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 5576.00</td><td>59.71</td><td>88.20</td><td>-28.49</td><td>48.75</td><td>32.75</td><td>12.42</td><td>34.96</td><td>0.75</td><td>300</td><td>130</td><td>Peak</td></tr><tr><td>3 5576.00</td><td>46.89</td><td>68.20</td><td>-21.31</td><td>35.93</td><td>32.75</td><td>12.42</td><td>34.96</td><td>0.75</td><td>300</td><td>130</td><td>Average</td></tr><tr><td>4 6384.00</td><td>60.47</td><td>88.20</td><td>-27.73</td><td>45.82</td><td>35.64</td><td>13.36</td><td>35.20</td><td>0.85</td><td>100</td><td>341</td><td>Peak</td></tr><tr><td>5 6384.00</td><td>47.29</td><td>68.20</td><td>-20.91</td><td>32.64</td><td>35.64</td><td>13.36</td><td>35.20</td><td>0.85</td><td>100</td><td>341</td><td>Average</td></tr><tr><td>6 11910.00</td><td>51.02</td><td>74.00</td><td>-22.98</td><td>34.00</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7 11910.00</td><td>40.56</td><td>54.00</td><td>-13.44</td><td>24.14</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8 17865.00</td><td>54.25</td><td>74.00</td><td>-19.75</td><td>36.54</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9 17865.00</td><td>44.18</td><td>54.00</td><td>-9.82</td><td>26.47</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>10 23820.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>49.49</td><td>38.70</td><td>25.97</td><td>60.20</td><td>-9.54</td><td>192</td><td>275</td><td>Peak</td></tr><tr><td>11 23820.00</td><td>37.41</td><td>54.00</td><td>-16.59</td><td>42.48</td><td>38.70</td><td>25.97</td><td>60.20</td><td>-9.54</td><td>192</td><td>275</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 1000.00	48.38	74.00	-25.62	51.53	23.30	5.19	31.94	0.30	--	--	--	Peak	2 5576.00	59.71	88.20	-28.49	48.75	32.75	12.42	34.96	0.75	300	130	Peak	3 5576.00	46.89	68.20	-21.31	35.93	32.75	12.42	34.96	0.75	300	130	Average	4 6384.00	60.47	88.20	-27.73	45.82	35.64	13.36	35.20	0.85	100	341	Peak	5 6384.00	47.29	68.20	-20.91	32.64	35.64	13.36	35.20	0.85	100	341	Average	6 11910.00	51.02	74.00	-22.98	34.00	39.12	18.12	40.82	0.00	--	--	--	Peak	7 11910.00	40.56	54.00	-13.44	24.14	39.12	18.12	40.82	0.00	--	--	--	Average	8 17865.00	54.25	74.00	-19.75	36.54	41.26	22.21	45.76	0.00	--	--	--	Peak	9 17865.00	44.18	54.00	-9.82	26.47	41.26	22.21	45.76	0.00	--	--	--	Average	10 23820.00	44.42	74.00	-29.58	49.49	38.70	25.97	60.20	-9.54	192	275	Peak	11 23820.00	37.41	54.00	-16.59	42.48	38.70	25.97	60.20	-9.54	192	275	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																													
1 1144.00	49.66	74.00	-24.34	51.67	24.06	5.58	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																																																																																												
2 5576.00	63.87	88.20	-24.33	52.91	32.75	12.42	34.96	0.75	100	121	Peak																																																																																																																																																																																																																																																																																																																													
3 5576.00	51.92	68.20	-16.28	40.96	32.75	12.42	34.96	0.75	100	121	Average																																																																																																																																																																																																																																																																																																																													
4 6384.00	64.96	88.20	-23.24	50.42	35.54	13.34	35.19	0.85	100	128	Peak																																																																																																																																																																																																																																																																																																																													
5 6384.00	52.09	68.20	-16.11	37.55	35.54	13.34	35.19	0.85	100	128	Average																																																																																																																																																																																																																																																																																																																													
6 11910.00	49.75	74.00	-24.25	33.33	39.12	18.12	40.82	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																												
7 11910.00	40.20	54.00	-13.80	23.70	39.12	18.12	40.82	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																												
8 17865.00	54.03	74.00	-19.97	36.32	41.26	22.21	45.76	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																												
9 17865.00	44.06	54.00	-9.94	26.35	41.26	22.21	45.76	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																												
10 23830.00	44.17	74.00	-29.83	49.23	38.70	25.98	60.20	-9.54	173	24	Peak																																																																																																																																																																																																																																																																																																																													
11 23830.00	34.89	54.00	-19.11	39.95	38.70	25.98	60.20	-9.54	173	24	Average																																																																																																																																																																																																																																																																																																																													
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																													
1 1000.00	48.38	74.00	-25.62	51.53	23.30	5.19	31.94	0.30	--	--	--	Peak																																																																																																																																																																																																																																																																																																																												
2 5576.00	59.71	88.20	-28.49	48.75	32.75	12.42	34.96	0.75	300	130	Peak																																																																																																																																																																																																																																																																																																																													
3 5576.00	46.89	68.20	-21.31	35.93	32.75	12.42	34.96	0.75	300	130	Average																																																																																																																																																																																																																																																																																																																													
4 6384.00	60.47	88.20	-27.73	45.82	35.64	13.36	35.20	0.85	100	341	Peak																																																																																																																																																																																																																																																																																																																													
5 6384.00	47.29	68.20	-20.91	32.64	35.64	13.36	35.20	0.85	100	341	Average																																																																																																																																																																																																																																																																																																																													
6 11910.00	51.02	74.00	-22.98	34.00	39.12	18.12	40.82	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																												
7 11910.00	40.56	54.00	-13.44	24.14	39.12	18.12	40.82	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																												
8 17865.00	54.25	74.00	-19.75	36.54	41.26	22.21	45.76	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																												
9 17865.00	44.18	54.00	-9.82	26.47	41.26	22.21	45.76	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																												
10 23820.00	44.42	74.00	-29.58	49.49	38.70	25.97	60.20	-9.54	192	275	Peak																																																																																																																																																																																																																																																																																																																													
11 23820.00	37.41	54.00	-16.59	42.48	38.70	25.97	60.20	-9.54	192	275	Average																																																																																																																																																																																																																																																																																																																													



Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-04 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-04 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	2																																																																																																																																																																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																																																																																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																																																																																																																																																																																																																																																																			
ANT	1+2																																																																																																																																																																																																																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1008.00</td><td>49.39</td><td>74.00</td><td>-24.61</td><td>52.52</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5792.00</td><td>64.62</td><td>88.20</td><td>-23.58</td><td>52.27</td><td>33.78</td><td>12.47</td><td>35.00</td><td>1.10</td><td>100</td><td>124</td><td>Peak</td></tr><tr><td>3</td><td>5792.00</td><td>52.64</td><td>68.20</td><td>-15.56</td><td>40.29</td><td>33.78</td><td>12.47</td><td>35.00</td><td>1.10</td><td>100</td><td>124</td><td>Average</td></tr><tr><td>4</td><td>6688.00</td><td>61.33</td><td>88.20</td><td>-26.87</td><td>46.14</td><td>36.22</td><td>13.56</td><td>35.43</td><td>0.84</td><td>100</td><td>128</td><td>Peak</td></tr><tr><td>5</td><td>6688.00</td><td>48.88</td><td>68.20</td><td>-19.32</td><td>33.69</td><td>36.22</td><td>13.56</td><td>35.43</td><td>0.84</td><td>100</td><td>128</td><td>Average</td></tr><tr><td>6</td><td>12390.00</td><td>51.49</td><td>74.00</td><td>-22.51</td><td>34.07</td><td>39.88</td><td>10.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12390.00</td><td>41.26</td><td>54.00</td><td>-12.74</td><td>23.04</td><td>39.88</td><td>10.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18585.00</td><td>40.77</td><td>74.00</td><td>-33.23</td><td>55.58</td><td>38.33</td><td>22.85</td><td>66.45</td><td>-9.54</td><td>167</td><td>317</td><td>Peak</td></tr><tr><td>9</td><td>18585.00</td><td>31.09</td><td>54.00</td><td>-22.91</td><td>45.90</td><td>38.33</td><td>22.85</td><td>66.45</td><td>-9.54</td><td>167</td><td>317</td><td>Average</td></tr><tr><td>10</td><td>24780.00</td><td>45.78</td><td>88.20</td><td>-42.42</td><td>49.68</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>170</td><td>17</td><td>Peak</td></tr><tr><td>11</td><td>24780.00</td><td>42.23</td><td>68.20</td><td>-25.97</td><td>46.13</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>170</td><td>17</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1008.00	49.39	74.00	-24.61	52.52	23.30	5.21	31.94	0.30	--	--	Peak	2	5792.00	64.62	88.20	-23.58	52.27	33.78	12.47	35.00	1.10	100	124	Peak	3	5792.00	52.64	68.20	-15.56	40.29	33.78	12.47	35.00	1.10	100	124	Average	4	6688.00	61.33	88.20	-26.87	46.14	36.22	13.56	35.43	0.84	100	128	Peak	5	6688.00	48.88	68.20	-19.32	33.69	36.22	13.56	35.43	0.84	100	128	Average	6	12390.00	51.49	74.00	-22.51	34.07	39.88	10.66	41.12	0.00	--	--	Peak	7	12390.00	41.26	54.00	-12.74	23.04	39.88	10.66	41.12	0.00	--	--	Average	8	18585.00	40.77	74.00	-33.23	55.58	38.33	22.85	66.45	-9.54	167	317	Peak	9	18585.00	31.09	54.00	-22.91	45.90	38.33	22.85	66.45	-9.54	167	317	Average	10	24780.00	45.78	88.20	-42.42	49.68	39.30	26.62	60.28	-9.54	170	17	Peak	11	24780.00	42.23	68.20	-25.97	46.13	39.30	26.62	60.28	-9.54	170	17	Average	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1128.00</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>49.67</td><td>24.20</td><td>5.54</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5816.00</td><td>62.85</td><td>88.20</td><td>-25.35</td><td>50.53</td><td>33.74</td><td>12.51</td><td>35.01</td><td>1.08</td><td>370</td><td>124</td><td>Peak</td></tr><tr><td>3</td><td>5816.00</td><td>51.70</td><td>68.20</td><td>-16.50</td><td>39.38</td><td>33.74</td><td>12.51</td><td>35.01</td><td>1.08</td><td>370</td><td>124</td><td>Average</td></tr><tr><td>4</td><td>6592.00</td><td>58.60</td><td>88.20</td><td>-29.60</td><td>43.44</td><td>36.18</td><td>13.54</td><td>35.40</td><td>0.84</td><td>101</td><td>360</td><td>Peak</td></tr><tr><td>5</td><td>6592.00</td><td>46.78</td><td>68.20</td><td>-21.42</td><td>31.62</td><td>36.18</td><td>13.54</td><td>35.40</td><td>0.84</td><td>101</td><td>360</td><td>Average</td></tr><tr><td>6</td><td>12390.00</td><td>51.25</td><td>74.00</td><td>-22.75</td><td>33.83</td><td>39.88</td><td>10.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12390.00</td><td>41.52</td><td>54.00</td><td>-12.48</td><td>24.10</td><td>39.88</td><td>10.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18585.00</td><td>45.08</td><td>74.00</td><td>-28.92</td><td>59.09</td><td>38.33</td><td>22.85</td><td>66.45</td><td>-9.54</td><td>168</td><td>180</td><td>Peak</td></tr><tr><td>9</td><td>18585.00</td><td>33.62</td><td>54.00</td><td>-20.38</td><td>48.43</td><td>38.33</td><td>22.85</td><td>66.45</td><td>-9.54</td><td>168</td><td>180</td><td>Average</td></tr><tr><td>10</td><td>24780.00</td><td>45.00</td><td>88.20</td><td>-43.20</td><td>48.90</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>189</td><td>42</td><td>Peak</td></tr><tr><td>11</td><td>24780.00</td><td>40.97</td><td>68.20</td><td>-27.23</td><td>44.87</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>189</td><td>42</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1128.00	47.76	74.00	-26.24	49.67	24.20	5.54	31.94	0.29	--	--	Peak	2	5816.00	62.85	88.20	-25.35	50.53	33.74	12.51	35.01	1.08	370	124	Peak	3	5816.00	51.70	68.20	-16.50	39.38	33.74	12.51	35.01	1.08	370	124	Average	4	6592.00	58.60	88.20	-29.60	43.44	36.18	13.54	35.40	0.84	101	360	Peak	5	6592.00	46.78	68.20	-21.42	31.62	36.18	13.54	35.40	0.84	101	360	Average	6	12390.00	51.25	74.00	-22.75	33.83	39.88	10.66	41.12	0.00	--	--	Peak	7	12390.00	41.52	54.00	-12.48	24.10	39.88	10.66	41.12	0.00	--	--	Average	8	18585.00	45.08	74.00	-28.92	59.09	38.33	22.85	66.45	-9.54	168	180	Peak	9	18585.00	33.62	54.00	-20.38	48.43	38.33	22.85	66.45	-9.54	168	180	Average	10	24780.00	45.00	88.20	-43.20	48.90	39.30	26.62	60.28	-9.54	189	42	Peak	11	24780.00	40.97	68.20	-27.23	44.87	39.30	26.62	60.28	-9.54	189	42	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																									
1	1008.00	49.39	74.00	-24.61	52.52	23.30	5.21	31.94	0.30	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
2	5792.00	64.62	88.20	-23.58	52.27	33.78	12.47	35.00	1.10	100	124	Peak																																																																																																																																																																																																																																																																																																																																								
3	5792.00	52.64	68.20	-15.56	40.29	33.78	12.47	35.00	1.10	100	124	Average																																																																																																																																																																																																																																																																																																																																								
4	6688.00	61.33	88.20	-26.87	46.14	36.22	13.56	35.43	0.84	100	128	Peak																																																																																																																																																																																																																																																																																																																																								
5	6688.00	48.88	68.20	-19.32	33.69	36.22	13.56	35.43	0.84	100	128	Average																																																																																																																																																																																																																																																																																																																																								
6	12390.00	51.49	74.00	-22.51	34.07	39.88	10.66	41.12	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
7	12390.00	41.26	54.00	-12.74	23.04	39.88	10.66	41.12	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								
8	18585.00	40.77	74.00	-33.23	55.58	38.33	22.85	66.45	-9.54	167	317	Peak																																																																																																																																																																																																																																																																																																																																								
9	18585.00	31.09	54.00	-22.91	45.90	38.33	22.85	66.45	-9.54	167	317	Average																																																																																																																																																																																																																																																																																																																																								
10	24780.00	45.78	88.20	-42.42	49.68	39.30	26.62	60.28	-9.54	170	17	Peak																																																																																																																																																																																																																																																																																																																																								
11	24780.00	42.23	68.20	-25.97	46.13	39.30	26.62	60.28	-9.54	170	17	Average																																																																																																																																																																																																																																																																																																																																								
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																									
1	1128.00	47.76	74.00	-26.24	49.67	24.20	5.54	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
2	5816.00	62.85	88.20	-25.35	50.53	33.74	12.51	35.01	1.08	370	124	Peak																																																																																																																																																																																																																																																																																																																																								
3	5816.00	51.70	68.20	-16.50	39.38	33.74	12.51	35.01	1.08	370	124	Average																																																																																																																																																																																																																																																																																																																																								
4	6592.00	58.60	88.20	-29.60	43.44	36.18	13.54	35.40	0.84	101	360	Peak																																																																																																																																																																																																																																																																																																																																								
5	6592.00	46.78	68.20	-21.42	31.62	36.18	13.54	35.40	0.84	101	360	Average																																																																																																																																																																																																																																																																																																																																								
6	12390.00	51.25	74.00	-22.75	33.83	39.88	10.66	41.12	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
7	12390.00	41.52	54.00	-12.48	24.10	39.88	10.66	41.12	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								
8	18585.00	45.08	74.00	-28.92	59.09	38.33	22.85	66.45	-9.54	168	180	Peak																																																																																																																																																																																																																																																																																																																																								
9	18585.00	33.62	54.00	-20.38	48.43	38.33	22.85	66.45	-9.54	168	180	Average																																																																																																																																																																																																																																																																																																																																								
10	24780.00	45.00	88.20	-43.20	48.90	39.30	26.62	60.28	-9.54	189	42	Peak																																																																																																																																																																																																																																																																																																																																								
11	24780.00	40.97	68.20	-27.23	44.87	39.30	26.62	60.28	-9.54	189	42	Average																																																																																																																																																																																																																																																																																																																																								





Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	3																																																																																																																																																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																																																																																																																																																																																																																																	
ANT	1+2																																																																																																																																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																
Peak	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>1120.00</td><td>50.75</td><td>74.00</td><td>-23.25</td><td>52.69</td><td>24.20</td><td>5.51</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6824.00</td><td>58.56</td><td>88.20</td><td>-29.64</td><td>45.96</td><td>33.90</td><td>13.00</td><td>35.06</td><td>0.76</td><td>100</td><td>122</td><td>Peak</td></tr><tr><td>3</td><td>6824.00</td><td>46.95</td><td>88.20</td><td>-21.25</td><td>34.35</td><td>33.90</td><td>13.00</td><td>35.06</td><td>0.76</td><td>100</td><td>122</td><td>Average</td></tr><tr><td>4</td><td>6832.00</td><td>56.13</td><td>88.20</td><td>-32.07</td><td>40.67</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>101</td><td>62</td><td>Peak</td></tr><tr><td>5</td><td>6832.00</td><td>44.80</td><td>88.20</td><td>-23.40</td><td>29.34</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>101</td><td>62</td><td>Average</td></tr><tr><td>6</td><td>12830.00</td><td>52.68</td><td>88.20</td><td>-35.52</td><td>34.19</td><td>40.64</td><td>18.98</td><td>41.21</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19245.00</td><td>44.10</td><td>74.00</td><td>-29.90</td><td>57.78</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>200</td><td>62</td><td>Peak</td></tr><tr><td>8</td><td>19245.00</td><td>34.53</td><td>54.00</td><td>-19.47</td><td>48.21</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>200</td><td>62</td><td>Average</td></tr><tr><td>9</td><td>25660.00</td><td>43.70</td><td>88.20</td><td>-44.50</td><td>47.26</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>166</td><td>25</td><td>Peak</td></tr><tr><td>10</td><td>25660.00</td><td>36.77</td><td>68.20</td><td>-31.43</td><td>40.33</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>166</td><td>25</td><td>Average</td></tr></table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	deg	1	1120.00	50.75	74.00	-23.25	52.69	24.20	5.51	31.94	0.29	--	--	--	Peak	2	6824.00	58.56	88.20	-29.64	45.96	33.90	13.00	35.06	0.76	100	122	Peak	3	6824.00	46.95	88.20	-21.25	34.35	33.90	13.00	35.06	0.76	100	122	Average	4	6832.00	56.13	88.20	-32.07	40.67	36.60	13.87	35.82	0.81	101	62	Peak	5	6832.00	44.80	88.20	-23.40	29.34	36.60	13.87	35.82	0.81	101	62	Average	6	12830.00	52.68	88.20	-35.52	34.19	40.64	18.98	41.21	0.00	--	--	--	Peak	7	19245.00	44.10	74.00	-29.90	57.78	38.02	23.29	65.45	-9.54	200	62	Peak	8	19245.00	34.53	54.00	-19.47	48.21	38.02	23.29	65.45	-9.54	200	62	Average	9	25660.00	43.70	88.20	-44.50	47.26	39.28	27.30	60.60	-9.54	166	25	Peak	10	25660.00	36.77	68.20	-31.43	40.33	39.28	27.30	60.60	-9.54	166	25	Average	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>1000.00</td><td>49.52</td><td>74.00</td><td>-24.48</td><td>52.65</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6824.00</td><td>58.12</td><td>88.20</td><td>-30.08</td><td>45.52</td><td>33.90</td><td>13.00</td><td>35.06</td><td>0.76</td><td>112</td><td>337</td><td>Peak</td></tr><tr><td>3</td><td>6824.00</td><td>46.93</td><td>88.20</td><td>-21.27</td><td>34.33</td><td>33.90</td><td>13.00</td><td>35.06</td><td>0.76</td><td>112</td><td>337</td><td>Average</td></tr><tr><td>4</td><td>6832.00</td><td>54.41</td><td>88.20</td><td>-33.79</td><td>38.95</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>100</td><td>1</td><td>Peak</td></tr><tr><td>5</td><td>6832.00</td><td>42.85</td><td>88.20</td><td>-25.35</td><td>27.39</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>100</td><td>1</td><td>Average</td></tr><tr><td>6</td><td>12830.00</td><td>52.28</td><td>88.20</td><td>-35.92</td><td>33.87</td><td>40.64</td><td>18.98</td><td>41.21</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19245.00</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>68.24</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>171</td><td>357</td><td>Peak</td></tr><tr><td>8</td><td>19245.00</td><td>45.07</td><td>54.00</td><td>-8.93</td><td>58.75</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>171</td><td>357</td><td>Average</td></tr><tr><td>9</td><td>25660.00</td><td>45.00</td><td>88.20</td><td>-43.20</td><td>48.56</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>196</td><td>133</td><td>Peak</td></tr><tr><td>10</td><td>25660.00</td><td>40.41</td><td>68.20</td><td>-27.79</td><td>43.97</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>196</td><td>133</td><td>Average</td></tr></table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	deg	1	1000.00	49.52	74.00	-24.48	52.65	23.30	5.21	31.94	0.30	--	--	--	Peak	2	6824.00	58.12	88.20	-30.08	45.52	33.90	13.00	35.06	0.76	112	337	Peak	3	6824.00	46.93	88.20	-21.27	34.33	33.90	13.00	35.06	0.76	112	337	Average	4	6832.00	54.41	88.20	-33.79	38.95	36.60	13.87	35.82	0.81	100	1	Peak	5	6832.00	42.85	88.20	-25.35	27.39	36.60	13.87	35.82	0.81	100	1	Average	6	12830.00	52.28	88.20	-35.92	33.87	40.64	18.98	41.21	0.00	--	--	--	Peak	7	19245.00	54.56	74.00	-19.44	68.24	38.02	23.29	65.45	-9.54	171	357	Peak	8	19245.00	45.07	54.00	-8.93	58.75	38.02	23.29	65.45	-9.54	171	357	Average	9	25660.00	45.00	88.20	-43.20	48.56	39.28	27.30	60.60	-9.54	196	133	Peak	10	25660.00	40.41	68.20	-27.79	43.97	39.28	27.30	60.60	-9.54	196	133	Average
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	deg																																																																																																																																																																																																																																																																																																																					
1	1120.00	50.75	74.00	-23.25	52.69	24.20	5.51	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																																																																																					
2	6824.00	58.56	88.20	-29.64	45.96	33.90	13.00	35.06	0.76	100	122	Peak																																																																																																																																																																																																																																																																																																																						
3	6824.00	46.95	88.20	-21.25	34.35	33.90	13.00	35.06	0.76	100	122	Average																																																																																																																																																																																																																																																																																																																						
4	6832.00	56.13	88.20	-32.07	40.67	36.60	13.87	35.82	0.81	101	62	Peak																																																																																																																																																																																																																																																																																																																						
5	6832.00	44.80	88.20	-23.40	29.34	36.60	13.87	35.82	0.81	101	62	Average																																																																																																																																																																																																																																																																																																																						
6	12830.00	52.68	88.20	-35.52	34.19	40.64	18.98	41.21	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																					
7	19245.00	44.10	74.00	-29.90	57.78	38.02	23.29	65.45	-9.54	200	62	Peak																																																																																																																																																																																																																																																																																																																						
8	19245.00	34.53	54.00	-19.47	48.21	38.02	23.29	65.45	-9.54	200	62	Average																																																																																																																																																																																																																																																																																																																						
9	25660.00	43.70	88.20	-44.50	47.26	39.28	27.30	60.60	-9.54	166	25	Peak																																																																																																																																																																																																																																																																																																																						
10	25660.00	36.77	68.20	-31.43	40.33	39.28	27.30	60.60	-9.54	166	25	Average																																																																																																																																																																																																																																																																																																																						
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	deg																																																																																																																																																																																																																																																																																																																					
1	1000.00	49.52	74.00	-24.48	52.65	23.30	5.21	31.94	0.30	--	--	--	Peak																																																																																																																																																																																																																																																																																																																					
2	6824.00	58.12	88.20	-30.08	45.52	33.90	13.00	35.06	0.76	112	337	Peak																																																																																																																																																																																																																																																																																																																						
3	6824.00	46.93	88.20	-21.27	34.33	33.90	13.00	35.06	0.76	112	337	Average																																																																																																																																																																																																																																																																																																																						
4	6832.00	54.41	88.20	-33.79	38.95	36.60	13.87	35.82	0.81	100	1	Peak																																																																																																																																																																																																																																																																																																																						
5	6832.00	42.85	88.20	-25.35	27.39	36.60	13.87	35.82	0.81	100	1	Average																																																																																																																																																																																																																																																																																																																						
6	12830.00	52.28	88.20	-35.92	33.87	40.64	18.98	41.21	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																					
7	19245.00	54.56	74.00	-19.44	68.24	38.02	23.29	65.45	-9.54	171	357	Peak																																																																																																																																																																																																																																																																																																																						
8	19245.00	45.07	54.00	-8.93	58.75	38.02	23.29	65.45	-9.54	171	357	Average																																																																																																																																																																																																																																																																																																																						
9	25660.00	45.00	88.20	-43.20	48.56	39.28	27.30	60.60	-9.54	196	133	Peak																																																																																																																																																																																																																																																																																																																						
10	25660.00	40.41	68.20	-27.79	43.97	39.28	27.30	60.60	-9.54	196	133	Average																																																																																																																																																																																																																																																																																																																						



Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL





Mode	4																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5924.45</td><td>64.18</td><td>88.20</td><td>-24.02</td><td>51.89</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89 100 120 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5924.45	64.18	88.20	-24.02	51.89	33.65	12.78	35.03	0.89 100 120 Peak	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.92</td><td>-----</td><td>-----</td><td>99.66</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83 100 120 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5955.00	111.92	-----	-----	99.66	33.62	12.85	35.04	0.83 100 120 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1	5924.45	64.18	88.20	-24.02	51.89	33.65	12.78	35.03	0.89 100 120 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1	5955.00	111.92	-----	-----	99.66	33.62	12.85	35.04	0.83 100 120 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5924.97</td><td>53.44</td><td>68.20</td><td>-14.76</td><td>41.15</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89 100 120 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5924.97	53.44	68.20	-14.76	41.15	33.65	12.78	35.03	0.89 100 120 Average	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.51</td><td>-----</td><td>-----</td><td>92.25</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83 100 120 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5955.00	104.51	-----	-----	92.25	33.62	12.85	35.04	0.83 100 120 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1	5924.97	53.44	68.20	-14.76	41.15	33.65	12.78	35.03	0.89 100 120 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1	5955.00	104.51	-----	-----	92.25	33.62	12.85	35.04	0.83 100 120 Average																																																																									



Mode	4																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>59.71</td><td>88.20</td><td>-28.49</td><td>47.42</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>400</td><td>142</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	59.71	88.20	-28.49	47.42	33.65	12.78	35.03	0.89	400	142	Peak	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.47</td><td>-----</td><td>-----</td><td>96.18</td><td>33.64</td><td>12.87</td><td>35.04</td><td>0.82</td><td>400</td><td>142</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.47	-----	-----	96.18	33.64	12.87	35.04	0.82	400	142	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	59.71	88.20	-28.49	47.42	33.65	12.78	35.03	0.89	400	142	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	108.47	-----	-----	96.18	33.64	12.87	35.04	0.82	400	142	Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>48.53</td><td>68.20</td><td>-19.67</td><td>36.24</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>400</td><td>142</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	48.53	68.20	-19.67	36.24	33.65	12.78	35.03	0.89	400	142	Average	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.60</td><td>-----</td><td>-----</td><td>87.34</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>400</td><td>142</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.60	-----	-----	87.34	33.62	12.85	35.04	0.83	400	142	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	48.53	68.20	-19.67	36.24	33.65	12.78	35.03	0.89	400	142	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	99.60	-----	-----	87.34	33.62	12.85	35.04	0.83	400	142	Average																																																																																						



	4																																																																																																																																																																																																																																																																																																																																																																																																			
Mode	Harmonic																																																																																																																																																																																																																																																																																																																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																																																																																																																																																																																																																																																																																																																			
ANT	1+2																																																																																																																																																																																																																																																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																																																																																																																																																																													
Peak																																																																																																																																																																																																																																																																																																																																																																																																				
Avg	Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL						Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL																																																																																																																																																																																																																																																																																																																																																																																													
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1130.20</td><td>45.82</td><td>74.00</td><td>-28.18</td><td></td><td>47.73</td><td>24.20</td><td>5.54</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5544.60</td><td>62.29</td><td>88.20</td><td>-25.91</td><td></td><td>51.40</td><td>32.68</td><td>12.41</td><td>34.95</td><td>0.75</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>3</td><td>5544.60</td><td>51.68</td><td>68.20</td><td>-16.52</td><td></td><td>40.79</td><td>32.68</td><td>12.41</td><td>34.95</td><td>0.75</td><td>100</td><td>120</td><td>Average</td></tr><tr><td>4</td><td>6363.00</td><td>61.71</td><td>88.20</td><td>-26.49</td><td></td><td>47.16</td><td>35.55</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>56</td><td>Peak</td></tr><tr><td>5</td><td>6363.00</td><td>49.24</td><td>68.20</td><td>-18.96</td><td></td><td>34.69</td><td>35.55</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>56</td><td>Average</td></tr><tr><td>6</td><td>11910.00</td><td>50.73</td><td>74.00</td><td>-23.27</td><td></td><td>34.31</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>11910.00</td><td>40.92</td><td>54.00</td><td>-13.08</td><td></td><td>24.50</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>17865.00</td><td>53.61</td><td>74.00</td><td>-20.39</td><td></td><td>35.90</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>17865.00</td><td>44.66</td><td>54.00</td><td>-9.34</td><td></td><td>26.95</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>10</td><td>23820.00</td><td>45.57</td><td>74.00</td><td>-28.43</td><td></td><td>50.64</td><td>38.70</td><td>25.97</td><td>60.20</td><td>-9.54</td><td>172</td><td>22</td><td>Peak</td></tr><tr><td>11</td><td>23820.00</td><td>41.25</td><td>54.00</td><td>-12.75</td><td></td><td>46.32</td><td>38.70</td><td>25.97</td><td>60.20</td><td>-9.54</td><td>172</td><td>22</td><td>Average</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1130.20	45.82	74.00	-28.18		47.73	24.20	5.54	31.94	0.29	--	--	Peak	2	5544.60	62.29	88.20	-25.91		51.40	32.68	12.41	34.95	0.75	100	120	Peak	3	5544.60	51.68	68.20	-16.52		40.79	32.68	12.41	34.95	0.75	100	120	Average	4	6363.00	61.71	88.20	-26.49		47.16	35.55	13.34	35.19	0.85	100	56	Peak	5	6363.00	49.24	68.20	-18.96		34.69	35.55	13.34	35.19	0.85	100	56	Average	6	11910.00	50.73	74.00	-23.27		34.31	39.12	18.12	40.82	0.00	--	--	Peak	7	11910.00	40.92	54.00	-13.08		24.50	39.12	18.12	40.82	0.00	--	--	Average	8	17865.00	53.61	74.00	-20.39		35.90	41.26	22.21	45.76	0.00	--	--	Peak	9	17865.00	44.66	54.00	-9.34		26.95	41.26	22.21	45.76	0.00	--	--	Average	10	23820.00	45.57	74.00	-28.43		50.64	38.70	25.97	60.20	-9.54	172	22	Peak	11	23820.00	41.25	54.00	-12.75		46.32	38.70	25.97	60.20	-9.54	172	22	Average	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1117.00</td><td>45.32</td><td>74.00</td><td>-28.68</td><td></td><td>47.33</td><td>24.13</td><td>5.51</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5532.20</td><td>55.39</td><td>88.20</td><td>-32.81</td><td></td><td>44.55</td><td>32.63</td><td>12.41</td><td>34.95</td><td>0.75</td><td>100</td><td>184</td><td>Peak</td></tr><tr><td>3</td><td>5532.20</td><td>43.72</td><td>88.20</td><td>-44.48</td><td></td><td>32.88</td><td>32.63</td><td>12.41</td><td>34.95</td><td>0.75</td><td>100</td><td>184</td><td>Average</td></tr><tr><td>4</td><td>6356.00</td><td>58.73</td><td>88.20</td><td>-29.47</td><td></td><td>44.20</td><td>35.53</td><td>13.34</td><td>35.19</td><td>0.85</td><td>125</td><td>17</td><td>Peak</td></tr><tr><td>5</td><td>6356.00</td><td>46.77</td><td>88.20</td><td>-41.43</td><td></td><td>32.24</td><td>35.53</td><td>13.34</td><td>35.19</td><td>0.85</td><td>125</td><td>17</td><td>Average</td></tr><tr><td>6</td><td>11910.00</td><td>50.20</td><td>74.00</td><td>-23.80</td><td></td><td>33.78</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>11910.00</td><td>40.81</td><td>54.00</td><td>-13.19</td><td></td><td>24.39</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>17865.00</td><td>53.48</td><td>74.00</td><td>-20.52</td><td></td><td>35.77</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>17865.00</td><td>44.44</td><td>54.00</td><td>-9.56</td><td></td><td>26.73</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>10</td><td>23820.00</td><td>42.98</td><td>74.00</td><td>-31.02</td><td></td><td>48.05</td><td>38.70</td><td>25.97</td><td>60.20</td><td>-9.54</td><td>189</td><td>275</td><td>Peak</td></tr><tr><td>11</td><td>23820.00</td><td>37.53</td><td>54.00</td><td>-16.47</td><td></td><td>42.60</td><td>38.70</td><td>25.97</td><td>60.20</td><td>-9.54</td><td>189</td><td>275</td><td>Average</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1117.00	45.32	74.00	-28.68		47.33	24.13	5.51	31.94	0.29	--	--	Peak	2	5532.20	55.39	88.20	-32.81		44.55	32.63	12.41	34.95	0.75	100	184	Peak	3	5532.20	43.72	88.20	-44.48		32.88	32.63	12.41	34.95	0.75	100	184	Average	4	6356.00	58.73	88.20	-29.47		44.20	35.53	13.34	35.19	0.85	125	17	Peak	5	6356.00	46.77	88.20	-41.43		32.24	35.53	13.34	35.19	0.85	125	17	Average	6	11910.00	50.20	74.00	-23.80		33.78	39.12	18.12	40.82	0.00	--	--	Peak	7	11910.00	40.81	54.00	-13.19		24.39	39.12	18.12	40.82	0.00	--	--	Average	8	17865.00	53.48	74.00	-20.52		35.77	41.26	22.21	45.76	0.00	--	--	Peak	9	17865.00	44.44	54.00	-9.56		26.73	41.26	22.21	45.76	0.00	--	--	Average	10	23820.00	42.98	74.00	-31.02		48.05	38.70	25.97	60.20	-9.54	189	275	Peak	11	23820.00	37.53	54.00	-16.47		42.60	38.70	25.97	60.20	-9.54	189	275	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																								
1	1130.20	45.82	74.00	-28.18		47.73	24.20	5.54	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																							
2	5544.60	62.29	88.20	-25.91		51.40	32.68	12.41	34.95	0.75	100	120	Peak																																																																																																																																																																																																																																																																																																																																																																																							
3	5544.60	51.68	68.20	-16.52		40.79	32.68	12.41	34.95	0.75	100	120	Average																																																																																																																																																																																																																																																																																																																																																																																							
4	6363.00	61.71	88.20	-26.49		47.16	35.55	13.34	35.19	0.85	100	56	Peak																																																																																																																																																																																																																																																																																																																																																																																							
5	6363.00	49.24	68.20	-18.96		34.69	35.55	13.34	35.19	0.85	100	56	Average																																																																																																																																																																																																																																																																																																																																																																																							
6	11910.00	50.73	74.00	-23.27		34.31	39.12	18.12	40.82	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																							
7	11910.00	40.92	54.00	-13.08		24.50	39.12	18.12	40.82	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																							
8	17865.00	53.61	74.00	-20.39		35.90	41.26	22.21	45.76	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																							
9	17865.00	44.66	54.00	-9.34		26.95	41.26	22.21	45.76	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																							
10	23820.00	45.57	74.00	-28.43		50.64	38.70	25.97	60.20	-9.54	172	22	Peak																																																																																																																																																																																																																																																																																																																																																																																							
11	23820.00	41.25	54.00	-12.75		46.32	38.70	25.97	60.20	-9.54	172	22	Average																																																																																																																																																																																																																																																																																																																																																																																							
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																																																								
1	1117.00	45.32	74.00	-28.68		47.33	24.13	5.51	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																							
2	5532.20	55.39	88.20	-32.81		44.55	32.63	12.41	34.95	0.75	100	184	Peak																																																																																																																																																																																																																																																																																																																																																																																							
3	5532.20	43.72	88.20	-44.48		32.88	32.63	12.41	34.95	0.75	100	184	Average																																																																																																																																																																																																																																																																																																																																																																																							
4	6356.00	58.73	88.20	-29.47		44.20	35.53	13.34	35.19	0.85	125	17	Peak																																																																																																																																																																																																																																																																																																																																																																																							
5	6356.00	46.77	88.20	-41.43		32.24	35.53	13.34	35.19	0.85	125	17	Average																																																																																																																																																																																																																																																																																																																																																																																							
6	11910.00	50.20	74.00	-23.80		33.78	39.12	18.12	40.82	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																							
7	11910.00	40.81	54.00	-13.19		24.39	39.12	18.12	40.82	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																							
8	17865.00	53.48	74.00	-20.52		35.77	41.26	22.21	45.76	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																																																																							
9	17865.00	44.44	54.00	-9.56		26.73	41.26	22.21	45.76	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																																																																							
10	23820.00	42.98	74.00	-31.02		48.05	38.70	25.97	60.20	-9.54	189	275	Peak																																																																																																																																																																																																																																																																																																																																																																																							
11	23820.00	37.53	54.00	-16.47		42.60	38.70	25.97	60.20	-9.54	189	275	Average																																																																																																																																																																																																																																																																																																																																																																																							



Mode	4	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-04 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-04 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	5																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5918.73</td><td>67.28</td><td>88.20</td><td>-20.92</td><td>54.98</td><td>33.66</td><td>12.77</td><td>35.03</td><td>0.90 101 124 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	5918.73	67.28	88.20	-20.92	54.98	33.66	12.77	35.03	0.90 101 124 Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5955.00</td><td>115.19</td><td>-----</td><td>-----</td><td>102.95</td><td>33.60</td><td>12.84</td><td>35.04</td><td>0.84 101 124 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	5955.00	115.19	-----	-----	102.95	33.60	12.84	35.04	0.84 101 124 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																	
1	5918.73	67.28	88.20	-20.92	54.98	33.66	12.77	35.03	0.90 101 124 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																	
1	5955.00	115.19	-----	-----	102.95	33.60	12.84	35.04	0.84 101 124 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.120kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5878.30</td><td>49.37</td><td>68.20</td><td>-18.83</td><td>37.09</td><td>33.66</td><td>12.67</td><td>35.02</td><td>0.97 101 124 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	5878.30	49.37	68.20	-18.83	37.09	33.66	12.67	35.02	0.97 101 124 Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.120kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.06</td><td>-----</td><td>-----</td><td>94.82</td><td>33.60</td><td>12.84</td><td>35.04</td><td>0.84 101 124 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	5955.00	107.06	-----	-----	94.82	33.60	12.84	35.04	0.84 101 124 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																	
1	5878.30	49.37	68.20	-18.83	37.09	33.66	12.67	35.02	0.97 101 124 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																	
1	5955.00	107.06	-----	-----	94.82	33.60	12.84	35.04	0.84 101 124 Average																																																																																	



Mode	5																																																																																					
	Band Edge																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																																																					
ANT	1+2																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5924.71</td><td>72.93</td><td>88.20 -15.27</td><td>60.64</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>100</td><td>335</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5924.71	72.93	88.20 -15.27	60.64	33.65	12.78	35.03	0.89	100	335	Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>111.99</td><td>-----</td><td>99.75</td><td>33.60</td><td>12.84</td><td>35.04</td><td>0.84</td><td>100</td><td>335</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	111.99	-----	99.75	33.60	12.84	35.04	0.84	100	335	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5924.71	72.93	88.20 -15.27	60.64	33.65	12.78	35.03	0.89	100	335	Peak																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5955.00	111.99	-----	99.75	33.60	12.84	35.04	0.84	100	335	Peak																																																																												
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.120kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.80</td><td>51.39</td><td>68.20 -16.81</td><td>39.10</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>100</td><td>335</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5923.80	51.39	68.20 -16.81	39.10	33.65	12.78	35.03	0.89	100	335	Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.120kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>103.31</td><td>-----</td><td>91.07</td><td>33.60</td><td>12.84</td><td>35.04</td><td>0.84</td><td>100</td><td>335</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	103.31	-----	91.07	33.60	12.84	35.04	0.84	100	335	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5923.80	51.39	68.20 -16.81	39.10	33.65	12.78	35.03	0.89	100	335	Average																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5955.00	103.31	-----	91.07	33.60	12.84	35.04	0.84	100	335	Average																																																																												



Mode	6																																																																																																																																																																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz																																																																																																																																																																																																																																																																																																																																																	
ANT	1+2																																																																																																																																																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																
Peak	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>1120.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>51.83</td><td>24.20</td><td>5.51</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5768.00</td><td>63.00</td><td>88.20</td><td>-25.11</td><td>50.84</td><td>33.74</td><td>12.46</td><td>35.00</td><td>1.05</td><td>100</td><td>134</td><td>130</td><td>Peak</td></tr><tr><td>3</td><td>5768.00</td><td>50.87</td><td>68.20</td><td>-17.33</td><td>38.62</td><td>33.74</td><td>12.46</td><td>35.00</td><td>1.05</td><td>100</td><td>134</td><td>130</td><td>Average</td></tr><tr><td>4</td><td>6560.00</td><td>60.67</td><td>88.20</td><td>-27.53</td><td>45.57</td><td>36.12</td><td>13.49</td><td>35.35</td><td>0.84</td><td>100</td><td>56</td><td>341</td><td>Peak</td></tr><tr><td>5</td><td>6560.00</td><td>48.86</td><td>68.20</td><td>-19.34</td><td>33.76</td><td>36.12</td><td>13.49</td><td>35.35</td><td>0.84</td><td>100</td><td>56</td><td>341</td><td>Average</td></tr><tr><td>6</td><td>12390.00</td><td>51.43</td><td>74.00</td><td>-22.57</td><td>34.01</td><td>39.88</td><td>18.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12390.00</td><td>41.30</td><td>54.00</td><td>-12.70</td><td>23.88</td><td>39.88</td><td>18.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18585.00</td><td>39.62</td><td>74.00</td><td>-34.38</td><td>54.43</td><td>38.33</td><td>22.85</td><td>66.45</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>24780.00</td><td>47.43</td><td>88.20</td><td>-40.77</td><td>51.33</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>170</td><td>20</td><td>45</td><td>Peak</td></tr><tr><td>10</td><td>24780.00</td><td>44.35</td><td>68.20</td><td>-23.85</td><td>48.25</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>170</td><td>20</td><td>45</td><td>Average</td></tr></table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	deg	1	1120.00	49.89	74.00	-24.11	51.83	24.20	5.51	31.94	0.29	--	--	--	Peak	2	5768.00	63.00	88.20	-25.11	50.84	33.74	12.46	35.00	1.05	100	134	130	Peak	3	5768.00	50.87	68.20	-17.33	38.62	33.74	12.46	35.00	1.05	100	134	130	Average	4	6560.00	60.67	88.20	-27.53	45.57	36.12	13.49	35.35	0.84	100	56	341	Peak	5	6560.00	48.86	68.20	-19.34	33.76	36.12	13.49	35.35	0.84	100	56	341	Average	6	12390.00	51.43	74.00	-22.57	34.01	39.88	18.66	41.12	0.00	--	--	--	Peak	7	12390.00	41.30	54.00	-12.70	23.88	39.88	18.66	41.12	0.00	--	--	--	Average	8	18585.00	39.62	74.00	-34.38	54.43	38.33	22.85	66.45	-9.54	--	--	--	Peak	9	24780.00	47.43	88.20	-40.77	51.33	39.30	26.62	60.28	-9.54	170	20	45	Peak	10	24780.00	44.35	68.20	-23.85	48.25	39.30	26.62	60.28	-9.54	170	20	45	Average	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>deg</th></tr><tr><td>1</td><td>1096.00</td><td>48.30</td><td>74.00</td><td>-25.70</td><td>50.87</td><td>23.62</td><td>5.45</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5776.00</td><td>61.46</td><td>88.20</td><td>-26.74</td><td>49.18</td><td>33.75</td><td>12.46</td><td>35.00</td><td>1.07</td><td>374</td><td>130</td><td>130</td><td>Peak</td></tr><tr><td>3</td><td>5776.00</td><td>49.47</td><td>68.20</td><td>-18.73</td><td>37.19</td><td>33.75</td><td>12.46</td><td>35.00</td><td>1.07</td><td>374</td><td>130</td><td>130</td><td>Average</td></tr><tr><td>4</td><td>6608.00</td><td>57.50</td><td>88.20</td><td>-30.70</td><td>42.31</td><td>36.22</td><td>13.56</td><td>35.43</td><td>0.84</td><td>102</td><td>341</td><td>341</td><td>Peak</td></tr><tr><td>5</td><td>6608.00</td><td>46.62</td><td>68.20</td><td>-21.58</td><td>31.43</td><td>36.22</td><td>13.56</td><td>35.43</td><td>0.84</td><td>102</td><td>341</td><td>341</td><td>Average</td></tr><tr><td>6</td><td>12390.00</td><td>51.34</td><td>74.00</td><td>-22.66</td><td>33.92</td><td>39.88</td><td>18.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12390.00</td><td>41.35</td><td>54.00</td><td>-12.65</td><td>23.93</td><td>39.88</td><td>18.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18585.00</td><td>40.27</td><td>74.00</td><td>-33.73</td><td>55.08</td><td>38.33</td><td>22.85</td><td>66.45</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>24780.00</td><td>46.39</td><td>88.20</td><td>-41.81</td><td>50.29</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>193</td><td>45</td><td>45</td><td>Peak</td></tr><tr><td>10</td><td>24780.00</td><td>42.34</td><td>68.20</td><td>-25.86</td><td>46.24</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>193</td><td>45</td><td>45</td><td>Average</td></tr></table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	deg	1	1096.00	48.30	74.00	-25.70	50.87	23.62	5.45	31.94	0.30	--	--	--	Peak	2	5776.00	61.46	88.20	-26.74	49.18	33.75	12.46	35.00	1.07	374	130	130	Peak	3	5776.00	49.47	68.20	-18.73	37.19	33.75	12.46	35.00	1.07	374	130	130	Average	4	6608.00	57.50	88.20	-30.70	42.31	36.22	13.56	35.43	0.84	102	341	341	Peak	5	6608.00	46.62	68.20	-21.58	31.43	36.22	13.56	35.43	0.84	102	341	341	Average	6	12390.00	51.34	74.00	-22.66	33.92	39.88	18.66	41.12	0.00	--	--	--	Peak	7	12390.00	41.35	54.00	-12.65	23.93	39.88	18.66	41.12	0.00	--	--	--	Average	8	18585.00	40.27	74.00	-33.73	55.08	38.33	22.85	66.45	-9.54	--	--	--	Peak	9	24780.00	46.39	88.20	-41.81	50.29	39.30	26.62	60.28	-9.54	193	45	45	Peak	10	24780.00	42.34	68.20	-25.86	46.24	39.30	26.62	60.28	-9.54	193	45	45	Average
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	deg																																																																																																																																																																																																																																																																																																																																					
1	1120.00	49.89	74.00	-24.11	51.83	24.20	5.51	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
2	5768.00	63.00	88.20	-25.11	50.84	33.74	12.46	35.00	1.05	100	134	130	Peak																																																																																																																																																																																																																																																																																																																																					
3	5768.00	50.87	68.20	-17.33	38.62	33.74	12.46	35.00	1.05	100	134	130	Average																																																																																																																																																																																																																																																																																																																																					
4	6560.00	60.67	88.20	-27.53	45.57	36.12	13.49	35.35	0.84	100	56	341	Peak																																																																																																																																																																																																																																																																																																																																					
5	6560.00	48.86	68.20	-19.34	33.76	36.12	13.49	35.35	0.84	100	56	341	Average																																																																																																																																																																																																																																																																																																																																					
6	12390.00	51.43	74.00	-22.57	34.01	39.88	18.66	41.12	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
7	12390.00	41.30	54.00	-12.70	23.88	39.88	18.66	41.12	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																					
8	18585.00	39.62	74.00	-34.38	54.43	38.33	22.85	66.45	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
9	24780.00	47.43	88.20	-40.77	51.33	39.30	26.62	60.28	-9.54	170	20	45	Peak																																																																																																																																																																																																																																																																																																																																					
10	24780.00	44.35	68.20	-23.85	48.25	39.30	26.62	60.28	-9.54	170	20	45	Average																																																																																																																																																																																																																																																																																																																																					
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB	dB	dB	dB	dB	dB	dB	dB	deg																																																																																																																																																																																																																																																																																																																																					
1	1096.00	48.30	74.00	-25.70	50.87	23.62	5.45	31.94	0.30	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
2	5776.00	61.46	88.20	-26.74	49.18	33.75	12.46	35.00	1.07	374	130	130	Peak																																																																																																																																																																																																																																																																																																																																					
3	5776.00	49.47	68.20	-18.73	37.19	33.75	12.46	35.00	1.07	374	130	130	Average																																																																																																																																																																																																																																																																																																																																					
4	6608.00	57.50	88.20	-30.70	42.31	36.22	13.56	35.43	0.84	102	341	341	Peak																																																																																																																																																																																																																																																																																																																																					
5	6608.00	46.62	68.20	-21.58	31.43	36.22	13.56	35.43	0.84	102	341	341	Average																																																																																																																																																																																																																																																																																																																																					
6	12390.00	51.34	74.00	-22.66	33.92	39.88	18.66	41.12	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
7	12390.00	41.35	54.00	-12.65	23.93	39.88	18.66	41.12	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																					
8	18585.00	40.27	74.00	-33.73	55.08	38.33	22.85	66.45	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																					
9	24780.00	46.39	88.20	-41.81	50.29	39.30	26.62	60.28	-9.54	193	45	45	Peak																																																																																																																																																																																																																																																																																																																																					
10	24780.00	42.34	68.20	-25.86	46.24	39.30	26.62	60.28	-9.54	193	45	45	Average																																																																																																																																																																																																																																																																																																																																					



Mode	6	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	7																																																																																																																																																																																																																																																																																															
	Harmonic																																																																																																																																																																																																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz																																																																																																																																																																																																																																																																																															
ANT	1+2																																																																																																																																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																														
Peak	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Peak</th><th>Avg</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1128.00</td><td>50.25</td><td>74.00</td><td>-23.75</td><td>52.16</td><td>24.20</td><td>5.54</td><td>31.94</td><td>0.29</td><td>-- Peak</td></tr><tr><td>2</td><td>6000.00</td><td>62.99</td><td>88.20</td><td>-25.21</td><td>50.52</td><td>33.00</td><td>12.97</td><td>35.05</td><td>0.75</td><td>100 Peak</td></tr><tr><td>3</td><td>6000.00</td><td>52.00</td><td>68.20</td><td>-16.11</td><td>39.62</td><td>33.00</td><td>12.97</td><td>35.05</td><td>0.75</td><td>100 Average</td></tr><tr><td>4</td><td>6832.00</td><td>62.14</td><td>88.20</td><td>-26.06</td><td>46.60</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>100 Peak</td></tr><tr><td>5</td><td>6832.00</td><td>50.99</td><td>68.20</td><td>-17.21</td><td>35.53</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>58 Average</td></tr><tr><td>6</td><td>12830.00</td><td>52.06</td><td>88.20</td><td>-36.14</td><td>33.65</td><td>40.64</td><td>18.98</td><td>41.21</td><td>0.00</td><td>-- Peak</td></tr><tr><td>7</td><td>19245.00</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>50.93</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>202 Peak</td></tr><tr><td>8</td><td>19245.00</td><td>33.14</td><td>54.00</td><td>-20.86</td><td>46.82</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>202 Average</td></tr><tr><td>9</td><td>25660.00</td><td>43.59</td><td>88.20</td><td>-44.61</td><td>47.15</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>170 Peak</td></tr><tr><td>10</td><td>25660.00</td><td>39.17</td><td>68.20</td><td>-29.03</td><td>42.73</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>170 Average</td></tr></table>	Peak	Avg	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1128.00	50.25	74.00	-23.75	52.16	24.20	5.54	31.94	0.29	-- Peak	2	6000.00	62.99	88.20	-25.21	50.52	33.00	12.97	35.05	0.75	100 Peak	3	6000.00	52.00	68.20	-16.11	39.62	33.00	12.97	35.05	0.75	100 Average	4	6832.00	62.14	88.20	-26.06	46.60	36.60	13.87	35.82	0.81	100 Peak	5	6832.00	50.99	68.20	-17.21	35.53	36.60	13.87	35.82	0.81	58 Average	6	12830.00	52.06	88.20	-36.14	33.65	40.64	18.98	41.21	0.00	-- Peak	7	19245.00	45.25	74.00	-28.75	50.93	38.02	23.29	65.45	-9.54	202 Peak	8	19245.00	33.14	54.00	-20.86	46.82	38.02	23.29	65.45	-9.54	202 Average	9	25660.00	43.59	88.20	-44.61	47.15	39.28	27.30	60.60	-9.54	170 Peak	10	25660.00	39.17	68.20	-29.03	42.73	39.28	27.30	60.60	-9.54	170 Average	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Peak</th><th>Avg</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1000.00</td><td>49.15</td><td>74.00</td><td>-24.85</td><td>52.30</td><td>23.30</td><td>5.19</td><td>31.94</td><td>0.30</td><td>-- Peak</td></tr><tr><td>2</td><td>6024.00</td><td>62.25</td><td>88.20</td><td>-25.95</td><td>49.65</td><td>33.90</td><td>13.00</td><td>35.06</td><td>0.76</td><td>277 Peak</td></tr><tr><td>3</td><td>6024.00</td><td>51.84</td><td>68.20</td><td>-16.36</td><td>39.24</td><td>33.90</td><td>13.00</td><td>35.06</td><td>0.76</td><td>277 Average</td></tr><tr><td>4</td><td>6832.00</td><td>59.88</td><td>88.20</td><td>-28.32</td><td>44.42</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>100 Peak</td></tr><tr><td>5</td><td>6832.00</td><td>47.87</td><td>68.20</td><td>-20.33</td><td>32.41</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>43 Average</td></tr><tr><td>6</td><td>12830.00</td><td>51.92</td><td>88.20</td><td>-36.28</td><td>33.51</td><td>40.64</td><td>18.98</td><td>41.21</td><td>0.00</td><td>-- Peak</td></tr><tr><td>7</td><td>19245.00</td><td>52.94</td><td>74.00</td><td>-21.06</td><td>66.62</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>172 Peak</td></tr><tr><td>8</td><td>19245.00</td><td>39.79</td><td>54.00</td><td>-14.21</td><td>53.47</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>172 Average</td></tr><tr><td>9</td><td>25660.00</td><td>44.78</td><td>88.20</td><td>-43.42</td><td>48.34</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>218 Peak</td></tr><tr><td>10</td><td>25660.00</td><td>40.06</td><td>68.20</td><td>-28.14</td><td>43.62</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>218 Average</td></tr></table>	Peak	Avg	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1000.00	49.15	74.00	-24.85	52.30	23.30	5.19	31.94	0.30	-- Peak	2	6024.00	62.25	88.20	-25.95	49.65	33.90	13.00	35.06	0.76	277 Peak	3	6024.00	51.84	68.20	-16.36	39.24	33.90	13.00	35.06	0.76	277 Average	4	6832.00	59.88	88.20	-28.32	44.42	36.60	13.87	35.82	0.81	100 Peak	5	6832.00	47.87	68.20	-20.33	32.41	36.60	13.87	35.82	0.81	43 Average	6	12830.00	51.92	88.20	-36.28	33.51	40.64	18.98	41.21	0.00	-- Peak	7	19245.00	52.94	74.00	-21.06	66.62	38.02	23.29	65.45	-9.54	172 Peak	8	19245.00	39.79	54.00	-14.21	53.47	38.02	23.29	65.45	-9.54	172 Average	9	25660.00	44.78	88.20	-43.42	48.34	39.28	27.30	60.60	-9.54	218 Peak	10	25660.00	40.06	68.20	-28.14	43.62	39.28	27.30	60.60	-9.54	218 Average
Peak	Avg	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																						
1	1128.00	50.25	74.00	-23.75	52.16	24.20	5.54	31.94	0.29	-- Peak																																																																																																																																																																																																																																																																																						
2	6000.00	62.99	88.20	-25.21	50.52	33.00	12.97	35.05	0.75	100 Peak																																																																																																																																																																																																																																																																																						
3	6000.00	52.00	68.20	-16.11	39.62	33.00	12.97	35.05	0.75	100 Average																																																																																																																																																																																																																																																																																						
4	6832.00	62.14	88.20	-26.06	46.60	36.60	13.87	35.82	0.81	100 Peak																																																																																																																																																																																																																																																																																						
5	6832.00	50.99	68.20	-17.21	35.53	36.60	13.87	35.82	0.81	58 Average																																																																																																																																																																																																																																																																																						
6	12830.00	52.06	88.20	-36.14	33.65	40.64	18.98	41.21	0.00	-- Peak																																																																																																																																																																																																																																																																																						
7	19245.00	45.25	74.00	-28.75	50.93	38.02	23.29	65.45	-9.54	202 Peak																																																																																																																																																																																																																																																																																						
8	19245.00	33.14	54.00	-20.86	46.82	38.02	23.29	65.45	-9.54	202 Average																																																																																																																																																																																																																																																																																						
9	25660.00	43.59	88.20	-44.61	47.15	39.28	27.30	60.60	-9.54	170 Peak																																																																																																																																																																																																																																																																																						
10	25660.00	39.17	68.20	-29.03	42.73	39.28	27.30	60.60	-9.54	170 Average																																																																																																																																																																																																																																																																																						
Peak	Avg	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																						
1	1000.00	49.15	74.00	-24.85	52.30	23.30	5.19	31.94	0.30	-- Peak																																																																																																																																																																																																																																																																																						
2	6024.00	62.25	88.20	-25.95	49.65	33.90	13.00	35.06	0.76	277 Peak																																																																																																																																																																																																																																																																																						
3	6024.00	51.84	68.20	-16.36	39.24	33.90	13.00	35.06	0.76	277 Average																																																																																																																																																																																																																																																																																						
4	6832.00	59.88	88.20	-28.32	44.42	36.60	13.87	35.82	0.81	100 Peak																																																																																																																																																																																																																																																																																						
5	6832.00	47.87	68.20	-20.33	32.41	36.60	13.87	35.82	0.81	43 Average																																																																																																																																																																																																																																																																																						
6	12830.00	51.92	88.20	-36.28	33.51	40.64	18.98	41.21	0.00	-- Peak																																																																																																																																																																																																																																																																																						
7	19245.00	52.94	74.00	-21.06	66.62	38.02	23.29	65.45	-9.54	172 Peak																																																																																																																																																																																																																																																																																						
8	19245.00	39.79	54.00	-14.21	53.47	38.02	23.29	65.45	-9.54	172 Average																																																																																																																																																																																																																																																																																						
9	25660.00	44.78	88.20	-43.42	48.34	39.28	27.30	60.60	-9.54	218 Peak																																																																																																																																																																																																																																																																																						
10	25660.00	40.06	68.20	-28.14	43.62	39.28	27.30	60.60	-9.54	218 Average																																																																																																																																																																																																																																																																																						
Avg																																																																																																																																																																																																																																																																																																



Mode	7	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	8																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.96</td><td>68.00</td><td>88.20</td><td>-20.20</td><td>55.71</td><td>33.66</td><td>12.76</td><td>35.03</td><td>0.90</td><td>101</td><td>116</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>110.37</td><td>-----</td><td>-----</td><td>98.11</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>101</td><td>116</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.96	68.00	88.20	-20.20	55.71	33.66	12.76	35.03	0.90	101	116	Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	110.37	-----	-----	98.11	33.62	12.85	35.04	0.83	101	116	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5917.96	68.00	88.20	-20.20	55.71	33.66	12.76	35.03	0.90	101	116	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	110.37	-----	-----	98.11	33.62	12.85	35.04	0.83	101	116	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>54.88</td><td>68.20</td><td>-13.32</td><td>42.59</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>101</td><td>116</td><td>Average</td></tr></table> Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>102.49</td><td>-----</td><td>-----</td><td>90.20</td><td>33.64</td><td>12.87</td><td>35.04</td><td>0.82</td><td>101</td><td>116</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	54.88	68.20	-13.32	42.59	33.65	12.78	35.03	0.89	101	116	Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	102.49	-----	-----	90.20	33.64	12.87	35.04	0.82	101	116	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.82	54.88	68.20	-13.32	42.59	33.65	12.78	35.03	0.89	101	116	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	102.49	-----	-----	90.20	33.64	12.87	35.04	0.82	101	116	Average																																																																																								





Mode	8																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.70</td><td>66.23</td><td>88.20</td><td>-21.97</td><td>53.94</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>324</td><td>138 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.70	66.23	88.20	-21.97	53.94	33.65	12.78	35.03	0.89	324	138 Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>107.18</td><td>-----</td><td>-----</td><td>94.83</td><td>33.69</td><td>12.90</td><td>35.04</td><td>0.80</td><td>324</td><td>138 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	107.18	-----	-----	94.83	33.69	12.90	35.04	0.80	324	138 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5923.70	66.23	88.20	-21.97	53.94	33.65	12.78	35.03	0.89	324	138 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	107.18	-----	-----	94.83	33.69	12.90	35.04	0.80	324	138 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>54.40</td><td>68.20</td><td>-13.80</td><td>42.11</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>324</td><td>138 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	54.40	68.20	-13.80	42.11	33.65	12.78	35.03	0.89	324	138 Average	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>99.84</td><td>-----</td><td>-----</td><td>87.52</td><td>33.66</td><td>12.89</td><td>35.04</td><td>0.81</td><td>324</td><td>138 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	99.84	-----	-----	87.52	33.66	12.89	35.04	0.81	324	138 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.82	54.40	68.20	-13.80	42.11	33.65	12.78	35.03	0.89	324	138 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	99.84	-----	-----	87.52	33.66	12.89	35.04	0.81	324	138 Average																																																																																						



Mode	8																																																																																																																																																																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																																																																																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																																																																																																																																																																																																																																																																			
ANT	1+2																																																																																																																																																																																																																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1148.80</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>50.73</td><td>24.01</td><td>5.59</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5569.40</td><td>62.25</td><td>88.20</td><td>-25.95</td><td>51.31</td><td>32.74</td><td>12.41</td><td>34.96</td><td>0.75</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>3</td><td>5569.40</td><td>51.06</td><td>68.20</td><td>-17.14</td><td>40.12</td><td>32.74</td><td>12.41</td><td>34.96</td><td>0.75</td><td>100</td><td>120</td><td>Average</td></tr><tr><td>4</td><td>6356.80</td><td>62.22</td><td>88.20</td><td>-25.98</td><td>47.69</td><td>35.53</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>56</td><td>Peak</td></tr><tr><td>5</td><td>6356.80</td><td>48.11</td><td>68.20</td><td>-20.09</td><td>33.58</td><td>35.53</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>56</td><td>Average</td></tr><tr><td>6</td><td>9080.00</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>31.98</td><td>37.30</td><td>15.95</td><td>38.09</td><td>0.96</td><td>200</td><td>285</td><td>Peak</td></tr><tr><td>7</td><td>9080.00</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>31.98</td><td>37.30</td><td>15.95</td><td>38.09</td><td>0.96</td><td>200</td><td>285</td><td>Peak</td></tr><tr><td>8</td><td>11930.00</td><td>50.00</td><td>74.00</td><td>-24.00</td><td>33.55</td><td>39.16</td><td>18.13</td><td>40.84</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>11930.00</td><td>40.98</td><td>54.00</td><td>-13.02</td><td>24.53</td><td>39.16</td><td>18.13</td><td>40.84</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>10</td><td>17895.00</td><td>53.87</td><td>74.00</td><td>-20.13</td><td>35.95</td><td>41.38</td><td>22.24</td><td>45.70</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>11</td><td>17895.00</td><td>44.83</td><td>54.00</td><td>-9.17</td><td>26.91</td><td>41.38</td><td>22.24</td><td>45.70</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1148.80	48.68	74.00	-25.32	50.73	24.01	5.59	31.94	0.29	--	--	Peak	2	5569.40	62.25	88.20	-25.95	51.31	32.74	12.41	34.96	0.75	100	120	Peak	3	5569.40	51.06	68.20	-17.14	40.12	32.74	12.41	34.96	0.75	100	120	Average	4	6356.80	62.22	88.20	-25.98	47.69	35.53	13.34	35.19	0.85	100	56	Peak	5	6356.80	48.11	68.20	-20.09	33.58	35.53	13.34	35.19	0.85	100	56	Average	6	9080.00	48.10	74.00	-25.90	31.98	37.30	15.95	38.09	0.96	200	285	Peak	7	9080.00	48.10	74.00	-25.90	31.98	37.30	15.95	38.09	0.96	200	285	Peak	8	11930.00	50.00	74.00	-24.00	33.55	39.16	18.13	40.84	0.00	--	--	Peak	9	11930.00	40.98	54.00	-13.02	24.53	39.16	18.13	40.84	0.00	--	--	Average	10	17895.00	53.87	74.00	-20.13	35.95	41.38	22.24	45.70	0.00	--	--	Peak	11	17895.00	44.83	54.00	-9.17	26.91	41.38	22.24	45.70	0.00	--	--	Average	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1148.80</td><td>42.92</td><td>74.00</td><td>-31.08</td><td>44.97</td><td>24.01</td><td>5.59</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5594.20</td><td>56.69</td><td>88.20</td><td>-31.51</td><td>45.69</td><td>32.79</td><td>12.42</td><td>34.96</td><td>0.75</td><td>100</td><td>123</td><td>Peak</td></tr><tr><td>3</td><td>5594.20</td><td>43.80</td><td>68.20</td><td>-24.40</td><td>32.80</td><td>32.79</td><td>12.42</td><td>34.96</td><td>0.75</td><td>100</td><td>123</td><td>Average</td></tr><tr><td>4</td><td>6356.80</td><td>56.15</td><td>88.20</td><td>-32.05</td><td>41.62</td><td>35.53</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>0</td><td>Peak</td></tr><tr><td>5</td><td>6356.80</td><td>43.82</td><td>68.20</td><td>-24.38</td><td>29.29</td><td>35.53</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>0</td><td>Average</td></tr><tr><td>6</td><td>9080.00</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>32.69</td><td>37.30</td><td>15.95</td><td>38.09</td><td>0.96</td><td>200</td><td>282</td><td>Peak</td></tr><tr><td>7</td><td>9080.00</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>32.69</td><td>37.30</td><td>15.95</td><td>38.09</td><td>0.96</td><td>200</td><td>282</td><td>Peak</td></tr><tr><td>8</td><td>11930.00</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>34.01</td><td>39.16</td><td>18.13</td><td>40.84</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>11930.00</td><td>41.38</td><td>54.00</td><td>-12.62</td><td>24.93</td><td>39.16</td><td>18.13</td><td>40.84</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>10</td><td>17895.00</td><td>53.28</td><td>74.00</td><td>-20.72</td><td>35.36</td><td>41.38</td><td>22.24</td><td>45.70</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>11</td><td>17895.00</td><td>44.26</td><td>54.00</td><td>-9.74</td><td>26.34</td><td>41.38</td><td>22.24</td><td>45.70</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1148.80	42.92	74.00	-31.08	44.97	24.01	5.59	31.94	0.29	--	--	Peak	2	5594.20	56.69	88.20	-31.51	45.69	32.79	12.42	34.96	0.75	100	123	Peak	3	5594.20	43.80	68.20	-24.40	32.80	32.79	12.42	34.96	0.75	100	123	Average	4	6356.80	56.15	88.20	-32.05	41.62	35.53	13.34	35.19	0.85	100	0	Peak	5	6356.80	43.82	68.20	-24.38	29.29	35.53	13.34	35.19	0.85	100	0	Average	6	9080.00	48.81	74.00	-25.19	32.69	37.30	15.95	38.09	0.96	200	282	Peak	7	9080.00	48.81	74.00	-25.19	32.69	37.30	15.95	38.09	0.96	200	282	Peak	8	11930.00	50.46	74.00	-23.54	34.01	39.16	18.13	40.84	0.00	--	--	Peak	9	11930.00	41.38	54.00	-12.62	24.93	39.16	18.13	40.84	0.00	--	--	Average	10	17895.00	53.28	74.00	-20.72	35.36	41.38	22.24	45.70	0.00	--	--	Peak	11	17895.00	44.26	54.00	-9.74	26.34	41.38	22.24	45.70	0.00	--	--	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																									
1	1148.80	48.68	74.00	-25.32	50.73	24.01	5.59	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
2	5569.40	62.25	88.20	-25.95	51.31	32.74	12.41	34.96	0.75	100	120	Peak																																																																																																																																																																																																																																																																																																																																								
3	5569.40	51.06	68.20	-17.14	40.12	32.74	12.41	34.96	0.75	100	120	Average																																																																																																																																																																																																																																																																																																																																								
4	6356.80	62.22	88.20	-25.98	47.69	35.53	13.34	35.19	0.85	100	56	Peak																																																																																																																																																																																																																																																																																																																																								
5	6356.80	48.11	68.20	-20.09	33.58	35.53	13.34	35.19	0.85	100	56	Average																																																																																																																																																																																																																																																																																																																																								
6	9080.00	48.10	74.00	-25.90	31.98	37.30	15.95	38.09	0.96	200	285	Peak																																																																																																																																																																																																																																																																																																																																								
7	9080.00	48.10	74.00	-25.90	31.98	37.30	15.95	38.09	0.96	200	285	Peak																																																																																																																																																																																																																																																																																																																																								
8	11930.00	50.00	74.00	-24.00	33.55	39.16	18.13	40.84	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
9	11930.00	40.98	54.00	-13.02	24.53	39.16	18.13	40.84	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								
10	17895.00	53.87	74.00	-20.13	35.95	41.38	22.24	45.70	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
11	17895.00	44.83	54.00	-9.17	26.91	41.38	22.24	45.70	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																									
1	1148.80	42.92	74.00	-31.08	44.97	24.01	5.59	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
2	5594.20	56.69	88.20	-31.51	45.69	32.79	12.42	34.96	0.75	100	123	Peak																																																																																																																																																																																																																																																																																																																																								
3	5594.20	43.80	68.20	-24.40	32.80	32.79	12.42	34.96	0.75	100	123	Average																																																																																																																																																																																																																																																																																																																																								
4	6356.80	56.15	88.20	-32.05	41.62	35.53	13.34	35.19	0.85	100	0	Peak																																																																																																																																																																																																																																																																																																																																								
5	6356.80	43.82	68.20	-24.38	29.29	35.53	13.34	35.19	0.85	100	0	Average																																																																																																																																																																																																																																																																																																																																								
6	9080.00	48.81	74.00	-25.19	32.69	37.30	15.95	38.09	0.96	200	282	Peak																																																																																																																																																																																																																																																																																																																																								
7	9080.00	48.81	74.00	-25.19	32.69	37.30	15.95	38.09	0.96	200	282	Peak																																																																																																																																																																																																																																																																																																																																								
8	11930.00	50.46	74.00	-23.54	34.01	39.16	18.13	40.84	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
9	11930.00	41.38	54.00	-12.62	24.93	39.16	18.13	40.84	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								
10	17895.00	53.28	74.00	-20.72	35.36	41.38	22.24	45.70	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
11	17895.00	44.26	54.00	-9.74	26.34	41.38	22.24	45.70	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								



Mode	8	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-05  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-05  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	9																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial RU 242/61_5965MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.08</td><td>81.71</td><td>88.20</td><td>-6.49</td><td>69.41</td><td>33.66</td><td>12.77</td><td>35.03</td><td>0.90</td><td>100 119 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5919.08	81.71	88.20	-6.49	69.41	33.66	12.77	35.03	0.90	100 119 Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>112.92</td><td>-----</td><td>-----</td><td>100.68</td><td>33.60</td><td>12.84</td><td>35.04</td><td>0.84</td><td>100 119 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	112.92	-----	-----	100.68	33.60	12.84	35.04	0.84	100 119 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5919.08	81.71	88.20	-6.49	69.41	33.66	12.77	35.03	0.90	100 119 Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5965.00	112.92	-----	-----	100.68	33.60	12.84	35.04	0.84	100 119 Peak																																																																																		
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5907.18</td><td>59.34</td><td>68.20</td><td>-8.86</td><td>47.02</td><td>33.69</td><td>12.74</td><td>35.03</td><td>0.92</td><td>100 119 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5907.18	59.34	68.20	-8.86	47.02	33.69	12.74	35.03	0.92	100 119 Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>105.53</td><td>-----</td><td>-----</td><td>93.29</td><td>33.60</td><td>12.84</td><td>35.04</td><td>0.84</td><td>100 119 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5965.00	105.53	-----	-----	93.29	33.60	12.84	35.04	0.84	100 119 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5907.18	59.34	68.20	-8.86	47.02	33.69	12.74	35.03	0.92	100 119 Average																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1	5965.00	105.53	-----	-----	93.29	33.60	12.84	35.04	0.84	100 119 Average																																																																																		



Mode	9																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial RU 242/61_5965MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5911.66</td><td>78.67</td><td>88.20</td><td>-9.53</td><td>66.36</td><td>33.68</td><td>12.75</td><td>35.03</td><td>0.91</td><td>359 132 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5911.66	78.67	88.20	-9.53	66.36	33.68	12.75	35.03	0.91	359 132 Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>111.19</td><td>-----</td><td>98.90</td><td>33.64</td><td>12.87</td><td>35.04</td><td>0.82</td><td>359</td><td>132 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	111.19	-----	98.90	33.64	12.87	35.04	0.82	359	132 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5911.66	78.67	88.20	-9.53	66.36	33.68	12.75	35.03	0.91	359 132 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5965.00	111.19	-----	98.90	33.64	12.87	35.04	0.82	359	132 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.00</td><td>59.26</td><td>68.20</td><td>-8.94</td><td>46.97</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>359 132 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5923.00	59.26	68.20	-8.94	46.97	33.65	12.78	35.03	0.89	359 132 Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>102.81</td><td>-----</td><td>90.55</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>359</td><td>132 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	102.81	-----	90.55	33.62	12.85	35.04	0.83	359	132 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5923.00	59.26	68.20	-8.94	46.97	33.65	12.78	35.03	0.89	359 132 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1 5965.00	102.81	-----	90.55	33.62	12.85	35.04	0.83	359	132 Average																																																																																	



Mode	10																																																																																																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz																																																																																																																																																																																																																																																																					
ANT	1+2																																																																																																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1120.00</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>52.76</td><td>24.20</td><td>5.51</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5792.00</td><td>57.68</td><td>88.20</td><td>-30.52</td><td>45.33</td><td>33.78</td><td>12.47</td><td>35.00</td><td>1.10</td><td>100</td><td>125</td><td>Peak</td></tr><tr><td>3</td><td>5792.00</td><td>44.80</td><td>68.20</td><td>-23.40</td><td>32.45</td><td>33.78</td><td>12.47</td><td>35.00</td><td>1.10</td><td>100</td><td>125</td><td>Average</td></tr><tr><td>4</td><td>6632.00</td><td>53.90</td><td>88.20</td><td>-34.30</td><td>38.67</td><td>36.26</td><td>13.60</td><td>35.47</td><td>0.84</td><td>100</td><td>58</td><td>Peak</td></tr><tr><td>5</td><td>6632.00</td><td>42.31</td><td>68.20</td><td>-25.89</td><td>27.08</td><td>36.26</td><td>13.60</td><td>35.47</td><td>0.84</td><td>100</td><td>58</td><td>Average</td></tr><tr><td>6</td><td>12410.00</td><td>52.30</td><td>74.00</td><td>-21.70</td><td>34.84</td><td>39.90</td><td>18.69</td><td>41.13</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12410.00</td><td>41.23</td><td>54.00</td><td>-12.77</td><td>23.77</td><td>39.90</td><td>18.69</td><td>41.13</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18615.00</td><td>39.58</td><td>74.00</td><td>-34.42</td><td>54.34</td><td>38.30</td><td>22.87</td><td>66.39</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1120.00	50.82	74.00	-23.18	52.76	24.20	5.51	31.94	0.29	--	--	Peak	2	5792.00	57.68	88.20	-30.52	45.33	33.78	12.47	35.00	1.10	100	125	Peak	3	5792.00	44.80	68.20	-23.40	32.45	33.78	12.47	35.00	1.10	100	125	Average	4	6632.00	53.90	88.20	-34.30	38.67	36.26	13.60	35.47	0.84	100	58	Peak	5	6632.00	42.31	68.20	-25.89	27.08	36.26	13.60	35.47	0.84	100	58	Average	6	12410.00	52.30	74.00	-21.70	34.84	39.90	18.69	41.13	0.00	--	--	Peak	7	12410.00	41.23	54.00	-12.77	23.77	39.90	18.69	41.13	0.00	--	--	Average	8	18615.00	39.58	74.00	-34.42	54.34	38.30	22.87	66.39	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1008.00</td><td>50.12</td><td>74.00</td><td>-23.88</td><td>53.25</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5768.00</td><td>55.67</td><td>88.20</td><td>-32.53</td><td>43.42</td><td>33.74</td><td>12.46</td><td>35.00</td><td>1.05</td><td>393</td><td>132</td><td>Peak</td></tr><tr><td>3</td><td>5768.00</td><td>42.85</td><td>68.20</td><td>-25.35</td><td>30.60</td><td>33.74</td><td>12.46</td><td>35.00</td><td>1.05</td><td>393</td><td>132</td><td>Average</td></tr><tr><td>4</td><td>6656.00</td><td>51.62</td><td>88.20</td><td>-36.58</td><td>36.34</td><td>36.32</td><td>13.64</td><td>35.51</td><td>0.83</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>5</td><td>6656.00</td><td>40.41</td><td>68.20</td><td>-27.79</td><td>25.13</td><td>36.32</td><td>13.64</td><td>35.51</td><td>0.83</td><td>100</td><td>360</td><td>Average</td></tr><tr><td>6</td><td>12410.00</td><td>51.43</td><td>74.00</td><td>-22.57</td><td>33.97</td><td>39.90</td><td>18.69</td><td>41.13</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12410.00</td><td>41.29</td><td>54.00</td><td>-12.71</td><td>23.83</td><td>39.90</td><td>18.69</td><td>41.13</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18615.00</td><td>40.04</td><td>74.00</td><td>-33.96</td><td>54.80</td><td>38.30</td><td>22.87</td><td>66.39</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1008.00	50.12	74.00	-23.88	53.25	23.30	5.21	31.94	0.30	--	--	Peak	2	5768.00	55.67	88.20	-32.53	43.42	33.74	12.46	35.00	1.05	393	132	Peak	3	5768.00	42.85	68.20	-25.35	30.60	33.74	12.46	35.00	1.05	393	132	Average	4	6656.00	51.62	88.20	-36.58	36.34	36.32	13.64	35.51	0.83	100	360	Peak	5	6656.00	40.41	68.20	-27.79	25.13	36.32	13.64	35.51	0.83	100	360	Average	6	12410.00	51.43	74.00	-22.57	33.97	39.90	18.69	41.13	0.00	--	--	Peak	7	12410.00	41.29	54.00	-12.71	23.83	39.90	18.69	41.13	0.00	--	--	Average	8	18615.00	40.04	74.00	-33.96	54.80	38.30	22.87	66.39	-9.54	--	--	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1	1120.00	50.82	74.00	-23.18	52.76	24.20	5.51	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																										
2	5792.00	57.68	88.20	-30.52	45.33	33.78	12.47	35.00	1.10	100	125	Peak																																																																																																																																																																																																																																																										
3	5792.00	44.80	68.20	-23.40	32.45	33.78	12.47	35.00	1.10	100	125	Average																																																																																																																																																																																																																																																										
4	6632.00	53.90	88.20	-34.30	38.67	36.26	13.60	35.47	0.84	100	58	Peak																																																																																																																																																																																																																																																										
5	6632.00	42.31	68.20	-25.89	27.08	36.26	13.60	35.47	0.84	100	58	Average																																																																																																																																																																																																																																																										
6	12410.00	52.30	74.00	-21.70	34.84	39.90	18.69	41.13	0.00	--	--	Peak																																																																																																																																																																																																																																																										
7	12410.00	41.23	54.00	-12.77	23.77	39.90	18.69	41.13	0.00	--	--	Average																																																																																																																																																																																																																																																										
8	18615.00	39.58	74.00	-34.42	54.34	38.30	22.87	66.39	-9.54	--	--	Peak																																																																																																																																																																																																																																																										
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1	1008.00	50.12	74.00	-23.88	53.25	23.30	5.21	31.94	0.30	--	--	Peak																																																																																																																																																																																																																																																										
2	5768.00	55.67	88.20	-32.53	43.42	33.74	12.46	35.00	1.05	393	132	Peak																																																																																																																																																																																																																																																										
3	5768.00	42.85	68.20	-25.35	30.60	33.74	12.46	35.00	1.05	393	132	Average																																																																																																																																																																																																																																																										
4	6656.00	51.62	88.20	-36.58	36.34	36.32	13.64	35.51	0.83	100	360	Peak																																																																																																																																																																																																																																																										
5	6656.00	40.41	68.20	-27.79	25.13	36.32	13.64	35.51	0.83	100	360	Average																																																																																																																																																																																																																																																										
6	12410.00	51.43	74.00	-22.57	33.97	39.90	18.69	41.13	0.00	--	--	Peak																																																																																																																																																																																																																																																										
7	12410.00	41.29	54.00	-12.71	23.83	39.90	18.69	41.13	0.00	--	--	Average																																																																																																																																																																																																																																																										
8	18615.00	40.04	74.00	-33.96	54.80	38.30	22.87	66.39	-9.54	--	--	Peak																																																																																																																																																																																																																																																										



Mode	10	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

11

Mode

Harmonic

U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz

ANT

1+2

Pol.

Horizontal

Vertical

Peak

Avg

Level (dBuV/m)

Date: 2025-06-09

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

0

8000

16000

24000

32000

40000

PEAK(UNII)_6E

AVG(UNII)_6E

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	1152.00	49.36	74.00	-24.64	51.37	24.04	5.60	31.94	0.29	--	--	--	Peak
2	6016.00	62.50	88.20	-25.70	49.95	33.86	12.99	35.06	0.76	100	121	Peak	
3	6016.00	51.55	68.20	-16.65	39.00	33.86	12.99	35.06	0.76	100	121	Average	
4	6040.00	62.16	88.20	-26.04	46.72	36.60	13.87	35.84	0.81	100	63	Peak	
5	6040.00	49.91	68.20	-18.29	34.47	36.60	13.87	35.84	0.81	100	63	Average	
6	12810.00	52.31	88.20	-35.89	33.86	40.68	18.97	41.20	0.00	--	--	--	Peak
7	19215.00	39.45	74.00	-34.55	53.07	38.14	23.27	65.49	-9.54	--	--	--	Peak

Level (dBuV/m)

Date: 2025-06-09

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

0

8000

16000

24000

32000

40000

PEAK(UNII)_6E

AVG(UNII)_6E

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	1112.00	48.16	74.00	-25.84	50.36	23.96	5.49	31.94	0.29	--	--	--	Peak
2	6016.00	61.22	88.20	-26.98	48.67	33.86	12.99	35.06	0.76	100	339	Peak	
3	6016.00	51.27	68.20	-16.93	38.72	33.86	12.99	35.06	0.76	100	339	Average	
4	6792.00	59.29	88.20	-28.91	43.81	36.57	13.85	35.75	0.81	101	359	Peak	
5	6792.00	46.96	68.20	-21.24	31.48	36.57	13.85	35.75	0.81	101	359	Average	
6	12810.00	51.94	88.20	-36.26	33.49	40.68	18.97	41.20	0.00	--	--	--	Peak
7	19215.00	49.62	74.00	-24.38	63.24	38.14	23.27	65.49	-9.54	171	0	Peak	
8	19215.00	38.61	54.00	-15.39	52.23	38.14	23.27	65.49	-9.54	171	0	Average	



Mode	11	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	12																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.96</td><td>68.72</td><td>88.20</td><td>-19.48</td><td>56.43</td><td>33.66</td><td>12.76</td><td>35.03</td><td>0.90</td><td>100</td><td>118</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>107.80</td><td>-----</td><td>-----</td><td>95.51</td><td>33.64</td><td>12.87</td><td>35.04</td><td>0.82</td><td>100</td><td>118</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.96	68.72	88.20	-19.48	56.43	33.66	12.76	35.03	0.90	100	118	Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	107.80	-----	-----	95.51	33.64	12.87	35.04	0.82	100	118	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5917.96	68.72	88.20	-19.48	56.43	33.66	12.76	35.03	0.90	100	118	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	107.80	-----	-----	95.51	33.64	12.87	35.04	0.82	100	118	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.84</td><td>59.84</td><td>68.20</td><td>-8.36</td><td>47.54</td><td>33.67</td><td>12.76</td><td>35.03</td><td>0.90</td><td>100</td><td>118</td><td>Average</td></tr></table> Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>99.99</td><td>-----</td><td>-----</td><td>87.59</td><td>33.74</td><td>12.93</td><td>35.05</td><td>0.78</td><td>100</td><td>118</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.84	59.84	68.20	-8.36	47.54	33.67	12.76	35.03	0.90	100	118	Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	99.99	-----	-----	87.59	33.74	12.93	35.05	0.78	100	118	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5916.84	59.84	68.20	-8.36	47.54	33.67	12.76	35.03	0.90	100	118	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	99.99	-----	-----	87.59	33.74	12.93	35.05	0.78	100	118	Average																																																																																								



Mode	12																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.60</td><td>65.06</td><td>88.20</td><td>-23.14</td><td>52.77</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>300</td><td>141 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.60	65.06	88.20	-23.14	52.77	33.65	12.78	35.03	0.89	300	141 Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>103.96</td><td>-----</td><td>-----</td><td>91.48</td><td>33.81</td><td>12.97</td><td>35.05</td><td>0.75</td><td>300</td><td>141 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	103.96	-----	-----	91.48	33.81	12.97	35.05	0.75	300	141 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5922.60	65.06	88.20	-23.14	52.77	33.65	12.78	35.03	0.89	300	141 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	103.96	-----	-----	91.48	33.81	12.97	35.05	0.75	300	141 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.72</td><td>53.97</td><td>68.20</td><td>-14.23</td><td>41.68</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>300</td><td>141 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.72	53.97	68.20	-14.23	41.68	33.65	12.78	35.03	0.89	300	141 Average	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>96.30</td><td>-----</td><td>-----</td><td>83.87</td><td>33.76</td><td>12.95</td><td>35.05</td><td>0.77</td><td>300</td><td>141 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.30	-----	-----	83.87	33.76	12.95	35.05	0.77	300	141 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5923.72	53.97	68.20	-14.23	41.68	33.65	12.78	35.03	0.89	300	141 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	96.30	-----	-----	83.87	33.76	12.95	35.05	0.77	300	141 Average																																																																																							



Mode	12																																																																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																																																																																																																																																																	
ANT	1+2																																																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 1136.00</td><td>49.22</td><td>74.00</td><td>-24.78</td><td>51.17</td><td>24.14</td><td>5.56</td><td>31.94</td><td>0.29</td><td>-- -- Peak</td></tr><tr><td>2 5624.00</td><td>62.76</td><td>88.20</td><td>-25.44</td><td>51.52</td><td>32.99</td><td>12.43</td><td>34.97</td><td>0.79</td><td>100 120 Peak</td></tr><tr><td>3 5624.00</td><td>51.07</td><td>68.20</td><td>-17.13</td><td>39.83</td><td>32.99</td><td>12.43</td><td>34.97</td><td>0.79</td><td>100 120 Average</td></tr><tr><td>4 6384.00</td><td>60.85</td><td>88.20</td><td>-27.35</td><td>46.20</td><td>35.64</td><td>13.36</td><td>35.20</td><td>0.85</td><td>100 56 Peak</td></tr><tr><td>5 6384.00</td><td>47.89</td><td>68.20</td><td>-20.31</td><td>33.24</td><td>35.64</td><td>13.36</td><td>35.20</td><td>0.85</td><td>100 56 Average</td></tr><tr><td>6 11970.00</td><td>50.94</td><td>74.00</td><td>-23.06</td><td>34.42</td><td>39.24</td><td>18.15</td><td>40.87</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>7 11970.00</td><td>41.93</td><td>54.00</td><td>-12.07</td><td>25.41</td><td>39.24</td><td>18.15</td><td>40.87</td><td>0.00</td><td>-- -- Average</td></tr><tr><td>8 17955.00</td><td>55.46</td><td>74.00</td><td>-18.54</td><td>37.21</td><td>41.53</td><td>22.30</td><td>45.58</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>9 17955.00</td><td>46.44</td><td>54.00</td><td>-7.56</td><td>28.19</td><td>41.53</td><td>22.30</td><td>45.58</td><td>0.00</td><td>-- -- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 1136.00	49.22	74.00	-24.78	51.17	24.14	5.56	31.94	0.29	-- -- Peak	2 5624.00	62.76	88.20	-25.44	51.52	32.99	12.43	34.97	0.79	100 120 Peak	3 5624.00	51.07	68.20	-17.13	39.83	32.99	12.43	34.97	0.79	100 120 Average	4 6384.00	60.85	88.20	-27.35	46.20	35.64	13.36	35.20	0.85	100 56 Peak	5 6384.00	47.89	68.20	-20.31	33.24	35.64	13.36	35.20	0.85	100 56 Average	6 11970.00	50.94	74.00	-23.06	34.42	39.24	18.15	40.87	0.00	-- -- Peak	7 11970.00	41.93	54.00	-12.07	25.41	39.24	18.15	40.87	0.00	-- -- Average	8 17955.00	55.46	74.00	-18.54	37.21	41.53	22.30	45.58	0.00	-- -- Peak	9 17955.00	46.44	54.00	-7.56	28.19	41.53	22.30	45.58	0.00	-- -- Average	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 1000.00</td><td>48.95</td><td>74.00</td><td>-25.05</td><td>52.10</td><td>23.30</td><td>5.19</td><td>31.94</td><td>0.30</td><td>-- -- Peak</td></tr><tr><td>2 5592.00</td><td>56.27</td><td>88.20</td><td>-31.93</td><td>45.28</td><td>32.78</td><td>12.42</td><td>34.96</td><td>0.75</td><td>100 120 Peak</td></tr><tr><td>3 5592.00</td><td>44.00</td><td>68.20</td><td>-24.20</td><td>33.01</td><td>32.78</td><td>12.42</td><td>34.96</td><td>0.75</td><td>100 120 Average</td></tr><tr><td>4 6400.00</td><td>59.68</td><td>88.20</td><td>-28.52</td><td>44.95</td><td>35.70</td><td>13.38</td><td>35.20</td><td>0.85</td><td>100 341 Peak</td></tr><tr><td>5 6400.00</td><td>46.63</td><td>68.20</td><td>-21.57</td><td>31.90</td><td>35.70</td><td>13.38</td><td>35.20</td><td>0.85</td><td>100 341 Average</td></tr><tr><td>6 11970.00</td><td>50.11</td><td>74.00</td><td>-23.89</td><td>33.59</td><td>39.24</td><td>18.15</td><td>40.87</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>7 11970.00</td><td>41.03</td><td>54.00</td><td>-12.97</td><td>24.51</td><td>39.24</td><td>18.15</td><td>40.87</td><td>0.00</td><td>-- -- Average</td></tr><tr><td>8 17955.00</td><td>54.29</td><td>74.00</td><td>-19.71</td><td>36.04</td><td>41.53</td><td>22.30</td><td>45.58</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>9 17955.00</td><td>45.29</td><td>54.00</td><td>-8.71</td><td>27.04</td><td>41.53</td><td>22.30</td><td>45.58</td><td>0.00</td><td>-- -- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 1000.00	48.95	74.00	-25.05	52.10	23.30	5.19	31.94	0.30	-- -- Peak	2 5592.00	56.27	88.20	-31.93	45.28	32.78	12.42	34.96	0.75	100 120 Peak	3 5592.00	44.00	68.20	-24.20	33.01	32.78	12.42	34.96	0.75	100 120 Average	4 6400.00	59.68	88.20	-28.52	44.95	35.70	13.38	35.20	0.85	100 341 Peak	5 6400.00	46.63	68.20	-21.57	31.90	35.70	13.38	35.20	0.85	100 341 Average	6 11970.00	50.11	74.00	-23.89	33.59	39.24	18.15	40.87	0.00	-- -- Peak	7 11970.00	41.03	54.00	-12.97	24.51	39.24	18.15	40.87	0.00	-- -- Average	8 17955.00	54.29	74.00	-19.71	36.04	41.53	22.30	45.58	0.00	-- -- Peak	9 17955.00	45.29	54.00	-8.71	27.04	41.53	22.30	45.58	0.00	-- -- Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																									
1 1136.00	49.22	74.00	-24.78	51.17	24.14	5.56	31.94	0.29	-- -- Peak																																																																																																																																																																																																																																									
2 5624.00	62.76	88.20	-25.44	51.52	32.99	12.43	34.97	0.79	100 120 Peak																																																																																																																																																																																																																																									
3 5624.00	51.07	68.20	-17.13	39.83	32.99	12.43	34.97	0.79	100 120 Average																																																																																																																																																																																																																																									
4 6384.00	60.85	88.20	-27.35	46.20	35.64	13.36	35.20	0.85	100 56 Peak																																																																																																																																																																																																																																									
5 6384.00	47.89	68.20	-20.31	33.24	35.64	13.36	35.20	0.85	100 56 Average																																																																																																																																																																																																																																									
6 11970.00	50.94	74.00	-23.06	34.42	39.24	18.15	40.87	0.00	-- -- Peak																																																																																																																																																																																																																																									
7 11970.00	41.93	54.00	-12.07	25.41	39.24	18.15	40.87	0.00	-- -- Average																																																																																																																																																																																																																																									
8 17955.00	55.46	74.00	-18.54	37.21	41.53	22.30	45.58	0.00	-- -- Peak																																																																																																																																																																																																																																									
9 17955.00	46.44	54.00	-7.56	28.19	41.53	22.30	45.58	0.00	-- -- Average																																																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																									
1 1000.00	48.95	74.00	-25.05	52.10	23.30	5.19	31.94	0.30	-- -- Peak																																																																																																																																																																																																																																									
2 5592.00	56.27	88.20	-31.93	45.28	32.78	12.42	34.96	0.75	100 120 Peak																																																																																																																																																																																																																																									
3 5592.00	44.00	68.20	-24.20	33.01	32.78	12.42	34.96	0.75	100 120 Average																																																																																																																																																																																																																																									
4 6400.00	59.68	88.20	-28.52	44.95	35.70	13.38	35.20	0.85	100 341 Peak																																																																																																																																																																																																																																									
5 6400.00	46.63	68.20	-21.57	31.90	35.70	13.38	35.20	0.85	100 341 Average																																																																																																																																																																																																																																									
6 11970.00	50.11	74.00	-23.89	33.59	39.24	18.15	40.87	0.00	-- -- Peak																																																																																																																																																																																																																																									
7 11970.00	41.03	54.00	-12.97	24.51	39.24	18.15	40.87	0.00	-- -- Average																																																																																																																																																																																																																																									
8 17955.00	54.29	74.00	-19.71	36.04	41.53	22.30	45.58	0.00	-- -- Peak																																																																																																																																																																																																																																									
9 17955.00	45.29	54.00	-8.71	27.04	41.53	22.30	45.58	0.00	-- -- Average																																																																																																																																																																																																																																									



Mode	12	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-05 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-05 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	13																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial RU 484/65_5985MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.88</td><td>74.63</td><td>88.20</td><td>-13.57</td><td>62.33</td><td>33.67</td><td>12.76</td><td>35.03</td><td>0.90</td><td>100</td><td>112</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>110.03</td><td>-----</td><td>-----</td><td>97.77</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>100</td><td>112</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.88	74.63	88.20	-13.57	62.33	33.67	12.76	35.03	0.90	100	112	Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	110.03	-----	-----	97.77	33.62	12.85	35.04	0.83	100	112	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5915.88	74.63	88.20	-13.57	62.33	33.67	12.76	35.03	0.90	100	112	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	110.03	-----	-----	97.77	33.62	12.85	35.04	0.83	100	112	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.68</td><td>59.15</td><td>68.20</td><td>-9.05</td><td>46.86</td><td>33.66</td><td>12.77</td><td>35.03</td><td>0.89</td><td>100</td><td>112</td><td>Average</td></tr></table> Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>102.27</td><td>-----</td><td>-----</td><td>90.03</td><td>33.60</td><td>12.84</td><td>35.04</td><td>0.84</td><td>100</td><td>112</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.68	59.15	68.20	-9.05	46.86	33.66	12.77	35.03	0.89	100	112	Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	102.27	-----	-----	90.03	33.60	12.84	35.04	0.84	100	112	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5920.68	59.15	68.20	-9.05	46.86	33.66	12.77	35.03	0.89	100	112	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	102.27	-----	-----	90.03	33.60	12.84	35.04	0.84	100	112	Average																																																																																								



Mode	13																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial RU 484/65_5985MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5918.28</td><td>79.43</td><td>88.20</td><td>-8.77</td><td>67.13</td><td>33.66</td><td>12.77</td><td>35.03</td><td>0.90</td><td>371 131 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5918.28	79.43	88.20	-8.77	67.13	33.66	12.77	35.03	0.90	371 131 Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>107.19</td><td>-----</td><td>-----</td><td>94.93</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>371 131 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5985.00	107.19	-----	-----	94.93	33.62	12.85	35.04	0.83	371 131 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 5918.28	79.43	88.20	-8.77	67.13	33.66	12.77	35.03	0.90	371 131 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 5985.00	107.19	-----	-----	94.93	33.62	12.85	35.04	0.83	371 131 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5923.08</td><td>56.00</td><td>68.20</td><td>-12.20</td><td>43.71</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>371 131 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5923.08	56.00	68.20	-12.20	43.71	33.65	12.78	35.03	0.89	371 131 Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>100.46</td><td>-----</td><td>-----</td><td>88.20</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>371 131 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5985.00	100.46	-----	-----	88.20	33.62	12.85	35.04	0.83	371 131 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 5923.08	56.00	68.20	-12.20	43.71	33.65	12.78	35.03	0.89	371 131 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 5985.00	100.46	-----	-----	88.20	33.62	12.85	35.04	0.83	371 131 Average																																																																									



Mode	14																																																																																																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz																																																																																																																																																																																																																																																																																	
ANT	1+2																																																																																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-06-10 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1128.00</td><td>49.72</td><td>74.00</td><td>-24.28</td><td>51.63</td><td>24.20</td><td>5.54</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5832.00</td><td>62.61</td><td>88.20</td><td>-25.59</td><td>50.35</td><td>33.67</td><td>12.55</td><td>35.01</td><td>1.05</td><td>100</td><td>121</td><td>Peak</td></tr><tr><td>3</td><td>5832.00</td><td>51.54</td><td>68.20</td><td>-16.66</td><td>39.28</td><td>33.67</td><td>12.55</td><td>35.01</td><td>1.05</td><td>100</td><td>121</td><td>Average</td></tr><tr><td>4</td><td>6616.00</td><td>61.20</td><td>88.20</td><td>-27.00</td><td>46.00</td><td>36.23</td><td>13.57</td><td>35.44</td><td>0.84</td><td>282</td><td>24</td><td>Peak</td></tr><tr><td>5</td><td>6616.00</td><td>48.55</td><td>68.20</td><td>-19.65</td><td>33.35</td><td>36.23</td><td>13.57</td><td>35.44</td><td>0.84</td><td>282</td><td>24</td><td>Average</td></tr><tr><td>6</td><td>12450.00</td><td>51.40</td><td>74.00</td><td>-22.60</td><td>33.91</td><td>39.90</td><td>18.74</td><td>41.15</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12450.00</td><td>41.41</td><td>54.00</td><td>-12.59</td><td>23.92</td><td>39.90</td><td>18.74</td><td>41.15</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18682.00</td><td>39.43</td><td>74.00</td><td>-34.57</td><td>54.09</td><td>38.24</td><td>22.91</td><td>66.27</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1128.00	49.72	74.00	-24.28	51.63	24.20	5.54	31.94	0.29	--	--	--	Peak	2	5832.00	62.61	88.20	-25.59	50.35	33.67	12.55	35.01	1.05	100	121	Peak	3	5832.00	51.54	68.20	-16.66	39.28	33.67	12.55	35.01	1.05	100	121	Average	4	6616.00	61.20	88.20	-27.00	46.00	36.23	13.57	35.44	0.84	282	24	Peak	5	6616.00	48.55	68.20	-19.65	33.35	36.23	13.57	35.44	0.84	282	24	Average	6	12450.00	51.40	74.00	-22.60	33.91	39.90	18.74	41.15	0.00	--	--	--	Peak	7	12450.00	41.41	54.00	-12.59	23.92	39.90	18.74	41.15	0.00	--	--	--	Average	8	18682.00	39.43	74.00	-34.57	54.09	38.24	22.91	66.27	-9.54	--	--	--	Peak	Level (dBuV/m) Date: 2025-06-10 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1008.00</td><td>47.54</td><td>74.00</td><td>-26.46</td><td>50.67</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5824.00</td><td>61.56</td><td>88.20</td><td>-26.64</td><td>49.27</td><td>33.70</td><td>12.53</td><td>35.01</td><td>1.07</td><td>352</td><td>127</td><td>Peak</td></tr><tr><td>3</td><td>5824.00</td><td>49.38</td><td>68.20</td><td>-18.82</td><td>37.09</td><td>33.70</td><td>12.53</td><td>35.01</td><td>1.07</td><td>352</td><td>127</td><td>Average</td></tr><tr><td>4</td><td>6640.00</td><td>58.12</td><td>88.20</td><td>-30.08</td><td>42.09</td><td>36.28</td><td>13.61</td><td>35.49</td><td>0.83</td><td>100</td><td>342</td><td>Peak</td></tr><tr><td>5</td><td>6640.00</td><td>47.08</td><td>68.20</td><td>-21.12</td><td>31.85</td><td>36.28</td><td>13.61</td><td>35.49</td><td>0.83</td><td>100</td><td>342</td><td>Average</td></tr><tr><td>6</td><td>12450.00</td><td>50.63</td><td>74.00</td><td>-23.37</td><td>33.14</td><td>39.90</td><td>18.74</td><td>41.15</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12450.00</td><td>41.55</td><td>54.00</td><td>-12.45</td><td>24.06</td><td>39.90</td><td>18.74</td><td>41.15</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18682.00</td><td>39.98</td><td>74.00</td><td>-34.02</td><td>54.64</td><td>38.24</td><td>22.91</td><td>66.27</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1008.00	47.54	74.00	-26.46	50.67	23.30	5.21	31.94	0.30	--	--	--	Peak	2	5824.00	61.56	88.20	-26.64	49.27	33.70	12.53	35.01	1.07	352	127	Peak	3	5824.00	49.38	68.20	-18.82	37.09	33.70	12.53	35.01	1.07	352	127	Average	4	6640.00	58.12	88.20	-30.08	42.09	36.28	13.61	35.49	0.83	100	342	Peak	5	6640.00	47.08	68.20	-21.12	31.85	36.28	13.61	35.49	0.83	100	342	Average	6	12450.00	50.63	74.00	-23.37	33.14	39.90	18.74	41.15	0.00	--	--	--	Peak	7	12450.00	41.55	54.00	-12.45	24.06	39.90	18.74	41.15	0.00	--	--	--	Average	8	18682.00	39.98	74.00	-34.02	54.64	38.24	22.91	66.27	-9.54	--	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																						
1	1128.00	49.72	74.00	-24.28	51.63	24.20	5.54	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																																					
2	5832.00	62.61	88.20	-25.59	50.35	33.67	12.55	35.01	1.05	100	121	Peak																																																																																																																																																																																																																																																																						
3	5832.00	51.54	68.20	-16.66	39.28	33.67	12.55	35.01	1.05	100	121	Average																																																																																																																																																																																																																																																																						
4	6616.00	61.20	88.20	-27.00	46.00	36.23	13.57	35.44	0.84	282	24	Peak																																																																																																																																																																																																																																																																						
5	6616.00	48.55	68.20	-19.65	33.35	36.23	13.57	35.44	0.84	282	24	Average																																																																																																																																																																																																																																																																						
6	12450.00	51.40	74.00	-22.60	33.91	39.90	18.74	41.15	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																					
7	12450.00	41.41	54.00	-12.59	23.92	39.90	18.74	41.15	0.00	--	--	--	Average																																																																																																																																																																																																																																																																					
8	18682.00	39.43	74.00	-34.57	54.09	38.24	22.91	66.27	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																					
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																						
1	1008.00	47.54	74.00	-26.46	50.67	23.30	5.21	31.94	0.30	--	--	--	Peak																																																																																																																																																																																																																																																																					
2	5824.00	61.56	88.20	-26.64	49.27	33.70	12.53	35.01	1.07	352	127	Peak																																																																																																																																																																																																																																																																						
3	5824.00	49.38	68.20	-18.82	37.09	33.70	12.53	35.01	1.07	352	127	Average																																																																																																																																																																																																																																																																						
4	6640.00	58.12	88.20	-30.08	42.09	36.28	13.61	35.49	0.83	100	342	Peak																																																																																																																																																																																																																																																																						
5	6640.00	47.08	68.20	-21.12	31.85	36.28	13.61	35.49	0.83	100	342	Average																																																																																																																																																																																																																																																																						
6	12450.00	50.63	74.00	-23.37	33.14	39.90	18.74	41.15	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																					
7	12450.00	41.55	54.00	-12.45	24.06	39.90	18.74	41.15	0.00	--	--	--	Average																																																																																																																																																																																																																																																																					
8	18682.00	39.98	74.00	-34.02	54.64	38.24	22.91	66.27	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																					



Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	15																																																																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																																																																																																																																																																																																											
ANT	1+2																																																																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-06-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1104.00</td><td>50.69</td><td>74.00</td><td>-23.31</td><td></td><td>53.09</td><td>23.78</td><td>5.47</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5968.00</td><td>63.23</td><td>88.20</td><td>-24.97</td><td></td><td>50.90</td><td>33.67</td><td>12.89</td><td>35.04</td><td>0.81</td><td>100</td><td>121</td><td>Peak</td></tr><tr><td>3</td><td>5968.00</td><td>51.98</td><td>68.20</td><td>-16.22</td><td></td><td>39.65</td><td>33.67</td><td>12.89</td><td>35.04</td><td>0.81</td><td>100</td><td>121</td><td>Average</td></tr><tr><td>4</td><td>6776.00</td><td>62.07</td><td>88.20</td><td>-26.13</td><td></td><td>46.67</td><td>36.50</td><td>13.82</td><td>35.73</td><td>0.81</td><td>100</td><td>61</td><td>Peak</td></tr><tr><td>5</td><td>6776.00</td><td>49.62</td><td>68.20</td><td>-18.58</td><td></td><td>34.22</td><td>36.50</td><td>13.82</td><td>35.73</td><td>0.81</td><td>100</td><td>61</td><td>Average</td></tr><tr><td>6</td><td>12770.00</td><td>51.00</td><td>88.20</td><td>-37.20</td><td></td><td>32.67</td><td>40.58</td><td>18.95</td><td>41.20</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19155.00</td><td>39.80</td><td>74.00</td><td>-34.20</td><td></td><td>53.27</td><td>38.38</td><td>23.23</td><td>65.54</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	1104.00	50.69	74.00	-23.31		53.09	23.78	5.47	31.94	0.29	--	--	Peak	2	5968.00	63.23	88.20	-24.97		50.90	33.67	12.89	35.04	0.81	100	121	Peak	3	5968.00	51.98	68.20	-16.22		39.65	33.67	12.89	35.04	0.81	100	121	Average	4	6776.00	62.07	88.20	-26.13		46.67	36.50	13.82	35.73	0.81	100	61	Peak	5	6776.00	49.62	68.20	-18.58		34.22	36.50	13.82	35.73	0.81	100	61	Average	6	12770.00	51.00	88.20	-37.20		32.67	40.58	18.95	41.20	0.00	--	--	Peak	7	19155.00	39.80	74.00	-34.20		53.27	38.38	23.23	65.54	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-06-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1000.00</td><td>48.44</td><td>74.00</td><td>-25.56</td><td></td><td>51.59</td><td>23.30</td><td>5.19</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5992.00</td><td>60.73</td><td>88.20</td><td>-27.47</td><td></td><td>48.30</td><td>33.77</td><td>12.95</td><td>35.05</td><td>0.76</td><td>100</td><td>340</td><td>Peak</td></tr><tr><td>3</td><td>5992.00</td><td>50.05</td><td>68.20</td><td>-18.15</td><td></td><td>37.62</td><td>33.77</td><td>12.95</td><td>35.05</td><td>0.76</td><td>100</td><td>340</td><td>Average</td></tr><tr><td>4</td><td>6768.00</td><td>60.26</td><td>88.20</td><td>-27.94</td><td></td><td>44.88</td><td>36.47</td><td>13.81</td><td>35.71</td><td>0.81</td><td>100</td><td>343</td><td>Peak</td></tr><tr><td>5</td><td>6768.00</td><td>47.40</td><td>68.20</td><td>-20.80</td><td></td><td>32.02</td><td>36.47</td><td>13.81</td><td>35.71</td><td>0.81</td><td>100</td><td>343</td><td>Average</td></tr><tr><td>6</td><td>12770.00</td><td>51.92</td><td>88.20</td><td>-36.28</td><td></td><td>33.59</td><td>40.58</td><td>18.95</td><td>41.20</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19155.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td></td><td>58.87</td><td>38.38</td><td>23.23</td><td>65.54</td><td>-9.54</td><td>170</td><td>0</td><td>Peak</td></tr><tr><td>8</td><td>19155.00</td><td>36.24</td><td>54.00</td><td>-17.76</td><td></td><td>49.71</td><td>38.38</td><td>23.23</td><td>65.54</td><td>-9.54</td><td>170</td><td>0</td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	1000.00	48.44	74.00	-25.56		51.59	23.30	5.19	31.94	0.30	--	--	Peak	2	5992.00	60.73	88.20	-27.47		48.30	33.77	12.95	35.05	0.76	100	340	Peak	3	5992.00	50.05	68.20	-18.15		37.62	33.77	12.95	35.05	0.76	100	340	Average	4	6768.00	60.26	88.20	-27.94		44.88	36.47	13.81	35.71	0.81	100	343	Peak	5	6768.00	47.40	68.20	-20.80		32.02	36.47	13.81	35.71	0.81	100	343	Average	6	12770.00	51.92	88.20	-36.28		33.59	40.58	18.95	41.20	0.00	--	--	Peak	7	19155.00	45.40	74.00	-28.60		58.87	38.38	23.23	65.54	-9.54	170	0	Peak	8	19155.00	36.24	54.00	-17.76		49.71	38.38	23.23	65.54	-9.54	170	0	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																														
1	1104.00	50.69	74.00	-23.31		53.09	23.78	5.47	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																															
2	5968.00	63.23	88.20	-24.97		50.90	33.67	12.89	35.04	0.81	100	121	Peak																																																																																																																																																																																																																																																															
3	5968.00	51.98	68.20	-16.22		39.65	33.67	12.89	35.04	0.81	100	121	Average																																																																																																																																																																																																																																																															
4	6776.00	62.07	88.20	-26.13		46.67	36.50	13.82	35.73	0.81	100	61	Peak																																																																																																																																																																																																																																																															
5	6776.00	49.62	68.20	-18.58		34.22	36.50	13.82	35.73	0.81	100	61	Average																																																																																																																																																																																																																																																															
6	12770.00	51.00	88.20	-37.20		32.67	40.58	18.95	41.20	0.00	--	--	Peak																																																																																																																																																																																																																																																															
7	19155.00	39.80	74.00	-34.20		53.27	38.38	23.23	65.54	-9.54	--	--	Peak																																																																																																																																																																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																															
1	1000.00	48.44	74.00	-25.56		51.59	23.30	5.19	31.94	0.30	--	--	Peak																																																																																																																																																																																																																																																															
2	5992.00	60.73	88.20	-27.47		48.30	33.77	12.95	35.05	0.76	100	340	Peak																																																																																																																																																																																																																																																															
3	5992.00	50.05	68.20	-18.15		37.62	33.77	12.95	35.05	0.76	100	340	Average																																																																																																																																																																																																																																																															
4	6768.00	60.26	88.20	-27.94		44.88	36.47	13.81	35.71	0.81	100	343	Peak																																																																																																																																																																																																																																																															
5	6768.00	47.40	68.20	-20.80		32.02	36.47	13.81	35.71	0.81	100	343	Average																																																																																																																																																																																																																																																															
6	12770.00	51.92	88.20	-36.28		33.59	40.58	18.95	41.20	0.00	--	--	Peak																																																																																																																																																																																																																																																															
7	19155.00	45.40	74.00	-28.60		58.87	38.38	23.23	65.54	-9.54	170	0	Peak																																																																																																																																																																																																																																																															
8	19155.00	36.24	54.00	-17.76		49.71	38.38	23.23	65.54	-9.54	170	0	Average																																																																																																																																																																																																																																																															



Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	16																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5901.00</td><td>72.36</td><td>88.20</td><td>-15.84</td><td>60.04</td><td>33.70</td><td>12.72</td><td>35.03</td><td>0.93</td><td>100</td><td>117</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5901.00	72.36	88.20	-15.84	60.04	33.70	12.72	35.03	0.93	100	117	Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>105.83</td><td>-----</td><td>-----</td><td>93.43</td><td>33.74</td><td>12.93</td><td>35.05</td><td>0.78</td><td>100</td><td>117</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	105.83	-----	-----	93.43	33.74	12.93	35.05	0.78	100	117	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5901.00	72.36	88.20	-15.84	60.04	33.70	12.72	35.03	0.93	100	117	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	105.83	-----	-----	93.43	33.74	12.93	35.05	0.78	100	117	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.00</td><td>62.01</td><td>68.20</td><td>-6.19</td><td>49.71</td><td>33.67</td><td>12.76</td><td>35.03</td><td>0.90</td><td>100</td><td>117</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.00	62.01	68.20	-6.19	49.71	33.67	12.76	35.03	0.90	100	117	Average	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>97.70</td><td>-----</td><td>-----</td><td>85.08</td><td>33.91</td><td>13.00</td><td>35.06</td><td>0.77</td><td>100</td><td>117</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	97.70	-----	-----	85.08	33.91	13.00	35.06	0.77	100	117	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5915.00	62.01	68.20	-6.19	49.71	33.67	12.76	35.03	0.90	100	117	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	97.70	-----	-----	85.08	33.91	13.00	35.06	0.77	100	117	Average																																																																																								



Mode	16																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5893.20</td><td>68.39</td><td>88.20</td><td>-19.81</td><td>56.09</td><td>33.69</td><td>12.70</td><td>35.03</td><td>0.94</td><td>338</td><td>136</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5893.20	68.39	88.20	-19.81	56.09	33.69	12.70	35.03	0.94	338	136	Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>103.37</td><td>-----</td><td>-----</td><td>90.62</td><td>34.01</td><td>13.03</td><td>35.07</td><td>0.78</td><td>338</td><td>136</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	103.37	-----	-----	90.62	34.01	13.03	35.07	0.78	338	136	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5893.20	68.39	88.20	-19.81	56.09	33.69	12.70	35.03	0.94	338	136	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	103.37	-----	-----	90.62	34.01	13.03	35.07	0.78	338	136	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5893.60</td><td>58.77</td><td>68.20</td><td>-9.43</td><td>46.47</td><td>33.69</td><td>12.70</td><td>35.03</td><td>0.94</td><td>338</td><td>136</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5893.60	58.77	68.20	-9.43	46.47	33.69	12.70	35.03	0.94	338	136	Average	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>94.52</td><td>-----</td><td>-----</td><td>81.94</td><td>33.09</td><td>12.99</td><td>35.06</td><td>0.76</td><td>338</td><td>136</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	94.52	-----	-----	81.94	33.09	12.99	35.06	0.76	338	136	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5893.60	58.77	68.20	-9.43	46.47	33.69	12.70	35.03	0.94	338	136	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	94.52	-----	-----	81.94	33.09	12.99	35.06	0.76	338	136	Average																																																																																								



Mode	16																																																																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																																																																																																																																																																																											
ANT	1+2																																																																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1136.00</td><td>50.43</td><td>74.00</td><td>-23.57</td><td>52.38</td><td>24.14</td><td>5.56</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5648.00</td><td>63.77</td><td>88.20</td><td>-24.43</td><td>52.29</td><td>33.18</td><td>12.43</td><td>34.97</td><td>0.84</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>3</td><td>5648.00</td><td>50.75</td><td>68.20</td><td>-17.45</td><td>39.27</td><td>33.18</td><td>12.43</td><td>34.97</td><td>0.84</td><td>100</td><td>120</td><td>Average</td></tr><tr><td>4</td><td>6408.00</td><td>59.57</td><td>88.20</td><td>-28.63</td><td>44.80</td><td>35.75</td><td>13.38</td><td>35.21</td><td>0.85</td><td>100</td><td>56</td><td>Peak</td></tr><tr><td>5</td><td>6408.00</td><td>47.68</td><td>68.20</td><td>-20.52</td><td>32.91</td><td>35.75</td><td>13.38</td><td>35.21</td><td>0.85</td><td>100</td><td>56</td><td>Average</td></tr><tr><td>6</td><td>12050.00</td><td>51.19</td><td>74.00</td><td>-22.81</td><td>34.48</td><td>39.40</td><td>18.23</td><td>40.92</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12050.00</td><td>42.14</td><td>54.00</td><td>-11.86</td><td>25.43</td><td>39.40</td><td>18.23</td><td>40.92</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18075.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>55.83</td><td>37.95</td><td>22.43</td><td>67.28</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1136.00	50.43	74.00	-23.57	52.38	24.14	5.56	31.94	0.29	--	--	--	Peak	2	5648.00	63.77	88.20	-24.43	52.29	33.18	12.43	34.97	0.84	100	120	Peak	3	5648.00	50.75	68.20	-17.45	39.27	33.18	12.43	34.97	0.84	100	120	Average	4	6408.00	59.57	88.20	-28.63	44.80	35.75	13.38	35.21	0.85	100	56	Peak	5	6408.00	47.68	68.20	-20.52	32.91	35.75	13.38	35.21	0.85	100	56	Average	6	12050.00	51.19	74.00	-22.81	34.48	39.40	18.23	40.92	0.00	--	--	Peak	7	12050.00	42.14	54.00	-11.86	25.43	39.40	18.23	40.92	0.00	--	--	Average	8	18075.00	39.39	74.00	-34.61	55.83	37.95	22.43	67.28	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1008.00</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>51.94</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5632.00</td><td>59.44</td><td>88.20</td><td>-28.76</td><td>48.11</td><td>33.06</td><td>12.43</td><td>34.97</td><td>0.81</td><td>321</td><td>125</td><td>Peak</td></tr><tr><td>3</td><td>5632.00</td><td>46.56</td><td>68.20</td><td>-21.64</td><td>35.23</td><td>33.06</td><td>12.43</td><td>34.97</td><td>0.81</td><td>321</td><td>125</td><td>Average</td></tr><tr><td>4</td><td>6384.00</td><td>54.82</td><td>88.20</td><td>-33.38</td><td>40.17</td><td>35.64</td><td>13.36</td><td>35.20</td><td>0.85</td><td>107</td><td>341</td><td>Peak</td></tr><tr><td>5</td><td>6384.00</td><td>45.67</td><td>68.20</td><td>-22.53</td><td>31.02</td><td>35.64</td><td>13.36</td><td>35.20</td><td>0.85</td><td>107</td><td>341</td><td>Average</td></tr><tr><td>6</td><td>12050.00</td><td>51.05</td><td>74.00</td><td>-22.95</td><td>34.34</td><td>39.40</td><td>18.23</td><td>40.92</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12050.00</td><td>42.02</td><td>54.00</td><td>-11.98</td><td>25.31</td><td>39.40</td><td>18.23</td><td>40.92</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18075.00</td><td>37.97</td><td>74.00</td><td>-36.03</td><td>54.41</td><td>37.95</td><td>22.43</td><td>67.28</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1008.00	48.81	74.00	-25.19	51.94	23.30	5.21	31.94	0.30	--	--	--	Peak	2	5632.00	59.44	88.20	-28.76	48.11	33.06	12.43	34.97	0.81	321	125	Peak	3	5632.00	46.56	68.20	-21.64	35.23	33.06	12.43	34.97	0.81	321	125	Average	4	6384.00	54.82	88.20	-33.38	40.17	35.64	13.36	35.20	0.85	107	341	Peak	5	6384.00	45.67	68.20	-22.53	31.02	35.64	13.36	35.20	0.85	107	341	Average	6	12050.00	51.05	74.00	-22.95	34.34	39.40	18.23	40.92	0.00	--	--	Peak	7	12050.00	42.02	54.00	-11.98	25.31	39.40	18.23	40.92	0.00	--	--	Average	8	18075.00	37.97	74.00	-36.03	54.41	37.95	22.43	67.28	-9.54	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																															
1	1136.00	50.43	74.00	-23.57	52.38	24.14	5.56	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																															
2	5648.00	63.77	88.20	-24.43	52.29	33.18	12.43	34.97	0.84	100	120	Peak																																																																																																																																																																																																																																																																
3	5648.00	50.75	68.20	-17.45	39.27	33.18	12.43	34.97	0.84	100	120	Average																																																																																																																																																																																																																																																																
4	6408.00	59.57	88.20	-28.63	44.80	35.75	13.38	35.21	0.85	100	56	Peak																																																																																																																																																																																																																																																																
5	6408.00	47.68	68.20	-20.52	32.91	35.75	13.38	35.21	0.85	100	56	Average																																																																																																																																																																																																																																																																
6	12050.00	51.19	74.00	-22.81	34.48	39.40	18.23	40.92	0.00	--	--	Peak																																																																																																																																																																																																																																																																
7	12050.00	42.14	54.00	-11.86	25.43	39.40	18.23	40.92	0.00	--	--	Average																																																																																																																																																																																																																																																																
8	18075.00	39.39	74.00	-34.61	55.83	37.95	22.43	67.28	-9.54	--	--	Peak																																																																																																																																																																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																
1	1008.00	48.81	74.00	-25.19	51.94	23.30	5.21	31.94	0.30	--	--	--	Peak																																																																																																																																																																																																																																																															
2	5632.00	59.44	88.20	-28.76	48.11	33.06	12.43	34.97	0.81	321	125	Peak																																																																																																																																																																																																																																																																
3	5632.00	46.56	68.20	-21.64	35.23	33.06	12.43	34.97	0.81	321	125	Average																																																																																																																																																																																																																																																																
4	6384.00	54.82	88.20	-33.38	40.17	35.64	13.36	35.20	0.85	107	341	Peak																																																																																																																																																																																																																																																																
5	6384.00	45.67	68.20	-22.53	31.02	35.64	13.36	35.20	0.85	107	341	Average																																																																																																																																																																																																																																																																
6	12050.00	51.05	74.00	-22.95	34.34	39.40	18.23	40.92	0.00	--	--	Peak																																																																																																																																																																																																																																																																
7	12050.00	42.02	54.00	-11.98	25.31	39.40	18.23	40.92	0.00	--	--	Average																																																																																																																																																																																																																																																																
8	18075.00	37.97	74.00	-36.03	54.41	37.95	22.43	67.28	-9.54	--	--	Peak																																																																																																																																																																																																																																																																



Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-05 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-05 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	17																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial RU 996/67_6025MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5896.00</td><td>81.46</td><td>88.20</td><td>-6.74</td><td>69.15</td><td>33.69</td><td>12.71</td><td>35.03</td><td>0.94</td><td>100</td><td>122</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5896.00	81.46	88.20	-6.74	69.15	33.69	12.71	35.03	0.94	100	122	Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>108.25</td><td>-----</td><td>-----</td><td>95.96</td><td>33.64</td><td>12.87</td><td>35.04</td><td>0.82</td><td>100</td><td>122</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	108.25	-----	-----	95.96	33.64	12.87	35.04	0.82	100	122	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5896.00	81.46	88.20	-6.74	69.15	33.69	12.71	35.03	0.94	100	122	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	108.25	-----	-----	95.96	33.64	12.87	35.04	0.82	100	122	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5896.00</td><td>67.01</td><td>68.20</td><td>-1.19</td><td>54.70</td><td>33.69</td><td>12.71</td><td>35.03</td><td>0.94</td><td>100</td><td>122</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5896.00	67.01	68.20	-1.19	54.70	33.69	12.71	35.03	0.94	100	122	Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>99.43</td><td>-----</td><td>-----</td><td>86.90</td><td>33.84</td><td>12.98</td><td>35.05</td><td>0.76</td><td>100</td><td>122</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	99.43	-----	-----	86.90	33.84	12.98	35.05	0.76	100	122	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5896.00	67.01	68.20	-1.19	54.70	33.69	12.71	35.03	0.94	100	122	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	99.43	-----	-----	86.90	33.84	12.98	35.05	0.76	100	122	Average																																																																																								



Mode	17																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial RU 996/67_6025MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5903.00</td><td>77.07</td><td>88.20</td><td>-11.13</td><td>64.76</td><td>33.69</td><td>12.73</td><td>35.03</td><td>0.92 400 131 Peak</td></tr></table> Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6025.00</td><td>105.84</td><td>-----</td><td>-----</td><td>93.29</td><td>33.86</td><td>12.99</td><td>35.06</td><td>0.76 400 131 Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	5903.00	77.07	88.20	-11.13	64.76	33.69	12.73	35.03	0.92 400 131 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	6025.00	105.84	-----	-----	93.29	33.86	12.99	35.06	0.76 400 131 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																			
1	5903.00	77.07	88.20	-11.13	64.76	33.69	12.73	35.03	0.92 400 131 Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																			
1	6025.00	105.84	-----	-----	93.29	33.86	12.99	35.06	0.76 400 131 Peak																																																																																			
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5893.00</td><td>62.89</td><td>68.20</td><td>-5.31</td><td>50.59</td><td>33.69</td><td>12.70</td><td>35.03</td><td>0.94 400 131 Average</td></tr></table> Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6025.00</td><td>96.82</td><td>-----</td><td>-----</td><td>84.24</td><td>33.89</td><td>12.99</td><td>35.06</td><td>0.76 400 131 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	5893.00	62.89	68.20	-5.31	50.59	33.69	12.70	35.03	0.94 400 131 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	6025.00	96.82	-----	-----	84.24	33.89	12.99	35.06	0.76 400 131 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																			
1	5893.00	62.89	68.20	-5.31	50.59	33.69	12.70	35.03	0.94 400 131 Average																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																			
1	6025.00	96.82	-----	-----	84.24	33.89	12.99	35.06	0.76 400 131 Average																																																																																			



Mode	18																																																																																																																																																																																																																																																																															
	Harmonic																																																																																																																																																																																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz																																																																																																																																																																																																																																																																															
ANT	1+2																																																																																																																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-06-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1128.00</td><td>50.93</td><td>74.00</td><td>-23.07</td><td>52.84</td><td>24.20</td><td>5.54</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5832.00</td><td>60.70</td><td>88.20</td><td>-27.50</td><td>48.44</td><td>33.67</td><td>12.55</td><td>35.01</td><td>1.05</td><td>100</td><td>124</td><td>Peak</td></tr><tr><td>3</td><td>5832.00</td><td>49.49</td><td>68.20</td><td>-18.71</td><td>37.23</td><td>33.67</td><td>12.55</td><td>35.01</td><td>1.05</td><td>100</td><td>124</td><td>Average</td></tr><tr><td>4</td><td>6544.00</td><td>60.64</td><td>88.20</td><td>-27.56</td><td>45.56</td><td>36.09</td><td>13.47</td><td>35.32</td><td>0.84</td><td>100</td><td>55</td><td>Peak</td></tr><tr><td>5</td><td>6544.00</td><td>47.33</td><td>68.20</td><td>-20.87</td><td>32.25</td><td>36.09</td><td>13.47</td><td>35.32</td><td>0.84</td><td>100</td><td>55</td><td>Average</td></tr><tr><td>6</td><td>12370.00</td><td>52.30</td><td>74.00</td><td>-21.70</td><td>34.92</td><td>39.84</td><td>18.64</td><td>41.10</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12370.00</td><td>41.94</td><td>54.00</td><td>-12.06</td><td>24.56</td><td>39.84</td><td>18.64</td><td>41.10</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18555.00</td><td>40.47</td><td>74.00</td><td>-33.53</td><td>55.29</td><td>38.39</td><td>22.83</td><td>66.50</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1128.00	50.93	74.00	-23.07	52.84	24.20	5.54	31.94	0.29	--	--	Peak	2	5832.00	60.70	88.20	-27.50	48.44	33.67	12.55	35.01	1.05	100	124	Peak	3	5832.00	49.49	68.20	-18.71	37.23	33.67	12.55	35.01	1.05	100	124	Average	4	6544.00	60.64	88.20	-27.56	45.56	36.09	13.47	35.32	0.84	100	55	Peak	5	6544.00	47.33	68.20	-20.87	32.25	36.09	13.47	35.32	0.84	100	55	Average	6	12370.00	52.30	74.00	-21.70	34.92	39.84	18.64	41.10	0.00	--	--	Peak	7	12370.00	41.94	54.00	-12.06	24.56	39.84	18.64	41.10	0.00	--	--	Average	8	18555.00	40.47	74.00	-33.53	55.29	38.39	22.83	66.50	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-06-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1120.00</td><td>47.60</td><td>74.00</td><td>-26.40</td><td>49.54</td><td>24.20</td><td>5.51</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5792.00</td><td>59.72</td><td>88.20</td><td>-28.48</td><td>47.37</td><td>33.78</td><td>12.47</td><td>35.00</td><td>1.10</td><td>370</td><td>126</td><td>Peak</td></tr><tr><td>3</td><td>5792.00</td><td>47.65</td><td>68.20</td><td>-20.55</td><td>35.30</td><td>33.78</td><td>12.47</td><td>35.00</td><td>1.10</td><td>370</td><td>126</td><td>Average</td></tr><tr><td>4</td><td>6568.00</td><td>55.90</td><td>88.20</td><td>-32.30</td><td>40.78</td><td>36.14</td><td>13.50</td><td>35.36</td><td>0.84</td><td>124</td><td>15</td><td>Peak</td></tr><tr><td>5</td><td>6568.00</td><td>44.65</td><td>68.20</td><td>-23.55</td><td>29.53</td><td>36.14</td><td>13.50</td><td>35.36</td><td>0.84</td><td>124</td><td>15</td><td>Average</td></tr><tr><td>6</td><td>12370.00</td><td>52.33</td><td>74.00</td><td>-21.67</td><td>34.95</td><td>39.84</td><td>18.64</td><td>41.10</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12370.00</td><td>41.98</td><td>54.00</td><td>-12.02</td><td>24.60</td><td>39.84</td><td>18.64</td><td>41.10</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18555.00</td><td>39.88</td><td>74.00</td><td>-34.12</td><td>54.70</td><td>38.39</td><td>22.83</td><td>66.50</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1120.00	47.60	74.00	-26.40	49.54	24.20	5.51	31.94	0.29	--	--	Peak	2	5792.00	59.72	88.20	-28.48	47.37	33.78	12.47	35.00	1.10	370	126	Peak	3	5792.00	47.65	68.20	-20.55	35.30	33.78	12.47	35.00	1.10	370	126	Average	4	6568.00	55.90	88.20	-32.30	40.78	36.14	13.50	35.36	0.84	124	15	Peak	5	6568.00	44.65	68.20	-23.55	29.53	36.14	13.50	35.36	0.84	124	15	Average	6	12370.00	52.33	74.00	-21.67	34.95	39.84	18.64	41.10	0.00	--	--	Peak	7	12370.00	41.98	54.00	-12.02	24.60	39.84	18.64	41.10	0.00	--	--	Average	8	18555.00	39.88	74.00	-34.12	54.70	38.39	22.83	66.50	-9.54	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																						
1	1128.00	50.93	74.00	-23.07	52.84	24.20	5.54	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																				
2	5832.00	60.70	88.20	-27.50	48.44	33.67	12.55	35.01	1.05	100	124	Peak																																																																																																																																																																																																																																																																				
3	5832.00	49.49	68.20	-18.71	37.23	33.67	12.55	35.01	1.05	100	124	Average																																																																																																																																																																																																																																																																				
4	6544.00	60.64	88.20	-27.56	45.56	36.09	13.47	35.32	0.84	100	55	Peak																																																																																																																																																																																																																																																																				
5	6544.00	47.33	68.20	-20.87	32.25	36.09	13.47	35.32	0.84	100	55	Average																																																																																																																																																																																																																																																																				
6	12370.00	52.30	74.00	-21.70	34.92	39.84	18.64	41.10	0.00	--	--	Peak																																																																																																																																																																																																																																																																				
7	12370.00	41.94	54.00	-12.06	24.56	39.84	18.64	41.10	0.00	--	--	Average																																																																																																																																																																																																																																																																				
8	18555.00	40.47	74.00	-33.53	55.29	38.39	22.83	66.50	-9.54	--	--	Peak																																																																																																																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																						
1	1120.00	47.60	74.00	-26.40	49.54	24.20	5.51	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																				
2	5792.00	59.72	88.20	-28.48	47.37	33.78	12.47	35.00	1.10	370	126	Peak																																																																																																																																																																																																																																																																				
3	5792.00	47.65	68.20	-20.55	35.30	33.78	12.47	35.00	1.10	370	126	Average																																																																																																																																																																																																																																																																				
4	6568.00	55.90	88.20	-32.30	40.78	36.14	13.50	35.36	0.84	124	15	Peak																																																																																																																																																																																																																																																																				
5	6568.00	44.65	68.20	-23.55	29.53	36.14	13.50	35.36	0.84	124	15	Average																																																																																																																																																																																																																																																																				
6	12370.00	52.33	74.00	-21.67	34.95	39.84	18.64	41.10	0.00	--	--	Peak																																																																																																																																																																																																																																																																				
7	12370.00	41.98	54.00	-12.02	24.60	39.84	18.64	41.10	0.00	--	--	Average																																																																																																																																																																																																																																																																				
8	18555.00	39.88	74.00	-34.12	54.70	38.39	22.83	66.50	-9.54	--	--	Peak																																																																																																																																																																																																																																																																				



Mode	18	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-09 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-09 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	19																																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																																																																																																																																																																													
ANT	1+2																																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-06-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>1112.00</td><td>50.57</td><td>74.00</td><td>-23.43</td><td>52.77</td><td>23.96</td><td>5.49</td><td>31.94</td><td>0.29</td><td>-- Peak</td></tr><tr><td>2</td><td>5944.00</td><td>62.44</td><td>88.20</td><td>-25.76</td><td>50.19</td><td>33.61</td><td>12.83</td><td>35.04</td><td>0.85</td><td>100 118 Peak</td></tr><tr><td>3</td><td>5944.00</td><td>50.26</td><td>68.20</td><td>-17.94</td><td>38.01</td><td>33.61</td><td>12.83</td><td>35.04</td><td>0.85</td><td>100 118 Average</td></tr><tr><td>4</td><td>6736.00</td><td>59.18</td><td>88.20</td><td>-29.02</td><td>43.83</td><td>36.43</td><td>13.76</td><td>35.66</td><td>0.82</td><td>100 63 Peak</td></tr><tr><td>5</td><td>6736.00</td><td>47.98</td><td>68.20</td><td>-20.22</td><td>32.63</td><td>36.43</td><td>13.76</td><td>35.66</td><td>0.82</td><td>100 63 Average</td></tr><tr><td>6</td><td>12690.00</td><td>52.33</td><td>74.00</td><td>-21.67</td><td>34.12</td><td>40.50</td><td>18.91</td><td>41.20</td><td>0.00</td><td>-- Peak</td></tr><tr><td>7</td><td>12690.00</td><td>42.44</td><td>54.00</td><td>-11.56</td><td>24.23</td><td>40.50</td><td>18.91</td><td>41.20</td><td>0.00</td><td>-- Average</td></tr><tr><td>8</td><td>19035.00</td><td>39.92</td><td>74.00</td><td>-34.08</td><td>53.84</td><td>38.14</td><td>23.14</td><td>65.66</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	1112.00	50.57	74.00	-23.43	52.77	23.96	5.49	31.94	0.29	-- Peak	2	5944.00	62.44	88.20	-25.76	50.19	33.61	12.83	35.04	0.85	100 118 Peak	3	5944.00	50.26	68.20	-17.94	38.01	33.61	12.83	35.04	0.85	100 118 Average	4	6736.00	59.18	88.20	-29.02	43.83	36.43	13.76	35.66	0.82	100 63 Peak	5	6736.00	47.98	68.20	-20.22	32.63	36.43	13.76	35.66	0.82	100 63 Average	6	12690.00	52.33	74.00	-21.67	34.12	40.50	18.91	41.20	0.00	-- Peak	7	12690.00	42.44	54.00	-11.56	24.23	40.50	18.91	41.20	0.00	-- Average	8	19035.00	39.92	74.00	-34.08	53.84	38.14	23.14	65.66	-9.54	-- Peak	Level (dBuV/m) Date: 2025-06-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>1008.00</td><td>40.10</td><td>74.00</td><td>-25.90</td><td>51.23</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>-- Peak</td></tr><tr><td>2</td><td>5952.00</td><td>60.67</td><td>88.20</td><td>-27.53</td><td>48.41</td><td>33.61</td><td>12.85</td><td>35.04</td><td>0.84</td><td>283 41 Peak</td></tr><tr><td>3</td><td>5952.00</td><td>48.52</td><td>68.20</td><td>-19.68</td><td>36.26</td><td>33.61</td><td>12.85</td><td>35.04</td><td>0.84</td><td>283 41 Average</td></tr><tr><td>4</td><td>6712.00</td><td>55.46</td><td>88.20</td><td>-32.74</td><td>40.05</td><td>36.48</td><td>13.72</td><td>35.61</td><td>0.82</td><td>252 31 Peak</td></tr><tr><td>5</td><td>6712.00</td><td>45.35</td><td>68.20</td><td>-22.85</td><td>29.94</td><td>36.48</td><td>13.72</td><td>35.61</td><td>0.82</td><td>252 31 Average</td></tr><tr><td>6</td><td>12690.00</td><td>52.97</td><td>74.00</td><td>-21.03</td><td>34.76</td><td>40.50</td><td>18.91</td><td>41.20</td><td>0.00</td><td>-- Peak</td></tr><tr><td>7</td><td>12690.00</td><td>42.49</td><td>54.00</td><td>-11.51</td><td>24.28</td><td>40.50</td><td>18.91</td><td>41.20</td><td>0.00</td><td>-- Average</td></tr><tr><td>8</td><td>19035.00</td><td>40.05</td><td>74.00</td><td>-33.95</td><td>53.97</td><td>38.14</td><td>23.14</td><td>65.66</td><td>-9.54</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	1008.00	40.10	74.00	-25.90	51.23	23.30	5.21	31.94	0.30	-- Peak	2	5952.00	60.67	88.20	-27.53	48.41	33.61	12.85	35.04	0.84	283 41 Peak	3	5952.00	48.52	68.20	-19.68	36.26	33.61	12.85	35.04	0.84	283 41 Average	4	6712.00	55.46	88.20	-32.74	40.05	36.48	13.72	35.61	0.82	252 31 Peak	5	6712.00	45.35	68.20	-22.85	29.94	36.48	13.72	35.61	0.82	252 31 Average	6	12690.00	52.97	74.00	-21.03	34.76	40.50	18.91	41.20	0.00	-- Peak	7	12690.00	42.49	54.00	-11.51	24.28	40.50	18.91	41.20	0.00	-- Average	8	19035.00	40.05	74.00	-33.95	53.97	38.14	23.14	65.66	-9.54	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																					
1	1112.00	50.57	74.00	-23.43	52.77	23.96	5.49	31.94	0.29	-- Peak																																																																																																																																																																																																																																				
2	5944.00	62.44	88.20	-25.76	50.19	33.61	12.83	35.04	0.85	100 118 Peak																																																																																																																																																																																																																																				
3	5944.00	50.26	68.20	-17.94	38.01	33.61	12.83	35.04	0.85	100 118 Average																																																																																																																																																																																																																																				
4	6736.00	59.18	88.20	-29.02	43.83	36.43	13.76	35.66	0.82	100 63 Peak																																																																																																																																																																																																																																				
5	6736.00	47.98	68.20	-20.22	32.63	36.43	13.76	35.66	0.82	100 63 Average																																																																																																																																																																																																																																				
6	12690.00	52.33	74.00	-21.67	34.12	40.50	18.91	41.20	0.00	-- Peak																																																																																																																																																																																																																																				
7	12690.00	42.44	54.00	-11.56	24.23	40.50	18.91	41.20	0.00	-- Average																																																																																																																																																																																																																																				
8	19035.00	39.92	74.00	-34.08	53.84	38.14	23.14	65.66	-9.54	-- Peak																																																																																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																					
1	1008.00	40.10	74.00	-25.90	51.23	23.30	5.21	31.94	0.30	-- Peak																																																																																																																																																																																																																																				
2	5952.00	60.67	88.20	-27.53	48.41	33.61	12.85	35.04	0.84	283 41 Peak																																																																																																																																																																																																																																				
3	5952.00	48.52	68.20	-19.68	36.26	33.61	12.85	35.04	0.84	283 41 Average																																																																																																																																																																																																																																				
4	6712.00	55.46	88.20	-32.74	40.05	36.48	13.72	35.61	0.82	252 31 Peak																																																																																																																																																																																																																																				
5	6712.00	45.35	68.20	-22.85	29.94	36.48	13.72	35.61	0.82	252 31 Average																																																																																																																																																																																																																																				
6	12690.00	52.97	74.00	-21.03	34.76	40.50	18.91	41.20	0.00	-- Peak																																																																																																																																																																																																																																				
7	12690.00	42.49	54.00	-11.51	24.28	40.50	18.91	41.20	0.00	-- Average																																																																																																																																																																																																																																				
8	19035.00	40.05	74.00	-33.95	53.97	38.14	23.14	65.66	-9.54	-- Peak																																																																																																																																																																																																																																				



Mode	19	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-10 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-10 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	20																																																																																																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																																																																																																					
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																																																																																																																																																																																					
ANT	1+2																																																																																																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 1032.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>50.93</td><td>23.28</td><td>5.28</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 6032.00</td><td>64.12</td><td>88.20</td><td>-24.08</td><td>51.47</td><td>33.93</td><td>13.01</td><td>35.06</td><td>0.77</td><td>100</td><td>127</td><td>100</td><td>Peak</td></tr><tr><td>3 6032.00</td><td>53.25</td><td>68.20</td><td>-14.95</td><td>40.60</td><td>33.93</td><td>13.01</td><td>35.06</td><td>0.77</td><td>100</td><td>127</td><td>100</td><td>Average</td></tr><tr><td>4 6080.00</td><td>65.17</td><td>88.20</td><td>-23.03</td><td>49.68</td><td>36.60</td><td>13.06</td><td>35.78</td><td>0.81</td><td>100</td><td>60</td><td>100</td><td>Peak</td></tr><tr><td>5 6080.00</td><td>51.96</td><td>68.20</td><td>-16.24</td><td>36.47</td><td>36.60</td><td>13.86</td><td>35.78</td><td>0.81</td><td>100</td><td>60</td><td>100</td><td>Average</td></tr><tr><td>6 12770.00</td><td>51.89</td><td>88.20</td><td>-36.31</td><td>33.56</td><td>40.58</td><td>18.95</td><td>41.20</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7 19305.00</td><td>42.74</td><td>74.00</td><td>-31.26</td><td>56.05</td><td>38.29</td><td>23.33</td><td>65.39</td><td>-9.54</td><td>199</td><td>60</td><td>199</td><td>Peak</td></tr><tr><td>8 19305.00</td><td>34.08</td><td>54.00</td><td>-19.92</td><td>47.39</td><td>38.29</td><td>23.33</td><td>65.39</td><td>-9.54</td><td>199</td><td>60</td><td>199</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 1032.00	47.85	74.00	-26.15	50.93	23.28	5.28	31.94	0.30	--	--	--	Peak	2 6032.00	64.12	88.20	-24.08	51.47	33.93	13.01	35.06	0.77	100	127	100	Peak	3 6032.00	53.25	68.20	-14.95	40.60	33.93	13.01	35.06	0.77	100	127	100	Average	4 6080.00	65.17	88.20	-23.03	49.68	36.60	13.06	35.78	0.81	100	60	100	Peak	5 6080.00	51.96	68.20	-16.24	36.47	36.60	13.86	35.78	0.81	100	60	100	Average	6 12770.00	51.89	88.20	-36.31	33.56	40.58	18.95	41.20	0.00	--	--	--	Peak	7 19305.00	42.74	74.00	-31.26	56.05	38.29	23.33	65.39	-9.54	199	60	199	Peak	8 19305.00	34.08	54.00	-19.92	47.39	38.29	23.33	65.39	-9.54	199	60	199	Average	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 1128.00</td><td>48.12</td><td>74.00</td><td>-25.88</td><td>50.83</td><td>24.20</td><td>5.54</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 6024.00</td><td>63.25</td><td>88.20</td><td>-24.95</td><td>50.65</td><td>33.90</td><td>13.00</td><td>35.06</td><td>0.76</td><td>100</td><td>66</td><td>100</td><td>Peak</td></tr><tr><td>3 6024.00</td><td>51.60</td><td>68.20</td><td>-16.60</td><td>39.00</td><td>33.90</td><td>13.00</td><td>35.06</td><td>0.76</td><td>100</td><td>66</td><td>100</td><td>Average</td></tr><tr><td>4 6080.00</td><td>62.12</td><td>88.20</td><td>-26.08</td><td>46.63</td><td>36.60</td><td>13.06</td><td>35.78</td><td>0.81</td><td>100</td><td>346</td><td>100</td><td>Peak</td></tr><tr><td>5 6080.00</td><td>49.53</td><td>68.20</td><td>-18.67</td><td>34.04</td><td>36.60</td><td>13.86</td><td>35.78</td><td>0.81</td><td>100</td><td>346</td><td>100</td><td>Average</td></tr><tr><td>6 12770.00</td><td>51.97</td><td>88.20</td><td>-36.23</td><td>33.64</td><td>40.58</td><td>18.95</td><td>41.20</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7 19305.00</td><td>54.04</td><td>74.00</td><td>-19.96</td><td>67.35</td><td>38.29</td><td>23.33</td><td>65.39</td><td>-9.54</td><td>172</td><td>355</td><td>172</td><td>Peak</td></tr><tr><td>8 19305.00</td><td>45.76</td><td>54.00</td><td>-8.24</td><td>59.07</td><td>38.29</td><td>23.33</td><td>65.39</td><td>-9.54</td><td>172</td><td>355</td><td>172</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 1128.00	48.12	74.00	-25.88	50.83	24.20	5.54	31.94	0.29	--	--	--	Peak	2 6024.00	63.25	88.20	-24.95	50.65	33.90	13.00	35.06	0.76	100	66	100	Peak	3 6024.00	51.60	68.20	-16.60	39.00	33.90	13.00	35.06	0.76	100	66	100	Average	4 6080.00	62.12	88.20	-26.08	46.63	36.60	13.06	35.78	0.81	100	346	100	Peak	5 6080.00	49.53	68.20	-18.67	34.04	36.60	13.86	35.78	0.81	100	346	100	Average	6 12770.00	51.97	88.20	-36.23	33.64	40.58	18.95	41.20	0.00	--	--	--	Peak	7 19305.00	54.04	74.00	-19.96	67.35	38.29	23.33	65.39	-9.54	172	355	172	Peak	8 19305.00	45.76	54.00	-8.24	59.07	38.29	23.33	65.39	-9.54	172	355	172	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1 1032.00	47.85	74.00	-26.15	50.93	23.28	5.28	31.94	0.30	--	--	--	Peak																																																																																																																																																																																																																																																										
2 6032.00	64.12	88.20	-24.08	51.47	33.93	13.01	35.06	0.77	100	127	100	Peak																																																																																																																																																																																																																																																										
3 6032.00	53.25	68.20	-14.95	40.60	33.93	13.01	35.06	0.77	100	127	100	Average																																																																																																																																																																																																																																																										
4 6080.00	65.17	88.20	-23.03	49.68	36.60	13.06	35.78	0.81	100	60	100	Peak																																																																																																																																																																																																																																																										
5 6080.00	51.96	68.20	-16.24	36.47	36.60	13.86	35.78	0.81	100	60	100	Average																																																																																																																																																																																																																																																										
6 12770.00	51.89	88.20	-36.31	33.56	40.58	18.95	41.20	0.00	--	--	--	Peak																																																																																																																																																																																																																																																										
7 19305.00	42.74	74.00	-31.26	56.05	38.29	23.33	65.39	-9.54	199	60	199	Peak																																																																																																																																																																																																																																																										
8 19305.00	34.08	54.00	-19.92	47.39	38.29	23.33	65.39	-9.54	199	60	199	Average																																																																																																																																																																																																																																																										
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1 1128.00	48.12	74.00	-25.88	50.83	24.20	5.54	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																										
2 6024.00	63.25	88.20	-24.95	50.65	33.90	13.00	35.06	0.76	100	66	100	Peak																																																																																																																																																																																																																																																										
3 6024.00	51.60	68.20	-16.60	39.00	33.90	13.00	35.06	0.76	100	66	100	Average																																																																																																																																																																																																																																																										
4 6080.00	62.12	88.20	-26.08	46.63	36.60	13.06	35.78	0.81	100	346	100	Peak																																																																																																																																																																																																																																																										
5 6080.00	49.53	68.20	-18.67	34.04	36.60	13.86	35.78	0.81	100	346	100	Average																																																																																																																																																																																																																																																										
6 12770.00	51.97	88.20	-36.23	33.64	40.58	18.95	41.20	0.00	--	--	--	Peak																																																																																																																																																																																																																																																										
7 19305.00	54.04	74.00	-19.96	67.35	38.29	23.33	65.39	-9.54	172	355	172	Peak																																																																																																																																																																																																																																																										
8 19305.00	45.76	54.00	-8.24	59.07	38.29	23.33	65.39	-9.54	172	355	172	Average																																																																																																																																																																																																																																																										



Mode	20	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	21																																																																																																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																																																																																																					
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																																																																																																																																																																																																					
ANT	1+2																																																																																																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK (UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1104.00</td><td>50.86</td><td>74.00</td><td>-23.14</td><td>53.26</td><td>23.78</td><td>5.47</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6072.00</td><td>64.28</td><td>88.20</td><td>-23.92</td><td>51.43</td><td>34.09</td><td>13.05</td><td>35.08</td><td>0.79</td><td>100</td><td>121</td><td>Peak</td></tr><tr><td>3</td><td>6072.00</td><td>53.43</td><td>68.20</td><td>-14.77</td><td>40.58</td><td>34.09</td><td>13.05</td><td>35.08</td><td>0.79</td><td>100</td><td>121</td><td>Average</td></tr><tr><td>4</td><td>6912.00</td><td>63.62</td><td>88.20</td><td>-24.58</td><td>40.20</td><td>36.68</td><td>13.09</td><td>35.97</td><td>0.82</td><td>101</td><td>66</td><td>Peak</td></tr><tr><td>5</td><td>6912.00</td><td>51.10</td><td>68.20</td><td>-17.10</td><td>35.68</td><td>36.68</td><td>13.09</td><td>35.97</td><td>0.82</td><td>101</td><td>66</td><td>Average</td></tr><tr><td>6</td><td>12950.00</td><td>52.54</td><td>88.20</td><td>-35.66</td><td>33.81</td><td>40.90</td><td>19.05</td><td>41.22</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19425.00</td><td>45.02</td><td>74.00</td><td>-28.98</td><td>58.12</td><td>38.30</td><td>23.41</td><td>65.27</td><td>-9.54</td><td>186</td><td>62</td><td>Peak</td></tr><tr><td>8</td><td>19425.00</td><td>34.43</td><td>54.00</td><td>-19.57</td><td>47.53</td><td>38.30</td><td>23.41</td><td>65.27</td><td>-9.54</td><td>186</td><td>62</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1104.00	50.86	74.00	-23.14	53.26	23.78	5.47	31.94	0.29	--	--	Peak	2	6072.00	64.28	88.20	-23.92	51.43	34.09	13.05	35.08	0.79	100	121	Peak	3	6072.00	53.43	68.20	-14.77	40.58	34.09	13.05	35.08	0.79	100	121	Average	4	6912.00	63.62	88.20	-24.58	40.20	36.68	13.09	35.97	0.82	101	66	Peak	5	6912.00	51.10	68.20	-17.10	35.68	36.68	13.09	35.97	0.82	101	66	Average	6	12950.00	52.54	88.20	-35.66	33.81	40.90	19.05	41.22	0.00	--	--	Peak	7	19425.00	45.02	74.00	-28.98	58.12	38.30	23.41	65.27	-9.54	186	62	Peak	8	19425.00	34.43	54.00	-19.57	47.53	38.30	23.41	65.27	-9.54	186	62	Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK (UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1104.00</td><td>48.09</td><td>74.00</td><td>-25.91</td><td>50.49</td><td>23.78</td><td>5.47</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6072.00</td><td>62.17</td><td>88.20</td><td>-26.03</td><td>49.32</td><td>34.09</td><td>13.05</td><td>35.08</td><td>0.79</td><td>100</td><td>68</td><td>Peak</td></tr><tr><td>3</td><td>6072.00</td><td>51.62</td><td>68.20</td><td>-16.58</td><td>38.77</td><td>34.09</td><td>13.05</td><td>35.08</td><td>0.79</td><td>100</td><td>68</td><td>Average</td></tr><tr><td>4</td><td>6856.00</td><td>61.78</td><td>88.20</td><td>-26.42</td><td>46.35</td><td>36.61</td><td>13.88</td><td>35.87</td><td>0.81</td><td>101</td><td>360</td><td>Peak</td></tr><tr><td>5</td><td>6856.00</td><td>48.47</td><td>68.20</td><td>-19.73</td><td>33.04</td><td>36.61</td><td>13.88</td><td>35.87</td><td>0.81</td><td>101</td><td>360</td><td>Average</td></tr><tr><td>6</td><td>12950.00</td><td>51.56</td><td>88.20</td><td>-36.64</td><td>32.83</td><td>40.90</td><td>19.05</td><td>41.22</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19425.00</td><td>56.92</td><td>74.00</td><td>-17.08</td><td>70.82</td><td>38.30</td><td>23.41</td><td>65.27</td><td>-9.54</td><td>174</td><td>353</td><td>Peak</td></tr><tr><td>8</td><td>19425.00</td><td>46.47</td><td>54.00</td><td>-7.53</td><td>59.57</td><td>38.30</td><td>23.41</td><td>65.27</td><td>-9.54</td><td>174</td><td>353</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1104.00	48.09	74.00	-25.91	50.49	23.78	5.47	31.94	0.29	--	--	Peak	2	6072.00	62.17	88.20	-26.03	49.32	34.09	13.05	35.08	0.79	100	68	Peak	3	6072.00	51.62	68.20	-16.58	38.77	34.09	13.05	35.08	0.79	100	68	Average	4	6856.00	61.78	88.20	-26.42	46.35	36.61	13.88	35.87	0.81	101	360	Peak	5	6856.00	48.47	68.20	-19.73	33.04	36.61	13.88	35.87	0.81	101	360	Average	6	12950.00	51.56	88.20	-36.64	32.83	40.90	19.05	41.22	0.00	--	--	Peak	7	19425.00	56.92	74.00	-17.08	70.82	38.30	23.41	65.27	-9.54	174	353	Peak	8	19425.00	46.47	54.00	-7.53	59.57	38.30	23.41	65.27	-9.54	174	353	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1	1104.00	50.86	74.00	-23.14	53.26	23.78	5.47	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																										
2	6072.00	64.28	88.20	-23.92	51.43	34.09	13.05	35.08	0.79	100	121	Peak																																																																																																																																																																																																																																																										
3	6072.00	53.43	68.20	-14.77	40.58	34.09	13.05	35.08	0.79	100	121	Average																																																																																																																																																																																																																																																										
4	6912.00	63.62	88.20	-24.58	40.20	36.68	13.09	35.97	0.82	101	66	Peak																																																																																																																																																																																																																																																										
5	6912.00	51.10	68.20	-17.10	35.68	36.68	13.09	35.97	0.82	101	66	Average																																																																																																																																																																																																																																																										
6	12950.00	52.54	88.20	-35.66	33.81	40.90	19.05	41.22	0.00	--	--	Peak																																																																																																																																																																																																																																																										
7	19425.00	45.02	74.00	-28.98	58.12	38.30	23.41	65.27	-9.54	186	62	Peak																																																																																																																																																																																																																																																										
8	19425.00	34.43	54.00	-19.57	47.53	38.30	23.41	65.27	-9.54	186	62	Average																																																																																																																																																																																																																																																										
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1	1104.00	48.09	74.00	-25.91	50.49	23.78	5.47	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																										
2	6072.00	62.17	88.20	-26.03	49.32	34.09	13.05	35.08	0.79	100	68	Peak																																																																																																																																																																																																																																																										
3	6072.00	51.62	68.20	-16.58	38.77	34.09	13.05	35.08	0.79	100	68	Average																																																																																																																																																																																																																																																										
4	6856.00	61.78	88.20	-26.42	46.35	36.61	13.88	35.87	0.81	101	360	Peak																																																																																																																																																																																																																																																										
5	6856.00	48.47	68.20	-19.73	33.04	36.61	13.88	35.87	0.81	101	360	Average																																																																																																																																																																																																																																																										
6	12950.00	51.56	88.20	-36.64	32.83	40.90	19.05	41.22	0.00	--	--	Peak																																																																																																																																																																																																																																																										
7	19425.00	56.92	74.00	-17.08	70.82	38.30	23.41	65.27	-9.54	174	353	Peak																																																																																																																																																																																																																																																										
8	19425.00	46.47	54.00	-7.53	59.57	38.30	23.41	65.27	-9.54	174	353	Average																																																																																																																																																																																																																																																										



Mode	21	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-07 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-07 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	22																																																																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																																																																											
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																																																																																																																																																																																																											
ANT	1+2																																																																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-06-07 Site : 03CH22-HY Condition: PEAK (UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1104.00</td><td>50.01</td><td>74.00</td><td>-23.99</td><td>52.41</td><td>23.78</td><td>5.47</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6144.00</td><td>65.76</td><td>88.20</td><td>-22.44</td><td>52.43</td><td>34.46</td><td>13.13</td><td>35.10</td><td>0.84</td><td>102</td><td>118</td><td>Peak</td></tr><tr><td>3</td><td>6144.00</td><td>54.36</td><td>68.20</td><td>-13.84</td><td>41.03</td><td>34.46</td><td>13.13</td><td>35.10</td><td>0.84</td><td>102</td><td>118</td><td>Average</td></tr><tr><td>4</td><td>6912.00</td><td>63.09</td><td>88.20</td><td>-25.11</td><td>47.67</td><td>36.68</td><td>13.89</td><td>35.97</td><td>0.82</td><td>100</td><td>64</td><td>Peak</td></tr><tr><td>5</td><td>6912.00</td><td>50.47</td><td>68.20</td><td>-17.73</td><td>35.05</td><td>36.68</td><td>13.89</td><td>35.97</td><td>0.82</td><td>100</td><td>64</td><td>Average</td></tr><tr><td>6</td><td>13030.00</td><td>51.63</td><td>88.20</td><td>-36.57</td><td>33.24</td><td>40.56</td><td>19.11</td><td>41.28</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19545.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>58.99</td><td>38.19</td><td>23.48</td><td>65.13</td><td>-9.54</td><td>165</td><td>143</td><td>Peak</td></tr><tr><td>8</td><td>19545.00</td><td>37.84</td><td>54.00</td><td>-16.16</td><td>50.84</td><td>38.19</td><td>23.48</td><td>65.13</td><td>-9.54</td><td>165</td><td>143</td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1104.00	50.01	74.00	-23.99	52.41	23.78	5.47	31.94	0.29	--	--	--	Peak	2	6144.00	65.76	88.20	-22.44	52.43	34.46	13.13	35.10	0.84	102	118	Peak	3	6144.00	54.36	68.20	-13.84	41.03	34.46	13.13	35.10	0.84	102	118	Average	4	6912.00	63.09	88.20	-25.11	47.67	36.68	13.89	35.97	0.82	100	64	Peak	5	6912.00	50.47	68.20	-17.73	35.05	36.68	13.89	35.97	0.82	100	64	Average	6	13030.00	51.63	88.20	-36.57	33.24	40.56	19.11	41.28	0.00	--	--	Peak	7	19545.00	45.99	74.00	-28.01	58.99	38.19	23.48	65.13	-9.54	165	143	Peak	8	19545.00	37.84	54.00	-16.16	50.84	38.19	23.48	65.13	-9.54	165	143	Average	Level (dBuV/m) Date: 2025-06-07 Site : 03CH22-HY Condition: PEAK (UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1104.00</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>51.37</td><td>23.78</td><td>5.47</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6096.00</td><td>63.55</td><td>88.20</td><td>-24.65</td><td>50.57</td><td>34.18</td><td>13.08</td><td>35.09</td><td>0.81</td><td>100</td><td>69</td><td>Peak</td></tr><tr><td>3</td><td>6096.00</td><td>51.74</td><td>68.20</td><td>-16.46</td><td>38.76</td><td>34.18</td><td>13.08</td><td>35.09</td><td>0.81</td><td>100</td><td>69</td><td>Average</td></tr><tr><td>4</td><td>6944.00</td><td>60.91</td><td>88.20</td><td>-27.29</td><td>45.60</td><td>36.61</td><td>13.90</td><td>36.02</td><td>0.82</td><td>101</td><td>360</td><td>Peak</td></tr><tr><td>5</td><td>6944.00</td><td>46.68</td><td>68.20</td><td>-21.52</td><td>31.37</td><td>36.61</td><td>13.90</td><td>36.02</td><td>0.82</td><td>101</td><td>360</td><td>Average</td></tr><tr><td>6</td><td>13030.00</td><td>51.65</td><td>88.20</td><td>-36.55</td><td>33.26</td><td>40.56</td><td>19.11</td><td>41.28</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19545.00</td><td>56.84</td><td>74.00</td><td>-17.16</td><td>69.84</td><td>38.19</td><td>23.48</td><td>65.13</td><td>-9.54</td><td>171</td><td>354</td><td>Peak</td></tr><tr><td>8</td><td>19545.00</td><td>47.48</td><td>54.00</td><td>-6.52</td><td>60.48</td><td>38.19</td><td>23.48</td><td>65.13</td><td>-9.54</td><td>171</td><td>354</td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1104.00	48.97	74.00	-25.03	51.37	23.78	5.47	31.94	0.29	--	--	--	Peak	2	6096.00	63.55	88.20	-24.65	50.57	34.18	13.08	35.09	0.81	100	69	Peak	3	6096.00	51.74	68.20	-16.46	38.76	34.18	13.08	35.09	0.81	100	69	Average	4	6944.00	60.91	88.20	-27.29	45.60	36.61	13.90	36.02	0.82	101	360	Peak	5	6944.00	46.68	68.20	-21.52	31.37	36.61	13.90	36.02	0.82	101	360	Average	6	13030.00	51.65	88.20	-36.55	33.26	40.56	19.11	41.28	0.00	--	--	Peak	7	19545.00	56.84	74.00	-17.16	69.84	38.19	23.48	65.13	-9.54	171	354	Peak	8	19545.00	47.48	54.00	-6.52	60.48	38.19	23.48	65.13	-9.54	171	354	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																															
1	1104.00	50.01	74.00	-23.99	52.41	23.78	5.47	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																															
2	6144.00	65.76	88.20	-22.44	52.43	34.46	13.13	35.10	0.84	102	118	Peak																																																																																																																																																																																																																																																																
3	6144.00	54.36	68.20	-13.84	41.03	34.46	13.13	35.10	0.84	102	118	Average																																																																																																																																																																																																																																																																
4	6912.00	63.09	88.20	-25.11	47.67	36.68	13.89	35.97	0.82	100	64	Peak																																																																																																																																																																																																																																																																
5	6912.00	50.47	68.20	-17.73	35.05	36.68	13.89	35.97	0.82	100	64	Average																																																																																																																																																																																																																																																																
6	13030.00	51.63	88.20	-36.57	33.24	40.56	19.11	41.28	0.00	--	--	Peak																																																																																																																																																																																																																																																																
7	19545.00	45.99	74.00	-28.01	58.99	38.19	23.48	65.13	-9.54	165	143	Peak																																																																																																																																																																																																																																																																
8	19545.00	37.84	54.00	-16.16	50.84	38.19	23.48	65.13	-9.54	165	143	Average																																																																																																																																																																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																
1	1104.00	48.97	74.00	-25.03	51.37	23.78	5.47	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																															
2	6096.00	63.55	88.20	-24.65	50.57	34.18	13.08	35.09	0.81	100	69	Peak																																																																																																																																																																																																																																																																
3	6096.00	51.74	68.20	-16.46	38.76	34.18	13.08	35.09	0.81	100	69	Average																																																																																																																																																																																																																																																																
4	6944.00	60.91	88.20	-27.29	45.60	36.61	13.90	36.02	0.82	101	360	Peak																																																																																																																																																																																																																																																																
5	6944.00	46.68	68.20	-21.52	31.37	36.61	13.90	36.02	0.82	101	360	Average																																																																																																																																																																																																																																																																
6	13030.00	51.65	88.20	-36.55	33.26	40.56	19.11	41.28	0.00	--	--	Peak																																																																																																																																																																																																																																																																
7	19545.00	56.84	74.00	-17.16	69.84	38.19	23.48	65.13	-9.54	171	354	Peak																																																																																																																																																																																																																																																																
8	19545.00	47.48	54.00	-6.52	60.48	38.19	23.48	65.13	-9.54	171	354	Average																																																																																																																																																																																																																																																																



Mode	22	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-07 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-07 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL