



Mode	10	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

11

Mode

Harmonic

U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz

ANT

1+2

Pol.

Horizontal

Vertical

Peak

Avg

Level (dBuV/m)

Date: 2025-06-09

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

0

8000

16000

24000

32000

40000

PEAK(UNII)_6E

AVG(UNII)_6E

1000

8000

16000

24000

32000

40000

Frequency (MHz)

Site : 03CH22-HY

Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL

	Freq	Limit	Read	Ant	Cable	Preamplifier	Aux	Apos	TPos	Remark	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	1152.00	49.36	74.00	-24.64	51.37	24.04	5.60	31.94	0.29	--	Peak
2	6016.00	62.50	88.20	-25.70	49.95	33.86	12.99	35.06	0.76	100	121 Peak
3	6016.00	51.55	68.20	-16.65	39.00	33.86	12.99	35.06	0.76	100	121 Average
4	6040.00	62.16	88.20	-26.04	46.72	36.60	13.87	35.84	0.81	100	63 Peak
5	6040.00	49.91	68.20	-18.29	34.47	36.60	13.87	35.84	0.81	100	63 Average
6	12810.00	52.31	88.20	-35.89	33.86	40.68	18.97	41.20	0.00	--	Peak
7	19215.00	39.45	74.00	-34.55	53.07	38.14	23.27	65.49	-9.54	--	Peak

Vertical

Level (dBuV/m)

Date: 2025-06-09

140

122.5

105.0

87.5

70.0

52.5

35.0

17.5

0

0

8000

16000

24000

32000

40000

PEAK(UNII)_6E

AVG(UNII)_6E

1000

8000

16000

24000

32000

40000

Frequency (MHz)

Site : 03CH22-HY









Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL

	Freq	Limit	Read	Ant	Cable	Preamplifier	Aux	Apos	TPos	Remark	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	1112.00	48.16	74.00	-25.84	50.36	23.96	5.49	31.94	0.29	--	Peak
2	6016.00	61.22	88.20	-26.98	48.67	33.86	12.99	35.06	0.76	100	339 Peak
3	6016.00	51.27	68.20	-16.93	38.72	33.86	12.99	35.06	0.76	100	339 Average
4	6792.00	59.29	88.20	-28.91	43.81	36.57	13.85	35.75	0.81	101	359 Peak
5	6792.00	46.96	68.20	-21.24	31.48	36.57	13.85	35.75	0.81	101	359 Average
6	12810.00	51.94	88.20	-36.26	33.49	40.68	18.97	41.20	0.00	--	Peak
7	19215.00	49.62	74.00	-24.38	63.24	38.14	23.27	65.49	-9.54	171	0 Peak
8	19215.00	38.61	54.00	-15.39	52.23	38.14	23.27	65.49	-9.54	171	0 Average



Mode	11	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full RU_6405MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	12																																																																																																																																																																																																				
	Band Edge																																																																																																																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																																																																																																																				
ANT	1+2																																																																																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																																																																																														
Peak	Level (dBuV/m) Date: 2025-06-05  Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.96</td><td>68.72</td><td>88.20</td><td>-19.48</td><td>56.43</td><td>33.66</td><td>12.76</td><td>35.03</td><td>0.90</td><td>100</td><td>118 Peak</td></tr></table> Level (dBuV/m) Date: 2025-06-05  Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>107.80</td><td>-----</td><td>-----</td><td>95.51</td><td>33.64</td><td>12.87</td><td>35.04</td><td>0.82</td><td>100</td><td>118 Peak</td></tr></table> <tr><td rowspan="2">Avg</td><td colspan="12"> Level (dBuV/m) Date: 2025-06-05  Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.84</td><td>59.84</td><td>68.20</td><td>-8.36</td><td>47.54</td><td>33.67</td><td>12.76</td><td>35.03</td><td>0.90</td><td>100</td><td>118 Average</td></tr></table> Level (dBuV/m) Date: 2025-06-05  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>99.99</td><td>-----</td><td>-----</td><td>87.59</td><td>33.74</td><td>12.93</td><td>35.05</td><td>0.78</td><td>100</td><td>118 Average</td></tr></table> </td></tr>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.96	68.72	88.20	-19.48	56.43	33.66	12.76	35.03	0.90	100	118 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	107.80	-----	-----	95.51	33.64	12.87	35.04	0.82	100	118 Peak	Avg	Level (dBuV/m) Date: 2025-06-05  Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.84</td><td>59.84</td><td>68.20</td><td>-8.36</td><td>47.54</td><td>33.67</td><td>12.76</td><td>35.03</td><td>0.90</td><td>100</td><td>118 Average</td></tr></table> Level (dBuV/m) Date: 2025-06-05  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>99.99</td><td>-----</td><td>-----</td><td>87.59</td><td>33.74</td><td>12.93</td><td>35.05</td><td>0.78</td><td>100</td><td>118 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.84	59.84	68.20	-8.36	47.54	33.67	12.76	35.03	0.90	100	118 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	99.99	-----	-----	87.59	33.74	12.93	35.05	0.78	100	118 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																											
1	5917.96	68.72	88.20	-19.48	56.43	33.66	12.76	35.03	0.90	100	118 Peak																																																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																											
1	5985.00	107.80	-----	-----	95.51	33.64	12.87	35.04	0.82	100	118 Peak																																																																																																																																																																																										
Avg	Level (dBuV/m) Date: 2025-06-05  Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5916.84</td><td>59.84</td><td>68.20</td><td>-8.36</td><td>47.54</td><td>33.67</td><td>12.76</td><td>35.03</td><td>0.90</td><td>100</td><td>118 Average</td></tr></table> Level (dBuV/m) Date: 2025-06-05  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>99.99</td><td>-----</td><td>-----</td><td>87.59</td><td>33.74</td><td>12.93</td><td>35.05</td><td>0.78</td><td>100</td><td>118 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.84	59.84	68.20	-8.36	47.54	33.67	12.76	35.03	0.90	100	118 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	99.99	-----	-----	87.59	33.74	12.93	35.05	0.78	100	118 Average																																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																											
1	5916.84	59.84	68.20	-8.36	47.54	33.67	12.76	35.03	0.90	100	118 Average																																																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																											
1	5985.00	99.99	-----	-----	87.59	33.74	12.93	35.05	0.78	100	118 Average																																																																																																																																																																																										



Mode	12																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.60</td><td>65.06</td><td>88.20</td><td>-23.14</td><td>52.77</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>300</td><td>141 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.60	65.06	88.20	-23.14	52.77	33.65	12.78	35.03	0.89	300	141 Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>103.96</td><td>-----</td><td>-----</td><td>91.48</td><td>33.81</td><td>12.97</td><td>35.05</td><td>0.75</td><td>300</td><td>141 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	103.96	-----	-----	91.48	33.81	12.97	35.05	0.75	300	141 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5922.60	65.06	88.20	-23.14	52.77	33.65	12.78	35.03	0.89	300	141 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	103.96	-----	-----	91.48	33.81	12.97	35.05	0.75	300	141 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.72</td><td>53.97</td><td>68.20</td><td>-14.23</td><td>41.68</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>300</td><td>141 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.72	53.97	68.20	-14.23	41.68	33.65	12.78	35.03	0.89	300	141 Average	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>96.30</td><td>-----</td><td>-----</td><td>83.87</td><td>33.76</td><td>12.95</td><td>35.05</td><td>0.77</td><td>300</td><td>141 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.30	-----	-----	83.87	33.76	12.95	35.05	0.77	300	141 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5923.72	53.97	68.20	-14.23	41.68	33.65	12.78	35.03	0.89	300	141 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5985.00	96.30	-----	-----	83.87	33.76	12.95	35.05	0.77	300	141 Average																																																																																							



Mode	12																																																																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																																																																																																																																																																																	
ANT	1+2																																																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 1136.00</td><td>49.22</td><td>74.00</td><td>-24.78</td><td>51.17</td><td>24.14</td><td>5.56</td><td>31.94</td><td>0.29</td><td>-- Peak</td></tr><tr><td>2 5624.00</td><td>62.76</td><td>88.20</td><td>-25.44</td><td>51.52</td><td>32.99</td><td>12.43</td><td>34.97</td><td>0.79</td><td>100 128 Peak</td></tr><tr><td>3 5624.00</td><td>51.07</td><td>68.20</td><td>-17.13</td><td>39.83</td><td>32.99</td><td>12.43</td><td>34.97</td><td>0.79</td><td>100 128 Average</td></tr><tr><td>4 6384.00</td><td>60.85</td><td>88.20</td><td>-27.35</td><td>46.20</td><td>35.64</td><td>13.36</td><td>35.20</td><td>0.85</td><td>100 56 Peak</td></tr><tr><td>5 6384.00</td><td>47.89</td><td>68.20</td><td>-20.31</td><td>33.24</td><td>35.64</td><td>13.36</td><td>35.20</td><td>0.85</td><td>100 56 Average</td></tr><tr><td>6 11970.00</td><td>50.94</td><td>74.00</td><td>-23.06</td><td>34.42</td><td>39.24</td><td>18.15</td><td>40.87</td><td>0.00</td><td>-- Peak</td></tr><tr><td>7 11970.00</td><td>41.93</td><td>54.00</td><td>-12.07</td><td>25.41</td><td>39.24</td><td>18.15</td><td>40.87</td><td>0.00</td><td>-- Average</td></tr><tr><td>8 17955.00</td><td>55.46</td><td>74.00</td><td>-18.54</td><td>37.21</td><td>41.53</td><td>22.30</td><td>45.58</td><td>0.00</td><td>-- Peak</td></tr><tr><td>9 17955.00</td><td>46.44</td><td>54.00</td><td>-7.56</td><td>28.19</td><td>41.53</td><td>22.30</td><td>45.58</td><td>0.00</td><td>-- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 1136.00	49.22	74.00	-24.78	51.17	24.14	5.56	31.94	0.29	-- Peak	2 5624.00	62.76	88.20	-25.44	51.52	32.99	12.43	34.97	0.79	100 128 Peak	3 5624.00	51.07	68.20	-17.13	39.83	32.99	12.43	34.97	0.79	100 128 Average	4 6384.00	60.85	88.20	-27.35	46.20	35.64	13.36	35.20	0.85	100 56 Peak	5 6384.00	47.89	68.20	-20.31	33.24	35.64	13.36	35.20	0.85	100 56 Average	6 11970.00	50.94	74.00	-23.06	34.42	39.24	18.15	40.87	0.00	-- Peak	7 11970.00	41.93	54.00	-12.07	25.41	39.24	18.15	40.87	0.00	-- Average	8 17955.00	55.46	74.00	-18.54	37.21	41.53	22.30	45.58	0.00	-- Peak	9 17955.00	46.44	54.00	-7.56	28.19	41.53	22.30	45.58	0.00	-- Average	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 1000.00</td><td>48.95</td><td>74.00</td><td>-25.05</td><td>52.10</td><td>23.30</td><td>5.19</td><td>31.94</td><td>0.30</td><td>-- Peak</td></tr><tr><td>2 5592.00</td><td>56.27</td><td>88.20</td><td>-31.93</td><td>45.28</td><td>32.78</td><td>12.42</td><td>34.96</td><td>0.75</td><td>100 128 Peak</td></tr><tr><td>3 5592.00</td><td>44.00</td><td>68.20</td><td>-24.20</td><td>33.01</td><td>32.78</td><td>12.42</td><td>34.96</td><td>0.75</td><td>100 128 Average</td></tr><tr><td>4 6400.00</td><td>59.68</td><td>88.20</td><td>-28.52</td><td>44.95</td><td>35.70</td><td>13.38</td><td>35.20</td><td>0.85</td><td>100 341 Peak</td></tr><tr><td>5 6400.00</td><td>46.63</td><td>68.20</td><td>-21.57</td><td>31.90</td><td>35.70</td><td>13.38</td><td>35.20</td><td>0.85</td><td>100 341 Average</td></tr><tr><td>6 11970.00</td><td>50.11</td><td>74.00</td><td>-23.89</td><td>33.59</td><td>39.24</td><td>18.15</td><td>40.87</td><td>0.00</td><td>-- Peak</td></tr><tr><td>7 11970.00</td><td>41.03</td><td>54.00</td><td>-12.97</td><td>24.51</td><td>39.24</td><td>18.15</td><td>40.87</td><td>0.00</td><td>-- Average</td></tr><tr><td>8 17955.00</td><td>54.29</td><td>74.00</td><td>-19.71</td><td>36.04</td><td>41.53</td><td>22.30</td><td>45.58</td><td>0.00</td><td>-- Peak</td></tr><tr><td>9 17955.00</td><td>45.29</td><td>54.00</td><td>-8.71</td><td>27.04</td><td>41.53</td><td>22.30</td><td>45.58</td><td>0.00</td><td>-- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 1000.00	48.95	74.00	-25.05	52.10	23.30	5.19	31.94	0.30	-- Peak	2 5592.00	56.27	88.20	-31.93	45.28	32.78	12.42	34.96	0.75	100 128 Peak	3 5592.00	44.00	68.20	-24.20	33.01	32.78	12.42	34.96	0.75	100 128 Average	4 6400.00	59.68	88.20	-28.52	44.95	35.70	13.38	35.20	0.85	100 341 Peak	5 6400.00	46.63	68.20	-21.57	31.90	35.70	13.38	35.20	0.85	100 341 Average	6 11970.00	50.11	74.00	-23.89	33.59	39.24	18.15	40.87	0.00	-- Peak	7 11970.00	41.03	54.00	-12.97	24.51	39.24	18.15	40.87	0.00	-- Average	8 17955.00	54.29	74.00	-19.71	36.04	41.53	22.30	45.58	0.00	-- Peak	9 17955.00	45.29	54.00	-8.71	27.04	41.53	22.30	45.58	0.00	-- Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																								
	Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																																																																																																																																																																											
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																										
1 1136.00	49.22	74.00	-24.78	51.17	24.14	5.56	31.94	0.29	-- Peak																																																																																																																																																																																																																																									
2 5624.00	62.76	88.20	-25.44	51.52	32.99	12.43	34.97	0.79	100 128 Peak																																																																																																																																																																																																																																									
3 5624.00	51.07	68.20	-17.13	39.83	32.99	12.43	34.97	0.79	100 128 Average																																																																																																																																																																																																																																									
4 6384.00	60.85	88.20	-27.35	46.20	35.64	13.36	35.20	0.85	100 56 Peak																																																																																																																																																																																																																																									
5 6384.00	47.89	68.20	-20.31	33.24	35.64	13.36	35.20	0.85	100 56 Average																																																																																																																																																																																																																																									
6 11970.00	50.94	74.00	-23.06	34.42	39.24	18.15	40.87	0.00	-- Peak																																																																																																																																																																																																																																									
7 11970.00	41.93	54.00	-12.07	25.41	39.24	18.15	40.87	0.00	-- Average																																																																																																																																																																																																																																									
8 17955.00	55.46	74.00	-18.54	37.21	41.53	22.30	45.58	0.00	-- Peak																																																																																																																																																																																																																																									
9 17955.00	46.44	54.00	-7.56	28.19	41.53	22.30	45.58	0.00	-- Average																																																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss	Factor	Factor																																																																																																																																																																																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																										
1 1000.00	48.95	74.00	-25.05	52.10	23.30	5.19	31.94	0.30	-- Peak																																																																																																																																																																																																																																									
2 5592.00	56.27	88.20	-31.93	45.28	32.78	12.42	34.96	0.75	100 128 Peak																																																																																																																																																																																																																																									
3 5592.00	44.00	68.20	-24.20	33.01	32.78	12.42	34.96	0.75	100 128 Average																																																																																																																																																																																																																																									
4 6400.00	59.68	88.20	-28.52	44.95	35.70	13.38	35.20	0.85	100 341 Peak																																																																																																																																																																																																																																									
5 6400.00	46.63	68.20	-21.57	31.90	35.70	13.38	35.20	0.85	100 341 Average																																																																																																																																																																																																																																									
6 11970.00	50.11	74.00	-23.89	33.59	39.24	18.15	40.87	0.00	-- Peak																																																																																																																																																																																																																																									
7 11970.00	41.03	54.00	-12.97	24.51	39.24	18.15	40.87	0.00	-- Average																																																																																																																																																																																																																																									
8 17955.00	54.29	74.00	-19.71	36.04	41.53	22.30	45.58	0.00	-- Peak																																																																																																																																																																																																																																									
9 17955.00	45.29	54.00	-8.71	27.04	41.53	22.30	45.58	0.00	-- Average																																																																																																																																																																																																																																									



Mode	12	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full RU_5985MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-05 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-05 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	13																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial RU 484/65_5985MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.88</td><td>74.63</td><td>88.20</td><td>-13.57</td><td>62.33</td><td>33.67</td><td>12.76</td><td>35.03</td><td>0.90</td><td>100</td><td>112</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.88	74.63	88.20	-13.57	62.33	33.67	12.76	35.03	0.90	100	112	Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>110.03</td><td>-----</td><td>-----</td><td>97.77</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>100</td><td>112</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	110.03	-----	-----	97.77	33.62	12.85	35.04	0.83	100	112	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5915.88	74.63	88.20	-13.57	62.33	33.67	12.76	35.03	0.90	100	112	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	110.03	-----	-----	97.77	33.62	12.85	35.04	0.83	100	112	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.68</td><td>59.15</td><td>68.20</td><td>-9.05</td><td>46.86</td><td>33.66</td><td>12.77</td><td>35.03</td><td>0.89</td><td>100</td><td>112</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.68	59.15	68.20	-9.05	46.86	33.66	12.77	35.03	0.89	100	112	Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>102.27</td><td>-----</td><td>-----</td><td>90.03</td><td>33.60</td><td>12.84</td><td>35.04</td><td>0.84</td><td>100</td><td>112</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	102.27	-----	-----	90.03	33.60	12.84	35.04	0.84	100	112	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5920.68	59.15	68.20	-9.05	46.86	33.66	12.77	35.03	0.89	100	112	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	102.27	-----	-----	90.03	33.60	12.84	35.04	0.84	100	112	Average																																																																																								



Mode	13																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Partial RU 484/65_5985MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.28</td><td>79.43</td><td>88.20</td><td>-8.77</td><td>67.13</td><td>33.66</td><td>12.77</td><td>35.03</td><td>0.90</td><td>371</td><td>131</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.28	79.43	88.20	-8.77	67.13	33.66	12.77	35.03	0.90	371	131	Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>107.19</td><td>-----</td><td>-----</td><td>94.93</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>371</td><td>131</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	107.19	-----	-----	94.93	33.62	12.85	35.04	0.83	371	131	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5918.28	79.43	88.20	-8.77	67.13	33.66	12.77	35.03	0.90	371	131	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	107.19	-----	-----	94.93	33.62	12.85	35.04	0.83	371	131	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.08</td><td>56.00</td><td>68.20</td><td>-12.20</td><td>43.71</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>371</td><td>131</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.08	56.00	68.20	-12.20	43.71	33.65	12.78	35.03	0.89	371	131	Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>100.46</td><td>-----</td><td>-----</td><td>88.20</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>371</td><td>131</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	100.46	-----	-----	88.20	33.62	12.85	35.04	0.83	371	131	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.08	56.00	68.20	-12.20	43.71	33.65	12.78	35.03	0.89	371	131	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5985.00	100.46	-----	-----	88.20	33.62	12.85	35.04	0.83	371	131	Average																																																																																								



Mode	14																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz																																																																																																																																																																																																																													
ANT	1+2																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-06-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>1128.00</td><td>49.72</td><td>74.00</td><td>-24.28</td><td>51.63</td><td>24.20</td><td>5.54</td><td>31.94</td><td>0.29 -- Peak</td></tr><tr><td>2</td><td>5832.00</td><td>62.61</td><td>88.20</td><td>-25.59</td><td>50.35</td><td>33.67</td><td>12.55</td><td>35.01</td><td>1.05 100 121 Peak</td></tr><tr><td>3</td><td>5832.00</td><td>51.54</td><td>68.20</td><td>-16.66</td><td>39.28</td><td>33.67</td><td>12.55</td><td>35.01</td><td>1.05 100 121 Average</td></tr><tr><td>4</td><td>6616.00</td><td>61.20</td><td>88.20</td><td>-27.00</td><td>46.00</td><td>36.23</td><td>13.57</td><td>35.44</td><td>0.84 282 24 Peak</td></tr><tr><td>5</td><td>6616.00</td><td>48.55</td><td>68.20</td><td>-19.65</td><td>33.35</td><td>36.23</td><td>13.57</td><td>35.44</td><td>0.84 282 24 Average</td></tr><tr><td>6</td><td>12450.00</td><td>51.40</td><td>74.00</td><td>-22.60</td><td>33.91</td><td>39.90</td><td>18.74</td><td>41.15</td><td>0.00 -- Peak</td></tr><tr><td>7</td><td>12450.00</td><td>41.41</td><td>54.00</td><td>-12.59</td><td>23.92</td><td>39.90</td><td>18.74</td><td>41.15</td><td>0.00 -- Average</td></tr><tr><td>8</td><td>18682.00</td><td>39.43</td><td>74.00</td><td>-34.57</td><td>54.09</td><td>38.24</td><td>22.91</td><td>66.27</td><td>-9.54 -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	1128.00	49.72	74.00	-24.28	51.63	24.20	5.54	31.94	0.29 -- Peak	2	5832.00	62.61	88.20	-25.59	50.35	33.67	12.55	35.01	1.05 100 121 Peak	3	5832.00	51.54	68.20	-16.66	39.28	33.67	12.55	35.01	1.05 100 121 Average	4	6616.00	61.20	88.20	-27.00	46.00	36.23	13.57	35.44	0.84 282 24 Peak	5	6616.00	48.55	68.20	-19.65	33.35	36.23	13.57	35.44	0.84 282 24 Average	6	12450.00	51.40	74.00	-22.60	33.91	39.90	18.74	41.15	0.00 -- Peak	7	12450.00	41.41	54.00	-12.59	23.92	39.90	18.74	41.15	0.00 -- Average	8	18682.00	39.43	74.00	-34.57	54.09	38.24	22.91	66.27	-9.54 -- Peak	Level (dBuV/m) Date: 2025-06-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>1008.00</td><td>47.54</td><td>74.00</td><td>-26.46</td><td>50.67</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30 -- Peak</td></tr><tr><td>2</td><td>5824.00</td><td>61.56</td><td>88.20</td><td>-26.64</td><td>49.27</td><td>33.70</td><td>12.53</td><td>35.01</td><td>1.07 352 127 Peak</td></tr><tr><td>3</td><td>5824.00</td><td>49.38</td><td>68.20</td><td>-18.82</td><td>37.09</td><td>33.70</td><td>12.53</td><td>35.01</td><td>1.07 352 127 Average</td></tr><tr><td>4</td><td>6640.00</td><td>58.12</td><td>88.20</td><td>-30.08</td><td>42.09</td><td>36.28</td><td>13.61</td><td>35.49</td><td>0.83 100 342 Peak</td></tr><tr><td>5</td><td>6640.00</td><td>47.00</td><td>68.20</td><td>-21.12</td><td>31.85</td><td>36.28</td><td>13.61</td><td>35.49</td><td>0.83 100 342 Average</td></tr><tr><td>6</td><td>12450.00</td><td>50.63</td><td>74.00</td><td>-23.37</td><td>33.14</td><td>39.90</td><td>18.74</td><td>41.15</td><td>0.00 -- Peak</td></tr><tr><td>7</td><td>12450.00</td><td>41.55</td><td>54.00</td><td>-12.45</td><td>24.06</td><td>39.90</td><td>18.74</td><td>41.15</td><td>0.00 -- Average</td></tr><tr><td>8</td><td>18682.00</td><td>39.98</td><td>74.00</td><td>-34.02</td><td>54.64</td><td>38.24</td><td>22.91</td><td>66.27</td><td>-9.54 -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	1008.00	47.54	74.00	-26.46	50.67	23.30	5.21	31.94	0.30 -- Peak	2	5824.00	61.56	88.20	-26.64	49.27	33.70	12.53	35.01	1.07 352 127 Peak	3	5824.00	49.38	68.20	-18.82	37.09	33.70	12.53	35.01	1.07 352 127 Average	4	6640.00	58.12	88.20	-30.08	42.09	36.28	13.61	35.49	0.83 100 342 Peak	5	6640.00	47.00	68.20	-21.12	31.85	36.28	13.61	35.49	0.83 100 342 Average	6	12450.00	50.63	74.00	-23.37	33.14	39.90	18.74	41.15	0.00 -- Peak	7	12450.00	41.55	54.00	-12.45	24.06	39.90	18.74	41.15	0.00 -- Average	8	18682.00	39.98	74.00	-34.02	54.64	38.24	22.91	66.27	-9.54 -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																					
1	1128.00	49.72	74.00	-24.28	51.63	24.20	5.54	31.94	0.29 -- Peak																																																																																																																																																																																																																					
2	5832.00	62.61	88.20	-25.59	50.35	33.67	12.55	35.01	1.05 100 121 Peak																																																																																																																																																																																																																					
3	5832.00	51.54	68.20	-16.66	39.28	33.67	12.55	35.01	1.05 100 121 Average																																																																																																																																																																																																																					
4	6616.00	61.20	88.20	-27.00	46.00	36.23	13.57	35.44	0.84 282 24 Peak																																																																																																																																																																																																																					
5	6616.00	48.55	68.20	-19.65	33.35	36.23	13.57	35.44	0.84 282 24 Average																																																																																																																																																																																																																					
6	12450.00	51.40	74.00	-22.60	33.91	39.90	18.74	41.15	0.00 -- Peak																																																																																																																																																																																																																					
7	12450.00	41.41	54.00	-12.59	23.92	39.90	18.74	41.15	0.00 -- Average																																																																																																																																																																																																																					
8	18682.00	39.43	74.00	-34.57	54.09	38.24	22.91	66.27	-9.54 -- Peak																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																					
1	1008.00	47.54	74.00	-26.46	50.67	23.30	5.21	31.94	0.30 -- Peak																																																																																																																																																																																																																					
2	5824.00	61.56	88.20	-26.64	49.27	33.70	12.53	35.01	1.07 352 127 Peak																																																																																																																																																																																																																					
3	5824.00	49.38	68.20	-18.82	37.09	33.70	12.53	35.01	1.07 352 127 Average																																																																																																																																																																																																																					
4	6640.00	58.12	88.20	-30.08	42.09	36.28	13.61	35.49	0.83 100 342 Peak																																																																																																																																																																																																																					
5	6640.00	47.00	68.20	-21.12	31.85	36.28	13.61	35.49	0.83 100 342 Average																																																																																																																																																																																																																					
6	12450.00	50.63	74.00	-23.37	33.14	39.90	18.74	41.15	0.00 -- Peak																																																																																																																																																																																																																					
7	12450.00	41.55	54.00	-12.45	24.06	39.90	18.74	41.15	0.00 -- Average																																																																																																																																																																																																																					
8	18682.00	39.98	74.00	-34.02	54.64	38.24	22.91	66.27	-9.54 -- Peak																																																																																																																																																																																																																					



Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH55_Full RU_6225MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	15																																																																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																																																																																																																																																																																																											
ANT	1+2																																																																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-06-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1104.00</td><td>50.69</td><td>74.00</td><td>-23.31</td><td></td><td>53.09</td><td>23.78</td><td>5.47</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5968.00</td><td>63.23</td><td>88.20</td><td>-24.97</td><td></td><td>50.90</td><td>33.67</td><td>12.89</td><td>35.04</td><td>0.81</td><td>100</td><td>121</td><td>Peak</td></tr><tr><td>3</td><td>5968.00</td><td>51.98</td><td>68.20</td><td>-16.22</td><td></td><td>39.65</td><td>33.67</td><td>12.89</td><td>35.04</td><td>0.81</td><td>100</td><td>121</td><td>Average</td></tr><tr><td>4</td><td>6776.00</td><td>62.07</td><td>88.20</td><td>-26.13</td><td></td><td>46.67</td><td>36.50</td><td>13.82</td><td>35.73</td><td>0.81</td><td>100</td><td>61</td><td>Peak</td></tr><tr><td>5</td><td>6776.00</td><td>49.62</td><td>68.20</td><td>-18.58</td><td></td><td>34.22</td><td>36.50</td><td>13.82</td><td>35.73</td><td>0.81</td><td>100</td><td>61</td><td>Average</td></tr><tr><td>6</td><td>12770.00</td><td>51.00</td><td>88.20</td><td>-37.20</td><td></td><td>32.67</td><td>40.58</td><td>18.95</td><td>41.20</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19155.00</td><td>39.80</td><td>74.00</td><td>-34.20</td><td></td><td>53.27</td><td>38.38</td><td>23.23</td><td>65.54</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	1104.00	50.69	74.00	-23.31		53.09	23.78	5.47	31.94	0.29	--	--	Peak	2	5968.00	63.23	88.20	-24.97		50.90	33.67	12.89	35.04	0.81	100	121	Peak	3	5968.00	51.98	68.20	-16.22		39.65	33.67	12.89	35.04	0.81	100	121	Average	4	6776.00	62.07	88.20	-26.13		46.67	36.50	13.82	35.73	0.81	100	61	Peak	5	6776.00	49.62	68.20	-18.58		34.22	36.50	13.82	35.73	0.81	100	61	Average	6	12770.00	51.00	88.20	-37.20		32.67	40.58	18.95	41.20	0.00	--	--	Peak	7	19155.00	39.80	74.00	-34.20		53.27	38.38	23.23	65.54	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-06-10 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1000.00</td><td>48.44</td><td>74.00</td><td>-25.56</td><td></td><td>51.59</td><td>23.30</td><td>5.19</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5992.00</td><td>60.73</td><td>88.20</td><td>-27.47</td><td></td><td>48.30</td><td>33.77</td><td>12.95</td><td>35.05</td><td>0.76</td><td>100</td><td>340</td><td>Peak</td></tr><tr><td>3</td><td>5992.00</td><td>50.05</td><td>68.20</td><td>-18.15</td><td></td><td>37.62</td><td>33.77</td><td>12.95</td><td>35.05</td><td>0.76</td><td>100</td><td>340</td><td>Average</td></tr><tr><td>4</td><td>6768.00</td><td>60.26</td><td>88.20</td><td>-27.94</td><td></td><td>44.88</td><td>36.47</td><td>13.81</td><td>35.71</td><td>0.81</td><td>100</td><td>343</td><td>Peak</td></tr><tr><td>5</td><td>6768.00</td><td>47.40</td><td>68.20</td><td>-20.80</td><td></td><td>32.02</td><td>36.47</td><td>13.81</td><td>35.71</td><td>0.81</td><td>100</td><td>343</td><td>Average</td></tr><tr><td>6</td><td>12770.00</td><td>51.92</td><td>88.20</td><td>-36.28</td><td></td><td>33.59</td><td>40.58</td><td>18.95</td><td>41.20</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19155.00</td><td>45.40</td><td>74.00</td><td>-28.60</td><td></td><td>58.87</td><td>38.38</td><td>23.23</td><td>65.54</td><td>-9.54</td><td>170</td><td>0</td><td>Peak</td></tr><tr><td>8</td><td>19155.00</td><td>36.24</td><td>54.00</td><td>-17.76</td><td></td><td>49.71</td><td>38.38</td><td>23.23</td><td>65.54</td><td>-9.54</td><td>170</td><td>0</td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	1000.00	48.44	74.00	-25.56		51.59	23.30	5.19	31.94	0.30	--	--	Peak	2	5992.00	60.73	88.20	-27.47		48.30	33.77	12.95	35.05	0.76	100	340	Peak	3	5992.00	50.05	68.20	-18.15		37.62	33.77	12.95	35.05	0.76	100	340	Average	4	6768.00	60.26	88.20	-27.94		44.88	36.47	13.81	35.71	0.81	100	343	Peak	5	6768.00	47.40	68.20	-20.80		32.02	36.47	13.81	35.71	0.81	100	343	Average	6	12770.00	51.92	88.20	-36.28		33.59	40.58	18.95	41.20	0.00	--	--	Peak	7	19155.00	45.40	74.00	-28.60		58.87	38.38	23.23	65.54	-9.54	170	0	Peak	8	19155.00	36.24	54.00	-17.76		49.71	38.38	23.23	65.54	-9.54	170	0	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																														
		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																														
1	1104.00	50.69	74.00	-23.31		53.09	23.78	5.47	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																															
2	5968.00	63.23	88.20	-24.97		50.90	33.67	12.89	35.04	0.81	100	121	Peak																																																																																																																																																																																																																																																															
3	5968.00	51.98	68.20	-16.22		39.65	33.67	12.89	35.04	0.81	100	121	Average																																																																																																																																																																																																																																																															
4	6776.00	62.07	88.20	-26.13		46.67	36.50	13.82	35.73	0.81	100	61	Peak																																																																																																																																																																																																																																																															
5	6776.00	49.62	68.20	-18.58		34.22	36.50	13.82	35.73	0.81	100	61	Average																																																																																																																																																																																																																																																															
6	12770.00	51.00	88.20	-37.20		32.67	40.58	18.95	41.20	0.00	--	--	Peak																																																																																																																																																																																																																																																															
7	19155.00	39.80	74.00	-34.20		53.27	38.38	23.23	65.54	-9.54	--	--	Peak																																																																																																																																																																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																															
1	1000.00	48.44	74.00	-25.56		51.59	23.30	5.19	31.94	0.30	--	--	Peak																																																																																																																																																																																																																																																															
2	5992.00	60.73	88.20	-27.47		48.30	33.77	12.95	35.05	0.76	100	340	Peak																																																																																																																																																																																																																																																															
3	5992.00	50.05	68.20	-18.15		37.62	33.77	12.95	35.05	0.76	100	340	Average																																																																																																																																																																																																																																																															
4	6768.00	60.26	88.20	-27.94		44.88	36.47	13.81	35.71	0.81	100	343	Peak																																																																																																																																																																																																																																																															
5	6768.00	47.40	68.20	-20.80		32.02	36.47	13.81	35.71	0.81	100	343	Average																																																																																																																																																																																																																																																															
6	12770.00	51.92	88.20	-36.28		33.59	40.58	18.95	41.20	0.00	--	--	Peak																																																																																																																																																																																																																																																															
7	19155.00	45.40	74.00	-28.60		58.87	38.38	23.23	65.54	-9.54	170	0	Peak																																																																																																																																																																																																																																																															
8	19155.00	36.24	54.00	-17.76		49.71	38.38	23.23	65.54	-9.54	170	0	Average																																																																																																																																																																																																																																																															



Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full RU_6385MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	16																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5901.00</td><td>72.36</td><td>88.20</td><td>-15.84</td><td>60.04</td><td>33.70</td><td>12.72</td><td>35.03</td><td>0.93</td><td>100</td><td>117</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5901.00	72.36	88.20	-15.84	60.04	33.70	12.72	35.03	0.93	100	117	Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>105.83</td><td>-----</td><td>-----</td><td>93.43</td><td>33.74</td><td>12.93</td><td>35.05</td><td>0.78</td><td>100</td><td>117</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	105.83	-----	-----	93.43	33.74	12.93	35.05	0.78	100	117	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5901.00	72.36	88.20	-15.84	60.04	33.70	12.72	35.03	0.93	100	117	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	105.83	-----	-----	93.43	33.74	12.93	35.05	0.78	100	117	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5915.00</td><td>62.01</td><td>68.20</td><td>-6.19</td><td>49.71</td><td>33.67</td><td>12.76</td><td>35.03</td><td>0.90</td><td>100</td><td>117</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.00	62.01	68.20	-6.19	49.71	33.67	12.76	35.03	0.90	100	117	Average	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>97.70</td><td>-----</td><td>-----</td><td>85.08</td><td>33.91</td><td>13.00</td><td>35.06</td><td>0.77</td><td>100</td><td>117</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	97.70	-----	-----	85.08	33.91	13.00	35.06	0.77	100	117	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5915.00	62.01	68.20	-6.19	49.71	33.67	12.76	35.03	0.90	100	117	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	97.70	-----	-----	85.08	33.91	13.00	35.06	0.77	100	117	Average																																																																																								



		16																																																																																																		
Mode	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5893.20</td><td>68.39</td><td>88.20</td><td>-19.81</td><td>56.09</td><td>33.69</td><td>12.70</td><td>35.03</td><td>0.94</td><td>338</td><td>136</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5893.20	68.39	88.20	-19.81	56.09	33.69	12.70	35.03	0.94	338	136	Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>103.37</td><td>-----</td><td>-----</td><td>90.62</td><td>34.01</td><td>13.03</td><td>35.07</td><td>0.78</td><td>338</td><td>136</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	103.37	-----	-----	90.62	34.01	13.03	35.07	0.78	338	136	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5893.20	68.39	88.20	-19.81	56.09	33.69	12.70	35.03	0.94	338	136	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	103.37	-----	-----	90.62	34.01	13.03	35.07	0.78	338	136	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5893.60</td><td>58.77</td><td>68.20</td><td>-9.43</td><td>46.47</td><td>33.69</td><td>12.70</td><td>35.03</td><td>0.94</td><td>338</td><td>136</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5893.60	58.77	68.20	-9.43	46.47	33.69	12.70	35.03	0.94	338	136	Average	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>94.52</td><td>-----</td><td>-----</td><td>81.94</td><td>33.09</td><td>12.99</td><td>35.06</td><td>0.76</td><td>338</td><td>136</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	94.52	-----	-----	81.94	33.09	12.99	35.06	0.76	338	136	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5893.60	58.77	68.20	-9.43	46.47	33.69	12.70	35.03	0.94	338	136	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	94.52	-----	-----	81.94	33.09	12.99	35.06	0.76	338	136	Average																																																																																								



Mode	16																																																																																																																																																																																																																																																															
	Harmonic																																																																																																																																																																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																																																																																																																																																																																															
ANT	1+2																																																																																																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-06-05 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1136.00</td><td>50.43</td><td>74.00</td><td>-23.57</td><td>52.38</td><td>24.14</td><td>5.56</td><td>31.94</td><td>0.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5648.00</td><td>63.77</td><td>88.20</td><td>-24.43</td><td>52.29</td><td>33.18</td><td>12.43</td><td>34.97</td><td>0.84</td><td>100</td><td>120 Peak</td></tr><tr><td>3</td><td>5648.00</td><td>50.75</td><td>68.20</td><td>-17.45</td><td>39.27</td><td>33.18</td><td>12.43</td><td>34.97</td><td>0.84</td><td>100</td><td>120 Average</td></tr><tr><td>4</td><td>6408.00</td><td>59.57</td><td>88.20</td><td>-28.63</td><td>44.80</td><td>35.75</td><td>13.38</td><td>35.21</td><td>0.85</td><td>100</td><td>56 Peak</td></tr><tr><td>5</td><td>6408.00</td><td>47.68</td><td>68.20</td><td>-20.52</td><td>32.91</td><td>35.75</td><td>13.38</td><td>35.21</td><td>0.85</td><td>100</td><td>56 Average</td></tr><tr><td>6</td><td>12050.00</td><td>51.19</td><td>74.00</td><td>-22.81</td><td>34.48</td><td>39.40</td><td>18.23</td><td>40.92</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12050.00</td><td>42.14</td><td>54.00</td><td>-11.86</td><td>25.43</td><td>39.40</td><td>18.23</td><td>40.92</td><td>0.00</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18075.00</td><td>39.39</td><td>74.00</td><td>-34.61</td><td>55.83</td><td>37.95</td><td>22.43</td><td>67.28</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1136.00	50.43	74.00	-23.57	52.38	24.14	5.56	31.94	0.29	--	Peak	2	5648.00	63.77	88.20	-24.43	52.29	33.18	12.43	34.97	0.84	100	120 Peak	3	5648.00	50.75	68.20	-17.45	39.27	33.18	12.43	34.97	0.84	100	120 Average	4	6408.00	59.57	88.20	-28.63	44.80	35.75	13.38	35.21	0.85	100	56 Peak	5	6408.00	47.68	68.20	-20.52	32.91	35.75	13.38	35.21	0.85	100	56 Average	6	12050.00	51.19	74.00	-22.81	34.48	39.40	18.23	40.92	0.00	--	Peak	7	12050.00	42.14	54.00	-11.86	25.43	39.40	18.23	40.92	0.00	--	Average	8	18075.00	39.39	74.00	-34.61	55.83	37.95	22.43	67.28	-9.54	--	Peak	Level (dBuV/m) Date: 2025-06-05 PEAK(UNII)_6E AVG(UNII)_6E Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1008.00</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>51.94</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5632.00</td><td>59.44</td><td>88.20</td><td>-28.76</td><td>48.11</td><td>33.06</td><td>12.43</td><td>34.97</td><td>0.81</td><td>321</td><td>125 Peak</td></tr><tr><td>3</td><td>5632.00</td><td>46.56</td><td>68.20</td><td>-21.64</td><td>35.23</td><td>33.06</td><td>12.43</td><td>34.97</td><td>0.81</td><td>321</td><td>125 Average</td></tr><tr><td>4</td><td>6384.00</td><td>54.82</td><td>88.20</td><td>-33.38</td><td>40.17</td><td>35.64</td><td>13.36</td><td>35.20</td><td>0.85</td><td>107</td><td>341 Peak</td></tr><tr><td>5</td><td>6384.00</td><td>45.67</td><td>68.20</td><td>-22.53</td><td>31.02</td><td>35.64</td><td>13.36</td><td>35.20</td><td>0.85</td><td>107</td><td>341 Average</td></tr><tr><td>6</td><td>12050.00</td><td>51.05</td><td>74.00</td><td>-22.95</td><td>34.34</td><td>39.40</td><td>18.23</td><td>40.92</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12050.00</td><td>42.02</td><td>54.00</td><td>-11.98</td><td>25.31</td><td>39.40</td><td>18.23</td><td>40.92</td><td>0.00</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18075.00</td><td>37.97</td><td>74.00</td><td>-36.03</td><td>54.41</td><td>37.95</td><td>22.43</td><td>67.28</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1008.00	48.81	74.00	-25.19	51.94	23.30	5.21	31.94	0.30	--	Peak	2	5632.00	59.44	88.20	-28.76	48.11	33.06	12.43	34.97	0.81	321	125 Peak	3	5632.00	46.56	68.20	-21.64	35.23	33.06	12.43	34.97	0.81	321	125 Average	4	6384.00	54.82	88.20	-33.38	40.17	35.64	13.36	35.20	0.85	107	341 Peak	5	6384.00	45.67	68.20	-22.53	31.02	35.64	13.36	35.20	0.85	107	341 Average	6	12050.00	51.05	74.00	-22.95	34.34	39.40	18.23	40.92	0.00	--	Peak	7	12050.00	42.02	54.00	-11.98	25.31	39.40	18.23	40.92	0.00	--	Average	8	18075.00	37.97	74.00	-36.03	54.41	37.95	22.43	67.28	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																						
1	1136.00	50.43	74.00	-23.57	52.38	24.14	5.56	31.94	0.29	--	Peak																																																																																																																																																																																																																																																					
2	5648.00	63.77	88.20	-24.43	52.29	33.18	12.43	34.97	0.84	100	120 Peak																																																																																																																																																																																																																																																					
3	5648.00	50.75	68.20	-17.45	39.27	33.18	12.43	34.97	0.84	100	120 Average																																																																																																																																																																																																																																																					
4	6408.00	59.57	88.20	-28.63	44.80	35.75	13.38	35.21	0.85	100	56 Peak																																																																																																																																																																																																																																																					
5	6408.00	47.68	68.20	-20.52	32.91	35.75	13.38	35.21	0.85	100	56 Average																																																																																																																																																																																																																																																					
6	12050.00	51.19	74.00	-22.81	34.48	39.40	18.23	40.92	0.00	--	Peak																																																																																																																																																																																																																																																					
7	12050.00	42.14	54.00	-11.86	25.43	39.40	18.23	40.92	0.00	--	Average																																																																																																																																																																																																																																																					
8	18075.00	39.39	74.00	-34.61	55.83	37.95	22.43	67.28	-9.54	--	Peak																																																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																						
1	1008.00	48.81	74.00	-25.19	51.94	23.30	5.21	31.94	0.30	--	Peak																																																																																																																																																																																																																																																					
2	5632.00	59.44	88.20	-28.76	48.11	33.06	12.43	34.97	0.81	321	125 Peak																																																																																																																																																																																																																																																					
3	5632.00	46.56	68.20	-21.64	35.23	33.06	12.43	34.97	0.81	321	125 Average																																																																																																																																																																																																																																																					
4	6384.00	54.82	88.20	-33.38	40.17	35.64	13.36	35.20	0.85	107	341 Peak																																																																																																																																																																																																																																																					
5	6384.00	45.67	68.20	-22.53	31.02	35.64	13.36	35.20	0.85	107	341 Average																																																																																																																																																																																																																																																					
6	12050.00	51.05	74.00	-22.95	34.34	39.40	18.23	40.92	0.00	--	Peak																																																																																																																																																																																																																																																					
7	12050.00	42.02	54.00	-11.98	25.31	39.40	18.23	40.92	0.00	--	Average																																																																																																																																																																																																																																																					
8	18075.00	37.97	74.00	-36.03	54.41	37.95	22.43	67.28	-9.54	--	Peak																																																																																																																																																																																																																																																					



Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full RU_6025MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	17																																																																																																															
	Band Edge																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial RU 996/67_6025MHz																																																																																																															
ANT	1+2																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5896.00</td><td>81.46</td><td>88.20</td><td>-6.74</td><td>69.15</td><td>33.69</td><td>12.71</td><td>35.03</td><td>0.94</td><td>100</td><td>122</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5896.00	81.46	88.20	-6.74	69.15	33.69	12.71	35.03	0.94	100	122	Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>100.25</td><td>-----</td><td>-----</td><td>95.96</td><td>33.64</td><td>12.87</td><td>35.04</td><td>0.82</td><td>100</td><td>122</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	100.25	-----	-----	95.96	33.64	12.87	35.04	0.82	100	122	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5896.00	81.46	88.20	-6.74	69.15	33.69	12.71	35.03	0.94	100	122	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	6025.00	100.25	-----	-----	95.96	33.64	12.87	35.04	0.82	100	122	Peak																																																																																																				
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5896.00</td><td>67.01</td><td>68.20</td><td>-1.19</td><td>54.70</td><td>33.69</td><td>12.71</td><td>35.03</td><td>0.94</td><td>100</td><td>122</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5896.00	67.01	68.20	-1.19	54.70	33.69	12.71	35.03	0.94	100	122	Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>99.43</td><td>-----</td><td>-----</td><td>86.90</td><td>33.84</td><td>12.98</td><td>35.05</td><td>0.76</td><td>100</td><td>122</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	99.43	-----	-----	86.90	33.84	12.98	35.05	0.76	100	122	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5896.00	67.01	68.20	-1.19	54.70	33.69	12.71	35.03	0.94	100	122	Average																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	6025.00	99.43	-----	-----	86.90	33.84	12.98	35.05	0.76	100	122	Average																																																																																																				



Mode	17																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Partial RU 996/67_6025MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5903.00</td><td>77.07</td><td>88.20</td><td>-11.13</td><td>64.76</td><td>33.69</td><td>12.73</td><td>35.03</td><td>0.92 400 131 Peak</td></tr></table> Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6025.00</td><td>105.84</td><td>-----</td><td>-----</td><td>93.29</td><td>33.86</td><td>12.99</td><td>35.06</td><td>0.76 400 131 Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5903.00	77.07	88.20	-11.13	64.76	33.69	12.73	35.03	0.92 400 131 Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6025.00	105.84	-----	-----	93.29	33.86	12.99	35.06	0.76 400 131 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																			
1	5903.00	77.07	88.20	-11.13	64.76	33.69	12.73	35.03	0.92 400 131 Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																			
1	6025.00	105.84	-----	-----	93.29	33.86	12.99	35.06	0.76 400 131 Peak																																																																																			
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5893.00</td><td>62.89</td><td>68.20</td><td>-5.31</td><td>50.59</td><td>33.69</td><td>12.70</td><td>35.03</td><td>0.94 400 131 Average</td></tr></table> Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:1.500kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>6025.00</td><td>96.82</td><td>-----</td><td>-----</td><td>84.24</td><td>33.89</td><td>12.99</td><td>35.06</td><td>0.76 400 131 Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5893.00	62.89	68.20	-5.31	50.59	33.69	12.70	35.03	0.94 400 131 Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	6025.00	96.82	-----	-----	84.24	33.89	12.99	35.06	0.76 400 131 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																			
1	5893.00	62.89	68.20	-5.31	50.59	33.69	12.70	35.03	0.94 400 131 Average																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																			
1	6025.00	96.82	-----	-----	84.24	33.89	12.99	35.06	0.76 400 131 Average																																																																																			



Mode	18																																																																																																																																																																																																																																																															
	Harmonic																																																																																																																																																																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz																																																																																																																																																																																																																																																															
ANT	1+2																																																																																																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-06-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1128.00</td><td>50.93</td><td>74.00</td><td>-23.07</td><td>52.84</td><td>24.20</td><td>5.54</td><td>31.94</td><td>0.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5832.00</td><td>60.70</td><td>88.20</td><td>-27.50</td><td>48.44</td><td>33.67</td><td>12.55</td><td>35.01</td><td>1.05</td><td>100</td><td>124 Peak</td></tr><tr><td>3</td><td>5832.00</td><td>49.49</td><td>68.20</td><td>-18.71</td><td>37.23</td><td>33.67</td><td>12.55</td><td>35.01</td><td>1.05</td><td>100</td><td>124 Average</td></tr><tr><td>4</td><td>6544.00</td><td>60.64</td><td>88.20</td><td>-27.56</td><td>45.56</td><td>36.09</td><td>13.47</td><td>35.32</td><td>0.84</td><td>100</td><td>55 Peak</td></tr><tr><td>5</td><td>6544.00</td><td>47.33</td><td>68.20</td><td>-20.87</td><td>32.25</td><td>36.09</td><td>13.47</td><td>35.32</td><td>0.84</td><td>100</td><td>55 Average</td></tr><tr><td>6</td><td>12370.00</td><td>52.30</td><td>74.00</td><td>-21.70</td><td>34.92</td><td>39.84</td><td>18.64</td><td>41.10</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12370.00</td><td>41.94</td><td>54.00</td><td>-12.06</td><td>24.56</td><td>39.84</td><td>18.64</td><td>41.10</td><td>0.00</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18555.00</td><td>40.47</td><td>74.00</td><td>-33.53</td><td>55.29</td><td>38.39</td><td>22.83</td><td>66.50</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1128.00	50.93	74.00	-23.07	52.84	24.20	5.54	31.94	0.29	--	Peak	2	5832.00	60.70	88.20	-27.50	48.44	33.67	12.55	35.01	1.05	100	124 Peak	3	5832.00	49.49	68.20	-18.71	37.23	33.67	12.55	35.01	1.05	100	124 Average	4	6544.00	60.64	88.20	-27.56	45.56	36.09	13.47	35.32	0.84	100	55 Peak	5	6544.00	47.33	68.20	-20.87	32.25	36.09	13.47	35.32	0.84	100	55 Average	6	12370.00	52.30	74.00	-21.70	34.92	39.84	18.64	41.10	0.00	--	Peak	7	12370.00	41.94	54.00	-12.06	24.56	39.84	18.64	41.10	0.00	--	Average	8	18555.00	40.47	74.00	-33.53	55.29	38.39	22.83	66.50	-9.54	--	Peak	Level (dBuV/m) Date: 2025-06-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1120.00</td><td>47.60</td><td>74.00</td><td>-26.40</td><td>49.54</td><td>24.20</td><td>5.51</td><td>31.94</td><td>0.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5792.00</td><td>59.72</td><td>88.20</td><td>-28.48</td><td>47.37</td><td>33.78</td><td>12.47</td><td>35.00</td><td>1.10</td><td>370</td><td>126 Peak</td></tr><tr><td>3</td><td>5792.00</td><td>47.65</td><td>68.20</td><td>-20.55</td><td>35.30</td><td>33.78</td><td>12.47</td><td>35.00</td><td>1.10</td><td>370</td><td>126 Average</td></tr><tr><td>4</td><td>6568.00</td><td>55.90</td><td>88.20</td><td>-32.30</td><td>40.78</td><td>36.14</td><td>13.50</td><td>35.36</td><td>0.84</td><td>124</td><td>15 Peak</td></tr><tr><td>5</td><td>6568.00</td><td>44.65</td><td>68.20</td><td>-23.55</td><td>29.53</td><td>36.14</td><td>13.50</td><td>35.36</td><td>0.84</td><td>124</td><td>15 Average</td></tr><tr><td>6</td><td>12370.00</td><td>52.33</td><td>74.00</td><td>-21.67</td><td>34.95</td><td>39.84</td><td>18.64</td><td>41.10</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12370.00</td><td>41.98</td><td>54.00</td><td>-12.02</td><td>24.60</td><td>39.84</td><td>18.64</td><td>41.10</td><td>0.00</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18555.00</td><td>39.88</td><td>74.00</td><td>-34.12</td><td>54.70</td><td>38.39</td><td>22.83</td><td>66.50</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	1120.00	47.60	74.00	-26.40	49.54	24.20	5.51	31.94	0.29	--	Peak	2	5792.00	59.72	88.20	-28.48	47.37	33.78	12.47	35.00	1.10	370	126 Peak	3	5792.00	47.65	68.20	-20.55	35.30	33.78	12.47	35.00	1.10	370	126 Average	4	6568.00	55.90	88.20	-32.30	40.78	36.14	13.50	35.36	0.84	124	15 Peak	5	6568.00	44.65	68.20	-23.55	29.53	36.14	13.50	35.36	0.84	124	15 Average	6	12370.00	52.33	74.00	-21.67	34.95	39.84	18.64	41.10	0.00	--	Peak	7	12370.00	41.98	54.00	-12.02	24.60	39.84	18.64	41.10	0.00	--	Average	8	18555.00	39.88	74.00	-34.12	54.70	38.39	22.83	66.50	-9.54	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																						
1	1128.00	50.93	74.00	-23.07	52.84	24.20	5.54	31.94	0.29	--	Peak																																																																																																																																																																																																																																																					
2	5832.00	60.70	88.20	-27.50	48.44	33.67	12.55	35.01	1.05	100	124 Peak																																																																																																																																																																																																																																																					
3	5832.00	49.49	68.20	-18.71	37.23	33.67	12.55	35.01	1.05	100	124 Average																																																																																																																																																																																																																																																					
4	6544.00	60.64	88.20	-27.56	45.56	36.09	13.47	35.32	0.84	100	55 Peak																																																																																																																																																																																																																																																					
5	6544.00	47.33	68.20	-20.87	32.25	36.09	13.47	35.32	0.84	100	55 Average																																																																																																																																																																																																																																																					
6	12370.00	52.30	74.00	-21.70	34.92	39.84	18.64	41.10	0.00	--	Peak																																																																																																																																																																																																																																																					
7	12370.00	41.94	54.00	-12.06	24.56	39.84	18.64	41.10	0.00	--	Average																																																																																																																																																																																																																																																					
8	18555.00	40.47	74.00	-33.53	55.29	38.39	22.83	66.50	-9.54	--	Peak																																																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																						
1	1120.00	47.60	74.00	-26.40	49.54	24.20	5.51	31.94	0.29	--	Peak																																																																																																																																																																																																																																																					
2	5792.00	59.72	88.20	-28.48	47.37	33.78	12.47	35.00	1.10	370	126 Peak																																																																																																																																																																																																																																																					
3	5792.00	47.65	68.20	-20.55	35.30	33.78	12.47	35.00	1.10	370	126 Average																																																																																																																																																																																																																																																					
4	6568.00	55.90	88.20	-32.30	40.78	36.14	13.50	35.36	0.84	124	15 Peak																																																																																																																																																																																																																																																					
5	6568.00	44.65	68.20	-23.55	29.53	36.14	13.50	35.36	0.84	124	15 Average																																																																																																																																																																																																																																																					
6	12370.00	52.33	74.00	-21.67	34.95	39.84	18.64	41.10	0.00	--	Peak																																																																																																																																																																																																																																																					
7	12370.00	41.98	54.00	-12.02	24.60	39.84	18.64	41.10	0.00	--	Average																																																																																																																																																																																																																																																					
8	18555.00	39.88	74.00	-34.12	54.70	38.39	22.83	66.50	-9.54	--	Peak																																																																																																																																																																																																																																																					



Mode	18	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full RU_6185MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-09 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-09 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	19																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																																																																																																																																																													
ANT	1+2																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-06-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>1112.00</td><td>50.57</td><td>74.00</td><td>-23.43</td><td>52.77</td><td>23.96</td><td>5.49</td><td>31.94</td><td>0.29 -- Peak</td></tr><tr><td>2</td><td>5944.00</td><td>62.44</td><td>88.20</td><td>-25.76</td><td>50.19</td><td>33.61</td><td>12.83</td><td>35.04</td><td>0.85 100 118 Peak</td></tr><tr><td>3</td><td>5944.00</td><td>50.26</td><td>68.20</td><td>-17.94</td><td>38.01</td><td>33.61</td><td>12.83</td><td>35.04</td><td>0.85 100 118 Average</td></tr><tr><td>4</td><td>6736.00</td><td>59.18</td><td>88.20</td><td>-29.02</td><td>43.83</td><td>36.43</td><td>13.76</td><td>35.66</td><td>0.82 100 63 Peak</td></tr><tr><td>5</td><td>6736.00</td><td>47.98</td><td>68.20</td><td>-20.22</td><td>32.63</td><td>36.43</td><td>13.76</td><td>35.66</td><td>0.82 100 63 Average</td></tr><tr><td>6</td><td>12690.00</td><td>52.33</td><td>74.00</td><td>-21.67</td><td>34.12</td><td>40.50</td><td>18.91</td><td>41.20</td><td>0.00 -- Peak</td></tr><tr><td>7</td><td>12690.00</td><td>42.44</td><td>54.00</td><td>-11.56</td><td>24.23</td><td>40.50</td><td>18.91</td><td>41.20</td><td>0.00 -- Average</td></tr><tr><td>8</td><td>19035.00</td><td>39.92</td><td>74.00</td><td>-34.08</td><td>53.84</td><td>38.14</td><td>23.14</td><td>65.66</td><td>-9.54 -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	1112.00	50.57	74.00	-23.43	52.77	23.96	5.49	31.94	0.29 -- Peak	2	5944.00	62.44	88.20	-25.76	50.19	33.61	12.83	35.04	0.85 100 118 Peak	3	5944.00	50.26	68.20	-17.94	38.01	33.61	12.83	35.04	0.85 100 118 Average	4	6736.00	59.18	88.20	-29.02	43.83	36.43	13.76	35.66	0.82 100 63 Peak	5	6736.00	47.98	68.20	-20.22	32.63	36.43	13.76	35.66	0.82 100 63 Average	6	12690.00	52.33	74.00	-21.67	34.12	40.50	18.91	41.20	0.00 -- Peak	7	12690.00	42.44	54.00	-11.56	24.23	40.50	18.91	41.20	0.00 -- Average	8	19035.00	39.92	74.00	-34.08	53.84	38.14	23.14	65.66	-9.54 -- Peak	Level (dBuV/m) Date: 2025-06-09 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>1008.00</td><td>40.10</td><td>74.00</td><td>-25.90</td><td>51.23</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30 -- Peak</td></tr><tr><td>2</td><td>5952.00</td><td>60.67</td><td>88.20</td><td>-27.53</td><td>48.41</td><td>33.61</td><td>12.85</td><td>35.04</td><td>0.84 283 41 Peak</td></tr><tr><td>3</td><td>5952.00</td><td>48.52</td><td>68.20</td><td>-19.68</td><td>36.26</td><td>33.61</td><td>12.85</td><td>35.04</td><td>0.84 283 41 Average</td></tr><tr><td>4</td><td>6712.00</td><td>55.46</td><td>88.20</td><td>-32.74</td><td>40.05</td><td>36.48</td><td>13.72</td><td>35.61</td><td>0.82 252 31 Peak</td></tr><tr><td>5</td><td>6712.00</td><td>45.35</td><td>68.20</td><td>-22.85</td><td>29.94</td><td>36.48</td><td>13.72</td><td>35.61</td><td>0.82 252 31 Average</td></tr><tr><td>6</td><td>12690.00</td><td>52.97</td><td>74.00</td><td>-21.03</td><td>34.76</td><td>40.50</td><td>18.91</td><td>41.20</td><td>0.00 -- Peak</td></tr><tr><td>7</td><td>12690.00</td><td>42.49</td><td>54.00</td><td>-11.51</td><td>24.28</td><td>40.50</td><td>18.91</td><td>41.20</td><td>0.00 -- Average</td></tr><tr><td>8</td><td>19035.00</td><td>40.05</td><td>74.00</td><td>-33.95</td><td>53.97</td><td>38.14</td><td>23.14</td><td>65.66</td><td>-9.54 -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	1008.00	40.10	74.00	-25.90	51.23	23.30	5.21	31.94	0.30 -- Peak	2	5952.00	60.67	88.20	-27.53	48.41	33.61	12.85	35.04	0.84 283 41 Peak	3	5952.00	48.52	68.20	-19.68	36.26	33.61	12.85	35.04	0.84 283 41 Average	4	6712.00	55.46	88.20	-32.74	40.05	36.48	13.72	35.61	0.82 252 31 Peak	5	6712.00	45.35	68.20	-22.85	29.94	36.48	13.72	35.61	0.82 252 31 Average	6	12690.00	52.97	74.00	-21.03	34.76	40.50	18.91	41.20	0.00 -- Peak	7	12690.00	42.49	54.00	-11.51	24.28	40.50	18.91	41.20	0.00 -- Average	8	19035.00	40.05	74.00	-33.95	53.97	38.14	23.14	65.66	-9.54 -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																					
1	1112.00	50.57	74.00	-23.43	52.77	23.96	5.49	31.94	0.29 -- Peak																																																																																																																																																																																																																					
2	5944.00	62.44	88.20	-25.76	50.19	33.61	12.83	35.04	0.85 100 118 Peak																																																																																																																																																																																																																					
3	5944.00	50.26	68.20	-17.94	38.01	33.61	12.83	35.04	0.85 100 118 Average																																																																																																																																																																																																																					
4	6736.00	59.18	88.20	-29.02	43.83	36.43	13.76	35.66	0.82 100 63 Peak																																																																																																																																																																																																																					
5	6736.00	47.98	68.20	-20.22	32.63	36.43	13.76	35.66	0.82 100 63 Average																																																																																																																																																																																																																					
6	12690.00	52.33	74.00	-21.67	34.12	40.50	18.91	41.20	0.00 -- Peak																																																																																																																																																																																																																					
7	12690.00	42.44	54.00	-11.56	24.23	40.50	18.91	41.20	0.00 -- Average																																																																																																																																																																																																																					
8	19035.00	39.92	74.00	-34.08	53.84	38.14	23.14	65.66	-9.54 -- Peak																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																					
1	1008.00	40.10	74.00	-25.90	51.23	23.30	5.21	31.94	0.30 -- Peak																																																																																																																																																																																																																					
2	5952.00	60.67	88.20	-27.53	48.41	33.61	12.85	35.04	0.84 283 41 Peak																																																																																																																																																																																																																					
3	5952.00	48.52	68.20	-19.68	36.26	33.61	12.85	35.04	0.84 283 41 Average																																																																																																																																																																																																																					
4	6712.00	55.46	88.20	-32.74	40.05	36.48	13.72	35.61	0.82 252 31 Peak																																																																																																																																																																																																																					
5	6712.00	45.35	68.20	-22.85	29.94	36.48	13.72	35.61	0.82 252 31 Average																																																																																																																																																																																																																					
6	12690.00	52.97	74.00	-21.03	34.76	40.50	18.91	41.20	0.00 -- Peak																																																																																																																																																																																																																					
7	12690.00	42.49	54.00	-11.51	24.28	40.50	18.91	41.20	0.00 -- Average																																																																																																																																																																																																																					
8	19035.00	40.05	74.00	-33.95	53.97	38.14	23.14	65.66	-9.54 -- Peak																																																																																																																																																																																																																					



Mode	19	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full RU_6345MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-10 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-10 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	31																																																																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																																																																											
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																																																																																																																																																																																											
ANT	1+2																																																																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1112.00</td><td>50.42</td><td>74.00</td><td>-23.58</td><td>52.62</td><td>23.96</td><td>5.49</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6144.00</td><td>60.56</td><td>88.20</td><td>-27.64</td><td>47.23</td><td>34.46</td><td>13.13</td><td>35.10</td><td>0.84</td><td>100</td><td>119</td><td>Peak</td><td></td></tr><tr><td>3</td><td>6144.00</td><td>49.05</td><td>88.20</td><td>-39.15</td><td>35.72</td><td>34.46</td><td>13.13</td><td>35.10</td><td>0.84</td><td>100</td><td>119</td><td>Average</td><td></td></tr><tr><td>4</td><td>6920.00</td><td>57.02</td><td>88.20</td><td>-31.18</td><td>41.62</td><td>36.66</td><td>13.90</td><td>35.98</td><td>0.82</td><td>102</td><td>59</td><td>Peak</td><td></td></tr><tr><td>5</td><td>6920.00</td><td>45.09</td><td>88.20</td><td>-43.11</td><td>29.69</td><td>36.66</td><td>13.90</td><td>35.98</td><td>0.82</td><td>102</td><td>59</td><td>Average</td><td></td></tr><tr><td>6</td><td>13070.00</td><td>52.46</td><td>88.20</td><td>-35.74</td><td>34.12</td><td>40.56</td><td>19.14</td><td>41.36</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19605.00</td><td>41.91</td><td>74.00</td><td>-32.09</td><td>54.95</td><td>38.01</td><td>23.52</td><td>65.03</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	1112.00	50.42	74.00	-23.58	52.62	23.96	5.49	31.94	0.29	--	--	--	Peak	2	6144.00	60.56	88.20	-27.64	47.23	34.46	13.13	35.10	0.84	100	119	Peak		3	6144.00	49.05	88.20	-39.15	35.72	34.46	13.13	35.10	0.84	100	119	Average		4	6920.00	57.02	88.20	-31.18	41.62	36.66	13.90	35.98	0.82	102	59	Peak		5	6920.00	45.09	88.20	-43.11	29.69	36.66	13.90	35.98	0.82	102	59	Average		6	13070.00	52.46	88.20	-35.74	34.12	40.56	19.14	41.36	0.00	--	--	--	Peak	7	19605.00	41.91	74.00	-32.09	54.95	38.01	23.52	65.03	-9.54	--	--	--	Peak	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1104.00</td><td>49.66</td><td>74.00</td><td>-24.34</td><td>52.06</td><td>23.78</td><td>5.47</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6152.00</td><td>58.44</td><td>88.20</td><td>-29.76</td><td>45.06</td><td>34.51</td><td>13.14</td><td>35.11</td><td>0.84</td><td>110</td><td>66</td><td>Peak</td><td></td></tr><tr><td>3</td><td>6152.00</td><td>47.19</td><td>88.20</td><td>-41.01</td><td>33.81</td><td>34.51</td><td>13.14</td><td>35.11</td><td>0.84</td><td>110</td><td>66</td><td>Average</td><td></td></tr><tr><td>4</td><td>6920.00</td><td>53.68</td><td>88.20</td><td>-34.52</td><td>38.28</td><td>36.66</td><td>13.90</td><td>35.98</td><td>0.82</td><td>100</td><td>359</td><td>Peak</td><td></td></tr><tr><td>5</td><td>6920.00</td><td>42.12</td><td>88.20</td><td>-46.08</td><td>26.72</td><td>36.66</td><td>13.90</td><td>35.98</td><td>0.82</td><td>100</td><td>359</td><td>Average</td><td></td></tr><tr><td>6</td><td>13070.00</td><td>52.15</td><td>88.20</td><td>-36.05</td><td>33.81</td><td>40.56</td><td>19.14</td><td>41.36</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19605.00</td><td>58.01</td><td>74.00</td><td>-15.99</td><td>71.05</td><td>38.01</td><td>23.52</td><td>65.03</td><td>-9.54</td><td>170</td><td>353</td><td>Peak</td><td></td></tr><tr><td>8</td><td>19605.00</td><td>48.58</td><td>54.00</td><td>-5.42</td><td>61.62</td><td>38.01</td><td>23.52</td><td>65.03</td><td>-9.54</td><td>170</td><td>353</td><td>Average</td><td></td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	1104.00	49.66	74.00	-24.34	52.06	23.78	5.47	31.94	0.29	--	--	--	Peak	2	6152.00	58.44	88.20	-29.76	45.06	34.51	13.14	35.11	0.84	110	66	Peak		3	6152.00	47.19	88.20	-41.01	33.81	34.51	13.14	35.11	0.84	110	66	Average		4	6920.00	53.68	88.20	-34.52	38.28	36.66	13.90	35.98	0.82	100	359	Peak		5	6920.00	42.12	88.20	-46.08	26.72	36.66	13.90	35.98	0.82	100	359	Average		6	13070.00	52.15	88.20	-36.05	33.81	40.56	19.14	41.36	0.00	--	--	--	Peak	7	19605.00	58.01	74.00	-15.99	71.05	38.01	23.52	65.03	-9.54	170	353	Peak		8	19605.00	48.58	54.00	-5.42	61.62	38.01	23.52	65.03	-9.54	170	353	Average	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																															
1	1112.00	50.42	74.00	-23.58	52.62	23.96	5.49	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																															
2	6144.00	60.56	88.20	-27.64	47.23	34.46	13.13	35.10	0.84	100	119	Peak																																																																																																																																																																																																																																																																
3	6144.00	49.05	88.20	-39.15	35.72	34.46	13.13	35.10	0.84	100	119	Average																																																																																																																																																																																																																																																																
4	6920.00	57.02	88.20	-31.18	41.62	36.66	13.90	35.98	0.82	102	59	Peak																																																																																																																																																																																																																																																																
5	6920.00	45.09	88.20	-43.11	29.69	36.66	13.90	35.98	0.82	102	59	Average																																																																																																																																																																																																																																																																
6	13070.00	52.46	88.20	-35.74	34.12	40.56	19.14	41.36	0.00	--	--	--	Peak																																																																																																																																																																																																																																																															
7	19605.00	41.91	74.00	-32.09	54.95	38.01	23.52	65.03	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																															
1	1104.00	49.66	74.00	-24.34	52.06	23.78	5.47	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																															
2	6152.00	58.44	88.20	-29.76	45.06	34.51	13.14	35.11	0.84	110	66	Peak																																																																																																																																																																																																																																																																
3	6152.00	47.19	88.20	-41.01	33.81	34.51	13.14	35.11	0.84	110	66	Average																																																																																																																																																																																																																																																																
4	6920.00	53.68	88.20	-34.52	38.28	36.66	13.90	35.98	0.82	100	359	Peak																																																																																																																																																																																																																																																																
5	6920.00	42.12	88.20	-46.08	26.72	36.66	13.90	35.98	0.82	100	359	Average																																																																																																																																																																																																																																																																
6	13070.00	52.15	88.20	-36.05	33.81	40.56	19.14	41.36	0.00	--	--	--	Peak																																																																																																																																																																																																																																																															
7	19605.00	58.01	74.00	-15.99	71.05	38.01	23.52	65.03	-9.54	170	353	Peak																																																																																																																																																																																																																																																																
8	19605.00	48.58	54.00	-5.42	61.62	38.01	23.52	65.03	-9.54	170	353	Average																																																																																																																																																																																																																																																																





Mode	31	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-08 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-08 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	32																																																																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																																																																	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																																																																																																																																																																																	
ANT	1+2																																																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 1120.00</td><td>50.58</td><td>74.00</td><td>-23.42</td><td>52.52</td><td>24.20</td><td>5.51</td><td>31.94</td><td>0.29</td><td>-- -- Peak</td></tr><tr><td>2 6288.00</td><td>60.06</td><td>88.20</td><td>-28.14</td><td>45.89</td><td>35.20</td><td>13.27</td><td>35.16</td><td>0.86</td><td>100 117 Peak</td></tr><tr><td>3 6288.00</td><td>47.87</td><td>68.20</td><td>-20.33</td><td>33.70</td><td>35.20</td><td>13.27</td><td>35.16</td><td>0.86</td><td>100 117 Average</td></tr><tr><td>4 7104.00</td><td>57.37</td><td>88.20</td><td>-30.83</td><td>41.99</td><td>36.70</td><td>14.11</td><td>36.28</td><td>0.85</td><td>100 59 Peak</td></tr><tr><td>5 7104.00</td><td>46.01</td><td>68.20</td><td>-22.19</td><td>30.63</td><td>36.70</td><td>14.11</td><td>36.28</td><td>0.85</td><td>100 59 Average</td></tr><tr><td>6 13390.00</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>34.70</td><td>40.96</td><td>19.42</td><td>42.00</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>7 13390.00</td><td>42.31</td><td>54.00</td><td>-11.69</td><td>23.93</td><td>40.96</td><td>19.42</td><td>42.00</td><td>0.00</td><td>-- -- Average</td></tr><tr><td>8 20085.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>58.93</td><td>37.97</td><td>23.79</td><td>64.26</td><td>-9.54</td><td>172 221 Peak</td></tr><tr><td>9 20085.00</td><td>38.39</td><td>54.00</td><td>-15.61</td><td>50.43</td><td>37.97</td><td>23.79</td><td>64.26</td><td>-9.54</td><td>172 221 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 1120.00	50.58	74.00	-23.42	52.52	24.20	5.51	31.94	0.29	-- -- Peak	2 6288.00	60.06	88.20	-28.14	45.89	35.20	13.27	35.16	0.86	100 117 Peak	3 6288.00	47.87	68.20	-20.33	33.70	35.20	13.27	35.16	0.86	100 117 Average	4 7104.00	57.37	88.20	-30.83	41.99	36.70	14.11	36.28	0.85	100 59 Peak	5 7104.00	46.01	68.20	-22.19	30.63	36.70	14.11	36.28	0.85	100 59 Average	6 13390.00	53.08	74.00	-20.92	34.70	40.96	19.42	42.00	0.00	-- -- Peak	7 13390.00	42.31	54.00	-11.69	23.93	40.96	19.42	42.00	0.00	-- -- Average	8 20085.00	46.89	74.00	-27.11	58.93	37.97	23.79	64.26	-9.54	172 221 Peak	9 20085.00	38.39	54.00	-15.61	50.43	37.97	23.79	64.26	-9.54	172 221 Average	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 1008.00</td><td>50.75</td><td>74.00</td><td>-23.25</td><td>53.88</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>-- -- Peak</td></tr><tr><td>2 6328.00</td><td>57.33</td><td>88.20</td><td>-30.87</td><td>42.96</td><td>35.37</td><td>13.31</td><td>35.17</td><td>0.86</td><td>100 353 Peak</td></tr><tr><td>3 6328.00</td><td>45.15</td><td>68.20</td><td>-23.05</td><td>30.78</td><td>35.37</td><td>13.31</td><td>35.17</td><td>0.86</td><td>100 353 Average</td></tr><tr><td>4 7120.00</td><td>52.11</td><td>88.20</td><td>-36.09</td><td>36.71</td><td>36.70</td><td>14.14</td><td>36.30</td><td>0.86</td><td>100 1 Peak</td></tr><tr><td>5 7120.00</td><td>40.87</td><td>68.20</td><td>-27.33</td><td>25.47</td><td>36.70</td><td>14.14</td><td>36.30</td><td>0.86</td><td>100 1 Average</td></tr><tr><td>6 13390.00</td><td>52.10</td><td>74.00</td><td>-21.90</td><td>33.72</td><td>40.96</td><td>19.42</td><td>42.00</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>7 13390.00</td><td>42.23</td><td>54.00</td><td>-11.77</td><td>23.85</td><td>40.96</td><td>19.42</td><td>42.00</td><td>0.00</td><td>-- -- Average</td></tr><tr><td>8 20085.00</td><td>59.37</td><td>74.00</td><td>-14.63</td><td>71.41</td><td>37.97</td><td>23.79</td><td>64.26</td><td>-9.54</td><td>171 353 Peak</td></tr><tr><td>9 20085.00</td><td>50.59</td><td>54.00</td><td>-3.41</td><td>62.63</td><td>37.97</td><td>23.79</td><td>64.26</td><td>-9.54</td><td>171 353 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 1008.00	50.75	74.00	-23.25	53.88	23.30	5.21	31.94	0.30	-- -- Peak	2 6328.00	57.33	88.20	-30.87	42.96	35.37	13.31	35.17	0.86	100 353 Peak	3 6328.00	45.15	68.20	-23.05	30.78	35.37	13.31	35.17	0.86	100 353 Average	4 7120.00	52.11	88.20	-36.09	36.71	36.70	14.14	36.30	0.86	100 1 Peak	5 7120.00	40.87	68.20	-27.33	25.47	36.70	14.14	36.30	0.86	100 1 Average	6 13390.00	52.10	74.00	-21.90	33.72	40.96	19.42	42.00	0.00	-- -- Peak	7 13390.00	42.23	54.00	-11.77	23.85	40.96	19.42	42.00	0.00	-- -- Average	8 20085.00	59.37	74.00	-14.63	71.41	37.97	23.79	64.26	-9.54	171 353 Peak	9 20085.00	50.59	54.00	-3.41	62.63	37.97	23.79	64.26	-9.54	171 353 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																									
1 1120.00	50.58	74.00	-23.42	52.52	24.20	5.51	31.94	0.29	-- -- Peak																																																																																																																																																																																																																																									
2 6288.00	60.06	88.20	-28.14	45.89	35.20	13.27	35.16	0.86	100 117 Peak																																																																																																																																																																																																																																									
3 6288.00	47.87	68.20	-20.33	33.70	35.20	13.27	35.16	0.86	100 117 Average																																																																																																																																																																																																																																									
4 7104.00	57.37	88.20	-30.83	41.99	36.70	14.11	36.28	0.85	100 59 Peak																																																																																																																																																																																																																																									
5 7104.00	46.01	68.20	-22.19	30.63	36.70	14.11	36.28	0.85	100 59 Average																																																																																																																																																																																																																																									
6 13390.00	53.08	74.00	-20.92	34.70	40.96	19.42	42.00	0.00	-- -- Peak																																																																																																																																																																																																																																									
7 13390.00	42.31	54.00	-11.69	23.93	40.96	19.42	42.00	0.00	-- -- Average																																																																																																																																																																																																																																									
8 20085.00	46.89	74.00	-27.11	58.93	37.97	23.79	64.26	-9.54	172 221 Peak																																																																																																																																																																																																																																									
9 20085.00	38.39	54.00	-15.61	50.43	37.97	23.79	64.26	-9.54	172 221 Average																																																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																																									
1 1008.00	50.75	74.00	-23.25	53.88	23.30	5.21	31.94	0.30	-- -- Peak																																																																																																																																																																																																																																									
2 6328.00	57.33	88.20	-30.87	42.96	35.37	13.31	35.17	0.86	100 353 Peak																																																																																																																																																																																																																																									
3 6328.00	45.15	68.20	-23.05	30.78	35.37	13.31	35.17	0.86	100 353 Average																																																																																																																																																																																																																																									
4 7120.00	52.11	88.20	-36.09	36.71	36.70	14.14	36.30	0.86	100 1 Peak																																																																																																																																																																																																																																									
5 7120.00	40.87	68.20	-27.33	25.47	36.70	14.14	36.30	0.86	100 1 Average																																																																																																																																																																																																																																									
6 13390.00	52.10	74.00	-21.90	33.72	40.96	19.42	42.00	0.00	-- -- Peak																																																																																																																																																																																																																																									
7 13390.00	42.23	54.00	-11.77	23.85	40.96	19.42	42.00	0.00	-- -- Average																																																																																																																																																																																																																																									
8 20085.00	59.37	74.00	-14.63	71.41	37.97	23.79	64.26	-9.54	171 353 Peak																																																																																																																																																																																																																																									
9 20085.00	50.59	54.00	-3.41	62.63	37.97	23.79	64.26	-9.54	171 353 Average																																																																																																																																																																																																																																									





Mode	32	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-08  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-08  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	33																																																																																																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																																																																																																					
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz																																																																																																																																																																																																																																																																					
ANT	1+2																																																																																																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 1128.00</td><td>50.17</td><td>74.00</td><td>-23.83</td><td>52.08</td><td>24.20</td><td>5.54</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 6440.00</td><td>61.78</td><td>88.20</td><td>-26.42</td><td>46.82</td><td>35.94</td><td>13.39</td><td>35.22</td><td>0.85</td><td>102</td><td>117</td><td>117</td><td>Peak</td></tr><tr><td>3 6440.00</td><td>49.65</td><td>68.20</td><td>-18.55</td><td>34.69</td><td>35.94</td><td>13.39</td><td>35.22</td><td>0.85</td><td>102</td><td>117</td><td>117</td><td>Average</td></tr><tr><td>4 7304.00</td><td>55.14</td><td>74.00</td><td>-18.86</td><td>39.38</td><td>37.20</td><td>14.28</td><td>36.58</td><td>0.86</td><td>100</td><td>54</td><td>54</td><td>Peak</td></tr><tr><td>5 7304.00</td><td>43.50</td><td>54.00</td><td>-10.50</td><td>27.74</td><td>37.20</td><td>14.28</td><td>36.58</td><td>0.86</td><td>100</td><td>54</td><td>54</td><td>Average</td></tr><tr><td>6 13750.00</td><td>53.21</td><td>88.20</td><td>-34.99</td><td>34.69</td><td>41.50</td><td>19.51</td><td>42.49</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7 20625.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>55.93</td><td>37.95</td><td>24.11</td><td>63.42</td><td>-9.54</td><td>208</td><td>42</td><td>42</td><td>Peak</td></tr><tr><td>8 20625.00</td><td>35.70</td><td>54.00</td><td>-18.30</td><td>46.60</td><td>37.95</td><td>24.11</td><td>63.42</td><td>-9.54</td><td>208</td><td>42</td><td>42</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 1128.00	50.17	74.00	-23.83	52.08	24.20	5.54	31.94	0.29	--	--	--	Peak	2 6440.00	61.78	88.20	-26.42	46.82	35.94	13.39	35.22	0.85	102	117	117	Peak	3 6440.00	49.65	68.20	-18.55	34.69	35.94	13.39	35.22	0.85	102	117	117	Average	4 7304.00	55.14	74.00	-18.86	39.38	37.20	14.28	36.58	0.86	100	54	54	Peak	5 7304.00	43.50	54.00	-10.50	27.74	37.20	14.28	36.58	0.86	100	54	54	Average	6 13750.00	53.21	88.20	-34.99	34.69	41.50	19.51	42.49	0.00	--	--	--	Peak	7 20625.00	45.03	74.00	-28.97	55.93	37.95	24.11	63.42	-9.54	208	42	42	Peak	8 20625.00	35.70	54.00	-18.30	46.60	37.95	24.11	63.42	-9.54	208	42	42	Average	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 1008.00</td><td>50.91</td><td>74.00</td><td>-23.09</td><td>54.04</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 6456.00</td><td>58.61</td><td>88.20</td><td>-29.59</td><td>43.59</td><td>36.00</td><td>13.39</td><td>35.22</td><td>0.85</td><td>100</td><td>58</td><td>58</td><td>Peak</td></tr><tr><td>3 6456.00</td><td>46.11</td><td>68.20</td><td>-22.09</td><td>31.09</td><td>36.00</td><td>13.39</td><td>35.22</td><td>0.85</td><td>100</td><td>58</td><td>58</td><td>Average</td></tr><tr><td>4 7288.00</td><td>51.69</td><td>74.00</td><td>-22.31</td><td>35.95</td><td>37.15</td><td>14.29</td><td>36.56</td><td>0.86</td><td>103</td><td>165</td><td>165</td><td>Peak</td></tr><tr><td>5 7288.00</td><td>40.66</td><td>54.00</td><td>-13.34</td><td>24.92</td><td>37.15</td><td>14.29</td><td>36.56</td><td>0.86</td><td>103</td><td>165</td><td>165</td><td>Average</td></tr><tr><td>6 13750.00</td><td>53.11</td><td>88.20</td><td>-35.09</td><td>34.59</td><td>41.50</td><td>19.51</td><td>42.49</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7 20625.00</td><td>61.09</td><td>74.00</td><td>-12.91</td><td>71.99</td><td>37.95</td><td>24.11</td><td>63.42</td><td>-9.54</td><td>170</td><td>345</td><td>345</td><td>Peak</td></tr><tr><td>8 20625.00</td><td>50.39</td><td>54.00</td><td>-3.61</td><td>61.29</td><td>37.95</td><td>24.11</td><td>63.42</td><td>-9.54</td><td>170</td><td>345</td><td>345</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 1008.00	50.91	74.00	-23.09	54.04	23.30	5.21	31.94	0.30	--	--	--	Peak	2 6456.00	58.61	88.20	-29.59	43.59	36.00	13.39	35.22	0.85	100	58	58	Peak	3 6456.00	46.11	68.20	-22.09	31.09	36.00	13.39	35.22	0.85	100	58	58	Average	4 7288.00	51.69	74.00	-22.31	35.95	37.15	14.29	36.56	0.86	103	165	165	Peak	5 7288.00	40.66	54.00	-13.34	24.92	37.15	14.29	36.56	0.86	103	165	165	Average	6 13750.00	53.11	88.20	-35.09	34.59	41.50	19.51	42.49	0.00	--	--	--	Peak	7 20625.00	61.09	74.00	-12.91	71.99	37.95	24.11	63.42	-9.54	170	345	345	Peak	8 20625.00	50.39	54.00	-3.61	61.29	37.95	24.11	63.42	-9.54	170	345	345	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1 1128.00	50.17	74.00	-23.83	52.08	24.20	5.54	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																										
2 6440.00	61.78	88.20	-26.42	46.82	35.94	13.39	35.22	0.85	102	117	117	Peak																																																																																																																																																																																																																																																										
3 6440.00	49.65	68.20	-18.55	34.69	35.94	13.39	35.22	0.85	102	117	117	Average																																																																																																																																																																																																																																																										
4 7304.00	55.14	74.00	-18.86	39.38	37.20	14.28	36.58	0.86	100	54	54	Peak																																																																																																																																																																																																																																																										
5 7304.00	43.50	54.00	-10.50	27.74	37.20	14.28	36.58	0.86	100	54	54	Average																																																																																																																																																																																																																																																										
6 13750.00	53.21	88.20	-34.99	34.69	41.50	19.51	42.49	0.00	--	--	--	Peak																																																																																																																																																																																																																																																										
7 20625.00	45.03	74.00	-28.97	55.93	37.95	24.11	63.42	-9.54	208	42	42	Peak																																																																																																																																																																																																																																																										
8 20625.00	35.70	54.00	-18.30	46.60	37.95	24.11	63.42	-9.54	208	42	42	Average																																																																																																																																																																																																																																																										
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1 1008.00	50.91	74.00	-23.09	54.04	23.30	5.21	31.94	0.30	--	--	--	Peak																																																																																																																																																																																																																																																										
2 6456.00	58.61	88.20	-29.59	43.59	36.00	13.39	35.22	0.85	100	58	58	Peak																																																																																																																																																																																																																																																										
3 6456.00	46.11	68.20	-22.09	31.09	36.00	13.39	35.22	0.85	100	58	58	Average																																																																																																																																																																																																																																																										
4 7288.00	51.69	74.00	-22.31	35.95	37.15	14.29	36.56	0.86	103	165	165	Peak																																																																																																																																																																																																																																																										
5 7288.00	40.66	54.00	-13.34	24.92	37.15	14.29	36.56	0.86	103	165	165	Average																																																																																																																																																																																																																																																										
6 13750.00	53.11	88.20	-35.09	34.59	41.50	19.51	42.49	0.00	--	--	--	Peak																																																																																																																																																																																																																																																										
7 20625.00	61.09	74.00	-12.91	71.99	37.95	24.11	63.42	-9.54	170	345	345	Peak																																																																																																																																																																																																																																																										
8 20625.00	50.39	54.00	-3.61	61.29	37.95	24.11	63.42	-9.54	170	345	345	Average																																																																																																																																																																																																																																																										



Mode	33	
	Harmonic	
	U-NII-7_6.525-6.875_802.11a_CH185_6875MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-08  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-08  Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	34																																																																																																																																																																																																																																																														
	Harmonic																																																																																																																																																																																																																																																														
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz																																																																																																																																																																																																																																																														
ANT	1+2																																																																																																																																																																																																																																																														
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1112.00</td><td>49.96</td><td>74.00</td><td>-24.04</td><td>52.16</td><td>23.96</td><td>5.49</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6136.00</td><td>65.72</td><td>88.20</td><td>-22.48</td><td>52.45</td><td>34.42</td><td>13.12</td><td>35.10</td><td>0.83</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>3</td><td>6136.00</td><td>53.97</td><td>68.20</td><td>-14.23</td><td>40.70</td><td>34.42</td><td>13.12</td><td>35.10</td><td>0.83</td><td>100</td><td>120</td><td>Average</td></tr><tr><td>4</td><td>6920.00</td><td>60.92</td><td>88.20</td><td>-27.28</td><td>45.52</td><td>36.66</td><td>13.90</td><td>35.98</td><td>0.82</td><td>100</td><td>61</td><td>Peak</td></tr><tr><td>5</td><td>6920.00</td><td>49.81</td><td>68.20</td><td>-18.39</td><td>34.41</td><td>36.66</td><td>13.90</td><td>35.98</td><td>0.82</td><td>100</td><td>61</td><td>Average</td></tr><tr><td>6</td><td>13070.00</td><td>51.37</td><td>88.20</td><td>-36.83</td><td>33.03</td><td>40.56</td><td>19.14</td><td>41.36</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19605.00</td><td>39.42</td><td>74.00</td><td>-34.58</td><td>52.46</td><td>38.01</td><td>23.52</td><td>65.03</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	1112.00	49.96	74.00	-24.04	52.16	23.96	5.49	31.94	0.29	--	--	--	Peak	2	6136.00	65.72	88.20	-22.48	52.45	34.42	13.12	35.10	0.83	100	120	Peak	3	6136.00	53.97	68.20	-14.23	40.70	34.42	13.12	35.10	0.83	100	120	Average	4	6920.00	60.92	88.20	-27.28	45.52	36.66	13.90	35.98	0.82	100	61	Peak	5	6920.00	49.81	68.20	-18.39	34.41	36.66	13.90	35.98	0.82	100	61	Average	6	13070.00	51.37	88.20	-36.83	33.03	40.56	19.14	41.36	0.00	--	--	Peak	7	19605.00	39.42	74.00	-34.58	52.46	38.01	23.52	65.03	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1008.00</td><td>49.09</td><td>74.00</td><td>-24.91</td><td>52.22</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6152.00</td><td>60.85</td><td>88.20</td><td>-27.35</td><td>47.47</td><td>34.51</td><td>13.14</td><td>35.11</td><td>0.84</td><td>100</td><td>69</td><td>Peak</td></tr><tr><td>3</td><td>6152.00</td><td>50.10</td><td>68.20</td><td>-18.10</td><td>36.72</td><td>34.51</td><td>13.14</td><td>35.11</td><td>0.84</td><td>100</td><td>69</td><td>Average</td></tr><tr><td>4</td><td>6904.00</td><td>56.39</td><td>88.20</td><td>-31.81</td><td>40.94</td><td>36.69</td><td>13.89</td><td>35.95</td><td>0.82</td><td>392</td><td>0</td><td>Peak</td></tr><tr><td>5</td><td>6904.00</td><td>45.51</td><td>68.20</td><td>-22.69</td><td>30.06</td><td>36.69</td><td>13.89</td><td>35.95</td><td>0.82</td><td>392</td><td>0</td><td>Average</td></tr><tr><td>6</td><td>13070.00</td><td>51.72</td><td>88.20</td><td>-36.48</td><td>33.38</td><td>40.56</td><td>19.14</td><td>41.36</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19605.00</td><td>54.17</td><td>74.00</td><td>-19.83</td><td>67.21</td><td>38.01</td><td>23.52</td><td>65.03</td><td>-9.54</td><td>174</td><td>352</td><td>Peak</td></tr><tr><td>8</td><td>19605.00</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>56.43</td><td>38.01</td><td>23.52</td><td>65.03</td><td>-9.54</td><td>174</td><td>352</td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	1008.00	49.09	74.00	-24.91	52.22	23.30	5.21	31.94	0.30	--	--	--	Peak	2	6152.00	60.85	88.20	-27.35	47.47	34.51	13.14	35.11	0.84	100	69	Peak	3	6152.00	50.10	68.20	-18.10	36.72	34.51	13.14	35.11	0.84	100	69	Average	4	6904.00	56.39	88.20	-31.81	40.94	36.69	13.89	35.95	0.82	392	0	Peak	5	6904.00	45.51	68.20	-22.69	30.06	36.69	13.89	35.95	0.82	392	0	Average	6	13070.00	51.72	88.20	-36.48	33.38	40.56	19.14	41.36	0.00	--	--	Peak	7	19605.00	54.17	74.00	-19.83	67.21	38.01	23.52	65.03	-9.54	174	352	Peak	8	19605.00	43.39	54.00	-10.61	56.43	38.01	23.52	65.03	-9.54	174	352	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																		
1	1112.00	49.96	74.00	-24.04	52.16	23.96	5.49	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																		
2	6136.00	65.72	88.20	-22.48	52.45	34.42	13.12	35.10	0.83	100	120	Peak																																																																																																																																																																																																																																																			
3	6136.00	53.97	68.20	-14.23	40.70	34.42	13.12	35.10	0.83	100	120	Average																																																																																																																																																																																																																																																			
4	6920.00	60.92	88.20	-27.28	45.52	36.66	13.90	35.98	0.82	100	61	Peak																																																																																																																																																																																																																																																			
5	6920.00	49.81	68.20	-18.39	34.41	36.66	13.90	35.98	0.82	100	61	Average																																																																																																																																																																																																																																																			
6	13070.00	51.37	88.20	-36.83	33.03	40.56	19.14	41.36	0.00	--	--	Peak																																																																																																																																																																																																																																																			
7	19605.00	39.42	74.00	-34.58	52.46	38.01	23.52	65.03	-9.54	--	--	Peak																																																																																																																																																																																																																																																			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																		
1	1008.00	49.09	74.00	-24.91	52.22	23.30	5.21	31.94	0.30	--	--	--	Peak																																																																																																																																																																																																																																																		
2	6152.00	60.85	88.20	-27.35	47.47	34.51	13.14	35.11	0.84	100	69	Peak																																																																																																																																																																																																																																																			
3	6152.00	50.10	68.20	-18.10	36.72	34.51	13.14	35.11	0.84	100	69	Average																																																																																																																																																																																																																																																			
4	6904.00	56.39	88.20	-31.81	40.94	36.69	13.89	35.95	0.82	392	0	Peak																																																																																																																																																																																																																																																			
5	6904.00	45.51	68.20	-22.69	30.06	36.69	13.89	35.95	0.82	392	0	Average																																																																																																																																																																																																																																																			
6	13070.00	51.72	88.20	-36.48	33.38	40.56	19.14	41.36	0.00	--	--	Peak																																																																																																																																																																																																																																																			
7	19605.00	54.17	74.00	-19.83	67.21	38.01	23.52	65.03	-9.54	174	352	Peak																																																																																																																																																																																																																																																			
8	19605.00	43.39	54.00	-10.61	56.43	38.01	23.52	65.03	-9.54	174	352	Average																																																																																																																																																																																																																																																			



Mode	34	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-09 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-09 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	35																																																																																																																																																																																																																																																										
	Harmonic																																																																																																																																																																																																																																																										
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz																																																																																																																																																																																																																																																										
ANT	1+2																																																																																																																																																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																									
Peak Avg	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 1120.00</td><td>48.93</td><td>74.00</td><td>-25.07</td><td>50.87</td><td>24.20</td><td>5.51</td><td>31.94</td><td>0.29</td><td>--</td><td>-- Peak</td></tr><tr><td>2 6272.00</td><td>64.53</td><td>88.20</td><td>-23.67</td><td>50.36</td><td>35.20</td><td>13.26</td><td>35.15</td><td>0.86</td><td>100</td><td>120 Peak</td></tr><tr><td>3 6272.00</td><td>53.92</td><td>68.20</td><td>-14.28</td><td>39.75</td><td>35.20</td><td>13.26</td><td>35.15</td><td>0.86</td><td>100</td><td>120 Average</td></tr><tr><td>4 7104.00</td><td>62.71</td><td>88.20</td><td>-25.49</td><td>47.33</td><td>36.70</td><td>14.11</td><td>36.28</td><td>0.85</td><td>100</td><td>56 Peak</td></tr><tr><td>5 7104.00</td><td>50.78</td><td>68.20</td><td>-17.42</td><td>35.40</td><td>36.70</td><td>14.11</td><td>36.28</td><td>0.85</td><td>100</td><td>56 Average</td></tr><tr><td>6 13390.00</td><td>51.05</td><td>74.00</td><td>-22.95</td><td>32.67</td><td>40.96</td><td>19.42</td><td>42.00</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>7 13390.00</td><td>42.01</td><td>54.00</td><td>-11.99</td><td>23.63</td><td>40.96</td><td>19.42</td><td>42.00</td><td>0.00</td><td>--</td><td>-- Average</td></tr><tr><td>8 20085.00</td><td>40.98</td><td>74.00</td><td>-33.02</td><td>53.02</td><td>37.97</td><td>23.79</td><td>64.26</td><td>-9.54</td><td>--</td><td>-- Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 1120.00	48.93	74.00	-25.07	50.87	24.20	5.51	31.94	0.29	--	-- Peak	2 6272.00	64.53	88.20	-23.67	50.36	35.20	13.26	35.15	0.86	100	120 Peak	3 6272.00	53.92	68.20	-14.28	39.75	35.20	13.26	35.15	0.86	100	120 Average	4 7104.00	62.71	88.20	-25.49	47.33	36.70	14.11	36.28	0.85	100	56 Peak	5 7104.00	50.78	68.20	-17.42	35.40	36.70	14.11	36.28	0.85	100	56 Average	6 13390.00	51.05	74.00	-22.95	32.67	40.96	19.42	42.00	0.00	--	-- Peak	7 13390.00	42.01	54.00	-11.99	23.63	40.96	19.42	42.00	0.00	--	-- Average	8 20085.00	40.98	74.00	-33.02	53.02	37.97	23.79	64.26	-9.54	--	-- Peak	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 1008.00</td><td>49.44</td><td>74.00</td><td>-24.56</td><td>52.57</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>--</td><td>-- Peak</td></tr><tr><td>2 6304.00</td><td>61.78</td><td>88.20</td><td>-26.42</td><td>47.58</td><td>35.22</td><td>13.29</td><td>35.17</td><td>0.86</td><td>100</td><td>69 Peak</td></tr><tr><td>3 6304.00</td><td>49.50</td><td>68.20</td><td>-18.70</td><td>35.30</td><td>35.22</td><td>13.29</td><td>35.17</td><td>0.86</td><td>100</td><td>69 Average</td></tr><tr><td>4 7112.00</td><td>57.64</td><td>88.20</td><td>-30.56</td><td>42.25</td><td>36.70</td><td>14.13</td><td>36.29</td><td>0.85</td><td>392</td><td>0 Peak</td></tr><tr><td>5 7112.00</td><td>45.68</td><td>68.20</td><td>-22.52</td><td>30.29</td><td>36.70</td><td>14.13</td><td>36.29</td><td>0.85</td><td>392</td><td>0 Average</td></tr><tr><td>6 13390.00</td><td>51.53</td><td>74.00</td><td>-22.47</td><td>33.15</td><td>40.96</td><td>19.42</td><td>42.00</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>7 13390.00</td><td>42.50</td><td>54.00</td><td>-11.50</td><td>24.12</td><td>40.96</td><td>19.42</td><td>42.00</td><td>0.00</td><td>--</td><td>-- Average</td></tr><tr><td>8 20085.00</td><td>57.76</td><td>74.00</td><td>-16.24</td><td>69.00</td><td>37.97</td><td>23.79</td><td>64.26</td><td>-9.54</td><td>173</td><td>351 Peak</td></tr><tr><td>9 20085.00</td><td>48.84</td><td>54.00</td><td>-5.16</td><td>60.88</td><td>37.97</td><td>23.79</td><td>64.26</td><td>-9.54</td><td>173</td><td>351 Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 1008.00	49.44	74.00	-24.56	52.57	23.30	5.21	31.94	0.30	--	-- Peak	2 6304.00	61.78	88.20	-26.42	47.58	35.22	13.29	35.17	0.86	100	69 Peak	3 6304.00	49.50	68.20	-18.70	35.30	35.22	13.29	35.17	0.86	100	69 Average	4 7112.00	57.64	88.20	-30.56	42.25	36.70	14.13	36.29	0.85	392	0 Peak	5 7112.00	45.68	68.20	-22.52	30.29	36.70	14.13	36.29	0.85	392	0 Average	6 13390.00	51.53	74.00	-22.47	33.15	40.96	19.42	42.00	0.00	--	-- Peak	7 13390.00	42.50	54.00	-11.50	24.12	40.96	19.42	42.00	0.00	--	-- Average	8 20085.00	57.76	74.00	-16.24	69.00	37.97	23.79	64.26	-9.54	173	351 Peak	9 20085.00	48.84	54.00	-5.16	60.88	37.97	23.79	64.26	-9.54	173	351 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																	
1 1120.00	48.93	74.00	-25.07	50.87	24.20	5.51	31.94	0.29	--	-- Peak																																																																																																																																																																																																																																																	
2 6272.00	64.53	88.20	-23.67	50.36	35.20	13.26	35.15	0.86	100	120 Peak																																																																																																																																																																																																																																																	
3 6272.00	53.92	68.20	-14.28	39.75	35.20	13.26	35.15	0.86	100	120 Average																																																																																																																																																																																																																																																	
4 7104.00	62.71	88.20	-25.49	47.33	36.70	14.11	36.28	0.85	100	56 Peak																																																																																																																																																																																																																																																	
5 7104.00	50.78	68.20	-17.42	35.40	36.70	14.11	36.28	0.85	100	56 Average																																																																																																																																																																																																																																																	
6 13390.00	51.05	74.00	-22.95	32.67	40.96	19.42	42.00	0.00	--	-- Peak																																																																																																																																																																																																																																																	
7 13390.00	42.01	54.00	-11.99	23.63	40.96	19.42	42.00	0.00	--	-- Average																																																																																																																																																																																																																																																	
8 20085.00	40.98	74.00	-33.02	53.02	37.97	23.79	64.26	-9.54	--	-- Peak																																																																																																																																																																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																	
1 1008.00	49.44	74.00	-24.56	52.57	23.30	5.21	31.94	0.30	--	-- Peak																																																																																																																																																																																																																																																	
2 6304.00	61.78	88.20	-26.42	47.58	35.22	13.29	35.17	0.86	100	69 Peak																																																																																																																																																																																																																																																	
3 6304.00	49.50	68.20	-18.70	35.30	35.22	13.29	35.17	0.86	100	69 Average																																																																																																																																																																																																																																																	
4 7112.00	57.64	88.20	-30.56	42.25	36.70	14.13	36.29	0.85	392	0 Peak																																																																																																																																																																																																																																																	
5 7112.00	45.68	68.20	-22.52	30.29	36.70	14.13	36.29	0.85	392	0 Average																																																																																																																																																																																																																																																	
6 13390.00	51.53	74.00	-22.47	33.15	40.96	19.42	42.00	0.00	--	-- Peak																																																																																																																																																																																																																																																	
7 13390.00	42.50	54.00	-11.50	24.12	40.96	19.42	42.00	0.00	--	-- Average																																																																																																																																																																																																																																																	
8 20085.00	57.76	74.00	-16.24	69.00	37.97	23.79	64.26	-9.54	173	351 Peak																																																																																																																																																																																																																																																	
9 20085.00	48.84	54.00	-5.16	60.88	37.97	23.79	64.26	-9.54	173	351 Average																																																																																																																																																																																																																																																	



Mode	35	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-09 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-09 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	36																																																																																																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz																																																																																																																																																																																																																																																																																									
ANT	1+2																																																																																																																																																																																																																																																																																									
Pol.	Horizontal							Vertical																																																																																																																																																																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1112.00</td><td>49.32</td><td>74.00</td><td>-24.68</td><td>51.52</td><td>23.96</td><td>5.49</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6488.00</td><td>65.89</td><td>88.20</td><td>-22.31</td><td>50.88</td><td>36.00</td><td>13.40</td><td>35.24</td><td>0.85</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>3</td><td>6488.00</td><td>55.00</td><td>68.20</td><td>-13.20</td><td>39.99</td><td>36.00</td><td>13.40</td><td>35.24</td><td>0.85</td><td>100</td><td>120</td><td>Average</td></tr><tr><td>4</td><td>7288.00</td><td>60.93</td><td>74.00</td><td>-13.07</td><td>45.19</td><td>37.15</td><td>14.29</td><td>36.56</td><td>0.86</td><td>100</td><td>59</td><td>Peak</td></tr><tr><td>5</td><td>7288.00</td><td>47.58</td><td>54.00</td><td>-6.42</td><td>31.84</td><td>37.15</td><td>14.29</td><td>36.56</td><td>0.86</td><td>100</td><td>59</td><td>Average</td></tr><tr><td>6</td><td>13750.00</td><td>54.01</td><td>88.20</td><td>-34.19</td><td>35.49</td><td>41.50</td><td>19.51</td><td>42.49</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>20625.00</td><td>49.63</td><td>74.00</td><td>-24.37</td><td>60.53</td><td>37.95</td><td>24.11</td><td>63.42</td><td>-9.54</td><td>175</td><td>201</td><td>Peak</td></tr><tr><td>8</td><td>20625.00</td><td>38.39</td><td>54.00</td><td>-15.61</td><td>49.29</td><td>37.95</td><td>24.11</td><td>63.42</td><td>-9.54</td><td>175</td><td>201</td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1112.00	49.32	74.00	-24.68	51.52	23.96	5.49	31.94	0.29	--	--	--	Peak	2	6488.00	65.89	88.20	-22.31	50.88	36.00	13.40	35.24	0.85	100	120	Peak	3	6488.00	55.00	68.20	-13.20	39.99	36.00	13.40	35.24	0.85	100	120	Average	4	7288.00	60.93	74.00	-13.07	45.19	37.15	14.29	36.56	0.86	100	59	Peak	5	7288.00	47.58	54.00	-6.42	31.84	37.15	14.29	36.56	0.86	100	59	Average	6	13750.00	54.01	88.20	-34.19	35.49	41.50	19.51	42.49	0.00	--	--	--	Peak	7	20625.00	49.63	74.00	-24.37	60.53	37.95	24.11	63.42	-9.54	175	201	Peak	8	20625.00	38.39	54.00	-15.61	49.29	37.95	24.11	63.42	-9.54	175	201	Average	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1152.00</td><td>48.78</td><td>74.00</td><td>-25.22</td><td>50.79</td><td>24.04</td><td>5.60</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6472.00</td><td>62.63</td><td>88.20</td><td>-25.57</td><td>47.62</td><td>36.00</td><td>13.39</td><td>35.23</td><td>0.85</td><td>100</td><td>341</td><td>Peak</td></tr><tr><td>3</td><td>6472.00</td><td>51.06</td><td>68.20</td><td>-17.14</td><td>36.05</td><td>36.00</td><td>13.39</td><td>35.23</td><td>0.85</td><td>100</td><td>341</td><td>Average</td></tr><tr><td>4</td><td>7280.00</td><td>56.76</td><td>74.00</td><td>-17.24</td><td>41.04</td><td>37.12</td><td>14.29</td><td>36.55</td><td>0.86</td><td>100</td><td>0</td><td>Peak</td></tr><tr><td>5</td><td>7280.00</td><td>44.32</td><td>54.00</td><td>-9.68</td><td>28.60</td><td>37.12</td><td>14.29</td><td>36.55</td><td>0.86</td><td>100</td><td>0</td><td>Average</td></tr><tr><td>6</td><td>13750.00</td><td>54.03</td><td>88.20</td><td>-34.17</td><td>35.51</td><td>41.50</td><td>19.51</td><td>42.49</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>20625.00</td><td>60.19</td><td>74.00</td><td>-13.81</td><td>71.09</td><td>37.95</td><td>24.11</td><td>63.42</td><td>-9.54</td><td>170</td><td>343</td><td>Peak</td></tr><tr><td>8</td><td>20625.00</td><td>50.68</td><td>54.00</td><td>-3.32</td><td>61.58</td><td>37.95</td><td>24.11</td><td>63.42</td><td>-9.54</td><td>170</td><td>343</td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1152.00	48.78	74.00	-25.22	50.79	24.04	5.60	31.94	0.29	--	--	--	Peak	2	6472.00	62.63	88.20	-25.57	47.62	36.00	13.39	35.23	0.85	100	341	Peak	3	6472.00	51.06	68.20	-17.14	36.05	36.00	13.39	35.23	0.85	100	341	Average	4	7280.00	56.76	74.00	-17.24	41.04	37.12	14.29	36.55	0.86	100	0	Peak	5	7280.00	44.32	54.00	-9.68	28.60	37.12	14.29	36.55	0.86	100	0	Average	6	13750.00	54.03	88.20	-34.17	35.51	41.50	19.51	42.49	0.00	--	--	--	Peak	7	20625.00	60.19	74.00	-13.81	71.09	37.95	24.11	63.42	-9.54	170	343	Peak	8	20625.00	50.68	54.00	-3.32	61.58	37.95	24.11	63.42	-9.54	170	343	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																														
1	1112.00	49.32	74.00	-24.68	51.52	23.96	5.49	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																																													
2	6488.00	65.89	88.20	-22.31	50.88	36.00	13.40	35.24	0.85	100	120	Peak																																																																																																																																																																																																																																																																														
3	6488.00	55.00	68.20	-13.20	39.99	36.00	13.40	35.24	0.85	100	120	Average																																																																																																																																																																																																																																																																														
4	7288.00	60.93	74.00	-13.07	45.19	37.15	14.29	36.56	0.86	100	59	Peak																																																																																																																																																																																																																																																																														
5	7288.00	47.58	54.00	-6.42	31.84	37.15	14.29	36.56	0.86	100	59	Average																																																																																																																																																																																																																																																																														
6	13750.00	54.01	88.20	-34.19	35.49	41.50	19.51	42.49	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																													
7	20625.00	49.63	74.00	-24.37	60.53	37.95	24.11	63.42	-9.54	175	201	Peak																																																																																																																																																																																																																																																																														
8	20625.00	38.39	54.00	-15.61	49.29	37.95	24.11	63.42	-9.54	175	201	Average																																																																																																																																																																																																																																																																														
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																														
1	1152.00	48.78	74.00	-25.22	50.79	24.04	5.60	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																																													
2	6472.00	62.63	88.20	-25.57	47.62	36.00	13.39	35.23	0.85	100	341	Peak																																																																																																																																																																																																																																																																														
3	6472.00	51.06	68.20	-17.14	36.05	36.00	13.39	35.23	0.85	100	341	Average																																																																																																																																																																																																																																																																														
4	7280.00	56.76	74.00	-17.24	41.04	37.12	14.29	36.55	0.86	100	0	Peak																																																																																																																																																																																																																																																																														
5	7280.00	44.32	54.00	-9.68	28.60	37.12	14.29	36.55	0.86	100	0	Average																																																																																																																																																																																																																																																																														
6	13750.00	54.03	88.20	-34.17	35.51	41.50	19.51	42.49	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																													
7	20625.00	60.19	74.00	-13.81	71.09	37.95	24.11	63.42	-9.54	170	343	Peak																																																																																																																																																																																																																																																																														
8	20625.00	50.68	54.00	-3.32	61.58	37.95	24.11	63.42	-9.54	170	343	Average																																																																																																																																																																																																																																																																														



Mode	36	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE20_CH185_Full RU_6875MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-09 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-09 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	37																																																																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																																																																													
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz																																																																																																																																																																																																																																																																													
ANT	1+2																																																																																																																																																																																																																																																																													
Pol.	Horizontal							Vertical																																																																																																																																																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-06-12 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1120.00</td><td>50.55</td><td>74.00</td><td>-23.45</td><td>52.49</td><td>24.20</td><td>5.51</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6184.00</td><td>65.26</td><td>88.20</td><td>-22.94</td><td>51.65</td><td>34.70</td><td>13.17</td><td>35.12</td><td>0.86</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>3</td><td>6184.00</td><td>53.48</td><td>68.20</td><td>-14.72</td><td>39.87</td><td>34.70</td><td>13.17</td><td>35.12</td><td>0.86</td><td>100</td><td>120</td><td>Average</td></tr><tr><td>4</td><td>6960.00</td><td>62.52</td><td>88.20</td><td>-25.68</td><td>47.26</td><td>36.58</td><td>13.91</td><td>36.05</td><td>0.82</td><td>100</td><td>61</td><td>Peak</td></tr><tr><td>5</td><td>6960.00</td><td>49.16</td><td>68.20</td><td>-19.04</td><td>33.90</td><td>36.58</td><td>13.91</td><td>36.05</td><td>0.82</td><td>100</td><td>61</td><td>Average</td></tr><tr><td>6</td><td>13130.00</td><td>52.25</td><td>88.20</td><td>-35.95</td><td>33.62</td><td>40.92</td><td>19.19</td><td>41.48</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19695.00</td><td>40.21</td><td>74.00</td><td>-33.79</td><td>52.97</td><td>38.10</td><td>23.57</td><td>64.89</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	1120.00	50.55	74.00	-23.45	52.49	24.20	5.51	31.94	0.29	--	--	--	Peak	2	6184.00	65.26	88.20	-22.94	51.65	34.70	13.17	35.12	0.86	100	120	Peak	3	6184.00	53.48	68.20	-14.72	39.87	34.70	13.17	35.12	0.86	100	120	Average	4	6960.00	62.52	88.20	-25.68	47.26	36.58	13.91	36.05	0.82	100	61	Peak	5	6960.00	49.16	68.20	-19.04	33.90	36.58	13.91	36.05	0.82	100	61	Average	6	13130.00	52.25	88.20	-35.95	33.62	40.92	19.19	41.48	0.00	--	--	--	Peak	7	19695.00	40.21	74.00	-33.79	52.97	38.10	23.57	64.89	-9.54	--	--	--	Peak	Level (dBuV/m) Date: 2025-06-12 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1088.00</td><td>50.40</td><td>74.00</td><td>-23.60</td><td>53.53</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6160.00</td><td>63.46</td><td>88.20</td><td>-24.74</td><td>50.01</td><td>34.56</td><td>13.15</td><td>35.11</td><td>0.85</td><td>100</td><td>341</td><td>Peak</td></tr><tr><td>3</td><td>6160.00</td><td>48.53</td><td>68.20</td><td>-19.67</td><td>35.08</td><td>34.56</td><td>13.15</td><td>35.11</td><td>0.85</td><td>100</td><td>341</td><td>Average</td></tr><tr><td>4</td><td>6952.00</td><td>56.63</td><td>88.20</td><td>-31.57</td><td>41.34</td><td>36.60</td><td>13.91</td><td>36.04</td><td>0.82</td><td>100</td><td>0</td><td>Peak</td></tr><tr><td>5</td><td>6952.00</td><td>44.34</td><td>68.20</td><td>-23.86</td><td>29.05</td><td>36.60</td><td>13.91</td><td>36.04</td><td>0.82</td><td>100</td><td>0</td><td>Average</td></tr><tr><td>6</td><td>13130.00</td><td>52.85</td><td>88.20</td><td>-35.35</td><td>34.22</td><td>40.92</td><td>19.19</td><td>41.48</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19695.00</td><td>52.57</td><td>74.00</td><td>-21.43</td><td>65.33</td><td>38.10</td><td>23.57</td><td>64.89</td><td>-9.54</td><td>170</td><td>356</td><td>Peak</td></tr><tr><td>8</td><td>19695.00</td><td>42.09</td><td>54.00</td><td>-11.91</td><td>54.85</td><td>38.10</td><td>23.57</td><td>64.89</td><td>-9.54</td><td>170</td><td>356</td><td>Average</td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	1088.00	50.40	74.00	-23.60	53.53	23.30	5.21	31.94	0.30	--	--	--	Peak	2	6160.00	63.46	88.20	-24.74	50.01	34.56	13.15	35.11	0.85	100	341	Peak	3	6160.00	48.53	68.20	-19.67	35.08	34.56	13.15	35.11	0.85	100	341	Average	4	6952.00	56.63	88.20	-31.57	41.34	36.60	13.91	36.04	0.82	100	0	Peak	5	6952.00	44.34	68.20	-23.86	29.05	36.60	13.91	36.04	0.82	100	0	Average	6	13130.00	52.85	88.20	-35.35	34.22	40.92	19.19	41.48	0.00	--	--	--	Peak	7	19695.00	52.57	74.00	-21.43	65.33	38.10	23.57	64.89	-9.54	170	356	Peak	8	19695.00	42.09	54.00	-11.91	54.85	38.10	23.57	64.89	-9.54	170	356	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																	
1	1120.00	50.55	74.00	-23.45	52.49	24.20	5.51	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																																	
2	6184.00	65.26	88.20	-22.94	51.65	34.70	13.17	35.12	0.86	100	120	Peak																																																																																																																																																																																																																																																																		
3	6184.00	53.48	68.20	-14.72	39.87	34.70	13.17	35.12	0.86	100	120	Average																																																																																																																																																																																																																																																																		
4	6960.00	62.52	88.20	-25.68	47.26	36.58	13.91	36.05	0.82	100	61	Peak																																																																																																																																																																																																																																																																		
5	6960.00	49.16	68.20	-19.04	33.90	36.58	13.91	36.05	0.82	100	61	Average																																																																																																																																																																																																																																																																		
6	13130.00	52.25	88.20	-35.95	33.62	40.92	19.19	41.48	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																	
7	19695.00	40.21	74.00	-33.79	52.97	38.10	23.57	64.89	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																	
1	1088.00	50.40	74.00	-23.60	53.53	23.30	5.21	31.94	0.30	--	--	--	Peak																																																																																																																																																																																																																																																																	
2	6160.00	63.46	88.20	-24.74	50.01	34.56	13.15	35.11	0.85	100	341	Peak																																																																																																																																																																																																																																																																		
3	6160.00	48.53	68.20	-19.67	35.08	34.56	13.15	35.11	0.85	100	341	Average																																																																																																																																																																																																																																																																		
4	6952.00	56.63	88.20	-31.57	41.34	36.60	13.91	36.04	0.82	100	0	Peak																																																																																																																																																																																																																																																																		
5	6952.00	44.34	68.20	-23.86	29.05	36.60	13.91	36.04	0.82	100	0	Average																																																																																																																																																																																																																																																																		
6	13130.00	52.85	88.20	-35.35	34.22	40.92	19.19	41.48	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																	
7	19695.00	52.57	74.00	-21.43	65.33	38.10	23.57	64.89	-9.54	170	356	Peak																																																																																																																																																																																																																																																																		
8	19695.00	42.09	54.00	-11.91	54.85	38.10	23.57	64.89	-9.54	170	356	Average																																																																																																																																																																																																																																																																		



Mode	37	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-09 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-09 Frequency (MHz) Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	38																																																																																																																																																																																																																																																																																																															
	Harmonic																																																																																																																																																																																																																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz																																																																																																																																																																																																																																																																																																															
ANT	1+2																																																																																																																																																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-06-12 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 1128.00</td><td>50.63</td><td>74.00</td><td>-23.37</td><td>52.54</td><td>24.20</td><td>5.54</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 6280.00</td><td>64.66</td><td>88.20</td><td>-23.54</td><td>50.49</td><td>35.20</td><td>13.27</td><td>35.16</td><td>0.86</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>3 6280.00</td><td>52.91</td><td>68.20</td><td>-15.29</td><td>38.74</td><td>35.20</td><td>13.27</td><td>35.16</td><td>0.86</td><td>100</td><td>120</td><td>Average</td></tr><tr><td>4 7112.00</td><td>61.14</td><td>88.20</td><td>-27.06</td><td>45.75</td><td>36.70</td><td>14.13</td><td>36.29</td><td>0.85</td><td>100</td><td>61</td><td>Peak</td></tr><tr><td>5 7112.00</td><td>50.16</td><td>68.20</td><td>-18.04</td><td>34.77</td><td>36.70</td><td>14.13</td><td>36.29</td><td>0.85</td><td>100</td><td>61</td><td>Average</td></tr><tr><td>6 13370.00</td><td>52.31</td><td>74.00</td><td>-21.69</td><td>33.79</td><td>41.00</td><td>19.40</td><td>41.96</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7 13370.00</td><td>43.30</td><td>54.00</td><td>-10.70</td><td>24.78</td><td>41.00</td><td>19.40</td><td>41.96</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8 20055.00</td><td>45.72</td><td>74.00</td><td>-28.28</td><td>57.89</td><td>37.91</td><td>23.77</td><td>64.31</td><td>-9.54</td><td>173</td><td>167</td><td>Peak</td></tr><tr><td>9 20055.00</td><td>36.72</td><td>54.00</td><td>-17.28</td><td>48.89</td><td>37.91</td><td>23.77</td><td>64.31</td><td>-9.54</td><td>173</td><td>167</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 1128.00	50.63	74.00	-23.37	52.54	24.20	5.54	31.94	0.29	--	--	Peak	2 6280.00	64.66	88.20	-23.54	50.49	35.20	13.27	35.16	0.86	100	120	Peak	3 6280.00	52.91	68.20	-15.29	38.74	35.20	13.27	35.16	0.86	100	120	Average	4 7112.00	61.14	88.20	-27.06	45.75	36.70	14.13	36.29	0.85	100	61	Peak	5 7112.00	50.16	68.20	-18.04	34.77	36.70	14.13	36.29	0.85	100	61	Average	6 13370.00	52.31	74.00	-21.69	33.79	41.00	19.40	41.96	0.00	--	--	Peak	7 13370.00	43.30	54.00	-10.70	24.78	41.00	19.40	41.96	0.00	--	--	Average	8 20055.00	45.72	74.00	-28.28	57.89	37.91	23.77	64.31	-9.54	173	167	Peak	9 20055.00	36.72	54.00	-17.28	48.89	37.91	23.77	64.31	-9.54	173	167	Average	Level (dBuV/m) Date: 2025-06-12 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 1000.00</td><td>49.70</td><td>74.00</td><td>-24.30</td><td>52.85</td><td>23.30</td><td>5.19</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2 6280.00</td><td>60.94</td><td>88.20</td><td>-27.26</td><td>46.77</td><td>35.20</td><td>13.27</td><td>35.16</td><td>0.86</td><td>100</td><td>69</td><td>Peak</td></tr><tr><td>3 6280.00</td><td>48.75</td><td>68.20</td><td>-19.45</td><td>34.58</td><td>35.20</td><td>13.27</td><td>35.16</td><td>0.86</td><td>100</td><td>69</td><td>Average</td></tr><tr><td>4 7080.00</td><td>53.35</td><td>88.20</td><td>-34.85</td><td>38.06</td><td>36.62</td><td>14.07</td><td>36.24</td><td>0.84</td><td>394</td><td>0</td><td>Peak</td></tr><tr><td>5 7080.00</td><td>42.84</td><td>68.20</td><td>-25.36</td><td>27.55</td><td>36.62</td><td>14.07</td><td>36.24</td><td>0.84</td><td>394</td><td>0</td><td>Average</td></tr><tr><td>6 13370.00</td><td>53.45</td><td>74.00</td><td>-20.55</td><td>34.93</td><td>41.00</td><td>19.40</td><td>41.96</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7 13370.00</td><td>44.40</td><td>54.00</td><td>-9.60</td><td>25.88</td><td>41.00</td><td>19.40</td><td>41.96</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8 20055.00</td><td>57.42</td><td>74.00</td><td>-16.58</td><td>69.59</td><td>37.91</td><td>23.77</td><td>64.31</td><td>-9.54</td><td>169</td><td>341</td><td>Peak</td></tr><tr><td>9 20055.00</td><td>47.99</td><td>54.00</td><td>-6.01</td><td>60.16</td><td>37.91</td><td>23.77</td><td>64.31</td><td>-9.54</td><td>169</td><td>341</td><td>Average</td></tr><tr><td>10 26740.00</td><td>50.54</td><td>88.20</td><td>-37.66</td><td>53.50</td><td>40.08</td><td>27.54</td><td>61.04</td><td>-9.54</td><td>202</td><td>202</td><td>Peak</td></tr><tr><td>11 26740.00</td><td>46.41</td><td>68.20</td><td>-21.79</td><td>49.37</td><td>40.08</td><td>27.54</td><td>61.04</td><td>-9.54</td><td>202</td><td>202</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 1000.00	49.70	74.00	-24.30	52.85	23.30	5.19	31.94	0.30	--	--	Peak	2 6280.00	60.94	88.20	-27.26	46.77	35.20	13.27	35.16	0.86	100	69	Peak	3 6280.00	48.75	68.20	-19.45	34.58	35.20	13.27	35.16	0.86	100	69	Average	4 7080.00	53.35	88.20	-34.85	38.06	36.62	14.07	36.24	0.84	394	0	Peak	5 7080.00	42.84	68.20	-25.36	27.55	36.62	14.07	36.24	0.84	394	0	Average	6 13370.00	53.45	74.00	-20.55	34.93	41.00	19.40	41.96	0.00	--	--	Peak	7 13370.00	44.40	54.00	-9.60	25.88	41.00	19.40	41.96	0.00	--	--	Average	8 20055.00	57.42	74.00	-16.58	69.59	37.91	23.77	64.31	-9.54	169	341	Peak	9 20055.00	47.99	54.00	-6.01	60.16	37.91	23.77	64.31	-9.54	169	341	Average	10 26740.00	50.54	88.20	-37.66	53.50	40.08	27.54	61.04	-9.54	202	202	Peak	11 26740.00	46.41	68.20	-21.79	49.37	40.08	27.54	61.04	-9.54	202	202	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																						
1 1128.00	50.63	74.00	-23.37	52.54	24.20	5.54	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																																																					
2 6280.00	64.66	88.20	-23.54	50.49	35.20	13.27	35.16	0.86	100	120	Peak																																																																																																																																																																																																																																																																																																					
3 6280.00	52.91	68.20	-15.29	38.74	35.20	13.27	35.16	0.86	100	120	Average																																																																																																																																																																																																																																																																																																					
4 7112.00	61.14	88.20	-27.06	45.75	36.70	14.13	36.29	0.85	100	61	Peak																																																																																																																																																																																																																																																																																																					
5 7112.00	50.16	68.20	-18.04	34.77	36.70	14.13	36.29	0.85	100	61	Average																																																																																																																																																																																																																																																																																																					
6 13370.00	52.31	74.00	-21.69	33.79	41.00	19.40	41.96	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																					
7 13370.00	43.30	54.00	-10.70	24.78	41.00	19.40	41.96	0.00	--	--	Average																																																																																																																																																																																																																																																																																																					
8 20055.00	45.72	74.00	-28.28	57.89	37.91	23.77	64.31	-9.54	173	167	Peak																																																																																																																																																																																																																																																																																																					
9 20055.00	36.72	54.00	-17.28	48.89	37.91	23.77	64.31	-9.54	173	167	Average																																																																																																																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																						
1 1000.00	49.70	74.00	-24.30	52.85	23.30	5.19	31.94	0.30	--	--	Peak																																																																																																																																																																																																																																																																																																					
2 6280.00	60.94	88.20	-27.26	46.77	35.20	13.27	35.16	0.86	100	69	Peak																																																																																																																																																																																																																																																																																																					
3 6280.00	48.75	68.20	-19.45	34.58	35.20	13.27	35.16	0.86	100	69	Average																																																																																																																																																																																																																																																																																																					
4 7080.00	53.35	88.20	-34.85	38.06	36.62	14.07	36.24	0.84	394	0	Peak																																																																																																																																																																																																																																																																																																					
5 7080.00	42.84	68.20	-25.36	27.55	36.62	14.07	36.24	0.84	394	0	Average																																																																																																																																																																																																																																																																																																					
6 13370.00	53.45	74.00	-20.55	34.93	41.00	19.40	41.96	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																					
7 13370.00	44.40	54.00	-9.60	25.88	41.00	19.40	41.96	0.00	--	--	Average																																																																																																																																																																																																																																																																																																					
8 20055.00	57.42	74.00	-16.58	69.59	37.91	23.77	64.31	-9.54	169	341	Peak																																																																																																																																																																																																																																																																																																					
9 20055.00	47.99	54.00	-6.01	60.16	37.91	23.77	64.31	-9.54	169	341	Average																																																																																																																																																																																																																																																																																																					
10 26740.00	50.54	88.20	-37.66	53.50	40.08	27.54	61.04	-9.54	202	202	Peak																																																																																																																																																																																																																																																																																																					
11 26740.00	46.41	68.20	-21.79	49.37	40.08	27.54	61.04	-9.54	202	202	Average																																																																																																																																																																																																																																																																																																					



Mode	38	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-09 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-09 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL





Mode	39																																																																																																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																																																																																																					
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz																																																																																																																																																																																																																																																																					
ANT	1+2																																																																																																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-12 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1120.00</td><td>50.53</td><td>74.00</td><td>-23.47</td><td>52.47</td><td>24.20</td><td>5.51</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6488.00</td><td>64.31</td><td>88.20</td><td>-23.89</td><td>49.30</td><td>36.00</td><td>13.40</td><td>35.24</td><td>0.85</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>3</td><td>6488.00</td><td>53.55</td><td>68.20</td><td>-14.65</td><td>38.54</td><td>36.00</td><td>13.40</td><td>35.24</td><td>0.85</td><td>100</td><td>120</td><td>Average</td></tr><tr><td>4</td><td>7280.00</td><td>59.82</td><td>74.00</td><td>-14.18</td><td>44.10</td><td>37.12</td><td>14.29</td><td>36.55</td><td>0.86</td><td>100</td><td>59</td><td>Peak</td></tr><tr><td>5</td><td>7280.00</td><td>46.56</td><td>54.00</td><td>-7.44</td><td>30.84</td><td>37.12</td><td>14.29</td><td>36.55</td><td>0.86</td><td>100</td><td>59</td><td>Average</td></tr><tr><td>6</td><td>13770.00</td><td>53.84</td><td>88.20</td><td>-34.36</td><td>35.35</td><td>41.50</td><td>19.50</td><td>42.51</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>20655.00</td><td>46.72</td><td>74.00</td><td>-27.28</td><td>57.51</td><td>38.01</td><td>24.12</td><td>63.38</td><td>-9.54</td><td>205</td><td>44</td><td>Peak</td></tr><tr><td>8</td><td>20655.00</td><td>35.88</td><td>54.00</td><td>-18.12</td><td>46.67</td><td>38.01</td><td>24.12</td><td>63.38</td><td>-9.54</td><td>205</td><td>44</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1120.00	50.53	74.00	-23.47	52.47	24.20	5.51	31.94	0.29	--	--	Peak	2	6488.00	64.31	88.20	-23.89	49.30	36.00	13.40	35.24	0.85	100	120	Peak	3	6488.00	53.55	68.20	-14.65	38.54	36.00	13.40	35.24	0.85	100	120	Average	4	7280.00	59.82	74.00	-14.18	44.10	37.12	14.29	36.55	0.86	100	59	Peak	5	7280.00	46.56	54.00	-7.44	30.84	37.12	14.29	36.55	0.86	100	59	Average	6	13770.00	53.84	88.20	-34.36	35.35	41.50	19.50	42.51	0.00	--	--	Peak	7	20655.00	46.72	74.00	-27.28	57.51	38.01	24.12	63.38	-9.54	205	44	Peak	8	20655.00	35.88	54.00	-18.12	46.67	38.01	24.12	63.38	-9.54	205	44	Average	Level (dBuV/m) Date: 2025-06-12 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1008.00</td><td>49.91</td><td>74.00</td><td>-24.09</td><td>53.84</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6504.00</td><td>61.99</td><td>88.20</td><td>-26.21</td><td>46.98</td><td>36.01</td><td>13.41</td><td>35.25</td><td>0.84</td><td>100</td><td>341</td><td>Peak</td></tr><tr><td>3</td><td>6504.00</td><td>49.98</td><td>68.20</td><td>-18.22</td><td>34.97</td><td>36.01</td><td>13.41</td><td>35.25</td><td>0.84</td><td>100</td><td>341</td><td>Average</td></tr><tr><td>4</td><td>7296.00</td><td>55.00</td><td>74.00</td><td>-19.00</td><td>39.24</td><td>37.18</td><td>14.29</td><td>36.57</td><td>0.86</td><td>100</td><td>0</td><td>Peak</td></tr><tr><td>5</td><td>7296.00</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>27.76</td><td>37.18</td><td>14.29</td><td>36.57</td><td>0.86</td><td>100</td><td>0</td><td>Average</td></tr><tr><td>6</td><td>13770.00</td><td>53.75</td><td>88.20</td><td>-34.45</td><td>35.26</td><td>41.50</td><td>19.50</td><td>42.51</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>20655.00</td><td>57.06</td><td>74.00</td><td>-16.94</td><td>67.85</td><td>38.01</td><td>24.12</td><td>63.38</td><td>-9.54</td><td>173</td><td>8</td><td>Peak</td></tr><tr><td>8</td><td>20655.00</td><td>45.48</td><td>54.00</td><td>-8.52</td><td>56.27</td><td>38.01</td><td>24.12</td><td>63.38</td><td>-9.54</td><td>173</td><td>8</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1008.00	49.91	74.00	-24.09	53.84	23.30	5.21	31.94	0.30	--	--	Peak	2	6504.00	61.99	88.20	-26.21	46.98	36.01	13.41	35.25	0.84	100	341	Peak	3	6504.00	49.98	68.20	-18.22	34.97	36.01	13.41	35.25	0.84	100	341	Average	4	7296.00	55.00	74.00	-19.00	39.24	37.18	14.29	36.57	0.86	100	0	Peak	5	7296.00	43.52	54.00	-10.48	27.76	37.18	14.29	36.57	0.86	100	0	Average	6	13770.00	53.75	88.20	-34.45	35.26	41.50	19.50	42.51	0.00	--	--	Peak	7	20655.00	57.06	74.00	-16.94	67.85	38.01	24.12	63.38	-9.54	173	8	Peak	8	20655.00	45.48	54.00	-8.52	56.27	38.01	24.12	63.38	-9.54	173	8	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1	1120.00	50.53	74.00	-23.47	52.47	24.20	5.51	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																										
2	6488.00	64.31	88.20	-23.89	49.30	36.00	13.40	35.24	0.85	100	120	Peak																																																																																																																																																																																																																																																										
3	6488.00	53.55	68.20	-14.65	38.54	36.00	13.40	35.24	0.85	100	120	Average																																																																																																																																																																																																																																																										
4	7280.00	59.82	74.00	-14.18	44.10	37.12	14.29	36.55	0.86	100	59	Peak																																																																																																																																																																																																																																																										
5	7280.00	46.56	54.00	-7.44	30.84	37.12	14.29	36.55	0.86	100	59	Average																																																																																																																																																																																																																																																										
6	13770.00	53.84	88.20	-34.36	35.35	41.50	19.50	42.51	0.00	--	--	Peak																																																																																																																																																																																																																																																										
7	20655.00	46.72	74.00	-27.28	57.51	38.01	24.12	63.38	-9.54	205	44	Peak																																																																																																																																																																																																																																																										
8	20655.00	35.88	54.00	-18.12	46.67	38.01	24.12	63.38	-9.54	205	44	Average																																																																																																																																																																																																																																																										
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1	1008.00	49.91	74.00	-24.09	53.84	23.30	5.21	31.94	0.30	--	--	Peak																																																																																																																																																																																																																																																										
2	6504.00	61.99	88.20	-26.21	46.98	36.01	13.41	35.25	0.84	100	341	Peak																																																																																																																																																																																																																																																										
3	6504.00	49.98	68.20	-18.22	34.97	36.01	13.41	35.25	0.84	100	341	Average																																																																																																																																																																																																																																																										
4	7296.00	55.00	74.00	-19.00	39.24	37.18	14.29	36.57	0.86	100	0	Peak																																																																																																																																																																																																																																																										
5	7296.00	43.52	54.00	-10.48	27.76	37.18	14.29	36.57	0.86	100	0	Average																																																																																																																																																																																																																																																										
6	13770.00	53.75	88.20	-34.45	35.26	41.50	19.50	42.51	0.00	--	--	Peak																																																																																																																																																																																																																																																										
7	20655.00	57.06	74.00	-16.94	67.85	38.01	24.12	63.38	-9.54	173	8	Peak																																																																																																																																																																																																																																																										
8	20655.00	45.48	54.00	-8.52	56.27	38.01	24.12	63.38	-9.54	173	8	Average																																																																																																																																																																																																																																																										



Mode	39	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH187_Full RU_6885MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-09 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-09 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	40																																																																																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																																																																																											
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz																																																																																																																																																																																																																																																																																											
ANT	1+2																																																																																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																										
Peak Avg	Date: 2025-06-12  Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>1128.00</td><td>50.11</td><td>74.00</td><td>-23.89</td><td>52.02</td><td>24.20</td><td>5.54</td><td>31.94</td><td>0.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6256.00</td><td>65.99</td><td>88.20</td><td>-22.21</td><td>51.84</td><td>35.20</td><td>13.24</td><td>35.15</td><td>0.86</td><td>100</td><td>121 Peak</td></tr><tr><td>3</td><td>6256.00</td><td>54.70</td><td>68.20</td><td>-13.50</td><td>48.55</td><td>35.20</td><td>13.24</td><td>35.15</td><td>0.86</td><td>100</td><td>121 Average</td></tr><tr><td>4</td><td>7024.00</td><td>63.21</td><td>88.20</td><td>-24.99</td><td>48.08</td><td>36.50</td><td>13.96</td><td>36.16</td><td>0.83</td><td>100</td><td>61 Peak</td></tr><tr><td>5</td><td>7024.00</td><td>50.75</td><td>68.20</td><td>-17.45</td><td>35.62</td><td>36.50</td><td>13.96</td><td>36.16</td><td>0.83</td><td>100</td><td>61 Average</td></tr><tr><td>6</td><td>13250.00</td><td>52.38</td><td>74.00</td><td>-21.62</td><td>33.90</td><td>40.90</td><td>19.30</td><td>41.72</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>13250.00</td><td>42.42</td><td>54.00</td><td>-11.58</td><td>23.94</td><td>40.90</td><td>19.30</td><td>41.72</td><td>0.00</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>19875.00</td><td>39.04</td><td>74.00</td><td>-34.96</td><td>51.57</td><td>37.95</td><td>23.66</td><td>64.60</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	1128.00	50.11	74.00	-23.89	52.02	24.20	5.54	31.94	0.29	--	Peak	2	6256.00	65.99	88.20	-22.21	51.84	35.20	13.24	35.15	0.86	100	121 Peak	3	6256.00	54.70	68.20	-13.50	48.55	35.20	13.24	35.15	0.86	100	121 Average	4	7024.00	63.21	88.20	-24.99	48.08	36.50	13.96	36.16	0.83	100	61 Peak	5	7024.00	50.75	68.20	-17.45	35.62	36.50	13.96	36.16	0.83	100	61 Average	6	13250.00	52.38	74.00	-21.62	33.90	40.90	19.30	41.72	0.00	--	Peak	7	13250.00	42.42	54.00	-11.58	23.94	40.90	19.30	41.72	0.00	--	Average	8	19875.00	39.04	74.00	-34.96	51.57	37.95	23.66	64.60	-9.54	--	Peak	Date: 2025-06-12  Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>1000.00</td><td>48.52</td><td>74.00</td><td>-25.48</td><td>51.67</td><td>23.30</td><td>5.19</td><td>31.94</td><td>0.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6232.00</td><td>61.93</td><td>88.20</td><td>-26.27</td><td>47.92</td><td>35.06</td><td>13.22</td><td>35.14</td><td>0.87</td><td>100</td><td>71 Peak</td></tr><tr><td>3</td><td>6232.00</td><td>49.59</td><td>68.20</td><td>-18.61</td><td>35.58</td><td>35.06</td><td>13.22</td><td>35.14</td><td>0.87</td><td>100</td><td>71 Average</td></tr><tr><td>4</td><td>6992.00</td><td>57.68</td><td>88.20</td><td>-30.52</td><td>42.53</td><td>36.52</td><td>13.92</td><td>36.11</td><td>0.82</td><td>100</td><td>358 Peak</td></tr><tr><td>5</td><td>6992.00</td><td>45.20</td><td>68.20</td><td>-23.00</td><td>30.85</td><td>36.52</td><td>13.92</td><td>36.11</td><td>0.82</td><td>100</td><td>358 Average</td></tr><tr><td>6</td><td>13250.00</td><td>51.42</td><td>74.00</td><td>-22.58</td><td>32.94</td><td>40.90</td><td>19.30</td><td>41.72</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>13250.00</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>23.99</td><td>40.90</td><td>19.30</td><td>41.72</td><td>0.00</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>19875.00</td><td>52.03</td><td>74.00</td><td>-21.97</td><td>64.56</td><td>37.95</td><td>23.66</td><td>64.60</td><td>-9.54</td><td>200</td><td>0 Peak</td></tr><tr><td>9</td><td>19875.00</td><td>41.82</td><td>54.00</td><td>-12.18</td><td>54.35</td><td>37.95</td><td>23.66</td><td>64.60</td><td>-9.54</td><td>200</td><td>0 Average</td></tr><tr><td>10</td><td>26500.00</td><td>51.38</td><td>88.20</td><td>-36.82</td><td>54.00</td><td>40.10</td><td>27.62</td><td>60.80</td><td>-9.54</td><td>209</td><td>206 Peak</td></tr><tr><td>11</td><td>26500.00</td><td>48.21</td><td>68.20</td><td>-19.99</td><td>50.83</td><td>40.10</td><td>27.62</td><td>60.80</td><td>-9.54</td><td>209</td><td>206 Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	1000.00	48.52	74.00	-25.48	51.67	23.30	5.19	31.94	0.30	--	Peak	2	6232.00	61.93	88.20	-26.27	47.92	35.06	13.22	35.14	0.87	100	71 Peak	3	6232.00	49.59	68.20	-18.61	35.58	35.06	13.22	35.14	0.87	100	71 Average	4	6992.00	57.68	88.20	-30.52	42.53	36.52	13.92	36.11	0.82	100	358 Peak	5	6992.00	45.20	68.20	-23.00	30.85	36.52	13.92	36.11	0.82	100	358 Average	6	13250.00	51.42	74.00	-22.58	32.94	40.90	19.30	41.72	0.00	--	Peak	7	13250.00	42.47	54.00	-11.53	23.99	40.90	19.30	41.72	0.00	--	Average	8	19875.00	52.03	74.00	-21.97	64.56	37.95	23.66	64.60	-9.54	200	0 Peak	9	19875.00	41.82	54.00	-12.18	54.35	37.95	23.66	64.60	-9.54	200	0 Average	10	26500.00	51.38	88.20	-36.82	54.00	40.10	27.62	60.80	-9.54	209	206 Peak	11	26500.00	48.21	68.20	-19.99	50.83	40.10	27.62	60.80	-9.54	209	206 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																																																																																				
1	1128.00	50.11	74.00	-23.89	52.02	24.20	5.54	31.94	0.29	--	Peak																																																																																																																																																																																																																																																																																	
2	6256.00	65.99	88.20	-22.21	51.84	35.20	13.24	35.15	0.86	100	121 Peak																																																																																																																																																																																																																																																																																	
3	6256.00	54.70	68.20	-13.50	48.55	35.20	13.24	35.15	0.86	100	121 Average																																																																																																																																																																																																																																																																																	
4	7024.00	63.21	88.20	-24.99	48.08	36.50	13.96	36.16	0.83	100	61 Peak																																																																																																																																																																																																																																																																																	
5	7024.00	50.75	68.20	-17.45	35.62	36.50	13.96	36.16	0.83	100	61 Average																																																																																																																																																																																																																																																																																	
6	13250.00	52.38	74.00	-21.62	33.90	40.90	19.30	41.72	0.00	--	Peak																																																																																																																																																																																																																																																																																	
7	13250.00	42.42	54.00	-11.58	23.94	40.90	19.30	41.72	0.00	--	Average																																																																																																																																																																																																																																																																																	
8	19875.00	39.04	74.00	-34.96	51.57	37.95	23.66	64.60	-9.54	--	Peak																																																																																																																																																																																																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																																																																																				
1	1000.00	48.52	74.00	-25.48	51.67	23.30	5.19	31.94	0.30	--	Peak																																																																																																																																																																																																																																																																																	
2	6232.00	61.93	88.20	-26.27	47.92	35.06	13.22	35.14	0.87	100	71 Peak																																																																																																																																																																																																																																																																																	
3	6232.00	49.59	68.20	-18.61	35.58	35.06	13.22	35.14	0.87	100	71 Average																																																																																																																																																																																																																																																																																	
4	6992.00	57.68	88.20	-30.52	42.53	36.52	13.92	36.11	0.82	100	358 Peak																																																																																																																																																																																																																																																																																	
5	6992.00	45.20	68.20	-23.00	30.85	36.52	13.92	36.11	0.82	100	358 Average																																																																																																																																																																																																																																																																																	
6	13250.00	51.42	74.00	-22.58	32.94	40.90	19.30	41.72	0.00	--	Peak																																																																																																																																																																																																																																																																																	
7	13250.00	42.47	54.00	-11.53	23.99	40.90	19.30	41.72	0.00	--	Average																																																																																																																																																																																																																																																																																	
8	19875.00	52.03	74.00	-21.97	64.56	37.95	23.66	64.60	-9.54	200	0 Peak																																																																																																																																																																																																																																																																																	
9	19875.00	41.82	54.00	-12.18	54.35	37.95	23.66	64.60	-9.54	200	0 Average																																																																																																																																																																																																																																																																																	
10	26500.00	51.38	88.20	-36.82	54.00	40.10	27.62	60.80	-9.54	209	206 Peak																																																																																																																																																																																																																																																																																	
11	26500.00	48.21	68.20	-19.99	50.83	40.10	27.62	60.80	-9.54	209	206 Average																																																																																																																																																																																																																																																																																	



Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-10 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-10 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	41																																																																																																																																																																																																																																																																																															
	Harmonic																																																																																																																																																																																																																																																																																															
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz																																																																																																																																																																																																																																																																																															
ANT	1+2																																																																																																																																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-06-12 PEAK(UNII)_6E AVG(UNII)_6E Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1120.00</td><td>49.83</td><td>74.00</td><td>-24.17</td><td>51.77</td><td>24.20</td><td>5.51</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6320.00</td><td>64.27</td><td>88.20</td><td>-23.93</td><td>49.96</td><td>35.32</td><td>13.30</td><td>35.17</td><td>0.86</td><td>100</td><td>116</td><td>Peak</td></tr><tr><td>3</td><td>6320.00</td><td>53.32</td><td>68.20</td><td>-14.88</td><td>39.01</td><td>35.32</td><td>13.30</td><td>35.17</td><td>0.86</td><td>100</td><td>116</td><td>Average</td></tr><tr><td>4</td><td>7112.00</td><td>64.26</td><td>88.20</td><td>-23.94</td><td>48.07</td><td>36.70</td><td>14.13</td><td>36.29</td><td>0.85</td><td>100</td><td>61</td><td>Peak</td></tr><tr><td>5</td><td>7112.00</td><td>51.24</td><td>68.20</td><td>-16.96</td><td>35.85</td><td>36.70</td><td>14.13</td><td>36.29</td><td>0.85</td><td>100</td><td>61</td><td>Average</td></tr><tr><td>6</td><td>13410.00</td><td>53.88</td><td>88.20</td><td>-34.32</td><td>35.53</td><td>40.96</td><td>19.43</td><td>42.04</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>20115.00</td><td>45.88</td><td>74.00</td><td>-28.12</td><td>57.88</td><td>37.94</td><td>23.82</td><td>64.22</td><td>-9.54</td><td>171</td><td>326</td><td>Peak</td></tr><tr><td>8</td><td>20115.00</td><td>36.20</td><td>54.00</td><td>-17.80</td><td>48.20</td><td>37.94</td><td>23.82</td><td>64.22</td><td>-9.54</td><td>171</td><td>326</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1120.00	49.83	74.00	-24.17	51.77	24.20	5.51	31.94	0.29	--	--	Peak	2	6320.00	64.27	88.20	-23.93	49.96	35.32	13.30	35.17	0.86	100	116	Peak	3	6320.00	53.32	68.20	-14.88	39.01	35.32	13.30	35.17	0.86	100	116	Average	4	7112.00	64.26	88.20	-23.94	48.07	36.70	14.13	36.29	0.85	100	61	Peak	5	7112.00	51.24	68.20	-16.96	35.85	36.70	14.13	36.29	0.85	100	61	Average	6	13410.00	53.88	88.20	-34.32	35.53	40.96	19.43	42.04	0.00	--	--	Peak	7	20115.00	45.88	74.00	-28.12	57.88	37.94	23.82	64.22	-9.54	171	326	Peak	8	20115.00	36.20	54.00	-17.80	48.20	37.94	23.82	64.22	-9.54	171	326	Average	Level (dBuV/m) Date: 2025-06-12 PEAK(UNII)_6E AVG(UNII)_6E Frequency (MHz) Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1000.00</td><td>48.67</td><td>74.00</td><td>-25.33</td><td>51.82</td><td>23.30</td><td>5.19</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6352.00</td><td>62.11</td><td>88.20</td><td>-26.09</td><td>47.60</td><td>35.51</td><td>13.33</td><td>35.18</td><td>0.85</td><td>100</td><td>340</td><td>Peak</td></tr><tr><td>3</td><td>6352.00</td><td>50.77</td><td>68.20</td><td>-17.43</td><td>36.26</td><td>35.51</td><td>13.33</td><td>35.18</td><td>0.85</td><td>100</td><td>340</td><td>Average</td></tr><tr><td>4</td><td>7088.00</td><td>58.28</td><td>88.20</td><td>-29.92</td><td>42.95</td><td>36.65</td><td>14.08</td><td>36.25</td><td>0.85</td><td>392</td><td>359</td><td>Peak</td></tr><tr><td>5</td><td>7088.00</td><td>46.00</td><td>68.20</td><td>-22.20</td><td>30.67</td><td>36.65</td><td>14.08</td><td>36.25</td><td>0.85</td><td>392</td><td>359</td><td>Average</td></tr><tr><td>6</td><td>13410.00</td><td>52.70</td><td>88.20</td><td>-35.50</td><td>34.35</td><td>40.96</td><td>19.43</td><td>42.04</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>20115.00</td><td>56.78</td><td>74.00</td><td>-17.22</td><td>68.78</td><td>37.94</td><td>23.82</td><td>64.22</td><td>-9.54</td><td>171</td><td>339</td><td>Peak</td></tr><tr><td>8</td><td>20115.00</td><td>45.76</td><td>54.00</td><td>-8.24</td><td>57.76</td><td>37.94</td><td>23.82</td><td>64.22</td><td>-9.54</td><td>171</td><td>339</td><td>Average</td></tr><tr><td>9</td><td>26820.00</td><td>49.80</td><td>88.20</td><td>-38.40</td><td>53.06</td><td>39.88</td><td>27.52</td><td>61.12</td><td>-9.54</td><td>198</td><td>204</td><td>Peak</td></tr><tr><td>10</td><td>26820.00</td><td>45.25</td><td>68.20</td><td>-22.95</td><td>48.51</td><td>39.88</td><td>27.52</td><td>61.12</td><td>-9.54</td><td>198</td><td>204</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1000.00	48.67	74.00	-25.33	51.82	23.30	5.19	31.94	0.30	--	--	Peak	2	6352.00	62.11	88.20	-26.09	47.60	35.51	13.33	35.18	0.85	100	340	Peak	3	6352.00	50.77	68.20	-17.43	36.26	35.51	13.33	35.18	0.85	100	340	Average	4	7088.00	58.28	88.20	-29.92	42.95	36.65	14.08	36.25	0.85	392	359	Peak	5	7088.00	46.00	68.20	-22.20	30.67	36.65	14.08	36.25	0.85	392	359	Average	6	13410.00	52.70	88.20	-35.50	34.35	40.96	19.43	42.04	0.00	--	--	Peak	7	20115.00	56.78	74.00	-17.22	68.78	37.94	23.82	64.22	-9.54	171	339	Peak	8	20115.00	45.76	54.00	-8.24	57.76	37.94	23.82	64.22	-9.54	171	339	Average	9	26820.00	49.80	88.20	-38.40	53.06	39.88	27.52	61.12	-9.54	198	204	Peak	10	26820.00	45.25	68.20	-22.95	48.51	39.88	27.52	61.12	-9.54	198	204	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																					
1	1120.00	49.83	74.00	-24.17	51.77	24.20	5.51	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																																				
2	6320.00	64.27	88.20	-23.93	49.96	35.32	13.30	35.17	0.86	100	116	Peak																																																																																																																																																																																																																																																																																				
3	6320.00	53.32	68.20	-14.88	39.01	35.32	13.30	35.17	0.86	100	116	Average																																																																																																																																																																																																																																																																																				
4	7112.00	64.26	88.20	-23.94	48.07	36.70	14.13	36.29	0.85	100	61	Peak																																																																																																																																																																																																																																																																																				
5	7112.00	51.24	68.20	-16.96	35.85	36.70	14.13	36.29	0.85	100	61	Average																																																																																																																																																																																																																																																																																				
6	13410.00	53.88	88.20	-34.32	35.53	40.96	19.43	42.04	0.00	--	--	Peak																																																																																																																																																																																																																																																																																				
7	20115.00	45.88	74.00	-28.12	57.88	37.94	23.82	64.22	-9.54	171	326	Peak																																																																																																																																																																																																																																																																																				
8	20115.00	36.20	54.00	-17.80	48.20	37.94	23.82	64.22	-9.54	171	326	Average																																																																																																																																																																																																																																																																																				
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																					
1	1000.00	48.67	74.00	-25.33	51.82	23.30	5.19	31.94	0.30	--	--	Peak																																																																																																																																																																																																																																																																																				
2	6352.00	62.11	88.20	-26.09	47.60	35.51	13.33	35.18	0.85	100	340	Peak																																																																																																																																																																																																																																																																																				
3	6352.00	50.77	68.20	-17.43	36.26	35.51	13.33	35.18	0.85	100	340	Average																																																																																																																																																																																																																																																																																				
4	7088.00	58.28	88.20	-29.92	42.95	36.65	14.08	36.25	0.85	392	359	Peak																																																																																																																																																																																																																																																																																				
5	7088.00	46.00	68.20	-22.20	30.67	36.65	14.08	36.25	0.85	392	359	Average																																																																																																																																																																																																																																																																																				
6	13410.00	52.70	88.20	-35.50	34.35	40.96	19.43	42.04	0.00	--	--	Peak																																																																																																																																																																																																																																																																																				
7	20115.00	56.78	74.00	-17.22	68.78	37.94	23.82	64.22	-9.54	171	339	Peak																																																																																																																																																																																																																																																																																				
8	20115.00	45.76	54.00	-8.24	57.76	37.94	23.82	64.22	-9.54	171	339	Average																																																																																																																																																																																																																																																																																				
9	26820.00	49.80	88.20	-38.40	53.06	39.88	27.52	61.12	-9.54	198	204	Peak																																																																																																																																																																																																																																																																																				
10	26820.00	45.25	68.20	-22.95	48.51	39.88	27.52	61.12	-9.54	198	204	Average																																																																																																																																																																																																																																																																																				





Mode	41	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-10 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-10 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	42																																																																																																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																																																																																																					
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz																																																																																																																																																																																																																																																																					
ANT	1+2																																																																																																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																				
Peak	Level (dBuV/m) Date: 2025-06-12 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1104.00</td><td>50.35</td><td>74.00</td><td>-23.65</td><td>52.75</td><td>23.78</td><td>5.47</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6456.00</td><td>65.91</td><td>88.20</td><td>-22.29</td><td>50.89</td><td>36.00</td><td>13.39</td><td>35.22</td><td>0.85</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>3</td><td>6456.00</td><td>54.27</td><td>68.20</td><td>-13.93</td><td>39.25</td><td>36.00</td><td>13.39</td><td>35.22</td><td>0.85</td><td>100</td><td>120</td><td>Average</td></tr><tr><td>4</td><td>7272.00</td><td>61.37</td><td>74.00</td><td>-12.63</td><td>45.65</td><td>37.09</td><td>14.29</td><td>36.53</td><td>0.87</td><td>100</td><td>59</td><td>Peak</td></tr><tr><td>5</td><td>7272.00</td><td>48.18</td><td>54.00</td><td>-5.82</td><td>32.46</td><td>37.09</td><td>14.29</td><td>36.53</td><td>0.87</td><td>100</td><td>59</td><td>Average</td></tr><tr><td>6</td><td>13730.00</td><td>53.72</td><td>88.20</td><td>-34.48</td><td>35.26</td><td>41.42</td><td>19.51</td><td>42.47</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>20595.00</td><td>44.68</td><td>74.00</td><td>-29.32</td><td>55.65</td><td>37.93</td><td>24.11</td><td>63.47</td><td>-9.54</td><td>204</td><td>43</td><td>Peak</td></tr><tr><td>8</td><td>20595.00</td><td>35.61</td><td>54.00</td><td>-18.39</td><td>46.58</td><td>37.93</td><td>24.11</td><td>63.47</td><td>-9.54</td><td>204</td><td>43</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1104.00	50.35	74.00	-23.65	52.75	23.78	5.47	31.94	0.29	--	--	Peak	2	6456.00	65.91	88.20	-22.29	50.89	36.00	13.39	35.22	0.85	100	120	Peak	3	6456.00	54.27	68.20	-13.93	39.25	36.00	13.39	35.22	0.85	100	120	Average	4	7272.00	61.37	74.00	-12.63	45.65	37.09	14.29	36.53	0.87	100	59	Peak	5	7272.00	48.18	54.00	-5.82	32.46	37.09	14.29	36.53	0.87	100	59	Average	6	13730.00	53.72	88.20	-34.48	35.26	41.42	19.51	42.47	0.00	--	--	Peak	7	20595.00	44.68	74.00	-29.32	55.65	37.93	24.11	63.47	-9.54	204	43	Peak	8	20595.00	35.61	54.00	-18.39	46.58	37.93	24.11	63.47	-9.54	204	43	Average	Level (dBuV/m) Date: 2025-06-12 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1000.00</td><td>48.66</td><td>74.00</td><td>-25.34</td><td>51.81</td><td>23.30</td><td>5.19</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6472.00</td><td>62.82</td><td>88.20</td><td>-25.38</td><td>47.81</td><td>36.00</td><td>13.39</td><td>35.23</td><td>0.85</td><td>100</td><td>44</td><td>Peak</td></tr><tr><td>3</td><td>6472.00</td><td>50.19</td><td>68.20</td><td>-18.01</td><td>35.18</td><td>36.00</td><td>13.39</td><td>35.23</td><td>0.85</td><td>100</td><td>44</td><td>Average</td></tr><tr><td>4</td><td>7288.00</td><td>57.57</td><td>74.00</td><td>-16.43</td><td>41.83</td><td>37.15</td><td>14.29</td><td>36.56</td><td>0.86</td><td>100</td><td>4</td><td>Peak</td></tr><tr><td>5</td><td>7288.00</td><td>44.61</td><td>54.00</td><td>-9.39</td><td>28.87</td><td>37.15</td><td>14.29</td><td>36.56</td><td>0.86</td><td>100</td><td>4</td><td>Average</td></tr><tr><td>6</td><td>13730.00</td><td>54.04</td><td>88.20</td><td>-34.16</td><td>35.58</td><td>41.42</td><td>19.51</td><td>42.47</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>20595.00</td><td>54.72</td><td>74.00</td><td>-19.28</td><td>65.69</td><td>37.93</td><td>24.11</td><td>63.47</td><td>-9.54</td><td>172</td><td>8</td><td>Peak</td></tr><tr><td>8</td><td>20595.00</td><td>45.07</td><td>54.00</td><td>-8.93</td><td>56.04</td><td>37.93</td><td>24.11</td><td>63.47</td><td>-9.54</td><td>172</td><td>8</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1000.00	48.66	74.00	-25.34	51.81	23.30	5.19	31.94	0.30	--	--	Peak	2	6472.00	62.82	88.20	-25.38	47.81	36.00	13.39	35.23	0.85	100	44	Peak	3	6472.00	50.19	68.20	-18.01	35.18	36.00	13.39	35.23	0.85	100	44	Average	4	7288.00	57.57	74.00	-16.43	41.83	37.15	14.29	36.56	0.86	100	4	Peak	5	7288.00	44.61	54.00	-9.39	28.87	37.15	14.29	36.56	0.86	100	4	Average	6	13730.00	54.04	88.20	-34.16	35.58	41.42	19.51	42.47	0.00	--	--	Peak	7	20595.00	54.72	74.00	-19.28	65.69	37.93	24.11	63.47	-9.54	172	8	Peak	8	20595.00	45.07	54.00	-8.93	56.04	37.93	24.11	63.47	-9.54	172	8	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1	1104.00	50.35	74.00	-23.65	52.75	23.78	5.47	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																										
2	6456.00	65.91	88.20	-22.29	50.89	36.00	13.39	35.22	0.85	100	120	Peak																																																																																																																																																																																																																																																										
3	6456.00	54.27	68.20	-13.93	39.25	36.00	13.39	35.22	0.85	100	120	Average																																																																																																																																																																																																																																																										
4	7272.00	61.37	74.00	-12.63	45.65	37.09	14.29	36.53	0.87	100	59	Peak																																																																																																																																																																																																																																																										
5	7272.00	48.18	54.00	-5.82	32.46	37.09	14.29	36.53	0.87	100	59	Average																																																																																																																																																																																																																																																										
6	13730.00	53.72	88.20	-34.48	35.26	41.42	19.51	42.47	0.00	--	--	Peak																																																																																																																																																																																																																																																										
7	20595.00	44.68	74.00	-29.32	55.65	37.93	24.11	63.47	-9.54	204	43	Peak																																																																																																																																																																																																																																																										
8	20595.00	35.61	54.00	-18.39	46.58	37.93	24.11	63.47	-9.54	204	43	Average																																																																																																																																																																																																																																																										
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1	1000.00	48.66	74.00	-25.34	51.81	23.30	5.19	31.94	0.30	--	--	Peak																																																																																																																																																																																																																																																										
2	6472.00	62.82	88.20	-25.38	47.81	36.00	13.39	35.23	0.85	100	44	Peak																																																																																																																																																																																																																																																										
3	6472.00	50.19	68.20	-18.01	35.18	36.00	13.39	35.23	0.85	100	44	Average																																																																																																																																																																																																																																																										
4	7288.00	57.57	74.00	-16.43	41.83	37.15	14.29	36.56	0.86	100	4	Peak																																																																																																																																																																																																																																																										
5	7288.00	44.61	54.00	-9.39	28.87	37.15	14.29	36.56	0.86	100	4	Average																																																																																																																																																																																																																																																										
6	13730.00	54.04	88.20	-34.16	35.58	41.42	19.51	42.47	0.00	--	--	Peak																																																																																																																																																																																																																																																										
7	20595.00	54.72	74.00	-19.28	65.69	37.93	24.11	63.47	-9.54	172	8	Peak																																																																																																																																																																																																																																																										
8	20595.00	45.07	54.00	-8.93	56.04	37.93	24.11	63.47	-9.54	172	8	Average																																																																																																																																																																																																																																																										



Mode	42	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE80_CH183_Full RU_6865MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-10  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-10  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	43																																																																																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																																																																																											
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz																																																																																																																																																																																																																																																																																											
ANT	1+2																																																																																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-06-12 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>1112.00</td><td>50.97</td><td>74.00</td><td>-23.03</td><td>53.17</td><td>23.96</td><td>5.49</td><td>31.94</td><td>0.29</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6280.00</td><td>64.36</td><td>88.20</td><td>-23.84</td><td>50.19</td><td>35.20</td><td>13.27</td><td>35.16</td><td>0.86</td><td>100</td><td>120 Peak</td></tr><tr><td>3</td><td>6280.00</td><td>52.64</td><td>68.20</td><td>-15.56</td><td>38.47</td><td>35.20</td><td>13.27</td><td>35.16</td><td>0.86</td><td>100</td><td>120 Average</td></tr><tr><td>4</td><td>7048.00</td><td>60.61</td><td>88.20</td><td>-27.59</td><td>45.46</td><td>36.50</td><td>14.01</td><td>36.19</td><td>0.83</td><td>100</td><td>57 Peak</td></tr><tr><td>5</td><td>7048.00</td><td>48.41</td><td>68.20</td><td>-19.79</td><td>33.26</td><td>36.50</td><td>14.01</td><td>36.19</td><td>0.83</td><td>100</td><td>57 Average</td></tr><tr><td>6</td><td>13330.00</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>34.03</td><td>41.16</td><td>19.36</td><td>41.88</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>13330.00</td><td>43.66</td><td>54.00</td><td>-10.34</td><td>25.02</td><td>41.16</td><td>19.36</td><td>41.88</td><td>0.00</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>19995.00</td><td>39.60</td><td>74.00</td><td>-34.40</td><td>51.91</td><td>37.91</td><td>23.73</td><td>64.41</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	1112.00	50.97	74.00	-23.03	53.17	23.96	5.49	31.94	0.29	--	Peak	2	6280.00	64.36	88.20	-23.84	50.19	35.20	13.27	35.16	0.86	100	120 Peak	3	6280.00	52.64	68.20	-15.56	38.47	35.20	13.27	35.16	0.86	100	120 Average	4	7048.00	60.61	88.20	-27.59	45.46	36.50	14.01	36.19	0.83	100	57 Peak	5	7048.00	48.41	68.20	-19.79	33.26	36.50	14.01	36.19	0.83	100	57 Average	6	13330.00	52.67	74.00	-21.33	34.03	41.16	19.36	41.88	0.00	--	Peak	7	13330.00	43.66	54.00	-10.34	25.02	41.16	19.36	41.88	0.00	--	Average	8	19995.00	39.60	74.00	-34.40	51.91	37.91	23.73	64.41	-9.54	--	Peak	Level (dBuV/m) Date: 2025-06-12 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>1000.00</td><td>49.11</td><td>74.00</td><td>-24.89</td><td>52.26</td><td>23.30</td><td>5.19</td><td>31.94</td><td>0.30</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6288.00</td><td>62.49</td><td>88.20</td><td>-25.71</td><td>48.32</td><td>35.20</td><td>13.27</td><td>35.16</td><td>0.86</td><td>100</td><td>341 Peak</td></tr><tr><td>3</td><td>6288.00</td><td>50.03</td><td>68.20</td><td>-18.17</td><td>35.86</td><td>35.20</td><td>13.27</td><td>35.16</td><td>0.86</td><td>100</td><td>341 Average</td></tr><tr><td>4</td><td>7080.00</td><td>55.28</td><td>88.20</td><td>-32.92</td><td>39.99</td><td>36.62</td><td>14.07</td><td>36.24</td><td>0.84</td><td>100</td><td>4 Peak</td></tr><tr><td>5</td><td>7080.00</td><td>43.95</td><td>68.20</td><td>-24.25</td><td>28.66</td><td>36.62</td><td>14.07</td><td>36.24</td><td>0.84</td><td>100</td><td>4 Average</td></tr><tr><td>6</td><td>13330.00</td><td>53.49</td><td>74.00</td><td>-20.51</td><td>34.85</td><td>41.16</td><td>19.36</td><td>41.88</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>13330.00</td><td>44.49</td><td>54.00</td><td>-9.51</td><td>25.85</td><td>41.16</td><td>19.36</td><td>41.88</td><td>0.00</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>19995.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>62.20</td><td>37.91</td><td>23.73</td><td>64.41</td><td>-9.54</td><td>169</td><td>342 Peak</td></tr><tr><td>9</td><td>19995.00</td><td>48.67</td><td>54.00</td><td>-13.33</td><td>52.98</td><td>37.91</td><td>23.73</td><td>64.41</td><td>-9.54</td><td>169</td><td>342 Average</td></tr><tr><td>10</td><td>26660.00</td><td>49.67</td><td>88.20</td><td>-38.53</td><td>52.60</td><td>40.00</td><td>27.57</td><td>60.96</td><td>-9.54</td><td>203</td><td>202 Peak</td></tr><tr><td>11</td><td>26660.00</td><td>47.18</td><td>68.20</td><td>-21.02</td><td>50.11</td><td>40.00</td><td>27.57</td><td>60.96</td><td>-9.54</td><td>203</td><td>202 Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	1000.00	49.11	74.00	-24.89	52.26	23.30	5.19	31.94	0.30	--	Peak	2	6288.00	62.49	88.20	-25.71	48.32	35.20	13.27	35.16	0.86	100	341 Peak	3	6288.00	50.03	68.20	-18.17	35.86	35.20	13.27	35.16	0.86	100	341 Average	4	7080.00	55.28	88.20	-32.92	39.99	36.62	14.07	36.24	0.84	100	4 Peak	5	7080.00	43.95	68.20	-24.25	28.66	36.62	14.07	36.24	0.84	100	4 Average	6	13330.00	53.49	74.00	-20.51	34.85	41.16	19.36	41.88	0.00	--	Peak	7	13330.00	44.49	54.00	-9.51	25.85	41.16	19.36	41.88	0.00	--	Average	8	19995.00	49.89	74.00	-24.11	62.20	37.91	23.73	64.41	-9.54	169	342 Peak	9	19995.00	48.67	54.00	-13.33	52.98	37.91	23.73	64.41	-9.54	169	342 Average	10	26660.00	49.67	88.20	-38.53	52.60	40.00	27.57	60.96	-9.54	203	202 Peak	11	26660.00	47.18	68.20	-21.02	50.11	40.00	27.57	60.96	-9.54	203	202 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																																																																																				
1	1112.00	50.97	74.00	-23.03	53.17	23.96	5.49	31.94	0.29	--	Peak																																																																																																																																																																																																																																																																																	
2	6280.00	64.36	88.20	-23.84	50.19	35.20	13.27	35.16	0.86	100	120 Peak																																																																																																																																																																																																																																																																																	
3	6280.00	52.64	68.20	-15.56	38.47	35.20	13.27	35.16	0.86	100	120 Average																																																																																																																																																																																																																																																																																	
4	7048.00	60.61	88.20	-27.59	45.46	36.50	14.01	36.19	0.83	100	57 Peak																																																																																																																																																																																																																																																																																	
5	7048.00	48.41	68.20	-19.79	33.26	36.50	14.01	36.19	0.83	100	57 Average																																																																																																																																																																																																																																																																																	
6	13330.00	52.67	74.00	-21.33	34.03	41.16	19.36	41.88	0.00	--	Peak																																																																																																																																																																																																																																																																																	
7	13330.00	43.66	54.00	-10.34	25.02	41.16	19.36	41.88	0.00	--	Average																																																																																																																																																																																																																																																																																	
8	19995.00	39.60	74.00	-34.40	51.91	37.91	23.73	64.41	-9.54	--	Peak																																																																																																																																																																																																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																																																																																																																																																				
1	1000.00	49.11	74.00	-24.89	52.26	23.30	5.19	31.94	0.30	--	Peak																																																																																																																																																																																																																																																																																	
2	6288.00	62.49	88.20	-25.71	48.32	35.20	13.27	35.16	0.86	100	341 Peak																																																																																																																																																																																																																																																																																	
3	6288.00	50.03	68.20	-18.17	35.86	35.20	13.27	35.16	0.86	100	341 Average																																																																																																																																																																																																																																																																																	
4	7080.00	55.28	88.20	-32.92	39.99	36.62	14.07	36.24	0.84	100	4 Peak																																																																																																																																																																																																																																																																																	
5	7080.00	43.95	68.20	-24.25	28.66	36.62	14.07	36.24	0.84	100	4 Average																																																																																																																																																																																																																																																																																	
6	13330.00	53.49	74.00	-20.51	34.85	41.16	19.36	41.88	0.00	--	Peak																																																																																																																																																																																																																																																																																	
7	13330.00	44.49	54.00	-9.51	25.85	41.16	19.36	41.88	0.00	--	Average																																																																																																																																																																																																																																																																																	
8	19995.00	49.89	74.00	-24.11	62.20	37.91	23.73	64.41	-9.54	169	342 Peak																																																																																																																																																																																																																																																																																	
9	19995.00	48.67	54.00	-13.33	52.98	37.91	23.73	64.41	-9.54	169	342 Average																																																																																																																																																																																																																																																																																	
10	26660.00	49.67	88.20	-38.53	52.60	40.00	27.57	60.96	-9.54	203	202 Peak																																																																																																																																																																																																																																																																																	
11	26660.00	47.18	68.20	-21.02	50.11	40.00	27.57	60.96	-9.54	203	202 Average																																																																																																																																																																																																																																																																																	



Mode	43	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-10 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-10 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	44																																																																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																																																																											
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz																																																																																																																																																																																																																																																																											
ANT	1+2																																																																																																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-06-12 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1104.00</td><td>50.11</td><td>74.00</td><td>-23.89</td><td>52.51</td><td>23.78</td><td>5.47</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6400.00</td><td>65.29</td><td>88.20</td><td>-22.91</td><td>50.27</td><td>36.00</td><td>13.40</td><td>35.23</td><td>0.85</td><td>100</td><td>120</td><td>Average</td><td>Peak</td></tr><tr><td>3</td><td>6400.00</td><td>52.40</td><td>68.20</td><td>-15.80</td><td>37.38</td><td>36.00</td><td>13.40</td><td>35.23</td><td>0.85</td><td>100</td><td>120</td><td>Average</td><td>Peak</td></tr><tr><td>4</td><td>7264.00</td><td>58.04</td><td>74.00</td><td>-15.96</td><td>42.34</td><td>37.06</td><td>14.29</td><td>36.52</td><td>0.87</td><td>100</td><td>56</td><td>Average</td><td>Peak</td></tr><tr><td>5</td><td>7264.00</td><td>45.39</td><td>54.00</td><td>-8.61</td><td>29.69</td><td>37.06</td><td>14.29</td><td>36.52</td><td>0.87</td><td>100</td><td>56</td><td>Average</td><td>Peak</td></tr><tr><td>6</td><td>13650.00</td><td>55.38</td><td>88.20</td><td>-32.82</td><td>37.05</td><td>41.20</td><td>19.51</td><td>42.38</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>20475.00</td><td>41.10</td><td>74.00</td><td>-32.90</td><td>52.25</td><td>37.95</td><td>24.08</td><td>63.64</td><td>-9.54</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1104.00	50.11	74.00	-23.89	52.51	23.78	5.47	31.94	0.29	--	--	--	Peak	2	6400.00	65.29	88.20	-22.91	50.27	36.00	13.40	35.23	0.85	100	120	Average	Peak	3	6400.00	52.40	68.20	-15.80	37.38	36.00	13.40	35.23	0.85	100	120	Average	Peak	4	7264.00	58.04	74.00	-15.96	42.34	37.06	14.29	36.52	0.87	100	56	Average	Peak	5	7264.00	45.39	54.00	-8.61	29.69	37.06	14.29	36.52	0.87	100	56	Average	Peak	6	13650.00	55.38	88.20	-32.82	37.05	41.20	19.51	42.38	0.00	--	--	--	Peak	7	20475.00	41.10	74.00	-32.90	52.25	37.95	24.08	63.64	-9.54	--	--	--	Peak	Level (dBuV/m) Date: 2025-06-12 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1008.00</td><td>49.61</td><td>74.00</td><td>-24.39</td><td>52.74</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6432.00</td><td>59.97</td><td>88.20</td><td>-28.23</td><td>45.05</td><td>35.89</td><td>13.39</td><td>35.21</td><td>0.85</td><td>100</td><td>10</td><td>Peak</td><td>Peak</td></tr><tr><td>3</td><td>6432.00</td><td>50.44</td><td>68.20</td><td>-17.76</td><td>35.52</td><td>35.89</td><td>13.39</td><td>35.21</td><td>0.85</td><td>100</td><td>341</td><td>Average</td><td>Peak</td></tr><tr><td>4</td><td>7264.00</td><td>54.28</td><td>74.00</td><td>-19.72</td><td>38.58</td><td>37.06</td><td>14.29</td><td>36.52</td><td>0.87</td><td>100</td><td>4</td><td>Peak</td><td>Peak</td></tr><tr><td>5</td><td>7264.00</td><td>42.80</td><td>54.00</td><td>-11.20</td><td>27.10</td><td>37.06</td><td>14.29</td><td>36.52</td><td>0.87</td><td>100</td><td>4</td><td>Average</td><td>Peak</td></tr><tr><td>6</td><td>13650.00</td><td>54.56</td><td>88.20</td><td>-33.64</td><td>36.23</td><td>41.20</td><td>19.51</td><td>42.38</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>20475.00</td><td>55.69</td><td>74.00</td><td>-18.31</td><td>66.84</td><td>37.95</td><td>24.08</td><td>63.64</td><td>-9.54</td><td>171</td><td>348</td><td>Peak</td><td>Peak</td></tr><tr><td>8</td><td>20475.00</td><td>46.50</td><td>54.00</td><td>-7.50</td><td>57.65</td><td>37.95</td><td>24.08</td><td>63.64</td><td>-9.54</td><td>171</td><td>348</td><td>Average</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1008.00	49.61	74.00	-24.39	52.74	23.30	5.21	31.94	0.30	--	--	--	Peak	2	6432.00	59.97	88.20	-28.23	45.05	35.89	13.39	35.21	0.85	100	10	Peak	Peak	3	6432.00	50.44	68.20	-17.76	35.52	35.89	13.39	35.21	0.85	100	341	Average	Peak	4	7264.00	54.28	74.00	-19.72	38.58	37.06	14.29	36.52	0.87	100	4	Peak	Peak	5	7264.00	42.80	54.00	-11.20	27.10	37.06	14.29	36.52	0.87	100	4	Average	Peak	6	13650.00	54.56	88.20	-33.64	36.23	41.20	19.51	42.38	0.00	--	--	--	Peak	7	20475.00	55.69	74.00	-18.31	66.84	37.95	24.08	63.64	-9.54	171	348	Peak	Peak	8	20475.00	46.50	54.00	-7.50	57.65	37.95	24.08	63.64	-9.54	171	348	Average	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																
1	1104.00	50.11	74.00	-23.89	52.51	23.78	5.47	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																															
2	6400.00	65.29	88.20	-22.91	50.27	36.00	13.40	35.23	0.85	100	120	Average	Peak																																																																																																																																																																																																																																																															
3	6400.00	52.40	68.20	-15.80	37.38	36.00	13.40	35.23	0.85	100	120	Average	Peak																																																																																																																																																																																																																																																															
4	7264.00	58.04	74.00	-15.96	42.34	37.06	14.29	36.52	0.87	100	56	Average	Peak																																																																																																																																																																																																																																																															
5	7264.00	45.39	54.00	-8.61	29.69	37.06	14.29	36.52	0.87	100	56	Average	Peak																																																																																																																																																																																																																																																															
6	13650.00	55.38	88.20	-32.82	37.05	41.20	19.51	42.38	0.00	--	--	--	Peak																																																																																																																																																																																																																																																															
7	20475.00	41.10	74.00	-32.90	52.25	37.95	24.08	63.64	-9.54	--	--	--	Peak																																																																																																																																																																																																																																																															
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																
1	1008.00	49.61	74.00	-24.39	52.74	23.30	5.21	31.94	0.30	--	--	--	Peak																																																																																																																																																																																																																																																															
2	6432.00	59.97	88.20	-28.23	45.05	35.89	13.39	35.21	0.85	100	10	Peak	Peak																																																																																																																																																																																																																																																															
3	6432.00	50.44	68.20	-17.76	35.52	35.89	13.39	35.21	0.85	100	341	Average	Peak																																																																																																																																																																																																																																																															
4	7264.00	54.28	74.00	-19.72	38.58	37.06	14.29	36.52	0.87	100	4	Peak	Peak																																																																																																																																																																																																																																																															
5	7264.00	42.80	54.00	-11.20	27.10	37.06	14.29	36.52	0.87	100	4	Average	Peak																																																																																																																																																																																																																																																															
6	13650.00	54.56	88.20	-33.64	36.23	41.20	19.51	42.38	0.00	--	--	--	Peak																																																																																																																																																																																																																																																															
7	20475.00	55.69	74.00	-18.31	66.84	37.95	24.08	63.64	-9.54	171	348	Peak	Peak																																																																																																																																																																																																																																																															
8	20475.00	46.50	54.00	-7.50	57.65	37.95	24.08	63.64	-9.54	171	348	Average	Peak																																																																																																																																																																																																																																																															




Mode	44	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE160_CH175_Full RU_6825MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-10 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-10 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
1+2	802.11a	85.86	1730	0.58	1.5kHz
1+2	6GHz 802.11ax HE20 Full RU	85.36	548	1.82	2kHz
1+2	6GHz 802.11ax HE20 106 RU	91.89	9180	0.11	120Hz
1+2	6GHz 802.11ax HE40 Full RU	85.62	1900	0.53	560Hz
1+2	6GHz 802.11ax HE40 242 RU	100.00	-	-	10Hz
1+2	6GHz 802.11ax HE80 Full RU	85.75	939	1.06	1.1kHz
1+2	6GHz 802.11ax HE80 484 RU	99.16	-	-	10Hz
1+2	6GHz 802.11ax HE160 Full RU	85.94	554.9	1.80	2kHz
1+2	6GHz 802.11ax HE160 996 RU	97.59	712.4	1.40	1.5kHz

MIMO <Ant. 1+2>







6GHz 802.11ax HE20 106 RU



6GHz 802.11ax HE40 Full RU



6GHz 802.11ax HE40 242 RU



6GHz 802.11ax HE80 Full RU

