





Plot on 6705 MHz



Plot on 6785 MHz







EUT Mode

802.11ax HE80 484RU65


Plot on 5985 MHz




Plot on 6225 MHz



Plot on 6625 MHz



Plot on 6705 MHz






EUT Mode


802.11ax HE80 484RU66

Plot on 6385 MHz



12:08:18 PM 06/12/2025

Plot on 6785 MHz



02:14:46 PM 06/12/2025




MIMO <Ant. 1+2(2)>

EUT Mode


802.11ax HE80 FullIRU

Plot on 5985 MHz




12:16:25 PM 04/04/2025

Plot on 6225 MHz




12:29:24 PM 06/06/2025

Plot on 6385 MHz



05:34:10 PM 04/09/2025


Plot on 6625 MHz




06:00:57 PM 06/09/2025



Plot on 6705 MHz



Plot on 6785 MHz






EUT Mode


802.11ax HE80 484RU65

Plot on 5985 MHz




11:49:50 AM 06/12/2025

Plot on 6225 MHz




12:02:06 PM 06/12/2025

Plot on 6625 MHz



12:19:13 PM 06/12/2025

Plot on 6705 MHz




12:30:24 PM 06/12/2025



EUT Mode


802.11ax HE80 484RU66

Plot on 6385 MHz



12:09:34 PM 06/12/2025

Plot on 6785 MHz



02:15:45 PM 06/12/2025




MIMO <Ant. 1+2(1)>

EUT Mode


802.11ax HE160 FullRU

Plot on 6025 MHz




11:37:05 AM 06/10/2025

Plot on 6185 MHz




11:54:23 AM 06/10/2025

Plot on 6345 MHz



12:03:03 PM 06/10/2025

Plot on 6665 MHz




12:23:03 PM 06/10/2025




EUT Mode

802.11ax HE160 996RU67


Plot on 6025 MHz



Plot on 6185 MHz



Plot on 6665 MHz






EUT Mode

802.11ax HE160 996RUS67

Plot on 6345 MHz






MIMO <Ant. 1+2(2)>

EUT Mode


802.11ax HE160 FullRU

Plot on 6025 MHz




11:43:16 AM 06/10/2025

Plot on 6185 MHz




11:58:30 AM 06/10/2025

Plot on 6345 MHz



12:07:34 PM 06/10/2025

Plot on 6665 MHz




12:25:20 PM 06/10/2025



EUT Mode


802.11ax HE160 996RU67

Plot on 6025 MHz




02:56:31 PM 04/12/2025

Plot on 6185 MHz



03:27:55 PM 04/12/2025

Plot on 6665 MHz




04:03:57 PM 04/12/2025



EUT Mode

802.11ax HE160 996RUS67

Plot on 6345 MHz






Appendix B. AC Conducted Emission Test Results

Test Engineer :	Louis Chung	Temperature :	23.5~26.1℃
		Relative Humidity :	52.3~62.7%

EUT Information

Report NO : 522804
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum



Final Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	PE	Corr. (dB)
0.151553	---	26.16	55.91	29.75	L1	FLO	20.0
0.151553	45.53	---	65.91	20.38	L1	FLO	20.0
0.170250	---	22.60	54.95	32.35	L1	FLO	20.0
0.170250	41.51	---	64.95	23.44	L1	FLO	20.0
0.192750	---	18.68	53.92	35.24	L1	FLO	20.0
0.192750	39.06	---	63.92	24.86	L1	FLO	20.0
0.375810	---	31.07	48.37	17.30	L1	FLO	20.0
0.375810	32.66	---	58.37	25.71	L1	FLO	20.0
2.303430	---	16.41	46.00	29.59	L1	FLO	20.1
2.303430	22.73	---	56.00	33.27	L1	FLO	20.1
7.926540	---	27.74	50.00	22.26	L1	FLO	20.3
7.926540	33.14	---	60.00	26.86	L1	FLO	20.3
11.467590	---	34.43	50.00	15.57	L1	FLO	20.4
11.467590	40.01	---	60.00	19.99	L1	FLO	20.4
13.058160	---	40.89	50.00	9.11	L1	FLO	20.5
13.058160	47.18	---	60.00	12.82	L1	FLO	20.5
13.559460	---	42.13	50.00	7.87	L1	FLO	20.5
13.559460	46.69	---	60.00	13.31	L1	FLO	20.5
14.170830	---	36.83	50.00	13.17	L1	FLO	20.6

14.170830	42.88	---	60.00	17.12	L1	FLO	20.6
21.048450	---	31.53	50.00	18.47	L1	FLO	20.8
21.048450	37.15	---	60.00	22.85	L1	FLO	20.8

EUT Information

Report NO : 522804
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	PE	Corr. (dB)
0.153105	---	25.82	55.83	30.01	N	FLO	20.0
0.153105	44.10	---	65.83	21.73	N	FLO	20.0
0.165750	---	28.31	55.17	26.86	N	FLO	20.0
0.165750	41.68	---	65.17	23.49	N	FLO	20.0
0.192750	---	18.75	53.92	35.17	N	FLO	20.0
0.192750	38.96	---	63.92	24.96	N	FLO	20.0
0.311190	---	17.92	49.94	32.02	N	FLO	20.0
0.311190	25.96	---	59.94	33.98	N	FLO	20.0
0.379230	---	34.38	48.30	13.92	N	FLO	20.0
0.379230	37.74	---	58.30	20.56	N	FLO	20.0
0.625380	---	25.39	46.00	20.61	N	FLO	20.0
0.625380	26.87	---	56.00	29.13	N	FLO	20.0
8.241000	---	28.90	50.00	21.10	N	FLO	20.3
8.241000	34.20	---	60.00	25.80	N	FLO	20.3
11.464350	---	32.90	50.00	17.10	N	FLO	20.4
11.464350	39.92	---	60.00	20.08	N	FLO	20.4
12.383250	---	29.02	50.00	20.98	N	FLO	20.5
12.383250	38.78	---	60.00	21.22	N	FLO	20.5
13.067340	---	43.89	50.00	6.11	N	FLO	20.5

13.067340	49.33	---	60.00	10.67	N	FLO	20.5
13.732080	---	32.16	50.00	17.84	N	FLO	20.6
13.732080	40.21	---	60.00	19.79	N	FLO	20.6
14.275500	---	40.04	50.00	9.96	N	FLO	20.6
14.275500	45.47	---	60.00	14.53	N	FLO	20.6
14.741250	---	39.00	50.00	11.00	N	FLO	20.6
14.741250	43.60	---	60.00	16.40	N	FLO	20.6
20.734710	---	30.39	50.00	19.61	N	FLO	20.9
20.734710	36.41	---	60.00	23.59	N	FLO	20.9



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Ken Kuo, York Huang and White Hou	Temperature :	20.8~23.4°C
		Relative Humidity :	54.5~62.8%

Note symbol

-L	Low channel location
-R	High channel location

**C1. Radiated Spurious Emission Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII- 5	5.925- 6.425	1+2	802.11a	1	5955	MCS0	-	-
Mode 2	U-NII- 5	5.925- 6.425	1+2	802.11a	49	6195	MCS0	-	-
Mode 3	U-NII- 5	5.925- 6.425	1+2	802.11a	93	6415	MCS0	-	-
Mode 4	U-NII- 5	5.925- 6.425	1+2	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	U-NII- 5	5.925- 6.425	1+2	802.11ax HE20	1	5955	MCS0	Partial RU 106/53	-
Mode 6	U-NII- 5	5.925- 6.425	1+2	802.11ax HE20	49	6195	MCS0	Full RU	-
Mode 7	U-NII- 5	5.925- 6.425	1+2	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 8	U-NII- 5	5.925- 6.425	1+2	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 9	U-NII- 5	5.925- 6.425	1+2	802.11ax HE40	3	5965	MCS0	Partial RU 242/61	-
Mode 10	U-NII- 5	5.925- 6.425	1+2	802.11ax HE40	51	6205	MCS0	Full RU	-
Mode 11	U-NII- 5	5.925- 6.425	1+2	802.11ax HE40	91	6405	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII- 5	5.925- 6.425	1+2	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 13	U-NII- 5	5.925- 6.425	1+2	802.11ax HE80	7	5985	MCS0	Partial RU 484/65	-
Mode 14	U-NII- 5	5.925- 6.425	1+2	802.11ax HE80	55	6225	MCS0	Full RU	-
Mode 15	U-NII- 5	5.925- 6.425	1+2	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 16	U-NII- 5	5.925- 6.425	1+2	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 17	U-NII- 5	5.925- 6.425	1+2	802.11ax HE160	15	6025	MCS0	Partial RU 996/67	-
Mode 18	U-NII- 5	5.925- 6.425	1+2	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 19	U-NII- 5	5.925- 6.425	1+2	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 31	U-NII- 7	6.525- 6.875	1+2	802.11a	117	6535	MCS0	-	-
Mode 32	U-NII- 7	6.525- 6.875	1+2	802.11a	149	6695	MCS0	-	-
Mode 33	U-NII- 7	6.525- 6.875	1+2	802.11a	185	6875	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-7	6.525-6.875	1+2	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 35	U-NII-7	6.525-6.875	1+2	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 36	U-NII-7	6.525-6.875	1+2	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 37	U-NII-7	6.525-6.875	1+2	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 38	U-NII-7	6.525-6.875	1+2	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 39	U-NII-7	6.525-6.875	1+2	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	1+2	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	1+2	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	1+2	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	1+2	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	1+2	802.11ax HE160	175	6825	MCS0	Full RU	-

**C2. Summary of each worse mode**

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5887.40	48.90	68.20	-19.30	H	Avg.	Pass	-	Band Edge
1	802.11a	1	17865.00	44.18	54.00	-9.82	V	Avg.	Pass	-	Harmonic
2	802.11a	49	12390.00	41.52	54.00	-12.48	V	Avg.	Pass	-	Harmonic
3	802.11a	93	19245.00	45.07	54.00	-8.93	V	Avg.	Pass	-	Harmonic
4	802.11ax HE20	1	5924.97	53.44	68.20	-14.76	H	Avg.	Pass	Full RU	Band Edge
4	802.11ax HE20	1	17865.00	44.66	54.00	-9.34	H	Avg.	Pass	Full RU	Harmonic
5	802.11ax HE20	1	5924.71	72.93	88.20	-15.27	V	Peak	Pass	Partial RU 106/53	Band Edge
6	802.11ax HE20	49	12390.00	41.35	54.00	-12.65	V	Avg.	Pass	Full RU	Harmonic
7	802.11ax HE20	93	19245.00	39.79	54.00	-14.21	V	Avg.	Pass	Full RU	Harmonic
8	802.11ax HE40	3	5924.82	54.88	68.20	-13.32	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	3	17895.00	44.83	54.00	-9.17	H	Avg.	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
9	802.11ax HE40	3	5919.08	81.71	88.20	-6.49	H	Peak	Pass	Partial RU 242/61	Band Edge
10	802.11ax HE40	51	12410.00	41.29	54.00	-12.71	V	Avg.	Pass	Full RU	Harmonic
11	802.11ax HE40	91	19215.00	38.61	54.00	-15.39	V	Avg.	Pass	Full RU	Harmonic
12	802.11ax HE80	7	5916.84	59.84	68.20	-8.36	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	7	17955.00	46.44	54.00	-7.56	H	Avg.	Pass	Full RU	Harmonic
13	802.11ax HE80	7	5918.28	79.43	88.20	-8.77	V	Peak	Pass	Partial RU 484/65	Band Edge
14	802.11ax HE80	55	12450.00	41.55	54.00	-12.45	V	Avg.	Pass	Full RU	Harmonic
15	802.11ax HE80	87	5968.00	51.98	68.20	-16.22	H	Avg.	Pass	Full RU	Harmonic
16	802.11ax HE160	15	5923.00	63.61	68.20	-4.59	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	15	12050.00	42.14	54.00	-11.86	H	Avg.	Pass	Full RU	Harmonic
17	802.11ax HE160	15	5896.60	67.01	68.20	-1.19	H	Avg.	Pass	Partial RU 996/67	Band Edge



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
18	802.11ax HE160	47	12370.00	41.98	54.00	-12.02	V	Avg.	Pass	Full RU	Harmonic
19	802.11ax HE160	79	12690.00	42.49	54.00	-11.51	V	Avg.	Pass	Full RU	Harmonic
31	802.11a	117	19605.00	48.58	54.00	-5.42	V	Avg.	Pass	-	Harmonic
32	802.11a	149	20085.00	50.59	54.00	-3.41	V	Avg.	Pass	-	Harmonic
33	802.11a	185	20625.00	50.39	54.00	-3.61	V	Avg.	Pass	-	Harmonic
34	802.11ax HE20	117	19605.00	43.39	54.00	-10.61	V	Avg.	Pass	Full RU	Harmonic
35	802.11ax HE20	149	20085.00	48.84	54.00	-5.16	V	Avg.	Pass	Full RU	Harmonic
36	802.11ax HE20	185	20625.00	50.68	54.00	-3.32	V	Avg.	Pass	Full RU	Harmonic
37	802.11ax HE40	123	19695.00	42.09	54.00	-11.91	V	Avg.	Pass	Full RU	Harmonic
38	802.11ax HE40	147	20055.00	47.99	54.00	-6.01	V	Avg.	Pass	Full RU	Harmonic
39	802.11ax HE40	187	7280.00	46.56	54.00	-7.44	H	Avg.	Pass	Full RU	Harmonic



Mod e	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Resu lt	RU	Remark
40	802.11ax HE80	135	13250.00	42.47	54.00	-11.53	V	Avg.	Pass	Full RU	Harmonic
41	802.11ax HE80	151	20115.00	45.76	54.00	-8.24	V	Avg.	Pass	Full RU	Harmonic
42	802.11ax HE80	183	7272.00	48.18	54.00	-5.82	H	Avg.	Pass	Full RU	Harmonic
43	802.11ax HE160	143	13330.00	44.49	54.00	-9.51	V	Avg.	Pass	Full RU	Harmonic
44	802.11ax HE160	175	20475.00	46.50	54.00	-7.50	V	Avg.	Pass	Full RU	Harmonic



Mode	1																																																																																					
	Band Edge																																																																																					
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																					
ANT	1+2																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5876.35</td><td>58.71</td><td>88.20 -29.49</td><td>46.45</td><td>33.65</td><td>12.66</td><td>35.02</td><td>0.97</td><td>100</td><td>122</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5876.35	58.71	88.20 -29.49	46.45	33.65	12.66	35.02	0.97	100	122	Peak	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>112.40</td><td>-----</td><td>100.13</td><td>33.62</td><td>12.86</td><td>35.04</td><td>0.83</td><td>100</td><td>122</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	112.40	-----	100.13	33.62	12.86	35.04	0.83	100	122	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5876.35	58.71	88.20 -29.49	46.45	33.65	12.66	35.02	0.97	100	122	Peak																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5955.00	112.40	-----	100.13	33.62	12.86	35.04	0.83	100	122	Peak																																																																												
Avg	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5887.40</td><td>48.90</td><td>68.20 -19.30</td><td>36.62</td><td>33.67</td><td>12.69</td><td>35.03</td><td>0.95</td><td>100</td><td>122</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5887.40	48.90	68.20 -19.30	36.62	33.67	12.69	35.03	0.95	100	122	Average	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>105.68</td><td>-----</td><td>93.41</td><td>33.62</td><td>12.86</td><td>35.04</td><td>0.83</td><td>100</td><td>122</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5955.00	105.68	-----	93.41	33.62	12.86	35.04	0.83	100	122	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5887.40	48.90	68.20 -19.30	36.62	33.67	12.69	35.03	0.95	100	122	Average																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 5955.00	105.68	-----	93.41	33.62	12.86	35.04	0.83	100	122	Average																																																																												



Mode	1																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5893.77</td><td>55.72</td><td>88.20</td><td>-32.48</td><td>43.42</td><td>33.69</td><td>12.70</td><td>35.03</td><td>0.94</td><td>398</td><td>122</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5893.77	55.72	88.20	-32.48	43.42	33.69	12.70	35.03	0.94	398	122	Peak	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.77</td><td>-----</td><td>-----</td><td>96.51</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>398</td><td>122</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.77	-----	-----	96.51	33.62	12.85	35.04	0.83	398	122	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5893.77	55.72	88.20	-32.48	43.42	33.69	12.70	35.03	0.94	398	122	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	100.77	-----	-----	96.51	33.62	12.85	35.04	0.83	398	122	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.67</td><td>46.05</td><td>68.20</td><td>-22.15</td><td>33.76</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>398</td><td>122</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.67	46.05	68.20	-22.15	33.76	33.65	12.78	35.03	0.89	398	122	Average	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.620kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.13</td><td>-----</td><td>-----</td><td>89.87</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>398</td><td>122</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.13	-----	-----	89.87	33.62	12.85	35.04	0.83	398	122	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5923.67	46.05	68.20	-22.15	33.76	33.65	12.78	35.03	0.89	398	122	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	102.13	-----	-----	89.87	33.62	12.85	35.04	0.83	398	122	Average																																																																																								



Mode	1																																																																																																																																																																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																																																																																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																																																																																																																																																																																																																																																			
ANT	1+2																																																																																																																																																																																																																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																		
Peak	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1144.00</td><td>49.66</td><td>74.00</td><td>-24.34</td><td>51.67</td><td>24.06</td><td>5.58</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5576.00</td><td>63.87</td><td>88.20</td><td>-24.33</td><td>52.91</td><td>32.75</td><td>12.42</td><td>34.96</td><td>0.75</td><td>100</td><td>121</td><td>Peak</td></tr><tr><td>3</td><td>5576.00</td><td>51.92</td><td>68.20</td><td>-16.28</td><td>40.96</td><td>32.75</td><td>12.42</td><td>34.96</td><td>0.75</td><td>100</td><td>121</td><td>Average</td></tr><tr><td>4</td><td>6380.00</td><td>64.96</td><td>88.20</td><td>-23.24</td><td>50.42</td><td>35.54</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>5</td><td>6380.00</td><td>52.09</td><td>68.20</td><td>-16.11</td><td>37.55</td><td>35.54</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>120</td><td>Average</td></tr><tr><td>6</td><td>11910.00</td><td>49.75</td><td>74.00</td><td>-24.25</td><td>33.33</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>11910.00</td><td>40.20</td><td>54.00</td><td>-13.80</td><td>23.78</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>17865.00</td><td>54.03</td><td>74.00</td><td>-19.97</td><td>36.32</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>17865.00</td><td>44.06</td><td>54.00</td><td>-9.94</td><td>26.35</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>10</td><td>23830.00</td><td>44.17</td><td>74.00</td><td>-29.83</td><td>49.23</td><td>38.70</td><td>25.98</td><td>60.20</td><td>-9.54</td><td>173</td><td>24</td><td>Peak</td></tr><tr><td>11</td><td>23830.00</td><td>34.89</td><td>54.00</td><td>-19.11</td><td>39.95</td><td>38.70</td><td>25.98</td><td>60.20</td><td>-9.54</td><td>173</td><td>24</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1144.00	49.66	74.00	-24.34	51.67	24.06	5.58	31.94	0.29	--	--	Peak	2	5576.00	63.87	88.20	-24.33	52.91	32.75	12.42	34.96	0.75	100	121	Peak	3	5576.00	51.92	68.20	-16.28	40.96	32.75	12.42	34.96	0.75	100	121	Average	4	6380.00	64.96	88.20	-23.24	50.42	35.54	13.34	35.19	0.85	100	120	Peak	5	6380.00	52.09	68.20	-16.11	37.55	35.54	13.34	35.19	0.85	100	120	Average	6	11910.00	49.75	74.00	-24.25	33.33	39.12	18.12	40.82	0.00	--	--	Peak	7	11910.00	40.20	54.00	-13.80	23.78	39.12	18.12	40.82	0.00	--	--	Average	8	17865.00	54.03	74.00	-19.97	36.32	41.26	22.21	45.76	0.00	--	--	Peak	9	17865.00	44.06	54.00	-9.94	26.35	41.26	22.21	45.76	0.00	--	--	Average	10	23830.00	44.17	74.00	-29.83	49.23	38.70	25.98	60.20	-9.54	173	24	Peak	11	23830.00	34.89	54.00	-19.11	39.95	38.70	25.98	60.20	-9.54	173	24	Average	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1000.00</td><td>48.38</td><td>74.00</td><td>-25.62</td><td>51.53</td><td>23.30</td><td>5.19</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5576.00</td><td>59.71</td><td>88.20</td><td>-28.49</td><td>48.75</td><td>32.75</td><td>12.42</td><td>34.96</td><td>0.75</td><td>300</td><td>130</td><td>Peak</td></tr><tr><td>3</td><td>5576.00</td><td>46.89</td><td>68.20</td><td>-21.31</td><td>35.93</td><td>32.75</td><td>12.42</td><td>34.96</td><td>0.75</td><td>300</td><td>130</td><td>Average</td></tr><tr><td>4</td><td>6384.00</td><td>60.47</td><td>88.20</td><td>-27.73</td><td>45.82</td><td>35.64</td><td>13.36</td><td>35.20</td><td>0.85</td><td>100</td><td>341</td><td>Peak</td></tr><tr><td>5</td><td>6384.00</td><td>47.29</td><td>68.20</td><td>-20.91</td><td>32.64</td><td>35.64</td><td>13.36</td><td>35.20</td><td>0.85</td><td>100</td><td>341</td><td>Average</td></tr><tr><td>6</td><td>11910.00</td><td>51.02</td><td>74.00</td><td>-22.98</td><td>34.60</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>11910.00</td><td>40.56</td><td>54.00</td><td>-13.44</td><td>24.14</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>17865.00</td><td>54.25</td><td>74.00</td><td>-19.75</td><td>36.54</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>17865.00</td><td>44.18</td><td>54.00</td><td>-9.82</td><td>26.47</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>10</td><td>23820.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>49.49</td><td>38.70</td><td>25.97</td><td>60.20</td><td>-9.54</td><td>192</td><td>275</td><td>Peak</td></tr><tr><td>11</td><td>23820.00</td><td>37.41</td><td>54.00</td><td>-16.59</td><td>42.48</td><td>38.70</td><td>25.97</td><td>60.20</td><td>-9.54</td><td>192</td><td>275</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1000.00	48.38	74.00	-25.62	51.53	23.30	5.19	31.94	0.30	--	--	Peak	2	5576.00	59.71	88.20	-28.49	48.75	32.75	12.42	34.96	0.75	300	130	Peak	3	5576.00	46.89	68.20	-21.31	35.93	32.75	12.42	34.96	0.75	300	130	Average	4	6384.00	60.47	88.20	-27.73	45.82	35.64	13.36	35.20	0.85	100	341	Peak	5	6384.00	47.29	68.20	-20.91	32.64	35.64	13.36	35.20	0.85	100	341	Average	6	11910.00	51.02	74.00	-22.98	34.60	39.12	18.12	40.82	0.00	--	--	Peak	7	11910.00	40.56	54.00	-13.44	24.14	39.12	18.12	40.82	0.00	--	--	Average	8	17865.00	54.25	74.00	-19.75	36.54	41.26	22.21	45.76	0.00	--	--	Peak	9	17865.00	44.18	54.00	-9.82	26.47	41.26	22.21	45.76	0.00	--	--	Average	10	23820.00	44.42	74.00	-29.58	49.49	38.70	25.97	60.20	-9.54	192	275	Peak	11	23820.00	37.41	54.00	-16.59	42.48	38.70	25.97	60.20	-9.54	192	275	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																									
1	1144.00	49.66	74.00	-24.34	51.67	24.06	5.58	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
2	5576.00	63.87	88.20	-24.33	52.91	32.75	12.42	34.96	0.75	100	121	Peak																																																																																																																																																																																																																																																																																																																																								
3	5576.00	51.92	68.20	-16.28	40.96	32.75	12.42	34.96	0.75	100	121	Average																																																																																																																																																																																																																																																																																																																																								
4	6380.00	64.96	88.20	-23.24	50.42	35.54	13.34	35.19	0.85	100	120	Peak																																																																																																																																																																																																																																																																																																																																								
5	6380.00	52.09	68.20	-16.11	37.55	35.54	13.34	35.19	0.85	100	120	Average																																																																																																																																																																																																																																																																																																																																								
6	11910.00	49.75	74.00	-24.25	33.33	39.12	18.12	40.82	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
7	11910.00	40.20	54.00	-13.80	23.78	39.12	18.12	40.82	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								
8	17865.00	54.03	74.00	-19.97	36.32	41.26	22.21	45.76	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
9	17865.00	44.06	54.00	-9.94	26.35	41.26	22.21	45.76	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								
10	23830.00	44.17	74.00	-29.83	49.23	38.70	25.98	60.20	-9.54	173	24	Peak																																																																																																																																																																																																																																																																																																																																								
11	23830.00	34.89	54.00	-19.11	39.95	38.70	25.98	60.20	-9.54	173	24	Average																																																																																																																																																																																																																																																																																																																																								
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																									
1	1000.00	48.38	74.00	-25.62	51.53	23.30	5.19	31.94	0.30	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
2	5576.00	59.71	88.20	-28.49	48.75	32.75	12.42	34.96	0.75	300	130	Peak																																																																																																																																																																																																																																																																																																																																								
3	5576.00	46.89	68.20	-21.31	35.93	32.75	12.42	34.96	0.75	300	130	Average																																																																																																																																																																																																																																																																																																																																								
4	6384.00	60.47	88.20	-27.73	45.82	35.64	13.36	35.20	0.85	100	341	Peak																																																																																																																																																																																																																																																																																																																																								
5	6384.00	47.29	68.20	-20.91	32.64	35.64	13.36	35.20	0.85	100	341	Average																																																																																																																																																																																																																																																																																																																																								
6	11910.00	51.02	74.00	-22.98	34.60	39.12	18.12	40.82	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
7	11910.00	40.56	54.00	-13.44	24.14	39.12	18.12	40.82	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								
8	17865.00	54.25	74.00	-19.75	36.54	41.26	22.21	45.76	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
9	17865.00	44.18	54.00	-9.82	26.47	41.26	22.21	45.76	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								
10	23820.00	44.42	74.00	-29.58	49.49	38.70	25.97	60.20	-9.54	192	275	Peak																																																																																																																																																																																																																																																																																																																																								
11	23820.00	37.41	54.00	-16.59	42.48	38.70	25.97	60.20	-9.54	192	275	Average																																																																																																																																																																																																																																																																																																																																								



Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	2																																																																																																																																																																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																																																																																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																																																																																																																																																																																																																																																																			
ANT	1+2																																																																																																																																																																																																																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1008.00</td><td>49.39</td><td>74.00</td><td>-24.61</td><td>52.52</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5792.00</td><td>64.62</td><td>88.20</td><td>-23.58</td><td>52.27</td><td>33.78</td><td>12.47</td><td>35.00</td><td>1.10</td><td>100</td><td>124</td><td>Peak</td></tr><tr><td>3</td><td>5792.00</td><td>52.64</td><td>68.20</td><td>-15.56</td><td>40.29</td><td>33.78</td><td>12.47</td><td>35.00</td><td>1.10</td><td>100</td><td>124</td><td>Average</td></tr><tr><td>4</td><td>6088.00</td><td>61.33</td><td>88.20</td><td>-26.87</td><td>46.14</td><td>36.22</td><td>13.56</td><td>35.43</td><td>0.84</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>5</td><td>6088.00</td><td>48.88</td><td>68.20</td><td>-19.32</td><td>33.69</td><td>36.22</td><td>13.56</td><td>35.43</td><td>0.84</td><td>100</td><td>120</td><td>Average</td></tr><tr><td>6</td><td>12390.00</td><td>51.49</td><td>74.00</td><td>-22.51</td><td>34.07</td><td>39.88</td><td>10.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12390.00</td><td>41.26</td><td>54.00</td><td>-12.74</td><td>23.04</td><td>39.88</td><td>10.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18585.00</td><td>40.77</td><td>74.00</td><td>-33.23</td><td>55.58</td><td>38.33</td><td>22.85</td><td>66.45</td><td>-9.54</td><td>167</td><td>317</td><td>Peak</td></tr><tr><td>9</td><td>18585.00</td><td>31.09</td><td>54.00</td><td>-22.91</td><td>45.90</td><td>38.33</td><td>22.85</td><td>66.45</td><td>-9.54</td><td>167</td><td>317</td><td>Average</td></tr><tr><td>10</td><td>24780.00</td><td>45.78</td><td>88.20</td><td>-42.42</td><td>49.68</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>170</td><td>17</td><td>Peak</td></tr><tr><td>11</td><td>24780.00</td><td>42.23</td><td>68.20</td><td>-25.97</td><td>46.13</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>170</td><td>17</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1008.00	49.39	74.00	-24.61	52.52	23.30	5.21	31.94	0.30	--	--	Peak	2	5792.00	64.62	88.20	-23.58	52.27	33.78	12.47	35.00	1.10	100	124	Peak	3	5792.00	52.64	68.20	-15.56	40.29	33.78	12.47	35.00	1.10	100	124	Average	4	6088.00	61.33	88.20	-26.87	46.14	36.22	13.56	35.43	0.84	100	120	Peak	5	6088.00	48.88	68.20	-19.32	33.69	36.22	13.56	35.43	0.84	100	120	Average	6	12390.00	51.49	74.00	-22.51	34.07	39.88	10.66	41.12	0.00	--	--	Peak	7	12390.00	41.26	54.00	-12.74	23.04	39.88	10.66	41.12	0.00	--	--	Average	8	18585.00	40.77	74.00	-33.23	55.58	38.33	22.85	66.45	-9.54	167	317	Peak	9	18585.00	31.09	54.00	-22.91	45.90	38.33	22.85	66.45	-9.54	167	317	Average	10	24780.00	45.78	88.20	-42.42	49.68	39.30	26.62	60.28	-9.54	170	17	Peak	11	24780.00	42.23	68.20	-25.97	46.13	39.30	26.62	60.28	-9.54	170	17	Average	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1128.00</td><td>47.76</td><td>74.00</td><td>-26.24</td><td>49.67</td><td>24.20</td><td>5.54</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5816.00</td><td>62.85</td><td>88.20</td><td>-25.35</td><td>50.53</td><td>33.74</td><td>12.51</td><td>35.01</td><td>1.08</td><td>370</td><td>124</td><td>Peak</td></tr><tr><td>3</td><td>5816.00</td><td>51.70</td><td>68.20</td><td>-16.50</td><td>39.38</td><td>33.74</td><td>12.51</td><td>35.01</td><td>1.08</td><td>370</td><td>124</td><td>Average</td></tr><tr><td>4</td><td>6592.00</td><td>58.60</td><td>88.20</td><td>-29.60</td><td>43.44</td><td>36.18</td><td>13.54</td><td>35.40</td><td>0.84</td><td>101</td><td>360</td><td>Peak</td></tr><tr><td>5</td><td>6592.00</td><td>46.78</td><td>68.20</td><td>-21.42</td><td>31.62</td><td>36.18</td><td>13.54</td><td>35.40</td><td>0.84</td><td>101</td><td>360</td><td>Average</td></tr><tr><td>6</td><td>12390.00</td><td>51.25</td><td>74.00</td><td>-22.75</td><td>33.83</td><td>39.88</td><td>10.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12390.00</td><td>41.52</td><td>54.00</td><td>-12.48</td><td>24.10</td><td>39.88</td><td>10.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18585.00</td><td>45.08</td><td>74.00</td><td>-28.92</td><td>59.89</td><td>38.33</td><td>22.85</td><td>66.45</td><td>-9.54</td><td>168</td><td>180</td><td>Peak</td></tr><tr><td>9</td><td>18585.00</td><td>33.62</td><td>54.00</td><td>-20.38</td><td>48.43</td><td>38.33</td><td>22.85</td><td>66.45</td><td>-9.54</td><td>168</td><td>180</td><td>Average</td></tr><tr><td>10</td><td>24780.00</td><td>45.00</td><td>88.20</td><td>-43.20</td><td>48.90</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>189</td><td>42</td><td>Peak</td></tr><tr><td>11</td><td>24780.00</td><td>40.97</td><td>68.20</td><td>-27.23</td><td>44.87</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>189</td><td>42</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1128.00	47.76	74.00	-26.24	49.67	24.20	5.54	31.94	0.29	--	--	Peak	2	5816.00	62.85	88.20	-25.35	50.53	33.74	12.51	35.01	1.08	370	124	Peak	3	5816.00	51.70	68.20	-16.50	39.38	33.74	12.51	35.01	1.08	370	124	Average	4	6592.00	58.60	88.20	-29.60	43.44	36.18	13.54	35.40	0.84	101	360	Peak	5	6592.00	46.78	68.20	-21.42	31.62	36.18	13.54	35.40	0.84	101	360	Average	6	12390.00	51.25	74.00	-22.75	33.83	39.88	10.66	41.12	0.00	--	--	Peak	7	12390.00	41.52	54.00	-12.48	24.10	39.88	10.66	41.12	0.00	--	--	Average	8	18585.00	45.08	74.00	-28.92	59.89	38.33	22.85	66.45	-9.54	168	180	Peak	9	18585.00	33.62	54.00	-20.38	48.43	38.33	22.85	66.45	-9.54	168	180	Average	10	24780.00	45.00	88.20	-43.20	48.90	39.30	26.62	60.28	-9.54	189	42	Peak	11	24780.00	40.97	68.20	-27.23	44.87	39.30	26.62	60.28	-9.54	189	42	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																									
1	1008.00	49.39	74.00	-24.61	52.52	23.30	5.21	31.94	0.30	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
2	5792.00	64.62	88.20	-23.58	52.27	33.78	12.47	35.00	1.10	100	124	Peak																																																																																																																																																																																																																																																																																																																																								
3	5792.00	52.64	68.20	-15.56	40.29	33.78	12.47	35.00	1.10	100	124	Average																																																																																																																																																																																																																																																																																																																																								
4	6088.00	61.33	88.20	-26.87	46.14	36.22	13.56	35.43	0.84	100	120	Peak																																																																																																																																																																																																																																																																																																																																								
5	6088.00	48.88	68.20	-19.32	33.69	36.22	13.56	35.43	0.84	100	120	Average																																																																																																																																																																																																																																																																																																																																								
6	12390.00	51.49	74.00	-22.51	34.07	39.88	10.66	41.12	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
7	12390.00	41.26	54.00	-12.74	23.04	39.88	10.66	41.12	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								
8	18585.00	40.77	74.00	-33.23	55.58	38.33	22.85	66.45	-9.54	167	317	Peak																																																																																																																																																																																																																																																																																																																																								
9	18585.00	31.09	54.00	-22.91	45.90	38.33	22.85	66.45	-9.54	167	317	Average																																																																																																																																																																																																																																																																																																																																								
10	24780.00	45.78	88.20	-42.42	49.68	39.30	26.62	60.28	-9.54	170	17	Peak																																																																																																																																																																																																																																																																																																																																								
11	24780.00	42.23	68.20	-25.97	46.13	39.30	26.62	60.28	-9.54	170	17	Average																																																																																																																																																																																																																																																																																																																																								
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																									
1	1128.00	47.76	74.00	-26.24	49.67	24.20	5.54	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
2	5816.00	62.85	88.20	-25.35	50.53	33.74	12.51	35.01	1.08	370	124	Peak																																																																																																																																																																																																																																																																																																																																								
3	5816.00	51.70	68.20	-16.50	39.38	33.74	12.51	35.01	1.08	370	124	Average																																																																																																																																																																																																																																																																																																																																								
4	6592.00	58.60	88.20	-29.60	43.44	36.18	13.54	35.40	0.84	101	360	Peak																																																																																																																																																																																																																																																																																																																																								
5	6592.00	46.78	68.20	-21.42	31.62	36.18	13.54	35.40	0.84	101	360	Average																																																																																																																																																																																																																																																																																																																																								
6	12390.00	51.25	74.00	-22.75	33.83	39.88	10.66	41.12	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
7	12390.00	41.52	54.00	-12.48	24.10	39.88	10.66	41.12	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								
8	18585.00	45.08	74.00	-28.92	59.89	38.33	22.85	66.45	-9.54	168	180	Peak																																																																																																																																																																																																																																																																																																																																								
9	18585.00	33.62	54.00	-20.38	48.43	38.33	22.85	66.45	-9.54	168	180	Average																																																																																																																																																																																																																																																																																																																																								
10	24780.00	45.00	88.20	-43.20	48.90	39.30	26.62	60.28	-9.54	189	42	Peak																																																																																																																																																																																																																																																																																																																																								
11	24780.00	40.97	68.20	-27.23	44.87	39.30	26.62	60.28	-9.54	189	42	Average																																																																																																																																																																																																																																																																																																																																								





Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	3																																																																																																																																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																																																																																																																																																																																																																									
ANT	1+2																																																																																																																																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																								
Peak	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1120.00</td><td>50.75</td><td>74.00</td><td>-23.25</td><td>52.69</td><td>24.20</td><td>5.51</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6824.00</td><td>58.56</td><td>88.20</td><td>-29.64</td><td>45.96</td><td>33.90</td><td>13.00</td><td>35.06</td><td>0.76</td><td>100</td><td>122</td><td>Peak</td></tr><tr><td>3</td><td>6824.00</td><td>46.95</td><td>88.20</td><td>-21.25</td><td>34.35</td><td>33.90</td><td>13.00</td><td>35.06</td><td>0.76</td><td>100</td><td>122</td><td>Average</td></tr><tr><td>4</td><td>6832.00</td><td>56.13</td><td>88.20</td><td>-32.07</td><td>40.67</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>101</td><td>62</td><td>Peak</td></tr><tr><td>5</td><td>6832.00</td><td>44.80</td><td>88.20</td><td>-23.40</td><td>29.34</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>101</td><td>62</td><td>Average</td></tr><tr><td>6</td><td>12830.00</td><td>52.60</td><td>88.20</td><td>-35.60</td><td>34.19</td><td>40.64</td><td>18.98</td><td>41.21</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19245.00</td><td>44.10</td><td>74.00</td><td>-29.90</td><td>57.78</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>200</td><td>62</td><td>Peak</td></tr><tr><td>8</td><td>19245.00</td><td>34.53</td><td>54.00</td><td>-19.47</td><td>48.21</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>200</td><td>62</td><td>Average</td></tr><tr><td>9</td><td>25660.00</td><td>43.70</td><td>88.20</td><td>-44.50</td><td>47.26</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>166</td><td>25</td><td>Peak</td></tr><tr><td>10</td><td>25660.00</td><td>36.77</td><td>68.20</td><td>-31.43</td><td>40.33</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>166</td><td>25</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1120.00	50.75	74.00	-23.25	52.69	24.20	5.51	31.94	0.29	--	--	Peak	2	6824.00	58.56	88.20	-29.64	45.96	33.90	13.00	35.06	0.76	100	122	Peak	3	6824.00	46.95	88.20	-21.25	34.35	33.90	13.00	35.06	0.76	100	122	Average	4	6832.00	56.13	88.20	-32.07	40.67	36.60	13.87	35.82	0.81	101	62	Peak	5	6832.00	44.80	88.20	-23.40	29.34	36.60	13.87	35.82	0.81	101	62	Average	6	12830.00	52.60	88.20	-35.60	34.19	40.64	18.98	41.21	0.00	--	--	Peak	7	19245.00	44.10	74.00	-29.90	57.78	38.02	23.29	65.45	-9.54	200	62	Peak	8	19245.00	34.53	54.00	-19.47	48.21	38.02	23.29	65.45	-9.54	200	62	Average	9	25660.00	43.70	88.20	-44.50	47.26	39.28	27.30	60.60	-9.54	166	25	Peak	10	25660.00	36.77	68.20	-31.43	40.33	39.28	27.30	60.60	-9.54	166	25	Average	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1000.00</td><td>49.52</td><td>74.00</td><td>-24.48</td><td>52.65</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6824.00</td><td>58.12</td><td>88.20</td><td>-30.08</td><td>45.52</td><td>33.90</td><td>13.00</td><td>35.06</td><td>0.76</td><td>112</td><td>337</td><td>Peak</td></tr><tr><td>3</td><td>6824.00</td><td>46.93</td><td>88.20</td><td>-21.27</td><td>34.33</td><td>33.90</td><td>13.00</td><td>35.06</td><td>0.76</td><td>112</td><td>337</td><td>Average</td></tr><tr><td>4</td><td>6832.00</td><td>54.41</td><td>88.20</td><td>-33.79</td><td>38.95</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>100</td><td>1</td><td>Peak</td></tr><tr><td>5</td><td>6832.00</td><td>42.85</td><td>88.20</td><td>-25.35</td><td>27.39</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>100</td><td>1</td><td>Average</td></tr><tr><td>6</td><td>12830.00</td><td>52.28</td><td>88.20</td><td>-35.92</td><td>33.87</td><td>40.64</td><td>18.98</td><td>41.21</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19245.00</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>68.24</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>171</td><td>357</td><td>Peak</td></tr><tr><td>8</td><td>19245.00</td><td>45.07</td><td>54.00</td><td>-8.93</td><td>58.75</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>171</td><td>357</td><td>Average</td></tr><tr><td>9</td><td>25660.00</td><td>45.00</td><td>88.20</td><td>-43.20</td><td>48.56</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>196</td><td>133</td><td>Peak</td></tr><tr><td>10</td><td>25660.00</td><td>40.41</td><td>68.20</td><td>-27.79</td><td>43.97</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>196</td><td>133</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1000.00	49.52	74.00	-24.48	52.65	23.30	5.21	31.94	0.30	--	--	Peak	2	6824.00	58.12	88.20	-30.08	45.52	33.90	13.00	35.06	0.76	112	337	Peak	3	6824.00	46.93	88.20	-21.27	34.33	33.90	13.00	35.06	0.76	112	337	Average	4	6832.00	54.41	88.20	-33.79	38.95	36.60	13.87	35.82	0.81	100	1	Peak	5	6832.00	42.85	88.20	-25.35	27.39	36.60	13.87	35.82	0.81	100	1	Average	6	12830.00	52.28	88.20	-35.92	33.87	40.64	18.98	41.21	0.00	--	--	Peak	7	19245.00	54.56	74.00	-19.44	68.24	38.02	23.29	65.45	-9.54	171	357	Peak	8	19245.00	45.07	54.00	-8.93	58.75	38.02	23.29	65.45	-9.54	171	357	Average	9	25660.00	45.00	88.20	-43.20	48.56	39.28	27.30	60.60	-9.54	196	133	Peak	10	25660.00	40.41	68.20	-27.79	43.97	39.28	27.30	60.60	-9.54	196	133	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																															
1	1120.00	50.75	74.00	-23.25	52.69	24.20	5.51	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																																																														
2	6824.00	58.56	88.20	-29.64	45.96	33.90	13.00	35.06	0.76	100	122	Peak																																																																																																																																																																																																																																																																																																														
3	6824.00	46.95	88.20	-21.25	34.35	33.90	13.00	35.06	0.76	100	122	Average																																																																																																																																																																																																																																																																																																														
4	6832.00	56.13	88.20	-32.07	40.67	36.60	13.87	35.82	0.81	101	62	Peak																																																																																																																																																																																																																																																																																																														
5	6832.00	44.80	88.20	-23.40	29.34	36.60	13.87	35.82	0.81	101	62	Average																																																																																																																																																																																																																																																																																																														
6	12830.00	52.60	88.20	-35.60	34.19	40.64	18.98	41.21	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																														
7	19245.00	44.10	74.00	-29.90	57.78	38.02	23.29	65.45	-9.54	200	62	Peak																																																																																																																																																																																																																																																																																																														
8	19245.00	34.53	54.00	-19.47	48.21	38.02	23.29	65.45	-9.54	200	62	Average																																																																																																																																																																																																																																																																																																														
9	25660.00	43.70	88.20	-44.50	47.26	39.28	27.30	60.60	-9.54	166	25	Peak																																																																																																																																																																																																																																																																																																														
10	25660.00	36.77	68.20	-31.43	40.33	39.28	27.30	60.60	-9.54	166	25	Average																																																																																																																																																																																																																																																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																															
1	1000.00	49.52	74.00	-24.48	52.65	23.30	5.21	31.94	0.30	--	--	Peak																																																																																																																																																																																																																																																																																																														
2	6824.00	58.12	88.20	-30.08	45.52	33.90	13.00	35.06	0.76	112	337	Peak																																																																																																																																																																																																																																																																																																														
3	6824.00	46.93	88.20	-21.27	34.33	33.90	13.00	35.06	0.76	112	337	Average																																																																																																																																																																																																																																																																																																														
4	6832.00	54.41	88.20	-33.79	38.95	36.60	13.87	35.82	0.81	100	1	Peak																																																																																																																																																																																																																																																																																																														
5	6832.00	42.85	88.20	-25.35	27.39	36.60	13.87	35.82	0.81	100	1	Average																																																																																																																																																																																																																																																																																																														
6	12830.00	52.28	88.20	-35.92	33.87	40.64	18.98	41.21	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																														
7	19245.00	54.56	74.00	-19.44	68.24	38.02	23.29	65.45	-9.54	171	357	Peak																																																																																																																																																																																																																																																																																																														
8	19245.00	45.07	54.00	-8.93	58.75	38.02	23.29	65.45	-9.54	171	357	Average																																																																																																																																																																																																																																																																																																														
9	25660.00	45.00	88.20	-43.20	48.56	39.28	27.30	60.60	-9.54	196	133	Peak																																																																																																																																																																																																																																																																																																														
10	25660.00	40.41	68.20	-27.79	43.97	39.28	27.30	60.60	-9.54	196	133	Average																																																																																																																																																																																																																																																																																																														



Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	4																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.45</td><td>64.18</td><td>88.20</td><td>-24.02</td><td>51.89</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>100</td><td>120</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.92</td><td>-----</td><td>-----</td><td>99.66</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>100</td><td>120</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.45	64.18	88.20	-24.02	51.89	33.65	12.78	35.03	0.89	100	120	Peak		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.92	-----	-----	99.66	33.62	12.85	35.04	0.83	100	120	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.45	64.18	88.20	-24.02	51.89	33.65	12.78	35.03	0.89	100	120	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	111.92	-----	-----	99.66	33.62	12.85	35.04	0.83	100	120	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>53.44</td><td>68.20</td><td>-14.76</td><td>41.15</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>100</td><td>120</td><td>Average</td></tr></table> Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>104.51</td><td>-----</td><td>-----</td><td>92.25</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>100</td><td>120</td><td>Average</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	53.44	68.20	-14.76	41.15	33.65	12.78	35.03	0.89	100	120	Average		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	104.51	-----	-----	92.25	33.62	12.85	35.04	0.83	100	120	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.97	53.44	68.20	-14.76	41.15	33.65	12.78	35.03	0.89	100	120	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5955.00	104.51	-----	-----	92.25	33.62	12.85	35.04	0.83	100	120	Average																																																																																								



Mode	4																																																																																																	
	Band Edge																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																	
ANT	1+2																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>59.71</td><td>88.20</td><td>-28.49</td><td>47.42</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>400</td><td>142</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	59.71	88.20	-28.49	47.42	33.65	12.78	35.03	0.89	400	142	Peak	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.47</td><td>-----</td><td>-----</td><td>96.18</td><td>33.64</td><td>12.87</td><td>35.04</td><td>0.82</td><td>400</td><td>142</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.47	-----	-----	96.18	33.64	12.87	35.04	0.82	400	142	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	59.71	88.20	-28.49	47.42	33.65	12.78	35.03	0.89	400	142	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	108.47	-----	-----	96.18	33.64	12.87	35.04	0.82	400	142	Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>48.53</td><td>68.20</td><td>-19.67</td><td>36.24</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>400</td><td>142</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	48.53	68.20	-19.67	36.24	33.65	12.78	35.03	0.89	400	142	Average	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.60</td><td>-----</td><td>-----</td><td>87.34</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>400</td><td>142</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.60	-----	-----	87.34	33.62	12.85	35.04	0.83	400	142	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5924.97	48.53	68.20	-19.67	36.24	33.65	12.78	35.03	0.89	400	142	Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5955.00	99.60	-----	-----	87.34	33.62	12.85	35.04	0.83	400	142	Average																																																																																						



Mode	4																																																																																																																																																																																																																																																																																																																																																			
	Harmonic																																																																																																																																																																																																																																																																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																																																																																																																																																																																																																																																																			
ANT	1+2																																																																																																																																																																																																																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1130.20</td><td>45.82</td><td>74.00</td><td>-28.18</td><td>47.73</td><td>24.20</td><td>5.54</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5544.60</td><td>62.29</td><td>88.20</td><td>-25.91</td><td>51.40</td><td>32.68</td><td>12.41</td><td>34.95</td><td>0.75</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>3</td><td>5544.60</td><td>51.68</td><td>68.20</td><td>-16.52</td><td>40.79</td><td>32.68</td><td>12.41</td><td>34.95</td><td>0.75</td><td>100</td><td>120</td><td>Average</td></tr><tr><td>4</td><td>6363.00</td><td>61.71</td><td>88.20</td><td>-26.49</td><td>47.16</td><td>35.55</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>56</td><td>Peak</td></tr><tr><td>5</td><td>6363.00</td><td>49.24</td><td>68.20</td><td>-18.96</td><td>34.69</td><td>35.55</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>56</td><td>Average</td></tr><tr><td>6</td><td>11910.00</td><td>50.73</td><td>74.00</td><td>-23.27</td><td>34.31</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>11910.00</td><td>40.92</td><td>54.00</td><td>-13.08</td><td>24.50</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>17865.00</td><td>53.61</td><td>74.00</td><td>-20.39</td><td>35.90</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>17865.00</td><td>44.66</td><td>54.00</td><td>-9.34</td><td>26.95</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>10</td><td>23820.00</td><td>45.57</td><td>74.00</td><td>-28.43</td><td>50.64</td><td>38.70</td><td>25.97</td><td>60.20</td><td>-9.54</td><td>172</td><td>22</td><td>Peak</td></tr><tr><td>11</td><td>23820.00</td><td>41.25</td><td>54.00</td><td>-12.75</td><td>46.32</td><td>38.70</td><td>25.97</td><td>60.20</td><td>-9.54</td><td>172</td><td>22</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1130.20	45.82	74.00	-28.18	47.73	24.20	5.54	31.94	0.29	--	--	Peak	2	5544.60	62.29	88.20	-25.91	51.40	32.68	12.41	34.95	0.75	100	120	Peak	3	5544.60	51.68	68.20	-16.52	40.79	32.68	12.41	34.95	0.75	100	120	Average	4	6363.00	61.71	88.20	-26.49	47.16	35.55	13.34	35.19	0.85	100	56	Peak	5	6363.00	49.24	68.20	-18.96	34.69	35.55	13.34	35.19	0.85	100	56	Average	6	11910.00	50.73	74.00	-23.27	34.31	39.12	18.12	40.82	0.00	--	--	Peak	7	11910.00	40.92	54.00	-13.08	24.50	39.12	18.12	40.82	0.00	--	--	Average	8	17865.00	53.61	74.00	-20.39	35.90	41.26	22.21	45.76	0.00	--	--	Peak	9	17865.00	44.66	54.00	-9.34	26.95	41.26	22.21	45.76	0.00	--	--	Average	10	23820.00	45.57	74.00	-28.43	50.64	38.70	25.97	60.20	-9.54	172	22	Peak	11	23820.00	41.25	54.00	-12.75	46.32	38.70	25.97	60.20	-9.54	172	22	Average	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1117.80</td><td>45.32</td><td>74.00</td><td>-28.68</td><td>47.33</td><td>24.13</td><td>5.51</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5532.20</td><td>55.39</td><td>88.20</td><td>-32.81</td><td>44.55</td><td>32.63</td><td>12.41</td><td>34.95</td><td>0.75</td><td>100</td><td>184</td><td>Peak</td></tr><tr><td>3</td><td>5532.20</td><td>43.72</td><td>88.20</td><td>-44.48</td><td>32.88</td><td>32.63</td><td>12.41</td><td>34.95</td><td>0.75</td><td>100</td><td>184</td><td>Average</td></tr><tr><td>4</td><td>6356.00</td><td>58.73</td><td>88.20</td><td>-29.47</td><td>44.20</td><td>35.53</td><td>13.34</td><td>35.19</td><td>0.85</td><td>125</td><td>17</td><td>Peak</td></tr><tr><td>5</td><td>6356.00</td><td>46.77</td><td>88.20</td><td>-41.43</td><td>32.24</td><td>35.53</td><td>13.34</td><td>35.19</td><td>0.85</td><td>125</td><td>17</td><td>Average</td></tr><tr><td>6</td><td>11910.00</td><td>50.20</td><td>74.00</td><td>-23.80</td><td>33.78</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>11910.00</td><td>40.81</td><td>54.00</td><td>-13.19</td><td>24.39</td><td>39.12</td><td>18.12</td><td>40.82</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>17865.00</td><td>53.48</td><td>74.00</td><td>-20.52</td><td>35.77</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>17865.00</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>26.73</td><td>41.26</td><td>22.21</td><td>45.76</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>10</td><td>23820.00</td><td>42.98</td><td>74.00</td><td>-31.02</td><td>48.05</td><td>38.70</td><td>25.97</td><td>60.20</td><td>-9.54</td><td>189</td><td>275</td><td>Peak</td></tr><tr><td>11</td><td>23820.00</td><td>37.53</td><td>54.00</td><td>-16.47</td><td>42.60</td><td>38.70</td><td>25.97</td><td>60.20</td><td>-9.54</td><td>189</td><td>275</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1117.80	45.32	74.00	-28.68	47.33	24.13	5.51	31.94	0.29	--	--	Peak	2	5532.20	55.39	88.20	-32.81	44.55	32.63	12.41	34.95	0.75	100	184	Peak	3	5532.20	43.72	88.20	-44.48	32.88	32.63	12.41	34.95	0.75	100	184	Average	4	6356.00	58.73	88.20	-29.47	44.20	35.53	13.34	35.19	0.85	125	17	Peak	5	6356.00	46.77	88.20	-41.43	32.24	35.53	13.34	35.19	0.85	125	17	Average	6	11910.00	50.20	74.00	-23.80	33.78	39.12	18.12	40.82	0.00	--	--	Peak	7	11910.00	40.81	54.00	-13.19	24.39	39.12	18.12	40.82	0.00	--	--	Average	8	17865.00	53.48	74.00	-20.52	35.77	41.26	22.21	45.76	0.00	--	--	Peak	9	17865.00	44.44	54.00	-9.56	26.73	41.26	22.21	45.76	0.00	--	--	Average	10	23820.00	42.98	74.00	-31.02	48.05	38.70	25.97	60.20	-9.54	189	275	Peak	11	23820.00	37.53	54.00	-16.47	42.60	38.70	25.97	60.20	-9.54	189	275	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																									
1	1130.20	45.82	74.00	-28.18	47.73	24.20	5.54	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
2	5544.60	62.29	88.20	-25.91	51.40	32.68	12.41	34.95	0.75	100	120	Peak																																																																																																																																																																																																																																																																																																																																								
3	5544.60	51.68	68.20	-16.52	40.79	32.68	12.41	34.95	0.75	100	120	Average																																																																																																																																																																																																																																																																																																																																								
4	6363.00	61.71	88.20	-26.49	47.16	35.55	13.34	35.19	0.85	100	56	Peak																																																																																																																																																																																																																																																																																																																																								
5	6363.00	49.24	68.20	-18.96	34.69	35.55	13.34	35.19	0.85	100	56	Average																																																																																																																																																																																																																																																																																																																																								
6	11910.00	50.73	74.00	-23.27	34.31	39.12	18.12	40.82	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
7	11910.00	40.92	54.00	-13.08	24.50	39.12	18.12	40.82	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								
8	17865.00	53.61	74.00	-20.39	35.90	41.26	22.21	45.76	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
9	17865.00	44.66	54.00	-9.34	26.95	41.26	22.21	45.76	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								
10	23820.00	45.57	74.00	-28.43	50.64	38.70	25.97	60.20	-9.54	172	22	Peak																																																																																																																																																																																																																																																																																																																																								
11	23820.00	41.25	54.00	-12.75	46.32	38.70	25.97	60.20	-9.54	172	22	Average																																																																																																																																																																																																																																																																																																																																								
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																									
1	1117.80	45.32	74.00	-28.68	47.33	24.13	5.51	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
2	5532.20	55.39	88.20	-32.81	44.55	32.63	12.41	34.95	0.75	100	184	Peak																																																																																																																																																																																																																																																																																																																																								
3	5532.20	43.72	88.20	-44.48	32.88	32.63	12.41	34.95	0.75	100	184	Average																																																																																																																																																																																																																																																																																																																																								
4	6356.00	58.73	88.20	-29.47	44.20	35.53	13.34	35.19	0.85	125	17	Peak																																																																																																																																																																																																																																																																																																																																								
5	6356.00	46.77	88.20	-41.43	32.24	35.53	13.34	35.19	0.85	125	17	Average																																																																																																																																																																																																																																																																																																																																								
6	11910.00	50.20	74.00	-23.80	33.78	39.12	18.12	40.82	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
7	11910.00	40.81	54.00	-13.19	24.39	39.12	18.12	40.82	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								
8	17865.00	53.48	74.00	-20.52	35.77	41.26	22.21	45.76	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																																																								
9	17865.00	44.44	54.00	-9.56	26.73	41.26	22.21	45.76	0.00	--	--	Average																																																																																																																																																																																																																																																																																																																																								
10	23820.00	42.98	74.00	-31.02	48.05	38.70	25.97	60.20	-9.54	189	275	Peak																																																																																																																																																																																																																																																																																																																																								
11	23820.00	37.53	54.00	-16.47	42.60	38.70	25.97	60.20	-9.54	189	275	Average																																																																																																																																																																																																																																																																																																																																								



Mode	4	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-04 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	5																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5918.73</td><td>67.28</td><td>88.20</td><td>-20.92</td><td>54.98</td><td>33.66</td><td>12.77</td><td>35.03</td><td>0.90 101 124 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5918.73	67.28	88.20	-20.92	54.98	33.66	12.77	35.03	0.90 101 124 Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5955.00</td><td>115.19</td><td>-----</td><td>-----</td><td>102.95</td><td>33.60</td><td>12.84</td><td>35.04</td><td>0.84 101 124 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5955.00	115.19	-----	-----	102.95	33.60	12.84	35.04	0.84 101 124 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1	5918.73	67.28	88.20	-20.92	54.98	33.66	12.77	35.03	0.90 101 124 Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1	5955.00	115.19	-----	-----	102.95	33.60	12.84	35.04	0.84 101 124 Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.120kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5878.30</td><td>49.37</td><td>68.20</td><td>-18.83</td><td>37.09</td><td>33.66</td><td>12.67</td><td>35.02</td><td>0.97 101 124 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5878.30	49.37	68.20	-18.83	37.09	33.66	12.67	35.02	0.97 101 124 Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.120kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.06</td><td>-----</td><td>-----</td><td>94.82</td><td>33.60</td><td>12.84</td><td>35.04</td><td>0.84 101 124 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5955.00	107.06	-----	-----	94.82	33.60	12.84	35.04	0.84 101 124 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1	5878.30	49.37	68.20	-18.83	37.09	33.66	12.67	35.02	0.97 101 124 Average																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1	5955.00	107.06	-----	-----	94.82	33.60	12.84	35.04	0.84 101 124 Average																																																																																	



Mode	5																																																																																							
	Band Edge																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 106/53_5955MHz																																																																																							
ANT	1+2																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.71</td><td>72.93</td><td>88.20</td><td>-15.27</td><td>60.64</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>100</td><td>335 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.71	72.93	88.20	-15.27	60.64	33.65	12.78	35.03	0.89	100	335 Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.99</td><td>-----</td><td>-----</td><td>99.75</td><td>33.60</td><td>12.84</td><td>35.04</td><td>0.84</td><td>100</td><td>335 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	111.99	-----	-----	99.75	33.60	12.84	35.04	0.84	100	335 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5924.71	72.93	88.20	-15.27	60.64	33.65	12.78	35.03	0.89	100	335 Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	111.99	-----	-----	99.75	33.60	12.84	35.04	0.84	100	335 Peak																																																																													
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.120kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.80</td><td>51.39</td><td>68.20</td><td>-16.81</td><td>39.10</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>100</td><td>335 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.80	51.39	68.20	-16.81	39.10	33.65	12.78	35.03	0.89	100	335 Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.120kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>103.31</td><td>-----</td><td>-----</td><td>91.07</td><td>33.60</td><td>12.84</td><td>35.04</td><td>0.84</td><td>100</td><td>335 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.31	-----	-----	91.07	33.60	12.84	35.04	0.84	100	335 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5923.80	51.39	68.20	-16.81	39.10	33.65	12.78	35.03	0.89	100	335 Average																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5955.00	103.31	-----	-----	91.07	33.60	12.84	35.04	0.84	100	335 Average																																																																													



Mode	6																																																																																																																																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz																																																																																																																																																																																																																																																																																																																									
ANT	1+2																																																																																																																																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																								
Peak	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1120.00</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>51.83</td><td>24.20</td><td>5.51</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5768.00</td><td>63.09</td><td>88.20</td><td>-25.11</td><td>50.84</td><td>33.74</td><td>12.46</td><td>35.00</td><td>1.05</td><td>100</td><td>134</td><td>Peak</td></tr><tr><td>3</td><td>5768.00</td><td>50.87</td><td>68.20</td><td>-17.33</td><td>38.62</td><td>33.74</td><td>12.46</td><td>35.00</td><td>1.05</td><td>100</td><td>134</td><td>Average</td></tr><tr><td>4</td><td>6560.00</td><td>60.67</td><td>88.20</td><td>-27.53</td><td>45.57</td><td>36.12</td><td>13.49</td><td>35.35</td><td>0.84</td><td>100</td><td>56</td><td>Peak</td></tr><tr><td>5</td><td>6560.00</td><td>48.86</td><td>68.20</td><td>-19.34</td><td>33.76</td><td>36.12</td><td>13.49</td><td>35.35</td><td>0.84</td><td>100</td><td>56</td><td>Average</td></tr><tr><td>6</td><td>12390.00</td><td>51.43</td><td>74.00</td><td>-22.57</td><td>34.01</td><td>39.88</td><td>18.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12390.00</td><td>41.30</td><td>54.00</td><td>-12.70</td><td>23.88</td><td>39.88</td><td>18.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18585.00</td><td>39.62</td><td>74.00</td><td>-34.38</td><td>54.43</td><td>38.33</td><td>22.85</td><td>66.45</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>24780.00</td><td>47.43</td><td>88.20</td><td>-40.77</td><td>51.33</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>170</td><td>20</td><td>Peak</td></tr><tr><td>10</td><td>24780.00</td><td>44.35</td><td>68.20</td><td>-23.85</td><td>48.25</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>170</td><td>20</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1120.00	49.89	74.00	-24.11	51.83	24.20	5.51	31.94	0.29	--	--	Peak	2	5768.00	63.09	88.20	-25.11	50.84	33.74	12.46	35.00	1.05	100	134	Peak	3	5768.00	50.87	68.20	-17.33	38.62	33.74	12.46	35.00	1.05	100	134	Average	4	6560.00	60.67	88.20	-27.53	45.57	36.12	13.49	35.35	0.84	100	56	Peak	5	6560.00	48.86	68.20	-19.34	33.76	36.12	13.49	35.35	0.84	100	56	Average	6	12390.00	51.43	74.00	-22.57	34.01	39.88	18.66	41.12	0.00	--	--	Peak	7	12390.00	41.30	54.00	-12.70	23.88	39.88	18.66	41.12	0.00	--	--	Average	8	18585.00	39.62	74.00	-34.38	54.43	38.33	22.85	66.45	-9.54	--	--	Peak	9	24780.00	47.43	88.20	-40.77	51.33	39.30	26.62	60.28	-9.54	170	20	Peak	10	24780.00	44.35	68.20	-23.85	48.25	39.30	26.62	60.28	-9.54	170	20	Average	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1096.00</td><td>48.30</td><td>74.00</td><td>-25.70</td><td>50.87</td><td>23.62</td><td>5.45</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5776.00</td><td>61.46</td><td>88.20</td><td>-26.74</td><td>49.18</td><td>33.75</td><td>12.46</td><td>35.00</td><td>1.07</td><td>374</td><td>130</td><td>Peak</td></tr><tr><td>3</td><td>5776.00</td><td>49.47</td><td>68.20</td><td>-18.73</td><td>37.19</td><td>33.75</td><td>12.46</td><td>35.00</td><td>1.07</td><td>374</td><td>130</td><td>Average</td></tr><tr><td>4</td><td>6608.00</td><td>57.50</td><td>88.20</td><td>-30.70</td><td>42.31</td><td>36.22</td><td>13.56</td><td>35.43</td><td>0.84</td><td>102</td><td>341</td><td>Peak</td></tr><tr><td>5</td><td>6608.00</td><td>46.62</td><td>68.20</td><td>-21.58</td><td>31.43</td><td>36.22</td><td>13.56</td><td>35.43</td><td>0.84</td><td>102</td><td>341</td><td>Average</td></tr><tr><td>6</td><td>12390.00</td><td>51.34</td><td>74.00</td><td>-22.66</td><td>33.92</td><td>39.88</td><td>18.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12390.00</td><td>41.35</td><td>54.00</td><td>-12.65</td><td>23.93</td><td>39.88</td><td>18.66</td><td>41.12</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18585.00</td><td>40.27</td><td>74.00</td><td>-33.73</td><td>55.08</td><td>38.33</td><td>22.85</td><td>66.45</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>24780.00</td><td>46.39</td><td>88.20</td><td>-41.81</td><td>50.29</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>193</td><td>45</td><td>Peak</td></tr><tr><td>10</td><td>24780.00</td><td>42.34</td><td>68.20</td><td>-25.86</td><td>46.24</td><td>39.30</td><td>26.62</td><td>60.28</td><td>-9.54</td><td>193</td><td>45</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1096.00	48.30	74.00	-25.70	50.87	23.62	5.45	31.94	0.30	--	--	Peak	2	5776.00	61.46	88.20	-26.74	49.18	33.75	12.46	35.00	1.07	374	130	Peak	3	5776.00	49.47	68.20	-18.73	37.19	33.75	12.46	35.00	1.07	374	130	Average	4	6608.00	57.50	88.20	-30.70	42.31	36.22	13.56	35.43	0.84	102	341	Peak	5	6608.00	46.62	68.20	-21.58	31.43	36.22	13.56	35.43	0.84	102	341	Average	6	12390.00	51.34	74.00	-22.66	33.92	39.88	18.66	41.12	0.00	--	--	Peak	7	12390.00	41.35	54.00	-12.65	23.93	39.88	18.66	41.12	0.00	--	--	Average	8	18585.00	40.27	74.00	-33.73	55.08	38.33	22.85	66.45	-9.54	--	--	Peak	9	24780.00	46.39	88.20	-41.81	50.29	39.30	26.62	60.28	-9.54	193	45	Peak	10	24780.00	42.34	68.20	-25.86	46.24	39.30	26.62	60.28	-9.54	193	45	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																															
1	1120.00	49.89	74.00	-24.11	51.83	24.20	5.51	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																																																														
2	5768.00	63.09	88.20	-25.11	50.84	33.74	12.46	35.00	1.05	100	134	Peak																																																																																																																																																																																																																																																																																																														
3	5768.00	50.87	68.20	-17.33	38.62	33.74	12.46	35.00	1.05	100	134	Average																																																																																																																																																																																																																																																																																																														
4	6560.00	60.67	88.20	-27.53	45.57	36.12	13.49	35.35	0.84	100	56	Peak																																																																																																																																																																																																																																																																																																														
5	6560.00	48.86	68.20	-19.34	33.76	36.12	13.49	35.35	0.84	100	56	Average																																																																																																																																																																																																																																																																																																														
6	12390.00	51.43	74.00	-22.57	34.01	39.88	18.66	41.12	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																														
7	12390.00	41.30	54.00	-12.70	23.88	39.88	18.66	41.12	0.00	--	--	Average																																																																																																																																																																																																																																																																																																														
8	18585.00	39.62	74.00	-34.38	54.43	38.33	22.85	66.45	-9.54	--	--	Peak																																																																																																																																																																																																																																																																																																														
9	24780.00	47.43	88.20	-40.77	51.33	39.30	26.62	60.28	-9.54	170	20	Peak																																																																																																																																																																																																																																																																																																														
10	24780.00	44.35	68.20	-23.85	48.25	39.30	26.62	60.28	-9.54	170	20	Average																																																																																																																																																																																																																																																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																															
1	1096.00	48.30	74.00	-25.70	50.87	23.62	5.45	31.94	0.30	--	--	Peak																																																																																																																																																																																																																																																																																																														
2	5776.00	61.46	88.20	-26.74	49.18	33.75	12.46	35.00	1.07	374	130	Peak																																																																																																																																																																																																																																																																																																														
3	5776.00	49.47	68.20	-18.73	37.19	33.75	12.46	35.00	1.07	374	130	Average																																																																																																																																																																																																																																																																																																														
4	6608.00	57.50	88.20	-30.70	42.31	36.22	13.56	35.43	0.84	102	341	Peak																																																																																																																																																																																																																																																																																																														
5	6608.00	46.62	68.20	-21.58	31.43	36.22	13.56	35.43	0.84	102	341	Average																																																																																																																																																																																																																																																																																																														
6	12390.00	51.34	74.00	-22.66	33.92	39.88	18.66	41.12	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																														
7	12390.00	41.35	54.00	-12.65	23.93	39.88	18.66	41.12	0.00	--	--	Average																																																																																																																																																																																																																																																																																																														
8	18585.00	40.27	74.00	-33.73	55.08	38.33	22.85	66.45	-9.54	--	--	Peak																																																																																																																																																																																																																																																																																																														
9	24780.00	46.39	88.20	-41.81	50.29	39.30	26.62	60.28	-9.54	193	45	Peak																																																																																																																																																																																																																																																																																																														
10	24780.00	42.34	68.20	-25.86	46.24	39.30	26.62	60.28	-9.54	193	45	Average																																																																																																																																																																																																																																																																																																														





Mode	6	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full RU_6195MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	7																																																																																																																																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																																																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz																																																																																																																																																																																																																																																																																																																									
ANT	1+2																																																																																																																																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																								
Peak	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1128.00</td><td>50.25</td><td>74.00</td><td>-23.75</td><td>52.16</td><td>24.20</td><td>5.54</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6000.00</td><td>62.99</td><td>88.20</td><td>-25.21</td><td>50.52</td><td>33.00</td><td>12.97</td><td>35.05</td><td>0.75</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>3</td><td>6000.00</td><td>52.00</td><td>68.20</td><td>-16.11</td><td>39.62</td><td>33.00</td><td>12.97</td><td>35.05</td><td>0.75</td><td>100</td><td>120</td><td>Average</td></tr><tr><td>4</td><td>6832.00</td><td>62.14</td><td>88.20</td><td>-26.06</td><td>46.60</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>100</td><td>58</td><td>Peak</td></tr><tr><td>5</td><td>6832.00</td><td>50.99</td><td>68.20</td><td>-17.21</td><td>35.53</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>100</td><td>58</td><td>Average</td></tr><tr><td>6</td><td>12830.00</td><td>52.06</td><td>88.20</td><td>-36.14</td><td>33.65</td><td>40.64</td><td>18.98</td><td>41.21</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19245.00</td><td>45.25</td><td>74.00</td><td>-28.75</td><td>58.93</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>202</td><td>62</td><td>Peak</td></tr><tr><td>8</td><td>19245.00</td><td>33.14</td><td>54.00</td><td>-20.86</td><td>46.82</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>202</td><td>62</td><td>Average</td></tr><tr><td>9</td><td>25660.00</td><td>43.59</td><td>88.20</td><td>-44.61</td><td>47.15</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>170</td><td>24</td><td>Peak</td></tr><tr><td>10</td><td>25660.00</td><td>39.17</td><td>68.20</td><td>-29.03</td><td>42.73</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>170</td><td>24</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1128.00	50.25	74.00	-23.75	52.16	24.20	5.54	31.94	0.29	--	--	Peak	2	6000.00	62.99	88.20	-25.21	50.52	33.00	12.97	35.05	0.75	100	120	Peak	3	6000.00	52.00	68.20	-16.11	39.62	33.00	12.97	35.05	0.75	100	120	Average	4	6832.00	62.14	88.20	-26.06	46.60	36.60	13.87	35.82	0.81	100	58	Peak	5	6832.00	50.99	68.20	-17.21	35.53	36.60	13.87	35.82	0.81	100	58	Average	6	12830.00	52.06	88.20	-36.14	33.65	40.64	18.98	41.21	0.00	--	--	Peak	7	19245.00	45.25	74.00	-28.75	58.93	38.02	23.29	65.45	-9.54	202	62	Peak	8	19245.00	33.14	54.00	-20.86	46.82	38.02	23.29	65.45	-9.54	202	62	Average	9	25660.00	43.59	88.20	-44.61	47.15	39.28	27.30	60.60	-9.54	170	24	Peak	10	25660.00	39.17	68.20	-29.03	42.73	39.28	27.30	60.60	-9.54	170	24	Average	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1000.00</td><td>49.15</td><td>74.00</td><td>-24.85</td><td>52.30</td><td>23.30</td><td>5.19</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>6024.00</td><td>62.25</td><td>88.20</td><td>-25.95</td><td>49.65</td><td>33.90</td><td>13.00</td><td>35.06</td><td>0.76</td><td>277</td><td>30</td><td>Peak</td></tr><tr><td>3</td><td>6024.00</td><td>51.84</td><td>68.20</td><td>-16.36</td><td>39.24</td><td>33.90</td><td>13.00</td><td>35.06</td><td>0.76</td><td>277</td><td>30</td><td>Average</td></tr><tr><td>4</td><td>6832.00</td><td>59.88</td><td>88.20</td><td>-28.32</td><td>44.42</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>100</td><td>43</td><td>Peak</td></tr><tr><td>5</td><td>6832.00</td><td>47.87</td><td>68.20</td><td>-20.33</td><td>32.41</td><td>36.60</td><td>13.87</td><td>35.82</td><td>0.81</td><td>100</td><td>43</td><td>Average</td></tr><tr><td>6</td><td>12830.00</td><td>51.92</td><td>88.20</td><td>-36.28</td><td>33.51</td><td>40.64</td><td>18.98</td><td>41.21</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>19245.00</td><td>52.94</td><td>74.00</td><td>-21.06</td><td>66.62</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>172</td><td>7</td><td>Peak</td></tr><tr><td>8</td><td>19245.00</td><td>39.79</td><td>54.00</td><td>-14.21</td><td>53.47</td><td>38.02</td><td>23.29</td><td>65.45</td><td>-9.54</td><td>172</td><td>7</td><td>Average</td></tr><tr><td>9</td><td>25660.00</td><td>44.78</td><td>88.20</td><td>-43.42</td><td>48.34</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>218</td><td>131</td><td>Peak</td></tr><tr><td>10</td><td>25660.00</td><td>40.06</td><td>68.20</td><td>-28.14</td><td>43.62</td><td>39.28</td><td>27.30</td><td>60.60</td><td>-9.54</td><td>218</td><td>131</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1000.00	49.15	74.00	-24.85	52.30	23.30	5.19	31.94	0.30	--	--	Peak	2	6024.00	62.25	88.20	-25.95	49.65	33.90	13.00	35.06	0.76	277	30	Peak	3	6024.00	51.84	68.20	-16.36	39.24	33.90	13.00	35.06	0.76	277	30	Average	4	6832.00	59.88	88.20	-28.32	44.42	36.60	13.87	35.82	0.81	100	43	Peak	5	6832.00	47.87	68.20	-20.33	32.41	36.60	13.87	35.82	0.81	100	43	Average	6	12830.00	51.92	88.20	-36.28	33.51	40.64	18.98	41.21	0.00	--	--	Peak	7	19245.00	52.94	74.00	-21.06	66.62	38.02	23.29	65.45	-9.54	172	7	Peak	8	19245.00	39.79	54.00	-14.21	53.47	38.02	23.29	65.45	-9.54	172	7	Average	9	25660.00	44.78	88.20	-43.42	48.34	39.28	27.30	60.60	-9.54	218	131	Peak	10	25660.00	40.06	68.20	-28.14	43.62	39.28	27.30	60.60	-9.54	218	131	Average
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																															
1	1128.00	50.25	74.00	-23.75	52.16	24.20	5.54	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																																																																														
2	6000.00	62.99	88.20	-25.21	50.52	33.00	12.97	35.05	0.75	100	120	Peak																																																																																																																																																																																																																																																																																																														
3	6000.00	52.00	68.20	-16.11	39.62	33.00	12.97	35.05	0.75	100	120	Average																																																																																																																																																																																																																																																																																																														
4	6832.00	62.14	88.20	-26.06	46.60	36.60	13.87	35.82	0.81	100	58	Peak																																																																																																																																																																																																																																																																																																														
5	6832.00	50.99	68.20	-17.21	35.53	36.60	13.87	35.82	0.81	100	58	Average																																																																																																																																																																																																																																																																																																														
6	12830.00	52.06	88.20	-36.14	33.65	40.64	18.98	41.21	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																														
7	19245.00	45.25	74.00	-28.75	58.93	38.02	23.29	65.45	-9.54	202	62	Peak																																																																																																																																																																																																																																																																																																														
8	19245.00	33.14	54.00	-20.86	46.82	38.02	23.29	65.45	-9.54	202	62	Average																																																																																																																																																																																																																																																																																																														
9	25660.00	43.59	88.20	-44.61	47.15	39.28	27.30	60.60	-9.54	170	24	Peak																																																																																																																																																																																																																																																																																																														
10	25660.00	39.17	68.20	-29.03	42.73	39.28	27.30	60.60	-9.54	170	24	Average																																																																																																																																																																																																																																																																																																														
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																															
1	1000.00	49.15	74.00	-24.85	52.30	23.30	5.19	31.94	0.30	--	--	Peak																																																																																																																																																																																																																																																																																																														
2	6024.00	62.25	88.20	-25.95	49.65	33.90	13.00	35.06	0.76	277	30	Peak																																																																																																																																																																																																																																																																																																														
3	6024.00	51.84	68.20	-16.36	39.24	33.90	13.00	35.06	0.76	277	30	Average																																																																																																																																																																																																																																																																																																														
4	6832.00	59.88	88.20	-28.32	44.42	36.60	13.87	35.82	0.81	100	43	Peak																																																																																																																																																																																																																																																																																																														
5	6832.00	47.87	68.20	-20.33	32.41	36.60	13.87	35.82	0.81	100	43	Average																																																																																																																																																																																																																																																																																																														
6	12830.00	51.92	88.20	-36.28	33.51	40.64	18.98	41.21	0.00	--	--	Peak																																																																																																																																																																																																																																																																																																														
7	19245.00	52.94	74.00	-21.06	66.62	38.02	23.29	65.45	-9.54	172	7	Peak																																																																																																																																																																																																																																																																																																														
8	19245.00	39.79	54.00	-14.21	53.47	38.02	23.29	65.45	-9.54	172	7	Average																																																																																																																																																																																																																																																																																																														
9	25660.00	44.78	88.20	-43.42	48.34	39.28	27.30	60.60	-9.54	218	131	Peak																																																																																																																																																																																																																																																																																																														
10	25660.00	40.06	68.20	-28.14	43.62	39.28	27.30	60.60	-9.54	218	131	Average																																																																																																																																																																																																																																																																																																														



Mode	7	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full RU_6415MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-06  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-06  AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL





Mode	8																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.96</td><td>68.00</td><td>88.20</td><td>-20.20</td><td>55.71</td><td>33.66</td><td>12.76</td><td>35.03</td><td>0.90</td><td>101</td><td>116</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.96	68.00	88.20	-20.20	55.71	33.66	12.76	35.03	0.90	101	116	Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>110.37</td><td>-----</td><td>-----</td><td>98.11</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>101</td><td>116</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	110.37	-----	-----	98.11	33.62	12.85	35.04	0.83	101	116	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5917.96	68.00	88.20	-20.20	55.71	33.66	12.76	35.03	0.90	101	116	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	110.37	-----	-----	98.11	33.62	12.85	35.04	0.83	101	116	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>54.88</td><td>68.20</td><td>-13.32</td><td>42.59</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>101</td><td>116</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	54.88	68.20	-13.32	42.59	33.65	12.78	35.03	0.89	101	116	Average	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>102.49</td><td>-----</td><td>-----</td><td>90.20</td><td>33.64</td><td>12.87</td><td>35.04</td><td>0.82</td><td>101</td><td>116</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	102.49	-----	-----	90.20	33.64	12.87	35.04	0.82	101	116	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5924.82	54.88	68.20	-13.32	42.59	33.65	12.78	35.03	0.89	101	116	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5965.00	102.49	-----	-----	90.20	33.64	12.87	35.04	0.82	101	116	Average																																																																																								



Mode	8																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.70</td><td>66.23</td><td>88.20</td><td>-21.97</td><td>53.94</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>324</td><td>138 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.70	66.23	88.20	-21.97	53.94	33.65	12.78	35.03	0.89	324	138 Peak	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>107.18</td><td>-----</td><td>-----</td><td>94.83</td><td>33.69</td><td>12.90</td><td>35.04</td><td>0.80</td><td>324</td><td>138 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	107.18	-----	-----	94.83	33.69	12.90	35.04	0.80	324	138 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5923.70	66.23	88.20	-21.97	53.94	33.65	12.78	35.03	0.89	324	138 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	107.18	-----	-----	94.83	33.69	12.90	35.04	0.80	324	138 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>54.40</td><td>68.20</td><td>-13.80</td><td>42.11</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>324</td><td>138 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	54.40	68.20	-13.80	42.11	33.65	12.78	35.03	0.89	324	138 Average	Level (dBuV/m) Date: 2025-06-05 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.560kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>99.84</td><td>-----</td><td>-----</td><td>87.52</td><td>33.66</td><td>12.89</td><td>35.04</td><td>0.81</td><td>324</td><td>138 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	99.84	-----	-----	87.52	33.66	12.89	35.04	0.81	324	138 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5924.82	54.40	68.20	-13.80	42.11	33.65	12.78	35.03	0.89	324	138 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	99.84	-----	-----	87.52	33.66	12.89	35.04	0.81	324	138 Average																																																																																						



Mode	8																																																																																																																																																																																																																																																																																																																																																																	
	Harmonic																																																																																																																																																																																																																																																																																																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																																																																																																																																																																																																																																																																																	
ANT	1+2																																																																																																																																																																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																																																																																																																
Peak	 Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1148.80</td><td>48.68</td><td>74.00</td><td>-25.32</td><td>50.73</td><td>24.01</td><td>5.59</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5569.40</td><td>62.25</td><td>88.20</td><td>-25.95</td><td>51.31</td><td>32.74</td><td>12.41</td><td>34.96</td><td>0.75</td><td>100</td><td>120</td><td>Peak</td></tr><tr><td>3</td><td>5569.40</td><td>51.06</td><td>68.20</td><td>-17.14</td><td>40.12</td><td>32.74</td><td>12.41</td><td>34.96</td><td>0.75</td><td>100</td><td>120</td><td>Average</td></tr><tr><td>4</td><td>6356.80</td><td>62.22</td><td>88.20</td><td>-25.98</td><td>47.69</td><td>35.53</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>56</td><td>Peak</td></tr><tr><td>5</td><td>6356.80</td><td>48.11</td><td>68.20</td><td>-20.09</td><td>33.58</td><td>35.53</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>56</td><td>Average</td></tr><tr><td>6</td><td>9080.00</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>31.90</td><td>37.30</td><td>15.95</td><td>38.09</td><td>0.96</td><td>200</td><td>285</td><td>Peak</td></tr><tr><td>7</td><td>9080.00</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>31.90</td><td>37.30</td><td>15.95</td><td>38.09</td><td>0.96</td><td>200</td><td>285</td><td>Peak</td></tr><tr><td>8</td><td>11930.00</td><td>50.00</td><td>74.00</td><td>-24.00</td><td>33.55</td><td>39.16</td><td>18.13</td><td>40.84</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>11930.00</td><td>40.98</td><td>54.00</td><td>-13.02</td><td>24.53</td><td>39.16</td><td>18.13</td><td>40.84</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>10</td><td>17895.00</td><td>53.87</td><td>74.00</td><td>-20.13</td><td>35.95</td><td>41.38</td><td>22.24</td><td>45.70</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>11</td><td>17895.00</td><td>44.83</td><td>54.00</td><td>-9.17</td><td>26.91</td><td>41.38</td><td>22.24</td><td>45.70</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1148.80	48.68	74.00	-25.32	50.73	24.01	5.59	31.94	0.29	--	--	--	Peak	2	5569.40	62.25	88.20	-25.95	51.31	32.74	12.41	34.96	0.75	100	120	Peak	3	5569.40	51.06	68.20	-17.14	40.12	32.74	12.41	34.96	0.75	100	120	Average	4	6356.80	62.22	88.20	-25.98	47.69	35.53	13.34	35.19	0.85	100	56	Peak	5	6356.80	48.11	68.20	-20.09	33.58	35.53	13.34	35.19	0.85	100	56	Average	6	9080.00	48.10	74.00	-25.90	31.90	37.30	15.95	38.09	0.96	200	285	Peak	7	9080.00	48.10	74.00	-25.90	31.90	37.30	15.95	38.09	0.96	200	285	Peak	8	11930.00	50.00	74.00	-24.00	33.55	39.16	18.13	40.84	0.00	--	--	--	Peak	9	11930.00	40.98	54.00	-13.02	24.53	39.16	18.13	40.84	0.00	--	--	--	Average	10	17895.00	53.87	74.00	-20.13	35.95	41.38	22.24	45.70	0.00	--	--	--	Peak	11	17895.00	44.83	54.00	-9.17	26.91	41.38	22.24	45.70	0.00	--	--	--	Average	 Date: 2025-06-05 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL <table><tr><th>Peak</th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1148.80</td><td>42.92</td><td>74.00</td><td>-31.08</td><td>44.97</td><td>24.01</td><td>5.59</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5594.20</td><td>56.69</td><td>88.20</td><td>-31.51</td><td>45.69</td><td>32.79</td><td>12.42</td><td>34.96</td><td>0.75</td><td>100</td><td>123</td><td>Peak</td></tr><tr><td>3</td><td>5594.20</td><td>43.80</td><td>68.20</td><td>-24.40</td><td>32.80</td><td>32.79</td><td>12.42</td><td>34.96</td><td>0.75</td><td>100</td><td>123</td><td>Average</td></tr><tr><td>4</td><td>6356.80</td><td>56.15</td><td>88.20</td><td>-32.05</td><td>41.62</td><td>35.53</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>0</td><td>Peak</td></tr><tr><td>5</td><td>6356.80</td><td>43.82</td><td>68.20</td><td>-24.38</td><td>29.29</td><td>35.53</td><td>13.34</td><td>35.19</td><td>0.85</td><td>100</td><td>0</td><td>Average</td></tr><tr><td>6</td><td>9080.00</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>32.69</td><td>37.30</td><td>15.95</td><td>38.09</td><td>0.96</td><td>200</td><td>0</td><td>Peak</td></tr><tr><td>7</td><td>9080.00</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>32.69</td><td>37.30</td><td>15.95</td><td>38.09</td><td>0.96</td><td>200</td><td>0</td><td>Peak</td></tr><tr><td>8</td><td>11930.00</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>34.01</td><td>39.16</td><td>18.13</td><td>40.84</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>9</td><td>11930.00</td><td>41.38</td><td>54.00</td><td>-12.62</td><td>24.93</td><td>39.16</td><td>18.13</td><td>40.84</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>10</td><td>17895.00</td><td>53.28</td><td>74.00</td><td>-20.72</td><td>35.36</td><td>41.38</td><td>22.24</td><td>45.70</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>11</td><td>17895.00</td><td>44.26</td><td>54.00</td><td>-9.74</td><td>26.34</td><td>41.38</td><td>22.24</td><td>45.70</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>Average</td></tr></table>	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	1148.80	42.92	74.00	-31.08	44.97	24.01	5.59	31.94	0.29	--	--	--	Peak	2	5594.20	56.69	88.20	-31.51	45.69	32.79	12.42	34.96	0.75	100	123	Peak	3	5594.20	43.80	68.20	-24.40	32.80	32.79	12.42	34.96	0.75	100	123	Average	4	6356.80	56.15	88.20	-32.05	41.62	35.53	13.34	35.19	0.85	100	0	Peak	5	6356.80	43.82	68.20	-24.38	29.29	35.53	13.34	35.19	0.85	100	0	Average	6	9080.00	48.81	74.00	-25.19	32.69	37.30	15.95	38.09	0.96	200	0	Peak	7	9080.00	48.81	74.00	-25.19	32.69	37.30	15.95	38.09	0.96	200	0	Peak	8	11930.00	50.46	74.00	-23.54	34.01	39.16	18.13	40.84	0.00	--	--	--	Peak	9	11930.00	41.38	54.00	-12.62	24.93	39.16	18.13	40.84	0.00	--	--	--	Average	10	17895.00	53.28	74.00	-20.72	35.36	41.38	22.24	45.70	0.00	--	--	--	Peak	11	17895.00	44.26	54.00	-9.74	26.34	41.38	22.24	45.70	0.00	--	--	--	Average
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																						
1	1148.80	48.68	74.00	-25.32	50.73	24.01	5.59	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																					
2	5569.40	62.25	88.20	-25.95	51.31	32.74	12.41	34.96	0.75	100	120	Peak																																																																																																																																																																																																																																																																																																																																																						
3	5569.40	51.06	68.20	-17.14	40.12	32.74	12.41	34.96	0.75	100	120	Average																																																																																																																																																																																																																																																																																																																																																						
4	6356.80	62.22	88.20	-25.98	47.69	35.53	13.34	35.19	0.85	100	56	Peak																																																																																																																																																																																																																																																																																																																																																						
5	6356.80	48.11	68.20	-20.09	33.58	35.53	13.34	35.19	0.85	100	56	Average																																																																																																																																																																																																																																																																																																																																																						
6	9080.00	48.10	74.00	-25.90	31.90	37.30	15.95	38.09	0.96	200	285	Peak																																																																																																																																																																																																																																																																																																																																																						
7	9080.00	48.10	74.00	-25.90	31.90	37.30	15.95	38.09	0.96	200	285	Peak																																																																																																																																																																																																																																																																																																																																																						
8	11930.00	50.00	74.00	-24.00	33.55	39.16	18.13	40.84	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																					
9	11930.00	40.98	54.00	-13.02	24.53	39.16	18.13	40.84	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																					
10	17895.00	53.87	74.00	-20.13	35.95	41.38	22.24	45.70	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																					
11	17895.00	44.83	54.00	-9.17	26.91	41.38	22.24	45.70	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																					
Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																																																																																																																						
1	1148.80	42.92	74.00	-31.08	44.97	24.01	5.59	31.94	0.29	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																					
2	5594.20	56.69	88.20	-31.51	45.69	32.79	12.42	34.96	0.75	100	123	Peak																																																																																																																																																																																																																																																																																																																																																						
3	5594.20	43.80	68.20	-24.40	32.80	32.79	12.42	34.96	0.75	100	123	Average																																																																																																																																																																																																																																																																																																																																																						
4	6356.80	56.15	88.20	-32.05	41.62	35.53	13.34	35.19	0.85	100	0	Peak																																																																																																																																																																																																																																																																																																																																																						
5	6356.80	43.82	68.20	-24.38	29.29	35.53	13.34	35.19	0.85	100	0	Average																																																																																																																																																																																																																																																																																																																																																						
6	9080.00	48.81	74.00	-25.19	32.69	37.30	15.95	38.09	0.96	200	0	Peak																																																																																																																																																																																																																																																																																																																																																						
7	9080.00	48.81	74.00	-25.19	32.69	37.30	15.95	38.09	0.96	200	0	Peak																																																																																																																																																																																																																																																																																																																																																						
8	11930.00	50.46	74.00	-23.54	34.01	39.16	18.13	40.84	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																					
9	11930.00	41.38	54.00	-12.62	24.93	39.16	18.13	40.84	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																					
10	17895.00	53.28	74.00	-20.72	35.36	41.38	22.24	45.70	0.00	--	--	--	Peak																																																																																																																																																																																																																																																																																																																																																					
11	17895.00	44.26	54.00	-9.74	26.34	41.38	22.24	45.70	0.00	--	--	--	Average																																																																																																																																																																																																																																																																																																																																																					



Mode	8	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full RU_5965MHz	
ANT	1+2	
Pol.	Horizontal	Vertical
10.6G ~18G Avg	Level (dBuV/m) Date: 2025-06-05 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL	Level (dBuV/m) Date: 2025-06-05 AVG(UNII)_6E Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL



Mode	9																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial RU 242/61_5965MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5919.08</td><td>81.71</td><td>88.20</td><td>-6.49</td><td>69.41</td><td>33.66</td><td>12.77</td><td>35.03</td><td>0.90</td><td>100 119 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5919.08	81.71	88.20	-6.49	69.41	33.66	12.77	35.03	0.90	100 119 Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>112.92</td><td>-----</td><td>-----</td><td>100.68</td><td>33.60</td><td>12.84</td><td>35.04</td><td>0.84</td><td>100 119 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	112.92	-----	-----	100.68	33.60	12.84	35.04	0.84	100 119 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 5919.08	81.71	88.20	-6.49	69.41	33.66	12.77	35.03	0.90	100 119 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 5965.00	112.92	-----	-----	100.68	33.60	12.84	35.04	0.84	100 119 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5907.18</td><td>59.34</td><td>68.20</td><td>-8.86</td><td>47.02</td><td>33.69</td><td>12.74</td><td>35.03</td><td>0.92</td><td>100 119 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5907.18	59.34	68.20	-8.86	47.02	33.69	12.74	35.03	0.92	100 119 Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>105.53</td><td>-----</td><td>-----</td><td>93.29</td><td>33.60</td><td>12.84</td><td>35.04</td><td>0.84</td><td>100 119 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5965.00	105.53	-----	-----	93.29	33.60	12.84	35.04	0.84	100 119 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 5907.18	59.34	68.20	-8.86	47.02	33.69	12.74	35.03	0.92	100 119 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1 5965.00	105.53	-----	-----	93.29	33.60	12.84	35.04	0.84	100 119 Average																																																																									



Mode	9																																																																																																
	Band Edge																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Partial RU 242/61_5965MHz																																																																																																
ANT	1+2																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.66</td><td>78.67</td><td>88.20</td><td>-9.53</td><td>66.36</td><td>33.68</td><td>12.75</td><td>35.03</td><td>0.91</td><td>359</td><td>132 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5911.66	78.67	88.20	-9.53	66.36	33.68	12.75	35.03	0.91	359	132 Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: PEAK(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>111.19</td><td>-----</td><td>-----</td><td>98.90</td><td>33.64</td><td>12.87</td><td>35.04</td><td>0.82</td><td>359</td><td>132 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	111.19	-----	-----	98.90	33.64	12.87	35.04	0.82	359	132 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5911.66	78.67	88.20	-9.53	66.36	33.68	12.75	35.03	0.91	359	132 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	111.19	-----	-----	98.90	33.64	12.87	35.04	0.82	359	132 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG_BE(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.00</td><td>59.26</td><td>68.20</td><td>-8.94</td><td>46.97</td><td>33.65</td><td>12.78</td><td>35.03</td><td>0.89</td><td>359</td><td>132 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.00	59.26	68.20	-8.94	46.97	33.65	12.78	35.03	0.89	359	132 Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH22-HY Condition: AVG(UNII)_6E 3m DRH18-E_LE2C04A18EN_250520 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>102.81</td><td>-----</td><td>-----</td><td>90.55</td><td>33.62</td><td>12.85</td><td>35.04</td><td>0.83</td><td>359</td><td>132 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	102.81	-----	-----	90.55	33.62	12.85	35.04	0.83	359	132 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5923.00	59.26	68.20	-8.94	46.97	33.65	12.78	35.03	0.89	359	132 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5965.00	102.81	-----	-----	90.55	33.62	12.85	35.04	0.83	359	132 Average																																																																																						



Mode	10																																																																																																																																																																																																																																																																					
	Harmonic																																																																																																																																																																																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full RU_6205MHz																																																																																																																																																																																																																																																																					
ANT	1+2																																																																																																																																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 HORIZONTAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1120.00</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>52.76</td><td>24.20</td><td>5.51</td><td>31.94</td><td>0.29</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5792.00</td><td>57.68</td><td>88.20</td><td>-30.52</td><td>45.33</td><td>33.78</td><td>12.47</td><td>35.00</td><td>1.10</td><td>100</td><td>125</td><td>Peak</td></tr><tr><td>3</td><td>5792.00</td><td>44.80</td><td>68.20</td><td>-23.40</td><td>32.45</td><td>33.78</td><td>12.47</td><td>35.00</td><td>1.10</td><td>100</td><td>125</td><td>Average</td></tr><tr><td>4</td><td>6632.00</td><td>53.90</td><td>88.20</td><td>-34.30</td><td>38.67</td><td>36.26</td><td>13.60</td><td>35.47</td><td>0.84</td><td>100</td><td>58</td><td>Peak</td></tr><tr><td>5</td><td>6632.00</td><td>42.31</td><td>68.20</td><td>-25.89</td><td>27.08</td><td>36.26</td><td>13.60</td><td>35.47</td><td>0.84</td><td>100</td><td>58</td><td>Average</td></tr><tr><td>6</td><td>12410.00</td><td>52.30</td><td>74.00</td><td>-21.70</td><td>34.84</td><td>39.90</td><td>18.69</td><td>41.13</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12410.00</td><td>41.23</td><td>54.00</td><td>-12.77</td><td>23.77</td><td>39.90</td><td>18.69</td><td>41.13</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18615.00</td><td>39.58</td><td>74.00</td><td>-34.42</td><td>54.34</td><td>38.30</td><td>22.87</td><td>66.39</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1120.00	50.82	74.00	-23.18	52.76	24.20	5.51	31.94	0.29	--	--	Peak	2	5792.00	57.68	88.20	-30.52	45.33	33.78	12.47	35.00	1.10	100	125	Peak	3	5792.00	44.80	68.20	-23.40	32.45	33.78	12.47	35.00	1.10	100	125	Average	4	6632.00	53.90	88.20	-34.30	38.67	36.26	13.60	35.47	0.84	100	58	Peak	5	6632.00	42.31	68.20	-25.89	27.08	36.26	13.60	35.47	0.84	100	58	Average	6	12410.00	52.30	74.00	-21.70	34.84	39.90	18.69	41.13	0.00	--	--	Peak	7	12410.00	41.23	54.00	-12.77	23.77	39.90	18.69	41.13	0.00	--	--	Average	8	18615.00	39.58	74.00	-34.42	54.34	38.30	22.87	66.39	-9.54	--	--	Peak	Level (dBuV/m) Date: 2025-06-11 Site : 03CH22-HY Condition: PEAK(UNII)_6E 1m SHF_1225_240624 VERTICAL <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>1008.00</td><td>50.12</td><td>74.00</td><td>-23.88</td><td>53.25</td><td>23.30</td><td>5.21</td><td>31.94</td><td>0.30</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>5768.00</td><td>55.67</td><td>88.20</td><td>-32.53</td><td>43.42</td><td>33.74</td><td>12.46</td><td>35.00</td><td>1.05</td><td>393</td><td>132</td><td>Peak</td></tr><tr><td>3</td><td>5768.00</td><td>42.85</td><td>68.20</td><td>-25.35</td><td>30.60</td><td>33.74</td><td>12.46</td><td>35.00</td><td>1.05</td><td>393</td><td>132</td><td>Average</td></tr><tr><td>4</td><td>6656.00</td><td>51.62</td><td>88.20</td><td>-36.58</td><td>36.34</td><td>36.32</td><td>13.64</td><td>35.51</td><td>0.83</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>5</td><td>6656.00</td><td>40.41</td><td>68.20</td><td>-27.79</td><td>25.13</td><td>36.32</td><td>13.64</td><td>35.51</td><td>0.83</td><td>100</td><td>360</td><td>Average</td></tr><tr><td>6</td><td>12410.00</td><td>51.43</td><td>74.00</td><td>-22.57</td><td>33.97</td><td>39.90</td><td>18.69</td><td>41.13</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>7</td><td>12410.00</td><td>41.29</td><td>54.00</td><td>-12.71</td><td>23.83</td><td>39.90</td><td>18.69</td><td>41.13</td><td>0.00</td><td>--</td><td>--</td><td>Average</td></tr><tr><td>8</td><td>18615.00</td><td>40.04</td><td>74.00</td><td>-33.96</td><td>54.80</td><td>38.30</td><td>22.87</td><td>66.39</td><td>-9.54</td><td>--</td><td>--</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	1008.00	50.12	74.00	-23.88	53.25	23.30	5.21	31.94	0.30	--	--	Peak	2	5768.00	55.67	88.20	-32.53	43.42	33.74	12.46	35.00	1.05	393	132	Peak	3	5768.00	42.85	68.20	-25.35	30.60	33.74	12.46	35.00	1.05	393	132	Average	4	6656.00	51.62	88.20	-36.58	36.34	36.32	13.64	35.51	0.83	100	360	Peak	5	6656.00	40.41	68.20	-27.79	25.13	36.32	13.64	35.51	0.83	100	360	Average	6	12410.00	51.43	74.00	-22.57	33.97	39.90	18.69	41.13	0.00	--	--	Peak	7	12410.00	41.29	54.00	-12.71	23.83	39.90	18.69	41.13	0.00	--	--	Average	8	18615.00	40.04	74.00	-33.96	54.80	38.30	22.87	66.39	-9.54	--	--	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1	1120.00	50.82	74.00	-23.18	52.76	24.20	5.51	31.94	0.29	--	--	Peak																																																																																																																																																																																																																																																										
2	5792.00	57.68	88.20	-30.52	45.33	33.78	12.47	35.00	1.10	100	125	Peak																																																																																																																																																																																																																																																										
3	5792.00	44.80	68.20	-23.40	32.45	33.78	12.47	35.00	1.10	100	125	Average																																																																																																																																																																																																																																																										
4	6632.00	53.90	88.20	-34.30	38.67	36.26	13.60	35.47	0.84	100	58	Peak																																																																																																																																																																																																																																																										
5	6632.00	42.31	68.20	-25.89	27.08	36.26	13.60	35.47	0.84	100	58	Average																																																																																																																																																																																																																																																										
6	12410.00	52.30	74.00	-21.70	34.84	39.90	18.69	41.13	0.00	--	--	Peak																																																																																																																																																																																																																																																										
7	12410.00	41.23	54.00	-12.77	23.77	39.90	18.69	41.13	0.00	--	--	Average																																																																																																																																																																																																																																																										
8	18615.00	39.58	74.00	-34.42	54.34	38.30	22.87	66.39	-9.54	--	--	Peak																																																																																																																																																																																																																																																										
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																											
1	1008.00	50.12	74.00	-23.88	53.25	23.30	5.21	31.94	0.30	--	--	Peak																																																																																																																																																																																																																																																										
2	5768.00	55.67	88.20	-32.53	43.42	33.74	12.46	35.00	1.05	393	132	Peak																																																																																																																																																																																																																																																										
3	5768.00	42.85	68.20	-25.35	30.60	33.74	12.46	35.00	1.05	393	132	Average																																																																																																																																																																																																																																																										
4	6656.00	51.62	88.20	-36.58	36.34	36.32	13.64	35.51	0.83	100	360	Peak																																																																																																																																																																																																																																																										
5	6656.00	40.41	68.20	-27.79	25.13	36.32	13.64	35.51	0.83	100	360	Average																																																																																																																																																																																																																																																										
6	12410.00	51.43	74.00	-22.57	33.97	39.90	18.69	41.13	0.00	--	--	Peak																																																																																																																																																																																																																																																										
7	12410.00	41.29	54.00	-12.71	23.83	39.90	18.69	41.13	0.00	--	--	Average																																																																																																																																																																																																																																																										
8	18615.00	40.04	74.00	-33.96	54.80	38.30	22.87	66.39	-9.54	--	--	Peak																																																																																																																																																																																																																																																										