



# InterLab<sup>®</sup>

## Photo Report on

### Test Setups

**Report Reference:** MDE\_ELEKT\_1502\_FCC\_Photo\_Setups

FCC ID: V27SD-41  
IC: 3282B-SD41

**Test Laboratory:**

7layers GmbH  
Borsigstrasse 11  
40880 Ratingen  
Germany



**Note:**

The following test results relate only to the devices specified in this document. This report shall not be reproduced in parts without the written approval of the test laboratory.

**7layers GmbH**

Borsigstraße 11  
40880 Ratingen, Germany  
T +49 (0) 2102 749 0  
F +49 (0) 2102 749 350

Geschäftsführer/  
Managing Director:  
Dr. Harald Ansorge


Registergericht/registered:  
Düsseldorf HRB 75554  
USt-Id.-Nr./VAT-No. DE203159652  
Steuer-Nr./TAX-No. 147/5869/0385

*a Bureau Veritas  
Group Company*


*www.7layers.com*




**Photo 1:** Test setup for radiated measurements (Enclosure, below 30 MHz, intentional radiator §15)




**Photo 2:** Test setup for radiated measurements (Enclosure, semi-anechoic chamber, 30 MHz to 1 GHz, intentional radiator §15)



**Photo 3:** Test setup for radiated measurements (Enclosure, fully-anechoic chamber, 1-18 (15) GHz intentional radiator §15)




**Photo 4:** Test setup for radiated measurements (Enclosure, fully-anechoic chamber, 18-25 GHz, intentional radiator § 15.247)



**Photo 5:** Test setup for conducted measurements (AC Port (power line), EUT supplied by AC/DC adapter, intentional / unintentional radiator §15)



**Photo 6:** Test setup for conducted measurements (computer peripheral setup, EUT supplied by USB-cable from computer, charging mode, unintentional radiator §15)



**Photo 7:** Test setup for radiated measurements (computer peripheral setup, EUT supplied by external DC power to enable USB data transfer to computer, unintentional radiator §15)