



RF Exposure REPORT

No. 24T04Z101463-028

For

POINTMOBILE CO.,LTD

Mobile Computer

Model Name: PM452

With

Hardware Version: MP

Software Version: 452.00.XX

FCC ID: V2X-PM452

Issued Date: 2024-08-23

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504

Email: cttl_terminals@caict.ac.cn, website: www.caict.ac.cn





Picture 3: Back side of the sample (With AE2 Battery)

Test positions for Body:



Picture 4: Front Side (15mm)



Picture 5: Rear Side with (15mm)



Picture 6: Rear Side with AE2 Battery (15mm)

Test positions for Extremity:



Picture 7: Front Side (0mm)



Picture 8: Rear Side with (0mm)



Picture 9: Left Side (0mm)



Picture 10: Top Side (0mm)



Picture 11: Rear Side with AE2 Battery (0mm)

Test positions for Power Density:




Picture 12: Front Side



Picture 13: Rear Side



Picture 14: Left Side



Picture 15: Top Side



Picture 16: Rear Side with AE2 Battery



Picture 17: Left Side with AE2 Battery