



# RF Exposure REPORT

No. 24T04Z101589-013

For

**POINTMOBILE CO.,LTD**

**Mobile Computer**

**Model Name: PM452**

**With**

**Hardware Version: MP**

**Software Version: 452.00.XX**

**FCC ID: V2X-PM452W**

**Issued Date: 2024-09-11**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

**Test Laboratory:**

**CTTL, Telecommunication Technology Labs, CAICT**

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504

Email: [ctl\\_terminals@caict.ac.cn](mailto:ctl_terminals@caict.ac.cn), website: [www.caict.ac.cn](http://www.caict.ac.cn)



**Picture 1: Front side of the sample**



**Picture 2: Back side of the sample (With AE1 Battery)**



**Picture 3: Back side of the sample (With AE2 Battery)**

**Test positions for Body:**



**Picture 4: Front Side (15mm)**



**Picture 5: Rear Side with (15mm)**



**Picture 6: Rear Side with AE2 Battery (15mm)**

**Test positions for Extremity:**



**Picture 7: Front Side (0mm)**



**Picture 8: Rear Side with (0mm)**



**Picture 9: Left Side (0mm)**



**Picture 10: Top Side (0mm)**



Picture 11: Rear Side with AE2 Battery (0mm)

**Test positions for Power Density:**




**Picture 12: Front Side**



**Picture 13: Rear Side**



Picture 14: Left Side



Picture 15: Top Side



**Picture 16: Rear Side with AE2 Battery**



**Picture 17: Left Side with AE2 Battery**