







DH5-Ant1-2480-1000~3000-PASS




DH5-Ant1-2480-3000~5000-PASS




DH5-Ant1-2480-5000~7000-PASS




DH5-Ant1-2480-7000~9000-PASS




DH5-Ant1-2480-9000~11000-PASS




DH5-Ant1-2480-11000~13000-PASS




DH5-Ant1-2480-13000~15000-PASS




DH5-Ant1-2480-15000~17000-PASS




DH5-Ant1-2480-17000~19000-PASS




DH5-Ant1-2480-19000~21000-PASS




DH5-Ant1-2480-21000~23000-PASS




DH5-Ant1-2480-23000~25000-PASS




2DH5-Ant1-2402-30~1000-PASS




2DH5-Ant1-2402-1000~3000-PASS




2DH5-Ant1-2402-3000~5000-PASS




2DH5-Ant1-2402-5000~7000-PASS




2DH5-Ant1-2402-7000~9000-PASS




2DH5-Ant1-2402-9000~11000-PASS




2DH5-Ant1-2402-11000~13000-PASS




2DH5-Ant1-2402-13000~15000-PASS




2DH5-Ant1-2402-15000~17000-PASS




2DH5-Ant1-2402-17000~19000-PASS




2DH5-Ant1-2402-19000~21000-PASS




2DH5-Ant1-2402-21000~23000-PASS




2DH5-Ant1-2402-23000~25000-PASS




2DH5-Ant1-2441-30~1000-PASS




2DH5-Ant1-2441-1000~3000-PASS




2DH5-Ant1-2441-3000~5000-PASS




2DH5-Ant1-2441-5000~7000-PASS




2DH5-Ant1-2441-7000~9000-PASS




2DH5-Ant1-2441-9000~11000-PASS




2DH5-Ant1-2441-11000~13000-PASS




2DH5-Ant1-2441-13000~15000-PASS




2DH5-Ant1-2441-15000~17000-PASS




2DH5-Ant1-2441-17000~19000-PASS




2DH5-Ant1-2441-19000~21000-PASS




2DH5-Ant1-2441-21000~23000-PASS




2DH5-Ant1-2441-23000~25000-PASS




2DH5-Ant1-2480-30~1000-PASS




2DH5-Ant1-2480-1000~3000-PASS




2DH5-Ant1-2480-3000~5000-PASS




2DH5-Ant1-2480-5000~7000-PASS




2DH5-Ant1-2480-7000~9000-PASS




2DH5-Ant1-2480-9000~11000-PASS




2DH5-Ant1-2480-11000~13000-PASS




2DH5-Ant1-2480-13000~15000-PASS




2DH5-Ant1-2480-15000~17000-PASS




2DH5-Ant1-2480-17000~19000-PASS




2DH5-Ant1-2480-19000~21000-PASS




2DH5-Ant1-2480-21000~23000-PASS




2DH5-Ant1-2480-23000~25000-PASS




3DH5-Ant1-2402-30~1000-PASS




3DH5-Ant1-2402-1000~3000-PASS




3DH5-Ant1-2402-3000~5000-PASS




3DH5-Ant1-2402-5000~7000-PASS




3DH5-Ant1-2402-7000~9000-PASS




3DH5-Ant1-2402-9000~11000-PASS




3DH5-Ant1-2402-11000~13000-PASS




3DH5-Ant1-2402-13000~15000-PASS




3DH5-Ant1-2402-15000~17000-PASS




3DH5-Ant1-2402-17000~19000-PASS




3DH5-Ant1-2402-19000~21000-PASS




3DH5-Ant1-2402-21000~23000-PASS




3DH5-Ant1-2402-23000~25000-PASS




3DH5-Ant1-2441-30~1000-PASS




3DH5-Ant1-2441-1000~3000-PASS




3DH5-Ant1-2441-3000~5000-PASS




3DH5-Ant1-2441-5000~7000-PASS




3DH5-Ant1-2441-7000~9000-PASS




3DH5-Ant1-2441-9000~11000-PASS




3DH5-Ant1-2441-11000~13000-PASS




3DH5-Ant1-2441-13000~15000-PASS




3DH5-Ant1-2441-15000~17000-PASS




3DH5-Ant1-2441-17000~19000-PASS




3DH5-Ant1-2441-19000~21000-PASS




3DH5-Ant1-2441-21000~23000-PASS




3DH5-Ant1-2441-23000~25000-PASS




3DH5-Ant1-2480-30~1000-PASS




3DH5-Ant1-2480-1000~3000-PASS




3DH5-Ant1-2480-3000~5000-PASS




3DH5-Ant1-2480-5000~7000-PASS




3DH5-Ant1-2480-7000~9000-PASS




3DH5-Ant1-2480-9000~11000-PASS




3DH5-Ant1-2480-11000~13000-PASS




3DH5-Ant1-2480-13000~15000-PASS




3DH5-Ant1-2480-15000~17000-PASS




3DH5-Ant1-2480-17000~19000-PASS



3DH5-Ant1-2480-19000~21000-PASS




3DH5-Ant1-2480-21000~23000-PASS




3DH5-Ant1-2480-23000~25000-PASS

Appendix H: Duty Cycle


TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
DH5	Ant1	2402	2.88	3.75	76.80	1.15
DH5	Ant1	2441	2.88	3.75	76.80	1.15
DH5	Ant1	2480	2.89	3.75	77.07	1.13
2DH5	Ant1	2402	2.89	3.75	77.07	1.13
2DH5	Ant1	2441	2.88	3.75	76.80	1.15
2DH5	Ant1	2480	2.88	3.75	76.80	1.15
3DH5	Ant1	2402	2.89	3.75	77.07	1.13
3DH5	Ant1	2441	2.89	3.75	77.07	1.13
3DH5	Ant1	2480	2.89	3.75	77.07	1.13




NTNV-DH5-Ant1-2402




NTNV-DH5-Ant1-2441




NTNV-DH5-Ant1-2480




NTNV-2DH5-Ant1-2402




NTNV-2DH5-Ant1-2441




NTNV-2DH5-Ant1-2480



NTNV-3DH5-Ant1-2402



NTNV-3DH5-Ant1-2441



NTNV-3DH5-Ant1-2480


Appendix I: Emissions in Restricted Band

Test Report

Project Information

Profile:	24C0966R	EUT:	Mobile Computer
Mode:	Mode1:Transmit at 2402MHz by DH5	Voltage:	By Battery
Environment:	Temp: 25°C ; Humi:60%	Engineer	Yu Liu
Test Standard:	FCC PART 15C		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	46.66	40.63	-6.03	74.00	33.37	PK	Horizo	PASS
	4804.00	-	15.87	-	54.00	38.13	AV	Horizo	PASS
2	7206.00	36.60	39.57	2.97	74.00	34.43	PK	Horizo	PASS
	7206.00	-	14.81	-	54.00	39.19	AV	Horizo	PASS
3	9608.00	36.64	42.58	5.94	74.00	31.42	PK	Horizo	PASS
	9608.00	-	17.82	-	54.00	36.18	AV	Horizo	PASS

Test Report

Project Information

Profile:	24C0966R	EUT:	Mobile Computer
Mode:	Mode1:Transmit at 2402MHz by DH5	Voltage:	By Battery
Environment:	Temp: 25°C ; Humi:60%	Engineer	Yu Liu
Test Standard:	FCC PART 15C		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4804.00	43.92	37.89	-6.03	74.00	36.11	PK	Vertic	PASS
	4804.00	-	13.13	-	54.00	40.87	AV	Vertic	PASS
2	7206.00	39.00	41.97	2.97	74.00	32.03	PK	Vertic	PASS
	7206.00	-	17.21	-	54.00	36.79	AV	Vertic	PASS
3	9608.00	36.38	42.32	5.94	74.00	31.68	PK	Vertic	PASS
	9608.00	-	17.56	-	54.00	36.44	AV	Vertic	PASS

Test Report

Project Information

Profile:	24C0966R	EUT:	Mobile Computer
Mode:	Mode1:Transmit at 2441MHz by DH5	Voltage:	By Battery
Environment:	Temp: 25°C ; Humi:60%	Engineer	Yu Liu
Test Standard:	FCC PART 15C		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	44.73	38.65	-6.08	74.00	35.35	PK	Horizo	PASS
	4882.00	-	13.89	-	54.00	40.11	AV	Horizo	PASS
2	7323.00	38.26	41.04	2.78	74.00	32.96	PK	Horizo	PASS
	7323.00	-	16.28	-	54.00	37.72	AV	Horizo	PASS
3	9764.00	35.77	41.89	6.12	74.00	32.11	PK	Horizo	PASS
	9764.00	-	17.13	-	54.00	36.87	AV	Horizo	PASS

Test Report

Project Information

Profile:	24C0966R	EUT:	Mobile Computer
Mode:	Mode1:Transmit at 2441MHz by DH5	Voltage:	By Battery
Environment:	Temp: 25°C ; Humi:60%	Engineer	Yu Liu
Test Standard:	FCC PART 15C		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4882.00	41.34	35.26	-6.08	74.00	38.74	PK	Vertic	PASS
	4882.00	-	10.50	-	54.00	43.50	AV	Vertic	PASS
2	7323.00	39.15	41.93	2.78	74.00	32.07	PK	Vertic	PASS
	7323.00	-	17.17	-	54.00	36.83	AV	Vertic	PASS
3	9764.00	36.24	42.36	6.12	74.00	31.64	PK	Vertic	PASS
	9764.00	-	17.60	-	54.00	36.40	AV	Vertic	PASS

Test Report

Project Information

Profile:	24C0966R	EUT:	Mobile Computer
Mode:	Mode1:Transmit at 2480MHz by DH5	Voltage:	By Battery
Environment:	Temp: 25°C ; Humi:60%	Engineer	Yu Liu
Test Standard:	FCC PART 15C		

Test Graph



Suspected Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	44.08	38.81	-5.27	74.00	35.19	PK	Horizo	PASS
	4960.00	-	17.57	-	54.00	36.43	AV	Horizo	PASS
2	7440.00	37.24	39.80	2.56	74.00	34.20	PK	Horizo	PASS
	7440.00	-	18.56	-	54.00	35.44	AV	Horizo	PASS
3	9920.00	35.73	41.35	5.62	74.00	32.65	PK	Horizo	PASS
	9920.00	-	20.11	-	54.00	33.89	AV	Horizo	PASS

Test Report

Project Information

Profile:	24C0966R	EUT:	Mobile Computer
Mode:	Mode1:Transmit at 2480MHz by DH5	Voltage:	By Battery
Environment:	Temp: 25°C ; Humi:60%	Engineer	Yu Liu
Test Standard:	FCC PART 15C		

Test Graph



Suspected Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4960.00	41.56	36.29	-5.27	74.00	37.71	PK	Vertic	PASS
	4960.00	-	15.05	-	54.00	38.95	AV	Vertic	PASS
2	7440.00	38.01	40.57	2.56	74.00	33.43	PK	Vertic	PASS
	7440.00	-	19.33	-	54.00	34.67	AV	Vertic	PASS
3	9920.00	36.74	42.36	5.62	74.00	31.64	PK	Vertic	PASS
	9920.00	-	21.12	-	54.00	32.88	AV	Vertic	PASS