



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 77 of 148

7.2.6 SAR Result Of LTE Band 13

LTE Band 13 SAR Test Record													
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	SAR (W/kg) 10-g	Power Drift (dB)	Conducted power (dBm)	Tune up Limit (dBm)	Scaled factor	Scaled SAR (W/kg) 1-g	Scaled SAR (W/kg) 10-g	Liquid Temp.	SAR limit (W/kg)
Body Test data(Separate 10mm)													
Front side	10M_QPSK 1RB_0	23230/782	1:1	0.099	0.069	-0.1	23.15	23.5	1.084	0.107	0.075	22.1	1.6
Front side	10M_QPSK 25RB_0	23230/782	1:1	0.086	0.065	0.06	22.13	23	1.222	0.105	0.079	22.1	1.6
Back side	10M_QPSK 1RB_0	23230/782	1:1	0.210	0.121	0.1	23.15	23.5	1.084	0.228	0.131	22.1	1.6
Back side	10M_QPSK 25RB_0	23230/782	1:1	0.186	0.102	-0.09	22.13	23	1.222	0.227	0.125	22.1	1.6
Left side	10M_QPSK 1RB_0	23230/782	1:1	0.107	0.073	0.19	23.15	23.5	1.084	0.116	0.079	22.1	1.6
Left side	10M_QPSK 25RB_0	23230/782	1:1	0.094	0.064	-0.05	22.13	23	1.222	0.115	0.078	22.1	1.6
Right side	10M_QPSK 1RB_0	23230/782	1:1	0.070	0.048	-0.14	23.15	23.5	1.084	0.075	0.052	22.1	1.6
Right side	10M_QPSK 25RB_0	23230/782	1:1	0.059	0.036	-0.17	22.13	23	1.222	0.072	0.044	22.1	1.6
Top side	10M_QPSK 1RB_0	23230/782	1:1	0.011	0.006	0.02	23.15	23.5	1.084	0.012	0.007	22.1	1.6
Top side	10M_QPSK 25RB_0	23230/782	1:1	0.009	0.002	0.02	22.13	23	1.222	0.011	0.002	22.1	1.6
Bottom side	10M_QPSK 1RB_0	23230/782	1:1	0.108	0.064	0.03	23.15	23.5	1.084	0.117	0.070	22.1	1.6
Bottom side	10M_QPSK 25RB_0	23230/782	1:1	0.092	0.043	-0.07	22.13	23	1.222	0.112	0.053	22.1	1.6
Body Test data at the worst case with SIM2(Separate 10mm)													
Back side	10M_QPSK 1RB_0	23230/782	1:1	0.205	0.116	-0.11	23.15	23.5	1.084	0.222	0.126	22.1	1.6
Extremity Test data(Separate 0mm)													
Front side	10M_QPSK 1RB_0	23230/782	1:1	0.254	0.171	-0.18	23.15	23.5	1.084	0.275	0.185	22.1	4
Front side	10M_QPSK 25RB_0	23230/782	1:1	0.243	0.162	0.12	22.13	23	1.222	0.297	0.198	22.1	4
Back side	10M_QPSK 1RB_0	23230/782	1:1	0.847	0.449	0.02	23.15	23.5	1.084	0.918	0.487	22.1	4
Back side	10M_QPSK 25RB_0	23230/782	1:1	0.831	0.432	0.08	22.13	23	1.222	1.015	0.528	22.1	4
Left side	10M_QPSK 1RB_0	23230/782	1:1	0.662	0.342	-0.16	23.15	23.5	1.084	0.718	0.371	22.1	4
Left side	10M_QPSK 25RB_0	23230/782	1:1	0.653	0.337	0.14	22.13	23	1.222	0.798	0.412	22.1	4
Right side	10M_QPSK 1RB_0	23230/782	1:1	0.155	0.091	0.19	23.15	23.5	1.084	0.168	0.099	22.1	4
Right side	10M_QPSK 25RB_0	23230/782	1:1	0.142	0.082	-0.03	22.13	23	1.222	0.173	0.100	22.1	4
Top side	10M_QPSK 1RB_0	23230/782	1:1	0.035	0.012	-0.06	23.15	23.5	1.084	0.038	0.013	22.1	4
Top side	10M_QPSK 25RB_0	23230/782	1:1	0.024	0.006	-0.19	22.13	23	1.222	0.029	0.007	22.1	4
Bottom side	10M_QPSK 1RB_0	23230/782	1:1	0.779	0.398	0.15	23.15	23.5	1.084	0.844	0.431	22.1	4
Bottom side	10M_QPSK 25RB_0	23230/782	1:1	0.762	0.375	-0.08	22.13	23	1.222	0.931	0.458	22.1	4
Extremity Test data at the worst case with SIM2(Separate 0mm)													
Back side	10M_QPSK 25RB_0	23230/782	1:1	0.826	0.429	-0.01	22.13	23	1.222	1.009	0.524	22.1	4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 78 of 148

7.2.7 SAR Result Of LTE Band 14

LTE Band 14 SAR Test Record													
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	SAR (W/kg) 10-g	Power Drift (dB)	Conducted power (dBm)	Tune up Limit (dBm)	Scaled factor	Scaled SAR (W/kg) 1-g	Scaled SAR (W/kg) 10-g	Liquid Temp.	SAR limit (W/kg)
Body Test data(Separate 10mm)													
Front side	10M_QPSK 1RB_0	23330/793	1:1	0.121	0.084	0.17	22.84	23	1.038	0.126	0.087	22.1	1.6
Front side	10M_QPSK 25RB_0	23330/793	1:1	0.116	0.076	0.05	21.68	22	1.076	0.125	0.082	22.1	1.6
Back side	10M_QPSK 1RB_0	23330/793	1:1	0.208	0.123	0.1	22.84	23	1.038	0.216	0.128	22.1	1.6
Back side	10M_QPSK 25RB_0	23330/793	1:1	0.196	0.112	0.18	21.68	22	1.076	0.211	0.121	22.1	1.6
Left side	10M_QPSK 1RB_0	23330/793	1:1	0.147	0.100	-0.11	22.84	23	1.038	0.153	0.104	22.1	1.6
Left side	10M_QPSK 25RB_0	23330/793	1:1	0.138	0.094	-0.08	21.68	22	1.076	0.149	0.101	22.1	1.6
Right side	10M_QPSK 1RB_0	23330/793	1:1	0.078	0.054	0.06	22.84	23	1.038	0.081	0.056	22.1	1.6
Right side	10M_QPSK 25RB_0	23330/793	1:1	0.069	0.042	0.17	21.68	22	1.076	0.074	0.045	22.1	1.6
Top side	10M_QPSK 1RB_0	23330/793	1:1	0.023	0.011	0.19	22.84	23	1.038	0.024	0.011	22.1	1.6
Top side	10M_QPSK 25RB_0	23330/793	1:1	0.019	0.007	0.15	21.68	22	1.076	0.020	0.008	22.1	1.6
Bottom side	10M_QPSK 1RB_0	23330/793	1:1	0.106	0.065	-0.01	22.84	23	1.038	0.110	0.067	22.1	1.6
Bottom side	10M_QPSK 25RB_0	23330/793	1:1	0.086	0.046	0.13	21.68	22	1.076	0.093	0.050	22.1	1.6
Body Test data at the worst case with SIM2(Separate 10mm)													
Back side	10M_QPSK 1RB_0	23330/793	1:1	0.201	0.119	-0.19	22.84	23	1.038	0.209	0.123	22.1	1.6
Extremity Test data(Separate 0mm)													
Front side	10M_QPSK 1RB_0	23330/793	1:1	0.272	0.178	0.06	22.84	23	1.038	0.282	0.185	22.1	4
Front side	10M_QPSK 25RB_0	23330/793	1:1	0.260	0.165	0.02	21.68	22	1.076	0.280	0.178	22.1	4
Back side	10M_QPSK 1RB_0	23330/793	1:1	0.864	0.458	0.04	22.84	23	1.038	0.896	0.475	22.1	4
Back side	10M_QPSK 25RB_0	23330/793	1:1	0.830	0.440	0.05	21.68	22	1.076	0.893	0.474	22.1	4
Left side	10M_QPSK 1RB_0	23330/793	1:1	0.721	0.362	0.17	22.84	23	1.038	0.748	0.376	22.1	4
Left side	10M_QPSK 25RB_0	23330/793	1:1	0.678	0.334	-0.16	21.68	22	1.076	0.730	0.360	22.1	4
Right side	10M_QPSK 1RB_0	23330/793	1:1	0.217	0.093	0.09	22.84	23	1.038	0.225	0.096	22.1	4
Right side	10M_QPSK 25RB_0	23330/793	1:1	0.189	0.076	-0.08	21.68	22	1.076	0.203	0.082	22.1	4
Top side	10M_QPSK 1RB_0	23330/793	1:1	0.033	0.016	0.16	22.84	23	1.038	0.034	0.017	22.1	4
Top side	10M_QPSK 25RB_0	23330/793	1:1	0.029	0.010	-0.06	21.68	22	1.076	0.031	0.011	22.1	4
Bottom side	10M_QPSK 1RB_0	23330/793	1:1	0.726	0.385	-0.12	22.84	23	1.038	0.753	0.399	22.1	4
Bottom side	10M_QPSK 25RB_0	23330/793	1:1	0.704	0.370	-0.09	21.68	22	1.076	0.758	0.398	22.1	4
Extremity Test data at the worst case with SIM2(Separate 0mm)													
Back side	10M_QPSK 1RB_0	23330/793	1:1	0.862	0.449	0.17	22.84	23	1.038	0.894	0.466	22.1	4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 79 of 148

7.2.8 SAR Result Of LTE Band 17

LTE Band 17 SAR Test Record													
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	SAR (W/kg) 10-g	Power Drift (dB)	Conducted power (dBm)	Tune up Limit (dBm)	Scaled factor	Scaled SAR (W/kg) 1-g	Scaled SAR (W/kg) 10-g	Liquid Temp.	SAR limit (W/kg)
Body Test data(Separate 10mm)													
Front side	10M_QPSK 1RB_0	23800/711	1:1	0.113	0.081	-0.13	22.95	23	1.012	0.114	0.081	22.1	1.6
Front side	10M_QPSK 25RB_25	23800/711	1:1	0.098	0.076	0.12	21.93	22	1.016	0.100	0.077	22.1	1.6
Back side	10M_QPSK 1RB_0	23800/711	1:1	0.162	0.126	0.08	22.95	23	1.012	0.164	0.127	22.1	1.6
Back side	10M_QPSK 25RB_25	23800/711	1:1	0.155	0.119	0.03	21.93	22	1.016	0.158	0.121	22.1	1.6
Left side	10M_QPSK 1RB_0	23800/711	1:1	0.095	0.065	0.02	22.95	23	1.012	0.096	0.066	22.1	1.6
Left side	10M_QPSK 25RB_25	23800/711	1:1	0.086	0.058	0.08	21.93	22	1.016	0.087	0.059	22.1	1.6
Right side	10M_QPSK 1RB_0	23800/711	1:1	0.133	0.092	-0.19	22.95	23	1.012	0.135	0.093	22.1	1.6
Right side	10M_QPSK 25RB_25	23800/711	1:1	0.126	0.084	0.03	21.93	22	1.016	0.128	0.085	22.1	1.6
Top side	10M_QPSK 1RB_0	23800/711	1:1	0.023	0.011	-0.11	22.95	23	1.012	0.023	0.011	22.1	1.6
Top side	10M_QPSK 25RB_25	23800/711	1:1	0.011	0.006	-0.11	21.93	22	1.016	0.011	0.006	22.1	1.6
Bottom side	10M_QPSK 1RB_0	23800/711	1:1	0.054	0.034	0.1	22.95	23	1.012	0.054	0.034	22.1	1.6
Bottom side	10M_QPSK 25RB_25	23800/711	1:1	0.042	0.029	0.14	21.93	22	1.016	0.043	0.029	22.1	1.6
Back side	10M_QPSK 1RB_0	23780/709	1:1	0.142	0.116	0.06	22.89	23	1.026	0.146	0.119	22.1	1.6
Back side	10M_QPSK 1RB_0	23790/710	1:1	0.139	0.110	-0.06	22.91	23	1.021	0.142	0.112	22.1	1.6
Body Test data at the worst case with SIM2(Separate 10mm)													
Back side	10M_QPSK 1RB_0	23800/711	1:1	0.159	0.116	-0.05	22.95	23	1.012	0.161	0.117	22.1	1.6
Extremity Test data(Separate 0mm)													
Front side	10M_QPSK 1RB_0	23800/711	1:1	0.157	0.107	-0.08	22.95	23	1.012	0.159	0.108	22.1	4
Front side	10M_QPSK 25RB_25	23800/711	1:1	0.149	0.100	0.01	21.93	22	1.016	0.151	0.102	22.1	4
Back side	10M_QPSK 1RB_0	23800/711	1:1	0.437	0.239	0.05	22.95	23	1.012	0.442	0.242	22.1	4
Back side	10M_QPSK 25RB_25	23800/711	1:1	0.426	0.226	0.07	21.93	22	1.016	0.433	0.230	22.1	4
Left side	10M_QPSK 1RB_0	23800/711	1:1	0.260	0.130	0.15	22.95	23	1.012	0.263	0.132	22.1	4
Left side	10M_QPSK 25RB_25	23800/711	1:1	0.251	0.123	-0.06	21.93	22	1.016	0.255	0.125	22.1	4
Right side	10M_QPSK 1RB_0	23800/711	1:1	0.121	0.070	0.07	22.95	23	1.012	0.122	0.071	22.1	4
Right side	10M_QPSK 25RB_25	23800/711	1:1	0.115	0.064	-0.15	21.93	22	1.016	0.117	0.065	22.1	4
Top side	10M_QPSK 1RB_0	23800/711	1:1	0.055	0.023	-0.17	22.95	23	1.012	0.056	0.023	22.1	4
Top side	10M_QPSK 25RB_25	23800/711	1:1	0.042	0.016	0.17	21.93	22	1.016	0.043	0.016	22.1	4
Bottom side	10M_QPSK 1RB_0	23800/711	1:1	0.329	0.180	-0.08	22.95	23	1.012	0.333	0.182	22.1	4
Bottom side	10M_QPSK 25RB_25	23800/711	1:1	0.316	0.174	-0.06	21.93	22	1.016	0.321	0.177	22.1	4
Back side	10M_QPSK 1RB_0	23780/709	1:1	0.429	0.234	-0.02	22.89	23	1.026	0.440	0.240	22.1	4
Back side	10M_QPSK 1RB_0	23790/710	1:1	0.424	0.231	0.01	22.91	23	1.021	0.433	0.236	22.1	4
Extremity Test data at the worst case with SIM2(Separate 0mm)													
Back side	10M_QPSK 1RB_0	23800/711	1:1	0.435	0.236	0.05	22.95	23	1.012	0.440	0.239	22.1	4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 80 of 148

7.2.9 SAR Result Of LTE Band 25

LTE Band 25 SAR Test Record													
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	SAR (W/kg) 10-g	Power Drift (dB)	Conducted power (dBm)	Tune up Limit (dBm)	Scaled factor	Scaled SAR (W/kg) 1-g	Scaled SAR (W/kg) 10-g	Liquid Temp.	SAR limit (W/kg)
Body Test data(Separate 10mm)													
Front side	20M_QPSK 1RB_50	26365/1882.5	1:1	0.198	0.12	-0.14	22.99	23	1.002	0.198	0.120	22.3	1.6
Front side	20M_QPSK 50RB_25	26365/1882.5	1:1	0.185	0.101	0.05	21.9	22.5	1.148	0.212	0.116	22.3	1.6
Back side	20M_QPSK 1RB_50	26365/1882.5	1:1	0.413	0.245	0.04	22.99	23	1.002	0.414	0.246	22.3	1.6
Back side	20M_QPSK 50RB_25	26365/1882.5	1:1	0.398	0.239	-0.04	21.9	22.5	1.148	0.457	0.274	22.3	1.6
Left side	20M_QPSK 1RB_50	26365/1882.5	1:1	0.14	0.079	-0.09	22.99	23	1.002	0.140	0.079	22.3	1.6
Left side	20M_QPSK 50RB_25	26365/1882.5	1:1	0.129	0.065	-0.05	21.9	22.5	1.148	0.148	0.075	22.3	1.6
Right side	20M_QPSK 1RB_50	26365/1882.5	1:1	0.391	0.222	0.08	22.99	23	1.002	0.392	0.223	22.3	1.6
Right side	20M_QPSK 50RB_25	26365/1882.5	1:1	0.384	0.216	-0.02	21.9	22.5	1.148	0.441	0.248	22.3	1.6
Top side	20M_QPSK 1RB_50	26365/1882.5	1:1	0.023	0.009	-0.1	22.99	23	1.002	0.023	0.009	22.3	1.6
Top side	20M_QPSK 50RB_25	26365/1882.5	1:1	0.012	0.003	-0.02	21.9	22.5	1.148	0.014	0.003	22.3	1.6
Bottom side	20M_QPSK 1RB_50	26365/1882.5	1:1	0.267	0.156	-0.01	22.99	23	1.002	0.268	0.156	22.3	1.6
Bottom side	20M_QPSK 50RB_25	26365/1882.5	1:1	0.254	0.142	0.1	21.9	22.5	1.148	0.292	0.163	22.3	1.6
Back side	20M_QPSK 50RB_25	26140/1860	1:1	0.366	0.235	0.01	21.73	22.5	1.194	0.437	0.281	22.3	1.6
Back side	20M_QPSK 50RB_25	26590/1905	1:1	0.359	0.226	-0.16	21.82	22.5	1.169	0.420	0.264	22.3	1.6
Body Test data at the worst case with SIM2(Separate 10mm)													
Back side	20M_QPSK 50RB_25	26365/1882.5	1:1	0.396	0.232	0.02	21.9	22.5	1.148	0.455	0.266	22.3	1.6
Extremity Test data(Separate 0mm)													
Front side	20M_QPSK 1RB_50	26365/1882.5	1:1	0.878	0.486	0.19	22.99	23	1.002	0.880	0.487	22.3	4
Front side	20M_QPSK 50RB_25	26365/1882.5	1:1	0.865	0.472	0.09	21.9	22.5	1.148	0.993	0.542	22.3	4
Back side	20M_QPSK 1RB_50	26365/1882.5	1:1	1.51	0.782	0.16	22.99	23	1.002	1.513	0.784	22.3	4
Back side	20M_QPSK 50RB_25	26365/1882.5	1:1	1.46	0.772	-0.01	21.9	22.5	1.148	1.676	0.886	22.3	4
Left side	20M_QPSK 1RB_50	26365/1882.5	1:1	0.647	0.328	-0.04	22.99	23	1.002	0.648	0.329	22.3	4
Left side	20M_QPSK 50RB_25	26365/1882.5	1:1	0.632	0.316	-0.09	21.9	22.5	1.148	0.726	0.363	22.3	4
Right side	20M_QPSK 1RB_50	26365/1882.5	1:1	1.67	0.806	0.06	22.99	23	1.002	1.674	0.808	22.3	4
Right side	20M_QPSK 50RB_25	26365/1882.5	1:1	1.53	0.799	-0.06	21.9	22.5	1.148	1.757	0.917	22.3	4
Top side	20M_QPSK 1RB_50	26365/1882.5	1:1	0.064	0.036	-0.17	22.99	23	1.002	0.064	0.036	22.3	4
Top side	20M_QPSK 50RB_25	26365/1882.5	1:1	0.052	0.023	0.13	21.9	22.5	1.148	0.060	0.026	22.3	4
Bottom side	20M_QPSK 1RB_50	26365/1882.5	1:1	0.853	0.484	0.13	22.99	23	1.002	0.855	0.485	22.3	4
Bottom side	20M_QPSK 50RB_25	26365/1882.5	1:1	0.842	0.473	-0.17	21.9	22.5	1.148	0.967	0.543	22.3	4
Right side	20M_QPSK 50RB_25	26140/1860	1:1	1.46	0.762	-0.04	21.73	22.5	1.194	1.743	0.910	22.3	4
Right side	20M_QPSK 50RB_25	26590/1905	1:1	1.39	0.769	-0.06	21.82	22.5	1.169	1.626	0.899	22.3	4
Extremity Test data at the worst case with SIM2(Separate 0mm)													
Right side	20M_QPSK 50RB_25	26365/1882.5	1:1	1.5	0.797	-0.04	21.9	22.5	1.148	1.722	0.915	22.3	4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 81 of 148

7.2.10 SAR Result Of LTE Band 26a

LTE Band 26a SAR Test Record													
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	SAR (W/kg) 10-g	Power Drift (dB)	Conducted power (dBm)	Tune up Limit (dBm)	Scaled factor	Scaled SAR (W/kg) 1-g	Scaled SAR (W/kg) 10-g	Liquid Temp.	SAR limit (W/kg)
Body Test data(Separate 10mm)													
Front side	10M_QPSK 1RB_0	26740/819	1:1	0.092	0.065	-0.17	23.06	23.5	1.107	0.102	0.072	22.1	1.6
Front side	10M_QPSK 25RB_13	26740/819	1:1	0.073	0.053	-0.15	21.96	22	1.009	0.074	0.053	22.1	1.6
Back side	10M_QPSK 1RB_0	26740/819	1:1	0.387	0.218	0.08	23.06	23.5	1.107	0.428	0.241	22.1	1.6
Back side	10M_QPSK 25RB_13	26740/819	1:1	0.369	0.198	0.02	21.96	22	1.009	0.372	0.200	22.1	1.6
Left side	10M_QPSK 1RB_0	26740/819	1:1	0.172	0.118	-0.04	23.06	23.5	1.107	0.190	0.131	22.1	1.6
Left side	10M_QPSK 25RB_13	26740/819	1:1	0.169	0.101	-0.06	21.96	22	1.009	0.171	0.102	22.1	1.6
Right side	10M_QPSK 1RB_0	26740/819	1:1	0.058	0.040	0.01	23.06	23.5	1.107	0.064	0.044	22.1	1.6
Right side	10M_QPSK 25RB_13	26740/819	1:1	0.042	0.032	-0.06	21.96	22	1.009	0.042	0.032	22.1	1.6
Top side	10M_QPSK 1RB_0	26740/819	1:1	0.010	0.006	0.17	23.06	23.5	1.107	0.011	0.007	22.1	1.6
Top side	10M_QPSK 25RB_13	26740/819	1:1	0.003	0.001	0.15	21.96	22	1.009	0.003	0.001	22.1	1.6
Bottom side	10M_QPSK 1RB_0	26740/819	1:1	0.174	0.105	-0.05	23.06	23.5	1.107	0.193	0.116	22.1	1.6
Bottom side	10M_QPSK 25RB_13	26740/819	1:1	0.168	0.098	0.03	21.96	22	1.009	0.170	0.099	22.1	1.6
Body Test data at the worst case with SIM2(Separate 10mm)													
Back side	10M_QPSK 1RB_0	26740/819	1:1	0.379	0.213	0.08	23.06	23.5	1.107	0.419	0.236	22.1	1.6
Extremity Test data(Separate 0mm)													
Front side	10M_QPSK 1RB_0	26740/819	1:1	0.273	0.179	-0.06	23.06	23.5	1.107	0.302	0.198	22.1	4
Front side	10M_QPSK 25RB_13	26740/819	1:1	0.261	0.165	-0.01	21.96	22	1.009	0.263	0.167	22.1	4
Back side	10M_QPSK 1RB_0	26740/819	1:1	0.873	0.452	0.08	23.06	23.5	1.107	0.966	0.500	22.1	4
Back side	10M_QPSK 25RB_13	26740/819	1:1	0.869	0.446	-0.14	21.96	22	1.009	0.877	0.450	22.1	4
Left side	10M_QPSK 1RB_0	26740/819	1:1	0.618	0.327	-0.02	23.06	23.5	1.107	0.684	0.362	22.1	4
Left side	10M_QPSK 25RB_13	26740/819	1:1	0.602	0.319	0.09	21.96	22	1.009	0.608	0.322	22.1	4
Right side	10M_QPSK 1RB_0	26740/819	1:1	0.148	0.087	-0.02	23.06	23.5	1.107	0.164	0.096	22.1	4
Right side	10M_QPSK 25RB_13	26740/819	1:1	0.142	0.076	-0.06	21.96	22	1.009	0.143	0.077	22.1	4
Top side	10M_QPSK 1RB_0	26740/819	1:1	0.036	0.014	0.17	23.06	23.5	1.107	0.040	0.015	22.1	4
Top side	10M_QPSK 25RB_13	26740/819	1:1	0.028	0.009	0.02	21.96	22	1.009	0.028	0.009	22.1	4
Bottom side	10M_QPSK 1RB_0	26740/819	1:1	0.642	0.389	-0.09	23.06	23.5	1.107	0.710	0.430	22.1	4
Bottom side	10M_QPSK 25RB_13	26740/819	1:1	0.638	0.375	-0.05	21.96	22	1.009	0.644	0.378	22.1	4
Extremity Test data at the worst case with SIM2(Separate 0mm)													
Back side	10M_QPSK 1RB_0	26740/819	1:1	0.869	0.447	0.1	23.06	23.5	1.107	0.962	0.495	22.1	4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 82 of 148

7.2.11 SAR Result Of LTE Band 26b

LTE Band 26b SAR Test Record													
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	SAR (W/kg) 10-g	Power Drift (dB)	Conducted power (dBm)	Tune up Limit (dBm)	Scaled factor	Scaled SAR (W/kg) 1-g	Scaled SAR (W/kg) 10-g	Liquid Temp.	SAR limit (W/kg)
Body Test data(Separate 10mm)													
Front side	15M_QPSK 1RB_74	26915/836.5	1:1	0.089	0.062	-0.03	23.16	23.5	1.081	0.096	0.067	22.1	1.6
Front side	15M_QPSK 36RB_0	26915/836.5	1:1	0.082	0.046	-0.19	22.09	22.5	1.099	0.090	0.051	22.1	1.6
Back side	15M_QPSK 1RB_74	26915/836.5	1:1	0.374	0.215	0.09	23.16	23.5	1.081	0.404	0.233	22.1	1.6
Back side	15M_QPSK 36RB_0	26915/836.5	1:1	0.365	0.207	-0.04	22.09	22.5	1.099	0.401	0.227	22.1	1.6
Left side	15M_QPSK 1RB_74	26915/836.5	1:1	0.169	0.115	-0.07	23.16	23.5	1.081	0.183	0.124	22.1	1.6
Left side	15M_QPSK 36RB_0	26915/836.5	1:1	0.166	0.106	0.12	22.09	22.5	1.099	0.182	0.116	22.1	1.6
Right side	15M_QPSK 1RB_74	26915/836.5	1:1	0.055	0.037	-0.1	23.16	23.5	1.081	0.060	0.040	22.1	1.6
Right side	15M_QPSK 36RB_0	26915/836.5	1:1	0.044	0.029	-0.13	22.09	22.5	1.099	0.048	0.032	22.1	1.6
Top side	15M_QPSK 1RB_74	26915/836.5	1:1	0.023	0.012	0.08	23.16	23.5	1.081	0.025	0.013	22.1	1.6
Top side	15M_QPSK 36RB_0	26915/836.5	1:1	0.018	0.007	0.08	22.09	22.5	1.099	0.020	0.008	22.1	1.6
Bottom side	15M_QPSK 1RB_74	26915/836.5	1:1	0.171	0.102	-0.12	23.16	23.5	1.081	0.185	0.110	22.1	1.6
Bottom side	15M_QPSK 36RB_0	26915/836.5	1:1	0.162	0.091	0.06	22.09	22.5	1.099	0.178	0.100	22.1	1.6
Back side	15M_QPSK 1RB_74	26865/831.5	1:1	0.362	0.203	-0.05	23.09	23.5	1.099	0.398	0.223	22.1	1.6
Back side	15M_QPSK 1RB_74	26965/841.5	1:1	0.348	0.195	0.16	23.08	23.5	1.102	0.383	0.215	22.1	1.6
Body Test data at the worst case with SIM2(Separate 10mm)													
Back side	15M_QPSK 1RB_74	26915/836.5	1:1	0.365	0.206		23.16	23.5	1.081	0.395	0.223	22.1	1.6
Extremity Test data(Separate 0mm)													
Front side	15M_QPSK 1RB_74	26915/836.5	1:1	0.27	0.176	-0.04	23.16	23.5	1.081	0.292	0.190	22.1	4
Front side	15M_QPSK 36RB_0	26915/836.5	1:1	0.265	0.169	0.09	22.09	22.5	1.099	0.291	0.186	22.1	4
Back side	15M_QPSK 1RB_74	26915/836.5	1:1	0.87	0.449	0.04	23.16	23.5	1.081	0.941	0.486	22.1	4
Back side	15M_QPSK 36RB_0	26915/836.5	1:1	0.795	0.439	0.04	22.09	22.5	1.099	0.874	0.482	22.1	4
Left side	15M_QPSK 1RB_74	26915/836.5	1:1	0.615	0.324	0.16	23.16	23.5	1.081	0.665	0.350	22.1	4
Left side	15M_QPSK 36RB_0	26915/836.5	1:1	0.595	0.316	0.11	22.09	22.5	1.099	0.654	0.347	22.1	4
Right side	15M_QPSK 1RB_74	26915/836.5	1:1	0.145	0.084	-0.14	23.16	23.5	1.081	0.157	0.091	22.1	4
Right side	15M_QPSK 36RB_0	26915/836.5	1:1	0.133	0.083	0.18	22.09	22.5	1.099	0.146	0.091	22.1	4
Top side	15M_QPSK 1RB_74	26915/836.5	1:1	0.046	0.023	-0.17	23.16	23.5	1.081	0.050	0.025	22.1	4
Top side	15M_QPSK 36RB_0	26915/836.5	1:1	0.035	0.012	-0.09	22.09	22.5	1.099	0.038	0.013	22.1	4
Bottom side	15M_QPSK 1RB_74	26915/836.5	1:1	0.639	0.386	0.05	23.16	23.5	1.081	0.691	0.417	22.1	4
Bottom side	15M_QPSK 36RB_0	26915/836.5	1:1	0.635	0.373	-0.08	22.09	22.5	1.099	0.698	0.410	22.1	4
Back side	15M_QPSK 1RB_74	26865/831.5	1:1	0.859	0.432	0.01	23.09	23.5	1.099	0.944	0.475	22.1	4
Back side	15M_QPSK 1RB_74	26965/841.5	1:1	0.855	0.426	0.16	23.08	23.5	1.102	0.942	0.469	22.1	4
Extremity Test data at the worst case with SIM2(Separate 0mm)													
Back side	15M_QPSK 1RB_74	26915/836.5	1:1	0.865	0.445	0.13	23.16	23.5	1.081	0.935	0.481	22.1	4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 83 of 148

7.2.12 SAR Result Of LTE Band 41

LTE Band 41 SAR Test Record													
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	SAR (W/kg) 10-g	Power Drift (dB)	Conducted power (dBm)	Tune up Limit (dBm)	Scaled factor	Scaled SAR (W/kg) 1-g	Scaled SAR (W/kg) 10-g	Liquid Temp.	SAR limit (W/kg)
Body Test data(Separate 10mm)													
Front side	20M_QPSK 1RB_0	40620/2593	1:1	0.011	0.003	-0.17	22.93	23.5	1.140	0.012	0.004	22.1	1.6
Front side	20M_QPSK 50RB_0	40620/2593	1:1	0.005	0.003	-0.11	21.78	22.5	1.180	0.006	0.004	22.1	1.6
Back side	20M_QPSK 1RB_0	40620/2593	1:1	0.110	0.051	-0.16	22.93	23.5	1.140	0.125	0.059	22.1	1.6
Back side	20M_QPSK 50RB_0	40620/2593	1:1	0.085	0.043	-0.09	21.78	22.5	1.180	0.100	0.051	22.1	1.6
Left side	20M_QPSK 1RB_0	40620/2593	1:1	0.014	0.006	0.01	22.93	23.5	1.140	0.016	0.007	22.1	1.6
Left side	20M_QPSK 50RB_0	40620/2593	1:1	0.010	0.002	-0.07	21.78	22.5	1.180	0.012	0.002	22.1	1.6
Right side	20M_QPSK 1RB_0	40620/2593	1:1	0.066	0.036	0.17	22.93	23.5	1.140	0.075	0.041	22.1	1.6
Right side	20M_QPSK 50RB_0	40620/2593	1:1	0.046	0.029	0.11	21.78	22.5	1.180	0.054	0.034	22.1	1.6
Top side	20M_QPSK 1RB_0	40620/2593	1:1	0.012	0.006	0.09	22.93	23.5	1.140	0.014	0.007	22.1	1.6
Top side	20M_QPSK 50RB_0	40620/2593	1:1	0.003	0.002	0.12	21.78	22.5	1.180	0.004	0.002	22.1	1.6
Bottom side	20M_QPSK 1RB_0	40620/2593	1:1	0.065	0.029	0.17	22.93	23.5	1.140	0.074	0.033	22.1	1.6
Bottom side	20M_QPSK 50RB_0	40620/2593	1:1	0.046	0.021	0.09	21.78	22.5	1.180	0.054	0.025	22.1	1.6
Back side	20M_QPSK 1RB_0	39750/2506	1:1	0.092	0.046	-0.11	22.73	23.5	1.194	0.110	0.055	22.1	1.6
Back side	20M_QPSK 1RB_0	40185/2549.5	1:1	0.086	0.042	-0.15	22.69	23.5	1.205	0.104	0.051	22.1	1.6
Back side	20M_QPSK 1RB_0	41055/2636.5	1:1	0.090	0.046	-0.17	22.82	23.5	1.169	0.105	0.054	22.1	1.6
Back side	20M_QPSK 1RB_0	41490/2680	1:1	0.082	0.039	-0.13	22.83	23.5	1.167	0.096	0.046	22.1	1.6
Body Test data at the worst case with SIM2(Separate 10mm)													
Back side	20M_QPSK 1RB_0	40620/2593	1:1	0.101	0.048	-0.18	22.93	23.5	1.140	0.115	0.055	22.1	1.6
Extremity Test data(Separate 0mm)													
Front side	20M_QPSK 1RB_0	40620/2593	1:1	0.094	0.045	0.16	22.93	23.5	1.140	0.107	0.051	22.1	4
Front side	20M_QPSK 50RB_0	40620/2593	1:1	0.085	0.031	0.16	21.78	22.5	1.180	0.100	0.037	22.1	4
Back side	20M_QPSK 1RB_0	40620/2593	1:1	0.411	0.185	0.03	22.93	23.5	1.140	0.469	0.211	22.1	4
Back side	20M_QPSK 50RB_0	40620/2593	1:1	0.395	0.174	0.01	21.78	22.5	1.180	0.466	0.205	22.1	4
Left side	20M_QPSK 1RB_0	40620/2593	1:1	0.024	0.010	0.08	22.93	23.5	1.140	0.028	0.011	22.1	4
Left side	20M_QPSK 50RB_0	40620/2593	1:1	0.019	0.006	-0.15	21.78	22.5	1.180	0.022	0.007	22.1	4
Right side	20M_QPSK 1RB_0	40620/2593	1:1	0.227	0.100	-0.09	22.93	23.5	1.140	0.259	0.113	22.1	4
Right side	20M_QPSK 50RB_0	40620/2593	1:1	0.216	0.086	0.05	21.78	22.5	1.180	0.255	0.102	22.1	4
Top side	20M_QPSK 1RB_0	40620/2593	1:1	0.033	0.015	-0.18	22.93	23.5	1.140	0.038	0.017	22.1	4
Top side	20M_QPSK 50RB_0	40620/2593	1:1	0.028	0.010	0.01	21.78	22.5	1.180	0.033	0.012	22.1	4
Bottom side	20M_QPSK 1RB_0	40620/2593	1:1	0.432	0.172	0.1	22.93	23.5	1.140	0.493	0.196	22.1	4
Bottom side	20M_QPSK 50RB_0	40620/2593	1:1	0.426	0.168	-0.01	21.78	22.5	1.180	0.503	0.198	22.1	4
Back side	20M_QPSK 1RB_0	39750/2506	1:1	0.402	0.172	0.16	22.73	23.5	1.194	0.480	0.205	22.1	4
Back side	20M_QPSK 1RB_0	40185/2549.5	1:1	0.398	0.170	0.14	22.69	23.5	1.205	0.480	0.205	22.1	4
Back side	20M_QPSK 1RB_0	41055/2636.5	1:1	0.395	0.165	-0.11	22.82	23.5	1.169	0.462	0.193	22.1	4
Back side	20M_QPSK 1RB_0	41490/2680	1:1	0.399	0.171	0.05	22.83	23.5	1.167	0.466	0.200	22.1	4
Extremity Test data at the worst case with SIM2(Separate 0mm)													
Back side	20M_QPSK 1RB_0	40620/2593	1:1	0.403	0.181	0.06	22.93	23.5	1.140	0.460	0.206	22.1	4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 84 of 148

7.2.13 SAR Result Of LTE Band 66

LTE Band 66 SAR Test Record													
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	SAR (W/kg) 10-g	Power Drift (dB)	Conducted power (dBm)	Tune up Limit (dBm)	Scaled factor	Scaled SAR (W/kg) 1-g	Scaled SAR (W/kg) 10-g	Liquid Temp.	SAR limit (W/kg)
Body Test data(Separate 10mm)													
Front side	20M_QPSK 1RB_99	132322/1745	1:1	0.159	0.102	-0.05	22.89	23	1.026	0.163	0.105	22.2	1.6
Front side	20M_QPSK 50RB_50	132322/1745	1:1	0.143	0.086	-0.02	21.56	22	1.107	0.158	0.095	22.2	1.6
Back side	20M_QPSK 1RB_99	132322/1745	1:1	0.712	0.393	0.19	22.89	23	1.026	0.730	0.403	22.2	1.6
Back side	20M_QPSK 50RB_50	132322/1745	1:1	0.685	0.384	0.02	21.56	22	1.107	0.758	0.425	22.2	1.6
Left side	20M_QPSK 1RB_99	132322/1745	1:1	0.148	0.087	-0.12	22.89	23	1.026	0.152	0.089	22.2	1.6
Left side	20M_QPSK 50RB_50	132322/1745	1:1	0.133	0.071	0.18	21.56	22	1.107	0.147	0.079	22.2	1.6
Right side	20M_QPSK 1RB_99	132322/1745	1:1	0.366	0.211	0.06	22.89	23	1.026	0.375	0.216	22.2	1.6
Right side	20M_QPSK 50RB_50	132322/1745	1:1	0.355	0.197	-0.16	21.56	22	1.107	0.393	0.218	22.2	1.6
Top side	20M_QPSK 1RB_99	132322/1745	1:1	0.003	0.001	-0.15	22.89	23	1.026	0.003	0.001	22.2	1.6
Top side	20M_QPSK 50RB_50	132322/1745	1:1	0.002	0.001	0.11	21.56	22	1.107	0.002	0.001	22.2	1.6
Bottom side	20M_QPSK 1RB_99	132322/1745	1:1	0.363	0.207	0.05	22.89	23	1.026	0.372	0.212	22.2	1.6
Bottom side	20M_QPSK 50RB_50	132322/1745	1:1	0.337	0.176	0.03	21.56	22	1.107	0.373	0.195	22.2	1.6
Back side	20M_QPSK 50RB_50	132072/1720	1:1	0.67	0.376	-0.15	21.49	22	1.125	0.753	0.423	22.2	1.6
Back side	20M_QPSK 50RB_50	132572/1770	1:1	0.669	0.368	0.17	21.48	22	1.127	0.754	0.415	22.2	1.6
Body Test data at the worst case with SIM2(Separate 10mm)													
Back side	20M_QPSK 50RB_50	132322/1745	1:1	0.682	0.38	0.07	21.56	22	1.107	0.755	0.421	22.2	1.6
Extremity Test data(Separate 0mm)													
Front side	20M_QPSK 1RB_99	132322/1745	1:1	0.732	0.410	-0.13	22.89	23	1.026	0.751	0.421	22.2	4
Front side	20M_QPSK 50RB_50	132322/1745	1:1	0.726	0.389	-0.13	21.56	22	1.107	0.803	0.430	22.2	4
Back side	20M_QPSK 1RB_99	132322/1745	1:1	1.820	0.944	0.17	22.89	23	1.026	1.867	0.968	22.2	4
Back side	20M_QPSK 50RB_50	132322/1745	1:1	1.790	0.931	0.06	21.56	22	1.107	1.981	1.030	22.2	4
Left side	20M_QPSK 1RB_99	132322/1745	1:1	0.504	0.249	-0.19	22.89	23	1.026	0.517	0.255	22.2	4
Left side	20M_QPSK 50RB_50	132322/1745	1:1	0.490	0.238	0.06	21.56	22	1.107	0.542	0.263	22.2	4
Right side	20M_QPSK 1RB_99	132322/1745	1:1	1.210	0.635	0.07	22.89	23	1.026	1.241	0.651	22.2	4
Right side	20M_QPSK 50RB_50	132322/1745	1:1	1.190	0.621	0.17	21.56	22	1.107	1.317	0.687	22.2	4
Top side	20M_QPSK 1RB_99	132322/1745	1:1	0.045	0.033	-0.12	22.89	23	1.026	0.046	0.034	22.2	4
Top side	20M_QPSK 50RB_50	132322/1745	1:1	0.032	0.025	0.12	21.56	22	1.107	0.035	0.028	22.2	4
Bottom side	20M_QPSK 1RB_99	132322/1745	1:1	0.889	0.531	0	22.89	23	1.026	0.912	0.545	22.2	4
Bottom side	20M_QPSK 50RB_50	132322/1745	1:1	0.866	0.525	-0.09	21.56	22	1.107	0.958	0.581	22.2	4
Back side	20M_QPSK 50RB_50	132072/1720	1:1	1.760	0.895	0.01	21.49	22	1.125	1.979	1.007	22.2	4
Back side	20M_QPSK 50RB_50	132572/1770	1:1	1.770	0.900	0.05	21.48	22	1.127	1.995	1.014	22.2	4
Extremity Test data at the worst case with SIM2(Separate 0mm)													
Back side	20M_QPSK 50RB_50	132322/1745	1:1	1.75	0.926		21.56	22	1.107	1.937	1.025	22.2	4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Laboratory
No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 85 of 148

7.2.14 SAR Result Of LTE Band 71

LTE Band 71 SAR Test Record													
Test position	Test mode	Test Ch./Freq.	Duty Cycle	SAR (W/kg) 1-g	SAR (W/kg) 10-g	Power Drift (dB)	Conducted power (dBm)	Tune up Limit (dBm)	Scaled factor	Scaled SAR (W/kg) 1-g	Scaled SAR (W/kg) 10-g	Liquid Temp.	SAR limit (W/kg)
Body Test data(Separate 10mm)													
Front side	20M_QPSK 1RB_0	133297/680.5	1:1	0.049	0.040	-0.07	23.00	23.5	1.122	0.055	0.044	22.2	1.6
Front side	20M_QPSK 50RB_0	133297/680.5	1:1	0.036	0.034	-0.05	22.39	22.5	1.026	0.037	0.035	22.2	1.6
Back side	20M_QPSK 1RB_0	133297/680.5	1:1	0.037	0.021	-0.16	23.00	23.5	1.122	0.041	0.024	22.2	1.6
Back side	20M_QPSK 50RB_0	133297/680.5	1:1	0.026	0.015	0.1	22.39	22.5	1.026	0.027	0.015	22.2	1.6
Left side	20M_QPSK 1RB_0	133297/680.5	1:1	0.091	0.066	0.01	23.00	23.5	1.122	0.103	0.074	22.2	1.6
Left side	20M_QPSK 50RB_0	133297/680.5	1:1	0.076	0.052	0.06	22.39	22.5	1.026	0.078	0.053	22.2	1.6
Right side	20M_QPSK 1RB_0	133297/680.5	1:1	0.021	0.010	-0.18	23.00	23.5	1.122	0.024	0.011	22.2	1.6
Right side	20M_QPSK 50RB_0	133297/680.5	1:1	0.021	0.009	0.1	22.39	22.5	1.026	0.022	0.009	22.2	1.6
Top side	20M_QPSK 1RB_0	133297/680.5	1:1	0.008	0.004	-0.14	23.00	23.5	1.122	0.009	0.004	22.2	1.6
Top side	20M_QPSK 50RB_0	133297/680.5	1:1	0.007	0.003	-0.06	22.39	22.5	1.026	0.007	0.003	22.2	1.6
Bottom side	20M_QPSK 1RB_0	133297/680.5	1:1	0.023	0.011	-0.02	23.00	23.5	1.122	0.026	0.012	22.2	1.6
Bottom side	20M_QPSK 50RB_0	133297/680.5	1:1	0.022	0.011	0.08	22.39	22.5	1.026	0.023	0.011	22.2	1.6
Left side	20M_QPSK 1RB_0	133222/673	1:1	0.085	0.059	-0.16	22.94	23.5	1.138	0.097	0.067	22.2	1.6
Left side	20M_QPSK 1RB_0	133372/688	1:1	0.082	0.057	-0.14	22.92	23.5	1.143	0.094	0.065	22.2	1.6
Body Test data at the worst case with SIM2(Separate 10mm)													
Left side	20M_QPSK 1RB_0	133297/680.5	1:1	0.086	0.01	0.03	23.00	23.5	1.122	0.096	0.011	22.2	1.6
Extremity Test data(Separate 0mm)													
Front side	20M_QPSK 1RB_0	133297/680.5	1:1	0.194	0.156	0.15	23.00	23.5	1.122	0.218	0.175	22.2	4
Front side	20M_QPSK 50RB_0	133297/680.5	1:1	0.175	0.142	-0.02	22.39	22.5	1.026	0.179	0.146	22.2	4
Back side	20M_QPSK 1RB_0	133297/680.5	1:1	0.371	0.236	0.03	23.00	23.5	1.122	0.416	0.265	22.2	4
Back side	20M_QPSK 50RB_0	133297/680.5	1:1	0.368	0.199	-0.12	22.39	22.5	1.026	0.377	0.204	22.2	4
Left side	20M_QPSK 1RB_0	133297/680.5	1:1	0.155	0.081	-0.05	23.00	23.5	1.122	0.174	0.091	22.2	4
Left side	20M_QPSK 50RB_0	133297/680.5	1:1	0.152	0.076	0.03	22.39	22.5	1.026	0.156	0.078	22.2	4
Right side	20M_QPSK 1RB_0	133297/680.5	1:1	0.083	0.038	-0.06	23.00	23.5	1.122	0.093	0.043	22.2	4
Right side	20M_QPSK 50RB_0	133297/680.5	1:1	0.082	0.034	0.18	22.39	22.5	1.026	0.084	0.035	22.2	4
Top side	20M_QPSK 1RB_0	133297/680.5	1:1	0.031	0.015	0.17	23.00	23.5	1.122	0.035	0.017	22.2	4
Top side	20M_QPSK 50RB_0	133297/680.5	1:1	0.026	0.010	0.16	22.39	22.5	1.026	0.027	0.010	22.2	4
Bottom side	20M_QPSK 1RB_0	133297/680.5	1:1	0.093	0.044	0.02	23.00	23.5	1.122	0.104	0.049	22.2	4
Bottom side	20M_QPSK 50RB_0	133297/680.5	1:1	0.088	0.042	0.13	22.39	22.5	1.026	0.090	0.043	22.2	4
Back side	20M_QPSK 1RB_0	133222/673	1:1	0.348	0.221	-0.03	22.94	23.5	1.138	0.396	0.251	22.2	4
Back side	20M_QPSK 1RB_0	133372/688	1:1	0.351	0.226	-0.13	22.92	23.5	1.143	0.401	0.258	22.2	4
Extremity Test data at the worst case with SIM2(Separate 0mm)													
Back side	20M_QPSK 1RB_0	133297/680.5	1:1	0.365	0.231	0.03	23.00	23.5	1.122	0.410	0.259	22.2	4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 86 of 148

7.2.15 SAR Result Of 2.4GHz Wi-Fi

Wi-Fi 2.4G SAR Test Record													
Test position	Test mode	Test Ch./Freq	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg)1-g	SAR (W/kg)10-g	Power drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scale d factor	Scaled SAR(W/kg)	Liqui d Temp.	SAR limit (W/kg)
Body Test data(Separate 10mm)													
Front side	802.11b	11/2462	98.57 %	1.015	0.078	0.033	-0.19	16.48	17.00	1.127	0.089	22.0	1.6
Back side	802.11b	11/2462	98.57 %	1.015	0.171	0.093	0.15	16.48	17.00	1.127	0.196	22.0	1.6
Left side	802.11b	11/2462	98.57 %	1.015	0.031	0.080	0.01	16.48	17.00	1.127	0.035	22.0	1.6
Right side	802.11b	11/2462	98.57 %	1.015	0.108	0.049	-0.03	16.48	17.00	1.127	0.124	22.0	1.6
Top side	802.11b	11/2462	98.57 %	1.015	0.064	0.035	0.03	16.48	17.00	1.127	0.073	22.0	1.6
Bottom side	802.11b	11/2462	98.57 %	1.015	0.002	0.001	0.02	16.48	17.00	1.127	0.002	22.0	1.6
Back side	802.11b	1/2412	98.89 %	1.011	0.165	0.086	0.01	16.32	17.00	1.169	0.195	22.0	1.6
Back side	802.11b	6/2437	98.89 %	1.011	0.168	0.089	0.08	16.39	17.00	1.151	0.195	22.0	1.6
Extremity Test data(Separate 0mm)													
Front side	802.11b	11/2462	98.57 %	1.015	0.334	0.145	0.02	16.48	17.00	1.127	0.166	22.0	4
Back side	802.11b	11/2462	98.57 %	1.015	0.270	0.146	0.09	16.48	17.00	1.127	0.167	22.0	4
Left side	802.11b	11/2462	98.57 %	1.015	0.063	0.018	-0.15	16.48	17.00	1.127	0.021	22.0	4
Right side	802.11b	11/2462	98.57 %	1.015	0.728	0.315	0.04	16.48	17.00	1.127	0.360	22.0	4
Top side	802.11b	11/2462	98.57 %	1.015	0.326	0.136	0.08	16.48	17.00	1.127	0.156	22.0	4
Bottom side	802.11b	11/2462	98.57 %	1.015	0.009	0.001	0.02	16.48	17.00	1.127	0.001	22.0	4
Right side	802.11b	1/2412	98.89 %	1.011	0.584	0.252	0.07	16.32	17.00	1.169	0.298	22.0	4
Right side	802.11b	6/2437	98.89 %	1.011	0.713	0.308	0.09	16.39	17.00	1.151	0.358	22.0	4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 87 of 148

7.2.16 SAR Result Of Bluetooth

Bluetooth SAR Test Record													
Test position	Test mode	Test Ch./Freq.	Duty Cycle	Duty Cycle Scaled factor	SAR (W/kg)1-g	SAR (W/kg)10-g	Power drift(dB)	Conducted power(dBm)	Tune up Limit(dBm)	Scaled factor	Scaled SAR(W/kg)	Liquid Temp.	SAR limit (W/kg)
Body Test data(Separate 10mm)													
Front side	GFSK	78/2480	78.30%	1.277	0.012	0.008	0.17	9.12	11.00	1.542	0.024	22.0	1.6
Back side	GFSK	78/2480	78.30%	1.277	0.030	0.011	0.06	9.12	11.00	1.542	0.058	22.0	1.6
Left side	GFSK	78/2480	78.30%	1.277	0.003	0.001	-0.09	9.12	11.00	1.542	0.006	22.0	1.6
Right side	GFSK	78/2480	78.30%	1.277	0.001	0.001	-0.19	9.12	11.00	1.542	0.002	22.0	1.6
Top side	GFSK	78/2480	78.30%	1.277	0.002	0.001	0.02	9.12	11.00	1.542	0.004	22.0	1.6
Bottom side	GFSK	78/2480	78.30%	1.277	0.001	0.001	0.06	9.12	11.00	1.542	0.002	22.0	1.6
Back side	GFSK	0/2402	78.22%	1.278	0.024	0.009	-0.14	7.32	9.00	1.472	0.045	22.0	1.6
Back side	GFSK	39/2441	78.30%	1.277	0.018	0.005	-0.03	8.53	10.00	1.403	0.032	22.0	1.6
Extremity Test data(Separate 0mm)													
Front side	GFSK	78/2480	78.30%	1.277	0.051	0.019	0.02	9.12	11.00	1.542	0.100	22.0	4
Back side	GFSK	78/2480	78.30%	1.277	0.074	0.028	-0.04	9.12	11.00	1.542	0.146	22.0	4
Left side	GFSK	78/2480	78.30%	1.277	0.032	0.014	0.07	9.12	11.00	1.542	0.063	22.0	4
Right side	GFSK	78/2480	78.30%	1.277	0.124	0.047	-0.07	9.12	11.00	1.542	0.244	22.0	4
Top side	GFSK	78/2480	78.30%	1.277	0.036	0.018	0.17	9.12	11.00	1.542	0.071	22.0	4
Bottom side	GFSK	78/2480	78.30%	1.277	0.010	0.008	0.17	9.12	11.00	1.542	0.020	22.0	4
Right side	GFSK	0/2402	78.22%	1.278	0.116	0.039	0.11	7.32	9.00	1.472	0.218	22.0	4
Right side	GFSK	39/2441	78.30%	1.277	0.110	0.023	0.11	8.53	10.00	1.403	0.197	22.0	4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 88 of 148

7.2.17 SAR Result Of 5G WiFi

Wi-Fi 5G SAR Test Record														
Test position	Test mode	Test Ch./Freq.	Duty Cycle %	Duty Cycle Scaled factor	SAR (W/kg) 1-g	SAR (W/kg) 1-g	Power drift (dB)	Conducted power (dBm)	Tune up Limit (dBm)	Scaled factor	Scaled SAR (W/kg) 1-g	Scaled SAR (W/kg) 10-g	Liquid Temp.	SAR limit (W/kg)
Body Test data U-NII-2A(Separate 10mm)														
Front side	802.11ac 20M	60/5300	98.17	1.019	0.159	0.073	-0.16	15.22	16	1.197	0.194	0.089	22.2	1.6
Back side	802.11ac 20M	60/5300	98.17	1.019	0.344	0.158	0.11	15.22	16	1.197	0.420	0.193	22.2	1.6
Left side	802.11ac 20M	60/5300	98.17	1.019	0.023	0.014	-0.04	15.22	16	1.197	0.028	0.017	22.2	1.6
Right side	802.11ac 20M	60/5300	98.17	1.019	0.107	0.037	-0.13	15.22	16	1.197	0.130	0.045	22.2	1.6
Top side	802.11ac 20M	60/5300	98.17	1.019	0.045	0.021	0.08	15.22	16	1.197	0.055	0.026	22.2	1.6
Bottom side	802.11ac 20M	60/5300	98.17	1.019	0.011	0.006	-0.09	15.22	16	1.197	0.013	0.007	22.2	1.6
Back side	802.11ac 20M	52/5260	98.22	1.018	0.326	0.147	-0.12	15.1	16	1.230	0.408	0.184	22.2	1.6
Back side	802.11ac 20M	64/5320	98.22	1.018	0.287	0.124	0.05	14.6	16	1.380	0.403	0.174	22.2	1.6
Extremity Test data U-NII-2A(Separate 0mm)														
Front side	802.11ac 20M	60/5300	98.17	1.019	0.662	0.434	0.07	15.22	16	1.197	0.807	0.529	22.2	4
Back side	802.11ac 20M	60/5300	98.17	1.019	0.475	0.200	-0.1	15.22	16	1.197	0.579	0.244	22.2	4
Left side	802.11ac 20M	60/5300	98.17	1.019	0.076	0.034	0.02	15.22	16	1.197	0.093	0.041	22.2	4
Right side	802.11ac 20M	60/5300	98.17	1.019	0.179	0.073	0.03	15.22	16	1.197	0.218	0.089	22.2	4
Top side	802.11ac 20M	60/5300	98.17	1.019	0.272	0.084	-0.02	15.22	16	1.197	0.332	0.103	22.2	4
Bottom side	802.11ac 20M	60/5300	98.17	1.019	0.063	0.026	0.04	15.22	16	1.197	0.077	0.032	22.2	4
Front side	802.11ac 20M	52/5260	98.22	1.018	0.723	0.410	0.18	15.1	16	1.230	0.905	0.513	22.2	4
Front side	802.11ac 20M	64/5320	98.22	1.018	0.714	0.398	-0.15	14.9	16	1.288	0.936	0.522	22.2	4
Body Test data U-NII-2C(Separate 10mm)														
Front side	802.11ac 40M	134/5670	96.56	1.036	0.157	0.070	0.12	16.24	17	1.191	0.194	0.086	22.2	1.6
Back side	802.11ac 40M	134/5670	96.56	1.036	0.571	0.296	-0.01	16.24	17	1.191	0.705	0.365	22.2	1.6
Left side	802.11ac 40M	134/5670	96.56	1.036	0.003	0.001	-0.13	16.24	17	1.191	0.004	0.001	22.2	1.6
Right side	802.11ac 40M	134/5670	96.56	1.036	0.109	0.0424	0.17	16.24	17	1.191	0.135	0.052	22.2	1.6
Top side	802.11ac 40M	134/5670	96.56	1.036	0.221	0.085	-0.15	16.24	17	1.191	0.273	0.105	22.2	1.6
Bottom side	802.11ac 40M	134/5670	96.56	1.036	0.012	0.003	0.12	16.24	17	1.191	0.015	0.004	22.2	1.6
Back side	802.11ac 40M	102/5510	96.46	1.037	0.564	0.282	0.07	15.96	17	1.271	0.743	0.372	22.2	1.6
Back side	802.11ac 40M	110/5550	96.46	1.037	0.546	0.276	-0.07	15.83	17	1.309	0.741	0.375	22.2	1.6
Extremity Test data U-NII-2C(Separate 0mm)														
Front side	802.11ac 40M	134/5670	96.56	1.036	0.365	0.167	-0.05	16.24	17	1.191	0.450	0.206	22.2	4
Back side	802.11ac 40M	134/5670	96.56	1.036	0.748	0.446	-0.19	16.24	17	1.191	0.923	0.550	22.2	4
Left side	802.11ac 40M	134/5670	96.56	1.036	0.085	0.032	-0.15	16.24	17	1.191	0.105	0.040	22.2	4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 89 of 148

Right side	802.11ac 40M	134/5670	96.56	1.036	0.638	0.172	-0.09	16.24	17	1.191	0.787	0.212	22.2	4
Top side	802.11ac 40M	134/5670	96.56	1.036	0.431	0.137	-0.08	16.24	17	1.191	0.532	0.169	22.2	4
Bottom side	802.11ac 40M	134/5670	96.56	1.036	0.056	0.027	0.04	16.24	17	1.191	0.069	0.033	22.2	4
Back side	802.11ac 40M	102/5510	96.46	1.037	0.689	0.432	-0.04	15.96	17	1.271	0.908	0.569	22.2	4
Back side	802.11ac 40M	110/5550	96.46	1.037	0.673	0.409	-0.12	15.83	17	1.309	0.914	0.555	22.2	4
Body Test data U-NII-3(Separate 10mm)														
Front side	802.11ac 40M	151/5755	96.44	1.037	0.061	0.001	0.07	16.36	17	1.159	0.074	0.001	22.2	1.6
Back side	802.11ac 40M	151/5755	96.44	1.037	0.255	0.071	-0.06	16.36	17	1.159	0.306	0.085	22.2	1.6
Left side	802.11ac 40M	151/5755	96.44	1.037	0.068	0.026	0.13	16.36	17	1.159	0.082	0.031	22.2	1.6
Right side	802.11ac 40M	151/5755	96.44	1.037	0.15	0.039	0.19	16.36	17	1.159	0.180	0.047	22.2	1.6
Top side	802.11ac 40M	151/5755	96.44	1.037	0.132	0.035	-0.04	16.36	17	1.159	0.159	0.042	22.2	1.6
Bottom side	802.11ac 40M	151/5755	96.44	1.037	0.032	0.015	-0.13	16.36	17	1.159	0.038	0.018	22.2	1.6
Back side	802.11ac 40M	159/5795	96.44	1.037	0.241	0.062	0.02	16.24	17	1.191	0.298	0.077	22.2	1.6
Extremity Test data U-NII-3(Separate 0mm)														
Front side	802.11ac 40M	151/5755	96.44	1.037	0.182	0.093	-0.02	16.36	17	1.159	0.219	0.112	22.2	4
Back side	802.11ac 40M	151/5755	96.44	1.037	0.76	0.416	0.18	16.36	17	1.159	0.913	0.500	22.2	4
Left side	802.11ac 40M	151/5755	96.44	1.037	0.202	0.0646	0.15	16.36	17	1.159	0.243	0.078	22.2	4
Right side	802.11ac 40M	151/5755	96.44	1.037	0.636	0.3	-0.05	16.36	17	1.159	0.764	0.360	22.2	4
Top side	802.11ac 40M	151/5755	96.44	1.037	0.494	0.139	0.18	16.36	17	1.159	0.594	0.167	22.2	4
Bottom side	802.11ac 40M	151/5755	96.44	1.037	0.012	0.006	0.1	16.36	17	1.159	0.014	0.007	22.2	4
Back side	802.11ac 40M	159/5795	96.44	1.037	0.69	0.339	0.13	16.24	17	1.191	0.852	0.419	22.2	4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

7.3 Multiple Transmitter Evaluation

7.3.1 Simultaneous SAR SAR test evaluation

Simultaneous Transmission

NO.	Simultaneous Transmission Configuration	Body	Extremity
1	WWAN + WIFI 2.4GHz	Yes	Yes
2	WWAN + 5GHz	Yes	Yes
3	WWAN + BT	Yes	Yes

Simultaneous Transmission SAR Summation Scenario for Extremity

WWAN Band	Exposure position	①MAX. WWAN SAR (W/kg)	②MAX. WLAN2.4G SAR (W/kg)	③MAX. WLAN 5G (W/kg)	④MAX. BT SAR (W/kg)	Summed SAR ①+②	Summed SAR ①+③	Summed SAR ①+④	Volume scan
LTE Band 2	Front side	0.086	0.089	0.194	0.024	0.175	0.280	0.110	NO
	Back side	0.233	0.196	0.743	0.058	0.429	0.976	0.291	NO
	Left side	0.062	0.035	0.082	0.006	0.097	0.144	0.068	NO
	Right side	0.162	0.124	0.180	0.002	0.286	0.342	0.164	NO
	Top side	0.034	0.073	0.273	0.004	0.107	0.307	0.038	NO
	Bottom side	0.105	0.002	0.038	0.002	0.107	0.143	0.107	NO
LTE Band 4	Front side	0.170	0.089	0.194	0.024	0.259	0.364	0.194	NO
	Back side	0.726	0.196	0.743	0.058	0.922	1.469	0.784	NO
	Left side	0.160	0.035	0.082	0.006	0.195	0.242	0.166	NO
	Right side	0.348	0.124	0.180	0.002	0.472	0.528	0.350	NO
	Top side	0.069	0.073	0.273	0.004	0.142	0.342	0.073	NO
	Bottom side	0.386	0.002	0.038	0.002	0.388	0.424	0.388	NO
LTE Band 5	Front side	0.123	0.089	0.194	0.024	0.212	0.317	0.147	NO
	Back side	0.396	0.196	0.743	0.058	0.592	1.139	0.454	NO
	Left side	0.049	0.035	0.082	0.006	0.084	0.131	0.055	NO
	Right side	0.068	0.124	0.180	0.002	0.192	0.248	0.070	NO
	Top side	0.011	0.073	0.273	0.004	0.084	0.284	0.015	NO
	Bottom side	0.198	0.002	0.038	0.002	0.200	0.236	0.200	NO
LTE Band 7	Front side	0.046	0.089	0.194	0.024	0.135	0.240	0.070	NO
	Back side	0.613	0.196	0.743	0.058	0.809	1.356	0.671	NO
	Left side	0.052	0.035	0.082	0.006	0.087	0.134	0.058	NO
	Right side	0.180	0.124	0.180	0.002	0.304	0.360	0.182	NO
	Top side	0.035	0.073	0.273	0.004	0.108	0.308	0.039	NO
	Bottom side	0.254	0.002	0.038	0.002	0.256	0.292	0.256	NO
LTE Band 12	Front side	0.098	0.089	0.194	0.024	0.187	0.292	0.122	NO
	Back side	0.157	0.196	0.743	0.058	0.353	0.900	0.215	NO
	Left side	0.080	0.035	0.082	0.006	0.115	0.162	0.086	NO
	Right side	0.129	0.124	0.180	0.002	0.253	0.309	0.131	NO
	Top side	0.026	0.073	0.273	0.004	0.099	0.299	0.030	NO
	Bottom side	0.067	0.002	0.038	0.002	0.069	0.105	0.069	NO



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 91 of 148

LTE Band 13	Front side	0.107	0.089	0.194	0.024	0.196	0.301	0.131	NO
	Back side	0.228	0.196	0.743	0.058	0.424	0.971	0.286	NO
	Left side	0.116	0.035	0.082	0.006	0.151	0.198	0.122	NO
	Right side	0.075	0.124	0.180	0.002	0.199	0.255	0.077	NO
	Top side	0.012	0.073	0.273	0.004	0.085	0.285	0.016	NO
	Bottom side	0.117	0.002	0.038	0.002	0.119	0.155	0.119	NO
LTE Band 14	Front side	0.126	0.089	0.194	0.024	0.215	0.320	0.150	NO
	Back side	0.216	0.196	0.743	0.058	0.412	0.959	0.274	NO
	Left side	0.153	0.035	0.082	0.006	0.188	0.235	0.159	NO
	Right side	0.081	0.124	0.180	0.002	0.205	0.261	0.083	NO
	Top side	0.024	0.073	0.273	0.004	0.097	0.297	0.028	NO
	Bottom side	0.110	0.002	0.038	0.002	0.112	0.148	0.112	NO
LTE Band 17	Front side	0.114	0.089	0.194	0.024	0.203	0.308	0.138	NO
	Back side	0.164	0.196	0.743	0.058	0.360	0.907	0.222	NO
	Left side	0.096	0.035	0.082	0.006	0.131	0.178	0.102	NO
	Right side	0.135	0.124	0.180	0.002	0.259	0.315	0.137	NO
	Top side	0.023	0.073	0.273	0.004	0.096	0.296	0.027	NO
	Bottom side	0.054	0.002	0.038	0.002	0.056	0.092	0.056	NO
LTE Band 25	Front side	0.212	0.089	0.194	0.024	0.301	0.406	0.236	NO
	Back side	0.457	0.196	0.743	0.058	0.653	1.200	0.515	NO
	Left side	0.148	0.035	0.082	0.006	0.183	0.230	0.154	NO
	Right side	0.441	0.124	0.180	0.002	0.565	0.621	0.443	NO
	Top side	0.023	0.073	0.273	0.004	0.096	0.296	0.027	NO
	Bottom side	0.292	0.002	0.038	0.002	0.294	0.330	0.294	NO
LTE Band 26a	Front side	0.102	0.089	0.194	0.024	0.191	0.296	0.126	NO
	Back side	0.428	0.196	0.743	0.058	0.624	1.171	0.486	NO
	Left side	0.190	0.035	0.082	0.006	0.225	0.272	0.196	NO
	Right side	0.064	0.124	0.180	0.002	0.188	0.244	0.066	NO
	Top side	0.011	0.073	0.273	0.004	0.084	0.284	0.015	NO
	Bottom side	0.193	0.002	0.038	0.002	0.195	0.231	0.195	NO
LTE Band 26b	Front side	0.096	0.089	0.194	0.024	0.185	0.290	0.120	NO
	Back side	0.404	0.196	0.743	0.058	0.600	1.147	0.462	NO
	Left side	0.183	0.035	0.082	0.006	0.218	0.265	0.189	NO
	Right side	0.060	0.124	0.180	0.002	0.184	0.240	0.062	NO
	Top side	0.025	0.073	0.273	0.004	0.098	0.298	0.029	NO
	Bottom side	0.185	0.002	0.038	0.002	0.187	0.223	0.187	NO
LTE Band 41	Front side	0.012	0.089	0.194	0.024	0.101	0.206	0.036	NO
	Back side	0.125	0.196	0.743	0.058	0.321	0.868	0.183	NO
	Left side	0.016	0.035	0.082	0.006	0.051	0.098	0.022	NO
	Right side	0.075	0.124	0.180	0.002	0.199	0.255	0.077	NO
	Top side	0.014	0.073	0.273	0.004	0.087	0.287	0.018	NO
	Bottom side	0.074	0.002	0.038	0.002	0.076	0.112	0.076	NO
LTE Band 66	Front side	0.163	0.089	0.194	0.024	0.252	0.357	0.187	NO
	Back side	0.758	0.196	0.743	0.058	0.954	1.501	0.816	NO
	Left side	0.152	0.035	0.082	0.006	0.187	0.234	0.158	NO
	Right side	0.393	0.124	0.180	0.002	0.517	0.573	0.395	NO
	Top side	0.003	0.073	0.273	0.004	0.076	0.276	0.007	NO



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 92 of 148

	Bottom side	0.373	0.002	0.038	0.002	0.375	0.411	0.375	NO
LTE Band 71	Front side	0.055	0.089	0.194	0.024	0.144	0.249	0.079	NO
	Back side	0.041	0.196	0.743	0.058	0.237	0.784	0.099	NO
	Left side	0.103	0.035	0.082	0.006	0.138	0.185	0.109	NO
	Right side	0.024	0.124	0.180	0.002	0.148	0.204	0.026	NO
	Top side	0.009	0.073	0.273	0.004	0.082	0.282	0.013	NO
	Bottom side	0.026	0.002	0.038	0.002	0.028	0.064	0.028	NO

Simultaneous Transmission SAR Summation Scenario for Extremity

WWAN Band	Exposure position	①MAX. WWAN SAR (W/kg)	②MAX. WLAN2.4G SAR (W/kg)	③MAX. WLAN 5G (W/kg)	④MAX. BT SAR (W/kg)	Summed SAR ①+②	Summed SAR ①+③	Summed SAR ①+④	Volume scan
LTE Band 2	Front side	0.189	0.166	0.529	0.100	0.355	0.718	0.289	NO
	Back side	0.321	0.167	0.569	0.146	0.488	0.890	0.467	NO
	Left side	0.114	0.021	0.078	0.063	0.135	0.192	0.177	NO
	Right side	0.369	0.360	0.360	0.244	0.729	0.729	0.613	NO
	Top side	0.037	0.156	0.169	0.071	0.193	0.206	0.108	NO
	Bottom side	0.204	0.001	0.033	0.020	0.205	0.237	0.224	NO
LTE Band 4	Front side	0.457	0.166	0.529	0.100	0.623	0.986	0.557	NO
	Back side	1.116	0.167	0.569	0.146	1.283	1.685	1.262	NO
	Left side	0.208	0.021	0.078	0.063	0.229	0.286	0.271	NO
	Right side	0.702	0.360	0.360	0.244	1.062	1.062	0.946	NO
	Top side	0.056	0.156	0.169	0.071	0.212	0.225	0.127	NO
	Bottom side	0.555	0.001	0.033	0.020	0.556	0.588	0.575	NO
LTE Band 5	Front side	0.229	0.166	0.529	0.100	0.395	0.758	0.329	NO
	Back side	0.522	0.167	0.569	0.146	0.689	1.091	0.668	NO
	Left side	0.501	0.021	0.078	0.063	0.522	0.579	0.564	NO
	Right side	0.105	0.360	0.360	0.244	0.465	0.465	0.349	NO
	Top side	0.015	0.156	0.169	0.071	0.171	0.184	0.086	NO
	Bottom side	0.450	0.001	0.033	0.020	0.451	0.483	0.470	NO
LTE Band 7	Front side	0.188	0.166	0.529	0.100	0.354	0.717	0.288	NO
	Back side	0.903	0.167	0.569	0.146	1.070	1.472	1.049	NO
	Left side	0.058	0.021	0.078	0.063	0.079	0.136	0.121	NO
	Right side	0.440	0.360	0.360	0.244	0.800	0.800	0.684	NO
	Top side	0.050	0.156	0.169	0.071	0.206	0.219	0.121	NO
	Bottom side	0.755	0.001	0.033	0.020	0.756	0.788	0.775	NO
LTE Band 12	Front side	0.116	0.166	0.529	0.100	0.282	0.645	0.216	NO
	Back side	0.306	0.167	0.569	0.146	0.473	0.875	0.452	NO
	Left side	0.137	0.021	0.078	0.063	0.158	0.215	0.200	NO
	Right side	0.067	0.360	0.360	0.244	0.427	0.427	0.311	NO
	Top side	0.018	0.156	0.169	0.071	0.174	0.187	0.089	NO
	Bottom side	0.184	0.001	0.033	0.020	0.185	0.217	0.204	NO
LTE Band 13	Front side	0.198	0.166	0.529	0.100	0.364	0.727	0.298	NO
	Back side	0.528	0.167	0.569	0.146	0.695	1.097	0.674	NO
	Left side	0.412	0.021	0.078	0.063	0.433	0.490	0.475	NO
	Right side	0.100	0.360	0.360	0.244	0.460	0.460	0.344	NO
	Top side	0.013	0.156	0.169	0.071	0.169	0.182	0.084	NO
	Bottom side	0.458	0.001	0.033	0.020	0.459	0.491	0.478	NO



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 93 of 148

LTE Band 14	Front side	0.185	0.166	0.529	0.100	0.351	0.714	0.285	NO
	Back side	0.475	0.167	0.569	0.146	0.642	1.044	0.621	NO
	Left side	0.376	0.021	0.078	0.063	0.397	0.454	0.439	NO
	Right side	0.096	0.360	0.360	0.244	0.456	0.456	0.340	NO
	Top side	0.017	0.156	0.169	0.071	0.173	0.186	0.088	NO
	Bottom side	0.399	0.001	0.033	0.020	0.400	0.432	0.419	NO
LTE Band 17	Front side	0.108	0.166	0.529	0.100	0.274	0.637	0.208	NO
	Back side	0.242	0.167	0.569	0.146	0.409	0.811	0.388	NO
	Left side	0.132	0.021	0.078	0.063	0.153	0.210	0.195	NO
	Right side	0.071	0.360	0.360	0.244	0.431	0.431	0.315	NO
	Top side	0.023	0.156	0.169	0.071	0.179	0.192	0.094	NO
	Bottom side	0.182	0.001	0.033	0.020	0.183	0.215	0.202	NO
LTE Band 25	Front side	0.542	0.166	0.529	0.100	0.708	1.071	0.642	NO
	Back side	0.886	0.167	0.569	0.146	1.053	1.455	1.032	NO
	Left side	0.363	0.021	0.078	0.063	0.384	0.441	0.426	NO
	Right side	0.917	0.360	0.360	0.244	1.277	1.277	1.161	NO
	Top side	0.036	0.156	0.169	0.071	0.192	0.205	0.107	NO
	Bottom side	0.543	0.001	0.033	0.020	0.544	0.576	0.563	NO
LTE Band 26a	Front side	0.198	0.166	0.529	0.100	0.364	0.727	0.298	NO
	Back side	0.500	0.167	0.569	0.146	0.667	1.069	0.646	NO
	Left side	0.362	0.021	0.078	0.063	0.383	0.440	0.425	NO
	Right side	0.096	0.360	0.360	0.244	0.456	0.456	0.340	NO
	Top side	0.015	0.156	0.169	0.071	0.171	0.184	0.086	NO
	Bottom side	0.430	0.001	0.033	0.020	0.431	0.463	0.450	NO
LTE Band 26b	Front side	0.190	0.166	0.529	0.100	0.356	0.719	0.290	NO
	Back side	0.486	0.167	0.569	0.146	0.653	1.055	0.632	NO
	Left side	0.350	0.021	0.078	0.063	0.371	0.428	0.413	NO
	Right side	0.091	0.360	0.360	0.244	0.451	0.451	0.335	NO
	Top side	0.025	0.156	0.169	0.071	0.181	0.194	0.096	NO
	Bottom side	0.417	0.001	0.033	0.020	0.418	0.450	0.437	NO
LTE Band 41	Front side	0.051	0.166	0.529	0.100	0.217	0.580	0.151	NO
	Back side	0.211	0.167	0.569	0.146	0.378	0.780	0.357	NO
	Left side	0.011	0.021	0.078	0.063	0.032	0.089	0.074	NO
	Right side	0.113	0.360	0.360	0.244	0.473	0.473	0.357	NO
	Top side	0.017	0.156	0.169	0.071	0.173	0.186	0.088	NO
	Bottom side	0.198	0.001	0.033	0.020	0.199	0.231	0.218	NO
LTE Band 66	Front side	0.421	0.166	0.529	0.100	0.587	0.950	0.521	NO
	Back side	1.030	0.167	0.569	0.146	1.197	1.599	1.176	NO
	Left side	0.263	0.021	0.078	0.063	0.284	0.341	0.326	NO
	Right side	0.687	0.360	0.360	0.244	1.047	1.047	0.931	NO
	Top side	0.034	0.156	0.169	0.071	0.190	0.203	0.105	NO
	Bottom side	0.581	0.001	0.033	0.020	0.582	0.614	0.601	NO
LTE Band 71	Front side	0.175	0.166	0.529	0.100	0.341	0.704	0.275	NO
	Back side	0.265	0.167	0.569	0.146	0.432	0.834	0.411	NO
	Left side	0.091	0.021	0.078	0.063	0.112	0.169	0.154	NO
	Right side	0.043	0.360	0.360	0.244	0.403	0.403	0.287	NO
	Top side	0.017	0.156	0.169	0.071	0.173	0.186	0.088	NO
	Bottom side	0.049	0.001	0.033	0.020	0.050	0.082	0.069	NO



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 94 of 148

8 Equipment list

Test Platform		SPEAG DASY5 Professional				
Location		SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch				
Software Reference		DASY52 52.8.4(1052); SEMCAD X 14.6.8(7028)				
Hardware Reference						
Equipment		Manufacturer	Model	Serial Number	Calibration Date	Due date of calibration
☒	P C	DELL	Core(TM)i3-6100 3.7GHz	7LLVLG2	N/A	N/A
☒	Signal Generator	Agilent	N5173B	MY53270267	2022/07/12	2023/07/11
☒	S-Parameter Network Analyzer	Agilent	E5071C	MY46527453	2022/06/21	2023/06/20
☒	DAK-3.5 probe	SPEAG	DAK-3.5	1102	N/A	N/A
☒	Power sensor	KEYSIGHT	U2021XA	MY57110007	2022/07/12	2023/7/11
☒	universal Radio communication tester	R&S	CMW500	154501	2023/03/20	2024/03/19
☒	DAE	SPEAG	DAE4	760	2022/06/06	2023/06/05
☒	E-field PROBE	SPEAG	EX3DV4	3836	2022/06/27	2023/06/26
☒	Dipole	SPEAG	D750V3	1188	2022/03/29	2025/03/28
☒	Dipole	SPEAG	D835V2	4d042	2022/06/8	2025/06/07
☒	Dipole	SPEAG	D1800V2	254	2022/06/16	2025/06/15
☒	Dipole	SPEAG	D1900V2	5d136	2022/06/07	2025/06/06
☒	Dipole	SPEAG	D2450V2	955	2022/06/06	2025/06/05
☒	Dipole	SPEAG	D2600V2	1158	2022/03/31	2025/03/30
☒	Dipole	SPEAG	D5GHzV2	1042	2022/06/01	2025/05/31
☒	Electro Thermometer	MITIR	N/A	N/A	2022/06/02	2023/06/01
☒	Amplifier	Mini-circuits	ZVE-3W-83+	857501833	N/A	N/A
☒	Amplifier	Mini-circuits	ZHL-42W	A0950002	N/A	N/A
☒	3db ATTENUATOR	SHX	SMA-3dB-6G	12021302	N/A	N/A
☒	DUMMY PROBE	SPEAG	DP_2	SPDP2001AA	N/A	N/A
☒	Dual Directional Coupler	Agilent	772D	MY46151275	N/A	N/A
☒	SAM PHANTOM (ELI4 v4.0)	SPEAG	QDOVA001BB	1102	N/A	N/A
☒	ELI V8.0	SPEAG	QDOVA004AA	2062	N/A	N/A
☒	Twin SAM Phantom	SPEAG	QD000P40CD	1673	N/A	N/A
	Twin Phantom	SPEAG	QD000P40CB	1438	N/A	N/A
☒	ROBOT KRC	SPEAG	CS8	SP1/D/211/421/00	N/A	N/A
☒	LIQUID CALIBRATION KIT	ANTENNESSA	41/05 OCP9	00425167	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 95 of 148

Note: All the equipments are within the valid period when the tests are performed.

All measurement facilities used to collect the measurement data are located at

☒ No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China. 518057.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

9 Calibration certificate

Please see the Appendix C

10 Photographs

Please see the Appendix D



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 97 of 148

Appendix A: Detailed System Check Results



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 98 of 148

Date: 2023/4/24

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

System Performance Check 750 MHz Head

DUT: Dipole 750 MHz; Type: D750V3; Serial: 1188

Communication System: CW (0); Frequency: 750 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 750 \text{ MHz}$; $\sigma = 0.902 \text{ S/m}$; $\epsilon_r = 42.012$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(9.28, 9.28, 9.28); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM2; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Configuration/d=15mm, Pin=250mW/Area Scan (6x14x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 5.17 W/kg


Configuration/d=15mm, Pin=250mW/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 64.340 V/m; Power Drift = 0.06 dB

Peak SAR (extrapolated) = 7.16 W/kg

SAR(1 g) = 2.06 W/kg; SAR(10 g) = 1.36 W/kg

Maximum value of SAR (measured) = 5.37 W/kg



0 dB = 5.37 W/kg = 7.30 dBW/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 99 of 148

Date: 2023/4/27

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

System Performance Check-D835

DUT: Dipole 835 MHz; Type: D835V2; Serial:4d042

Communication System: CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.916 \text{ S/m}$; $\epsilon_r = 42.052$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(8.99, 8.99, 8.99); Calibrated: 2022/6/27;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM2; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

System Performance Check at Frequencies Low 1 GHz/d=15mm, Pin=250 mW, dist=3.0mm (EX-Probe)/Area Scan (7x12x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 3.35 W/kg


System Performance Check at Frequencies Low 1 GHz/d=15mm, Pin=250 mW, dist=3.0mm (EX-Probe)/Zoom Scan (7x7x7) (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 62.474 V/m; Power Drift = -0.09 dB

Peak SAR (extrapolated) = 3.65 W/kg

SAR(1 g) = 2.36 W/kg; SAR(10 g) = 1.58 W/kg

Maximum value of SAR (measured) = 3.10 W/kg



0 dB = 3.10 W/kg = 4.91 dBW/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 100 of 148

Date: 2023/5/4

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

System Performance Check-D1800

DUT: Dipole 1800 MHz; Type: D1800V2; Serial:254

Communication System: CW; Frequency: 1800 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 1800 \text{ MHz}$; $\sigma = 1.383 \text{ S/m}$; $\epsilon_r = 39.873$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(8.02, 8.02, 8.02); Calibrated: 2022/6/27;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM2; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

System Performance Check at Frequencies above 1 GHz/d=10mm, Pin=250 mW, dist=3.0mm (EX-Probe)/Area Scan (7x7x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 11.1 W/kg


System Performance Check at Frequencies above 1 GHz/d=10mm, Pin=250 mW, dist=3.0mm (EX-Probe)/Zoom Scan (7x7x7) (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 106.1 V/m; Power Drift = 0.03 dB

Peak SAR (extrapolated) = 20.1 W/kg

SAR(1 g) = 9.88 W/kg; SAR(10 g) = 5.19 W/kg

Maximum value of SAR (measured) = 15.6 W/kg



0 dB = 15.6 W/kg = 11.93 dBW/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 101 of 148

Date: 2023/5/6

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

System Performance Check 1900 MHz

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d136

Communication System: CW (0); Frequency: 1900 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 1900 \text{ MHz}$; $\sigma = 1.41 \text{ S/m}$; $\epsilon_r = 39.665$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASYS (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(7.65, 7.65, 7.65); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM2; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASYS2, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/d=10mm, Pin=250mW/Area Scan (5x7x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 10.0 W/kg


Body/d=10mm, Pin=250mW/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 75.458 V/m; Power Drift = 0.05 dB

Peak SAR (extrapolated) = 20.1 W/kg

SAR(1 g) = 10.1 W/kg; SAR(10 g) = 5.19 W/kg

Maximum value of SAR (measured) = 13.5 W/kg



0 dB = 13.5 W/kg = 11.30 dBW/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 102 of 148

Date: 2023/4/18

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

System Performance Check 2450MHz

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: 955

Communication System: CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 2450 \text{ MHz}$; $\sigma = 1.817 \text{ S/m}$; $\epsilon_r = 39.995$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(7.27, 7.27, 7.27); Calibrated: 2022/6/27;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM2; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/d=10mm, Pin=250mW/Area Scan (8x8x1): Measurement grid: dx=12mm, dy=12mm

Maximum value of SAR (measured) = 19.9 W/kg


Body/d=10mm, Pin=250mW/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 118.4 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 45.1 W/kg

SAR(1 g) = 13.1 W/kg; SAR(10 g) = 6.12 W/kg

Maximum value of SAR (measured) = 36.9 W/kg



0 dB = 36.9 W/kg = 15.67 dBW/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 103 of 148

Date: 2023/04/22

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

System Performance Check 2600MHz

DUT: Dipole 2600 MHz; Type: D2600V2; Serial: 1158

Communication System: CW (0); Frequency: 2600 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 2600 \text{ MHz}$; $\sigma = 1.967 \text{ S/m}$; $\epsilon_r = 39.725$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(6.99, 6.99, 6.99); Calibrated: 2022/6/27;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM2; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/d=10mm, Pin=250mW/Area Scan (5x8x1): Measurement grid: dx=12mm, dy=12mm

Maximum value of SAR (measured) = 25.4 W/kg


Body/d=10mm, Pin=250mW/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 97.696 V/m; Power Drift = -0.10 dB

Peak SAR (extrapolated) = 36.8 W/kg

SAR(1 g) = 14.4 W/kg; SAR(10 g) = 6.33 W/kg

Maximum value of SAR (measured) = 29.6 W/kg



0 dB = 29.6 W/kg = 14.71 dBW/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Test Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 104 of 148

Date: 2023/4/19

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

System Performance Check 5.25GHz

DUT: Dipole D5GHzV2; Type: D5GHzV2; Serial: 1042

Communication System: CW (0); Frequency: 5250 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5250$ MHz; $\sigma = 4.659$ S/m; $\epsilon_r = 35.855$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(5.26, 5.26, 5.26); Calibrated: 2022/6/27;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM2; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/d=10mm, Pin=100mW, f=5250 MHz/Area Scan (8x11x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 24.4 W/kg


Body/d=10mm, Pin=100mW, f=5250 MHz/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 89.135 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 51.8 W/kg

SAR(1 g) = 7.73 W/kg; SAR(10 g) = 2.16 W/kg

Maximum value of SAR (measured) = 32.6 W/kg



0 dB = 32.6 W/kg = 15.13 dBW/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 105 of 148

Date: 2023/4/20

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

System Performance Check 5.6GHz

DUT: Dipole D5GHzV2; Type: D5GHzV2; Serial: 1042

Communication System: CW (0); Frequency: 5600 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5600 \text{ MHz}$; $\sigma = 5.038 \text{ S/m}$; $\epsilon_r = 34.807$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(4.7, 4.7, 4.7); Calibrated: 2022/6/27;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM2; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/d=10mm, Pin=100mW, f=5600 MHz/Area Scan (8x11x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 26.3 W/kg


Body/d=10mm, Pin=100mW, f=5600 MHz/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 88.312 V/m; Power Drift = -0.17 dB

Peak SAR (extrapolated) = 57.2 W/kg

SAR(1 g) = 8.33 W/kg; SAR(10 g) = 2.41 W/kg

Maximum value of SAR (measured) = 34.8 W/kg



0 dB = 34.8 W/kg = 15.42 dBW/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 106 of 148

Date: 2023/4/21

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

System Performance Check 5.75GHz

DUT: Dipole D5GHzV2; Type: D5GHzV2; Serial: 1042

Communication System: CW (0); Frequency: 5750 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5750 \text{ MHz}$; $\sigma = 5.229 \text{ S/m}$; $\epsilon_r = 34.406$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(4.78, 4.78, 4.78); Calibrated: 2022/6/27;
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM2; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/d=10mm, Pin=100mW, f=5750 MHz/Area Scan (8x11x1): Measurement grid: dx=10mm, dy=10mm

Maximum value of SAR (measured) = 26.8 W/kg


Body/d=10mm, Pin=100mW, f=5750 MHz/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm

Reference Value = 84.473 V/m; Power Drift = -0.12 dB

Peak SAR (extrapolated) = 56.7 W/kg

SAR(1 g) = 8.14 W/kg; SAR(10 g) = 2.33 W/kg

Maximum value of SAR (measured) = 32.9 W/kg



0 dB = 32.9 W/kg = 15.17 dBW/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Test & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 107 of 148

Appendix B: Detailed Test Results



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 108 of 148

Date: 2023/5/6

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 2 20M_QPSK 1RB_0 Back side 10mm Ch18900

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 1880 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 1880 \text{ MHz}$; $\sigma = 1.417 \text{ S/m}$; $\epsilon_r = 40.165$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(7.65, 7.65, 7.65); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Maximum value of SAR (measured) = 0.257 W/kg


Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 4.874 V/m; Power Drift = 0.03 dB

Peak SAR (extrapolated) = 0.350 W/kg

SAR(1 g) = 0.213 W/kg; SAR(10 g) = 0.113 W/kg

Maximum value of SAR (measured) = 0.260 W/kg



0 dB = 0.260 W/kg = -5.85 dBW/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Inspection & Testing Services Laboratory
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 109 of 148

Date: 2023/5/6

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 2 20M_QPSK 1RB_0 Right Side 0mm Ch18900

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 1880 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 1880 \text{ MHz}$; $\sigma = 1.417 \text{ S/m}$; $\epsilon_r = 40.165$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(7.65, 7.65, 7.65); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (6x15x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Maximum value of SAR (measured) = 0.952 W/kg


Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 8.962 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 1.43 W/kg

SAR(1 g) = 0.703 W/kg; SAR(10 g) = 0.337 W/kg

Maximum value of SAR (measured) = 0.999 W/kg



0 dB = 0.999 W/kg = -0.00 dBW/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 110 of 148

Date: 2023/5/4

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 4 20M_QPSK 1RB_50 Back side 10mm Ch20175

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 1732.5 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 1732.5 \text{ MHz}$; $\sigma = 1.357 \text{ S/m}$; $\epsilon_r = 40.374$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(8.02, 8.02, 8.02); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Maximum value of SAR (measured) = 0.658 W/kg


Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 8.841 V/m; Power Drift = -0.16 dB

Peak SAR (extrapolated) = 1.16 W/kg

SAR(1 g) = 0.670 W/kg; SAR(10 g) = 0.383 W/kg

Maximum value of SAR (measured) = 0.821 W/kg



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 111 of 148

0 dB = 0.821 W/kg = -0.86 dBW/kg

Date: 2023/5/4

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 4 20M_QPSK 1RB_50 Back side 0mm Ch20175

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 1732.5 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 1732.5$ MHz; $\sigma = 1.357$ S/m; $\epsilon_r = 40.374$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(8.02, 8.02, 8.02); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 2.35 W/kg

Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.533 V/m; Power Drift = -0.07 dB

Peak SAR (extrapolated) = 4.04 W/kg

SAR(1 g) = 2.05 W/kg; SAR(10 g) = 1.03 W/kg

Maximum value of SAR (measured) = 2.70 W/kg




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



0 dB = 2.70 W/kg = 4.31 dBW/kg

Date: 2023/4/27

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 5 10M_QPSK 1RB_0 Back side 10mm Ch20525

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 836.5 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 836.5$ MHz; $\sigma = 0.929$ S/m; $\epsilon_r = 42.255$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(8.99, 8.99, 8.99); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 0.415 W/kg

Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 9.041 V/m; Power Drift = 0.05 dB

Peak SAR (extrapolated) = 0.635 W/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SAR(1 g) = 0.361 W/kg; SAR(10 g) = 0.204 W/kg

Maximum value of SAR (measured) = 0.451 W/kg



0 dB = 0.451 W/kg = -3.46 dBW/kg

Date: 2023/4/27

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 5 10M_QPSK 25RB_0 Back side 0mm Ch20450

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 829 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 829$ MHz; $\sigma = 0.931$ S/m; $\epsilon_r = 42.262$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(8.99, 8.99, 8.99); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 1.10 W/kg

Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 19.283 V/m; Power Drift = 0.01 dB



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Peak SAR (extrapolated) = 1.74 W/kg

SAR(1 g) = 0.871 W/kg; SAR(10 g) = 0.453 W/kg

Maximum value of SAR (measured) = 1.05 W/kg



0 dB = 1.05 W/kg = 0.21 dBW/kg

Date: 2023/4/22

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 7 20M_QPSK 50RB_0 Back side 10mm Ch20850

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 2510 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 2510$ MHz; $\sigma = 1.885$ S/m; $\epsilon_r = 39.214$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(7.27, 7.27, 7.27); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (10x18x1): Measurement grid: dx=12mm, dy=12mm

Maximum value of SAR (measured) = 0.626 W/kg

Body/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201


Page: 115 of 148

Reference Value = 6.294 V/m; Power Drift = 0.09 dB

Peak SAR (extrapolated) = 0.976 W/kg

SAR(1 g) = 0.486 W/kg; SAR(10 g) = 0.242 W/kg

Maximum value of SAR (measured) = 0.641 W/kg



0 dB = 0.641 W/kg = -1.93 dBW/kg

Date: 2023/4/22

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 7 20M_QPSK 50RB_0 Back side 0mm Ch20850

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 2510 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 2510$ MHz; $\sigma = 1.885$ S/m; $\epsilon_r = 39.214$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(7.27, 7.27, 7.27); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (10x18x1): Measurement grid: dx=12mm, dy=12mm

Maximum value of SAR (measured) = 1.81 W/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)


Body/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 6.226 V/m; Power Drift = 0.08 dB

Peak SAR (extrapolated) = 3.26 W/kg

SAR(1 g) = 1.45 W/kg; SAR(10 g) = 0.716 W/kg

Maximum value of SAR (measured) = 2.05 W/kg



0 dB = 2.05 W/kg = 3.12 dBW/kg

Date: 2023/4/24

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 12 10M_QPSK 1RB_0 Back side 10mm Ch23060

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 704 MHz; Duty Cycle: 1:1

Medium parameters used: f = 704 MHz; $\sigma = 0.909$ S/m; $\epsilon_r = 42.653$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(9.28, 9.28, 9.28); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 0.152 W/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 12.651 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 0.175 W/kg

SAR(1 g) = 0.140 W/kg; SAR(10 g) = 0.110 W/kg

Maximum value of SAR (measured) = 0.153 W/kg



0 dB = 0.153 W/kg = -8.15 dBW/kg

Date: 2023/4/24

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 12 10M_QPSK 1RB_0 Back side 0mm Ch23060

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 704 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 704 \text{ MHz}$; $\sigma = 0.912 \text{ S/m}$; $\epsilon_r = 42.658$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(9.28, 9.28, 9.28); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Services Laboratory

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 118 of 148

Maximum value of SAR (measured) = 0.543 W/kg


Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 15.469 V/m; Power Drift = -0.10 dB

Peak SAR (extrapolated) = 1.09 W/kg

SAR(1 g) = 0.487 W/kg; SAR(10 g) = 0.273 W/kg

Maximum value of SAR (measured) = 0.631 W/kg



0 dB = 0.631 W/kg = -2.00 dBW/kg

Date: 2023/4/24

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 13 10M_QPSK 1RB_0 Back side 10mm Ch23230

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 782 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 782 \text{ MHz}$; $\sigma = 0.917 \text{ S/m}$; $\epsilon_r = 42.395$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(9.28, 9.28, 9.28); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm
Maximum value of SAR (measured) = 0.265 W/kg


Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.157 V/m; Power Drift = 0.10 dB

Peak SAR (extrapolated) = 0.363 W/kg

SAR(1 g) = 0.210 W/kg; SAR(10 g) = 0.121 W/kg

Maximum value of SAR (measured) = 0.255 W/kg



0 dB = 0.255 W/kg = -5.93 dBW/kg

Date: 2023/4/24

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 13 10M_QPSK 25RB_0 Back side 0mm Ch23230

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 782 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 782 \text{ MHz}$; $\sigma = 0.917 \text{ S/m}$; $\epsilon_r = 42.395$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(9.28, 9.28, 9.28); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 120 of 148

- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm
Maximum value of SAR (measured) = 0.858 W/kg


Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 15.732 V/m; Power Drift = 0.08 dB

Peak SAR (extrapolated) = 1.76 W/kg

SAR(1 g) = 0.831 W/kg; SAR(10 g) = 0.432 W/kg

Maximum value of SAR (measured) = 1.09 W/kg



0 dB = 1.09 W/kg = 0.37 dBW/kg

Date: 2023/4/24

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 14 10M_QPSK 1RB_0 Back side 10mm Ch23330

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 793 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 793 \text{ MHz}$; $\sigma = 0.92 \text{ S/m}$; $\epsilon_r = 42.359$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(9.28, 9.28, 9.28); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022


Report No.: SZCR230200035201

Page: 121 of 148

- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm
Maximum value of SAR (measured) = 0.216 W/kg

Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm
Reference Value = 10.428 V/m; Power Drift = 0.10 dB
Peak SAR (extrapolated) = 0.351 W/kg
SAR(1 g) = 0.208 W/kg; SAR(10 g) = 0.123 W/kg
Maximum value of SAR (measured) = 0.253 W/kg



0 dB = 0.253 W/kg = -5.97 dBW/kg

Date: 2023/4/24

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 14 10M_QPSK 1RB_0 Back side 0mm Ch23330

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 793 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 793 \text{ MHz}$; $\sigma = 0.92 \text{ S/m}$; $\epsilon_r = 42.359$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(9.28, 9.28, 9.28); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022


Report No.: SZCR230200035201

Page: 122 of 148

- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm
Maximum value of SAR (measured) = 0.841 W/kg

Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm
Reference Value = 10.682 V/m; Power Drift = 0.04 dB
Peak SAR (extrapolated) = 1.76 W/kg
SAR(1 g) = 0.864 W/kg; SAR(10 g) = 0.458 W/kg
Maximum value of SAR (measured) = 1.08 W/kg



0 dB = 1.08 W/kg = 0.33 dBW/kg

Date: 2023/4/24

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 17 10M_QPSK 1RB_0 Back side 10mm Ch23800

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 711 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 711 \text{ MHz}$; $\sigma = 0.909 \text{ S/m}$; $\epsilon_r = 42.642$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(9.28, 9.28, 9.28); Calibrated: 2022/6/27;



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm
Maximum value of SAR (measured) = 0.175 W/kg

Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm
Reference Value = 13.914 V/m; Power Drift = 0.08 dB
Peak SAR (extrapolated) = 0.200 W/kg
SAR(1 g) = 0.162 W/kg; SAR(10 g) = 0.126 W/kg
Maximum value of SAR (measured) = 0.177 W/kg



0 dB = 0.177 W/kg = -7.52 dBW/kg

Date: 2023/4/24

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 17 10M_QPSK 1RB_0 Back side 0mm Ch23800

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 711 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 711 \text{ MHz}$; $\sigma = 0.909 \text{ S/m}$; $\epsilon_r = 42.642$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 124 of 148

- Probe: EX3DV4 - SN3836; ConvF(9.28, 9.28, 9.28); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 0.577 W/kg


Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 15.831 V/m; Power Drift = 0.05 dB

Peak SAR (extrapolated) = 0.924 W/kg

SAR(1 g) = 0.437 W/kg; SAR(10 g) = 0.239 W/kg

Maximum value of SAR (measured) = 0.565 W/kg



0 dB = 0.565 W/kg = -2.48 dBW/kg

Date: 2023/5/6

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 25 20M_QPSK 50RB_25 Back side 10mm Ch26365

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 1882.5 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 1882.5$ MHz; $\sigma = 1.416$ S/m; $\epsilon_r = 40.165$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 125 of 148

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(7.65, 7.65, 7.65); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm
Maximum value of SAR (measured) = 0.482 W/kg


Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 6.664 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 0.694 W/kg

SAR(1 g) = 0.398 W/kg; SAR(10 g) = 0.239 W/kg

Maximum value of SAR (measured) = 0.496 W/kg



0 dB = 0.496 W/kg = -3.05 dBW/kg

Date: 2023/5/6

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 25 20M_QPSK 50RB_25 Right Side 0mm Ch26365

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 1882.5 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 1882.5 \text{ MHz}$; $\sigma = 1.416 \text{ S/m}$; $\epsilon_r = 40.165$; $\rho = 1000 \text{ kg/m}^3$



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 126 of 148

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(7.65, 7.65, 7.65); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (6x15x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 1.77 W/kg


Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.240 V/m; Power Drift = -0.06 dB

Peak SAR (extrapolated) = 3.27 W/kg

SAR(1 g) = 1.53 W/kg; SAR(10 g) = 0.799 W/kg

Maximum value of SAR (measured) = 2.20 W/kg



0 dB = 2.20 W/kg = 3.42 dBW/kg

Date: 2023/4/27

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 26 10M_QPSK 1RB_0 Back side 10mm Ch26740

DUT: A6650; Type: Smart Handheld Computer;



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 127 of 148

Communication System: Generic LTE; Frequency: 819 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 819 \text{ MHz}$; $\sigma = 0.923 \text{ S/m}$; $\epsilon_r = 42.113$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(8.99, 8.99, 8.99); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Maximum value of SAR (measured) = 0.389 W/kg


Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 8.573 V/m; Power Drift = 0.08 dB

Peak SAR (extrapolated) = 0.689 W/kg

SAR(1 g) = 0.387 W/kg; SAR(10 g) = 0.218 W/kg

Maximum value of SAR (measured) = 0.480 W/kg



0 dB = 0.480 W/kg = -3.19 dBW/kg

Date: 2023/4/27

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 26 10M_QPSK 1RB_0 Back side 0mm Ch26740



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 128 of 148

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 819 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 819 \text{ MHz}$; $\sigma = 0.923 \text{ S/m}$; $\epsilon_r = 42.113$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(8.99, 8.99, 8.99); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 0.912 W/kg


Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 8.621 V/m; Power Drift = 0.08 dB

Peak SAR (extrapolated) = 1.83 W/kg

SAR(1 g) = 0.873 W/kg; SAR(10 g) = 0.452 W/kg

Maximum value of SAR (measured) = 1.17 W/kg



0 dB = 1.17 W/kg = 0.68 dBW/kg

Date: 2023/4/27

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 129 of 148

LTE Band 26 15M_QPSK 1RB_74 Back side 10mm Ch26915

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 836.5 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 836.5 \text{ MHz}$; $\sigma = 0.931 \text{ S/m}$; $\epsilon_r = 42.23$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(8.99, 8.99, 8.99); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Maximum value of SAR (measured) = 0.382 W/kg


Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 8.559 V/m; Power Drift = 0.09 dB

Peak SAR (extrapolated) = 0.686 W/kg

SAR(1 g) = 0.374 W/kg; SAR(10 g) = 0.215 W/kg

Maximum value of SAR (measured) = 0.487 W/kg



0 dB = 0.487 W/kg = -3.26 dBW/kg

Date: 2023/4/27



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 130 of 148

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 26 15M_QPSK 1RB_74 Back side 0mm Ch26915

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 836.5 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 836.5$ MHz; $\sigma = 0.931$ S/m; $\epsilon_r = 42.23$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(8.99, 8.99, 8.99); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 0.923 W/kg


Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 8.626 V/m; Power Drift = 0.08 dB

Peak SAR (extrapolated) = 1.85 W/kg

SAR(1 g) = 0.870 W/kg; SAR(10 g) = 0.449 W/kg

Maximum value of SAR (measured) = 1.23 W/kg



0 dB = 1.23 W/kg = 0.692 dBW/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 131 of 148

Date: 2023/4/22

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 41 20M_QPSK 1RB_0 Back side 10mm Ch40620

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 2593 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 2593 \text{ MHz}$; $\sigma = 1.95 \text{ S/m}$; $\epsilon_r = 39.129$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(6.99, 6.99, 6.99); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (10x18x1): Measurement grid: $dx=12\text{mm}$, $dy=12\text{mm}$

Maximum value of SAR (measured) = 0.121 W/kg


Body/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 2.634 V/m; Power Drift = -0.16 dB

Peak SAR (extrapolated) = 0.197 W/kg

SAR(1 g) = 0.110 W/kg; SAR(10 g) = 0.051 W/kg

Maximum value of SAR (measured) = 0.127 W/kg



0 dB = 0.127 W/kg = -8.96 dBW/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 132 of 148

Date: 2023/4/22

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 41 20M_QPSK 1RB_0 Back side 0mm Ch40620

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 2593 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 2593$ MHz; $\sigma = 1.95$ S/m; $\epsilon_r = 39.129$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(6.99, 6.99, 6.99); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (10x18x1): Measurement grid: dx=12mm, dy=12mm

Maximum value of SAR (measured) = 0.505 W/kg


Body/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 3.806 V/m; Power Drift = 0.03 dB

Peak SAR (extrapolated) = 0.889 W/kg

SAR(1 g) = 0.411 W/kg; SAR(10 g) = 0.185 W/kg

Maximum value of SAR (measured) = 0.531 W/kg



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/0 Aug01,2022

Report No.: SZCR230200035201

Page: 133 of 148

0 dB = 0.531 W/kg = -2.75 dBW/kg

Date: 2023/5/4

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 66 20M_QPSK 50RB_50 Back side 10mm Ch132322

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 1745 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 1745 \text{ MHz}$; $\sigma = 1.365 \text{ S/m}$; $\epsilon_r = 40.358$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(8.02, 8.02, 8.02); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Maximum value of SAR (measured) = 0.818 W/kg

Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Reference Value = 8.569 V/m; Power Drift = 0.02 dB

Peak SAR (extrapolated) = 1.23 W/kg

SAR(1 g) = 0.685 W/kg; SAR(10 g) = 0.384 W/kg


Maximum value of SAR (measured) = 0.868 W/kg



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



0 dB = 0.868 W/kg = -0.61 dBW/kg

Date: 2023/5/4

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 66 20M_QPSK 50RB_50 Back side 0mm Ch132322

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 1745 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 1745 \text{ MHz}$; $\sigma = 1.365 \text{ S/m}$; $\epsilon_r = 40.358$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(8.02, 8.02, 8.02); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 2.22 W/kg

Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 11.192 V/m; Power Drift = 0.06 dB

Peak SAR (extrapolated) = 3.50 W/kg

SAR(1 g) = 1.79 W/kg; SAR(10 g) = 0.931 W/kg

Maximum value of SAR (measured) = 2.14 W/kg




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



0 dB = 2.14 W/kg = 3.30 dBW/kg

Date: 2023/4/24

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 71 20M_QPSK 1RB_0 Left side 10mm Ch133297

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 680.5 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 680.5$ MHz; $\sigma = 0.907$ S/m; $\epsilon_r = 42.743$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(9.28, 9.28, 9.28); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (5x15x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 0.103 W/kg

Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 10.339 V/m; Power Drift = 0.01 dB

Peak SAR (extrapolated) = 0.122 W/kg




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SAR(1 g) = 0.091 W/kg; SAR(10 g) = 0.066 W/kg

Maximum value of SAR (measured) = 0.103 W/kg



0 dB = 0.103 W/kg = -9.87 dBW/kg

Date: 2023/4/24

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

LTE Band 71 20M_QPSK 1RB_0 Back side 0mm Ch133297

DUT: A6650; Type: Smart Handheld Computer;

Communication System: Generic LTE; Frequency: 680.5 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 680.5$ MHz; $\sigma = 0.907$ S/m; $\epsilon_r = 42.743$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(9.28, 9.28, 9.28); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (8x15x1): Measurement grid: dx=15mm, dy=15mm

Maximum value of SAR (measured) = 0.109 W/kg

Body/Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 5.811 V/m; Power Drift = 0.03 dB



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Peak SAR (extrapolated) = 0.182 W/kg

SAR(1 g) = 0.371 W/kg; SAR(10 g) = 0.236 W/kg

Maximum value of SAR (measured) = 0.123 W/kg



0 dB = 0.123 W/kg = -9.10 dBW/kg

Date: 2023/4/18

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

WLAN2.4GHz 802.11b 1Mbps Back side 10mm Ch11

DUT: A6650; Type: Smart Handheld Computer;

Communication System: 2.4G WIFI; Frequency: 2462 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 2462 \text{ MHz}$; $\sigma = 1.815 \text{ S/m}$; $\epsilon_r = 39.31$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(7.27, 7.27, 7.27); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (10x18x1): Measurement grid: dx=12mm, dy=12mm

Maximum value of SAR (measured) = 0.216 W/kg

Body/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Reference Value = 5.210 V/m; Power Drift = 0.15 dB

Peak SAR (extrapolated) = 0.321 W/kg

SAR(1 g) = 0.171 W/kg; SAR(10 g) = 0.093 W/kg

Maximum value of SAR (measured) = 0.212 W/kg



0 dB = 0.212 W/kg = -6.74 dBW/kg

Date: 2023/4/18

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

WLAN2.4GHz 802.11b 1Mbps Right side 0mm Ch11

DUT: A6650; Type: Smart Handheld Computer;

Communication System: 2.4G WIFI; Frequency: 2462 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 2462 \text{ MHz}$; $\sigma = 1.815 \text{ S/m}$; $\epsilon_r = 39.31$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(7.27, 7.27, 7.27); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (6x18x1): Measurement grid: $dx=12\text{mm}$, $dy=12\text{mm}$

Maximum value of SAR (measured) = 0.866 W/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


Body/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 0.898 V/m; Power Drift = 0.04 dB

Peak SAR (extrapolated) = 1.61 W/kg

SAR(1 g) = 0.728 W/kg; SAR(10 g) = 0.315 W/kg

Maximum value of SAR (measured) = 0.985 W/kg



0 dB = 0.985 W/kg = -0.07 dBW/kg

Date: 2023/4/18

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Bluetooth GFSK Back side 10mm Ch78

DUT: A6650; Type: Smart Handheld Computer;

Communication System: BT; Frequency: 2480 MHz; Duty Cycle: 1:1

Medium parameters used (interpolated): $f = 2480$ MHz; $\sigma = 1.827$ S/m; $\epsilon_r = 39.286$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(7.27, 7.27, 7.27); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (10x18x1): Measurement grid: dx=12mm, dy=12mm

Maximum value of SAR (measured) = 0.0337 W/kg



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


Body/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 2.458 V/m; Power Drift = 0.06 dB

Peak SAR (extrapolated) = 0.162 W/kg

SAR(1 g) = 0.030 W/kg; SAR(10 g) = 0.011 W/kg

Maximum value of SAR (measured) = 0.0395 W/kg



0 dB = 0.0395 W/kg = -14.03 dBW/kg

Date: 2023/4/18

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Bluetooth GFSK Right side 0mm Ch78

DUT: A6650; Type: Smart Handheld Computer;

Communication System: BT; Frequency: 2480 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 2480$ MHz; $\sigma = 1.827$ S/m; $\epsilon_r = 39.286$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(7.27, 7.27, 7.27); Calibrated: 2022/6/27;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)

Body/Area Scan (6x18x1): Measurement grid: dx=12mm, dy=12mm



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Maximum value of SAR (measured) = 0.176 W/kg


Body/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 2.584 V/m; Power Drift = -0.07 dB

Peak SAR (extrapolated) = 0.362 W/kg

SAR(1 g) = 0.124 W/kg; SAR(10 g) = 0.047 W/kg

Maximum value of SAR (measured) = 0.169 W/kg



0 dB = 0.169 W/kg = -7.72 dBW/kg

Date: 2023/4/19

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

WLAN5GHz 802.11ac 20M Back side 10mm Ch60

DUT: A6650; Type: Smart Handheld Computer;

Communication System: 5GWIFI; Frequency: 5300 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5300$ MHz; $\sigma = 4.722$ S/m; $\epsilon_r = 34.892$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(5.26, 5.26, 5.26); Calibrated: 2022/6/27;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673
- Measurement SW: DASY52, Version 52.8 (4); SEMCAD X Version 14.6.8 (7028)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


Body/Area Scan (11x21x1): Measurement grid: dx=10mm, dy=10mm
Maximum value of SAR (measured) = 0.481 W/kg

Body/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=2mm
Reference Value = 4.385 V/m; Power Drift = 0.11 dB

Peak SAR (extrapolated) = 1.23 W/kg

SAR(1 g) = 0.344 W/kg; SAR(10 g) = 0.158 W/kg

Maximum value of SAR (measured) = 0.471 W/kg



0 dB = 0.471 W/kg = -3.27 dBW/kg

Date: 2023/4/19

Test Laboratory: SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

WLAN5GHz 802.11ac 20M Front side 0mm Ch60

DUT: A6650; Type: Smart Handheld Computer;

Communication System: 5GWIFI; Frequency: 5300 MHz; Duty Cycle: 1:1

Medium parameters used: $f = 5300$ MHz; $\sigma = 4.722$ S/m; $\epsilon_r = 34.892$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY5 Configuration:

- Probe: EX3DV4 - SN3836; ConvF(5.26, 5.26, 5.26); Calibrated: 2022/6/27;
- Sensor-Surface: 2mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn760; Calibrated: 2022/6/6
- Phantom: SAM1; Type: QD000P40CD; Serial: TP:1673



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Technical Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com