

1. Effective (Isotropic) Radiated Power Output Data

1.1 B12_1.4MHz_ERP

1.1.1 Test Result

Band: 12 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	699.7	1	0	22.77	-2.3	18.32	<=34.77	Pass
			2	22.95	-2.3	18.5	<=34.77	Pass
			5	22.73	-2.3	18.28	<=34.77	Pass
		3	0	22.84	-2.3	18.39	<=34.77	Pass
			2	22.88	-2.3	18.43	<=34.77	Pass
			3	22.83	-2.3	18.38	<=34.77	Pass
		6	0	21.86	-2.3	17.41	<=34.77	Pass
	707.5	1	0	22.84	-2.3	18.39	<=34.77	Pass
			2	22.86	-2.3	18.41	<=34.77	Pass
			5	22.88	-2.3	18.43	<=34.77	Pass
		3	0	22.84	-2.3	18.39	<=34.77	Pass
			2	22.92	-2.3	18.47	<=34.77	Pass
			3	22.85	-2.3	18.4	<=34.77	Pass
		6	0	21.79	-2.3	17.34	<=34.77	Pass
	715.3	1	0	22.65	-2.3	18.2	<=34.77	Pass
			2	22.73	-2.3	18.28	<=34.77	Pass
			5	23.02	-2.3	18.57	<=34.77	Pass
		3	0	22.65	-2.3	18.2	<=34.77	Pass
			2	22.89	-2.3	18.44	<=34.77	Pass
			3	22.93	-2.3	18.48	<=34.77	Pass
		6	0	21.78	-2.3	17.33	<=34.77	Pass
16QAM	699.7	1	0	21.66	-2.3	17.21	<=34.77	Pass
			2	21.84	-2.3	17.39	<=34.77	Pass
			5	22.10	-2.3	17.65	<=34.77	Pass
		3	0	21.92	-2.3	17.47	<=34.77	Pass
			2	21.96	-2.3	17.51	<=34.77	Pass
			3	21.97	-2.3	17.52	<=34.77	Pass
		6	0	21.09	-2.3	16.64	<=34.77	Pass
	707.5	1	0	21.93	-2.3	17.48	<=34.77	Pass
			2	22.17	-2.3	17.72	<=34.77	Pass
			5	22.42	-2.3	17.97	<=34.77	Pass
		3	0	22.11	-2.3	17.66	<=34.77	Pass
			2	22.20	-2.3	17.75	<=34.77	Pass
			3	22.07	-2.3	17.62	<=34.77	Pass
		6	0	20.91	-2.3	16.46	<=34.77	Pass
	715.3	1	0	21.62	-2.3	17.17	<=34.77	Pass
			2	21.79	-2.3	17.34	<=34.77	Pass
			5	21.86	-2.3	17.41	<=34.77	Pass
		3	0	21.74	-2.3	17.29	<=34.77	Pass
			2	22.28	-2.3	17.83	<=34.77	Pass
			3	22.17	-2.3	17.72	<=34.77	Pass
		6	0	20.37	-2.3	15.92	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.2 B12_3MHz_ERP

1.2.1 Test Result

Band: 12 / Bandwidth: 3MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	700.5	1	0	22.72	-2.3	18.27	<=34.77	Pass
			7	22.89	-2.3	18.44	<=34.77	Pass
			14	22.67	-2.3	18.22	<=34.77	Pass
		8	0	21.97	-2.3	17.52	<=34.77	Pass
			4	21.88	-2.3	17.43	<=34.77	Pass
			7	21.69	-2.3	17.24	<=34.77	Pass
		15	0	21.88	-2.3	17.43	<=34.77	Pass
	707.5	1	0	22.78	-2.3	18.33	<=34.77	Pass
			7	23.11	-2.3	18.66	<=34.77	Pass
			14	22.70	-2.3	18.25	<=34.77	Pass
		8	0	21.89	-2.3	17.44	<=34.77	Pass
			4	21.87	-2.3	17.42	<=34.77	Pass
			7	21.86	-2.3	17.41	<=34.77	Pass
		15	0	21.92	-2.3	17.47	<=34.77	Pass
	714.5	1	0	22.68	-2.3	18.23	<=34.77	Pass
			7	22.99	-2.3	18.54	<=34.77	Pass
			14	23.06	-2.3	18.61	<=34.77	Pass
		8	0	21.82	-2.3	17.37	<=34.77	Pass
			4	21.86	-2.3	17.41	<=34.77	Pass
			7	21.75	-2.3	17.3	<=34.77	Pass
		15	0	21.75	-2.3	17.3	<=34.77	Pass
16QAM	700.5	1	0	22.12	-2.3	17.67	<=34.77	Pass
			7	22.23	-2.3	17.78	<=34.77	Pass
			14	21.83	-2.3	17.38	<=34.77	Pass
		8	0	21.09	-2.3	16.64	<=34.77	Pass
			4	21.13	-2.3	16.68	<=34.77	Pass
			7	20.83	-2.3	16.38	<=34.77	Pass
		15	0	20.79	-2.3	16.34	<=34.77	Pass
	707.5	1	0	22.38	-2.3	17.93	<=34.77	Pass
			7	22.33	-2.3	17.88	<=34.77	Pass
			14	22.27	-2.3	17.82	<=34.77	Pass
		8	0	21.28	-2.3	16.83	<=34.77	Pass
			4	20.84	-2.3	16.39	<=34.77	Pass
			7	21.06	-2.3	16.61	<=34.77	Pass
		15	0	20.77	-2.3	16.32	<=34.77	Pass
	714.5	1	0	21.86	-2.3	17.41	<=34.77	Pass
			7	21.77	-2.3	17.32	<=34.77	Pass
			14	21.97	-2.3	17.52	<=34.77	Pass
		8	0	20.61	-2.3	16.16	<=34.77	Pass
4			20.91	-2.3	16.46	<=34.77	Pass	
7			21.01	-2.3	16.56	<=34.77	Pass	
15		0	20.63	-2.3	16.18	<=34.77	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.3 B12_5MHz_ERP

1.3.1 Test Result

Band: 12 / Bandwidth: 5MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	701.5	1	0	22.80	-2.3	18.35	<=34.77	Pass	
			13	22.54	-2.3	18.09	<=34.77	Pass	
			24	22.61	-2.3	18.16	<=34.77	Pass	
		12	0	21.80	-2.3	17.35	<=34.77	Pass	
			6	21.74	-2.3	17.29	<=34.77	Pass	
			13	21.72	-2.3	17.27	<=34.77	Pass	
		25	0	21.74	-2.3	17.29	<=34.77	Pass	
		707.5	1	0	22.68	-2.3	18.23	<=34.77	Pass
				13	23.08	-2.3	18.63	<=34.77	Pass
	24			22.61	-2.3	18.16	<=34.77	Pass	
	12		0	21.91	-2.3	17.46	<=34.77	Pass	
			6	21.96	-2.3	17.51	<=34.77	Pass	
			13	21.85	-2.3	17.4	<=34.77	Pass	
	25	0	21.90	-2.3	17.45	<=34.77	Pass		
	713.5	1	0	22.71	-2.3	18.26	<=34.77	Pass	
			13	22.72	-2.3	18.27	<=34.77	Pass	
			24	22.90	-2.3	18.45	<=34.77	Pass	
		12	0	21.65	-2.3	17.2	<=34.77	Pass	
			6	21.83	-2.3	17.38	<=34.77	Pass	
			13	21.74	-2.3	17.29	<=34.77	Pass	
		25	0	21.75	-2.3	17.3	<=34.77	Pass	
16QAM		701.5	1	0	21.19	-2.3	16.74	<=34.77	Pass
				13	21.74	-2.3	17.29	<=34.77	Pass
	24			21.23	-2.3	16.78	<=34.77	Pass	
	12		0	20.53	-2.3	16.08	<=34.77	Pass	
			6	20.59	-2.3	16.14	<=34.77	Pass	
			13	20.59	-2.3	16.14	<=34.77	Pass	
	25		0	20.76	-2.3	16.31	<=34.77	Pass	
	707.5	1	0	21.88	-2.3	17.43	<=34.77	Pass	
			13	22.25	-2.3	17.8	<=34.77	Pass	
			24	22.01	-2.3	17.56	<=34.77	Pass	
		12	0	20.76	-2.3	16.31	<=34.77	Pass	
			6	20.89	-2.3	16.44	<=34.77	Pass	
			13	21.03	-2.3	16.58	<=34.77	Pass	
	25	0	20.76	-2.3	16.31	<=34.77	Pass		
	713.5	1	0	21.42	-2.3	16.97	<=34.77	Pass	
			13	21.50	-2.3	17.05	<=34.77	Pass	
			24	21.65	-2.3	17.2	<=34.77	Pass	
		12	0	20.37	-2.3	15.92	<=34.77	Pass	
			6	20.77	-2.3	16.32	<=34.77	Pass	
			13	20.71	-2.3	16.26	<=34.77	Pass	
		25	0	20.73	-2.3	16.28	<=34.77	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.4 B12_10MHz_ERP

1.4.1 Test Result

Band: 12 / Bandwidth: 10MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	704	1	0	22.81	-2.3	18.36	<=34.77	Pass
			25	23.08	-2.3	18.63	<=34.77	Pass

				49	22.67	-2.3	18.22	<=34.77	Pass
			25	0	21.70	-2.3	17.25	<=34.77	Pass
				13	21.94	-2.3	17.49	<=34.77	Pass
				25	21.95	-2.3	17.5	<=34.77	Pass
			50	0	21.84	-2.3	17.39	<=34.77	Pass
		707.5	1	0	22.77	-2.3	18.32	<=34.77	Pass
				25	23.39	-2.3	18.94	<=34.77	Pass
				49	22.23	-2.3	17.78	<=34.77	Pass
			25	0	21.90	-2.3	17.45	<=34.77	Pass
				13	21.91	-2.3	17.46	<=34.77	Pass
	25			21.65	-2.3	17.2	<=34.77	Pass	
	50		0	21.86	-2.3	17.41	<=34.77	Pass	
	711		1	0	22.78	-2.3	18.33	<=34.77	Pass
				25	23.01	-2.3	18.56	<=34.77	Pass
		49		22.53	-2.3	18.08	<=34.77	Pass	
		25	0	22.00	-2.3	17.55	<=34.77	Pass	
			13	21.83	-2.3	17.38	<=34.77	Pass	
			25	21.67	-2.3	17.22	<=34.77	Pass	
		50	0	21.86	-2.3	17.41	<=34.77	Pass	

16QAM	704	1	0	22.24	-2.3	17.79	<=34.77	Pass	
			25	22.49	-2.3	18.04	<=34.77	Pass	
			49	21.84	-2.3	17.39	<=34.77	Pass	
		25	0	20.83	-2.3	16.38	<=34.77	Pass	
			13	21.03	-2.3	16.58	<=34.77	Pass	
			25	20.93	-2.3	16.48	<=34.77	Pass	
		50	0	20.67	-2.3	16.22	<=34.77	Pass	
		707.5	1	0	22.21	-2.3	17.76	<=34.77	Pass
				25	23.07	-2.3	18.62	<=34.77	Pass
				49	21.52	-2.3	17.07	<=34.77	Pass
	25		0	20.96	-2.3	16.51	<=34.77	Pass	
			13	21.01	-2.3	16.56	<=34.77	Pass	
			25	20.69	-2.3	16.24	<=34.77	Pass	
	50		0	20.79	-2.3	16.34	<=34.77	Pass	
	711	1	0	21.78	-2.3	17.33	<=34.77	Pass	
			25	21.70	-2.3	17.25	<=34.77	Pass	
			49	21.35	-2.3	16.9	<=34.77	Pass	
		25	0	21.04	-2.3	16.59	<=34.77	Pass	
			13	20.81	-2.3	16.36	<=34.77	Pass	
			25	20.79	-2.3	16.34	<=34.77	Pass	
		50	0	20.92	-2.3	16.47	<=34.77	Pass	

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Effective (Isotropic) Radiated Power Output Data

2.1 B13_5MHz_ERP

2.1.1 Test Result

Band: 13 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	779.5	1	0	23.60	-2.1	19.35	<=34.77	Pass
			13	23.82	-2.1	19.57	<=34.77	Pass
			24	23.64	-2.1	19.39	<=34.77	Pass

		12	0	22.94	-2.1	18.69	<=34.77	Pass
			6	23.03	-2.1	18.78	<=34.77	Pass
			13	22.66	-2.1	18.41	<=34.77	Pass
		25	0	22.78	-2.1	18.53	<=34.77	Pass
	782	1	0	23.54	-2.1	19.29	<=34.77	Pass
			13	23.53	-2.1	19.28	<=34.77	Pass
			24	23.56	-2.1	19.31	<=34.77	Pass
		12	0	22.85	-2.1	18.6	<=34.77	Pass
			6	22.68	-2.1	18.43	<=34.77	Pass
			13	22.66	-2.1	18.41	<=34.77	Pass
		25	0	22.85	-2.1	18.6	<=34.77	Pass
	784.5	1	0	23.62	-2.1	19.37	<=34.77	Pass
			13	23.68	-2.1	19.43	<=34.77	Pass
			24	23.84	-2.1	19.59	<=34.77	Pass
		12	0	22.82	-2.1	18.57	<=34.77	Pass
			6	22.73	-2.1	18.48	<=34.77	Pass
			13	22.93	-2.1	18.68	<=34.77	Pass
		25	0	22.85	-2.1	18.6	<=34.77	Pass
16QAM	779.5	1	0	22.14	-2.1	17.89	<=34.77	Pass
			13	22.46	-2.1	18.21	<=34.77	Pass
			24	21.95	-2.1	17.7	<=34.77	Pass
		12	0	21.95	-2.1	17.7	<=34.77	Pass
			6	21.96	-2.1	17.71	<=34.77	Pass
			13	21.55	-2.1	17.3	<=34.77	Pass
		25	0	21.84	-2.1	17.59	<=34.77	Pass
	782	1	0	22.74	-2.1	18.49	<=34.77	Pass
			13	22.97	-2.1	18.72	<=34.77	Pass
			24	22.90	-2.1	18.65	<=34.77	Pass
		12	0	21.73	-2.1	17.48	<=34.77	Pass
			6	21.55	-2.1	17.3	<=34.77	Pass
			13	21.41	-2.1	17.16	<=34.77	Pass
		25	0	21.57	-2.1	17.32	<=34.77	Pass
	784.5	1	0	22.62	-2.1	18.37	<=34.77	Pass
			13	22.57	-2.1	18.32	<=34.77	Pass
			24	22.77	-2.1	18.52	<=34.77	Pass
		12	0	21.66	-2.1	17.41	<=34.77	Pass
			6	21.72	-2.1	17.47	<=34.77	Pass
			13	21.91	-2.1	17.66	<=34.77	Pass
		25	0	21.73	-2.1	17.48	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2.2 B13_10MHz_ERP

2.2.1 Test Result

Band: 13 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	782	1	0	23.83	-2.1	19.58	<=34.77	Pass
			25	23.78	-2.1	19.53	<=34.77	Pass
			49	23.82	-2.1	19.57	<=34.77	Pass
		25	0	23.07	-2.1	18.82	<=34.77	Pass
			13	22.72	-2.1	18.47	<=34.77	Pass
			25	22.68	-2.1	18.43	<=34.77	Pass
		50	0	22.97	-2.1	18.72	<=34.77	Pass

16QAM	782	1	0	23.65	-2.1	19.4	<=34.77	Pass
			25	23.33	-2.1	19.08	<=34.77	Pass
			49	22.94	-2.1	18.69	<=34.77	Pass
		25	0	21.96	-2.1	17.71	<=34.77	Pass
			13	21.76	-2.1	17.51	<=34.77	Pass
			25	21.68	-2.1	17.43	<=34.77	Pass
		50	0	21.85	-2.1	17.6	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

3. Effective (Isotropic) Radiated Power Output Data

3.1 B17_5MHz_ERP

3.1.1 Test Result

Band: 17 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	706.5	1	0	23.57	-2.30	19.12	<=34.77	Pass
			13	24.90	-2.30	20.45	<=34.77	Pass
			24	23.96	-2.30	19.51	<=34.77	Pass
		12	0	23.06	-2.30	18.61	<=34.77	Pass
			6	23.16	-2.30	18.71	<=34.77	Pass
			13	23.16	-2.30	18.71	<=34.77	Pass
		25	0	23.14	-2.30	18.69	<=34.77	Pass
	710	1	0	23.90	-2.30	19.45	<=34.77	Pass
			13	24.20	-2.30	19.75	<=34.77	Pass
			24	23.64	-2.30	19.19	<=34.77	Pass
		12	0	23.05	-2.30	18.6	<=34.77	Pass
			6	23.25	-2.30	18.8	<=34.77	Pass
			13	23.02	-2.30	18.57	<=34.77	Pass
		25	0	23.03	-2.30	18.58	<=34.77	Pass
	713.5	1	0	23.92	-2.30	19.47	<=34.77	Pass
			13	23.76	-2.30	19.31	<=34.77	Pass
			24	23.96	-2.30	19.51	<=34.77	Pass
		12	0	22.96	-2.30	18.51	<=34.77	Pass
			6	22.83	-2.30	18.38	<=34.77	Pass
			13	22.88	-2.30	18.43	<=34.77	Pass
		25	0	23.00	-2.30	18.55	<=34.77	Pass
16QAM	706.5	1	0	22.34	-2.30	17.89	<=34.77	Pass
			13	22.84	-2.30	18.39	<=34.77	Pass
			24	22.44	-2.30	17.99	<=34.77	Pass
		12	0	21.91	-2.30	17.46	<=34.77	Pass
			6	22.04	-2.30	17.59	<=34.77	Pass
			13	21.91	-2.30	17.46	<=34.77	Pass
		25	0	22.01	-2.30	17.56	<=34.77	Pass
	710	1	0	23.05	-2.30	18.6	<=34.77	Pass
			13	23.45	-2.30	19	<=34.77	Pass
			24	23.11	-2.30	18.66	<=34.77	Pass
		12	0	21.55	-2.30	17.1	<=34.77	Pass
			6	22.07	-2.30	17.62	<=34.77	Pass
			13	21.94	-2.30	17.49	<=34.77	Pass
		25	0	21.86	-2.30	17.41	<=34.77	Pass
	713.5	1	0	22.72	-2.30	18.27	<=34.77	Pass

			13	22.50	-2.30	18.05	<=34.77	Pass
			24	22.75	-2.30	18.3	<=34.77	Pass
		12	0	21.98	-2.30	17.53	<=34.77	Pass
			6	21.85	-2.30	17.4	<=34.77	Pass
			13	21.79	-2.30	17.34	<=34.77	Pass
		25	0	21.90	-2.30	17.45	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

3.2 B17_10MHz_ERP

3.2.1 Test Result

Band: 17 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	709	1	0	23.03	-2.30	18.58	<=34.77	Pass
			25	23.90	-2.30	19.45	<=34.77	Pass
			49	23.45	-2.30	19	<=34.77	Pass
		25	0	23.34	-2.30	18.89	<=34.77	Pass
			13	23.27	-2.30	18.82	<=34.77	Pass
			25	23.21	-2.30	18.76	<=34.77	Pass
		50	0	23.12	-2.30	18.67	<=34.77	Pass
	710	1	0	23.34	-2.30	18.89	<=34.77	Pass
			25	23.83	-2.30	19.38	<=34.77	Pass
			49	23.21	-2.30	18.76	<=34.77	Pass
		25	0	23.31	-2.30	18.86	<=34.77	Pass
			13	23.20	-2.30	18.75	<=34.77	Pass
			25	23.05	-2.30	18.6	<=34.77	Pass
		50	0	23.02	-2.30	18.57	<=34.77	Pass
	711	1	0	23.90	-2.30	19.45	<=34.77	Pass
			25	24.59	-2.30	20.14	<=34.77	Pass
			49	23.51	-2.30	19.06	<=34.77	Pass
		25	0	23.08	-2.30	18.63	<=34.77	Pass
			13	23.26	-2.30	18.81	<=34.77	Pass
			25	22.81	-2.30	18.36	<=34.77	Pass
		50	0	23.05	-2.30	18.6	<=34.77	Pass
16QAM	709	1	0	22.53	-2.30	18.08	<=34.77	Pass
			25	23.51	-2.30	19.06	<=34.77	Pass
			49	22.97	-2.30	18.52	<=34.77	Pass
		25	0	22.24	-2.30	17.79	<=34.77	Pass
			13	22.23	-2.30	17.78	<=34.77	Pass
			25	22.17	-2.30	17.72	<=34.77	Pass
		50	0	22.07	-2.30	17.62	<=34.77	Pass
	710	1	0	22.45	-2.30	18	<=34.77	Pass
			25	23.22	-2.30	18.77	<=34.77	Pass
			49	22.47	-2.30	18.02	<=34.77	Pass
		25	0	22.22	-2.30	17.77	<=34.77	Pass
			13	22.29	-2.30	17.84	<=34.77	Pass
			25	22.08	-2.30	17.63	<=34.77	Pass
		50	0	21.90	-2.30	17.45	<=34.77	Pass
	711	1	0	22.86	-2.30	18.41	<=34.77	Pass
			25	23.37	-2.30	18.92	<=34.77	Pass
			49	22.20	-2.30	17.75	<=34.77	Pass
		25	0	22.17	-2.30	17.72	<=34.77	Pass
			13	22.44	-2.30	17.99	<=34.77	Pass

			25	21.86	-2.30	17.41	<=34.77	Pass
		50	0	22.03	-2.30	17.58	<=34.77	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

4. Effective (Isotropic) Radiated Power Output Data

4.1 B2_1.4MHz_EIRP

4.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.40	-3.5	19.9	<=33.01	Pass
			2	23.45	-3.5	19.95	<=33.01	Pass
			5	23.34	-3.5	19.84	<=33.01	Pass
		3	0	23.40	-3.5	19.9	<=33.01	Pass
			2	23.48	-3.5	19.98	<=33.01	Pass
			3	23.38	-3.5	19.88	<=33.01	Pass
		6	0	22.45	-3.5	18.95	<=33.01	Pass
	1880	1	0	23.09	-3.5	19.59	<=33.01	Pass
			2	23.23	-3.5	19.73	<=33.01	Pass
			5	23.11	-3.5	19.61	<=33.01	Pass
		3	0	23.18	-3.5	19.68	<=33.01	Pass
			2	23.20	-3.5	19.7	<=33.01	Pass
			3	23.14	-3.5	19.64	<=33.01	Pass
		6	0	22.13	-3.5	18.63	<=33.01	Pass
	1909.3	1	0	23.10	-3.5	19.6	<=33.01	Pass
			2	23.07	-3.5	19.57	<=33.01	Pass
			5	23.07	-3.5	19.57	<=33.01	Pass
		3	0	23.20	-3.5	19.7	<=33.01	Pass
			2	23.16	-3.5	19.66	<=33.01	Pass
			3	23.13	-3.5	19.63	<=33.01	Pass
		6	0	22.23	-3.5	18.73	<=33.01	Pass
16QAM	1850.7	1	0	22.33	-3.5	18.83	<=33.01	Pass
			2	22.56	-3.5	19.06	<=33.01	Pass
			5	22.58	-3.5	19.08	<=33.01	Pass
		3	0	22.64	-3.5	19.14	<=33.01	Pass
			2	22.46	-3.5	18.96	<=33.01	Pass
			3	22.87	-3.5	19.37	<=33.01	Pass
		6	0	21.63	-3.5	18.13	<=33.01	Pass
	1880	1	0	22.24	-3.5	18.74	<=33.01	Pass
			2	22.40	-3.5	18.9	<=33.01	Pass
			5	22.32	-3.5	18.82	<=33.01	Pass
		3	0	22.16	-3.5	18.66	<=33.01	Pass
			2	22.31	-3.5	18.81	<=33.01	Pass
			3	22.46	-3.5	18.96	<=33.01	Pass
		6	0	21.33	-3.5	17.83	<=33.01	Pass
	1909.3	1	0	22.28	-3.5	18.78	<=33.01	Pass
			2	22.50	-3.5	19	<=33.01	Pass
			5	22.43	-3.5	18.93	<=33.01	Pass
		3	0	22.19	-3.5	18.69	<=33.01	Pass
			2	22.21	-3.5	18.71	<=33.01	Pass
			3	22.27	-3.5	18.77	<=33.01	Pass

		6	0	21.10	-3.5	17.6	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

4.2 B2_3MHz_EIRP

4.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1851.5	1	0	23.31	-3.5	19.81	<=33.01	Pass	
			7	23.61	-3.5	20.11	<=33.01	Pass	
			14	23.69	-3.5	20.19	<=33.01	Pass	
		8	0	22.56	-3.5	19.06	<=33.01	Pass	
			4	22.61	-3.5	19.11	<=33.01	Pass	
			7	22.58	-3.5	19.08	<=33.01	Pass	
		15	0	22.53	-3.5	19.03	<=33.01	Pass	
		1880	1	0	23.17	-3.5	19.67	<=33.01	Pass
				7	23.41	-3.5	19.91	<=33.01	Pass
	14			23.23	-3.5	19.73	<=33.01	Pass	
	8		0	22.34	-3.5	18.84	<=33.01	Pass	
			4	22.29	-3.5	18.79	<=33.01	Pass	
			7	22.28	-3.5	18.78	<=33.01	Pass	
	15		0	22.26	-3.5	18.76	<=33.01	Pass	
	1908.5		1	0	23.24	-3.5	19.74	<=33.01	Pass
				7	23.34	-3.5	19.84	<=33.01	Pass
		14		23.22	-3.5	19.72	<=33.01	Pass	
		8	0	22.23	-3.5	18.73	<=33.01	Pass	
			4	22.30	-3.5	18.8	<=33.01	Pass	
			7	22.34	-3.5	18.84	<=33.01	Pass	
		15	0	22.15	-3.5	18.65	<=33.01	Pass	
16QAM		1851.5	1	0	23.06	-3.5	19.56	<=33.01	Pass
				7	23.43	-3.5	19.93	<=33.01	Pass
	14			23.35	-3.5	19.85	<=33.01	Pass	
	8		0	21.36	-3.5	17.86	<=33.01	Pass	
			4	21.38	-3.5	17.88	<=33.01	Pass	
			7	21.42	-3.5	17.92	<=33.01	Pass	
	15		0	21.40	-3.5	17.9	<=33.01	Pass	
	1880	1	0	22.31	-3.5	18.81	<=33.01	Pass	
			7	22.42	-3.5	18.92	<=33.01	Pass	
			14	22.18	-3.5	18.68	<=33.01	Pass	
		8	0	21.24	-3.5	17.74	<=33.01	Pass	
			4	21.31	-3.5	17.81	<=33.01	Pass	
			7	21.30	-3.5	17.8	<=33.01	Pass	
		15	0	21.17	-3.5	17.67	<=33.01	Pass	
	1908.5	1	0	22.58	-3.5	19.08	<=33.01	Pass	
			7	22.61	-3.5	19.11	<=33.01	Pass	
			14	22.51	-3.5	19.01	<=33.01	Pass	
		8	0	21.34	-3.5	17.84	<=33.01	Pass	
			4	21.59	-3.5	18.09	<=33.01	Pass	
			7	21.45	-3.5	17.95	<=33.01	Pass	
		15	0	21.25	-3.5	17.75	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

4.3 B2_5MHz_EIRP

4.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.26	-3.5	19.76	<=33.01	Pass
			13	23.52	-3.5	20.02	<=33.01	Pass
			24	23.45	-3.5	19.95	<=33.01	Pass
		12	0	22.44	-3.5	18.94	<=33.01	Pass
			6	22.55	-3.5	19.05	<=33.01	Pass
			13	22.47	-3.5	18.97	<=33.01	Pass
		25	0	22.46	-3.5	18.96	<=33.01	Pass
	1880	1	0	23.06	-3.5	19.56	<=33.01	Pass
			13	23.24	-3.5	19.74	<=33.01	Pass
			24	23.21	-3.5	19.71	<=33.01	Pass
		12	0	22.25	-3.5	18.75	<=33.01	Pass
			6	22.40	-3.5	18.9	<=33.01	Pass
			13	22.39	-3.5	18.89	<=33.01	Pass
		25	0	22.37	-3.5	18.87	<=33.01	Pass
	1907.5	1	0	23.17	-3.5	19.67	<=33.01	Pass
			13	23.42	-3.5	19.92	<=33.01	Pass
			24	23.26	-3.5	19.76	<=33.01	Pass
		12	0	22.16	-3.5	18.66	<=33.01	Pass
			6	22.33	-3.5	18.83	<=33.01	Pass
			13	22.31	-3.5	18.81	<=33.01	Pass
		25	0	22.24	-3.5	18.74	<=33.01	Pass
16QAM	1852.5	1	0	21.98	-3.5	18.48	<=33.01	Pass
			13	22.11	-3.5	18.61	<=33.01	Pass
			24	21.96	-3.5	18.46	<=33.01	Pass
		12	0	21.33	-3.5	17.83	<=33.01	Pass
			6	21.42	-3.5	17.92	<=33.01	Pass
			13	21.30	-3.5	17.8	<=33.01	Pass
		25	0	21.42	-3.5	17.92	<=33.01	Pass
	1880	1	0	22.30	-3.5	18.8	<=33.01	Pass
			13	22.62	-3.5	19.12	<=33.01	Pass
			24	22.49	-3.5	18.99	<=33.01	Pass
		12	0	21.13	-3.5	17.63	<=33.01	Pass
			6	21.13	-3.5	17.63	<=33.01	Pass
			13	21.12	-3.5	17.62	<=33.01	Pass
		25	0	21.25	-3.5	17.75	<=33.01	Pass
	1907.5	1	0	22.08	-3.5	18.58	<=33.01	Pass
			13	22.24	-3.5	18.74	<=33.01	Pass
			24	22.27	-3.5	18.77	<=33.01	Pass
		12	0	21.06	-3.5	17.56	<=33.01	Pass
6			21.36	-3.5	17.86	<=33.01	Pass	
13			21.35	-3.5	17.85	<=33.01	Pass	
25		0	21.12	-3.5	17.62	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

4.4 B2_10MHz_EIRP

4.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.55	-3.5	20.05	<=33.01	Pass
			25	23.77	-3.5	20.27	<=33.01	Pass
			49	23.09	-3.5	19.59	<=33.01	Pass
		25	0	22.58	-3.5	19.08	<=33.01	Pass
			13	22.53	-3.5	19.03	<=33.01	Pass
			25	22.33	-3.5	18.83	<=33.01	Pass
		50	0	22.39	-3.5	18.89	<=33.01	Pass
	1880	1	0	23.22	-3.5	19.72	<=33.01	Pass
			25	23.72	-3.5	20.22	<=33.01	Pass
			49	23.12	-3.5	19.62	<=33.01	Pass
		25	0	22.26	-3.5	18.76	<=33.01	Pass
			13	22.44	-3.5	18.94	<=33.01	Pass
			25	22.32	-3.5	18.82	<=33.01	Pass
		50	0	22.29	-3.5	18.79	<=33.01	Pass
	1905	1	0	23.44	-3.5	19.94	<=33.01	Pass
			25	23.74	-3.5	20.24	<=33.01	Pass
			49	23.17	-3.5	19.67	<=33.01	Pass
		25	0	22.14	-3.5	18.64	<=33.01	Pass
			13	22.39	-3.5	18.89	<=33.01	Pass
			25	22.28	-3.5	18.78	<=33.01	Pass
		50	0	22.20	-3.5	18.7	<=33.01	Pass
16QAM	1855	1	0	22.98	-3.5	19.48	<=33.01	Pass
			25	23.13	-3.5	19.63	<=33.01	Pass
			49	22.40	-3.5	18.9	<=33.01	Pass
		25	0	21.64	-3.5	18.14	<=33.01	Pass
			13	21.50	-3.5	18	<=33.01	Pass
			25	21.32	-3.5	17.82	<=33.01	Pass
		50	0	21.42	-3.5	17.92	<=33.01	Pass
	1880	1	0	22.93	-3.5	19.43	<=33.01	Pass
			25	22.79	-3.5	19.29	<=33.01	Pass
			49	22.35	-3.5	18.85	<=33.01	Pass
		25	0	21.26	-3.5	17.76	<=33.01	Pass
			13	21.52	-3.5	18.02	<=33.01	Pass
			25	21.40	-3.5	17.9	<=33.01	Pass
	50	0	21.29	-3.5	17.79	<=33.01	Pass	
	1905	1	0	22.33	-3.5	18.83	<=33.01	Pass
			25	22.42	-3.5	18.92	<=33.01	Pass
			49	22.22	-3.5	18.72	<=33.01	Pass
		25	0	21.39	-3.5	17.89	<=33.01	Pass
13			21.58	-3.5	18.08	<=33.01	Pass	
25			21.51	-3.5	18.01	<=33.01	Pass	
50		0	21.19	-3.5	17.69	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

4.5 B2_15MHz_EIRP

4.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.57	-3.5	20.07	<=33.01	Pass

			38	23.77	-3.5	20.27	<=33.01	Pass
			74	23.16	-3.5	19.66	<=33.01	Pass
			36	0	22.48	-3.5	18.98	<=33.01
		18		22.50	-3.5	19	<=33.01	Pass
		39		22.29	-3.5	18.79	<=33.01	Pass
		75	0	22.39	-3.5	18.89	<=33.01	Pass
		1880	1	0	23.16	-3.5	19.66	<=33.01
	38			23.57	-3.5	20.07	<=33.01	Pass
	74			23.03	-3.5	19.53	<=33.01	Pass
	36		0	22.27	-3.5	18.77	<=33.01	Pass
			18	22.46	-3.5	18.96	<=33.01	Pass
			39	22.20	-3.5	18.7	<=33.01	Pass
	75		0	22.12	-3.5	18.62	<=33.01	Pass
	1902.5	1	0	23.12	-3.5	19.62	<=33.01	Pass
			38	23.15	-3.5	19.65	<=33.01	Pass
			74	22.99	-3.5	19.49	<=33.01	Pass
		36	0	22.21	-3.5	18.71	<=33.01	Pass
			18	22.29	-3.5	18.79	<=33.01	Pass
			39	22.18	-3.5	18.68	<=33.01	Pass
		75	0	22.26	-3.5	18.76	<=33.01	Pass

16QAM	1857.5	1	0	22.99	-3.5	19.49	<=33.01	Pass
			38	22.88	-3.5	19.38	<=33.01	Pass
			74	22.25	-3.5	18.75	<=33.01	Pass
		36	0	21.47	-3.5	17.97	<=33.01	Pass
			18	21.44	-3.5	17.94	<=33.01	Pass
			39	21.27	-3.5	17.77	<=33.01	Pass
		75	0	21.44	-3.5	17.94	<=33.01	Pass
	1880	1	0	22.87	-3.5	19.37	<=33.01	Pass
			38	23.26	-3.5	19.76	<=33.01	Pass
			74	22.73	-3.5	19.23	<=33.01	Pass
		36	0	21.09	-3.5	17.59	<=33.01	Pass
			18	21.31	-3.5	17.81	<=33.01	Pass
			39	21.25	-3.5	17.75	<=33.01	Pass
		75	0	21.19	-3.5	17.69	<=33.01	Pass
	1902.5	1	0	22.41	-3.5	18.91	<=33.01	Pass
			38	22.40	-3.5	18.9	<=33.01	Pass
			74	22.27	-3.5	18.77	<=33.01	Pass
		36	0	21.14	-3.5	17.64	<=33.01	Pass
			18	21.36	-3.5	17.86	<=33.01	Pass
			39	21.25	-3.5	17.75	<=33.01	Pass
75		0	21.23	-3.5	17.73	<=33.01	Pass	

Note1: EIRP=Conducted Power+Antenna Gain

4.6 B2_20MHz_EIRP

4.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.25	-3.5	19.75	<=33.01	Pass
			50	23.71	-3.5	20.21	<=33.01	Pass
			99	22.88	-3.5	19.38	<=33.01	Pass
		50	0	22.38	-3.5	18.88	<=33.01	Pass
			25	22.44	-3.5	18.94	<=33.01	Pass

			50	22.27	-3.5	18.77	<=33.01	Pass	
		100	0	22.49	-3.5	18.99	<=33.01	Pass	
	1880	1	0	23.55	-3.5	20.05	<=33.01	Pass	
			50	23.71	-3.5	20.21	<=33.01	Pass	
			99	23.17	-3.5	19.67	<=33.01	Pass	
		50	0	22.18	-3.5	18.68	<=33.01	Pass	
			25	22.37	-3.5	18.87	<=33.01	Pass	
			50	22.29	-3.5	18.79	<=33.01	Pass	
	100	0	22.18	-3.5	18.68	<=33.01	Pass		
	1900	1	0	23.09	-3.5	19.59	<=33.01	Pass	
			50	23.16	-3.5	19.66	<=33.01	Pass	
			99	22.97	-3.5	19.47	<=33.01	Pass	
		50	0	22.34	-3.5	18.84	<=33.01	Pass	
			25	22.29	-3.5	18.79	<=33.01	Pass	
			50	22.10	-3.5	18.6	<=33.01	Pass	
	100	0	22.34	-3.5	18.84	<=33.01	Pass		
16QAM	1860	1	0	22.42	-3.5	18.92	<=33.01	Pass	
			50	23.14	-3.5	19.64	<=33.01	Pass	
			99	22.26	-3.5	18.76	<=33.01	Pass	
		50	0	21.51	-3.5	18.01	<=33.01	Pass	
			25	21.45	-3.5	17.95	<=33.01	Pass	
			50	21.23	-3.5	17.73	<=33.01	Pass	
		100	0	21.35	-3.5	17.85	<=33.01	Pass	
	1880	1	0	22.34	-3.5	18.84	<=33.01	Pass	
			50	22.65	-3.5	19.15	<=33.01	Pass	
			99	22.05	-3.5	18.55	<=33.01	Pass	
		50	0	21.13	-3.5	17.63	<=33.01	Pass	
			25	21.39	-3.5	17.89	<=33.01	Pass	
	50	21.35	-3.5	17.85	<=33.01	Pass			
	100	0	21.15	-3.5	17.65	<=33.01	Pass		
	1900	1	0	22.39	-3.5	18.89	<=33.01	Pass	
			50	22.88	-3.5	19.38	<=33.01	Pass	
			99	22.73	-3.5	19.23	<=33.01	Pass	
		50	0	21.20	-3.5	17.7	<=33.01	Pass	
			25	21.21	-3.5	17.71	<=33.01	Pass	
			50	21.09	-3.5	17.59	<=33.01	Pass	
		100	0	21.20	-3.5	17.7	<=33.01	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								

5. Effective (Isotropic) Radiated Power Output Data

5.1 B4_1.4MHz_EIRP

5.1.1 Test Result

Band: 4 / Bandwidth: 1.4MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	23.96	-1.9	22.06	<=30	Pass
			2	24.05	-1.9	22.15	<=30	Pass
			5	24.14	-1.9	22.24	<=30	Pass
		3	0	24.13	-1.9	22.23	<=30	Pass
			2	24.15	-1.9	22.25	<=30	Pass
			3	24.08	-1.9	22.18	<=30	Pass

	1732.5	6	0	22.96	-1.9	21.06	<=30	Pass
		1	0	24.03	-1.9	22.13	<=30	Pass
			2	24.06	-1.9	22.16	<=30	Pass
			5	23.99	-1.9	22.09	<=30	Pass
			3	0	24.16	-1.9	22.26	<=30
		2		24.10	-1.9	22.2	<=30	Pass
		3		24.17	-1.9	22.27	<=30	Pass
		6	0	23.08	-1.9	21.18	<=30	Pass
		1754.3	1	0	23.98	-1.9	22.08	<=30
	2			24.06	-1.9	22.16	<=30	Pass
	5			24.08	-1.9	22.18	<=30	Pass
	3		0	24.12	-1.9	22.22	<=30	Pass
			2	24.17	-1.9	22.27	<=30	Pass
			3	24.11	-1.9	22.21	<=30	Pass
	6		0	23.03	-1.9	21.13	<=30	Pass
16QAM	1710.7	1	0	23.26	-1.9	21.36	<=30	Pass
			2	23.63	-1.9	21.73	<=30	Pass
			5	23.13	-1.9	21.23	<=30	Pass
		3	0	22.98	-1.9	21.08	<=30	Pass
			2	23.19	-1.9	21.29	<=30	Pass
			3	23.07	-1.9	21.17	<=30	Pass
		6	0	21.86	-1.9	19.96	<=30	Pass
	1732.5	1	0	23.16	-1.9	21.26	<=30	Pass
			2	23.54	-1.9	21.64	<=30	Pass
			5	23.40	-1.9	21.5	<=30	Pass
		3	0	23.18	-1.9	21.28	<=30	Pass
			2	23.25	-1.9	21.35	<=30	Pass
	3	23.22	-1.9	21.32	<=30	Pass		
	6	0	22.01	-1.9	20.11	<=30	Pass	
	1754.3	1	0	22.96	-1.9	21.06	<=30	Pass
			2	23.11	-1.9	21.21	<=30	Pass
			5	23.12	-1.9	21.22	<=30	Pass
		3	0	23.20	-1.9	21.3	<=30	Pass
			2	23.14	-1.9	21.24	<=30	Pass
			3	23.10	-1.9	21.2	<=30	Pass
		6	0	21.87	-1.9	19.97	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

5.2 B4_3MHz_EIRP

5.2.1 Test Result

Band: 4 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	24.07	-1.9	22.17	<=30	Pass
			7	24.08	-1.9	22.18	<=30	Pass
			14	23.91	-1.9	22.01	<=30	Pass
		8	0	23.10	-1.9	21.2	<=30	Pass
			4	23.13	-1.9	21.23	<=30	Pass
			7	23.08	-1.9	21.18	<=30	Pass
		15	0	23.11	-1.9	21.21	<=30	Pass
	1732.5	1	0	24.04	-1.9	22.14	<=30	Pass
			7	24.20	-1.9	22.3	<=30	Pass
			14	24.00	-1.9	22.1	<=30	Pass

		8	0	23.10	-1.9	21.2	<=30	Pass	
			4	22.97	-1.9	21.07	<=30	Pass	
			7	22.98	-1.9	21.08	<=30	Pass	
	1753.5	15	0	23.17	-1.9	21.27	<=30	Pass	
			1	0	24.01	-1.9	22.11	<=30	Pass
				7	24.17	-1.9	22.27	<=30	Pass
		14		24.10	-1.9	22.2	<=30	Pass	
		8	0	23.09	-1.9	21.19	<=30	Pass	
			4	23.04	-1.9	21.14	<=30	Pass	
			7	23.14	-1.9	21.24	<=30	Pass	
		15	0	23.11	-1.9	21.21	<=30	Pass	
16QAM		1711.5	1	0	23.48	-1.9	21.58	<=30	Pass
	7			23.63	-1.9	21.73	<=30	Pass	
	14			23.64	-1.9	21.74	<=30	Pass	
	8		0	21.88	-1.9	19.98	<=30	Pass	
			4	22.25	-1.9	20.35	<=30	Pass	
			7	22.21	-1.9	20.31	<=30	Pass	
	15		0	22.03	-1.9	20.13	<=30	Pass	
	1732.5	1	0	23.63	-1.9	21.73	<=30	Pass	
			7	23.90	-1.9	22	<=30	Pass	
			14	23.22	-1.9	21.32	<=30	Pass	
		8	0	21.88	-1.9	19.98	<=30	Pass	
			4	21.88	-1.9	19.98	<=30	Pass	
			7	22.02	-1.9	20.12	<=30	Pass	
		15	0	21.96	-1.9	20.06	<=30	Pass	
	1753.5	1	0	23.03	-1.9	21.13	<=30	Pass	
			7	23.11	-1.9	21.21	<=30	Pass	
			14	22.96	-1.9	21.06	<=30	Pass	
		8	0	21.93	-1.9	20.03	<=30	Pass	
			4	22.00	-1.9	20.1	<=30	Pass	
			7	22.30	-1.9	20.4	<=30	Pass	
		15	0	22.17	-1.9	20.27	<=30	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

5.3 B4_5MHz_EIRP

5.3.1 Test Result

Band: 4 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	23.89	-1.9	21.99	<=30	Pass
			13	23.99	-1.9	22.09	<=30	Pass
			24	23.85	-1.9	21.95	<=30	Pass
		12	0	23.03	-1.9	21.13	<=30	Pass
			6	23.14	-1.9	21.24	<=30	Pass
			13	22.99	-1.9	21.09	<=30	Pass
		25	0	23.01	-1.9	21.11	<=30	Pass
	1732.5	1	0	23.90	-1.9	22	<=30	Pass
			13	24.07	-1.9	22.17	<=30	Pass
			24	23.88	-1.9	21.98	<=30	Pass
		12	0	23.08	-1.9	21.18	<=30	Pass
			6	23.06	-1.9	21.16	<=30	Pass
			13	22.99	-1.9	21.09	<=30	Pass
		25	0	23.11	-1.9	21.21	<=30	Pass

	1752.5	1	0	23.87	-1.9	21.97	<=30	Pass
			13	24.19	-1.9	22.29	<=30	Pass
			24	24.07	-1.9	22.17	<=30	Pass
		12	0	23.08	-1.9	21.18	<=30	Pass
			6	23.14	-1.9	21.24	<=30	Pass
			13	23.23	-1.9	21.33	<=30	Pass
		25	0	23.21	-1.9	21.31	<=30	Pass
16QAM	1712.5	1	0	22.53	-1.9	20.63	<=30	Pass
			13	22.50	-1.9	20.6	<=30	Pass
			24	22.57	-1.9	20.67	<=30	Pass
		12	0	21.92	-1.9	20.02	<=30	Pass
			6	22.00	-1.9	20.1	<=30	Pass
			13	21.93	-1.9	20.03	<=30	Pass
		25	0	21.99	-1.9	20.09	<=30	Pass
	1732.5	1	0	22.92	-1.9	21.02	<=30	Pass
			13	23.58	-1.9	21.68	<=30	Pass
			24	23.36	-1.9	21.46	<=30	Pass
		12	0	22.01	-1.9	20.11	<=30	Pass
			6	21.95	-1.9	20.05	<=30	Pass
			13	21.97	-1.9	20.07	<=30	Pass
		25	0	21.97	-1.9	20.07	<=30	Pass
	1752.5	1	0	22.81	-1.9	20.91	<=30	Pass
			13	22.86	-1.9	20.96	<=30	Pass
			24	22.89	-1.9	20.99	<=30	Pass
		12	0	22.06	-1.9	20.16	<=30	Pass
			6	22.13	-1.9	20.23	<=30	Pass
			13	22.23	-1.9	20.33	<=30	Pass
		25	0	22.23	-1.9	20.33	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

5.4 B4_10MHz_EIRP

5.4.1 Test Result

Band: 4 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	24.08	-1.9	22.18	<=30	Pass
			25	24.17	-1.9	22.27	<=30	Pass
			49	23.96	-1.9	22.06	<=30	Pass
		25	0	22.94	-1.9	21.04	<=30	Pass
			13	23.10	-1.9	21.2	<=30	Pass
			25	23.04	-1.9	21.14	<=30	Pass
		50	0	23.01	-1.9	21.11	<=30	Pass
	1732.5	1	0	24.17	-1.9	22.27	<=30	Pass
			25	24.50	-1.9	22.6	<=30	Pass
			49	23.61	-1.9	21.71	<=30	Pass
		25	0	23.16	-1.9	21.26	<=30	Pass
			13	23.08	-1.9	21.18	<=30	Pass
			25	23.06	-1.9	21.16	<=30	Pass
		50	0	23.03	-1.9	21.13	<=30	Pass
	1750	1	0	24.30	-1.9	22.4	<=30	Pass
			25	24.38	-1.9	22.48	<=30	Pass
			49	24.12	-1.9	22.22	<=30	Pass
		25	0	23.07	-1.9	21.17	<=30	Pass

		50	13	23.19	-1.9	21.29	<=30	Pass		
			25	23.10	-1.9	21.2	<=30	Pass		
			0	23.06	-1.9	21.16	<=30	Pass		
16QAM	1715	1	0	23.54	-1.9	21.64	<=30	Pass		
			25	23.53	-1.9	21.63	<=30	Pass		
			49	23.04	-1.9	21.14	<=30	Pass		
		25	0	22.04	-1.9	20.14	<=30	Pass		
			13	22.09	-1.9	20.19	<=30	Pass		
			25	22.00	-1.9	20.1	<=30	Pass		
		50	0	21.92	-1.9	20.02	<=30	Pass		
		1732.5	1	0	23.36	-1.9	21.46	<=30	Pass	
				25	23.53	-1.9	21.63	<=30	Pass	
	49			22.96	-1.9	21.06	<=30	Pass		
	25		0	22.10	-1.9	20.2	<=30	Pass		
			13	22.19	-1.9	20.29	<=30	Pass		
			25	21.84	-1.9	19.94	<=30	Pass		
	50		0	21.88	-1.9	19.98	<=30	Pass		
	1750		1	0	23.14	-1.9	21.24	<=30	Pass	
				25	23.26	-1.9	21.36	<=30	Pass	
		49		23.10	-1.9	21.2	<=30	Pass		
		25	0	22.16	-1.9	20.26	<=30	Pass		
			13	22.49	-1.9	20.59	<=30	Pass		
			25	22.41	-1.9	20.51	<=30	Pass		
		50	0	22.08	-1.9	20.18	<=30	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

5.5 B4_15MHz_EIRP

5.5.1 Test Result

Band: 4 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	24.07	-1.9	22.17	<=30	Pass
			38	24.32	-1.9	22.42	<=30	Pass
			74	23.91	-1.9	22.01	<=30	Pass
		36	0	22.98	-1.9	21.08	<=30	Pass
			18	23.09	-1.9	21.19	<=30	Pass
			39	23.07	-1.9	21.17	<=30	Pass
		75	0	22.97	-1.9	21.07	<=30	Pass
	1732.5	1	0	24.03	-1.9	22.13	<=30	Pass
			38	24.15	-1.9	22.25	<=30	Pass
			74	23.69	-1.9	21.79	<=30	Pass
		36	0	23.12	-1.9	21.22	<=30	Pass
			18	23.06	-1.9	21.16	<=30	Pass
			39	22.96	-1.9	21.06	<=30	Pass
		75	0	23.10	-1.9	21.2	<=30	Pass
	1747.5	1	0	23.83	-1.9	21.93	<=30	Pass
			38	24.18	-1.9	22.28	<=30	Pass
			74	23.95	-1.9	22.05	<=30	Pass
		36	0	23.14	-1.9	21.24	<=30	Pass
			18	23.21	-1.9	21.31	<=30	Pass
			39	23.04	-1.9	21.14	<=30	Pass
		75	0	22.99	-1.9	21.09	<=30	Pass
16QAM	1717.5	1	0	23.56	-1.9	21.66	<=30	Pass

			38	23.51	-1.9	21.61	<=30	Pass
			74	23.14	-1.9	21.24	<=30	Pass
		36	0	21.98	-1.9	20.08	<=30	Pass
			18	22.14	-1.9	20.24	<=30	Pass
			39	22.12	-1.9	20.22	<=30	Pass
		75	0	22.02	-1.9	20.12	<=30	Pass
	1732.5	1	0	23.22	-1.9	21.32	<=30	Pass
			38	23.41	-1.9	21.51	<=30	Pass
			74	23.04	-1.9	21.14	<=30	Pass
		36	0	22.18	-1.9	20.28	<=30	Pass
			18	21.95	-1.9	20.05	<=30	Pass
			39	21.89	-1.9	19.99	<=30	Pass
		75	0	22.13	-1.9	20.23	<=30	Pass
		1747.5	1	0	23.18	-1.9	21.28	<=30
	38			23.25	-1.9	21.35	<=30	Pass
	74			22.78	-1.9	20.88	<=30	Pass
	36		0	21.82	-1.9	19.92	<=30	Pass
			18	22.05	-1.9	20.15	<=30	Pass
			39	21.95	-1.9	20.05	<=30	Pass
	75	0	22.01	-1.9	20.11	<=30	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

5.6 B4_20MHz_EIRP

5.6.1 Test Result

Band: 4 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	23.91	-1.9	22.01	<=30	Pass
			50	24.34	-1.9	22.44	<=30	Pass
			99	23.75	-1.9	21.85	<=30	Pass
		50	0	23.02	-1.9	21.12	<=30	Pass
			25	23.18	-1.9	21.28	<=30	Pass
			50	23.09	-1.9	21.19	<=30	Pass
		100	0	23.11	-1.9	21.21	<=30	Pass
	1732.5	1	0	23.99	-1.9	22.09	<=30	Pass
			50	24.33	-1.9	22.43	<=30	Pass
			99	23.98	-1.9	22.08	<=30	Pass
		50	0	23.14	-1.9	21.24	<=30	Pass
			25	22.99	-1.9	21.09	<=30	Pass
			50	23.06	-1.9	21.16	<=30	Pass
		100	0	23.06	-1.9	21.16	<=30	Pass
	1745	1	0	23.93	-1.9	22.03	<=30	Pass
			50	24.44	-1.9	22.54	<=30	Pass
			99	23.90	-1.9	22	<=30	Pass
		50	0	23.06	-1.9	21.16	<=30	Pass
			25	23.25	-1.9	21.35	<=30	Pass
			50	23.04	-1.9	21.14	<=30	Pass
		100	0	23.11	-1.9	21.21	<=30	Pass
16QAM	1720	1	0	22.87	-1.9	20.97	<=30	Pass
			50	23.79	-1.9	21.89	<=30	Pass
			99	23.10	-1.9	21.2	<=30	Pass
		50	0	21.98	-1.9	20.08	<=30	Pass
			25	22.16	-1.9	20.26	<=30	Pass

			50	22.09	-1.9	20.19	<=30	Pass
		100	0	22.03	-1.9	20.13	<=30	Pass
	1732.5	1	0	23.01	-1.9	21.11	<=30	Pass
			50	23.19	-1.9	21.29	<=30	Pass
			99	22.60	-1.9	20.7	<=30	Pass
		50	0	22.18	-1.9	20.28	<=30	Pass
			25	21.90	-1.9	20	<=30	Pass
			50	21.95	-1.9	20.05	<=30	Pass
		100	0	22.09	-1.9	20.19	<=30	Pass
	1745	1	0	23.91	-1.9	22.01	<=30	Pass
			50	24.17	-1.9	22.27	<=30	Pass
			99	24.03	-1.9	22.13	<=30	Pass
		50	0	21.89	-1.9	19.99	<=30	Pass
			25	22.06	-1.9	20.16	<=30	Pass
			50	21.97	-1.9	20.07	<=30	Pass
		100	0	22.04	-1.9	20.14	<=30	Pass
	Note1: EIRP=Conducted Power+Antenna Gain							

6. Effective (Isotropic) Radiated Power Output Data

6.1 B5_1.4MHz_ERP

6.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.50	-2.7	18.65	<=38.45	Pass
			2	23.74	-2.7	18.89	<=38.45	Pass
			5	23.49	-2.7	18.64	<=38.45	Pass
		3	0	23.64	-2.7	18.79	<=38.45	Pass
			2	23.61	-2.7	18.76	<=38.45	Pass
			3	23.57	-2.7	18.72	<=38.45	Pass
		6	0	22.60	-2.7	17.75	<=38.45	Pass
	836.5	1	0	23.48	-2.7	18.63	<=38.45	Pass
			2	23.58	-2.7	18.73	<=38.45	Pass
			5	23.66	-2.7	18.81	<=38.45	Pass
		3	0	23.65	-2.7	18.8	<=38.45	Pass
			2	23.67	-2.7	18.82	<=38.45	Pass
			3	23.63	-2.7	18.78	<=38.45	Pass
		6	0	22.51	-2.7	17.66	<=38.45	Pass
	848.3	1	0	23.69	-2.7	18.84	<=38.45	Pass
			2	23.70	-2.7	18.85	<=38.45	Pass
			5	23.54	-2.7	18.69	<=38.45	Pass
		3	0	23.45	-2.7	18.6	<=38.45	Pass
			2	23.57	-2.7	18.72	<=38.45	Pass
			3	23.51	-2.7	18.66	<=38.45	Pass
		6	0	22.56	-2.7	17.71	<=38.45	Pass
16QAM	824.7	1	0	22.78	-2.7	17.93	<=38.45	Pass
			2	23.22	-2.7	18.37	<=38.45	Pass
			5	22.84	-2.7	17.99	<=38.45	Pass
		3	0	22.60	-2.7	17.75	<=38.45	Pass
			2	22.60	-2.7	17.75	<=38.45	Pass
			3	22.93	-2.7	18.08	<=38.45	Pass

	836.5	6	0	21.54	-2.7	16.69	<=38.45	Pass
			0	22.63	-2.7	17.78	<=38.45	Pass
			2	22.73	-2.7	17.88	<=38.45	Pass
		1	5	22.68	-2.7	17.83	<=38.45	Pass
			0	22.55	-2.7	17.7	<=38.45	Pass
			2	22.61	-2.7	17.76	<=38.45	Pass
			3	22.89	-2.7	18.04	<=38.45	Pass
		3	0	21.20	-2.7	16.35	<=38.45	Pass
			0	22.74	-2.7	17.89	<=38.45	Pass
	848.3	1	2	23.00	-2.7	18.15	<=38.45	Pass
			5	22.60	-2.7	17.75	<=38.45	Pass
			0	22.54	-2.7	17.69	<=38.45	Pass
		3	2	22.69	-2.7	17.84	<=38.45	Pass
			3	22.74	-2.7	17.89	<=38.45	Pass
			0	21.34	-2.7	16.49	<=38.45	Pass
		6	0	21.54	-2.7	16.69	<=38.45	Pass
			0	22.63	-2.7	17.78	<=38.45	Pass
			2	22.73	-2.7	17.88	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

6.2 B5_3MHz_ERP

6.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.48	-2.7	18.63	<=38.45	Pass
			7	23.70	-2.7	18.85	<=38.45	Pass
			14	23.47	-2.7	18.62	<=38.45	Pass
		8	0	22.57	-2.7	17.72	<=38.45	Pass
			4	22.59	-2.7	17.74	<=38.45	Pass
			7	22.55	-2.7	17.7	<=38.45	Pass
		15	0	22.69	-2.7	17.84	<=38.45	Pass
	836.5	1	0	23.63	-2.7	18.78	<=38.45	Pass
			7	23.91	-2.7	19.06	<=38.45	Pass
			14	23.69	-2.7	18.84	<=38.45	Pass
		8	0	22.67	-2.7	17.82	<=38.45	Pass
			4	22.56	-2.7	17.71	<=38.45	Pass
			7	22.58	-2.7	17.73	<=38.45	Pass
		15	0	22.66	-2.7	17.81	<=38.45	Pass
	847.5	1	0	23.40	-2.7	18.55	<=38.45	Pass
			7	24.04	-2.7	19.19	<=38.45	Pass
			14	23.47	-2.7	18.62	<=38.45	Pass
		8	0	22.62	-2.7	17.77	<=38.45	Pass
			4	22.59	-2.7	17.74	<=38.45	Pass
			7	22.51	-2.7	17.66	<=38.45	Pass
		15	0	22.46	-2.7	17.61	<=38.45	Pass
16QAM	825.5	1	0	22.96	-2.7	18.11	<=38.45	Pass
			7	23.27	-2.7	18.42	<=38.45	Pass
			14	23.25	-2.7	18.4	<=38.45	Pass
		8	0	21.47	-2.7	16.62	<=38.45	Pass
			4	21.45	-2.7	16.6	<=38.45	Pass
			7	21.67	-2.7	16.82	<=38.45	Pass
		15	0	21.50	-2.7	16.65	<=38.45	Pass
	836.5	1	0	23.07	-2.7	18.22	<=38.45	Pass
			7	23.31	-2.7	18.46	<=38.45	Pass
			14	23.22	-2.7	18.37	<=38.45	Pass

		8	0	21.81	-2.7	16.96	<=38.45	Pass
			4	21.56	-2.7	16.71	<=38.45	Pass
			7	21.54	-2.7	16.69	<=38.45	Pass
	847.5	15	0	21.43	-2.7	16.58	<=38.45	Pass
		1	0	22.26	-2.7	17.41	<=38.45	Pass
			7	22.55	-2.7	17.7	<=38.45	Pass
			14	22.59	-2.7	17.74	<=38.45	Pass
		8	0	21.36	-2.7	16.51	<=38.45	Pass
			4	21.64	-2.7	16.79	<=38.45	Pass
			7	21.46	-2.7	16.61	<=38.45	Pass
		15	0	21.52	-2.7	16.67	<=38.45	Pass
	Note1: ERP=Conducted Power+Antenna Gain-2.15							

6.3 B5_5MHz_ERP

6.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.42	-2.7	18.57	<=38.45	Pass
			13	23.76	-2.7	18.91	<=38.45	Pass
			24	23.26	-2.7	18.41	<=38.45	Pass
		12	0	22.52	-2.7	17.67	<=38.45	Pass
			6	22.66	-2.7	17.81	<=38.45	Pass
			13	22.53	-2.7	17.68	<=38.45	Pass
		25	0	22.60	-2.7	17.75	<=38.45	Pass
	836.5	1	0	23.49	-2.7	18.64	<=38.45	Pass
			13	23.64	-2.7	18.79	<=38.45	Pass
			24	23.52	-2.7	18.67	<=38.45	Pass
		12	0	22.62	-2.7	17.77	<=38.45	Pass
			6	22.61	-2.7	17.76	<=38.45	Pass
			13	22.57	-2.7	17.72	<=38.45	Pass
		25	0	22.65	-2.7	17.8	<=38.45	Pass
	846.5	1	0	23.41	-2.7	18.56	<=38.45	Pass
			13	23.48	-2.7	18.63	<=38.45	Pass
			24	23.50	-2.7	18.65	<=38.45	Pass
		12	0	22.55	-2.7	17.7	<=38.45	Pass
			6	22.52	-2.7	17.67	<=38.45	Pass
			13	22.58	-2.7	17.73	<=38.45	Pass
		25	0	22.52	-2.7	17.67	<=38.45	Pass
16QAM	826.5	1	0	22.24	-2.7	17.39	<=38.45	Pass
			13	22.77	-2.7	17.92	<=38.45	Pass
			24	22.04	-2.7	17.19	<=38.45	Pass
		12	0	21.50	-2.7	16.65	<=38.45	Pass
			6	21.63	-2.7	16.78	<=38.45	Pass
			13	21.50	-2.7	16.65	<=38.45	Pass
		25	0	21.69	-2.7	16.84	<=38.45	Pass
	836.5	1	0	22.62	-2.7	17.77	<=38.45	Pass
			13	23.07	-2.7	18.22	<=38.45	Pass
			24	22.87	-2.7	18.02	<=38.45	Pass
		12	0	21.46	-2.7	16.61	<=38.45	Pass
			6	21.39	-2.7	16.54	<=38.45	Pass
			13	21.42	-2.7	16.57	<=38.45	Pass
		25	0	21.56	-2.7	16.71	<=38.45	Pass

	846.5	1	0	22.07	-2.7	17.22	<=38.45	Pass
			13	22.15	-2.7	17.3	<=38.45	Pass
			24	22.33	-2.7	17.48	<=38.45	Pass
		12	0	21.42	-2.7	16.57	<=38.45	Pass
			6	21.50	-2.7	16.65	<=38.45	Pass
			13	21.46	-2.7	16.61	<=38.45	Pass
		25	0	21.64	-2.7	16.79	<=38.45	Pass
		Note1: ERP=Conducted Power+Antenna Gain-2.15						

6.4 B5_10MHz_ERP

6.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.95	-2.7	19.1	<=38.45	Pass
			25	23.96	-2.7	19.11	<=38.45	Pass
			49	23.23	-2.7	18.38	<=38.45	Pass
		25	0	22.65	-2.7	17.8	<=38.45	Pass
			13	22.62	-2.7	17.77	<=38.45	Pass
			25	22.50	-2.7	17.65	<=38.45	Pass
		50	0	22.65	-2.7	17.8	<=38.45	Pass
	836.5	1	0	23.72	-2.7	18.87	<=38.45	Pass
			25	24.02	-2.7	19.17	<=38.45	Pass
			49	23.22	-2.7	18.37	<=38.45	Pass
		25	0	22.63	-2.7	17.78	<=38.45	Pass
			13	22.70	-2.7	17.85	<=38.45	Pass
			25	22.45	-2.7	17.6	<=38.45	Pass
		50	0	22.51	-2.7	17.66	<=38.45	Pass
	844	1	0	23.53	-2.7	18.68	<=38.45	Pass
			25	23.86	-2.7	19.01	<=38.45	Pass
			49	23.52	-2.7	18.67	<=38.45	Pass
		25	0	22.59	-2.7	17.74	<=38.45	Pass
			13	22.68	-2.7	17.83	<=38.45	Pass
			25	22.47	-2.7	17.62	<=38.45	Pass
		50	0	22.52	-2.7	17.67	<=38.45	Pass
16QAM	829	1	0	22.73	-2.7	17.88	<=38.45	Pass
			25	23.09	-2.7	18.24	<=38.45	Pass
			49	22.54	-2.7	17.69	<=38.45	Pass
		25	0	21.56	-2.7	16.71	<=38.45	Pass
			13	21.73	-2.7	16.88	<=38.45	Pass
			25	21.54	-2.7	16.69	<=38.45	Pass
		50	0	21.54	-2.7	16.69	<=38.45	Pass
	836.5	1	0	22.61	-2.7	17.76	<=38.45	Pass
			25	23.41	-2.7	18.56	<=38.45	Pass
			49	23.06	-2.7	18.21	<=38.45	Pass
		25	0	21.62	-2.7	16.77	<=38.45	Pass
			13	21.62	-2.7	16.77	<=38.45	Pass
			25	21.44	-2.7	16.59	<=38.45	Pass
		50	0	21.59	-2.7	16.74	<=38.45	Pass
	844	1	0	22.47	-2.7	17.62	<=38.45	Pass
			25	22.84	-2.7	17.99	<=38.45	Pass
			49	22.13	-2.7	17.28	<=38.45	Pass
		25	0	21.56	-2.7	16.71	<=38.45	Pass

			13	21.67	-2.7	16.82	<=38.45	Pass
			25	21.55	-2.7	16.7	<=38.45	Pass
		50	0	21.52	-2.7	16.67	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								