

1.1 Test Result

Test Band: GSM850											
Test Mode		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
		LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
EGPRS	1 TX Slot	27.12	26.78	26.94	-1.15	1.00	25.97	25.63	25.79	38.45	PASS
	2 TX Slots	25.47	25.12	25.27	-1.15	1.00	24.32	23.97	24.12	38.45	PASS
	3 TX Slots	24.08	23.73	23.93	-1.15	1.00	22.93	22.58	22.78	38.45	PASS
	4 TX Slots	21.98	21.65	21.82	-1.15	1.00	20.83	20.50	20.67	38.45	PASS
GPRS	1 TX Slot	33.11	32.77	32.93	-1.15	1.00	31.96	31.62	31.78	38.45	PASS
	2 TX Slots	30.47	30.12	30.27	-1.15	1.00	29.32	28.97	29.12	38.45	PASS
	3 TX Slots	29.08	28.73	28.93	-1.15	1.00	27.93	27.58	27.78	38.45	PASS
	4 TX Slots	27.97	27.64	27.82	-1.15	1.00	26.82	26.49	26.67	38.45	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi) 3) ERP = Conducted output power + Antenna gain (dBd)											

Test Band: PCS1900											
Test Mode		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
		LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
EGPRS	1 TX Slot	26.81	26.78	26.82	/	0.50	27.31	27.28	27.32	33.01	PASS
	2 TX Slots	25.14	25.1	25.13	/	0.50	25.64	25.6	25.63	33.01	PASS
	3 TX Slots	23.72	23.69	23.74	/	0.50	24.22	24.19	24.24	33.01	PASS
	4 TX Slots	21.72	21.71	21.73	/	0.50	22.22	22.21	22.23	33.01	PASS
GPRS	1 TX Slot	29.77	29.77	29.79	/	0.50	30.27	30.27	30.29	33.01	PASS
	2 TX Slots	27.11	27.08	27.11	/	0.50	27.61	27.58	27.61	33.01	PASS
	3 TX Slots	25.68	25.67	25.71	/	0.50	26.18	26.17	26.21	33.01	PASS
	4 TX Slots	24.70	24.69	24.70	/	0.50	25.2	25.19	25.2	33.01	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)											

Test Band: WCDMA band 2											
Test Mode		Conducted Power (dBm)			Antenna gain		EIRP(dBm)			Limit (dBm)	Verdict
		LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
HSUPA	Subtest 1	19.08	20.11	20.07	/	0.50	19.58	20.61	20.57	33.01	PASS
	Subtest 2	19.44	20.35	20.20	/	0.50	19.94	20.85	20.7	33.01	PASS
	Subtest 3	20.16	19.86	20.11	/	0.50	20.66	20.36	20.61	33.01	PASS
	Subtest 4	19.66	19.77	20.06	/	0.50	20.16	20.27	20.56	33.01	PASS
	Subtest 5	20.16	20.44	20.61	/	0.50	20.66	20.94	21.11	33.01	PASS
HSDPA	Subtest 1	18.89	20.60	20.76	/	0.50	19.39	21.1	21.26	33.01	PASS
	Subtest 2	20.06	20.06	20.43	/	0.50	20.56	20.56	20.93	33.01	PASS
	Subtest 3	20.05	20.27	20.28	/	0.50	20.55	20.77	20.78	33.01	PASS
	Subtest 4	19.77	19.90	19.96	/	0.50	20.27	20.4	20.46	33.01	PASS
RMC	12.2kbps RMC	22.83	23.00	22.95	/	0.50	23.33	23.5	23.45	33.01	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi)											

Test Band: WCDMA band 5											
Test Mode		Conducted Power (dBm)			Antenna gain		ERP(dBm)			Limit (dBm)	Verdict
		LCH	MCH	HCH	(dBd)	(dBi)	LCH	MCH	HCH		
HSUPA	Subtest 1	19.93	19.18	20.27	-1.15	1.00	18.78	18.03	19.12	38.45	PASS
	Subtest 2	19.58	19.27	20.33	-1.15	1.00	18.43	18.12	19.18	38.45	PASS
	Subtest 3	19.98	19.87	19.85	-1.15	1.00	18.83	18.72	18.70	38.45	PASS
	Subtest 4	19.35	20.80	20.17	-1.15	1.00	18.20	19.65	19.02	38.45	PASS
	Subtest 5	19.85	19.72	19.91	-1.15	1.00	18.70	18.57	18.76	38.45	PASS
HSDPA	Subtest 1	19.41	19.88	19.66	-1.15	1.00	18.26	18.73	18.51	38.45	PASS
	Subtest 2	19.77	19.85	19.56	-1.15	1.00	18.62	18.70	18.41	38.45	PASS
	Subtest 3	20.03	19.85	19.76	-1.15	1.00	18.88	18.70	18.61	38.45	PASS
	Subtest 4	19.60	20.24	19.41	-1.15	1.00	18.45	19.09	18.26	38.45	PASS
RMC	12.2kbps RMC	22.78	23.15	22.86	-1.15	1.00	21.63	22.00	21.71	38.45	PASS
Note: 1) dBd = dBi - 2.15 2) EIRP = Conducted output power + Antenna gain (dBi) 3) ERP = Conducted output power + Antenna gain (dBd)											

2. Frequency stability

2.1 Test Result

Test Band: GSM850 (Frequency Error VS. Voltage)										
Test Mode	Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
			LCH	MCH	HCH	LCH	MCH	HCH		
EGPRS	NT	LV	7.2701	12.0338	5.0502	0.0088	0.0144	0.0059	2.50	PASS
		NV	6.3022	13.1182	11.8919	0.0076	0.0157	0.014	2.50	PASS
		HV	2.7281	14.2877	5.5988	0.0033	0.0171	0.0066	2.50	PASS
GPRS	NT	LV	13.4444	11.1944	1.2433	0.0163	0.0134	0.0015	2.50	PASS
		NV	14.7664	6.2085	2.6574	0.0179	0.0074	0.0031	2.50	PASS
		HV	5.8002	7.4716	7.2192	0.007	0.0089	0.0085	2.50	PASS

Test Band: GSM850 (Frequency Error VS. Temperature)										
Test Mode	Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
			LCH	MCH	HCH	LCH	MCH	HCH		
EGPRS	NV	-30.00	3.0049	0.3673	6.5552	0.0036	0.0004	0.0077	2.50	PASS
		-20.00	6.6935	3.9181	0.8968	0.0081	0.0047	0.0011	2.50	PASS
		-10.00	3.9390	1.7757	11.7224	0.0048	0.0021	0.0138	2.50	PASS
		0.00	12.6844	4.9285	9.8823	0.0154	0.0059	0.0116	2.50	PASS
		10.00	10.4828	10.7537	6.2948	0.0127	0.0129	0.0074	2.50	PASS
		20.00	8.9140	3.9484	2.3270	0.0108	0.0047	0.0027	2.50	PASS
		30.00	7.9879	4.8551	12.0728	0.0097	0.0058	0.0142	2.50	PASS
		40.00	4.7477	10.3384	2.1631	0.0058	0.0124	0.0025	2.50	PASS
		50.00	4.8207	7.1486	5.0130	0.0058	0.0085	0.0059	2.50	PASS
GPRS	NV	-30.00	10.5196	11.7451	13.9891	0.0128	0.014	0.0165	2.50	PASS
		-20.00	3.1053	9.8003	7.8921	0.0038	0.0117	0.0093	2.50	PASS
		-10.00	5.9109	11.9283	7.6626	0.0072	0.0143	0.009	2.50	PASS
		0.00	12.5582	5.6269	3.8036	0.0152	0.0067	0.0045	2.50	PASS
		10.00	5.7222	14.3937	14.1211	0.0069	0.0172	0.0166	2.50	PASS
		20.00	12.2129	14.6373	7.0598	0.0148	0.0175	0.0083	2.50	PASS
		30.00	8.3481	6.6769	11.2396	0.0101	0.008	0.0132	2.50	PASS
		40.00	1.9076	14.4394	9.4474	0.0023	0.0173	0.0111	2.50	PASS
		50.00	5.0105	6.4271	1.0414	0.0061	0.0077	0.0012	2.50	PASS

Test Band: PCS1900 (Frequency Error VS. Voltage)										
Test Mode	Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
			LCH	MCH	HCH	LCH	MCH	HCH		
EGPRS	NT	LV	11.6380	3.3374	8.5455	0.0063	0.0018	0.0045	2.50	PASS
		NV	3.9220	1.4821	5.0626	0.0021	0.0008	0.0027	2.50	PASS
		HV	9.0663	9.8895	9.4420	0.0049	0.0053	0.0049	2.50	PASS
GPRS	NT	LV	8.6198	11.8152	2.4319	0.0047	0.0063	0.0013	2.50	PASS
		NV	9.2704	4.4581	4.8302	0.005	0.0024	0.0025	2.50	PASS
		HV	9.3881	11.6652	0.2559	0.0051	0.0062	0.0001	2.50	PASS

Test Band: PCS1900 (Frequency Error VS. Temperature)										
Test Mode	Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
			LCH	MCH	HCH	LCH	MCH	HCH		
EGPRS	NV	-30.00	7.1923	0.4774	3.5105	0.0039	0.0003	0.0018	2.50	PASS
		-20.00	1.5614	9.4438	14.6170	0.0008	0.005	0.0077	2.50	PASS
		-10.00	5.6170	9.0559	9.6224	0.003	0.0048	0.005	2.50	PASS
		0.00	2.9072	0.6950	6.0538	0.0016	0.0004	0.0032	2.50	PASS
		10.00	10.3935	3.0304	14.5064	0.0056	0.0016	0.0076	2.50	PASS
		20.00	2.3186	3.3674	14.8553	0.0013	0.0018	0.0078	2.50	PASS
		30.00	9.8245	5.0650	6.7151	0.0053	0.0027	0.0035	2.50	PASS
		40.00	0.3408	10.5435	3.3647	0.0002	0.0056	0.0018	2.50	PASS
		50.00	7.6039	2.5931	11.0941	0.0041	0.0014	0.0058	2.50	PASS
GPRS	NV	-30.00	12.4649	10.8924	7.1278	0.0067	0.0058	0.0037	2.50	PASS
		-20.00	0.8466	11.4034	10.0088	0.0005	0.0061	0.0052	2.50	PASS
		-10.00	14.6305	8.2541	6.9206	0.0079	0.0044	0.0036	2.50	PASS
		0.00	10.3382	12.4224	7.2865	0.0056	0.0066	0.0038	2.50	PASS
		10.00	10.1156	10.1805	8.5237	0.0055	0.0054	0.0045	2.50	PASS
		20.00	9.8923	7.4403	7.5312	0.0053	0.004	0.0039	2.50	PASS
		30.00	0.7779	3.9473	11.8494	0.0004	0.0021	0.0062	2.50	PASS
		40.00	3.4278	8.5139	13.4300	0.0019	0.0045	0.007	2.50	PASS
		50.00	3.5328	13.2624	4.6524	0.0019	0.0071	0.0024	2.50	PASS

Test Band:WCDMA band 2 (Frequency Error VS. Voltage)										
Test Mode	Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
			LCH	MCH	HCH	LCH	MCH	HCH		
HSUPA	NT	LV	2.9018	1.6493	13.1658	0.0016	0.0009	0.0069	2.50	PASS
		NV	1.8060	0.5742	0.1732	0.001	0.0003	0.0001	2.50	PASS
		HV	6.1198	9.7270	8.2555	0.0033	0.0052	0.0043	2.50	PASS
HSDPA	NT	LV	2.7379	4.5995	5.6382	0.0015	0.0024	0.003	2.50	PASS
		NV	11.7839	12.8388	3.0130	0.0064	0.0068	0.0016	2.50	PASS
		HV	0.8205	10.1954	0.9915	0.0004	0.0054	0.0005	2.50	PASS
RMC	NT	LV	8.0242	14.5856	5.9814	0.0043	0.0078	0.0031	2.50	PASS
		NV	1.4207	0.6699	1.4336	0.0008	0.0004	0.0008	2.50	PASS
		HV	11.3570	7.2059	12.6682	0.0061	0.0038	0.0066	2.50	PASS


Test Band:WCDMA band 2 (Frequency Error VS. Temperature)										
Test Mode	Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
			LCH	MCH	HCH	LCH	MCH	HCH		
HSUPA	NV	-30.00	7.0647	5.8615	10.0329	0.0038	0.0031	0.0053	2.50	PASS
		-20.00	13.2143	0.8170	6.3783	0.0071	0.0004	0.0033	2.50	PASS
		-10.00	6.4259	5.9495	12.7880	0.0035	0.0032	0.0067	2.50	PASS
		0.00	5.6951	6.3326	3.7024	0.0031	0.0034	0.0019	2.50	PASS
		10.00	3.4111	12.3335	3.9272	0.0018	0.0066	0.0021	2.50	PASS
		20.00	4.9457	7.6512	0.7505	0.0027	0.0041	0.0004	2.50	PASS
		30.00	14.7266	13.7204	0.4123	0.008	0.0073	0.0002	2.50	PASS
		40.00	11.9750	9.4455	1.2266	0.0065	0.005	0.0006	2.50	PASS
		50.00	1.8148	13.9812	4.6838	0.001	0.0074	0.0025	2.50	PASS
HSDPA	NV	-30.00	8.9407	6.6174	0.0190	0.0048	0.0035	0	2.50	PASS
		-20.00	1.7090	6.1902	6.7289	0.0009	0.0033	0.0035	2.50	PASS
		-10.00	11.8677	5.9826	13.6120	0.0064	0.0032	0.0071	2.50	PASS
		0.00	12.8480	12.0316	6.0819	0.0069	0.0064	0.0032	2.50	PASS
		10.00	8.3274	5.6056	7.3790	0.0045	0.003	0.0039	2.50	PASS
		20.00	13.9847	8.2607	2.3930	0.0075	0.0044	0.0013	2.50	PASS
		30.00	2.7103	3.0939	10.2163	0.0015	0.0016	0.0054	2.50	PASS
		40.00	12.0392	1.4736	2.1447	0.0065	0.0008	0.0011	2.50	PASS
		50.00	3.7828	7.0437	2.2592	0.002	0.0037	0.0012	2.50	PASS
RMC	NV	-30.00	3.5271	7.7079	5.4728	0.0019	0.0041	0.0029	2.50	PASS
		-20.00	9.6746	7.2557	4.8070	0.0052	0.0039	0.0025	2.50	PASS
		-10.00	3.5273	13.4593	10.1383	0.0019	0.0072	0.0053	2.50	PASS
		0.00	5.3186	10.4470	1.1354	0.0029	0.0056	0.0006	2.50	PASS
		10.00	7.2569	1.7727	2.0652	0.0039	0.0009	0.0011	2.50	PASS
		20.00	6.7469	10.5841	14.7887	0.0036	0.0056	0.0078	2.50	PASS
		30.00	3.9077	5.9040	1.4758	0.0021	0.0031	0.0008	2.50	PASS
		40.00	5.0782	4.6611	5.5291	0.0027	0.0025	0.0029	2.50	PASS
		50.00	8.0251	11.0629	13.2559	0.0043	0.0059	0.0069	2.50	PASS



Test Band:WCDMA band 5 (Frequency Error VS. Voltage)										
Test Mode	Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
			LCH	MCH	HCH	LCH	MCH	HCH		
HSUPA	NT	LV	14.5629	5.9350	9.4703	0.0176	0.0071	0.0112	2.50	PASS
		NV	11.7294	5.4079	13.3567	0.0142	0.0065	0.0158	2.50	PASS
		HV	13.1106	11.6241	2.8480	0.0159	0.0139	0.0034	2.50	PASS
HSDPA	NT	LV	14.5727	12.9985	11.8891	0.0176	0.0155	0.014	2.50	PASS
		NV	0.9001	0.8588	3.4955	0.0011	0.001	0.0041	2.50	PASS
		HV	11.3386	12.7723	14.9342	0.0137	0.0153	0.0176	2.50	PASS
RMC	NT	LV	9.2408	2.9287	5.7343	0.0112	0.0035	0.0068	2.50	PASS
		NV	5.5602	11.5720	5.0891	0.0067	0.0138	0.006	2.50	PASS
		HV	10.4322	1.1828	4.4927	0.0126	0.0014	0.0053	2.50	PASS



Test Band:WCDMA band 5 (Frequency Error VS. Temperature)										
Test Mode	Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
			LCH	MCH	HCH	LCH	MCH	HCH		
HSUPA	NV	-30.00	14.4541	14.7509	11.7535	0.0175	0.0176	0.0139	2.50	PASS
		-20.00	9.9697	8.7672	6.6077	0.0121	0.0105	0.0078	2.50	PASS
		-10.00	0.8761	4.7919	9.5269	0.0011	0.0057	0.0113	2.50	PASS
		0.00	2.3478	1.2202	11.1460	0.0028	0.0015	0.0132	2.50	PASS
		10.00	4.7179	5.7288	10.1240	0.0057	0.0068	0.012	2.50	PASS
		20.00	13.2297	0.4065	4.0876	0.016	0.0005	0.0048	2.50	PASS
		30.00	9.8748	4.2119	7.5471	0.0119	0.005	0.0089	2.50	PASS
		40.00	11.0595	9.6807	4.4960	0.0134	0.0116	0.0053	2.50	PASS
		50.00	2.1737	3.0862	1.8339	0.0026	0.0037	0.0022	2.50	PASS
HSDPA	NV	-30.00	3.8253	1.6348	3.0206	0.0046	0.002	0.0036	2.50	PASS
		-20.00	11.8760	10.6368	11.3077	0.0144	0.0127	0.0134	2.50	PASS
		-10.00	8.6882	2.6020	3.4711	0.0105	0.0031	0.0041	2.50	PASS
		0.00	1.6953	10.4986	12.6077	0.0021	0.0125	0.0149	2.50	PASS
		10.00	1.4058	10.9756	14.3544	0.0017	0.0131	0.017	2.50	PASS
		20.00	1.5503	2.9222	5.9298	0.0019	0.0035	0.007	2.50	PASS
		30.00	4.9162	14.1521	6.9666	0.0059	0.0169	0.0082	2.50	PASS
		40.00	7.6393	14.1950	2.4339	0.0092	0.017	0.0029	2.50	PASS
		50.00	14.6586	4.1314	3.8805	0.0177	0.0049	0.0046	2.50	PASS
RMC	NV	-30.00	0.2441	2.6223	2.7901	0.0003	0.0031	0.0033	2.50	PASS
		-20.00	3.6336	0.1947	14.2467	0.0044	0.0002	0.0168	2.50	PASS
		-10.00	6.0494	1.6673	3.4264	0.0073	0.002	0.004	2.50	PASS
		0.00	8.5203	6.5301	11.7842	0.0103	0.0078	0.0139	2.50	PASS
		10.00	0.7196	14.2204	4.0253	0.0009	0.017	0.0048	2.50	PASS
		20.00	0.5279	9.5672	14.7090	0.0006	0.0114	0.0174	2.50	PASS
		30.00	11.6260	3.7396	9.2538	0.0141	0.0045	0.0109	2.50	PASS
		40.00	12.9899	2.5337	0.0234	0.0157	0.003	0	2.50	PASS
		50.00	11.1023	7.1803	4.2986	0.0134	0.0086	0.0051	2.50	PASS



3. Modulation Characteristics



3.1 Test Graph






























4. 99% & 26dB Bandwidth

4.1 Test Result



Test Band: GSM850					
Test Mode	99% Occupied Bandwidth (MHz)			Limit	Verdict
	LCH	MCH	HCH		
EGPRS	0.242	0.244	0.243	N/A	PASS
GPRS	0.243	0.243	0.243	N/A	PASS



Test Band: PCS1900					
Test Mode	99% Occupied Bandwidth (MHz)			Limit	Verdict
	LCH	MCH	HCH		
EGPRS	0.245	0.242	0.242	N/A	PASS
GPRS	0.245	0.244	0.245	N/A	PASS



Test Band:WCDMA band 5					
Test Mode	99% Occupied Bandwidth (MHz)			Limit	Verdict
	LCH	MCH	HCH		
HSUPA	4.09	4.13	4.13	N/A	PASS
HSDPA	4.11	4.12	4.08	N/A	PASS
RMC	4.11	4.11	4.09	N/A	PASS



Test Band:WCDMA band 2					
Test Mode	99% Occupied Bandwidth (MHz)			Limit	Verdict
	LCH	MCH	HCH		
HSUPA	4.12	4.12	4.13	N/A	PASS
HSDPA	4.12	4.14	4.12	N/A	PASS
RMC	4.10	4.09	4.11	N/A	PASS



4.2 Test Graph




















































Test Band: GSM850					
Test Mode	26dB Bandwidth (MHz)			Limit	Verdict
	LCH	MCH	HCH		
EGPRS	0.310	0.315	0.318	N/A	PASS
GPRS	0.317	0.312	0.323	N/A	PASS



Test Band: PCS1900					
Test Mode	26dB Bandwidth (MHz)			Limit	Verdict
	LCH	MCH	HCH		
EGPRS	0.315	0.315	0.319	N/A	PASS
GPRS	0.322	0.324	0.315	N/A	PASS



Test Band:WCDMA band 5					
Test Mode	26dB Bandwidth (MHz)			Limit	Verdict
	LCH	MCH	HCH		
HSUPA	4.70	6.40	6.06	N/A	PASS
HSDPA	4.94	6.04	4.68	N/A	PASS
RMC	4.71	4.72	4.70	N/A	PASS



Test Band:WCDMA band 2					
Test Mode	26dB Bandwidth (MHz)			Limit	Verdict
	LCH	MCH	HCH		
HSUPA	7.41	6.13	5.81	N/A	PASS
HSDPA	5.94	6.62	5.99	N/A	PASS
RMC	4.71	4.69	4.69	N/A	PASS



4.2 Test Graph



















































5. Peak-Average Ratio

5.1 Test Result



Test Band: GSM850					
Test Mode	Test result (dB)			Limit (dB)	Verdict
	LCH	MCH	HCH		
EGPRS	9.89	9.91	9.83	13	PASS
GPRS	9.81	11.15	9.85	13	PASS



Test Band: PCS1900					
Test Mode	Test result (dB)			Limit (dB)	Verdict
	LCH	MCH	HCH		
EGPRS	9.84	9.88	9.82	13	PASS
GPRS	9.56	9.78	9.77	13	PASS



Test Band:WCDMA band 5					
Test Mode	Test result (dB)			Limit (dB)	Verdict
	LCH	MCH	HCH		
HSUPA	3.04	3.01	3.03	13	PASS
HSDPA	3.06	3.02	3.05	13	PASS
RMC	2.38	2.38	2.39	13	PASS



Test Band:WCDMA band 2					
Test Mode	Test result (dB)			Limit (dB)	Verdict
	LCH	MCH	HCH		
HSUPA	3.33	3.28	3.29	13	PASS
HSDPA	3.34	3.30	3.26	13	PASS
RMC	2.47	2.45	2.44	13	PASS



5.2 Test Graph



















































6. Spurious Emission

6.1 Test Graph

