





11N40SISO_5270




11N40SISO_5310






11N40SISO_5510




11N40SISO_5550






11N40SISO_5670



Date: 25.AUG.2023 02:31:42


11N40SISO_5755




Date: 25.AUG.2023 02:33:13



11N40SISO_5795




11AC80SISO_5210







11AC80SISO_5290



11AC80SISO_5530








Min emission bandwidth for UNII-3

Test Result

TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	15.96	5737.20	5753.16	0.5	PASS
		5785	16.28	5776.88	5793.16	0.5	PASS
		5825	16.28	5816.88	5833.16	0.5	PASS
11N20SISO	Ant1	5745	16.40	5737.16	5753.56	0.5	PASS
		5785	16.52	5776.88	5793.40	0.5	PASS
		5825	17.04	5816.52	5833.56	0.5	PASS
11N40SISO	Ant1	5755	35.28	5737.48	5772.76	0.5	PASS
		5795	35.52	5777.40	5812.92	0.5	PASS
11AC80SISO	Ant1	5775	75.20	5737.40	5812.60	0.5	PASS




Test Graphs






11A_5825




11N20SISO_5745






11N20SISO_5785




11N20SISO_5825







11N40SISO_5755



11N40SISO_5795







Maximum power spectral density

Test Result


TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	5.23	≤11.00	PASS
		5220	4.99	≤11.00	PASS
		5240	4.85	≤11.00	PASS
		5260	4.83	≤11.00	PASS
		5300	4.77	≤11.00	PASS
		5320	4.87	≤11.00	PASS
		5500	4.62	≤11.00	PASS
		5580	4.81	≤11.00	PASS
		5700	2.93	≤11.00	PASS
		5745	0.34	≤30.00	PASS
		5785	1.46	≤30.00	PASS
		5825	1.39	≤30.00	PASS
11N20SISO	Ant1	5180	4.69	≤11.00	PASS
		5220	4.3	≤11.00	PASS
		5240	4.26	≤11.00	PASS
		5260	4.22	≤11.00	PASS
		5300	3.91	≤11.00	PASS
		5320	4.18	≤11.00	PASS
		5500	4.63	≤11.00	PASS
		5580	4.36	≤11.00	PASS
		5700	2.26	≤11.00	PASS
		5745	-0.17	≤30.00	PASS
		5785	0.83	≤30.00	PASS
		5825	0.9	≤30.00	PASS
11N40SISO	Ant1	5190	0.52	≤11.00	PASS
		5230	-0.22	≤11.00	PASS
		5270	0.4	≤11.00	PASS
		5310	0.15	≤11.00	PASS
		5510	0.16	≤11.00	PASS
		5550	0.07	≤11.00	PASS
		5670	-0.82	≤11.00	PASS
		5755	-3.92	≤30.00	PASS
		5795	-2.65	≤30.00	PASS
11AC80SISO	Ant1	5210	-5.7	≤11.00	PASS
		5290	-5.46	≤11.00	PASS
		5530	-6.12	≤11.00	PASS
		5775	-9.69	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11A_Ant1_5240




11A_Ant1_5260






11A_Ant1_5300




11A_Ant1_5320






11A_Ant1_5500




11A_Ant1_5580






11A_Ant1_5700



Date: 25.AUG.2023 01:27:04


11A_Ant1_5745




Date: 25.AUG.2023 01:35:10



11A_Ant1_5785




11A_Ant1_5825






11N20SISO_Ant1_5180




11N20SISO_Ant1_5220






11N20SISO_Ant1_5240



Date: 25.AUG.2023 01:40:43


11N20SISO_Ant1_5260



Date: 25.AUG.2023 01:41:33




11N20SISO_Ant1_5300



Date: 25.AUG.2023 01:42:21


11N20SISO_Ant1_5320



Date: 25.AUG.2023 01:43:09




11N20SISO_Ant1_5500



Date: 25.AUG.2023 01:43:53


11N20SISO_Ant1_5580



Date: 25.AUG.2023 01:44:56




11N20SISO_Ant1_5700



Date: 25.AUG.2023 01:46:07


11N20SISO_Ant1_5745



Date: 25.AUG.2023 01:48:01




11N20SISO_Ant1_5785



Date: 25.AUG.2023 01:49:02


11N20SISO_Ant1_5825



Date: 25.AUG.2023 01:50:08




11N40SISO_Ant1_5190



Date: 25.AUG.2023 02:26:06


11N40SISO_Ant1_5230



Date: 25.AUG.2023 02:27:40




11N40SISO_Ant1_5270



Date: 25.AUG.2023 02:28:29


11N40SISO_Ant1_5310



Date: 25.AUG.2023 02:29:14




11N40SISO_Ant1_5510



Date: 25.AUG.2023 02:30:06


11N40SISO_Ant1_5550



Date: 25.AUG.2023 02:31:02




11N40SISO_Ant1_5670



Date: 25.AUG.2023 02:31:49


11N40SISO_Ant1_5755



Date: 25.AUG.2023 02:33:19




11N40SISO_Ant1_5795



Date: 25.AUG.2023 02:34:14


11AC80SISO_Ant1_5210



Date: 25.AUG.2023 02:35:21




11AC80SISO_Ant1_5290




Date: 25.AUG.2023 02:36:12

11AC80SISO_Ant1_5530




Date: 25.AUG.2023 02:37:05






Appendix B. AC Conducted Emission Test Results



Test Engineer :	Lily Qiu	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C001-SZ
Condition: FCC 15E_QP LISN_20230420_N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.15	40.49	-15.42	55.91	19.90	10.46	10.13	Average
2	0.15	47.69	-18.22	65.91	27.10	10.46	10.13	QP
3	0.18	22.65	-31.85	54.50	2.11	10.40	10.14	Average
4	0.18	42.35	-22.15	64.50	21.81	10.40	10.14	QP
5	0.21	22.60	-30.67	53.27	2.11	10.34	10.15	Average
6	0.21	38.90	-24.37	63.27	18.41	10.34	10.15	QP
7	0.25	22.77	-29.09	51.86	2.30	10.32	10.15	Average
8	0.25	32.87	-28.99	61.86	12.40	10.32	10.15	QP
9	0.38	26.01	-22.33	48.34	5.60	10.25	10.16	Average
10	0.38	35.31	-23.03	58.34	14.90	10.25	10.16	QP
11	1.06	20.52	-25.48	46.00	0.10	10.25	10.17	Average
12	1.06	33.42	-22.58	56.00	13.00	10.25	10.17	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	ShiWei Wen	Relative Humidity :	48~52%
		Temperature :	22~25℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Modulation	Channel	Frequency	Data Rate	Remark
Mode 1	U-NII-1	5.15-5.25	802.11a	36	5180	6Mbps	-
Mode 2	U-NII-1	5.15-5.25	802.11a	44	5220	6Mbps	-
Mode 3	U-NII-1	5.15-5.25	802.11a	48	5240	6Mbps	-
Mode 4	U-NII-2A	5.25-5.35	802.11a	52	5260	6Mbps	-
Mode 5	U-NII-2A	5.25-5.35	802.11a	60	5300	6Mbps	-
Mode 6	U-NII-2A	5.25-5.35	802.11a	64	5320	6Mbps	-
Mode 7	U-NII-2C	5.47-5.725	802.11a	100	5500	6Mbps	-
Mode 8	U-NII-2C	5.47-5.725	802.11a	116	5580	6Mbps	-
Mode 9	U-NII-2C	5.47-5.725	802.11a	140	5700	6Mbps	-
Mode 10	U-NII-1	5.15-5.25	802.11n HT20	36	5180	MCS0	-
Mode 11	U-NII-1	5.15-5.25	802.11n HT20	44	5220	MCS0	-
Mode 12	U-NII-1	5.15-5.25	802.11n HT20	48	5240	MCS0	-
Mode 13	U-NII-2A	5.25-5.35	802.11n HT20	52	5260	MCS0	-
Mode 14	U-NII-2A	5.25-5.35	802.11n HT20	60	5300	MCS0	-
Mode 15	U-NII-2A	5.25-5.35	802.11n HT20	64	5320	MCS0	-
Mode 16	U-NII-2C	5.47-5.725	802.11n HT20	100	5500	MCS0	-
Mode 17	U-NII-2C	5.47-5.725	802.11n HT20	116	5580	MCS0	-
Mode 18	U-NII-2C	5.47-5.725	802.11n HT20	140	5700	MCS0	-
Mode 19	U-NII-1	5.15-5.25	802.11n HT40	38	5190	MCS0	-
Mode 20	U-NII-1	5.15-5.25	802.11n HT40	46	5230	MCS0	-
Mode 21	U-NII-2A	5.25-5.35	802.11n HT40	54	5270	MCS0	-
Mode 22	U-NII-2A	5.25-5.35	802.11n HT40	62	5310	MCS0	-
Mode 23	U-NII-2C	5.47-5.725	802.11n HT40	102	5510	MCS0	-
Mode 24	U-NII-2C	5.47-5.725	802.11n HT40	134	5670	MCS0	-
Mode 25	U-NII-1	5.15-5.25	802.11ac VHT80	42	5210	MCS0	-
Mode 26	U-NII-2A	5.25-5.35	802.11ac VHT80	58	5290	MCS0	-
Mode 27	U-NII-2C	5.47-5.725	802.11ac VHT80	106	5530	MCS0	-
Mode 28	U-NII-3	5.725-5.85	802.11a	149	5745	6Mbps	-
Mode 29	U-NII-3	5.725-5.85	802.11a	157	5785	6Mbps	-
Mode 30	U-NII-3	5.725-5.85	802.11a	165	5825	6Mbps	-
Mode 31	U-NII-3	5.725-5.85	802.11n HT20	149	5745	MCS0	-



Mode	Band	Band (GHz)	Modulation	Channel	Frequency	Data Rate	Remark
Mode 32	U-NII-3	5.725-5.85	802.11n HT20	157	5785	MCS0	-
Mode 33	U-NII-3	5.725-5.85	802.11n HT20	165	5825	MCS0	-
Mode 34	U-NII-3	5.725-5.85	802.11n HT40	151	5755	MCS0	-
Mode 35	U-NII-3	5.725-5.85	802.11n HT40	159	5795	MCS0	-
Mode 36	U-NII-3	5.725-5.85	802.11ac VHT80	155	5775	MCS0	-
Mode 37	U-NII-2A	5.25-5.35	UNII-1/2A/2C worst LF (802.11a)	64	5320	6Mbps	LF
Mode 38	U-NII-3	5.725-5.85	UNII-3 worst LF (802.11ac HT80)	155	5775	MCS0	LF
Mode 39	U-NII-2A	5.25-5.35	802.11a	64	5320	6Mbps	-
	LTE Band13 Link					-	-
Mode 40	U-NII-2A	5.25-5.35	802.11a	56	5280	6Mbps	-
Mode 41	U-NII-2A	5.25-5.35	802.11n HT20	56	5280	MCS0	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.98	50.86	54.00	-3.14	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	51.10	68.30	-17.20	V	Peak	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	50.60	68.30	-17.70	V	Peak	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	50.21	68.30	-18.09	H	Peak	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	50.33	68.30	-17.97	V	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	50.75	74.00	-23.25	V	Peak	Pass	Harmonic
6	802.11a	64	5351.71	50.90	54.00	-3.10	H	AVERAGE	Pass	Band Edge
6	802.11a	64	15960.00	50.19	74.00	-23.81	V	Peak	Pass	Harmonic
7	802.11a	100	5469.34	62.01	68.30	-6.29	V	PEAK	Pass	Band Edge
7	802.11a	100	16500.00	51.80	68.30	-16.50	H	Peak	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	49.25	68.30	-19.05	V	Peak	Pass	Harmonic
9	802.11a	140	5727.01	63.00	68.30	-5.30	H	PEAK	Pass	Band Edge
9	802.11a	140	17100.00	50.97	68.30	-17.33	H	Peak	Pass	Harmonic
10	802.11n HT20	36	5149.85	50.03	54.00	-3.97	V	AVERAGE	Pass	Band Edge
10	802.11n HT20	36	10360.00	49.60	68.30	-18.70	V	Peak	Pass	Harmonic
11	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11n HT20	44	10440.00	49.95	68.30	-18.35	H	Peak	Pass	Harmonic
12	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11n HT20	48	10480.00	49.50	68.30	-18.80	V	Peak	Pass	Harmonic
13	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11n HT20	52	10520.00	49.47	68.30	-18.83	V	Peak	Pass	Harmonic
14	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11n HT20	60	15900.00	50.17	74.00	-23.83	V	Peak	Pass	Harmonic
15	802.11n HT20	64	5350.17	49.81	54.00	-4.19	V	AVERAGE	Pass	Band Edge
15	802.11n HT20	64	10640.00	49.96	74.00	-24.04	H	Peak	Pass	Harmonic
16	802.11n HT20	100	5465.29	63.28	68.30	-5.02	V	PEAK	Pass	Band Edge
16	802.11n HT20	100	16500.00	50.30	68.30	-18.00	V	Peak	Pass	Harmonic
17	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11n HT20	116	16740.00	49.87	68.30	-18.43	H	Peak	Pass	Harmonic
18	802.11n HT20	140	5726.30	65.01	68.30	-3.29	H	PEAK	Pass	Band Edge
18	802.11n HT20	140	17100.00	49.86	68.30	-18.44	V	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
19	802.11n HT40	38	5149.82	49.92	54.00	-4.08	V	AVERAGE	Pass	Band Edge
19	802.11n HT40	38	-	-	-	-	-	-	-	Harmonic
20	802.11n HT40	46	5351.81	44.27	54.00	-9.73	V	AVERAGE	Pass	Band Edge
20	802.11n HT40	46	-	-	-	-	-	-	-	Harmonic
21	802.11n HT40	54	5351.80	47.54	54.00	-6.46	V	AVERAGE	Pass	Band Edge
21	802.11n HT40	54	-	-	-	-	-	-	-	Harmonic
22	802.11n HT40	62	5350.01	48.42	54.00	-5.58	H	AVERAGE	Pass	Band Edge
22	802.11n HT40	62	-	-	-	-	-	-	-	Harmonic
23	802.11n HT40	102	5452.34	46.47	54.00	-7.53	V	AVERAGE	Pass	Band Edge
23	802.11n HT40	102	-	-	-	-	-	-	-	Harmonic
24	802.11n HT40	134	5730.48	59.95	68.30	-8.35	H	PEAK	Pass	Band Edge
24	802.11n HT40	134	-	-	-	-	-	-	-	Harmonic
25	802.11ac VHT80	42	5149.44	48.98	54.00	-5.02	V	AVERAGE	Pass	Band Edge
25	802.11ac VHT80	42	-	-	-	-	-	-	-	Harmonic
26	802.11ac VHT80	58	5351.47	49.65	54.00	-4.35	V	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	58	-	-	-	-	-	-	-	Harmonic
27	802.11ac VHT80	106	5454.85	49.18	54.00	-4.82	V	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	106	-	-	-	-	-	-	-	Harmonic
28	802.11a	149	5647.20	53.70	68.30	-14.60	H	PEAK	Pass	Band Edge
28	802.11a	149	17235.00	50.03	68.30	-18.27	H	Peak	Pass	Harmonic
29	802.11a	157	-	-	-	-	-	-	-	Band Edge
29	802.11a	157	17355.00	50.28	68.30	-18.02	H	Peak	Pass	Harmonic
30	802.11a	165	5944.08	53.37	68.30	-14.93	H	PEAK	Pass	Band Edge
30	802.11a	165	17475.00	50.88	68.30	-17.42	V	Peak	Pass	Harmonic
31	802.11n HT20	149	5610.82	53.97	68.30	-14.33	V	PEAK	Pass	Band Edge
31	802.11n HT20	149	17235.00	50.04	68.30	-18.26	H	Peak	Pass	Harmonic
32	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
32	802.11n HT20	157	17355.00	50.59	68.30	-17.71	H	Peak	Pass	Harmonic
33	802.11n HT20	165	5936.19	53.63	68.30	-14.67	H	PEAK	Pass	Band Edge
33	802.11n HT20	165	17475.00	50.33	68.30	-17.97	V	Peak	Pass	Harmonic
34	802.11n HT40	151	5609.53	54.27	68.30	-14.03	V	PEAK	Pass	Band Edge
34	802.11n HT40	151	-	-	-	-	-	-	-	Harmonic
35	802.11n HT40	159	5608.48	53.82	68.30	-14.48	H	PEAK	Pass	Band Edge
35	802.11n HT40	159	-	-	-	-	-	-	-	Harmonic
36	802.11ac VHT80	155	5937.31	54.66	68.30	-13.64	H	PEAK	Pass	Band Edge
36	802.11ac VHT80	155	17325.00	50.51	68.30	-17.79	V	Peak	Pass	Harmonic
37	UNII-1/2A/2C worst LF (802.11a)	64	34.85	32.34	40	-7.66	V	Peak	Pass	LF



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
38	UNII-3 worst LF (802.11ac HT80)	155	33.88	32.41	40	-7.59	V	Peak	Pass	LF
39	Co-location_802.11a +LTE Band13	64	5350.4	49.68	54.00	-4.32	H	AVERAGE	Pass	Band Edge
	Co-location_802.11a +LTE Band13	64	15960.00	50.22	74	-23.78	H	Peak	Pass	Harmonic
40	802.11a	56	5350.08	44.35	54	-9.65	V	AVERAGE	Pass	Band Edge
41	802.11n HT20	56	5045.15	42.79	54	-11.21	V	AVERAGE	Pass	Band Edge



		1																																																																																							
Mode	Band Edge																																																																																								
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																								
ANT	SISO																																																																																								
Pol.	Horizontal										Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.67</td><td>62.38</td><td>74.00</td><td>-11.62</td><td>48.20</td><td>34.87</td><td>11.09</td><td>31.78</td><td>212</td><td>144</td><td>PEAK</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.67	62.38	74.00	-11.62	48.20	34.87	11.09	31.78	212	144	PEAK	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.55</td><td>-----</td><td>-----</td><td>88.44</td><td>34.86</td><td>11.07</td><td>31.82</td><td>212</td><td>144</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.55	-----	-----	88.44	34.86	11.07	31.82	212	144	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5149.67	62.38	74.00	-11.62	48.20	34.87	11.09	31.78	212	144	PEAK																																																																														
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5180.00	102.55	-----	-----	88.44	34.86	11.07	31.82	212	144	PEAK																																																																														
Avg	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.98</td><td>50.86</td><td>54.00</td><td>-3.14</td><td>36.69</td><td>34.87</td><td>11.08</td><td>31.78</td><td>212</td><td>144</td><td>AVERAGE</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.98	50.86	54.00	-3.14	36.69	34.87	11.08	31.78	212	144	AVERAGE	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>96.21</td><td>-----</td><td>-----</td><td>82.10</td><td>34.86</td><td>11.07</td><td>31.82</td><td>212</td><td>144</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.21	-----	-----	82.10	34.86	11.07	31.82	212	144	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5149.98	50.86	54.00	-3.14	36.69	34.87	11.08	31.78	212	144	AVERAGE																																																																														
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5180.00	96.21	-----	-----	82.10	34.86	11.07	31.82	212	144	AVERAGE																																																																														



Mode	1																																																																																																															
	Band Edge																																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																															
ANT	SISO																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak	Date: 2023-09-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr></thead><tbody><tr><td>1</td><td>5149.31</td><td>62.60</td><td>74.00</td><td>-11.40</td><td>48.42</td><td>34.87</td><td>11.09</td><td>31.78</td><td>190</td><td>124</td><td colspan="2">PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos				Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg				1	5149.31	62.60	74.00	-11.40	48.42	34.87	11.09	31.78	190	124	PEAK		Date: 2023-09-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>103.00</td><td>-----</td><td>-----</td><td>88.89</td><td>34.86</td><td>11.07</td><td>31.82</td><td>190</td><td>124</td><td colspan="2">PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos				Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg				1	5180.00	103.00	-----	-----	88.89	34.86	11.07	31.82	190	124	PEAK	
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5149.31	62.60	74.00	-11.40	48.42	34.87	11.09	31.78	190	124	PEAK																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5180.00	103.00	-----	-----	88.89	34.86	11.07	31.82	190	124	PEAK																																																																																																					
Avg	Date: 2023-09-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr></thead><tbody><tr><td>1</td><td>5149.51</td><td>50.27</td><td>54.00</td><td>-3.73</td><td>36.09</td><td>34.87</td><td>11.09</td><td>31.78</td><td>190</td><td>124</td><td colspan="2">AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos				Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg				1	5149.51	50.27	54.00	-3.73	36.09	34.87	11.09	31.78	190	124	AVERAGE		Date: 2023-09-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th colspan="3">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>96.79</td><td>-----</td><td>-----</td><td>82.68</td><td>34.86</td><td>11.07</td><td>31.82</td><td>190</td><td>124</td><td colspan="2">AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos				Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg				1	5180.00	96.79	-----	-----	82.68	34.86	11.07	31.82	190	124	AVERAGE	
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5149.51	50.27	54.00	-3.73	36.09	34.87	11.09	31.78	190	124	AVERAGE																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5180.00	96.79	-----	-----	82.68	34.86	11.07	31.82	190	124	AVERAGE																																																																																																					





Mode	1																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																	
ANT	SISO																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>10360.00</td><td>49.87</td><td>68.30</td><td>-18.43</td><td>49.10</td><td>37.39</td><td>14.15</td></tr><tr><td>2</td><td>15540.00</td><td>50.81</td><td>74.00</td><td>-23.19</td><td>45.30</td><td>40.09</td><td>16.85</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	10360.00	49.87	68.30	-18.43	49.10	37.39	14.15	2	15540.00	50.81	74.00	-23.19	45.30	40.09	16.85	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>10360.00</td><td>51.10</td><td>68.30</td><td>-17.20</td><td>50.33</td><td>37.39</td><td>14.15</td></tr><tr><td>2</td><td>15540.00</td><td>50.51</td><td>74.00</td><td>-23.49</td><td>45.00</td><td>40.09</td><td>16.85</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	10360.00	51.10	68.30	-17.20	50.33	37.39	14.15	2	15540.00	50.51	74.00	-23.49	45.00	40.09	16.85
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																											
1	10360.00	49.87	68.30	-18.43	49.10	37.39	14.15																																																																											
2	15540.00	50.81	74.00	-23.19	45.30	40.09	16.85																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																											
1	10360.00	51.10	68.30	-17.20	50.33	37.39	14.15																																																																											
2	15540.00	50.51	74.00	-23.49	45.00	40.09	16.85																																																																											





Mode	2																																																																																	
	Harmonic																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																	
ANT	SISO																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10440.00</td><td>50.06</td><td>68.30</td><td>-18.24</td><td>49.20</td><td>37.45</td><td>14.20</td></tr><tr><td>2</td><td>15660.00</td><td>49.63</td><td>74.00</td><td>-24.37</td><td>44.02</td><td>40.20</td><td>16.94</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	1	10440.00	50.06	68.30	-18.24	49.20	37.45	14.20	2	15660.00	49.63	74.00	-24.37	44.02	40.20	16.94	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10440.00</td><td>50.60</td><td>68.30</td><td>-17.70</td><td>49.74</td><td>37.45</td><td>14.20</td></tr><tr><td>2</td><td>15660.00</td><td>50.35</td><td>74.00</td><td>-23.65</td><td>44.74</td><td>40.20</td><td>16.94</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	1	10440.00	50.60	68.30	-17.70	49.74	37.45	14.20	2	15660.00	50.35	74.00	-23.65	44.74	40.20	16.94
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																																																											
1	10440.00	50.06	68.30	-18.24	49.20	37.45	14.20																																																																											
2	15660.00	49.63	74.00	-24.37	44.02	40.20	16.94																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																																																											
1	10440.00	50.60	68.30	-17.70	49.74	37.45	14.20																																																																											
2	15660.00	50.35	74.00	-23.65	44.74	40.20	16.94																																																																											







Mode	3																																																																																															
	Harmonic																																																																																															
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																															
ANT	SISO																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>50.21</td><td>68.30</td><td>-18.09</td><td>49.30</td><td>37.48</td><td>14.23</td><td>50.80</td><td>--- --- Peak</td></tr><tr><td>2</td><td>15720.00</td><td>49.65</td><td>74.00</td><td>-24.35</td><td>43.99</td><td>40.25</td><td>16.99</td><td>51.58</td><td>--- --- Peak</td></tr></tbody></table>									Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	1	10480.00	50.21	68.30	-18.09	49.30	37.48	14.23	50.80	--- --- Peak	2	15720.00	49.65	74.00	-24.35	43.99	40.25	16.99	51.58	--- --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>49.19</td><td>68.30</td><td>-19.11</td><td>48.28</td><td>37.48</td><td>14.23</td><td>50.80</td><td>--- --- Peak</td></tr><tr><td>2</td><td>15720.00</td><td>49.49</td><td>74.00</td><td>-24.51</td><td>43.83</td><td>40.25</td><td>16.99</td><td>51.58</td><td>--- --- Peak</td></tr></tbody></table>									Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	1	10480.00	49.19	68.30	-19.11	48.28	37.48	14.23	50.80	--- --- Peak	2	15720.00	49.49	74.00	-24.51	43.83	40.25	16.99	51.58	--- --- Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																							
1	10480.00	50.21	68.30	-18.09	49.30	37.48	14.23	50.80	--- --- Peak																																																																																							
2	15720.00	49.65	74.00	-24.35	43.99	40.25	16.99	51.58	--- --- Peak																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																							
1	10480.00	49.19	68.30	-19.11	48.28	37.48	14.23	50.80	--- --- Peak																																																																																							
2	15720.00	49.49	74.00	-24.51	43.83	40.25	16.99	51.58	--- --- Peak																																																																																							



Mode	4																																																																																																															
	Harmonic																																																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																															
ANT	SISO																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>m</th><th>dBuV/m</th><th></th><th></th><th></th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>10520.00</td><td>50.00</td><td>68.30</td><td>-18.30</td><td>49.04</td><td>37.51</td><td>14.25</td><td>50.80</td><td>--- --- Peak</td></tr><tr><td>2</td><td>15780.00</td><td>50.57</td><td>74.00</td><td>-23.43</td><td>44.86</td><td>40.30</td><td>17.04</td><td>51.63</td><td>--- --- Peak</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	m	dBuV/m				dB	dB		1	10520.00	50.00	68.30	-18.30	49.04	37.51	14.25	50.80	--- --- Peak	2	15780.00	50.57	74.00	-23.43	44.86	40.30	17.04	51.63	--- --- Peak	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>m</th><th>dBuV/m</th><th></th><th></th><th></th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>10520.00</td><td>50.33</td><td>68.30</td><td>-17.97</td><td>49.37</td><td>37.51</td><td>14.25</td><td>50.80</td><td>--- --- Peak</td></tr><tr><td>2</td><td>15780.00</td><td>50.72</td><td>74.00</td><td>-23.28</td><td>45.01</td><td>40.30</td><td>17.04</td><td>51.63</td><td>--- --- Peak</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	m	dBuV/m				dB	dB		1	10520.00	50.33	68.30	-17.97	49.37	37.51	14.25	50.80	--- --- Peak	2	15780.00	50.72	74.00	-23.28	45.01	40.30	17.04	51.63	--- --- Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																							
MHz	dBuV/m	m	dBuV/m				dB	dB																																																																																																								
1	10520.00	50.00	68.30	-18.30	49.04	37.51	14.25	50.80	--- --- Peak																																																																																																							
2	15780.00	50.57	74.00	-23.43	44.86	40.30	17.04	51.63	--- --- Peak																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																							
MHz	dBuV/m	m	dBuV/m				dB	dB																																																																																																								
1	10520.00	50.33	68.30	-17.97	49.37	37.51	14.25	50.80	--- --- Peak																																																																																																							
2	15780.00	50.72	74.00	-23.28	45.01	40.30	17.04	51.63	--- --- Peak																																																																																																							



Mode	5																																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																																																																																
ANT	SISO																																																																																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																																																																																															
Peak Avg	Level (dBuV/m) Date: 2023-09-04  10600.00 50.48 74.00 -23.52 49.42 37.56 14.30 50.80 --- --- Peak 15900.00 49.94 74.00 -24.06 44.11 40.41 17.14 51.72 --- --- Peak <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>49.42</td><td>37.56</td><td>14.30</td><td>50.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>49.94</td><td>74.00</td><td>-24.06</td><td>44.11</td><td>40.41</td><td>17.14</td><td>51.72</td><td>---</td><td>---</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2023-09-04  10600.00 50.48 74.00 -23.52 49.42 37.56 14.30 50.80 --- --- Peak 15900.00 49.94 74.00 -24.06 44.11 40.41 17.14 51.72 --- --- Peak <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>50.48</td><td>74.00</td><td>-23.52</td><td>49.42</td><td>37.56</td><td>14.30</td><td>50.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>49.94</td><td>74.00</td><td>-24.06</td><td>44.11</td><td>40.41</td><td>17.14</td><td>51.72</td><td>---</td><td>---</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2023-09-04  10600.00 50.75 74.00 -23.25 49.69 37.56 14.30 50.80 --- --- Peak 15900.00 50.41 74.00 -23.59 44.58 40.41 17.14 51.72 --- --- Peak <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>50.75</td><td>74.00</td><td>-23.25</td><td>49.69</td><td>37.56</td><td>14.30</td><td>50.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>50.41</td><td>74.00</td><td>-23.59</td><td>44.58</td><td>40.41</td><td>17.14</td><td>51.72</td><td>---</td><td>---</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2023-09-04  10600.00 50.75 74.00 -23.25 49.69 37.56 14.30 50.80 --- --- Peak 15900.00 50.41 74.00 -23.59 44.58 40.41 17.14 51.72 --- --- Peak <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>50.75</td><td>74.00</td><td>-23.25</td><td>49.69</td><td>37.56</td><td>14.30</td><td>50.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>50.41</td><td>74.00</td><td>-23.59</td><td>44.58</td><td>40.41</td><td>17.14</td><td>51.72</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10600.00	50.48	74.00	-23.52	49.42	37.56	14.30	50.80	---	---	Peak	2	15900.00	49.94	74.00	-24.06	44.11	40.41	17.14	51.72	---	---	Peak		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10600.00	50.48	74.00	-23.52	49.42	37.56	14.30	50.80	---	---	Peak	2	15900.00	49.94	74.00	-24.06	44.11	40.41	17.14	51.72	---	---	Peak		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10600.00	50.75	74.00	-23.25	49.69	37.56	14.30	50.80	---	---	Peak	2	15900.00	50.41	74.00	-23.59	44.58	40.41	17.14	51.72	---	---	Peak		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10600.00	50.75	74.00	-23.25	49.69	37.56	14.30	50.80	---	---	Peak	2	15900.00	50.41	74.00	-23.59	44.58	40.41	17.14	51.72	---	---	Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																								
1	10600.00	50.48	74.00	-23.52	49.42	37.56	14.30	50.80	---	---	Peak																																																																																																																																																																																																						
2	15900.00	49.94	74.00	-24.06	44.11	40.41	17.14	51.72	---	---	Peak																																																																																																																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																								
1	10600.00	50.48	74.00	-23.52	49.42	37.56	14.30	50.80	---	---	Peak																																																																																																																																																																																																						
2	15900.00	49.94	74.00	-24.06	44.11	40.41	17.14	51.72	---	---	Peak																																																																																																																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																								
1	10600.00	50.75	74.00	-23.25	49.69	37.56	14.30	50.80	---	---	Peak																																																																																																																																																																																																						
2	15900.00	50.41	74.00	-23.59	44.58	40.41	17.14	51.72	---	---	Peak																																																																																																																																																																																																						
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																								
1	10600.00	50.75	74.00	-23.25	49.69	37.56	14.30	50.80	---	---	Peak																																																																																																																																																																																																						
2	15900.00	50.41	74.00	-23.59	44.58	40.41	17.14	51.72	---	---	Peak																																																																																																																																																																																																						





Mode	6																																																																											
	Band Edge																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																											
ANT	SISO																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.00</td><td>66.35</td><td>74.00</td><td>-7.65</td><td>52.61</td><td>34.83</td><td>10.94</td><td>32.03</td><td>396 184 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5352.00	66.35	74.00	-7.65	52.61	34.83	10.94	32.03	396 184 PEAK	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.96</td><td>-----</td><td>-----</td><td>88.14</td><td>34.84</td><td>10.97</td><td>31.99</td><td>396 184 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.96	-----	-----	88.14	34.84	10.97	31.99	396 184 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5352.00	66.35	74.00	-7.65	52.61	34.83	10.94	32.03	396 184 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5320.00	101.96	-----	-----	88.14	34.84	10.97	31.99	396 184 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.71</td><td>50.90</td><td>54.00</td><td>-3.10</td><td>37.16</td><td>34.83</td><td>10.94</td><td>32.03</td><td>396 184 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5351.71	50.90	54.00	-3.10	37.16	34.83	10.94	32.03	396 184 AVERAGE	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>95.29</td><td>-----</td><td>-----</td><td>81.47</td><td>34.84</td><td>10.97</td><td>31.99</td><td>396 184 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	95.29	-----	-----	81.47	34.84	10.97	31.99	396 184 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5351.71	50.90	54.00	-3.10	37.16	34.83	10.94	32.03	396 184 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5320.00	95.29	-----	-----	81.47	34.84	10.97	31.99	396 184 AVERAGE																																																																			







		6																																																																	
Mode		Band Edge																																																																	
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																	
ANT		SISO																																																																	
Pol.		Vertical					Fundamental																																																												
Peak	Level (dBuV/m) Date: 2023-09-04 1 PART 15.407					Level (dBuV/m) Date: 2023-09-04 1 PART 15.407																																																													
	<table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5351.85</td><td>66.05</td><td>74.00</td><td>-7.95</td><td>52.31</td><td>34.83</td><td>10.94</td><td>32.03</td><td>100</td><td>149</td><td>PEAK</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5351.85	66.05	74.00	-7.95	52.31	34.83	10.94	32.03	100	149	PEAK	<table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5320.00</td><td>100.75</td><td>-----</td><td>-----</td><td>86.93</td><td>34.84</td><td>10.97</td><td>31.99</td><td>100</td><td>149</td><td>PEAK</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5320.00	100.75	-----	-----	86.93	34.84	10.97	31.99	100	149
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																										
1 5351.85	66.05	74.00	-7.95	52.31	34.83	10.94	32.03	100	149	PEAK																																																									
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																										
1 5320.00	100.75	-----	-----	86.93	34.84	10.97	31.99	100	149	PEAK																																																									
Avg	Level (dBuV/m) Date: 2023-09-04 1 PART 15.407 AVG					Level (dBuV/m) Date: 2023-09-04 1 PART 15.407 AVG																																																													
	<table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5350.17</td><td>50.09</td><td>54.00</td><td>-3.91</td><td>36.35</td><td>34.83</td><td>10.94</td><td>32.03</td><td>100</td><td>149</td><td>AVERAGE</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5350.17	50.09	54.00	-3.91	36.35	34.83	10.94	32.03	100	149	AVERAGE	<table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5320.00</td><td>94.24</td><td>-----</td><td>-----</td><td>80.42</td><td>34.84</td><td>10.97</td><td>31.99</td><td>100</td><td>149</td><td>AVERAGE</td></tr></tbody></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5320.00	94.24	-----	-----	80.42	34.84	10.97	31.99	100	149
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																										
1 5350.17	50.09	54.00	-3.91	36.35	34.83	10.94	32.03	100	149	AVERAGE																																																									
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																										
1 5320.00	94.24	-----	-----	80.42	34.84	10.97	31.99	100	149	AVERAGE																																																									




Mode	6																																																																																																													
	Harmonic																																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																													
ANT	SISO																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10640.00</td><td>49.55</td><td>74.00</td><td>-24.45</td><td>48.45</td><td>37.58</td><td>14.32</td><td>50.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15960.00</td><td>49.36</td><td>74.00</td><td>-24.64</td><td>43.47</td><td>40.47</td><td>17.19</td><td>51.77</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10640.00	49.55	74.00	-24.45	48.45	37.58	14.32	50.80	---	---	Peak	2 15960.00	49.36	74.00	-24.64	43.47	40.47	17.19	51.77	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10640.00</td><td>50.05</td><td>74.00</td><td>-23.95</td><td>48.95</td><td>37.58</td><td>14.32</td><td>50.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15960.00</td><td>50.19</td><td>74.00</td><td>-23.81</td><td>44.30</td><td>40.47</td><td>17.19</td><td>51.77</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10640.00	50.05	74.00	-23.95	48.95	37.58	14.32	50.80	---	---	Peak	2 15960.00	50.19	74.00	-23.81	44.30	40.47	17.19	51.77	---	---	Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 10640.00	49.55	74.00	-24.45	48.45	37.58	14.32	50.80	---	---	Peak																																																																																																				
2 15960.00	49.36	74.00	-24.64	43.47	40.47	17.19	51.77	---	---	Peak																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 10640.00	50.05	74.00	-23.95	48.95	37.58	14.32	50.80	---	---	Peak																																																																																																				
2 15960.00	50.19	74.00	-23.81	44.30	40.47	17.19	51.77	---	---	Peak																																																																																																				



		7																																																																																																											
Mode		Band Edge																																																																																																											
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																											
ANT		SISO																																																																																																											
Pol.		Horizontal					Fundamental																																																																																																						
Peak	 Level (dBuV/m) Date: 2023-09-12 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.59</td><td>53.94</td><td>74.00</td><td>-20.06</td><td>40.17</td><td>34.81</td><td>11.12</td><td>32.16</td><td>342</td><td>255 PEAK</td></tr><tr><td>2</td><td>5469.63</td><td>59.62</td><td>68.30</td><td>-8.68</td><td>45.83</td><td>34.81</td><td>11.16</td><td>32.18</td><td>342</td><td>255 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.59	53.94	74.00	-20.06	40.17	34.81	11.12	32.16	342	255 PEAK	2	5469.63	59.62	68.30	-8.68	45.83	34.81	11.16	32.18	342	255 PEAK	 Level (dBuV/m) Date: 2023-09-12 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>101.29</td><td>-----</td><td>-----</td><td>87.43</td><td>34.80</td><td>11.27</td><td>32.21</td><td>342</td><td>255 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	101.29	-----	-----	87.43	34.80	11.27	32.21	342	255 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg																																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5459.59	53.94	74.00	-20.06	40.17	34.81	11.12	32.16	342	255 PEAK																																																																																																			
2	5469.63	59.62	68.30	-8.68	45.83	34.81	11.16	32.18	342	255 PEAK																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg																																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5500.00	101.29	-----	-----	87.43	34.80	11.27	32.21	342	255 PEAK																																																																																																			
Avg	 Level (dBuV/m) Date: 2023-09-12 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.29</td><td>43.79</td><td>54.00</td><td>-10.21</td><td>30.02</td><td>34.81</td><td>11.12</td><td>32.16</td><td>342</td><td>255 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.29	43.79	54.00	-10.21	30.02	34.81	11.12	32.16	342	255 AVERAGE	 Level (dBuV/m) Date: 2023-09-12 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>94.45</td><td>-----</td><td>-----</td><td>80.59</td><td>34.80</td><td>11.27</td><td>32.21</td><td>342</td><td>255 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	94.45	-----	-----	80.59	34.80	11.27	32.21	342	255 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg																																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5459.29	43.79	54.00	-10.21	30.02	34.81	11.12	32.16	342	255 AVERAGE																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	dB	cm	deg																																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
1	5500.00	94.45	-----	-----	80.59	34.80	11.27	32.21	342	255 AVERAGE																																																																																																			



		7																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																		
ANT		SISO																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2023-09-12 535053805410544054705500 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.84</td><td>56.95</td><td>74.00</td><td>-17.05</td><td>43.18</td><td>34.81</td><td>11.12</td><td>32.16</td><td>207 135 PEAK</td></tr><tr><td>2</td><td>5469.34</td><td>62.01</td><td>68.30</td><td>-6.29</td><td>48.22</td><td>34.81</td><td>11.16</td><td>32.18</td><td>207 135 PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2023-09-12 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>104.15</td><td>-----</td><td>-----</td><td>90.29</td><td>34.80</td><td>11.27</td><td>32.21</td><td>207 135 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5458.84	56.95	74.00	-17.05	43.18	34.81	11.12	32.16	207 135 PEAK	2	5469.34	62.01	68.30	-6.29	48.22	34.81	11.16	32.18	207 135 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	104.15	-----	-----	90.29	34.80	11.27	32.21	207 135 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5458.84	56.95	74.00	-17.05	43.18	34.81	11.12	32.16	207 135 PEAK																																																																																											
2	5469.34	62.01	68.30	-6.29	48.22	34.81	11.16	32.18	207 135 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	104.15	-----	-----	90.29	34.80	11.27	32.21	207 135 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2023-09-12 535053805410544054705500 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.85</td><td>45.86</td><td>54.00</td><td>-8.14</td><td>32.10</td><td>34.81</td><td>11.12</td><td>32.17</td><td>207 135 AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2023-09-12 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>98.20</td><td>-----</td><td>-----</td><td>84.34</td><td>34.80</td><td>11.27</td><td>32.21</td><td>207 135 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5459.85	45.86	54.00	-8.14	32.10	34.81	11.12	32.17	207 135 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.20	-----	-----	84.34	34.80	11.27	32.21	207 135 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.85	45.86	54.00	-8.14	32.10	34.81	11.12	32.17	207 135 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	98.20	-----	-----	84.34	34.80	11.27	32.21	207 135 AVERAGE																																																																																											





Mode	8																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																					
ANT	SISO																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>49.26</td><td>74.00</td><td>-24.74</td><td>47.46</td><td>37.93</td><td>14.64</td><td>50.77</td><td>---</td><td>--- Peak</td></tr><tr><td>2 16740.00</td><td>48.90</td><td>68.30</td><td>-19.40</td><td>41.53</td><td>41.69</td><td>17.43</td><td>51.75</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11160.00	49.26	74.00	-24.74	47.46	37.93	14.64	50.77	---	--- Peak	2 16740.00	48.90	68.30	-19.40	41.53	41.69	17.43	51.75	---	--- Peak	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>49.33</td><td>74.00</td><td>-24.67</td><td>47.53</td><td>37.93</td><td>14.64</td><td>50.77</td><td>---</td><td>--- Peak</td></tr><tr><td>2 16740.00</td><td>49.25</td><td>68.30</td><td>-19.05</td><td>41.88</td><td>41.69</td><td>17.43</td><td>51.75</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11160.00	49.33	74.00	-24.67	47.53	37.93	14.64	50.77	---	--- Peak	2 16740.00	49.25	68.30	-19.05	41.88	41.69	17.43	51.75	---	--- Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11160.00	49.26	74.00	-24.74	47.46	37.93	14.64	50.77	---	--- Peak																																																																																													
2 16740.00	48.90	68.30	-19.40	41.53	41.69	17.43	51.75	---	--- Peak																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11160.00	49.33	74.00	-24.67	47.53	37.93	14.64	50.77	---	--- Peak																																																																																													
2 16740.00	49.25	68.30	-19.05	41.88	41.69	17.43	51.75	---	--- Peak																																																																																													







Mode	9																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																		
ANT	SISO																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2023-09-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.01</td><td>63.00</td><td>68.30</td><td>-5.30</td><td>48.62</td><td>35.12</td><td>11.65</td><td>32.39</td><td>100</td><td>216 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5727.01	63.00	68.30	-5.30	48.62	35.12	11.65	32.39	100	216 PEAK	Level (dBuV/m) Date: 2023-09-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.02</td><td>-----</td><td>89.64</td><td>35.07</td><td>11.67</td><td>32.36</td><td>100</td><td>216 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.02	-----	89.64	35.07	11.67	32.36	100	216 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5727.01	63.00	68.30	-5.30	48.62	35.12	11.65	32.39	100	216 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5700.00	104.02	-----	89.64	35.07	11.67	32.36	100	216 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2023-09-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>97.50</td><td>-----</td><td>83.12</td><td>35.07</td><td>11.67</td><td>32.36</td><td>100</td><td>216 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.50	-----	83.12	35.07	11.67	32.36	100	216 AVERAGE																																									
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5700.00	97.50	-----	83.12	35.07	11.67	32.36	100	216 AVERAGE																																																																										



Mode	9																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																		
ANT	SISO																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2023-09-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.58</td><td>62.85</td><td>68.30</td><td>-5.45</td><td>48.47</td><td>35.12</td><td>11.65</td><td>32.39</td><td>100</td><td>223 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.58	62.85	68.30	-5.45	48.47	35.12	11.65	32.39	100	223 PEAK	Level (dBuV/m) Date: 2023-09-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>101.41</td><td>-----</td><td>87.03</td><td>35.07</td><td>11.67</td><td>32.36</td><td>100</td><td>223 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.41	-----	87.03	35.07	11.67	32.36	100	223 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5725.58	62.85	68.30	-5.45	48.47	35.12	11.65	32.39	100	223 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5700.00	101.41	-----	87.03	35.07	11.67	32.36	100	223 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2023-09-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>95.32</td><td>-----</td><td>80.94</td><td>35.07</td><td>11.67</td><td>32.36</td><td>100</td><td>223 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	95.32	-----	80.94	35.07	11.67	32.36	100	223 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5700.00	95.32	-----	80.94	35.07	11.67	32.36	100	223 AVERAGE																																																																										







Mode	9																																																																																																																																																																																																									
	Harmonic																																																																																																																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																																																																																									
ANT	SISO																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2023-09-04  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11400.00</td><td>49.90</td><td>74.00</td><td>-24.10</td><td>47.72</td><td>38.12</td><td>14.78</td><td>50.72</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17100.00</td><td>50.97</td><td>68.30</td><td>-17.33</td><td>43.24</td><td>42.00</td><td>17.53</td><td>51.80</td><td>---</td><td>--- Peak</td></tr></table> Level (dBuV/m) Date: 2023-09-04  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11400.00</td><td>49.90</td><td>74.00</td><td>-24.10</td><td>47.72</td><td>38.12</td><td>14.78</td><td>50.72</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17100.00</td><td>50.97</td><td>68.30</td><td>-17.33</td><td>43.24</td><td>42.00</td><td>17.53</td><td>51.80</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11400.00	49.90	74.00	-24.10	47.72	38.12	14.78	50.72	---	--- Peak	2 17100.00	50.97	68.30	-17.33	43.24	42.00	17.53	51.80	---	--- Peak		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11400.00	49.90	74.00	-24.10	47.72	38.12	14.78	50.72	---	--- Peak	2 17100.00	50.97	68.30	-17.33	43.24	42.00	17.53	51.80	---	--- Peak	Level (dBuV/m) Date: 2023-09-04  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11400.00</td><td>50.11</td><td>74.00</td><td>-23.89</td><td>47.93</td><td>38.12</td><td>14.78</td><td>50.72</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17100.00</td><td>50.39</td><td>68.30</td><td>-17.91</td><td>42.66</td><td>42.00</td><td>17.53</td><td>51.80</td><td>---</td><td>--- Peak</td></tr></table> Level (dBuV/m) Date: 2023-09-04  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11400.00</td><td>50.11</td><td>74.00</td><td>-23.89</td><td>47.93</td><td>38.12</td><td>14.78</td><td>50.72</td><td>---</td><td>--- Peak</td></tr><tr><td>2 17100.00</td><td>50.39</td><td>68.30</td><td>-17.91</td><td>42.66</td><td>42.00</td><td>17.53</td><td>51.80</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11400.00	50.11	74.00	-23.89	47.93	38.12	14.78	50.72	---	--- Peak	2 17100.00	50.39	68.30	-17.91	42.66	42.00	17.53	51.80	---	--- Peak		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11400.00	50.11	74.00	-23.89	47.93	38.12	14.78	50.72	---	--- Peak	2 17100.00	50.39	68.30	-17.91	42.66	42.00	17.53	51.80	---	--- Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1 11400.00	49.90	74.00	-24.10	47.72	38.12	14.78	50.72	---	--- Peak																																																																																																																																																																																																	
2 17100.00	50.97	68.30	-17.33	43.24	42.00	17.53	51.80	---	--- Peak																																																																																																																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1 11400.00	49.90	74.00	-24.10	47.72	38.12	14.78	50.72	---	--- Peak																																																																																																																																																																																																	
2 17100.00	50.97	68.30	-17.33	43.24	42.00	17.53	51.80	---	--- Peak																																																																																																																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1 11400.00	50.11	74.00	-23.89	47.93	38.12	14.78	50.72	---	--- Peak																																																																																																																																																																																																	
2 17100.00	50.39	68.30	-17.91	42.66	42.00	17.53	51.80	---	--- Peak																																																																																																																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1 11400.00	50.11	74.00	-23.89	47.93	38.12	14.78	50.72	---	--- Peak																																																																																																																																																																																																	
2 17100.00	50.39	68.30	-17.91	42.66	42.00	17.53	51.80	---	--- Peak																																																																																																																																																																																																	





		10																																																																																		
Mode		Band Edge																																																																																		
		U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																		
ANT		SISO																																																																																		
Pol.		Horizontal					Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.59</td><td>60.22</td><td>74.00</td><td>-13.78</td><td>46.04</td><td>34.87</td><td>11.09</td><td>31.78</td><td>200 142 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5148.59	60.22	74.00	-13.78	46.04	34.87	11.09	31.78	200 142 PEAK	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>103.01</td><td>-----</td><td>-----</td><td>88.90</td><td>34.86</td><td>11.07</td><td>31.82</td><td>200 142 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.01	-----	-----	88.90	34.86	11.07	31.82	200 142 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5148.59	60.22	74.00	-13.78	46.04	34.87	11.09	31.78	200 142 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5180.00	103.01	-----	-----	88.90	34.86	11.07	31.82	200 142 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.85</td><td>46.89</td><td>54.00</td><td>-7.11</td><td>32.71</td><td>34.87</td><td>11.09</td><td>31.78</td><td>200 142 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	46.89	54.00	-7.11	32.71	34.87	11.09	31.78	200 142 AVERAGE	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>95.86</td><td>-----</td><td>-----</td><td>81.75</td><td>34.86</td><td>11.07</td><td>31.82</td><td>200 142 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	95.86	-----	-----	81.75	34.86	11.07	31.82	200 142 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5149.85	46.89	54.00	-7.11	32.71	34.87	11.09	31.78	200 142 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5180.00	95.86	-----	-----	81.75	34.86	11.07	31.82	200 142 AVERAGE																																																																											





		10																																																																																									
Mode		Band Edge																																																																																									
		U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																									
ANT		SISO																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak	 Date: 2023-09-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.99</td><td>64.05</td><td>74.00</td><td>-9.95</td><td>49.88</td><td>34.87</td><td>11.08</td><td>31.78</td><td>161</td><td>171 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	64.05	74.00	-9.95	49.88	34.87	11.08	31.78	161	171 PEAK	 Date: 2023-09-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>103.36</td><td>-----</td><td>89.25</td><td>34.86</td><td>11.07</td><td>31.82</td><td>161</td><td>171 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.36	-----	89.25	34.86	11.07	31.82	161	171 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5149.99	64.05	74.00	-9.95	49.88	34.87	11.08	31.78	161	171 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	103.36	-----	89.25	34.86	11.07	31.82	161	171 PEAK																																																																																		
Avg	 Date: 2023-09-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.85</td><td>50.03</td><td>54.00</td><td>-3.97</td><td>35.85</td><td>34.87</td><td>11.09</td><td>31.78</td><td>161</td><td>171 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	50.03	54.00	-3.97	35.85	34.87	11.09	31.78	161	171 AVERAGE	 Date: 2023-09-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>96.44</td><td>-----</td><td>82.33</td><td>34.86</td><td>11.07</td><td>31.82</td><td>161</td><td>171 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	96.44	-----	82.33	34.86	11.07	31.82	161	171 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5149.85	50.03	54.00	-3.97	35.85	34.87	11.09	31.78	161	171 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5180.00	96.44	-----	82.33	34.86	11.07	31.82	161	171 AVERAGE																																																																																		





Mode	10																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Horizontal								Vertical																																																																																																											
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>48.94</td><td>68.30</td><td>-19.36</td><td>48.17</td><td>37.39</td><td>14.15</td><td>50.77</td><td>---</td><td>--- Peak</td></tr><tr><td>2 15540.00</td><td>50.36</td><td>74.00</td><td>-23.64</td><td>44.85</td><td>40.09</td><td>16.85</td><td>51.43</td><td>---</td><td>--- Peak</td></tr></table>									Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10360.00	48.94	68.30	-19.36	48.17	37.39	14.15	50.77	---	--- Peak	2 15540.00	50.36	74.00	-23.64	44.85	40.09	16.85	51.43	---	--- Peak	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>49.60</td><td>68.30</td><td>-18.70</td><td>48.83</td><td>37.39</td><td>14.15</td><td>50.77</td><td>---</td><td>--- Peak</td></tr><tr><td>2 15540.00</td><td>50.14</td><td>74.00</td><td>-23.86</td><td>44.63</td><td>40.09</td><td>16.85</td><td>51.43</td><td>---</td><td>--- Peak</td></tr></table>									Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10360.00	49.60	68.30	-18.70	48.83	37.39	14.15	50.77	---	--- Peak	2 15540.00	50.14	74.00	-23.86	44.63	40.09	16.85	51.43	---	--- Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 10360.00	48.94	68.30	-19.36	48.17	37.39	14.15	50.77	---	--- Peak																																																																																																											
2 15540.00	50.36	74.00	-23.64	44.85	40.09	16.85	51.43	---	--- Peak																																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 10360.00	49.60	68.30	-18.70	48.83	37.39	14.15	50.77	---	--- Peak																																																																																																											
2 15540.00	50.14	74.00	-23.86	44.63	40.09	16.85	51.43	---	--- Peak																																																																																																											



Mode	11																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11n HT20_CH44_5220MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>49.95</td><td>68.30</td><td>-18.35</td><td>49.09</td><td>37.45</td><td>14.20</td><td>50.79</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>49.08</td><td>74.00</td><td>-24.92</td><td>43.47</td><td>40.20</td><td>16.94</td><td>51.53</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10440.00	49.95	68.30	-18.35	49.09	37.45	14.20	50.79	---	---	Peak	2	15660.00	49.08	74.00	-24.92	43.47	40.20	16.94	51.53	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>49.05</td><td>68.30</td><td>-19.25</td><td>48.19</td><td>37.45</td><td>14.20</td><td>50.79</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>50.72</td><td>74.00</td><td>-23.28</td><td>45.11</td><td>40.20</td><td>16.94</td><td>51.53</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10440.00	49.05	68.30	-19.25	48.19	37.45	14.20	50.79	---	---	Peak	2	15660.00	50.72	74.00	-23.28	45.11	40.20	16.94	51.53	---	---	Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10440.00	49.95	68.30	-18.35	49.09	37.45	14.20	50.79	---	---	Peak																																																																																																									
2	15660.00	49.08	74.00	-24.92	43.47	40.20	16.94	51.53	---	---	Peak																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10440.00	49.05	68.30	-19.25	48.19	37.45	14.20	50.79	---	---	Peak																																																																																																									
2	15660.00	50.72	74.00	-23.28	45.11	40.20	16.94	51.53	---	---	Peak																																																																																																									





Mode	12																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>48.76</td><td>68.30</td><td>-19.54</td><td>47.85</td><td>37.48</td><td>14.23</td><td>50.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>49.57</td><td>74.00</td><td>-24.43</td><td>43.91</td><td>40.25</td><td>16.99</td><td>51.58</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10480.00	48.76	68.30	-19.54	47.85	37.48	14.23	50.80	---	---	Peak	2	15720.00	49.57	74.00	-24.43	43.91	40.25	16.99	51.58	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10480.00</td><td>49.50</td><td>68.30</td><td>-18.80</td><td>48.59</td><td>37.48</td><td>14.23</td><td>50.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>45.12</td><td>40.25</td><td>16.99</td><td>51.58</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	10480.00	49.50	68.30	-18.80	48.59	37.48	14.23	50.80	---	---	Peak	2	15720.00	50.78	74.00	-23.22	45.12	40.25	16.99	51.58	---	---	Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10480.00	48.76	68.30	-19.54	47.85	37.48	14.23	50.80	---	---	Peak																																																																																																									
2	15720.00	49.57	74.00	-24.43	43.91	40.25	16.99	51.58	---	---	Peak																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10480.00	49.50	68.30	-18.80	48.59	37.48	14.23	50.80	---	---	Peak																																																																																																									
2	15720.00	50.78	74.00	-23.22	45.12	40.25	16.99	51.58	---	---	Peak																																																																																																									







Mode	13																																																																																																																																																																																																								
	Harmonic																																																																																																																																																																																																								
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz																																																																																																																																																																																																								
ANT	SISO																																																																																																																																																																																																								
Pol.	Horizontal	Vertical																																																																																																																																																																																																							
Peak Avg	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10520.00</td><td>49.17</td><td>68.30</td><td>-19.13</td><td>48.21</td><td>37.51</td><td>14.25</td><td>50.80</td><td>---</td><td>--- Peak</td></tr><tr><td>2 15780.00</td><td>49.98</td><td>74.00</td><td>-24.02</td><td>44.27</td><td>40.30</td><td>17.04</td><td>51.63</td><td>---</td><td>--- Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10520.00</td><td>49.17</td><td>68.30</td><td>-19.13</td><td>48.21</td><td>37.51</td><td>14.25</td><td>50.80</td><td>---</td><td>--- Peak</td></tr><tr><td>2 15780.00</td><td>49.98</td><td>74.00</td><td>-24.02</td><td>44.27</td><td>40.30</td><td>17.04</td><td>51.63</td><td>---</td><td>--- Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10520.00</td><td>49.47</td><td>68.30</td><td>-18.83</td><td>48.51</td><td>37.51</td><td>14.25</td><td>50.80</td><td>---</td><td>--- Peak</td></tr><tr><td>2 15780.00</td><td>50.60</td><td>74.00</td><td>-23.40</td><td>44.89</td><td>40.30</td><td>17.04</td><td>51.63</td><td>---</td><td>--- Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10520.00</td><td>49.47</td><td>68.30</td><td>-18.83</td><td>48.51</td><td>37.51</td><td>14.25</td><td>50.80</td><td>---</td><td>--- Peak</td></tr><tr><td>2 15780.00</td><td>50.60</td><td>74.00</td><td>-23.40</td><td>44.89</td><td>40.30</td><td>17.04</td><td>51.63</td><td>---</td><td>--- Peak</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10520.00	49.17	68.30	-19.13	48.21	37.51	14.25	50.80	---	--- Peak	2 15780.00	49.98	74.00	-24.02	44.27	40.30	17.04	51.63	---	--- Peak		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10520.00	49.17	68.30	-19.13	48.21	37.51	14.25	50.80	---	--- Peak	2 15780.00	49.98	74.00	-24.02	44.27	40.30	17.04	51.63	---	--- Peak		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10520.00	49.47	68.30	-18.83	48.51	37.51	14.25	50.80	---	--- Peak	2 15780.00	50.60	74.00	-23.40	44.89	40.30	17.04	51.63	---	--- Peak		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10520.00	49.47	68.30	-18.83	48.51	37.51	14.25	50.80	---	--- Peak	2 15780.00	50.60	74.00	-23.40	44.89	40.30	17.04	51.63	---	--- Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																
1 10520.00	49.17	68.30	-19.13	48.21	37.51	14.25	50.80	---	--- Peak																																																																																																																																																																																																
2 15780.00	49.98	74.00	-24.02	44.27	40.30	17.04	51.63	---	--- Peak																																																																																																																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																
1 10520.00	49.17	68.30	-19.13	48.21	37.51	14.25	50.80	---	--- Peak																																																																																																																																																																																																
2 15780.00	49.98	74.00	-24.02	44.27	40.30	17.04	51.63	---	--- Peak																																																																																																																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																
1 10520.00	49.47	68.30	-18.83	48.51	37.51	14.25	50.80	---	--- Peak																																																																																																																																																																																																
2 15780.00	50.60	74.00	-23.40	44.89	40.30	17.04	51.63	---	--- Peak																																																																																																																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																
1 10520.00	49.47	68.30	-18.83	48.51	37.51	14.25	50.80	---	--- Peak																																																																																																																																																																																																
2 15780.00	50.60	74.00	-23.40	44.89	40.30	17.04	51.63	---	--- Peak																																																																																																																																																																																																



Mode	14																																																																																											
	Harmonic																																																																																											
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																																																											
ANT	SISO																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2023-09-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 10600.00</td><td>49.60</td><td>74.00</td><td>-24.40</td><td>48.54</td><td>37.56</td><td>14.30</td><td>50.80</td><td>---</td></tr><tr><td>2 15900.00</td><td>49.61</td><td>74.00</td><td>-24.39</td><td>43.78</td><td>40.41</td><td>17.14</td><td>51.72</td><td>---</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1 10600.00	49.60	74.00	-24.40	48.54	37.56	14.30	50.80	---	2 15900.00	49.61	74.00	-24.39	43.78	40.41	17.14	51.72	---	Level (dBuV/m) Date: 2023-09-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 10600.00</td><td>50.04</td><td>74.00</td><td>-23.96</td><td>48.98</td><td>37.56</td><td>14.30</td><td>50.80</td><td>---</td></tr><tr><td>2 15900.00</td><td>50.17</td><td>74.00</td><td>-23.83</td><td>44.34</td><td>40.41</td><td>17.14</td><td>51.72</td><td>---</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1 10600.00	50.04	74.00	-23.96	48.98	37.56	14.30	50.80	---	2 15900.00	50.17	74.00	-23.83	44.34	40.41	17.14	51.72	---
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																																				
1 10600.00	49.60	74.00	-24.40	48.54	37.56	14.30	50.80	---																																																																																				
2 15900.00	49.61	74.00	-24.39	43.78	40.41	17.14	51.72	---																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																																				
1 10600.00	50.04	74.00	-23.96	48.98	37.56	14.30	50.80	---																																																																																				
2 15900.00	50.17	74.00	-23.83	44.34	40.41	17.14	51.72	---																																																																																				



		15																																																																																								
Mode		Band Edge																																																																																								
		U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																								
ANT		SISO																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2023-09-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.04</td><td>64.23</td><td>74.00</td><td>-9.77</td><td>50.49</td><td>34.83</td><td>10.94</td><td>32.03</td><td>200</td><td>136 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5350.04	64.23	74.00	-9.77	50.49	34.83	10.94	32.03	200	136 PEAK	Level (dBuV/m) Date: 2023-09-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>100.01</td><td>-----</td><td>-----</td><td>86.19</td><td>34.84</td><td>10.97</td><td>31.99</td><td>200</td><td>136 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	100.01	-----	-----	86.19	34.84	10.97	31.99	200	136 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5350.04	64.23	74.00	-9.77	50.49	34.83	10.94	32.03	200	136 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5320.00	100.01	-----	-----	86.19	34.84	10.97	31.99	200	136 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2023-09-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.46</td><td>47.43</td><td>54.00</td><td>-6.57</td><td>33.69</td><td>34.83</td><td>10.94</td><td>32.03</td><td>200</td><td>136 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5350.46	47.43	54.00	-6.57	33.69	34.83	10.94	32.03	200	136 AVERAGE	Level (dBuV/m) Date: 2023-09-04  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>93.91</td><td>-----</td><td>-----</td><td>80.09</td><td>34.84</td><td>10.97</td><td>31.99</td><td>200</td><td>136 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	93.91	-----	-----	80.09	34.84	10.97	31.99	200	136 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5350.46	47.43	54.00	-6.57	33.69	34.83	10.94	32.03	200	136 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 5320.00	93.91	-----	-----	80.09	34.84	10.97	31.99	200	136 AVERAGE																																																																																	







		15																																																																																							
Mode		Band Edge																																																																																							
		U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																							
ANT		SISO																																																																																							
Pol.		Vertical					Fundamental																																																																																		
Peak	Date: 2023-09-04					Date: 2023-09-04																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.04</td><td>67.57</td><td>74.00</td><td>-6.43</td><td>53.83</td><td>34.83</td><td>10.94</td><td>32.03</td><td>201</td><td>130 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5350.04	67.57	74.00	-6.43	53.83	34.83	10.94	32.03	201	130 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>102.12</td><td>-----</td><td>-----</td><td>88.32</td><td>34.84</td><td>10.96</td><td>32.00</td><td>201</td><td>130 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	102.12	-----	-----	88.32	34.84	10.96	32.00	201
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5350.04	67.57	74.00	-6.43	53.83	34.83	10.94	32.03	201	130 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	102.12	-----	-----	88.32	34.84	10.96	32.00	201	130 PEAK																																																																																
Avg	Date: 2023-09-04					Date: 2023-09-04																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.17</td><td>49.81</td><td>54.00</td><td>-4.19</td><td>36.07</td><td>34.83</td><td>10.94</td><td>32.03</td><td>201</td><td>130 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5350.17	49.81	54.00	-4.19	36.07	34.83	10.94	32.03	201	130 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>95.82</td><td>-----</td><td>-----</td><td>82.00</td><td>34.84</td><td>10.97</td><td>31.99</td><td>201</td><td>130 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5320.00	95.82	-----	-----	82.00	34.84	10.97	31.99	201
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5350.17	49.81	54.00	-4.19	36.07	34.83	10.94	32.03	201	130 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5320.00	95.82	-----	-----	82.00	34.84	10.97	31.99	201	130 AVERAGE																																																																																







Mode	15																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																					
ANT	SISO																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10640.00</td><td>49.96</td><td>74.00</td><td>-24.04</td><td>48.86</td><td>37.58</td><td>14.32</td><td>50.80</td><td>---</td><td>--- Peak</td></tr><tr><td>2 15960.00</td><td>49.72</td><td>74.00</td><td>-24.28</td><td>43.83</td><td>40.47</td><td>17.19</td><td>51.77</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10640.00	49.96	74.00	-24.04	48.86	37.58	14.32	50.80	---	--- Peak	2 15960.00	49.72	74.00	-24.28	43.83	40.47	17.19	51.77	---	--- Peak	Level (dBuV/m) Date: 2023-09-04 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10640.00</td><td>49.94</td><td>74.00</td><td>-24.06</td><td>48.84</td><td>37.58</td><td>14.32</td><td>50.80</td><td>---</td><td>--- Peak</td></tr><tr><td>2 15960.00</td><td>49.69</td><td>74.00</td><td>-24.31</td><td>43.80</td><td>40.47</td><td>17.19</td><td>51.77</td><td>---</td><td>--- Peak</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 10640.00	49.94	74.00	-24.06	48.84	37.58	14.32	50.80	---	--- Peak	2 15960.00	49.69	74.00	-24.31	43.80	40.47	17.19	51.77	---	--- Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10640.00	49.96	74.00	-24.04	48.86	37.58	14.32	50.80	---	--- Peak																																																																																													
2 15960.00	49.72	74.00	-24.28	43.83	40.47	17.19	51.77	---	--- Peak																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 10640.00	49.94	74.00	-24.06	48.84	37.58	14.32	50.80	---	--- Peak																																																																																													
2 15960.00	49.69	74.00	-24.31	43.80	40.47	17.19	51.77	---	--- Peak																																																																																													
Avg																																																																																																						





		16																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																		
ANT		SISO																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2023-08-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.09</td><td>53.99</td><td>74.00</td><td>-20.01</td><td>40.23</td><td>34.81</td><td>11.11</td><td>32.16</td><td>349 230 PEAK</td></tr><tr><td>2</td><td>5466.48</td><td>57.78</td><td>68.30</td><td>-10.52</td><td>43.99</td><td>34.81</td><td>11.15</td><td>32.17</td><td>349 230 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.09	53.99	74.00	-20.01	40.23	34.81	11.11	32.16	349 230 PEAK	2	5466.48	57.78	68.30	-10.52	43.99	34.81	11.15	32.17	349 230 PEAK	 Level (dBuV/m) Date: 2023-08-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>101.23</td><td>-----</td><td>87.37</td><td>34.80</td><td>11.27</td><td>32.21</td><td>349</td><td>230 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.23	-----	87.37	34.80	11.27	32.21	349	230 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5458.09	53.99	74.00	-20.01	40.23	34.81	11.11	32.16	349 230 PEAK																																																																																											
2	5466.48	57.78	68.30	-10.52	43.99	34.81	11.15	32.17	349 230 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	101.23	-----	87.37	34.80	11.27	32.21	349	230 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2023-08-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.29</td><td>43.74</td><td>54.00</td><td>-10.26</td><td>29.97</td><td>34.81</td><td>11.12</td><td>32.16</td><td>349 230 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.29	43.74	54.00	-10.26	29.97	34.81	11.12	32.16	349 230 AVERAGE	 Level (dBuV/m) Date: 2023-08-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>95.05</td><td>-----</td><td>81.19</td><td>34.80</td><td>11.27</td><td>32.21</td><td>349</td><td>230 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.05	-----	81.19	34.80	11.27	32.21	349	230 AVERAGE										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.29	43.74	54.00	-10.26	29.97	34.81	11.12	32.16	349 230 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	95.05	-----	81.19	34.80	11.27	32.21	349	230 AVERAGE																																																																																											





		16																																																																																												
Mode		Band Edge																																																																																												
		U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																												
ANT		SISO																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5458.98	58.45	74.00	-15.55	44.68	34.81	11.12	32.16	288	145 PEAK	2 5465.29	63.28	68.30	-5.02	49.50	34.81	11.14	32.17	288	145 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>104.72</td><td>-----</td><td>-----</td><td>90.86</td><td>34.80</td><td>11.27</td><td>32.21</td><td>288</td><td>145 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5500.00	104.72	-----	-----	90.86	34.80	11.27	32.21	288
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5458.98	58.45	74.00	-15.55	44.68	34.81	11.12	32.16	288	145 PEAK																																																																																					
2 5465.29	63.28	68.30	-5.02	49.50	34.81	11.14	32.17	288	145 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5500.00	104.72	-----	-----	90.86	34.80	11.27	32.21	288	145 PEAK																																																																																					
Avg																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5458.84	45.97	54.00	-8.03	32.20	34.81	11.12	32.16	288	145 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5500.00</td><td>98.58</td><td>-----</td><td>-----</td><td>84.72</td><td>34.80</td><td>11.27</td><td>32.21</td><td>288</td><td>145 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5500.00	98.58	-----	-----	84.72	34.80	11.27	32.21	288	145 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5458.84	45.97	54.00	-8.03	32.20	34.81	11.12	32.16	288	145 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5500.00	98.58	-----	-----	84.72	34.80	11.27	32.21	288	145 AVERAGE																																																																																					






Mode	16																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																													
ANT	SISO																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11000.00</td><td>49.53</td><td>74.00</td><td>-24.47</td><td>47.99</td><td>37.80</td><td>14.54</td><td>50.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 16500.00</td><td>49.96</td><td>68.30</td><td>-18.34</td><td>43.09</td><td>41.31</td><td>17.36</td><td>51.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11000.00	49.53	74.00	-24.47	47.99	37.80	14.54	50.80	---	---	Peak	2 16500.00	49.96	68.30	-18.34	43.09	41.31	17.36	51.80	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11000.00</td><td>49.25</td><td>74.00</td><td>-24.75</td><td>47.71</td><td>37.80</td><td>14.54</td><td>50.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 16500.00</td><td>50.30</td><td>68.30</td><td>-18.00</td><td>43.43</td><td>41.31</td><td>17.36</td><td>51.80</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11000.00	49.25	74.00	-24.75	47.71	37.80	14.54	50.80	---	---	Peak	2 16500.00	50.30	68.30	-18.00	43.43	41.31	17.36	51.80	---	---	Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 11000.00	49.53	74.00	-24.47	47.99	37.80	14.54	50.80	---	---	Peak																																																																																																				
2 16500.00	49.96	68.30	-18.34	43.09	41.31	17.36	51.80	---	---	Peak																																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1 11000.00	49.25	74.00	-24.75	47.71	37.80	14.54	50.80	---	---	Peak																																																																																																				
2 16500.00	50.30	68.30	-18.00	43.43	41.31	17.36	51.80	---	---	Peak																																																																																																				



Mode	17																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																																					
ANT	SISO																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2023-09-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11160.00</td><td>48.88</td><td>74.00</td><td>-25.12</td><td>47.08</td><td>37.93</td><td>14.64</td><td>50.77</td><td>---</td><td>--- Peak</td></tr><tr><td>2 16740.00</td><td>49.87</td><td>68.30</td><td>-18.43</td><td>42.50</td><td>41.69</td><td>17.43</td><td>51.75</td><td>---</td><td>--- Peak</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11160.00	48.88	74.00	-25.12	47.08	37.93	14.64	50.77	---	--- Peak	2 16740.00	49.87	68.30	-18.43	42.50	41.69	17.43	51.75	---	--- Peak	Level (dBuV/m) Date: 2023-09-04 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11160.00</td><td>49.35</td><td>74.00</td><td>-24.65</td><td>47.55</td><td>37.93</td><td>14.64</td><td>50.77</td><td>---</td><td>--- Peak</td></tr><tr><td>2 16740.00</td><td>49.48</td><td>68.30</td><td>-18.82</td><td>42.11</td><td>41.69</td><td>17.43</td><td>51.75</td><td>---</td><td>--- Peak</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 11160.00	49.35	74.00	-24.65	47.55	37.93	14.64	50.77	---	--- Peak	2 16740.00	49.48	68.30	-18.82	42.11	41.69	17.43	51.75	---	--- Peak
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11160.00	48.88	74.00	-25.12	47.08	37.93	14.64	50.77	---	--- Peak																																																																																													
2 16740.00	49.87	68.30	-18.43	42.50	41.69	17.43	51.75	---	--- Peak																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 11160.00	49.35	74.00	-24.65	47.55	37.93	14.64	50.77	---	--- Peak																																																																																													
2 16740.00	49.48	68.30	-18.82	42.11	41.69	17.43	51.75	---	--- Peak																																																																																													



Mode	18																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																										
ANT	SISO																																																																																										
Pol.	Horizontal										Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2023-08-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.30</td><td>65.01</td><td>68.30</td><td>-3.29</td><td>50.63</td><td>35.12</td><td>11.65</td><td>32.39</td><td>343 117 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5726.30	65.01	68.30	-3.29	50.63	35.12	11.65	32.39	343 117 PEAK	Level (dBuV/m) Date: 2023-08-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.47</td><td>-----</td><td>91.09</td><td>35.07</td><td>11.67</td><td>32.36</td><td>343</td><td>117 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	105.47	-----	91.09	35.07	11.67	32.36	343	117 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5726.30	65.01	68.30	-3.29	50.63	35.12	11.65	32.39	343 117 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5700.00	105.47	-----	91.09	35.07	11.67	32.36	343	117 PEAK																																																																																		
Avg	Blank										Level (dBuV/m) Date: 2023-08-30  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.26</td><td>-----</td><td>83.88</td><td>35.07</td><td>11.67</td><td>32.36</td><td>343</td><td>117 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	98.26	-----	83.88	35.07	11.67	32.36	343	117 AVERAGE																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5700.00	98.26	-----	83.88	35.07	11.67	32.36	343	117 AVERAGE																																																																																		



Mode	18																																																																																								
	Band Edge																																																																																								
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																								
ANT	SISO																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2023-08-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5729.15</td><td>61.11</td><td>68.30</td><td>-7.19</td><td>46.73</td><td>35.12</td><td>11.65</td><td>32.39</td><td>211 150 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5729.15	61.11	68.30	-7.19	46.73	35.12	11.65	32.39	211 150 PEAK	Level (dBuV/m) Date: 2023-08-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.73</td><td>-----</td><td>90.36</td><td>35.08</td><td>11.66</td><td>32.37</td><td>211 150 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.73	-----	90.36	35.08	11.66	32.37	211 150 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5729.15	61.11	68.30	-7.19	46.73	35.12	11.65	32.39	211 150 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5700.00	104.73	-----	90.36	35.08	11.66	32.37	211 150 PEAK																																																																																	
Avg	Blank					Level (dBuV/m) Date: 2023-08-30 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.76</td><td>-----</td><td>83.38</td><td>35.07</td><td>11.67</td><td>32.36</td><td>211 150 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.76	-----	83.38	35.07	11.67	32.36	211 150 AVERAGE																																								
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5700.00	97.76	-----	83.38	35.07	11.67	32.36	211 150 AVERAGE																																																																																	