



KYOCERA International, Inc
8611 Balboa Avenue
San Diego, CA 92123
Phone: 858-882-1400

20 January 2021

Federal Communications Commission
Office of Engineering and Technology Laboratory Division
7435 Oakland Mills Rd.
Columbia MD 21046

Attn: Office of Engineering and Technology

HAC Attestation - MIF for HAC RF Interference Evaluation

To whom it may concern:

This device, with FCC ID: V65E4830, will be certified to ANSI C63.19-2011 per Part 20.19.

We hereby declare that the MIF values detailed below are based on worst case operating modes for all air interfaces for which the HAC rating is provided based on the current methodology for determining MIF values.

SPEAG test files

UID	UID Version	Communication System Name	MIF (dB)
10460	AAA	UMTS-FDD (WCDMA, AMR)	-25.43
10225	CAB	UMTS-FDD (HSPA+)	-20.39
10170	CAE	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	-9.76

The Speag-reference documentation for supporting the pre-determined MIF value is Schmid & Partner Engineering AG, **UID SUMMARY (Communication Systems for Calibration, Issued Date 2020/09/05)**

Sincerely,

Douglas Dunn
Deputy General Manager Regulatory Affairs