Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4823.941	45.36	6.44	51.80	74.00	-22.20	peak	
2	*	4823.957	37.27	6.44	43.71	54.00	-10.29	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2436.200	67.21	33.50	100.71	54.00	46.71	AVG	Fundamental frequency, no limit
2	X	2436.400	77.06	33.50	110.56	74.00	36.56	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4874.201	42.85	6.55	49.40	74.00	-24.60	peak	
2	*	4874.323	35.17	6.55	41.72	54.00	-12.28	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2436.200	68.65	33.50	102.15	54.00	48.15	AVG	Fundamental frequency, no limit
2	X	2436.600	77.08	33.50	110.58	74.00	36.58	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4874.173	46.67	6.55	53.22	74.00	-20.78	peak	
2	*	4874.257	38.21	6.55	44.76	54.00	-9.24	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2461.200	64.91	33.56	98.47	54.00	44.47	AVG	Fundamental frequency, no limit
2	X	2463.400	74.85	33.57	108.42	74.00	34.42	peak	Fundamental frequency, no limit
3		2483.500	29.74	33.62	63.36	74.00	-10.64	peak	
4		2483.500	17.57	33.62	51.19	54.00	-2.81	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4923.967	45.43	6.66	52.09	74.00	-21.91	peak	
2	*	4923.993	37.57	6.66	44.23	54.00	-9.77	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2461.100	65.84	33.56	99.40	54.00	45.40	AVG	Fundamental frequency, no limit
2	X	2463.700	74.99	33.57	108.56	74.00	34.56	peak	Fundamental frequency, no limit
3		2483.500	29.36	33.62	62.98	74.00	-11.02	peak	
4		2483.500	19.24	33.62	52.86	54.00	-1.14	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4923.787	47.71	6.66	54.37	74.00	-19.63	peak	
2	*	4923.894	37.81	6.66	44.47	54.00	-9.53	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		2390.000	30.10	33.38	63.48	74.00	-10.52	peak	
2		2390.000	18.86	33.38	52.24	54.00	-1.76	AVG	
3	X	2423.400	67.36	33.47	100.83	74.00	26.83	peak	Fundamental frequency, no limit
4	*	2424.000	57.62	33.47	91.09	54.00	37.09	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4844.041	39.85	6.48	46.33	74.00	-27.67	peak	
2	*	4844.042	32.56	6.48	39.04	54.00	-14.96	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		2390.000	30.74	33.38	64.12	74.00	-9.88	peak	
2		2390.000	19.81	33.38	53.19	54.00	-0.81	AVG	
3	X	2419.200	67.92	33.46	101.38	74.00	27.38	peak	Fundamental frequency, no limit
4	*	2419.600	58.21	33.46	91.67	54.00	37.67	AVG	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4844.040	42.83	6.48	49.31	74.00	-24.69	peak	
2	*	4844.110	35.17	6.48	41.65	54.00	-12.35	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2434.800	59.52	33.50	93.02	54.00	39.02	AVG	Fundamental frequency, no limit
2	X	2435.600	69.41	33.50	102.91	74.00	28.91	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4873.952	39.81	6.55	46.36	74.00	-27.64	peak	
2	*	4873.961	33.26	6.55	39.81	54.00	-14.19	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2434.800	60.95	33.50	94.45	54.00	40.45	AVG	Fundamental frequency, no limit
2	X	2435.000	70.18	33.50	103.68	74.00	29.68	peak	Fundamental frequency, no limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4874.170	43.61	6.55	50.16	74.00	-23.84	peak	
2	*	4874.170	35.27	6.55	41.82	54.00	-12.18	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	2449.400	70.33	33.53	103.86	74.00	29.86	peak	Fundamental frequency, no limit
2	*	2449.400	59.32	33.53	92.85	54.00	38.85	AVG	Fundamental frequency, no limit
3		2483.500	28.58	33.62	62.20	74.00	-11.80	peak	
4		2483.500	18.21	33.62	51.83	54.00	-2.17	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4903.851	40.01	6.61	46.62	74.00	-27.38	peak	
2	*	4903.852	33.12	6.61	39.73	54.00	-14.27	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	X	2449.600	69.54	33.53	103.07	74.00	29.07	peak	Fundamental frequency, no limit
2	*	2449.600	59.70	33.53	93.23	54.00	39.23	AVG	Fundamental frequency, no limit
3		2483.500	28.22	33.62	61.84	74.00	-12.16	peak	
4		2483.500	18.58	33.62	52.20	54.00	-1.80	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4904.020	43.77	6.61	50.38	74.00	-23.62	peak	
2	*	4904.100	35.65	6.61	42.26	54.00	-11.74	AVG	

ATTACHMENT E - BANDWIDTH

Test Mode : TX B Mode_CH01/06/11

TX CH 01



Date: 19.JUN.2014 09:29:18

TX CH 06



Date: 19.JUN.2014 09:43:45

TX CH 11



Date: 19.JUN.2014 09:47:01

Test Mode: TX G Mode_CH01/06/11

TX CH 01



Date: 19.JUN.2014 10:05:21

TX CH 06



Date: 19.JUN.2014 10:14:31

TX CH 11



Date: 19.JUN.2014 10:16:26

Test Mode : TX N-20MHz Mode_CH01/06/11_ANT 0

TX CH 01



TX CH 06



Date: 19.JUN.2014 10:34:59

TX CH 11



Date: 19.JUN.2014 10:39:14

Test Mode : TX N-20MHz Mode_CH01/06/11_ANT 1

TX CH 01



Date: 19.JUN.2014 11:07:08

TX CH 06



Date: 19.JUN.2014 11:09:12

TX CH 11



Date: 19.JUN.2014 11:10:40

Test Mode : TX N-40MHz Mode_CH03/06/09_ANT 0

TX CH 03



Date: 19.JUN.2014 10:43:09

TX CH 06



Date: 19.JUN.2014 10:47:25

TX CH 09



Date: 19.JUN.2014 10:51:02

Test Mode : TX N-40MHz Mode_CH03/06/09_ANT 1

TX CH 03



Date: 19.JUN.2014 11:04:21

TX CH 06



Date: 19.JUN.2014 11:02:14

TX CH 09



Date: 19.JUN.2014 10:59:44

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode : TX B Mode				
Test Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH01	2412	21.30	30	1
CH06	2437	21.20	30	1
CH11	2462	21.50	30	1

Test Mode : TX G Mode				
Test Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH01	2412	20.30	30	1
CH06	2437	21.80	30	1
CH11	2462	21.40	30	1

Test Mode : TX N-20M Mode_ANT 0				
Test Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH01	2412	20.40	30	1
CH06	2437	23.20	30	1
CH11	2462	21.40	30	1

Test Mode : TX N-20M Mode_ANT 1				
Test Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH01	2412	20.10	30	1
CH06	2437	22.90	30	1
CH11	2462	21.20	30	1

Test Mode : TX N-20M Mode_Total				
Test Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH01	2412	23.26	30	1
CH06	2437	26.06	30	1
CH11	2462	24.31	30	1

Test Mode : TX N-40M Mode_ANT 0				
Test Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH03	2422	17.40	30	1
CH06	2437	20.50	30	1
CH09	2452	18.60	30	1

Test Mode : TX N-40M Mode_ANT 1				
Test Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH03	2422	17.20	30	1
CH06	2437	20.30	30	1
CH09	2452	17.10	30	1

Test Mode : TX N-40M Mode_Total				
Test Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH03	2422	20.31	30	1
CH06	2437	23.41	30	1
CH09	2452	20.92	30	1

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION

Test Mode :	**TX B Mode**

TX B mode CH01



Date: 19.JUN.2014 10:12:16

TX B mode CH11



Date: 19.JUN.2014 10:00:21

TX B mode CH01 (10 Harmonic of the frequency)



Date: 19.JUN.2014 09:20:16

TX B mode CH06 (10 Harmonic of the frequency)



Date: 19.JUN.2014 09:42:42

TX B mode CH11 (10 Harmonic of the frequency)



Date: 19.JUN.2014 11:41:04

Test Mode :	**TX G Mode**

TX G mode CH01



Date: 19.JUN.2014 10:11:21

TX G mode CH11



Date: 19.JUN.2014 10:17:15

TX G mode CH01 (10 Harmonic of the frequency)



Date: 19.JUN.2014 10:04:56

TX G mode CH06 (10 Harmonic of the frequency)



Date: 19.JUN.2014 10:13:56

TX G mode CH11 (10 Harmonic of the frequency)



Date: 19.JUN.2014 10:15:43

Test Mode :	**TX N-20M Mode_ANT 0**

TX HT20 mode CH01



Date: 19.JUN.2014 10:21:34

TX HT20 mode CH11



Date: 19.JUN.2014 10:39:50

TX HT20 mode CH01 (10 Harmonic of the frequency)



Date: 19.JUN.2014 10:20:32

TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 19.JUN.2014 10:34:17

TX HT20 mode CH11 (10 Harmonic of the frequency)



Date: 19.JUN.2014 10:38:16

Test Mode :	**TX N-20M Mode_ANT 1**

TX HT20 mode CH01



Date: 19.JUN.2014 11:07:27

TX HT20 mode CH11



Date: 19.JUN.2014 11:11:09

TX HT20 mode CH01 (10 Harmonic of the frequency)



Date: 19.JUN.2014 11:06:40

TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 19.JUN.2014 11:08:50

TX HT20 mode CH11 (10 Harmonic of the frequency)



Date: 19.JUN.2014 11:10:23

Test Mode :	**TX N-40M Mode_ANT 0**

TX HT40 mode CH03



Date: 19.JUN.2014 10:43:50

TX HT40 mode CH09



Date: 19.JUN.2014 10:54:28

TX HT40 mode CH03 (10 Harmonic of the frequency)



Date: 19.JUN.2014 10:42:30

TX HT40 mode CH06 (10 Harmonic of the frequency)



Date: 19.JUN.2014 10:46:37

TX HT40 mode CH09 (10 Harmonic of the frequency)



Date: 19.JUN.2014 10:49:02

Test Mode :	**TX N-40M Mode_ANT 1**

TX HT40 mode CH03



Date: 19.JUN.2014 11:05:03

TX HT40 mode CH09



Date: 19.JUN.2014 11:00:08

TX HT40 mode CH03 (10 Harmonic of the frequency)



Date: 19.JUN.2014 11:03:48

TX HT40 mode CH06 (10 Harmonic of the frequency)



Date: 19.JUN.2014 11:01:38

TX HT40 mode CH09 (10 Harmonic of the frequency)



Date: 19.JUN.2014 10:59:07

ATTACHMENT H - POWER SPECTRAL DENSITY

Test Mode :TX B Mode_CH01/06/11

TX CH01



Date: 19.JUN.2014 09:38:02

TX CH06



Date: 19.JUN.2014 09:44:09

TX CH11



Date: 19.JUN.2014 10:00:41

Test Mode :TX G Mode_CH01/06/11

TX CH01



Date: 19.JUN.2014 10:06:09

TX CH06



Date: 19.JUN.2014 10:14:49

TX CH11



Date: 19.JUN.2014 10:18:01

Test Mode : TX N-20M Mode_CH01/06/11_ANT 0

TX CH01



Date: 19.JUN.2014 10:22:09

TX CH06



Date: 19.JUN.2014 10:35:26

TX CH11



Date: 19.JUN.2014 10:40:29

Test Mode : TX N-20M Mode_CH01/06/11_ANT 1

TX CH01



Date: 19.JUN.2014 11:07:43

TX CH06



Date: 19.JUN.2014 11:09:27

TX CH11



Date: 19.JUN.2014 11:11:29

Test Mode : TX N-20M Mode_CH01/06/11_Total			
Test Channel	Frequency (MHz)	Power Density (dBm)	Limit (dBm)
CH01	2412	-7.40	8
CH06	2437	-7.62	8
CH11	2462	-7.75	8

Test Mode : TX N-40M Mode_CH03/06/09_ANT 0

TX CH03



Date: 19.JUN.2014 10:44:22

TX CH06



Date: 26.JUN.2014 04:08:46

TX CH09



Date: 19.JUN.2014 10:54:52

Test Mode : TX N-40M Mode_CH03/06/09_ANT 1

TX CH03



Date: 19.JUN.2014 11:05:28

TX CH06



Date: 19.JUN.2014 11:02:40

TX CH09



Date: 19.JUN.2014 11:00:28

Test Mode : TX N-40M Mode_CH03/06/09_Total			
Test Channel	Frequency (MHz)	Power Density (dBm)	Limit (dBm)
CH03	2422	-9.06	8
CH06	2437	-10.20	8
CH09	2452	-10.59	8