


EUT_Name		Test_Model	
Test_Mode	802.11ax(HE160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	chenjun	Test_Date	2024/12/02
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	27.56	49.29	68.20	18.91	PASS	Horizontal	PK
2	5150	21.73	16.07	37.80	54.00	16.20	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	chenjun	Test_Date	2024/12/02
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	27.60	49.33	68.20	18.87	PASS	Vertical	PK
2	5150	21.73	15.80	37.53	54.00	16.47	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5180MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.98	28.99	50.97	68.38	17.41	PASS	Horizontal	PK

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20)Transmitti ng	Test_Frequency	5180MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.98	29.98	51.96	68.38	16.42	PASS	Vertical	PK
2	5150	21.98	14.96	36.94	54.00	17.06	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5190MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	28.37	50.10	68.20	18.10	PASS	Horizontal	PK
2	5150	21.73	15.40	37.13	54.00	16.87	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT40)Transmitti ng	Test_Frequency	5190MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	28.76	50.49	68.20	17.71	PASS	Vertical	PK
2	5150	21.73	15.09	36.82	54.00	17.18	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT80)Transmitti ng	Test_Frequency	5210MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	27.77	49.50	68.20	18.70	PASS	Horizontal	PK
2	5150	21.73	15.76	37.49	54.00	16.51	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT80)Transmitti ng	Test_Frequency	5210MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	26.99	48.72	68.20	13.48	PASS	Vertical	PK
2	5150	21.73	17.23	38.96	54.00	15.04	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(HE160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	chenjun	Test_Date	2024/12/02
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	27.56	49.29	68.20	18.91	PASS	Horizontal	PK
2	5150	21.73	15.57	37.30	54.00	16.70	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(HE160)Transmitti ng	Test_Frequency	5250MHz
Tset_Engineer	chenjun	Test_Date	2024/12/02
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	27.60	49.33	68.20	18.87	PASS	Vertical	PK
2	5150	21.73	15.80	37.53	54.00	16.47	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 a Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	31.64	54.01	68.20	14.19	PASS	Horizontal	PK
2	5350	22.37	18.46	40.83	54.00	13.17	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 a Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	31.48	53.85	68.20	14.35	PASS	Vertical	PK
2	5350	22.37	17.72	40.09	54.00	13.91	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	31.23	53.60	68.20	14.60	PASS	Horizontal	PK
2	5350	22.37	17.50	39.87	54.00	14.13	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	31.03	53.40	68.20	14.80	PASS	Vertical	PK
2	5350	22.37	17.69	40.06	54.00	13.94	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	31.59	53.96	68.20	14.24	PASS	Horizontal	PK
2	5350	22.37	18.35	40.72	54.00	13.28	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	30.67	53.04	68.20	15.16	PASS	Vertical	PK
2	5350	22.37	17.82	40.19	54.00	13.81	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	30.66	53.03	68.20	15.17	PASS	Horizontal	PK
2	5350	22.37	17.71	40.08	54.00	13.92	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	30.50	52.87	68.20	15.33	PASS	Vertical	PK
2	5350	22.37	18.66	41.03	54.00	12.97	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	30.98	53.35	68.20	14.85	PASS	Horizontal	PK
2	5350	22.37	17.86	40.23	54.00	13.77	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	30.66	53.03	68.20	15.17	PASS	Vertical	PK
2	5350	22.37	17.43	39.80	54.00	14.20	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5290MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.79	30.83	52.62	68.20	15.58	PASS	Horizontal	PK
2	5150	21.79	18.59	40.38	54.00	13.62	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5290MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.79	32.67	54.46	68.20	13.74	PASS	Vertical	PK
2	5150	21.79	18.65	40.44	54.00	13.56	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	30.23	52.60	68.20	15.60	PASS	Horizontal	PK
2	5350	22.37	18.40	40.77	54.00	13.23	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	30.39	52.76	68.20	15.44	PASS	Vertical	PK
2	5350	22.37	19.51	41.88	54.00	12.12	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5310MHz
Tset_Engineer	chenjun	Test_Date	2024/12/05
Remark	21.8°C59.9%\		

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	30.87	53.24	68.20	14.96	PASS	Horizontal	PK
2	5350	22.37	17.43	39.80	54.00	14.20	PASS	Horizontal	AV