


EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5762.6063	-7.56	95.67	88.11	122.20	34.09	PASS	Horizontal	PK

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5751.0505	-7.49	94.57	87.08	122.20	35.12	PASS	Vertical	PK

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5798.099	-7.77	94.64	86.87	122.20	35.33	PASS	Horizontal	PK

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5791.4957	-7.73	95.51	87.78	122.20	34.42	PASS	Vertical	PK

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5777.4637	-7.65	91.84	84.19	122.20	38.01	PASS	Horizontal	PK

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5775MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5771.6858	-7.61	91.86	84.25	122.20	37.95	PASS	Vertical	PK

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE20)Transmitting	Test_Frequency	5745MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5716.3832	-8.81	97.21	88.40	109.79	21.39	PASS	Horizontal	PK

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE20)Transmitting	Test_Frequency	5745MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5716.3832	-8.81	97.07	88.26	109.79	21.53	PASS	Vertical	PK

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE20)Transmitting	Test_Frequency	5825MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5824.5123	-7.63	99.64	92.01	122.20	30.19	PASS	Horizontal	PK

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE20)Transmitting	Test_Frequency	5825MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5819.5598	-7.66	98.74	91.08	122.20	31.12	PASS	Vertical	PK

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5755MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5748.5743	-7.53	96.32	88.79	122.20	33.41	PASS	Horizontal	PK

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5755MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5751.0505	-7.49	97.04	89.55	122.20	32.65	PASS	Vertical	PK

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE40)Transmitting	Test_Frequency	5795MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5791.4957	-7.73	96.17	88.44	122.20	33.76	PASS	Horizontal	PK

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5795MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5789.0195	-7.72	96.16	88.44	122.20	33.76	PASS	Vertical	PK

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE80)Transmitting	Test_Frequency	5775MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5777.4637	-7.65	93.38	85.73	122.20	36.47	PASS	Horizontal	PK

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE80)Transmitting	Test_Frequency	5775MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5773.3367	-7.62	92.82	85.20	122.20	37.00	PASS	Vertical	PK

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20)Transmitting	Test_Frequency	5745MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5718.8594	-8.72	97.65	88.93	110.48	21.55	PASS	Horizontal	PK

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20)Transmitting	Test_Frequency	5745MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5712.2561	-8.98	97.44	88.46	108.63	20.17	PASS	Vertical	PK

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20)Transmitting	Test_Frequency	5825MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5823.6868	-7.63	97.22	89.59	122.20	32.61	PASS	Horizontal	PK

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20)Transmitting	Test_Frequency	5825MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5827.8139	-7.61	97.58	89.97	122.20	32.23	PASS	Vertical	PK

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT40)Transmitting	Test_Frequency	5755MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5759.3047	-7.54	96.55	89.01	122.20	33.19	PASS	Horizontal	PK

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT40)Transmitting	Test_Frequency	5755MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5753.5268	-7.50	96.37	88.87	122.20	33.33	PASS	Vertical	PK

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT40)Transmitting	Test_Frequency	5795MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5793.1466	-7.74	96.78	89.04	122.20	33.16	PASS	Horizontal	PK

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT40)Transmitting	Test_Frequency	5795MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5796.4482	-7.76	96.22	88.46	122.20	33.74	PASS	Vertical	PK

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT80)Transmitting	Test_Frequency	5775MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5778.2891	-7.64	93.06	85.42	122.20	36.78	PASS	Horizontal	PK