


EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT80)Transmitting	Test_Frequency	5775MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		

Test Graph




Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5773.3367	-7.62	93.57	85.95	122.20	36.25	PASS	Vertical	PK

MIMO:

EUT_Name		Test_Model	
Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.98	28.90	50.88	68.38	17.50	PASS	Horizontal	PK
2	5150	21.98	15.53	37.51	54.00	16.49	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.98	29.15	51.13	68.38	17.25	PASS	Vertical	PK
2	5150	21.98	15.35	37.33	54.00	16.67	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	30.61	52.34	68.20	15.86	PASS	Horizontal	PK
2	5150	21.73	14.71	36.44	54.00	17.56	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	29.80	51.53	68.20	16.67	PASS	Vertical	PK
2	5150	21.73	15.26	36.99	54.00	17.01	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.98	28.37	50.35	68.38	18.03	PASS	Horizontal	PK
2	5150	21.98	15.23	37.21	54.00	16.79	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5180MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.98	28.41	50.39	68.38	17.99	PASS	Vertical	PK
2	5150	21.98	15.24	37.22	54.00	16.78	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	30.28	52.01	68.20	16.19	PASS	Horizontal	PK
2	5150	21.73	15.18	36.91	54.00	17.09	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	28.61	50.34	68.20	17.86	PASS	Vertical	PK
2	5150	21.73	14.52	36.25	54.00	17.75	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	28.78	50.51	68.20	17.69	PASS	Horizontal	PK
2	5150	21.73	16.39	38.12	54.00	15.88	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5210MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	28.37	50.10	68.20	18.10	PASS	Vertical	PK
2	5150	21.73	16.84	38.57	54.00	15.43	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT160) Transmitting	Test_Frequency	5250MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	29.07	50.80	68.20	17.40	PASS	Horizontal	PK
2	5150	21.73	16.63	38.36	54.00	15.64	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT160) Transmitting	Test_Frequency	5250MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	30.24	51.97	68.20	16.23	PASS	Vertical	PK
2	5150	21.73	16.47	38.20	54.00	15.80	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE20)Transmitting	Test_Frequency	5180MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.98	29.04	51.02	68.38	17.36	PASS	Horizontal	PK
2	5150	21.98	15.52	37.50	54.00	16.50	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE20)Transmitting	Test_Frequency	5180MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.98	29.44	51.42	68.38	16.96	PASS	Vertical	PK
2	5150	21.98	15.19	37.17	54.00	16.83	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE40)Transmitting	Test_Frequency	5190MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	28.33	50.06	68.20	18.14	PASS	Horizontal	PK
2	5150	21.73	15.13	36.86	54.00	17.14	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5190MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	27.99	49.72	68.20	18.48	PASS	Vertical	PK
2	5150	21.73	15.08	36.81	54.00	17.19	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE80)Transmitting	Test_Frequency	5210MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	28.42	50.15	68.20	18.05	PASS	Horizontal	PK
2	5150	21.73	16.40	38.13	54.00	15.87	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE80)Transmitting	Test_Frequency	5210MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	29.00	50.73	68.20	17.47	PASS	Vertical	PK
2	5150	21.73	15.88	37.61	54.00	16.39	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	28.63	50.36	68.20	17.84	PASS	Horizontal	PK
2	5150	21.73	16.56	38.29	54.00	15.71	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ax(HE160)Transmitting	Test_Frequency	5250MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	29.23	50.96	68.20	17.24	PASS	Vertical	PK
2	5150	21.73	16.77	38.50	54.00	15.50	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20)Transmitting	Test_Frequency	5180MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.98	30.94	52.92	68.38	15.46	PASS	Horizontal	PK
2	5150	21.98	15.23	37.21	54.00	16.79	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20)Transmitting	Test_Frequency	5180MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.98	28.30	50.28	68.38	18.10	PASS	Vertical	PK
2	5150	21.98	14.72	36.70	54.00	17.30	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT40)Transmitting	Test_Frequency	5190MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	28.36	50.09	68.20	18.11	PASS	Horizontal	PK
2	5150	21.73	14.97	36.70	54.00	17.30	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT40)Transmitting	Test_Frequency	5190MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	29.00	50.73	68.20	17.47	PASS	Vertical	PK
2	5150	21.73	15.02	36.75	54.00	17.25	PASS	Vertical	AV