


EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT80)Transmitting	Test_Frequency	5210MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	27.78	49.51	68.20	18.69	PASS	Horizontal	PK
2	5150	21.73	16.33	38.06	54.00	15.94	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT80)Transmitting	Test_Frequency	5210MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	28.48	50.21	68.20	17.99	PASS	Vertical	PK
2	5150	21.73	16.60	38.33	54.00	15.67	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT160)Transmitti ng	Test_Frequency	5250MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	28.63	50.36	68.20	17.84	PASS	Horizontal	PK
2	5150	21.73	16.56	38.29	54.00	15.71	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT160)Transmit ng	Test_Frequency	5250MHz
Tset_Engineer	chenjun	Test_Date	2024/12/03
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5150	21.73	28.73	50.46	68.20	17.74	PASS	Vertical	PK
2	5150	21.73	16.27	38.00	54.00	16.00	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/05
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	31.67	54.04	68.20	14.16	PASS	Horizontal	PK
2	5350	22.37	18.64	41.01	54.00	12.99	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/05
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	31.24	53.61	68.20	14.59	PASS	Vertical	PK
2	5350	22.37	18.96	41.33	54.00	12.67	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Tset_Engineer	chenjun	Test_Date	2024/12/05
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	31.35	53.72	68.20	14.48	PASS	Horizontal	PK
2	5350	22.37	17.54	39.91	54.00	14.09	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Tset_Engineer	chenjun	Test_Date	2024/12/05
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	30.23	52.60	68.20	15.60	PASS	Vertical	PK
2	5350	22.37	17.80	40.17	54.00	13.83	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/05
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	31.03	53.40	68.20	14.80	PASS	Horizontal	PK
2	5350	22.37	17.61	39.98	54.00	14.02	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/05
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	31.68	54.05	68.20	14.15	PASS	Vertical	PK
2	5350	22.37	17.69	40.06	54.00	13.94	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Tset_Engineer	chenjun	Test_Date	2024/12/05
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	30.07	52.44	68.20	15.76	PASS	Horizontal	PK
2	5350	22.37	18.79	41.16	54.00	12.84	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5310MHz
Tset_Engineer	chenjun	Test_Date	2024/12/05
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	30.48	52.85	68.20	15.35	PASS	Vertical	PK
2	5350	22.37	17.45	39.82	54.00	14.18	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5290MHz
Tset_Engineer	chenjun	Test_Date	2024/12/05
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	29.71	52.08	68.20	16.12	PASS	Horizontal	PK
2	5350	22.37	16.95	39.32	54.00	14.68	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5290MHz
Tset_Engineer	chenjun	Test_Date	2024/12/05
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	29.21	51.58	68.20	16.62	PASS	Vertical	PK
2	5350	22.37	16.49	38.86	54.00	15.14	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/05
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	32.62	54.99	68.20	13.21	PASS	Horizontal	PK
2	5350	22.37	18.05	40.42	54.00	13.58	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/05
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	30.52	52.89	68.20	15.31	PASS	Vertical	PK
2	5350	22.37	19.37	41.74	54.00	12.26	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5310MHz
Tset_Engineer	chenjun	Test_Date	2024/12/05
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	30.70	53.07	68.20	15.13	PASS	Horizontal	PK
2	5350	22.37	18.35	40.72	54.00	13.28	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11ax(HE40)Transmitting	Test_Frequency	5310MHz
Tset_Engineer	chenjun	Test_Date	2024/12/05
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	31.15	53.52	68.20	14.68	PASS	Vertical	PK
2	5350	22.37	18.05	40.42	54.00	13.58	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	31.92	54.29	68.20	13.91	PASS	Horizontal	PK
2	5350	22.37	18.16	40.53	54.00	13.47	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT20)Transmitting	Test_Frequency	5320MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	31.19	53.56	68.20	14.64	PASS	Vertical	PK
2	5350	22.37	17.39	39.76	54.00	14.24	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT40)Transmitting	Test_Frequency	5310MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	29.91	52.28	68.20	15.92	PASS	Horizontal	PK
2	5350	22.37	17.75	40.12	54.00	13.88	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT40)Transmitting	Test_Frequency	5310MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	30.64	53.01	68.20	15.19	PASS	Vertical	PK
2	5350	22.37	17.88	40.25	54.00	13.75	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT80)Transmitting	Test_Frequency	5290MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	28.76	51.13	68.20	17.07	PASS	Horizontal	PK
2	5350	22.37	17.07	39.44	54.00	14.56	PASS	Horizontal	AV

EUT_Name		Test_Model	
Test_Mode	802.11 be(EHT80)Transmitting	Test_Frequency	5290MHz
Tset_Engineer	chenjun	Test_Date	2024/12/06
Remark	21.8°C59.9%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	22.37	28.75	51.12	68.20	17.08	PASS	Vertical	PK
2	5350	22.37	16.61	38.98	54.00	15.02	PASS	Vertical	AV

EUT_Name		Test_Model	
Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745MHz
Tset_Engineer	chenjun	Test_Date	2024/12/08
Remark	21.8°C59.9%\		

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5747.7489	-7.57	100.11	92.54	122.20	29.66	PASS	Horizontal	PK