


Test Mode	UNII-1_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.900	18.200
40	5200	21.950	18.200
48	5240	22.049	18.200

CH36




Date: 31.AUG.2022 10:55:11

CH40
26 dB Bandwidth




Date: 31.AUG.2022 10:55:50

CH48




Date: 31.AUG.2022 10:56:41


99 % Occupied Bandwidth



Date: 31.AUG.2022 10:56:11



Date: 31.AUG.2022 10:55:30




Date: 31.AUG.2022 10:56:22

Test Mode	UNII-1_TX AC(VHT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	49.700	37.400
46	5230	45.790	37.200


CH38



Date: 1.8EP.2022 13:44:33


CH46

26 dB Bandwidth




Date: 1.8EP.2022 13:45:07

99 % Occupied Bandwidth



Date: 1.8EP.2022 13:44:09




Date: 1.8EP.2022 13:44:44

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	168.382	85.200

CH42
26 dB Bandwidth



Date: 1.8EP.2022 13:53:15

99 % Occupied Bandwidth




Date: 1.8EP.2022 13:52:38

Test Mode	UNII-1_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	21.800	19.200
40	5200	21.790	19.200
48	5240	21.650	19.200

CH36




Date: 1.8EP.2022 12:00:03

CH40
26 dB Bandwidth




Date: 1.8EP.2022 13:39:02

CH48




Date: 1.8EP.2022 13:39:32


99 % Occupied Bandwidth



Date: 1.8EP.2022 11:59:42



Date: 1.8EP.2022 13:39:41




Date: 1.8EP.2022 13:39:12

Test Mode	UNII-1_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.100	38.000
46	5230	39.990	38.000

CH38




Date: 1.SEP.2022 13:49:05

CH46
26 dB Bandwidth




Date: 1.SEP.2022 13:49:36

99 % Occupied Bandwidth



Date: 1.SEP.2022 13:49:36




Date: 1.SEP.2022 13:49:13

Test Mode	UNII-1_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	156.600	78.800

CH42 26 dB Bandwidth



Date: 1.8EP.2022 13:54:57

99 % Occupied Bandwidth




Date: 1.8EP.2022 16:22:12

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.850	19.100
60	5300	21.850	19.100
64	5320	22.000	19.100

CH52




Date: 31.AUG.2022 10:33:08

CH60
26 dB Bandwidth




Date: 31.AUG.2022 10:34:09

CH64




Date: 31.AUG.2022 10:34:06


99 % Occupied Bandwidth



Date: 31.AUG.2022 10:32:49



Date: 31.AUG.2022 10:33:49




Date: 31.AUG.2022 10:34:17

Test Mode	UNII-2A_TX AC(VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	22.100	18.200
60	5300	21.949	18.300
64	5320	22.059	18.300

CH52




Date: 31.AUG.2022 10:57:26

CH60
26 dB Bandwidth




Date: 31.AUG.2022 10:57:55

CH64




Date: 31.AUG.2022 10:59:29


99 % Occupied Bandwidth



Date: 31.AUG.2022 10:57:07



Date: 31.AUG.2022 10:57:36




Date: 31.AUG.2022 10:59:09

Test Mode	UNII-2A_TX AC(VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.200	37.000
62	5310	39.900	37.000

CH54




Date: 1.SEP.2022 13:47:14

CH62 26 dB Bandwidth




Date: 1.SEP.2022 13:47:53

99 % Occupied Bandwidth



Date: 1.SEP.2022 13:46:48




Date: 1.SEP.2022 13:47:26

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	83.000	76.400

CH58
26 dB Bandwidth



Date: 1.8EP.2022 13:53:56

99 % Occupied Bandwidth




Date: 1.8EP.2022 13:53:31

Test Mode	UNII-2A_TX AX(HE20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	21.889	19.100
60	5300	21.950	19.100
64	5320	21.950	19.200

CH52




Date: 1.SEP.2022 13:40:04

CH60
26 dB Bandwidth




Date: 1.SEP.2022 13:40:33

CH64




Date: 1.SEP.2022 13:41:02


99 % Occupied Bandwidth



Date: 1.SEP.2022 13:39:45



Date: 1.SEP.2022 13:40:14




Date: 1.SEP.2022 13:40:43

Test Mode	UNII-2A_TX AX(HE40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.200	38.000
62	5310	40.008	38.000


CH54



Date: 1.SEP.2022 13:50:23


CH62

26 dB Bandwidth




Date: 1.SEP.2022 13:51:03

99 % Occupied Bandwidth



Date: 1.SEP.2022 13:49:58




Date: 1.SEP.2022 13:50:36

Test Mode	UNII-2A_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	82.400	77.200

CH58
26 dB Bandwidth



Date: 1.8EP.2022 13:56:51

99 % Occupied Bandwidth




Date: 1.8EP.2022 13:56:26

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode
-----------	-----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	286.000	159.200

CH50
26 dB Bandwidth



Date: 1.SEP.2022 14:29:24

99 % Occupied Bandwidth




Date: 1.SEP.2022 14:00:05

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode
-----------	----------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
50	5250	243.988	157.600

CH50
26 dB Bandwidth



Date: 1.SEP.2022 14:32:05

99 % Occupied Bandwidth




Date: 1.SEP.2022 14:00:47

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.350	29.600	0.5	Complies
157	5785	16.350	28.800	0.5	Complies
165	5825	16.290	29.100	0.5	Complies

CH149




Date: 1.08P.2022 11:55:50

CH157
6 dB Bandwidth




Date: 1.08P.2022 11:56:22

CH165




Date: 1.08P.2022 11:57:24


99 % Occupied Bandwidth



Date: 1.08P.2022 11:55:28



Date: 1.08P.2022 11:55:59




Date: 1.08P.2022 11:57:01

Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.350	28.300	0.5	Complies
157	5785	17.550	28.200	0.5	Complies
165	5825	17.490	28.700	0.5	Complies

CH149




Date: 1.SEP.2022 14:23:46

CH157
6 dB Bandwidth




Date: 1.SEP.2022 14:24:20

CH165




Date: 1.SEP.2022 14:34:58


99 % Occupied Bandwidth



Date: 1.SEP.2022 14:23:24



Date: 1.SEP.2022 14:23:57




Date: 1.SEP.2022 14:34:35

Test Mode UNII-3_TX AC(VHT40) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.790	59.400	0.5	Complies
159	5795	36.500	61.200	0.5	Complies

CH151




Date: 1.8EP.2022 14:40:49

CH159
6 dB Bandwidth




Date: 1.8EP.2022 14:46:05

99 % Occupied Bandwidth



Date: 1.8EP.2022 14:40:17




Date: 1.8EP.2022 14:45:17

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.400	90.800	0.5	Complies

CH155
6 dB Bandwidth



Date: 1. SEP. 2022 14:55:53

99 % Occupied Bandwidth




Date: 1. SEP. 2022 16:10:17

Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.799	28.300	0.5	Complies
157	5785	18.599	28.300	0.5	Complies
165	5825	18.790	28.900	0.5	Complies

CH149




Date: 1.SEP.2022 14:37:35

CH157
6 dB Bandwidth




Date: 1.SEP.2022 14:38:05

CH165




Date: 1.SEP.2022 14:39:01


99 % Occupied Bandwidth



Date: 1.SEP.2022 14:37:33



Date: 1.SEP.2022 14:37:43




Date: 1.SEP.2022 14:38:39

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.100	54.400	0.5	Complies
159	5795	37.188	62.000	0.5	Complies

CH151




Date: 1.8EP.2022 14:47:28

CH159
6 dB Bandwidth




Date: 1.8EP.2022 14:48:24

99 % Occupied Bandwidth



Date: 1.8EP.2022 16:17:31




Date: 1.8EP.2022 14:47:53

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	74.200	83.600	0.5	Complies

CH155
6 dB Bandwidth



Date: 1_SEP_2022 14:57:32

99 % Occupied Bandwidth



Date: 1_SEP_2022 14:25:32

APPENDIX F - MAXIMUM OUTPUT POWER

Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.45	0.23	19.68	29.98	0.9954	Complies
40	5200	22.06	0.23	22.29	29.98	0.9954	Complies
48	5240	21.86	0.23	22.09	29.98	0.9954	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.23	0.21	17.44	29.98	0.9954	Complies
40	5200	18.71	0.21	18.92	29.98	0.9954	Complies
48	5240	18.55	0.21	18.76	29.98	0.9954	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.18	0.21	17.39	29.98	0.9954	Complies
40	5200	18.65	0.21	18.86	29.98	0.9954	Complies
48	5240	18.73	0.21	18.94	29.98	0.9954	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.43	29.98	0.9954	Complies
40	5200	21.90	29.98	0.9954	Complies
48	5240	21.86	29.98	0.9954	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.87	0.43	16.30	29.98	0.9954	Complies
46	5230	21.12	0.43	21.55	29.98	0.9954	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.68	0.43	16.11	29.98	0.9954	Complies
46	5230	21.32	0.43	21.75	29.98	0.9954	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.22	29.98	0.9954	Complies
46	5230	24.67	29.98	0.9954	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.54	0.00	17.54	29.98	0.9954	Complies
40	5200	19.06	0.00	19.06	29.98	0.9954	Complies
48	5240	19.03	0.00	19.03	29.98	0.9954	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.51	0.00	17.51	29.98	0.9954	Complies
40	5200	18.93	0.00	18.93	29.98	0.9954	Complies
48	5240	18.98	0.00	18.98	29.98	0.9954	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.54	29.98	0.9954	Complies
40	5200	22.01	29.98	0.9954	Complies
48	5240	22.02	29.98	0.9954	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.16	0.12	16.28	29.98	0.9954	Complies
46	5230	21.49	0.12	21.61	29.98	0.9954	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.17	0.12	16.29	29.98	0.9954	Complies
46	5230	21.63	0.12	21.75	29.98	0.9954	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.30	29.98	0.9954	Complies
46	5230	24.70	29.98	0.9954	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.61	0.25	16.86	29.98	0.9954	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.41	0.25	16.66	29.98	0.9954	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.78	29.98	0.9954	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.97	0.09	18.06	29.98	0.9954	Complies
40	5200	19.68	0.09	19.77	29.98	0.9954	Complies
48	5240	19.63	0.09	19.72	29.98	0.9954	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.78	0.09	17.87	29.98	0.9954	Complies
40	5200	19.54	0.09	19.63	29.98	0.9954	Complies
48	5240	19.56	0.09	19.65	29.98	0.9954	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.98	29.98	0.9954	Complies
40	5200	22.72	29.98	0.9954	Complies
48	5240	22.70	29.98	0.9954	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.39	0.17	16.56	29.98	0.9954	Complies
46	5230	22.32	0.17	22.49	29.98	0.9954	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.27	0.17	16.44	29.98	0.9954	Complies
46	5230	22.01	0.17	22.18	29.98	0.9954	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.51	29.98	0.9954	Complies
46	5230	25.35	29.98	0.9954	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.87	0.32	17.19	29.98	0.9954	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.74	0.32	17.06	29.98	0.9954	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.14	29.98	0.9954	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.03	0.23	16.26	23.96	0.2489	Complies
60	5300	15.87	0.23	16.10	23.96	0.2489	Complies
64	5320	15.78	0.23	16.01	23.96	0.2489	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.41	0.21	13.62	23.96	0.2489	Complies
60	5300	13.01	0.21	13.22	23.96	0.2489	Complies
64	5320	13.33	0.21	13.54	23.96	0.2489	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.35	0.21	13.56	23.96	0.2489	Complies
60	5300	12.98	0.21	13.19	23.96	0.2489	Complies
64	5320	13.10	0.21	13.31	23.96	0.2489	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.60	23.96	0.2489	Complies
60	5300	16.22	23.96	0.2489	Complies
64	5320	16.44	23.96	0.2489	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.48	0.43	16.91	23.96	0.2489	Complies
62	5310	16.33	0.43	16.76	23.96	0.2489	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.40	0.43	16.83	23.96	0.2489	Complies
62	5310	16.28	0.43	16.71	23.96	0.2489	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.89	23.96	0.2489	Complies
62	5310	19.75	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.67	0.00	13.67	23.96	0.2489	Complies
60	5300	13.32	0.00	13.32	23.96	0.2489	Complies
64	5320	13.64	0.00	13.64	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.71	0.00	13.71	23.96	0.2489	Complies
60	5300	13.22	0.00	13.22	23.96	0.2489	Complies
64	5320	13.37	0.00	13.37	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.70	23.96	0.2489	Complies
60	5300	16.28	23.96	0.2489	Complies
64	5320	16.52	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.83	0.12	16.95	23.96	0.2489	Complies
62	5310	16.75	0.12	16.87	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.88	0.12	17.00	23.96	0.2489	Complies
62	5310	16.65	0.12	16.77	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.99	23.96	0.2489	Complies
62	5310	19.84	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.79	0.25	18.04	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.48	0.25	17.73	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.90	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.98	0.09	14.07	23.96	0.2489	Complies
60	5300	14.09	0.09	14.18	23.96	0.2489	Complies
64	5320	14.11	0.09	14.20	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.99	0.09	14.08	23.96	0.2489	Complies
60	5300	14.00	0.09	14.09	23.96	0.2489	Complies
64	5320	13.93	0.09	14.02	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.09	23.96	0.2489	Complies
60	5300	17.15	23.96	0.2489	Complies
64	5320	17.13	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.88	0.17	17.05	23.96	0.2489	Complies
62	5310	16.68	0.17	16.85	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.83	0.17	17.00	23.96	0.2489	Complies
62	5310	16.51	0.17	16.68	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.04	23.96	0.2489	Complies
62	5310	19.78	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.64	0.32	17.96	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.26	0.32	17.58	23.96	0.2489	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.79	23.96	0.2489	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.98	0.49	14.47	23.96	0.2489	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.65	0.49	14.14	23.96	0.2489	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.32	23.96	0.2489	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.84	0.55	14.39	23.96	0.2489	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.56	0.55	14.11	23.96	0.2489	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.26	23.96	0.2489	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26.11	0.23	26.34	29.98	0.9954	Complies
157	5785	25.37	0.23	25.60	29.98	0.9954	Complies
165	5825	24.51	0.23	24.74	29.98	0.9954	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.42	0.21	25.63	29.98	0.9954	Complies
157	5785	24.19	0.21	24.40	29.98	0.9954	Complies
165	5825	22.84	0.21	23.05	29.98	0.9954	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.38	0.21	23.59	29.98	0.9954	Complies
157	5785	22.99	0.21	23.20	29.98	0.9954	Complies
165	5825	21.70	0.21	21.91	29.98	0.9954	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.74	29.98	0.9954	Complies
157	5785	26.85	29.98	0.9954	Complies
165	5825	25.53	29.98	0.9954	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.76	0.43	26.19	29.98	0.9954	Complies
159	5795	24.91	0.43	25.34	29.98	0.9954	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.64	0.43	25.07	29.98	0.9954	Complies
159	5795	24.76	0.43	25.19	29.98	0.9954	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.68	29.98	0.9954	Complies
159	5795	28.28	29.98	0.9954	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.73	0.00	25.73	29.98	0.9954	Complies
157	5785	24.49	0.00	24.49	29.98	0.9954	Complies
165	5825	23.13	0.00	23.13	29.98	0.9954	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.69	0.00	23.69	29.98	0.9954	Complies
157	5785	23.13	0.00	23.13	29.98	0.9954	Complies
165	5825	22.06	0.00	22.06	29.98	0.9954	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.84	29.98	0.9954	Complies
157	5785	26.87	29.98	0.9954	Complies
165	5825	25.64	29.98	0.9954	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26.15	0.12	26.27	29.98	0.9954	Complies
159	5795	25.24	0.12	25.36	29.98	0.9954	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.92	0.12	25.04	29.98	0.9954	Complies
159	5795	25.17	0.12	25.29	29.98	0.9954	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.71	29.98	0.9954	Complies
159	5795	28.34	29.98	0.9954	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.89	0.25	17.14	29.98	0.9954	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.65	0.25	16.90	29.98	0.9954	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.04	29.98	0.9954	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.69	0.09	25.78	29.98	0.9954	Complies
157	5785	24.77	0.09	24.86	29.98	0.9954	Complies
165	5825	23.59	0.09	23.68	29.98	0.9954	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	23.77	0.09	23.86	29.98	0.9954	Complies
157	5785	23.62	0.09	23.71	29.98	0.9954	Complies
165	5825	22.56	0.09	22.65	29.98	0.9954	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.94	29.98	0.9954	Complies
157	5785	27.34	29.98	0.9954	Complies
165	5825	26.21	29.98	0.9954	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.61	0.17	24.78	29.98	0.9954	Complies
159	5795	25.72	0.17	25.89	29.98	0.9954	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.51	0.17	23.68	29.98	0.9954	Complies
159	5795	25.62	0.17	25.79	29.98	0.9954	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	27.28	29.98	0.9954	Complies
159	5795	28.85	29.98	0.9954	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.49	0.32	16.81	29.98	0.9954	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.19	0.32	16.51	29.98	0.9954	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.67	29.98	0.9954	Complies

Beamforming

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
------------------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.97	0.21	17.18	26.98	0.4989	Complies
40	5200	18.43	0.21	18.64	26.98	0.4989	Complies
48	5240	18.26	0.21	18.47	26.98	0.4989	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
------------------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.96	0.21	17.17	26.98	0.4989	Complies
40	5200	18.41	0.21	18.62	26.98	0.4989	Complies
48	5240	18.46	0.21	18.67	26.98	0.4989	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
------------------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.19	26.98	0.4989	Complies
40	5200	21.64	26.98	0.4989	Complies
48	5240	21.58	26.98	0.4989	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.38	0.43	15.81	26.98	0.4989	Complies
46	5230	20.80	0.43	21.23	26.98	0.4989	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.20	0.43	15.63	26.98	0.4989	Complies
46	5230	20.86	0.43	21.29	26.98	0.4989	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.74	26.98	0.4989	Complies
46	5230	24.28	26.98	0.4989	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.33	0.00	17.33	26.98	0.4989	Complies
40	5200	18.80	0.00	18.80	26.98	0.4989	Complies
48	5240	18.77	0.00	18.77	26.98	0.4989	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.26	0.00	17.26	26.98	0.4989	Complies
40	5200	18.72	0.00	18.72	26.98	0.4989	Complies
48	5240	18.77	0.00	18.77	26.98	0.4989	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.31	26.98	0.4989	Complies
40	5200	21.77	26.98	0.4989	Complies
48	5240	21.78	26.98	0.4989	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.87	0.12	15.99	26.98	0.4989	Complies
46	5230	21.28	0.12	21.40	26.98	0.4989	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.88	0.12	16.00	26.98	0.4989	Complies
46	5230	21.36	0.12	21.48	26.98	0.4989	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.01	26.98	0.4989	Complies
46	5230	24.46	26.98	0.4989	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.31	0.25	16.56	26.98	0.4989	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.15	0.25	16.40	26.98	0.4989	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.50	26.98	0.4989	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.68	0.09	17.77	26.98	0.4989	Complies
40	5200	19.44	0.09	19.53	26.98	0.4989	Complies
48	5240	19.35	0.09	19.44	26.98	0.4989	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.50	0.09	17.59	26.98	0.4989	Complies
40	5200	19.31	0.09	19.40	26.98	0.4989	Complies
48	5240	19.27	0.09	19.36	26.98	0.4989	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	20.70	26.98	0.4989	Complies
40	5200	22.48	26.98	0.4989	Complies
48	5240	22.42	26.98	0.4989	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.10	0.17	16.27	26.98	0.4989	Complies
46	5230	22.02	0.17	22.19	26.98	0.4989	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.99	0.17	16.16	26.98	0.4989	Complies
46	5230	21.92	0.17	22.09	26.98	0.4989	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.23	26.98	0.4989	Complies
46	5230	25.15	26.98	0.4989	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.61	0.32	16.93	26.98	0.4989	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.54	0.32	16.86	26.98	0.4989	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.91	26.98	0.4989	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.17	0.21	13.38	20.96	0.1247	Complies
60	5300	12.82	0.21	13.03	20.96	0.1247	Complies
64	5320	13.13	0.21	13.34	20.96	0.1247	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.14	0.21	13.35	20.96	0.1247	Complies
60	5300	12.46	0.21	12.67	20.96	0.1247	Complies
64	5320	12.89	0.21	13.10	20.96	0.1247	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.38	20.96	0.1247	Complies
60	5300	15.87	20.96	0.1247	Complies
64	5320	16.23	20.96	0.1247	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.97	0.43	16.40	20.96	0.1247	Complies
62	5310	16.00	0.43	16.43	20.96	0.1247	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.86	0.43	16.29	20.96	0.1247	Complies
62	5310	15.73	0.43	16.16	20.96	0.1247	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.36	20.96	0.1247	Complies
62	5310	19.31	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.39	0.00	13.39	20.96	0.1247	Complies
60	5300	13.08	0.00	13.08	20.96	0.1247	Complies
64	5320	13.43	0.00	13.43	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.43	0.00	13.43	20.96	0.1247	Complies
60	5300	12.99	0.00	12.99	20.96	0.1247	Complies
64	5320	13.10	0.00	13.10	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.42	20.96	0.1247	Complies
60	5300	16.05	20.96	0.1247	Complies
64	5320	16.28	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.62	0.12	16.74	20.96	0.1247	Complies
62	5310	16.53	0.12	16.65	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.62	0.12	16.74	20.96	0.1247	Complies
62	5310	16.43	0.12	16.55	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.76	20.96	0.1247	Complies
62	5310	19.62	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.50	0.25	17.75	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.18	0.25	17.43	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.61	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.70	0.09	13.79	20.96	0.1247	Complies
60	5300	13.88	0.09	13.97	20.96	0.1247	Complies
64	5320	13.87	0.09	13.96	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.76	0.09	13.85	20.96	0.1247	Complies
60	5300	13.71	0.09	13.80	20.96	0.1247	Complies
64	5320	13.68	0.09	13.77	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.84	20.96	0.1247	Complies
60	5300	16.90	20.96	0.1247	Complies
64	5320	16.88	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.66	0.17	16.83	20.96	0.1247	Complies
62	5310	16.41	0.17	16.58	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.53	0.17	16.70	20.96	0.1247	Complies
62	5310	16.25	0.17	16.42	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.78	20.96	0.1247	Complies
62	5310	19.51	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.41	0.32	17.73	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.05	0.32	17.37	20.96	0.1247	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.57	20.96	0.1247	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.69	0.49	14.18	20.96	0.1247	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.39	0.49	13.88	20.96	0.1247	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	17.04	20.96	0.1247	Complies