



OBJECTIVE: COVERT COMMUNICATION

SEALTH OPERATIONS REQUIRE COVERT COMMUNICATION DEVICES. YOUR TACTICAL COMMUNICATORS RANGE AS FAR AS 50 FEET AND FUNCTION THROUGH MOST WALLS. TRANSMITTERS AND MICROPHONE CORDS CAN BE DISGUISED UNDER CLOTHING AND INSIDE POCKETS. VOLUME CONTROL FOR THE SPEAKER IS ADJUSTABLE.

HOW TO USE:

- 1. TURN THE POWER SWITCH LOCATED ON THE TRANSMITTER TO THE "ON" POSITION AND ADJUST THE VOLUME TO REDUCE ANY STATIC AND SPEAKER SENSITIVITY BETWEEN BOTH COMMUNICATORS.
- 2. ADJUST THE EARPIECE AND THROAT MICROPHONE SO THAT THE EAR UNIT FITS COMFORTABLY AROUND THE EAR WITH THE SPEAKER TO THE FRONT. THE NECK PIECE WILL REST JUST BELOW THE BACK OF THE HEAD AND MICROPHONE IS PLACED ON THE SIDE OF THE THROAT.
- 3. ONCE THE NECK UNIT HAS BEEN ADJUSTED FOR COMFORT, POSITION THE THROAT MIC SO IT IS TOUCHING THE FRONT SIDE OF YOUR NECK. PUSH AND HOLD THE THROAT MIC BUTTON WHILE TALKING TO TRANSMIT YOUR VOICE TO THE OTHER AGENT COMMUNICATOR.
- 4. RELEASE THE TALK BUTTON TO RECEIVE UNDERCOVER MESSAGES AND MISSION COMMANDS.
- 5. FOR BEST TRANSMISSION, PRESS MICROPHONE FIRMLY AGAINST YOUR VOICEBOX.

Compliance with FCC regulations (Valid in U.S. only)
This device complies with Part 15 of the FCC Rules. Operation is subject to the following
two conditions: (1) this device may not cause harmful interference, and (2) this device must
accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turnifig the equipment of and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receive
- Connect the equipment into an outlet fon a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

