


OCCUPIED BANDWIDTH - BAND 25




OCCUPIED BANDWIDTH - BAND 25



OCCUPIED BANDWIDTH - BAND 66



OCCUPIED BANDWIDTH - BAND 66




OCCUPIED BANDWIDTH - BAND n25



XMit 2020.03.25.0






OCCUPIED BANDWIDTH - BAND n66



XMit 2020.03.25.0




OCCUPIED BANDWIDTH - BAND n66



OUTPUT POWER - BAND 25




OUTPUT POWER - BAND 25



OUTPUT POWER - BAND 66




OUTPUT POWER - BAND 66



OUTPUT POWER - n25




OUTPUT POWER - n25



OUTPUT POWER - BAND n66



OUTPUT POWER - BAND n66



PEAK TO AVERAGE POWER (PAPR) - BAND 25




XMit 2020.03.25.0



PEAK TO AVERAGE POWER (PAPR) - BAND 25



XMit 2020.03.25.0



PEAK TO AVERAGE POWER (PAPR) - BAND 66




XMit 2020.03.25.0



PEAK TO AVERAGE POWER (PAPR) - BAND 66



XMit 2020.03.25.0




PEAK TO AVERAGE POWER (PAPR) - BAND n25



XMit 2020.03.25.0



PEAK TO AVERAGE POWER (PAPR) - BAND n25




PEAK TO AVERAGE POWER (PAPR) - BAND n66



XMit 2020.03.25.0



PEAK TO AVERAGE POWER (PAPR) - BAND n66



BAND EDGE COMPLIANCE - BAND 25



BAND EDGE COMPLIANCE - BAND 25

