

# BAND EDGE COMPLIANCE



Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

## TEST EQUIPMENT

| Description                  | Manufacturer       | Model  | ID  | Last Cal.  | Cal. Due   |
|------------------------------|--------------------|--------|-----|------------|------------|
| Analyzer - Spectrum Analyzer | Keysight           | N9010A | AFN | 2021-01-06 | 2022-01-06 |
| Block - DC                   | Fairview Microwave | SD3379 | AMM | 2020-09-21 | 2021-09-21 |
| Generator - Signal           | Agilent            | N5173B | TIW | 2020-07-17 | 2023-07-17 |

## TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The spurious RF conducted emissions at the edges of the authorized bands were measured with the EUT set to low and high transmit frequencies in the available band. The channels closest to the band edges were selected. The EUT was transmitting at the data rate(s) listed in the datasheet.

The spectrum was scanned below the lower band edge and above the higher band edge.

All limits were adjusted by a factor of  $[-10 \cdot \log(4)]$  dB to account for the device operation as a 4 port MIMO transmitter, as per FCC KDB 622911.

Per FCC 24.238(a) and RSS-133 section 6.5.1(i), the power of any emission outside of the authorized operating frequency range cannot exceed -13 dBm. The limit is adjusted to -19 dBm  $[-13 \text{ dBm} - 10 \log(4)]$  per FCC KDB 662911D01 v02r01 because the BTS may operate as a 4 port MIMO transmitter.

Per FCC 24.238(b) and RSS-133 section 6.5.1(i), emissions seen up to 1 MHz outside of authorized operating frequency range band edges shall be measured with a RBW of 1% of the measured occupied bandwidth. Any emission seen to be > 1 MHz further outside the band edges shall be measured with a RBW of 1 MHz. However, a narrower RBW of at least 1% of the occupied bandwidth is still allowed provided that the measured power is integrated over the full reference bandwidth of 1 MHz.

RF conducted emissions testing was performed only on one port. The testing was performed on the same version of hardware (FXFC) as the original certification test. The FXFC antenna ports are essentially electrically identical (the RF power variation between antenna ports is small as shown in the original certification testing) and antenna port 3 was selected to perform the testing under this effort as allowed by ANSI C63.26-2015 paragraph 5.7.2i.

# BAND EDGE COMPLIANCE



|                                                                                                                                                                                                                                                                                                                                       |   |                                                                                             |                 |               |        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---------------------------------------------------------------------------------------------|-----------------|---------------|--------|
| EUT: FXFC (FCC/ISED C2PC)                                                                                                                                                                                                                                                                                                             |   | Work Order: NOKI0029                                                                        |                 |               |        |
| Serial Number: 1M152245671                                                                                                                                                                                                                                                                                                            |   | Date: 27-Apr-21                                                                             |                 |               |        |
| Customer: Nokia Solutions and Networks                                                                                                                                                                                                                                                                                                |   | Temperature: 23.6 °C                                                                        |                 |               |        |
| Attendees: David Le, John Rattanavong                                                                                                                                                                                                                                                                                                 |   | Humidity: 47.6% RH                                                                          |                 |               |        |
| Project: None                                                                                                                                                                                                                                                                                                                         |   | Barometric Pres.: 1014 mbar                                                                 |                 |               |        |
| Tested by: Brandon Hobbs                                                                                                                                                                                                                                                                                                              |   | Power: 54 VDC                                                                               | Job Site: TX05  |               |        |
| TEST SPECIFICATIONS                                                                                                                                                                                                                                                                                                                   |   | Test Method                                                                                 |                 |               |        |
| FCC 24E:2021                                                                                                                                                                                                                                                                                                                          |   | ANSI C63.26:2015                                                                            |                 |               |        |
| RSS-133 Issue 6:2013+A1:2018                                                                                                                                                                                                                                                                                                          |   | RSS-133 Issue 6:2013+A1:2018                                                                |                 |               |        |
| COMMENTS                                                                                                                                                                                                                                                                                                                              |   |                                                                                             |                 |               |        |
| All measurement path losses were accounted for in the reference level offset including any attenuators, filters and DC blocks. Band n2 carriers are enabled at maximum power (80 watts/carrier). The measurement marker was offset by RBW/2 from the band edge frequency as allowed by ANSI C63.26 clause 5.7.2g for some test cases. |   |                                                                                             |                 |               |        |
| DEVIATIONS FROM TEST STANDARD                                                                                                                                                                                                                                                                                                         |   |                                                                                             |                 |               |        |
| None                                                                                                                                                                                                                                                                                                                                  |   |                                                                                             |                 |               |        |
| Configuration #                                                                                                                                                                                                                                                                                                                       | 2 | Signature  |                 |               |        |
|                                                                                                                                                                                                                                                                                                                                       |   | Frequency Range                                                                             | Max Value (dBm) | Limit < (dBm) | Result |
| Band n2, 1930 MHz - 1990 MHz, 5G NR                                                                                                                                                                                                                                                                                                   |   |                                                                                             |                 |               |        |
| Port 3                                                                                                                                                                                                                                                                                                                                |   |                                                                                             |                 |               |        |
| 5 MHz Bandwidth                                                                                                                                                                                                                                                                                                                       |   |                                                                                             |                 |               |        |
| QPSK Modulation                                                                                                                                                                                                                                                                                                                       |   |                                                                                             |                 |               |        |
| Low Channel, 1932.5 MHz                                                                                                                                                                                                                                                                                                               |   | 1                                                                                           | -22.1           | -19           | Pass   |
| Low Channel, 1932.5 MHz                                                                                                                                                                                                                                                                                                               |   | 2                                                                                           | -22.0           | -19           | Pass   |
| Low Channel, 1932.5 MHz                                                                                                                                                                                                                                                                                                               |   | 3                                                                                           | -20.3           | -19           | Pass   |
| High Channel, 1987.5 MHz                                                                                                                                                                                                                                                                                                              |   | 1                                                                                           | -22.2           | -19           | Pass   |
| High Channel, 1987.5 MHz                                                                                                                                                                                                                                                                                                              |   | 2                                                                                           | -22.8           | -19           | Pass   |
| High Channel, 1987.5 MHz                                                                                                                                                                                                                                                                                                              |   | 3                                                                                           | -23.4           | -19           | Pass   |
| 16-QAM Modulation                                                                                                                                                                                                                                                                                                                     |   |                                                                                             |                 |               |        |
| Low Channel, 1932.5 MHz                                                                                                                                                                                                                                                                                                               |   | 1                                                                                           | -24.7           | -19           | Pass   |
| Low Channel, 1932.5 MHz                                                                                                                                                                                                                                                                                                               |   | 2                                                                                           | -21.1           | -19           | Pass   |
| Low Channel, 1932.5 MHz                                                                                                                                                                                                                                                                                                               |   | 3                                                                                           | -22.1           | -19           | Pass   |
| High Channel, 1987.5 MHz                                                                                                                                                                                                                                                                                                              |   | 1                                                                                           | -24.1           | -19           | Pass   |
| High Channel, 1987.5 MHz                                                                                                                                                                                                                                                                                                              |   | 2                                                                                           | -22.9           | -19           | Pass   |
| High Channel, 1987.5 MHz                                                                                                                                                                                                                                                                                                              |   | 3                                                                                           | -23.3           | -19           | Pass   |
| 64-QAM Modulation                                                                                                                                                                                                                                                                                                                     |   |                                                                                             |                 |               |        |
| Low Channel, 1932.5 MHz                                                                                                                                                                                                                                                                                                               |   | 1                                                                                           | -24.2           | -19           | Pass   |
| Low Channel, 1932.5 MHz                                                                                                                                                                                                                                                                                                               |   | 2                                                                                           | -21.7           | -19           | Pass   |
| Low Channel, 1932.5 MHz                                                                                                                                                                                                                                                                                                               |   | 3                                                                                           | -20.3           | -19           | Pass   |
| High Channel, 1987.5 MHz                                                                                                                                                                                                                                                                                                              |   | 1                                                                                           | -21.6           | -19           | Pass   |
| High Channel, 1987.5 MHz                                                                                                                                                                                                                                                                                                              |   | 2                                                                                           | -23.1           | -19           | Pass   |
| High Channel, 1987.5 MHz                                                                                                                                                                                                                                                                                                              |   | 3                                                                                           | -23.6           | -19           | Pass   |
| 256-QAM Modulation                                                                                                                                                                                                                                                                                                                    |   |                                                                                             |                 |               |        |
| Low Channel, 1932.5 MHz                                                                                                                                                                                                                                                                                                               |   | 1                                                                                           | -23.3           | -19           | Pass   |
| Low Channel, 1932.5 MHz                                                                                                                                                                                                                                                                                                               |   | 2                                                                                           | -21.2           | -19           | Pass   |
| Low Channel, 1932.5 MHz                                                                                                                                                                                                                                                                                                               |   | 3                                                                                           | -20.4           | -19           | Pass   |
| High Channel, 1987.5 MHz                                                                                                                                                                                                                                                                                                              |   | 1                                                                                           | -22.6           | -19           | Pass   |
| High Channel, 1987.5 MHz                                                                                                                                                                                                                                                                                                              |   | 2                                                                                           | -22.3           | -19           | Pass   |
| High Channel, 1987.5 MHz                                                                                                                                                                                                                                                                                                              |   | 3                                                                                           | -22.8           | -19           | Pass   |
| 10 MHz Bandwidth                                                                                                                                                                                                                                                                                                                      |   |                                                                                             |                 |               |        |
| QPSK Modulation                                                                                                                                                                                                                                                                                                                       |   |                                                                                             |                 |               |        |
| Low Channel, 1935 MHz                                                                                                                                                                                                                                                                                                                 |   | 1                                                                                           | -27.4           | -19           | Pass   |
| Low Channel, 1935 MHz                                                                                                                                                                                                                                                                                                                 |   | 2                                                                                           | -21.6           | -19           | Pass   |
| Low Channel, 1935 MHz                                                                                                                                                                                                                                                                                                                 |   | 3                                                                                           | -21.1           | -19           | Pass   |
| High Channel, 1985 MHz                                                                                                                                                                                                                                                                                                                |   | 1                                                                                           | -26.0           | -19           | Pass   |
| High Channel, 1985 MHz                                                                                                                                                                                                                                                                                                                |   | 2                                                                                           | -22.7           | -19           | Pass   |
| High Channel, 1985 MHz                                                                                                                                                                                                                                                                                                                |   | 3                                                                                           | -23.2           | -19           | Pass   |
| 16-QAM Modulation                                                                                                                                                                                                                                                                                                                     |   |                                                                                             |                 |               |        |
| Low Channel, 1935 MHz                                                                                                                                                                                                                                                                                                                 |   | 1                                                                                           | -27.4           | -19           | Pass   |
| Low Channel, 1935 MHz                                                                                                                                                                                                                                                                                                                 |   | 2                                                                                           | -21.5           | -19           | Pass   |
| Low Channel, 1935 MHz                                                                                                                                                                                                                                                                                                                 |   | 3                                                                                           | -20.9           | -19           | Pass   |
| High Channel, 1985 MHz                                                                                                                                                                                                                                                                                                                |   | 1                                                                                           | -27.9           | -19           | Pass   |
| High Channel, 1985 MHz                                                                                                                                                                                                                                                                                                                |   | 2                                                                                           | -23.4           | -19           | Pass   |
| High Channel, 1985 MHz                                                                                                                                                                                                                                                                                                                |   | 3                                                                                           | -24.1           | -19           | Pass   |
| 64-QAM Modulation                                                                                                                                                                                                                                                                                                                     |   |                                                                                             |                 |               |        |
| Low Channel, 1935 MHz                                                                                                                                                                                                                                                                                                                 |   | 1                                                                                           | -26.5           | -19           | Pass   |
| Low Channel, 1935 MHz                                                                                                                                                                                                                                                                                                                 |   | 2                                                                                           | -21.6           | -19           | Pass   |
| Low Channel, 1935 MHz                                                                                                                                                                                                                                                                                                                 |   | 3                                                                                           | -20.6           | -19           | Pass   |
| High Channel, 1985 MHz                                                                                                                                                                                                                                                                                                                |   | 1                                                                                           | -26.6           | -19           | Pass   |
| High Channel, 1985 MHz                                                                                                                                                                                                                                                                                                                |   | 2                                                                                           | -22.6           | -19           | Pass   |
| High Channel, 1985 MHz                                                                                                                                                                                                                                                                                                                |   | 3                                                                                           | -23.1           | -19           | Pass   |
| 256-QAM Modulation                                                                                                                                                                                                                                                                                                                    |   |                                                                                             |                 |               |        |
| Low Channel, 1935 MHz                                                                                                                                                                                                                                                                                                                 |   | 1                                                                                           | -27.1           | -19           | Pass   |
| Low Channel, 1935 MHz                                                                                                                                                                                                                                                                                                                 |   | 2                                                                                           | -21.3           | -19           | Pass   |
| Low Channel, 1935 MHz                                                                                                                                                                                                                                                                                                                 |   | 3                                                                                           | -20.7           | -19           | Pass   |
| High Channel, 1985 MHz                                                                                                                                                                                                                                                                                                                |   | 1                                                                                           | -27.2           | -19           | Pass   |
| High Channel, 1985 MHz                                                                                                                                                                                                                                                                                                                |   | 2                                                                                           | -22.6           | -19           | Pass   |
| High Channel, 1985 MHz                                                                                                                                                                                                                                                                                                                |   | 3                                                                                           | -23.4           | -19           | Pass   |
| 15 MHz Bandwidth                                                                                                                                                                                                                                                                                                                      |   |                                                                                             |                 |               |        |
| QPSK Modulation                                                                                                                                                                                                                                                                                                                       |   |                                                                                             |                 |               |        |
| Low Channel, 1937.5 MHz                                                                                                                                                                                                                                                                                                               |   | 1                                                                                           | -26.1           | -19           | Pass   |
| Low Channel, 1937.5 MHz                                                                                                                                                                                                                                                                                                               |   | 2                                                                                           | -22.9           | -19           | Pass   |
| Low Channel, 1937.5 MHz                                                                                                                                                                                                                                                                                                               |   | 3                                                                                           | -22.1           | -19           | Pass   |
| High Channel, 1982.5 MHz                                                                                                                                                                                                                                                                                                              |   | 1                                                                                           | -27.0           | -19           | Pass   |
| High Channel, 1982.5 MHz                                                                                                                                                                                                                                                                                                              |   | 2                                                                                           | -24.3           | -19           | Pass   |
| High Channel, 1982.5 MHz                                                                                                                                                                                                                                                                                                              |   | 3                                                                                           | -24.8           | -19           | Pass   |
| 16-QAM Modulation                                                                                                                                                                                                                                                                                                                     |   |                                                                                             |                 |               |        |
| Low Channel, 1937.5 MHz                                                                                                                                                                                                                                                                                                               |   | 1                                                                                           | -26.3           | -19           | Pass   |
| Low Channel, 1937.5 MHz                                                                                                                                                                                                                                                                                                               |   | 2                                                                                           | -22.9           | -19           | Pass   |
| Low Channel, 1937.5 MHz                                                                                                                                                                                                                                                                                                               |   | 3                                                                                           | -22.1           | -19           | Pass   |
| High Channel, 1982.5 MHz                                                                                                                                                                                                                                                                                                              |   | 1                                                                                           | -25.6           | -19           | Pass   |
| High Channel, 1982.5 MHz                                                                                                                                                                                                                                                                                                              |   | 2                                                                                           | -24.2           | -19           | Pass   |
| High Channel, 1982.5 MHz                                                                                                                                                                                                                                                                                                              |   | 3                                                                                           | -24.3           | -19           | Pass   |
| 64-QAM Modulation                                                                                                                                                                                                                                                                                                                     |   |                                                                                             |                 |               |        |
| Low Channel, 1937.5 MHz                                                                                                                                                                                                                                                                                                               |   | 1                                                                                           | -26.6           | -19           | Pass   |
| Low Channel, 1937.5 MHz                                                                                                                                                                                                                                                                                                               |   | 2                                                                                           | -22.7           | -19           | Pass   |


|                    |                          |   |       |     |      |
|--------------------|--------------------------|---|-------|-----|------|
|                    | Low Channel, 1937.5 MHz  | 3 | -22.2 | -19 | Pass |
|                    | High Channel, 1982.5 MHz | 1 | -26.9 | -19 | Pass |
|                    | High Channel, 1982.5 MHz | 2 | -24.0 | -19 | Pass |
|                    | High Channel, 1982.5 MHz | 3 | -24.3 | -19 | Pass |
| 256-QAM Modulation |                          |   |       |     |      |
|                    | Low Channel, 1937.5 MHz  | 1 | -26.2 | -19 | Pass |
|                    | Low Channel, 1937.5 MHz  | 2 | -22.5 | -19 | Pass |
|                    | Low Channel, 1937.5 MHz  | 3 | -21.9 | -19 | Pass |
|                    | High Channel, 1982.5 MHz | 1 | -26.0 | -19 | Pass |
|                    | High Channel, 1982.5 MHz | 2 | -24.4 | -19 | Pass |
|                    | High Channel, 1982.5 MHz | 3 | -24.5 | -19 | Pass |
| 20 MHz Bandwidth   |                          |   |       |     |      |
| QPSK Modulation    |                          |   |       |     |      |
|                    | Low Channel, 1940 MHz    | 1 | -25.2 | -19 | Pass |
|                    | Low Channel, 1940 MHz    | 2 | -23.5 | -19 | Pass |
|                    | Low Channel, 1940 MHz    | 3 | -22.9 | -19 | Pass |
|                    | High Channel, 1980 MHz   | 1 | -25.6 | -19 | Pass |
|                    | High Channel, 1980 MHz   | 2 | -25.4 | -19 | Pass |
|                    | High Channel, 1980 MHz   | 3 | -25.5 | -19 | Pass |
| 16-QAM Modulation  |                          |   |       |     |      |
|                    | Low Channel, 1940 MHz    | 1 | -24.3 | -19 | Pass |
|                    | Low Channel, 1940 MHz    | 2 | -23.3 | -19 | Pass |
|                    | Low Channel, 1940 MHz    | 3 | -22.6 | -19 | Pass |
|                    | High Channel, 1980 MHz   | 1 | -26.4 | -19 | Pass |
|                    | High Channel, 1980 MHz   | 2 | -25.8 | -19 | Pass |
|                    | High Channel, 1980 MHz   | 3 | -25.9 | -19 | Pass |
| 64-QAM Modulation  |                          |   |       |     |      |
|                    | Low Channel, 1940 MHz    | 1 | -26.3 | -19 | Pass |
|                    | Low Channel, 1940 MHz    | 2 | -23.5 | -19 | Pass |
|                    | Low Channel, 1940 MHz    | 3 | -22.6 | -19 | Pass |
|                    | High Channel, 1980 MHz   | 1 | -25.1 | -19 | Pass |
|                    | High Channel, 1980 MHz   | 2 | -25.5 | -19 | Pass |
|                    | High Channel, 1980 MHz   | 3 | -25.5 | -19 | Pass |
| 256-QAM Modulation |                          |   |       |     |      |
|                    | Low Channel, 1940 MHz    | 1 | -25.2 | -19 | Pass |
|                    | Low Channel, 1940 MHz    | 2 | -23.5 | -19 | Pass |
|                    | Low Channel, 1940 MHz    | 3 | -22.8 | -19 | Pass |
|                    | High Channel, 1980 MHz   | 1 | -26.5 | -19 | Pass |
|                    | High Channel, 1980 MHz   | 2 | -25.3 | -19 | Pass |
|                    | High Channel, 1980 MHz   | 3 | -25.2 | -19 | Pass |

# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, QPSK Modulation, Low Channel, 1932.5 MHz |                 |               |        |  |  |  |
|--------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                        | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 1                                                                                                      | -22.11          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, QPSK Modulation, Low Channel, 1932.5 MHz |                 |               |        |  |  |  |
|--------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                        | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                      | -22.02          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, QPSK Modulation , Low Channel, 1932.5 MHz |                 |               |        |  |  |  |
|---------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                         | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                       | -20.32          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, QPSK Modulation , High Channel, 1987.5 MHz |                 |               |        |  |  |  |
|----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                          | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 1                                                                                                        | -22.22          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, QPSK Modulation, High Channel, 1987.5 MHz |                 |               |        |  |  |  |
|---------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                         | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                       | -22.84          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, QPSK Modulation, High Channel, 1987.5 MHz |                 |               |        |  |  |  |
|---------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                         | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                       | -23.35          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1932.5 MHz |                 |               |        |  |  |  |
|----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                          | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 1                                                                                                        | -24.74          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1932.5 MHz |                 |               |        |  |  |  |
|----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                          | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                        | -21.07          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1932.5 MHz |                 |               |        |  |  |  |
|----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                          | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                        | -22.141         | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 16-QAM Modulation, High Channel, 1987.5 MHz |                 |               |        |  |  |  |
|-----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                           | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 1                                                                                                         | -24.14          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMR 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 16-QAM Modulation, High Channel, 1987.5 MHz |                 |               |        |  |  |  |
|-----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                           | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                         | -22.91          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 16-QAM Modulation, High Channel, 1987.5 MHz |                 |               |        |  |  |  |
|-----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                           | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                         | -23.27          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1932.5 MHz |  |                 |  |               |  |        |
|----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                          |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                        |  | -24.17          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1932.5 MHz |  |                 |  |               |  |        |
|----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                          |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 2                                                                                                        |  | -21.68          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1932.5 MHz |                 |               |        |  |  |  |
|----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                          | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                        | -20.31          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 64-QAM Modulation, High Channel, 1987.5 MHz |                 |               |        |  |  |  |
|-----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                           | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 1                                                                                                         | -21.58          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 64-QAM Modulation, High Channel, 1987.5 MHz |                 |               |        |  |  |  |
|-----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                           | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                         | -23.14          | -19           | Pass   |  |  |  |




| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 64-QAM Modulation, High Channel, 1987.5 MHz |                 |               |        |  |  |  |
|-----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                           | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                         | -23.58          | -19           | Pass   |  |  |  |






| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1932.5 MHz |   |  |  |                 |             |        |  |
|-----------------------------------------------------------------------------------------------------------|---|--|--|-----------------|-------------|--------|--|
| Frequency Range                                                                                           |   |  |  | Max Value (dBm) | Limit (dBm) | Result |  |
|                                                                                                           | 1 |  |  | -23.31          | -19         | Pass   |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1932.5 MHz |                 |               |        |  |  |  |
|-----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                           | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                         | -21.17          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1932.5 MHz |  |                 |  |               |  |        |
|-----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                           |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 3                                                                                                         |  | -20.39          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 256-QAM Modulation, High Channel, 1987.5 MHz |  |                 |  |               |  |        |
|------------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                            |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                          |  | -22.6           |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 256-QAM Modulation, High Channel, 1987.5 MHz |                 |               |        |  |  |  |
|------------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                            | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                          | -22.34          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 5 MHz Bandwidth, 256-QAM Modulation, High Channel, 1987.5 MHz |                 |               |        |  |  |  |
|------------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                            | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                          | -22.8           | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, QPSK Modulation, Low Channel, 1935 MHz |                 |               |        |  |  |  |
|-------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                       | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 1                                                                                                     | -27.43          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, QPSK Modulation, Low Channel, 1935 MHz |                 |               |        |  |  |  |
|-------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                       | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                     | -21.61          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, QPSK Modulation , Low Channel, 1935 MHz |                 |               |        |  |  |  |
|--------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                        | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                      | -21.08          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, QPSK Modulation , High Channel, 1985 MHz |                 |               |        |  |  |  |
|---------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                         | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 1                                                                                                       | -26.01          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, QPSK Modulation, High Channel, 1985 MHz |                 |               |        |  |  |  |
|--------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                        | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                      | -22.68          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, QPSK Modulation, High Channel, 1985 MHz |                 |               |        |  |  |  |
|--------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                        | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                      | -23.22          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1935 MHz |                 |               |        |  |  |  |
|---------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                         | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 1                                                                                                       | -27.41          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1935 MHz |                 |               |        |  |  |  |
|---------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                         | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                       | -21.48          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1935 MHz |  |                 |  |               |  |        |
|---------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                         |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 3                                                                                                       |  | -20.85          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 16-QAM Modulation, High Channel, 1985 MHz |  |                 |  |               |  |        |
|----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                          |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                        |  | -27.9           |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMR 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 16-QAM Modulation, High Channel, 1985 MHz |                 |               |        |  |  |  |
|----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                          | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                        | -23.36          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 16-QAM Modulation, High Channel, 1985 MHz |                 |               |        |  |  |  |
|----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                          | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                        | -24.09          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMtX 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1935 MHz |  |                 |  |               |  |        |
|---------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                         |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                       |  | -26.51          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1935 MHz |  |                 |  |               |  |        |
|---------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                         |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 2                                                                                                       |  | -21.55          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1935 MHz |  |                 |  |               |  |        |
|---------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                         |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 3                                                                                                       |  | -20.58          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 64-QAM Modulation, High Channel, 1985 MHz |  |                 |  |               |  |        |
|----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                          |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                        |  | -26.59          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 64-QAM Modulation, High Channel, 1985 MHz |                 |               |        |  |  |  |
|----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                          | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                        | -22.64          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 64-QAM Modulation, High Channel, 1985 MHz |                 |               |        |  |  |  |
|----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                          | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                        | -23.12          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1935 MHz |  |                 |  |               |  |        |
|----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                          |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                        |  | -27.14          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1935 MHz |  |                 |  |               |  |        |
|----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                          |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 2                                                                                                        |  | -21.31          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1935 MHz |  |                 |  |               |  |        |
|----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                          |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 3                                                                                                        |  | -20.69          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 256-QAM Modulation, High Channel, 1985 MHz |  |                 |  |               |  |        |
|-----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                           |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                         |  | -27.23          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 256-QAM Modulation, High Channel, 1985 MHz |                 |               |        |  |  |  |
|-----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                           | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                         | -22.61          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 10 MHz Bandwidth, 256-QAM Modulation, High Channel, 1985 MHz |                 |               |        |  |  |  |
|-----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                           | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                         | -23.39          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, QPSK Modulation, Low Channel, 1937.5 MHz |  |                 |  |               |  |        |
|---------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                         |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                       |  | -26.1           |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, QPSK Modulation, Low Channel, 1937.5 MHz |  |                 |  |               |  |        |
|---------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                         |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 2                                                                                                       |  | -22.94          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, QPSK Modulation, Low Channel, 1937.5 MHz |  |                 |  |               |  |        |
|---------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                         |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 3                                                                                                       |  | -22.11          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, QPSK Modulation, High Channel, 1982.5 MHz |  |                 |  |               |  |        |
|----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                          |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                        |  | -26.95          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, QPSK Modulation, High Channel, 1982.5 MHz |                 |               |        |  |  |  |
|----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                          | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                        | -24.33          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, QPSK Modulation, High Channel, 1982.5 MHz |                 |               |        |  |  |  |
|----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                          | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                        | -24.77          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1937.5 MHz |  |                 |  |               |  |        |
|-----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                           |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                         |  | -26.3           |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1937.5 MHz |  |                 |  |               |  |        |
|-----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                           |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 2                                                                                                         |  | -22.91          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1937.5 MHz |  |                 |               |        |  |  |
|-----------------------------------------------------------------------------------------------------------|--|-----------------|---------------|--------|--|--|
| Frequency Range                                                                                           |  | Max Value (dBm) | Limit < (dBm) | Result |  |  |
| 3                                                                                                         |  | -22.07          | -19           | Pass   |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 16-QAM Modulation, High Channel, 1982.5 MHz |  |                 |               |        |  |  |
|------------------------------------------------------------------------------------------------------------|--|-----------------|---------------|--------|--|--|
| Frequency Range                                                                                            |  | Max Value (dBm) | Limit < (dBm) | Result |  |  |
| 1                                                                                                          |  | -25.57          | -19           | Pass   |  |  |




# BAND EDGE COMPLIANCE




TM19 2019.08.30.0 XM18 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 16-QAM Modulation, High Channel, 1982.5 MHz |                 |               |        |  |  |  |
|------------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                            | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                          | -24.16          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 16-QAM Modulation, High Channel, 1982.5 MHz |                 |               |        |  |  |  |
|------------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                            | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                          | -24.27          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1937.5 MHz |  |                 |  |               |  |        |
|-----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                           |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                         |  | -26.62          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1937.5 MHz |  |                 |  |               |  |        |
|-----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                           |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 2                                                                                                         |  | -22.66          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1937.5 MHz |  |                 |  |               |        |  |
|-----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--------|--|
| Frequency Range                                                                                           |  | Max Value (dBm) |  | Limit < (dBm) | Result |  |
| 3                                                                                                         |  | -22.16          |  | -19           | Pass   |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 64-QAM Modulation, High Channel, 1982.5 MHz |  |                 |  |               |        |  |
|------------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--------|--|
| Frequency Range                                                                                            |  | Max Value (dBm) |  | Limit < (dBm) | Result |  |
| 1                                                                                                          |  | -26.92          |  | -19           | Pass   |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMR 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 64-QAM Modulation, High Channel, 1982.5 MHz |                 |               |        |  |  |  |
|------------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                            | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                          | -23.95          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 64-QAM Modulation, High Channel, 1982.5 MHz |                 |               |        |  |  |  |
|------------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                            | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                          | -24.31          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1937.5 MHz |  |                 |  |               |  |        |
|------------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                            |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                          |  | -26.22          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1937.5 MHz |  |                 |  |               |  |        |
|------------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                            |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 2                                                                                                          |  | -22.46          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1937.5 MHz |  |                 |               |        |  |  |
|------------------------------------------------------------------------------------------------------------|--|-----------------|---------------|--------|--|--|
| Frequency Range                                                                                            |  | Max Value (dBm) | Limit < (dBm) | Result |  |  |
| 3                                                                                                          |  | -21.9           | -19           | Pass   |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 256-QAM Modulation, High Channel, 1982.5 MHz |  |                 |               |        |  |  |
|-------------------------------------------------------------------------------------------------------------|--|-----------------|---------------|--------|--|--|
| Frequency Range                                                                                             |  | Max Value (dBm) | Limit < (dBm) | Result |  |  |
| 1                                                                                                           |  | -26             | -19           | Pass   |  |  |




# BAND EDGE COMPLIANCE




TM1Tx 2019.08.30.0 XM1 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 256-QAM Modulation, High Channel, 1982.5 MHz |                 |               |        |  |  |  |
|-------------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                             | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                           | -24.39          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 15 MHz Bandwidth, 256-QAM Modulation, High Channel, 1982.5 MHz |                 |               |        |  |  |  |
|-------------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                             | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                           | -24.5           | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, QPSK Modulation, Low Channel, 1940 MHz |                 |               |        |  |  |  |
|-------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                       | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 1                                                                                                     | -25.21          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, QPSK Modulation, Low Channel, 1940 MHz |                 |               |        |  |  |  |
|-------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                       | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                     | -23.49          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, QPSK Modulation , Low Channel, 1940 MHz |                 |               |        |  |  |  |
|--------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                        | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                      | -22.89          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, QPSK Modulation , High Channel, 1980 MHz |                 |               |        |  |  |  |
|---------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                         | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 1                                                                                                       | -25.55          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, QPSK Modulation, High Channel, 1980 MHz |                 |               |        |  |  |  |
|--------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                        | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                      | -25.42          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, QPSK Modulation, High Channel, 1980 MHz |                 |               |        |  |  |  |
|--------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                        | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                      | -25.46          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMtX 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1940 MHz |  |                 |  |               |  |        |
|---------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                         |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                       |  | -24.34          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1940 MHz |  |                 |  |               |  |        |
|---------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                         |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 2                                                                                                       |  | -23.26          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 16-QAM Modulation, Low Channel, 1940 MHz |  |                 |  |               |  |        |
|---------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                         |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 3                                                                                                       |  | -22.64          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 16-QAM Modulation, High Channel, 1980 MHz |  |                 |  |               |  |        |
|----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                          |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                        |  | -26.44          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 16-QAM Modulation, High Channel, 1980 MHz |                 |               |        |  |  |  |
|----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                          | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                        | -25.82          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 16-QAM Modulation, High Channel, 1980 MHz |                 |               |        |  |  |  |
|----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                          | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                        | -25.86          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1940 MHz |  |                 |  |               |  |        |
|---------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                         |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                       |  | -26.28          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1940 MHz |  |                 |  |               |  |        |
|---------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                         |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 2                                                                                                       |  | -23.51          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 64-QAM Modulation, Low Channel, 1940 MHz |  |                 |  |               |  |        |
|---------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                         |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 3                                                                                                       |  | -22.63          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 64-QAM Modulation, High Channel, 1980 MHz |  |                 |  |               |  |        |
|----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                          |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                        |  | -25.06          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 64-QAM Modulation, High Channel, 1980 MHz |                 |               |        |  |  |  |
|----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                          | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                        | -25.52          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 64-QAM Modulation, High Channel, 1980 MHz |                 |               |        |  |  |  |
|----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                          | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                        | -25.54          | -19           | Pass   |  |  |  |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XbTx 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1940 MHz |  |                 |  |               |  |        |
|----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                          |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                        |  | -25.21          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1940 MHz |  |                 |  |               |  |        |
|----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                          |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 2                                                                                                        |  | -23.53          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE




TbTx 2019.08.30.0 XMt 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 256-QAM Modulation, Low Channel, 1940 MHz |  |                 |  |               |  |        |
|----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                          |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 3                                                                                                        |  | -22.82          |  | -19           |  | Pass   |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 256-QAM Modulation, High Channel, 1980 MHz |  |                 |  |               |  |        |
|-----------------------------------------------------------------------------------------------------------|--|-----------------|--|---------------|--|--------|
| Frequency Range                                                                                           |  | Max Value (dBm) |  | Limit < (dBm) |  | Result |
| 1                                                                                                         |  | -26.45          |  | -19           |  | Pass   |




# BAND EDGE COMPLIANCE



TbTx 2019.08.30.0 XMR 2020.12.30.0

| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 256-QAM Modulation, High Channel, 1980 MHz |                 |               |        |  |  |  |
|-----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                           | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 2                                                                                                         | -25.29          | -19           | Pass   |  |  |  |



| Band n2, 1930 MHz - 1990 MHz, 5G NR, Port 3, 20 MHz Bandwidth, 256-QAM Modulation, High Channel, 1980 MHz |                 |               |        |  |  |  |
|-----------------------------------------------------------------------------------------------------------|-----------------|---------------|--------|--|--|--|
| Frequency Range                                                                                           | Max Value (dBm) | Limit < (dBm) | Result |  |  |  |
| 3                                                                                                         | -25.22          | -19           | Pass   |  |  |  |

