



GLEMO090902917RF Modification Method

Applicant Name: SYMA TOYS FACTORY


Product Name: VENOM KODIAK HELICOPTER

Model NO.: VENF-6053

Modification detail:

For Tx

1. Improved the scheme circuit diagram as the following figure shown.





SGS-CSTC Standards Technical Services Co., Ltd.

Re: Acceptance of Modification

To Whom It May Concern:

SGS-CSTC No.: GLEMO090902917RF

We reviewed the modification for our product which conducted by SGS GZ, and here we affirm that our final products to be manufactured will be exactly the same as the modified sample. Please issue the report based on the result after modification.

Signature & Stamp:

Date:

Best regards,

Client's signature :

Client's name / title : Ivan Chen / Marketing manager

Phone : (86) 754-86395093

Fax : (86) 754-86395098

Address : Laimei Industry Areas, Chenghai, Shantou City Guangdong, China

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."