



RF EXPOSURE REPORT

(FOR BLUETOOTH)

REPORT NO.: SA110831C14A

MODEL NO.: BXH-200NC

FCC ID: VEG-BXH-200NC

RECEIVED: May 09, 2012

TESTED: May 15 ~ May 21, 2012

ISSUED: May 23, 2012

APPLICANT: General Infinity Co., Ltd

ADDRESS: 2F, No, 36, Reihu Street, Neihu District, Taipei,
114, Taiwan, ROC.

ISSUED BY: Bureau Veritas Consumer Products Services
(H.K.) Ltd., Taoyuan Branch

LAB ADDRESS: No. 47, 14th Ling, Chia Pau Vil., Lin Kou Dist.,
New Taipei City, Taiwan (R.O.C.)

TEST LOCATION: No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei
Shan Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.

This test report consists of 5 pages in total. It may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced except in full, without the written approval of our laboratory. The client should not use it to claim product, certification, approval or endorsement by any government agency. The test results in the report only apply to the tested sample.



A D T

Table of Contents

RELEASE CONTROL RECORD.....	3
1. CERTIFICATION	4
2. REDUCED CONDITION FOR SAR.....	5
3. MAXIMUM MEASURED POWER OF EUT	5
4. CONCLUSION.....	5



A D T

RELEASE CONTROL RECORD

ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
SA110831C14A	Original release	May 23, 2012



1. CERTIFICATION

PRODUCT: Bluetooth NC headset

MODEL NO.: BXH-200NC

BRAND: Antec

APPLICANT: General Infinity Co., Ltd

TESTED: May 15 ~ May 21, 2012

TEST SAMPLE: ENGINEERING SAMPLE

STANDARDS: FCC Part 2 (Section 2.1093)


FCC OET Bulletin 65, Supplement C (01-01)

IEEE C95.1

The above equipment (model: BXH-200NC) has been tested by **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

PREPARED BY :  , DATE : May 23, 2012

Pettie Chen / Specialist

APPROVED BY :  , DATE : May 23, 2012

Gary Chang / Technical Manager



A D T

2. REDUCED CONDITION FOR SAR

When output power is $\leq 60/f(\text{GHz})$ mW, SAR evaluation is not required.

3. MAXIMUM MEASURED POWER OF EUT

Maximum measured transmitter power:

Pout (dBm)	Pout (mW)	
Bluetooth		
Conducted Power	3.010	2.000
EIRP Power	4.540	2.844

***Note:** The antenna type is wire with 1.53dBi gain.

4. CONCLUSION

No SAR evaluation is required since output power of EUT is less than threshold of SAR.