

Test Report No.50344748 001

Appendix D: Radiated and Mains Spurious Emission Data

(File: 50344748 001Appendix D)

Contents


Spurious Emissions, Bandedge, 1-DH5_Left Ear	2
Spurious Emissions, Bandedge, 3-DH5_Left Ear	10
Spurious Emissions, TX Mode, 9kHz-30MHz, 1-DH5_Left Ear	17
Spurious Emissions, TX Mode, 30MHz-1GHz, 1-DH5_Left Ear.....	19
Spurious Emissions, TX Mode, 1GHz-18GHz, 1-DH5_Left Ear	21
Spurious Emissions, TX Mode, 1GHz-18GHz, 3-DH5_Left Ear	27
Spurious Emissions, TX Mode, 18GHz-26.5GHz, 1-DH5_Left Ear	33
Spurious Emissions, TX Mode, 18GHz-26.5GHz, 3-DH5_Left Ear	39
Spurious Emissions, Bandedge, 1-DH5_Right Ear	45
Spurious Emissions, Bandedge, 3-DH5_Right Ear	53
Spurious Emissions, TX Mode, 9kHz-30MHz, 1-DH5_Right Ear	61
Spurious Emissions, TX Mode, 30MHz-1GHz, 1-DH5_Right Ear	63
Spurious Emissions, TX Mode, 1GHz-18GHz, 1-DH5_Right Ear	65
Spurious Emissions, TX Mode, 1GHz-18GHz, 3-DH5_Right Ear	71
Spurious Emissions, TX Mode, 18GHz-26.5GHz, 1-DH5_Right Ear	77
Spurious Emissions, TX Mode, 18GHz-26.5GHz, 3-DH5_Right Ear	83

Spurious Emissions, Bandedge, 1-DH5_Left Ear


2402MHz




TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road. Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	55.27	63.54	-8.27	74.00	-18.73	100	99	Peak	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	43.16	51.43	-8.27	54.00	-10.84	100	99	Average	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	52.40	60.67	-8.27	74.00	-21.60	100	243	Peak	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	42.98	51.25	-8.27	54.00	-11.02	100	243	Average	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	52.00	60.02	-8.02	74.00	-22.00	100	126	Peak	
2	2492.472	54.62	62.64	-8.02	74.00	-19.38	100	126	Peak	
3	2500.000	53.28	61.28	-8.00	74.00	-20.72	100	126	Peak	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	42.92	50.94	-8.02	54.00	-11.08	100	126	Average	
2	2500.000	42.92	50.92	-8.00	54.00	-11.08	100	126	Average	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	54.71	62.73	-8.02	74.00	-19.29	100	219	Peak	
2	2488.262	55.82	63.84	-8.02	74.00	-18.18	100	219	Peak	
3	2500.000	54.23	62.23	-8.00	74.00	-19.77	100	219	Peak	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	42.89	50.91	-8.02	54.00	-11.11	100	219	Average	
2	2500.000	43.10	51.10	-8.00	54.00	-10.90	100	219	Average	

Spurious Emissions, Bandedge, 3-DH5_Left Ear


2402MHz




TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road. Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	54.38	62.65	-8.27	74.00	-19.62	100	247	Peak	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	42.88	51.15	-8.27	54.00	-11.12	100	247	Average	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	42.88	51.15	-8.27	54.00	-11.12	100	247	Average	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	53.98	62.00	-8.02	74.00	-20.02	100	83	Peak	
2	2490.367	55.65	63.67	-8.02	74.00	-18.35	100	83	Peak	
3	2500.000	53.49	61.49	-8.00	74.00	-20.51	100	83	Peak	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	42.93	50.95	-8.02	54.00	-11.07	100	83	Average	
2	2500.000	43.01	51.01	-8.00	54.00	-10.99	100	83	Average	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	52.89	60.91	-8.02	74.00	-21.11	100	223	Peak	
2	2489.946	54.13	62.15	-8.02	74.00	-19.87	100	223	Peak	
3	2500.000	50.82	58.82	-8.00	74.00	-23.18	100	223	Peak	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	42.94	50.96	-8.02	54.00	-11.06	100	223	Average	
2	2500.000	42.94	50.94	-8.00	54.00	-11.06	100	223	Average	


Spurious Emissions, TX Mode, 9kHz-30MHz, 1-DH5_Left Ear



TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.010	49.08	31.05	18.03	127.93	-78.85	100	160	QP	
2	0.038	40.19	21.25	18.94	116.04	-75.85	100	283	QP	
3	0.063	40.11	21.54	18.57	111.56	-71.45	100	118	QP	
4	0.076	36.17	17.90	18.27	110.00	-73.83	100	132	QP	
5	0.083	34.02	15.92	18.10	109.22	-75.20	100	172	QP	
6	0.127	33.72	15.90	17.82	105.51	-71.79	100	240	QP	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.150	42.16	24.25	17.91	104.08	-61.92	100	150	QP	
2	0.929	34.73	16.10	18.63	68.26	-33.53	100	120	QP	
3	3.481	33.62	14.84	18.78	69.50	-35.88	100	225	QP	
4	7.202	35.12	15.31	19.81	69.50	-34.38	100	118	QP	
5	10.706	35.28	14.81	20.47	69.50	-34.22	100	210	QP	
6	13.301	36.28	15.55	20.73	69.50	-33.22	100	238	QP	

Spurious Emissions, TX Mode, 30MHz-1GHz, 1-DH5_Left Ear

2441MHz, Horizontal




TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road. Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	30.000	26.60	26.74	-0.14	40.00	-13.40	100	2	QP	
2	143.870	24.50	31.40	-6.90	43.50	-19.00	100	99	QP	
3 !	239.464	42.31	49.09	-6.78	46.00	-3.69	100	247	QP	
4 !	360.362	41.55	44.90	-3.35	46.00	-4.45	100	120	QP	
5	720.246	37.31	35.59	1.72	46.00	-8.69	100	215	QP	
6	842.551	34.14	30.54	3.60	46.00	-11.86	100	269	QP	



TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	46.870	34.40	43.90	-9.50	40.00	-5.60	100	210	QP	
2 !	59.522	34.18	48.00	-13.82	40.00	-5.82	100	185	QP	
3	119.971	34.30	41.59	-7.29	43.50	-9.20	100	239	QP	
4 !	239.464	40.61	47.39	-6.78	46.00	-5.39	100	91	QP	
5	360.362	36.18	39.53	-3.35	46.00	-9.82	100	0	QP	
6	720.246	32.89	31.17	1.72	46.00	-13.11	100	245	QP	

Spurious Emissions, TX Mode, 1GHz-18GHz, 1-DH5_Left Ear

2402MHz, Horizontal




TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	50.48	54.09	-3.61	74.00	-23.52	100	242	Peak	
2	7206.000	55.05	50.72	4.33	74.00	-18.95	100	181	Peak	
3	7206.000	52.03	47.70	4.33	54.00	-1.97	100	181	Average	
4	9007.000	50.65	45.05	5.60	74.00	-23.35	100	57	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	49.75	53.36	-3.61	74.00	-24.25	100	0	Peak	
2	7206.000	53.21	48.88	4.33	74.00	-20.79	100	78	Peak	
3	7206.000	48.33	44.00	4.33	54.00	-5.67	100	78	Average	
4	8514.000	50.04	44.43	5.61	74.00	-23.96	100	231	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	48.59	52.10	-3.51	74.00	-25.41	100	262	Peak	
2	7323.000	55.94	51.39	4.55	74.00	-18.06	100	152	Peak	
3	7323.000	52.77	48.22	4.55	54.00	-1.23	100	152	Average	
4	8463.000	49.98	44.42	5.56	74.00	-24.02	100	139	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	48.31	51.82	-3.51	74.00	-25.69	100	9	Peak	
2	7323.000	52.41	47.86	4.55	74.00	-21.59	100	66	Peak	
3	7323.000	47.74	43.19	4.55	54.00	-6.26	100	66	Average	
4	8837.000	49.83	44.16	5.67	74.00	-24.17	100	267	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	50.79	54.18	-3.39	74.00	-23.21	100	247	Peak	
2	7440.000	56.32	51.46	4.86	74.00	-17.68	100	148	Peak	
3	7440.000	52.40	47.54	4.86	54.00	-1.60	100	148	Average	
4	8106.000	50.25	45.20	5.05	74.00	-23.75	100	343	Peak	



TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	50.66	54.05	-3.39	74.00	-23.34	100	46	Peak	
2	7440.000	51.32	46.46	4.86	74.00	-22.68	100	35	Peak	
3	9755.000	50.34	45.20	5.14	74.00	-23.66	100	343	Peak	

Spurious Emissions, TX Mode, 1GHz-18GHz, 3-DH5_Left Ear

2402MHz, Horizontal




TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	49.27	52.88	-3.61	74.00	-24.73	100	229	Peak	
2	7206.000	54.66	50.33	4.33	74.00	-19.34	100	144	Peak	
3	7206.000	53.30	48.97	4.33	54.00	-0.70	100	144	Average	
4	8820.000	50.04	44.39	5.65	74.00	-23.96	100	11	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	49.08	52.69	-3.61	74.00	-24.92	100	3	Peak	
2	7206.000	52.46	48.13	4.33	74.00	-21.54	100	72	Peak	
3	7206.000	49.91	45.58	4.33	54.00	-4.09	100	72	Average	
4	10639.000	50.89	47.31	3.58	74.00	-23.11	100	202	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	48.61	52.12	-3.51	74.00	-25.39	100	223	Peak	
2	7323.000	55.77	51.22	4.55	74.00	-18.23	100	149	Peak	
3	7323.000	53.52	48.97	4.55	54.00	-0.48	100	149	Average	
4	10605.000	50.86	47.25	3.61	74.00	-23.14	100	108	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	48.63	52.14	-3.51	74.00	-25.37	100	0	Peak	
2	7323.000	51.99	47.44	4.55	74.00	-22.01	100	47	Peak	
3	7323.000	49.88	45.33	4.55	54.00	-4.12	100	47	Average	
4	8480.000	50.25	44.66	5.59	74.00	-23.75	100	19	Peak	



TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	50.82	54.21	-3.39	74.00	-23.18	100	248	Peak	
2	7440.000	55.46	50.60	4.86	74.00	-18.54	100	148	Peak	
3	7440.000	49.11	44.25	4.86	54.00	-4.89	100	148	Average	
4	8582.000	50.30	44.73	5.57	74.00	-23.70	100	290	Peak	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	50.75	54.14	-3.39	74.00	-23.25	100	16	Peak	
2	7440.000	52.26	47.40	4.86	74.00	-21.74	100	20	Peak	
3	7440.000	46.90	42.04	4.86	54.00	-7.10	100	20	Average	
4	8480.000	50.06	44.47	5.59	74.00	-23.94	100	360	Peak	

Spurious Emissions, TX Mode, 18GHz-26.5GHz, 1-DH5_Left Ear

2402MHz, Horizontal




TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road. Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBUV/m	dBuV	dB/m	dBUV/m	dB	cm	deg		
1	20808.700	47.79	41.89	5.90	74.00	-26.21	100	85	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	21978.990	48.21	41.53	6.68	74.00	-25.79	100	67	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	22557.970	47.30	39.85	7.45	74.00	-26.70	100	285	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road. Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	21461.590	46.87	40.67	6.20	74.00	-27.13	100	286	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	21350.720	46.24	40.04	6.20	74.00	-27.76	100	311	Peak	



TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	22853.620	48.29	40.61	7.68	74.00	-25.71	100	69	Peak	

Spurious Emissions, TX Mode, 18GHz-26.5GHz, 3-DH5_Left Ear

2402MHz, Horizontal




TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road. Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	20389.860	47.43	41.83	5.60	74.00	-26.57	100	0	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	22447.100	47.43	40.10	7.33	74.00	-26.57	100	347	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	20069.560	48.44	42.90	5.54	74.00	-25.56	100	248	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	21486.230	46.90	40.70	6.20	74.00	-27.10	100	111	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	22755.070	47.97	40.37	7.60	74.00	-26.03	100	360	Peak	



TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	21313.770	47.85	41.66	6.19	74.00	-26.15	100	28	Peak	

Spurious Emissions, Bandedge, 1-DH5_Right Ear


2402MHz




TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road. Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	53.21	61.48	-8.27	74.00	-20.79	100	294	Peak	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	42.18	50.45	-8.27	54.00	-11.82	100	294	Average	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	54.09	62.36	-8.27	74.00	-19.91	100	202	Peak	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	42.16	50.43	-8.27	54.00	-11.84	100	202	Average	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	52.45	60.47	-8.02	74.00	-21.55	100	277	Peak	
2	2487.542	53.38	61.40	-8.02	74.00	-20.62	100	277	Peak	
3	2500.000	52.78	60.78	-8.00	74.00	-21.22	100	277	Peak	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	42.37	50.39	-8.02	54.00	-11.63	100	277	Average	
2	2500.000	42.08	50.08	-8.00	54.00	-11.92	100	277	Average	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	52.45	60.47	-8.02	74.00	-21.55	100	277	Peak	
2	2487.542	53.38	61.40	-8.02	74.00	-20.62	100	277	Peak	
3	2500.000	52.78	60.78	-8.00	74.00	-21.22	100	277	Peak	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	42.28	50.30	-8.02	54.00	-11.72	100	231	Average	
2	2500.000	42.10	50.10	-8.00	54.00	-11.90	100	231	Average	

Spurious Emissions, Bandedge, 3-DH5_Right Ear


2402MHz




TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road. Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	53.16	61.43	-8.27	74.00	-20.84	100	260	Peak	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	42.18	50.45	-8.27	54.00	-11.82	100	260	Average	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	52.61	60.88	-8.27	74.00	-21.39	100	206	Peak	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2390.000	42.21	50.48	-8.27	54.00	-11.79	100	206	Average	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	52.56	60.58	-8.02	74.00	-21.44	100	281	Peak	
2	2486.932	54.13	62.16	-8.03	74.00	-19.87	100	281	Peak	
3	2500.000	53.31	61.31	-8.00	74.00	-20.69	100	281	Peak	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	42.27	50.29	-8.02	54.00	-11.73	100	281	Average	
2	2500.000	42.15	50.15	-8.00	54.00	-11.85	100	281	Average	



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	52.39	60.41	-8.02	74.00	-21.61	100	235	Peak	
2	2500.000	52.10	60.10	-8.00	74.00	-21.90	100	235	Peak	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2483.500	42.35	50.37	-8.02	54.00	-11.65	100	235	Average	
2	2500.000	42.26	50.26	-8.00	54.00	-11.74	100	235	Average	


Spurious Emissions, TX Mode, 9kHz-30MHz, 1-DH5_Right Ear



TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read		Limit	Over	APos	TPos	Remark	Note
	MHz	dBuV/m	Level	Factor	Line	Limit	cm	deg		
1	0.010	50.89	32.86	18.03	127.93	-77.04	100	250	QP	
2	0.042	39.74	20.82	18.92	115.11	-75.37	100	233	QP	
3	0.048	39.13	20.24	18.89	113.96	-74.83	100	147	QP	
4	0.059	41.38	22.72	18.66	112.14	-70.76	100	230	QP	
5	0.119	31.39	13.62	17.77	106.12	-74.73	100	185	QP	
6	0.150	30.15	12.24	17.91	104.10	-73.95	100	112	QP	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.150	42.49	24.58	17.91	104.08	-61.59	100	53	QP	
2	1.058	35.04	16.38	18.66	67.13	-32.09	100	142	QP	
3	1.837	33.96	15.31	18.65	69.50	-35.54	100	139	QP	
4	4.476	33.83	14.68	19.15	69.50	-35.67	100	257	QP	
5	5.687	33.97	14.48	19.49	69.50	-35.53	100	161	QP	
6	12.133	35.83	15.22	20.61	69.50	-33.67	100	243	QP	

Spurious Emissions, TX Mode, 30MHz-1GHz, 1-DH5_Right Ear


2441MHz, Horizontal



TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road. Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	30.000	26.95	27.09	-0.14	40.00	-13.05	100	308	QP	
2	119.971	29.04	36.33	-7.29	43.50	-14.46	100	116	QP	
3	239.464	42.01	48.79	-6.78	46.00	-3.99	100	112	QP	
4	360.362	39.05	42.40	-3.35	46.00	-6.95	100	279	QP	
5	720.246	35.73	34.01	1.72	46.00	-10.27	100	144	QP	
6	938.145	35.32	30.14	5.18	46.00	-10.68	100	360	QP	




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	46.870	33.45	42.95	-9.50	40.00	-6.55	100	282	QP	
2	59.522	33.68	47.50	-13.82	40.00	-6.32	100	343	QP	
3	120.000	40.02	47.30	-7.28	43.50	-3.48	100	280	QP	
4	239.464	39.31	46.09	-6.78	46.00	-6.69	100	321	QP	
5	360.362	33.13	36.48	-3.35	46.00	-12.87	100	348	QP	
6	791.942	31.67	28.80	2.87	46.00	-14.33	100	58	QP	

Spurious Emissions, TX Mode, 1GHz-18GHz, 1-DH5_Right Ear

2402MHz, Horizontal




TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road. Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	50.49	54.10	-3.61	74.00	-23.51	100	129	Peak	
2	7206.000	54.96	50.63	4.33	74.00	-19.04	100	152	Peak	
3	7206.000	47.38	43.05	4.33	54.00	-6.62	100	152	Average	
4	8268.116	49.89	44.61	5.28	74.00	-24.11	100	360	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	50.69	54.30	-3.61	74.00	-23.31	100	168	Peak	
2	7206.000	55.83	51.50	4.33	74.00	-18.17	100	227	Peak	
3	7206.000	49.66	45.33	4.33	54.00	-4.34	100	227	Average	
4	8760.869	51.11	45.45	5.66	74.00	-22.89	100	84	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	49.08	52.59	-3.51	74.00	-24.92	100	315	Peak	
2	7323.000	52.99	48.44	4.55	74.00	-21.01	100	123	Peak	
3	7323.000	47.99	43.44	4.55	54.00	-6.01	100	123	Average	
4	8982.608	50.61	45.03	5.58	74.00	-23.39	100	53	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	46.23	49.74	-3.51	74.00	-27.77	100		4 Peak	
2	7323.000	55.21	50.66	4.55	74.00	-18.79	100		198 Peak	
3	7323.000	51.69	47.14	4.55	54.00	-2.31	100		198 Average	
4	9598.551	51.03	45.66	5.37	74.00	-22.97	100		16 Peak	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	51.64	55.03	-3.39	74.00	-22.36	100	132	Peak	
2	7440.000	53.37	48.51	4.86	74.00	-20.63	100	158	Peak	
3	7440.000	47.19	42.33	4.86	54.00	-6.81	100	158	Average	
4	9352.174	51.46	45.81	5.65	74.00	-22.54	100	234	Peak	



TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	47.81	51.20	-3.39	74.00	-26.19	100	154	Peak	
2	7440.000	55.62	50.76	4.86	74.00	-18.38	100	191	Peak	
3	7440.000	51.65	46.79	4.86	54.00	-2.35	100	191	Average	
4	10953.620	52.14	49.03	3.11	74.00	-21.86	100	26	Peak	

Spurious Emissions, TX Mode, 1GHz-18GHz, 3-DH5_Right Ear

2402MHz, Horizontal




TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	49.66	53.27	-3.61	74.00	-24.34	100	359	Peak	
2	7206.000	54.89	50.56	4.33	74.00	-19.11	100	100	Peak	
3	7206.000	52.15	47.82	4.33	54.00	-1.85	100	100	Average	
4	8884.058	52.11	46.51	5.60	74.00	-21.89	100	278	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.000	49.99	53.60	-3.61	74.00	-24.01	100	221	Peak	
2	7206.000	54.95	50.62	4.33	74.00	-19.05	100	172	Peak	
3	7206.000	52.68	48.35	4.33	54.00	-1.32	100	172	Average	
4	9820.290	51.96	46.91	5.05	74.00	-22.04	100	142	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	49.77	53.28	-3.51	74.00	-24.23	100	101	Peak	
2	7323.000	54.22	49.67	4.55	74.00	-19.78	100	114	Peak	
3	7323.000	52.06	47.51	4.55	54.00	-1.94	100	114	Average	
4	8489.855	52.49	46.88	5.61	74.00	-21.51	100	68	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.000	49.53	53.04	-3.51	74.00	-24.47	100	165	Peak	
2	7323.000	56.24	51.69	4.55	74.00	-17.76	100	2	Peak	
3	7323.000	53.37	48.82	4.55	54.00	-0.63	100	2	Average	
4	8514.493	52.08	46.47	5.61	74.00	-21.92	100	311	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Note
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	4960.000	50.72	54.11	-3.39	74.00	-23.28	100	104	Peak
2	7440.000	53.51	48.65	4.86	74.00	-20.49	100	156	Peak
3	7440.000	49.18	44.32	4.86	54.00	-4.82	100	156	Average
4	8957.971	52.30	46.75	5.55	74.00	-21.70	100	168	Peak



TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.000	50.08	53.47	-3.39	74.00	-23.92	100	160	Peak	
2	7440.000	56.24	51.38	4.86	74.00	-17.76	100	175	Peak	
3	7440.000	53.24	48.38	4.86	54.00	-0.76	100	175	Average	
4	9179.710	52.05	46.47	5.58	74.00	-21.95	100	18	Peak	

Spurious Emissions, TX Mode, 18GHz-26.5GHz, 1-DH5_Right Ear

2402MHz, Horizontal




TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road. Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBUV/m	dBuV	dB/m	dBUV/m	dB	cm	deg		
1	21806.520	49.89	43.39	6.50	74.00	-24.11	100	221	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	21202.900	50.21	44.03	6.18	74.00	-23.79	100	179	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	21855.800	49.80	43.25	6.55	74.00	-24.20	100	130	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	20586.960	49.89	44.19	5.70	74.00	-24.11	100	0	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	21905.070	49.89	43.29	6.60	74.00	-24.11	100	282	Peak	



TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	20586.960	48.90	43.20	5.70	74.00	-25.10	100	145	Peak	

Spurious Emissions, TX Mode, 18GHz-26.5GHz, 3-DH5_Right Ear

2402MHz, Horizontal




TUV Rheinland Taiwan Ltd.
11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBUV/m	dBuV	dB/m	dBUV/m	dB	cm	deg		
1	21855.800	49.72	43.17	6.55	74.00	-24.28	100	190	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	21227.540	49.75	43.56	6.19	74.00	-24.25	100	190	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	21966.670	50.18	43.51	6.67	74.00	-23.82	100	145	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	22286.960	50.21	43.11	7.10	74.00	-23.79	100	166	Peak	




TUV Rheinland Taiwan Ltd.
 11F., No.758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel:+886-2172-7000 Fax:+886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	21634.060	49.86	43.53	6.33	74.00	-24.14	100	345	Peak	



TUV Rheinland Taiwan Ltd.
 11F., No. 758, Sec. 4 Bade Road, Songshan Dist, Taipei City 105
 Tel: +886-2172-7000 Fax: +886-2528-0018



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	20968.840	49.66	43.60	6.06	74.00	-24.34	100	173	Peak	